410	PRI	ETV.	45	7, CH	HR\$(CM);"{5	5 SPACES}"	
	; CHI	2\$ (1	CM				
420	FOR	I =	1	то	2500:NEXT	I:D=Ø:GOT	3
	0 23	2Ø					

- 430 REM YOU DID IT !!
- 440 FOR I=8 TO 0 STEP -1:SOUND I*30 +5,2:CLS I:NEXT I
- 45Ø FOR I=Ø TO 8:SOUND I*3Ø+5,1:CLS I:NEXT I
- 460 CLS 7:PRINT@106, "YOU DID IT!!"; 470 PRINT@167, "PLAY AGAIN () ";:
- 4/0 PRINT016/, "PLAY AGAIN (D/L)"; INPUT A\$:IF A\$="Y" THEN D=0:GOT 0 130
- 480 CLS:END

Program 5: First Math – Apple Version

```
100 GOSUB 670
```

- 11Ø GOTO 26Ø
- 120 DIM X(100), Y(100)
- 130 P = 2 * (355 / 113): FOR I = 1 TO 1 Ø0:ANGLE = P * (I / 100):X(I) = 15 * SIN (ANGLE):Y(I) = 15 * COS (ANGLE): NEXT I
- 14Ø RETURN
- 150 POKE 230,32: CALL 62450: HGR : CALL - 1994: GR : COLOR= 7: PLOT 16,15 : PLOT 24,15: COLOR= 4: PLOT 20,19
- 160 COLOR= 11: IF C1 = 0 THEN 190
- 17Ø PLOT 15,23: PLOT 25,23: PLOT 16,24 : PLOT 24,24: PLOT 17,25: PLOT 23, 25: HLIN 18,22 AT 26
- 18Ø GOTO 2ØØ
- 190 HLIN 18,22 AT 23: PLOT 17,24: PLOT 23,24: PLOT 16,25: PLOT 24,25: PLOT 15,26: PLOT 25,26
- 200 COLOR= 1
- 210 FOR I = 1 TO 100: PLOT X(I) + 20,Y (I) + 20: NEXT I
- 220 VTAB 22: HTAB 10: FLASH : IF C1 = 1 THEN PRINT " G O O D J O B ! ! ": NORMAL : GOTO 250
- 230 NORMAL : VTAB 22: HTAB 6: PRINT "S O R R Y , B U T ";B;" ";A\$;" ";C ;"=";" ";: INVERSE : PRINT E: NORMAL
- 240 FOR I = 1 TO 2000: NEXT I
- 250 FOR I = 1 TO 1500: NEXT I: HOME : HGR : POKE 34,0: HOME : TEXT : RETURN
- 26Ø HOME : INVERSE : VTAB 1Ø: HTAB 12: PRINT "F I R S T M A T H": NORMAL : VTAB 18: HTAB 4: PRINT ". . . W A I T A S E C O N D"
- 27Ø GOSUB 12Ø
- 28Ø HOME : VTAB 4: HTAB 7: PRINT "TO " ;: INVERSE : PRINT "ADD";: NORMAL : PRINT " : TYPE +"
- 290 VTAB 6: HTAB 7: PRINT "TO ";: INVERSE : PRINT "SUBTRACT";: NORMAL : PRINT " : TYPE -"
- 300 VTAB 8: HTAB 7: PRINT "TO ";: INVERSE : PRINT "MULTIPLY";: NORMAL : PRINT " : TYPE *"
- 310 VTAB 10: HTAB 7: PRINT "TO ";: INVERSE : PRINT "DIVIDE";: NORMAL : PRINT " : TYPE /"
- 32Ø VTAB 13: HTAB 7: PRINT "YOUR CHOIC E= ";
- 33Ø INPUT A\$: IF A\$ < > ("*") AND A\$ <

```
> ("/") THEN 330
     VTAB 17: HTAB 7: INPUT "HIGHEST NU
 40
     MBER= ?"; UL: VTAB 19: HTAB 7: INPUT
     "LOWEST NUMBER= ?";LL
350 R = UL + 1 - LL
360 C = INT ( RND (1) # R) + LL:B = INT
     ( RND (1) # R) + LL
     IF A$ = ("+") THEN DEF
                              FN A(X) =
370
     B + C
                               FN A(X) =
     IF A$ = ("-") THEN
                          DEF
380
     B - C
     IF A$ = ("*") THEN
                         DEF
                               FN A(X) =
390
     BIC
     IF A$ = ("/") AND C = Ø THEN 360
400
     IF A$ = ("/") AND INT (B / C) <
                                        >
410
     B / C THEN 360
     IF A$ = ("/") THEN DEF FN A(X) =
420
     B/C
     HOME : VTAB 7: HTAB 8: PRINT "CORR
430
     ECT ANSWERS IN A ROW= ";: INVERSE
     : PRINT D: NORMAL
440 E = FN A(X): VTAB 15: HTAB 15: PRINT
     B; " "; A$; " "; C; "= ";: INPUT F: IF
     F < > E THEN 480
450 HOME :C1 = 1: GOSUB 150
460 D = D + 1: IF D = 10 THEN 500
470
     GOTO 360
     HOME :C1 = Ø: GOSUB 150
480
49Ø D = Ø: GOTO 43Ø
500
    REM YOU WIN!!
51Ø D = Ø: GOSUB 56Ø
     VTAB 22: HTAB 8: FLASH : PRINT "
52Ø
            DID IT !!"
     YOU
     FOR I = 1 TO 5: POKE 768,1: POKE 7
53Ø
      69.200 - I # 30: CALL 770: NEXT I:
      FOR I = 1 TO 10: POKE 768,1: POKE
      769,40 + I # 20: CALL 770: NEXT I
     NORMAL : VTAB 24: HTAB 10: PRINT "
54Ø
      TRY AGAIN (Y/N) ?";: GET A$: IF A$
       = ("Y") THEN TEXT : GOTO 280
     TEXT : HOME : HTAB 5: VTAB 8: PRINT
55Ø
      "....SEE YA LATER ... ": END
     POKE 230, 32: CALL 62450: HGR : CALL
56Ø
       - 1994: GR
57Ø
     FOR J = 1 TO 3
580 CL = 0:L0 = 0:H1 = 19:S1 = 1: GOSUB
      620
590 CL = 17:LØ = 19:H1 = 0:S1 = - 1: GOSUB
      620
     NEXT J
600
610
      RETURN
      FOR I = LØ TO H1 STEP S1: COLOR= INT
620
      ( RND (1) * CL):X1 = 19 - I:X2 = 2
      \emptyset + I:Y1 = 19 - I:Y2 = 2\emptyset + I
      HLIN X1, X2 AT Y1: VLIN Y1 + 1, Y2 AT
 630
      X2
      HLIN X2 - 1, X1 AT Y2: VLIN Y2 - 1,
 640
      Y1 AT X1
 650
      NEXT I
      RETURN
 660
      REM LOAD MUSIC ROUTINE
 670
      FOR I = 770 TO 795: READ M: POKE I
 680
      M: NEXT I
      DATA 172,01,03,174,01,03,169,04,3
 690
      2, 168, 252, 173, 48, 192, 232, 208, 253, 1
```

36,208,239,206,0,03,208,231,96

700

RETURN

> ("+") AND A\$ < > ("-") AND A\$ <

O

BLOCKHEAD

Matt Giwer

The blockhead moves vertically, bouncing as he goes, and tries to pop the floating balloons. You must catch him as he comes down, but his wildly erratic movements make that very difficult. Versions for 64 and Atari – requires paddles.

"Blockhead" is similar to some of the early arcade games. You will need a paddle in position one to play. The knob controls the position, and the trigger bounces the blockhead. The objective is to pop the balloons and catch the blockhead when he comes back down. When the blockhead hits the balloons, there will be an explosion; he will be bounced around, hitting more balloons.

After you clear one screen of balloons, you will get a new set and advance to the next level of play. At each advancing level the blockhead moves more wildly as he comes down. More balloons will be punctured, but there is also a greater chance either of missing him or of his being thrown outside the area of play. There are five blockheads per game. When you miss the last one, you will be given the opportunity for a new game.

Subroutine Strategy

Although Blockhead seems like a simple game, there is more involved than might first be imagined. Let's take a look at the game logistics in the Atari version. The blockhead must move up and down. A calculated trajectory would slow down the game considerably, so the vertical motions are stored in strings, BU\$ and BD\$. The numbers in these strings, in groups of three, are the vertical positions that use VAL(BU\$(x, x + 2)) POKEd into PLY, which is the vertical position of the blockhead. Blockhead is Player 0 of the P/M graphics.

Since activities such as scoring are sometimes required to be called out of the normal game sequence, this is a subroutine-oriented program. For example, when the last blockhead is missed, the game goes to the subroutine at line 6000. The number of balloons broken still has to be counted, so the subroutine SCORE is called here also. At line 1910, the start of the first game, or at line 6030, the start of a new game, the program waits for a 100 **COMPUTE**! August 1983 trigger pull by calling the subroutine TRGR. But when it goes to a new level, line 5840, there is no need to wait for a trigger pull, so it is not called. Line 2175 sets up a new game, but only after the player has agreed by pulling the trigger as called in line 6030.

The rest of the game is straightforward. The P/M graphics are set up starting at line 30000. From this line on, REMs are used to indicate significant routines, statements, or definitions. The Vertical Blank Interrupt routine defines player movement. The definition of each player is also noted by REMs.

The lines discussed below are of special interest.

Lines 5012 and 5512 evaluate the BU\$ and BD\$ to determine the vertical positions.

Line 5109 determines the horizontal position of the blockhead with respect to the position of the graphics.

Lines 5110-5114 pop balloons two or four at a time depending on the size of the player. The eight bits of the player control eight color clocks, while the eight bits of a character in GRAPHICS 0 control only half-color clocks. The result is that eight bits in P/M graphics are twice as wide as eight bits in normal graphics.

Line 5810 calls the machine language string written in line 51. This routine reads the top lines of the screen and counts the number of occurrences of the CTRL T "balloons" at the top of the screen. The 23rd character in this string, the uppercase T, determines which character is searched for. To search for a different character, the T must be replaced. First look at Table 9.6 (p. 55) of the *Atari BASIC Reference Manual* and find the number of the character you want to search for. Then look at Appendix C and find the ATASCII character for that number, and substitute the ATASCII character for the T. This machine language string works for only the first 256 locations on the screen, or for about six and one-half lines.

Note the POKE PLX + 1, PADDLE(0) used in most subroutines. This is the catching platform; you are asked to update its position whenever possible. This is required so the platform won't end up off of the screen as you turn the knob.

THERE'S A COMPUTER BORN EVERY MINUTE... GIVE IT A HOME.

For **\$89.95** with the CS-1632 you can house your computer, peripherals, and accessories without spending a fortune.

For those with a large computer family the CS-2748 gives you all the room you need for your computer, monitor, printer, peripherals, software, etc. at a price that's hard to believe: **\$299.95**.



The CS-1632 computer storage cabinets compact yet functional design fits almost anywhere while housing your computer monitor, joysticks, software, books and peripherals all for only \$89.95.

The slide out shelf puts the computer at the right height and position for easy comfortable operation.

The fold up locking door keeps unwanted fingers off the key board when not in use. To store joysticks just turn them upside down and slide them into the inverted storage rack. Twist tabs on the back of center panel allow for neat concealed grouping of wires, while power packs rest hidden behind center panel on shelf. The slide out software tray

The slide out software tray has room for 14 cartridges or cassettes and up to 30 diskettes. Most brands of software will fit between the adjustable partitions with a convenient hook for the spare key at rear. Stand fits Atari 400 & 800, Commodore 64 & VIC 20, Ti 99/4A and TRS-80. Cabinet dimensions overall 36" high x 33-7/8" wide x 16" deep.





To order CS-1632 send \$89.95 to: To ord



P. O. Box 446 West Lynn, OR 97068 For Fast Phone Orders Call Toll Free 1-800-547-3100 Inside Oregon Call (503) 635-6667

Name			
Address			
City		State	Zip
Quantity	CS-1632	Quan	tityCS-2748
	Golden Oak Finish	Natural waln	ut finish
Bill my V Bill my I Please in	ЛSA # MasterCard # nclude freight charge on my	VISA or MasterCard	Exp. Date Exp. Date
Card Holde	ers Signature		
Immediate ship 2 weeks. CS-16 Prices subject t	pment if in stock. If not, allow 3-4 wee 532 ships UPS freight collect from Ore to change. Shipment subject to availa	ks for delivery. If personal c gon. CS-2748 ships by truc bility.	theck is sent allow additional k freight collect from Oregon.
Both the CS. 16	532 and CS. 2748 chin unassembled i	in two cartons Assembly t	equires only a screwdriver.

hammer, and a few minutes of your time. Choice in simulated woodgrain of warm golden oak or rich natural walnut finish.



To order CS-2748 send \$299.95 to:



use. Twist tabs on the back of the center panel allow for neat concealed grouping of wires while a convenient storage shelf for books or other items lies below. The printer sits behind a fold down door that provides a work surface for papers or books while using the keyboard. The lift up top allows easy access to the top and rear of the printer. A slot in the printer shelf allows for center as well as rear feed printers. Behind the lower door are a top shelf for paper, feeding the printer, and a bottom shelf to receive printer copy as well as additional storage. Stand fits same computers as the CS-1632 as well as the Apple I and II, IBM-PC, Franklin and many others. The cabinet dimensions overall: 39-1/2" high x 49" wide x 27" deep.

Keyboard shelf 20" deep x 26" wide. Disk drive shelf 15-34" deep x 26" wide. Top shelf for monitor 17" deep x 27" wide. Printer shelf 22" deep x 19" wide.

C-ww

Notes For 64 Version Of Blockhead

Gregg Peele, Programming Assistant

The Commodore 64 version of "Blockhead" utilizes the eight available sprites and an interrupt-driven routine which continues running even when the BASIC program is stopped. Using this machine language routine provides for optimal motion within the game and provides a means to constantly monitor the position of the sprites and set or unset the most significant bit of each sprite depending on which side of the "seam" the sprite is on.

This game works using a timer. The object of the game is to "pop" the balloons as they float across the sky. The more balloons that you pop within your time limit, the more points you receive. Not only must you continually attempt to pop balloons, but you must also catch the blockhead before he falls below his home base. If you miss catching him, points are deducted until you can bring him back to the surface (using the fire button).

The original version of this game is written to be used with Atari-style paddles. If you have Commodore paddles, you must change lines 1070 and 1080 to read as follows:

> 1070 DATA 216,24,173,164,194,105,28,141 1080 DATA 161,194,56,173,164,194,233,217

This alteration leaves a slight glitch in the paddle movement around the seam but provides for optimal range for movement around the screen.

Blockhead utilizes the collision register to detect when one sprite "touches" another sprite. Since the collision register is changed only temporarily when sprites collide, the contents representing the collision must be saved until an event occurs which may again make the sprite collide with another sprite. The stored register is then cleared and the sprite is again ready for collision. Collision detection between the blockhead and the balloons is handled through BASIC. Since BASIC runs at a relatively slow rate, the blockhead must hit the balloon squarely to initiate a collision. A glancing blow will not generally "pop" a balloon.

BEFORE TYPING...

If you're new to computing, please read "How To Type COMPUTE!'s Programs" and "A Beginner's Guide To Typing In Programs."

Program 1: Atari Blockhead

- 50 DIM B\$(40)
- 90 DIM T1\$(35), BU\$(60), BD\$(60), N\$(10
- 95 BU\$="1821521271070920720670620570 52045"
- 96 BD\$="0450520570620670720921071271 52182192212255"
- 97 N\$="1 2 3 4 5 "
- 100 BDUNCEUP=5000:HITTEST=5100:MOVE2 =5200:SETUP=5300:START=5400:BDUN CEDDWN=5500:CATCH=5600:MISS=5700
- 110 SCORE=5800:START1=5450:LEVEL=590 0:LOSS=6000:EXPLD=6100:TRGR=6200
- 150 LEV=3:C=1:PPP=9
- 1900 GDSUB 30000
- 1910 GOSUB START: GOSUB TRGR: GOSUB ST ART1
- 2000 REM CONTROL LOOP
- 2100 FOR IJK=0 TO 1 STEP 0
- 2150 GOSUB MOVE2
- 2160 GOSUB BOUNCEUP
- 2170 GOSUB BOUNCEDOWN
- 2175 IF NGAME=1 THEN GOSUB START:GOS UB START1:NGAME=0:GOTO 2900
- 2180 GOSUB SCORE
- 2900 NEXT IJK
- 5000 REM BOUNCEUP 5005 I=-1:B=A
- 5005 I=-I:B-5007 C=-C
- 5007 L=-L
- 5010 FOR IJK=0 TO 1 STEP 0:I=I+1:POK E 53278,0
- 5012 TRAP 5090:R=VAL(BU\$(I*3+1,I*3+3)):TRAP 40000
- 5020 POKE PLY, R: SOUND 0, R+A, 10, 15
- 5022 IF PEEK(53252)<>0 THEN IF B<58 OR B>190 THEN POKE 53278,0:C=-C :B=B+(10*C):POKE PLX,B
- 5030 POKE PLX, B: IF PEEK(53252)<>0 TH EN GOSUB HITTEST: GOTO 5080
- 5070 A=PADDLE(0):POKE PLX+1,A
- 5080 NEXT IJK
- 5090 RETURN
- 5100 REM HITTEST
- 5105 POKE PLX+3,0:POKE 53278,0:IF B< 54 OR B>192 THEN 5190
- 5109 BB=INT((B-46)/4):POKE PLX+1,PAD DLE(0)
- 5110 IF R=67 THEN POSITION BB,4:? " ";:GOTO 5140
- 5111 IF R=62 THEN POSITION BB,4:? " {DOWN}{2 LEFT} ";:GOTO 5140
- 5112 IF R=57 THEN POSITION BB,3:? " {DOWN}{2 LEFT} ";:GOTO 5140
- 5113 IF R=52 THEN POSITION BB,2:? " (DOWN){2 LEFT} ";:GOTO 5140
- 5114 IF R=45 THEN POSITION BB,1:? " (DOWN){2 LEFT} ":
- 5140 POKE PLX+2, B:POKE PLY+2, R: SOUND

"And the Last shall be first" London Sunday Times March 4, 1983



A Product of: BLUE SKY SOFTWARE

Contact your nearest computer dealer today you'll be so glad you did !

Distributed by:

300 W. Mariton Pike Cherry Hill, NJ 08002 (609) 795-9480 COMPUTER MARKETING DES - DATA EQUIPMENT SUPPLY CORP. 8315 Firestone Blvd. Downey, CA 90221

(213) 923-9361

😋 🖉 🖉 🖓 🚱 🖓 🚱

1, R+BB, 6, 15: B=B+4*INT(3*RND(0) -1): I=I-INT(2*RND(0)): SOUND 1,0 5805 JUMPS=JUMPS+2 ,0,0 5150 POKE PLX+2,0:POKE PLY+2,0 5190 RETURN 5200 REM MOVE2 CLOWN AND PLATFORM 5210 FOR IJK=0 TO 1 STEP 0 5218 A=PADDLE(0) 5230 TRAP 5240:POKE PLX, A:POKE PLX+1 , A: TRAP 40000 5240 IF PTRIG(0)=0 THEN 5290 5280 NEXT IJK 5290 POKE PLX+3, A: POKE PLY, 172: Q=1*1 :POKE 77,0:RETURN 5300 REM SETUP 5320 POKE PLX, 100: POKE PLY, 180 5322 POKE PLX+1, 100: POKE PLY+1, 192 5324 POKE PLX+3,0:POKE PLY+3,183 5390 RETURN 5400 REM START 5410 T1\$="{32 T}" 5420 FOR I=1 TO 4:POSITION 4, I:? T1\$:NEXT I 5430 FOR I=0 TO 20:POSITION 1, I:? " (B)";:NEXT I 5431 FOR I=0 TO 20:POSITION 38, I:? (V)";:NEXT I:POSITION 2,21:? N\$ 5432 POSITION 2,22:? "PUSH TRIGGER T O START(10 SPACES)"; 5439 RETURN 5450 POSITION 2,21:? N\$;" LEVEL:";LE SCORE: ";SC; V: " 5454 POSITION 2,22:? "{31 SPACES}":: POSITION 10,21:? " "::Q=1^1 5460 POKE 77,0:N\$(9,9)=" " 5470 POSITION 12,22:? "HIGH SCORE "; 6210 IF PTRIG(0)=1 THEN 6210 HSCR 5490 RETURN 5500 REM BOUNCEDOWN 5505 I=-1:POKE 53278,0 5510 FOR IJK=0 TO 1 STEP 0:I=I+1:POK 30204 POKE 53277, 3:REM *****GRACTL P E 53278,0 5512 TRAP 5585:R=VAL(BD\$(I\$3+1, I\$3+3 30206 PDKE 559, 62:REM \$\$\$\$ \$\$DMACTL, 1L)):TRAP 40000 5520 POKE PLY, R: SOUND 0, R+A, 10, 15 5521 POSITION 4,22:? I; 5522 IF PEEK(53252)<>0 THEN IF B<58 OR B>190 THEN POKE 53278,0:C=-C :B=B+(10*C):POKE PLX,B 5528 TRAP 5529:B=B+(LEV*C):POKE PLX, B: TRAP 40000 5529 IF PEEK(53252)<>0 THEN GOSUB HI TTEST: GOTO 5080 5530 IF PEEK(53261)<>0 THEN GOSUB CA TCH: SOUND 0,0,0,0:GOTO 5590 5570 POKE PLX+1, PADDLE(0): GOTO 5580 5580 NEXT IJK 5585 GOSUB MISS: SOUND 0,0,0,0 5590 RETURN 5600 REM CATCH 5610 POKE PLY, 182: POKE 53278,0 5690 RETURN 5700 REM MISS 5710 SOUND 0,0,0,0:POKE 53278,0:GOSU B EXPLO 5720 PPP=PPP-2: IF PPP=-1 THEN GOSUB LOSS: GOTO 5790 5722 N\$(PPP, PPP) =" 5724 GOSUB START1 5780 POKE PLY, 182 5790 RETURN

5800 REM SCORE 5810 S=USR(ADR(B\$)) 5820 SCR=128-S:SC=SCR#5-JUMPS+SCC 5830 POSITION 29,21:? SC; 5840 IF S=0 THEN GOSUB LEVEL:GOSUB S TART: GOSUB START1: POKE 53761,16 0 5890 RETURN 5900 REM LEVEL 5910 LEV=LEV+3 5920 SCC=SC 5990 RETURN 6000 REM LOSS 6005 GOSUB SCORE 6010 IF SC>HSCR THEN HSCR=SC 6020 POSITION 10,10:? "SORRY, YOU LO SE"; 6030 POSITION 9,11:? "PUSH TRIG FOR ANOTHER GAME";:SCC=0:SOUND 0,0, 0,0:JUMPS=0:LEV=3:SC=0:PPP=9 6035 GOSUB TRGR 6040 POSITION 2,21:? "{35 SPACES}"; 6080 POSITION 10,10:? "(15 SPACES)": 6082 POSITION 9,11:? "(26 SPACES)";:N GAME=1:N\$="1 2 3 4 5 " 6090 RETURN 6100 REM EXPLO 6105 FOR IKK=14 TO 0 STEP -2 6110 SOUND 3,200/(IKK+1),0,15:Q=1^1 6112 A=PADDLE(0):POKE PLX, A:POKE PLX +1,A 6115 NEXT IKK 6120 SOUND 3,0,0,0 6190 RETURN 6200 REM TRGR INPT 6290 RETURN 30000 REM *****PM SETUP***** 30010 GRAPHICS 0:POKE 106, PEEK(106) -16: GRAPHICS 0: POKE 752,1 LAY&MISS**** INE, PLAY, MIS, NORM FIELD ***** 30208 POKE 54279, PEEK(106): REM ***** 32PAGE RESERVE**** 30210 POKE 53256,0:POKE 53257,0:POKE 53258,0:POKE 53259,0:REM **** *PLAY SIZES***** 30212 POKE 623,33:REM *****PRIORITY PF OVER PL**** 30214 MYPMBASE=256*PEEK(106):REM *** **NEW PM BASE**** 30230 POKE 704,150:POKE 705,199:POKE 706,15:POKE 707,199:POKE 1788 (PEEK(106)+4):REM ****START OF PM DATA**** 30232 POKE 710,52:POKE 709,58:POKE 7 11,29:POKE 712,0 30236 REM *****VBLANK INTERUPT ROUTI NE**** 30238 FOR I=1536 TO 1706:READ A:POKE I, A: NEXT I 30240 FOR I=1774 TO 1787:POKE I.O:NE XT I 30242 DATA 162, 3, 189, 244, 6, 240, 89, 56 ,221,240,6,240,83,141,254,6,10 6,141 30244 DATA 255,6,142,253,6,24,169,0, 109, 253, 6, 24, 109, 252, 6, 133, 204 ,133

104 COMPUTE! August 1983

🖙www.commodore.ca

D.E.S.-SOFT

DES-Data Equipment Supply Corp.

TM



You are the commander of a squadron of laser ships. It is your duty to defend the cities of Earth against the alien onslaught. Spectacular graphics and machine code for super fast arcade fun. VIC-20 and cassette, joystick. \$20.00

SHIFTY (c)by Kavan

Watch the maze change as you pass thru the revolving doors. This is a really cute one. Machine language. VIC-20 w/8K expander, cas-sette. Joystick and keyboard. \$20.00



One of the most popular games in Europe. You control BONZO as he climbs the ladders and picks up point blocks. Watch out for the alien guards. Excellent graphics & sound. 100% machine code. VIC-20 w/8K expander, cassette. Joystick or keyboard. \$20.00

Rated a Five Star game by Creative Computing. Avoid the cars, buildings, logs and other obstacles to bring the frog home. Machine language. VIC-20, cassette and joystick. \$20.00

SPACE TRADER by Doug Caruthers

HOPPER by Thomas Kim

290

STATES.

0

290

ത

Search for the lost planet of Alantia. 1 to 4 players. Text adventure. VIC-20 w/16K expander and cassette. \$39.95



0

CONDITION

Many exciting titles to choose from. New Software for the CBM B500/700 series available now !! More to Come !!!

PAL 20 MM



- 95 pages of aids, worksheets & logs ٠
- Something for every VIC-20 programmer

Е

S

Coming soon for the Commodore 64

\$10.00

electronic ab VIC-20 products

NEW for the VIC-20 & 64

VIC FORTH \$59.95 This is a highly capable language that operates from cartridge. It is based on Fig-Forth. Disk and cassette compatible. Vic Forth will work with any memory expansion. 3K of RAM is included in this cartridge.

VIC GRAPH \$49.95 The intention of this program is to serve as a mathematical and pedagogic aid for studying complicated equations and functions by their graphs. Plots graphics in high resolution within an x-axis range defined by you. You can also "blow up" parts of a graph in detail by a specified range.

VIC STAT \$49.95 Vic Stat is a cartridge which will simplify your work with statistics and graphic displays. It will add approximately 15 commands to BASIC. For example, bar chart, horizontal or vertical, plotting with 2024 points, printout of screen. Statistical commands for calculations of, for example, mean value, standard deviation, variance, etc.

VIC REL

The purpose of this cartridge is to simplify control of, for example, burglar alarms, garage doors, door locks, heating elements, lamps, radios, remote controllers, valves, pumps, telephones, accumulators, irrigation systems, electrical tools, stop watches, ventilators, humidifiers, etc., etc. This cartridge contains 6 relay outputs and 2 inputs of type optocoupler. For the VIC-20 and Commodore 64

SEE YOUR LOCAL DEALER TO SEE OUR FINE PRODUCTS

Dealer Inquiries Invited

(714)

778-5455

Software Distribution Available

Programs Wanted

(213)

re.ca

Data Equipment Supply Corp. 8315 Firestone Blvd., Downey, CA 90241



- 30246 DATA 206,189,240,6,133,203,173 ,254,6,133,205,189,248,6,170,2 32,46,255
- 30248 DATA 6,144,16,168,177,203,145, 205, 169, 0, 145, 203, 136, 202, 208, 244,76,87
- 30250 DATA 6,160,0,177,203,145,205,1 69,0,145,203,200,202,208,244,1 74,253,6
- 30252 DATA 173,254,6,157,240,6,189,2 36, 6, 240, 48, 133, 203, 24, 138, 141 ,253,6
- 30254 DATA 109,235,6,133,204,24,173, 253, 6, 109, 252, 6, 133, 206, 189, 24 0,6,133



In "Blockhead," the figure bounces to the top of the screen to pop balloons - Atari version.

30256 DATA 205,189,248,6,170,160,0,1 77, 203, 145, 205, 200, 202, 208, 248 ,174,253,6 30258 DATA 169,0,157,236,6,202,48,3, 76, 2, 6, 76, 98, 228, 0, 0, 104, 169 30260 DATA 7,162,6,160,0,32,92,228,9 30262 S=USR(1696) 30276 PLX=53248:PLY=1780:PLL=1784 30278 POKE PLL, 11: POKE PLL+1, 8: POKE PLL+2,16:POKE PLL+3,9 30282 FOR I=MYPMBASE+1024 TO MYPMBAS E+1034:READ A:POKE I,A:NEXT I: REM *****BLOCKHEAD PLAYER O*** * * 30283 DATA 60,60,60,60 30284 DATA 24,126,24,24,126,68,195 30285 FOR I=0 TO 7:POKE MYPMBASE+128 0+1,255:NEXT I:REM *****PLATFO RM PLAYER 1***** 30299 REM *****EXPLOSION PLAYER 2*** ** 30300 FOR I=MYPMBASE+1280+256 TO MYP MBASE+256+1295:READ A:POKE I,A :NEXT I 30305 DATA 17,196,67,24,157,102,126, 60,60,126,102,153,24,74,32,146 460 DATA255,255,255,255,255,255,255,255,255, 30309 REM *****SPRING PLAYER 3**** 30310 FOR I=MYPMBASE+1280+512 TO MYP MBASE+1288+512: READ A: POKE I, A 470

30315 DATA 255,255,32,16,8,4,8,16,32 30330 GOSUB SETUP **30590 RETURN**

Program 2: Blockhead For 64

- 90 REM BLOCKHEAD FOR 64
- 100 POKE49152,0
- 110 DIM HA(12), HB(12), HC(12), LA(12), LB(1 2), LC(12)
- 120 FORQ=1TO11:READHA(Q),LA(Q),HB(Q),LB(Q), HC(Q), LC(Q):NEXT
- 13Ø S=54272:FORE=STOS+28:POKEE,Ø:NEXT
- 140 POKE54296,15 :POKE54277,56 :POKE5427 8,212
- 15Ø POKE54284,56 :POKE54286,212
- 16Ø POKE54291,56 :POKE54292,212
- 170 POKE S+4, 17: POKES+16, 17: POKES+18, 17
- 18Ø FORD=1T011
- 190 POKES+1, HA(D): POKES, LA(D): POKES+8, HB (D)
- 200 POKES+9, LB(D): POKES+15, HC(D): POKES+1 4, LC(D)
- 210 FORT=1T0100:NEXT
- 220 IFHC(D) =7THENFORT=1T0100:NEXT
- 23Ø NEXT
- 24Ø FORT=1TO 45Ø :NEXT:FORE=STOS+28:POKE E,Ø:NEXT
- 250 IFPEEK(49152)=173ANDTH=1THENRETURN
- 26Ø DATA33,135,21,31,8,97,31,165,21,31,8 ,225,29,223,22,96,9,104
- 270 DATA 28 ,49,22,96,9,247,26,156,21,31 ,10,143
- 280 DATA28,49,21,31,9,247,29,223,22,96,9 ,104,31,165,22,96,8,225
- 290 DATA33,135,21,31,8,97,25,30,22,96,7, 233, 33, 135, 21, 31, 8, 97
- 300 GOTO330
- 31Ø S=54272
- 320 POKES+24,15:POKE54276,65:POKE54275,1 Ø: POKE54274, 10: POKES+24, Ø: RETURN
- 330 POKE53281,7:HI=134:GOSUB930
- 340 DATA1, 255, 0, 7, 255, 192, 15, 239, 224, 31, 1,240,63,109,248,63,111,248,63,1,248 ,63
- 350 DATA237,248,63,109,248,31,1,240,31,2 39,240,15,239,224,15,255,224,7,255,1 92,3
- 36Ø DATA255,128,1,255,Ø,Ø,254,Ø,Ø,124,Ø, 0,56,0,0,16,0,0,56,0
- 37Ø V=53248
- 380 FOR J=960TO1022:READ WQ:POKE J,WQ:NE XT
- 39Ø POKEV+21,Ø
- 400 POKEV+41,6:POKEV+42,0:POKEV+43,1:POK EV+44,2:POKEV+4,70
- 410 POKE53264,0
- 420 POKEV+45,4:POKEV+46,8
- 430 FORT=2042TO2047: POKET, 15:NEXT: POKEV+ 21,255
- 44Ø IFPEEK(V+2)<5ØAND(PEEK(V+16)AND2)=ØT HENPOKEV+2,254
- 0,0,0,0,0,0,0,0,0,0,0,255,255,255,25 5,255
 - 255
 - DATA255,255,255,255,255,255,255,255, 255,255

:NEXT I

48Ø V=53248

- 490 FORI=832TO894:READJ:POKEI,J:NEXT
- 500 FORK=834+64T0892+66:READL:POKEK,L:NE XT: POKE2041, 14: POKEV+40, 6
- 510 POKE2040, 13: POKEV+39, 2: POKEV, 150: POK EV+1,200
- 520 IFPEEK(49152) <> 173THENGOSUB1050
- 530 POKEV+3,191
- 540 IFHI <70THENHI=59
- 550 TH=1:GOSUB130
- 560 POKEV+2, PEEK(V): POKEV+21, 255
- 570 FORG=V+5TO V+15STEP2:POKEG,HI:NEXT
- 58Ø SYS49658
- 590 DATAØ
- 600 DATA0,0,0,0,0,0,3,255,240,3,63,48,3, 51,48,3,243,240,3,63,48,3,204,240,3, 243



The balloons in the 64 version of "Blockhead" float across the screen.

- 610 DATA240,3,255,240,0,127,128,127,243, 255, 127, 255, 255, 255, 255, 255, 128, 115
- 620 DATA128,0,127,128,0,127,128,0,251,19
- 2,1,241,224,3,224,240,7,192,120
- 630 IF(PEEK(56321)AND4)<>0THEN790
- 64Ø X2=Ø:POKE49829,Ø
- 650 FORT=(PEEK(V+3))TO50STEP-4:POKEV+3,T
- 660 IFPEEK(V+30)>3THENPOKEV+21, (PEEK(V+2 1)ANDNOT(PEEK(V+3Ø))):SC=SC+1Ø:GOSUB 310
- 67Ø POKE(V+21), (PEEK(V+21)OR3)
- 68Ø NEXT:GOTO7ØØ
- 690 GOT0790
- 700 POKE49829,0
- 710 FORJ=(PEEK(V+3))TO255STEP10:POKEV+3, J:IFPEEK(49829)=3THENX2=1:GOTO79Ø
- 720 PI=INT(RND(0)*40)-20:IF(PEEK(53250)+ PI) <60AND(PEEK(53264)AND2)=0THENPI=0
- 730 IF(PEEK(V+2)+PI)<50AND(PEEK(V+16)AND 2)=ØORPEEK(V+2)>254THENPI=Ø
- 74Ø IF(PEEK(53264)AND2)<>ØAND(PEEK(5325Ø)+PI)>20THENPI=0
- 750 IF PEEK(53250)+PI<245AND PEEK(53250) +PI>10THENPOKE53250, PEEK(53250)+PI
- 760 IFPEEK(V+3)<201THEN780
- 77Ø PRINT" [HOME] [3 DOWN] [7 RIGHT] OOPS!" :SC=SC-5:FORT=1T0100:NEXT:PRINT" [HOME] {7 RIGHT} {3 DOWN} {5 SPACES}"

- 780 NEXT
- 790 IF PEEK(V+21)=3THEN:HI=HI-15:POKEV+3 ,190:GOTO530
- 800 IFX2=1ANDPEEK(V+3)>180THENPOKEV+3,19
- 81Ø P=INT(RND(Ø)*4Ø)-2Ø:IFPEEK(5325Ø)+P< 15THENP=Ø
- 820 PRINT" {HOME } {15 RIGHT } SCORE";" {5 SPACES}";
- 830 PRINT" {HOME} {15 RIGHT} SCORE": SC
- 840 IFVAL(TI\$)>5900THENTI\$="000000"
- 850 IFTI\$>="000200"THEN870
- 860 PRINT" [HOME] [DOWN] [3 RIGHT] TIME "; RI GHT\$(TI\$,4);"{HOME}{DOWN}{3 RIGHT}TI ME ";:GOTO63Ø
- 870 PRINT" [HOME] [15 RIGHT] [8 DOWN] GAME O VER": POKE198,Ø
- 880 PRINT" [HOME] [DOWN] [3 RIGHT] TIME "; RI GHT\$(TI\$,4);"{HOME}{DOWN}{3 RIGHT}TI ME ":
- 890 PRINT" {HOME } { 10 RIGHT } { 10 DOWN } PLAY AGAIN? Y OR N "
- 900 IFPEEK(197)=25THENCLR:RESTORE:GOTO11
- 910 IFPEEK(197)=39THENSYS2048
- 92Ø GOT089Ø
- 930 PRINT"";:FORBO=1024T01984STEP40:POK EBO, 224: POKEBO+39, 224
- 94Ø POKEBO+54272,2:POKEBO+54311,2
- 950 POKEBO+1,224:POKEBO+38,224
- 96Ø POKEBO+1+54272,4:POKEBO+54310,4
- 97Ø POKEBO+2,224:POKEBO+37,224
- 98Ø POKEBO+2+54272,15:POKEBO+543Ø9,15 99Ø NEXT
- 1000 FORFL=1864T02023:POKEFL, 224:POKEFL+ 54272,8:NEXT
- 1010 TI\$="235952"
- 1020 FORTE=1025T01062:POKETE, 224:POKETE+ 54272,3:NEXT
- 1030 POKE53280,1
- 1040 RETURN
- 1050 POKEV+21,0:FORV1=49152TO49673:READJ 2: POKEV1, J2:NEXT: RETURN
- 1060 DATA 173, 25, 212, 73, 255, 141, 16 4, 194
- 1070 DATA 216, 24, 173, 164, 194, 105, 4 Ø, 141
- 1080 DATA 161, 194, 56, 173, 164, 194, 2 33, 215
- 1090 DATA 141, 162, 194, 173, 164, 194, 201, 216
- 1100 DATA 176, 17, 173, 161, 194, 141, 1 63, 194
- 1110 DATA 173, 16, 208, 41, 254, 141, 16 , 208
- 1120 DATA 76, 65, 192, 173, 16, 208, 9, 1
- 1130 DATA 141, 16, 208, 173, 162, 194, 1 41, 163
- 1140 DATA 194, 173, 163, 194, 141, Ø, 20 8, 173
- 1150 DATA 30, 208, 141, 160, 194, 240, 3 . 141
- 1160 DATA 165, 194, 173, 160, 194, 41, 1 , 240
- 1170 DATA 23, 169, 190, 173, 163, 194, 1 41, 2 1180 DATA 208, 173, 16, 208, 41, 1, 141,
- 6
- 1190 DATA 202, 10, 13, 6, 202, 141, 16, 208

🕻 www.commodore.ca

1200 DATA 173, 16, 202, 56, 233, 210, 14 1, 17 1210 DATA 202, 173, 16, 202, 24, 105, 45 141 1220 DATA 18, 202, 173, 16, 202, 201, 21 Ø, 176 1230 DATA 17, 173, 16, 208, 41, 251, 141 16 1240 DATA 208, 173, 18, 202, 141, 4, 208 , 76 1250 DATA 168, 192, 173, 16, 208, 9, 4, 141 1260 DATA 16, 208, 173, 17, 202, 141, 4, 208 1270 DATA 173, 19, 202, 56, 233, 210, 14 1, 20 1280 DATA 202, 173, 19, 202, 24, 105, 45 141 1290 DATA 21, 202, 173, 19, 202, 201, 21 Ø, 176 1300 DATA 17, 173, 16, 208, 41, 247, 141 16 1310 DATA 208, 173, 21, 202, 141, 6, 208 76 1320 DATA 224, 192, 173, 16, 208, 9, 8, 141 1330 DATA 16, 208, 173, 20, 202, 141, 6, 208 1340 DATA 173, 22, 202, 56, 233, 210, 14 1, 23 1350 DATA 202, 173, 22, 202, 24, 105, 45 141 1360 DATA 24, 202, 173, 22, 202, 201, 21 Ø, 176 1370 DATA 17, 173, 16, 208, 41, 239, 141 16 1380 DATA 208, 173, 24, 202, 141, 8, 208 76 1390 DATA 24, 193, 173, 16, 208, 9, 16, 141 1400 DATA 16, 208, 173, 23, 202, 141, 8, 208 1410 DATA 173, 25, 202, 56, 233, 210, 14 1, 26 1420 DATA 202, 173, 25, 202, 24, 105, 45 . 141 1430 DATA 27, 202, 173, 25, 202, 201, 21 Ø, 176 1440 DATA 17, 173, 16, 208, 41, 223, 141 , 16 1450 DATA 208, 173, 27, 202, 141, 10, 20 8, 76 1460 DATA 80, 193, 173, 16, 208, 9, 32, 141 1470 DATA 16, 208, 173, 26, 202, 141, 10 , 208 1480 DATA 173, 28, 202, 56, 233, 210, 14 1, 29 1490 DATA 202, 173, 28, 202, 24, 105, 45 , 141 1500 DATA 30, 202, 173, 28, 202, 201, 21 Ø, 176 1510 DATA 17, 173, 16, 208, 41, 191, 141 , 16 1520 DATA 208, 173, 30, 202, 141, 12, 20 8, 76 1530 DATA 136, 193, 173, 16, 208, 9, 64, 141 1540 DATA 16, 208, 173, 29, 202, 141, 12 208

155Ø	DATA	173,	31,	202,	56,	233,	210,	14
	1, 32	2						
1560	DATA	202,	173,	31,	202,	24,	105,	45
1570	DATA	33	202	173	31	202	201	21
1370	Ø, 17	76	2021	1/5,	51,	202,	201,	21
158Ø	DATA	17,	173,	16, 2	208,	41, 1	27, 1	41
	, 16							
1590	DATA	208,	173,	33,	202,	141,	14,	20
	8, 76	5						
1600	DATA	192,	193,	173,	16,	208	, 9, 1	28
	, 141	1						
1610	DATA	16,	208,	173,	32,	202,	141,	14
	, 208	3						
1620	DATA	238,	16,	202,	238,	16,	202,	24
	, 17:	3						
1630	DATA	16,	202,	105,	43,	141,	19, 2	Ø2
	, 17:	3						
1640	DATA	19,	202,	105,	43,	141,	22, 2	Ø2
	, 17:	3						
1650	DATA	22,	202,	105,	43,	141,	25, 2	Ø2
	, 17:	3						
1660	DATA	25,	202,	105,	43,	141,	28, 2	Ø2
	, 17:	3						
167Ø	DATA	28,	202,	105,	43,	141,	31, 2	.02
	, 17:	3						
168Ø	DATA	30,	208,	240,	3, 1	41,	160, 1	94
1690	DATA	49.	234.	120.	169.	ø.	141. 2	ø.
	3					~,	, -	~ /
1700	DATA	169,	192,	141	, 21,	3, 1	88, 96	5,
	ø							
1710	DATA	255,	255,	ø, e	, 25	5, 25	5, Ø,	00



Melvin Billik

CLUES

An excellent teaching tool for preschoolers on up – with options to tailor the program for different age groups. For TI-99/4A and all Commodore computers.

As a teacher-administrator, I have found my PET extremely useful in creating programs for courses I teach, such as BASIC Programming and Statistics. In addition, other programs help me with administrative tasks, such as grading, transcript evaluation, teacher scheduling, and attendance.

However, as a parent of two preschoolers, I get the most satisfaction from writing programs for them. One such program is "Clues." It is fairly simple and can easily be modified for other microcomputers.

The youngster is asked his or her name, followed by a series of questions. A correct response by my son will yield a flashing message, "OKAY – GREAT, KEITH!" For an incorrect response, the question will be repeated. For two consecutive incorrect responses, the answer will be given and a new question will be asked.

For the Commodore version, the data is listed (question first, then answer) from line 700 on up. Line 1, the DIM statement, sets a maximum of 200 questions and answers. You can change this as your computer's memory size dictates. The program itself counts the number of questions and answers. Note the flag in line 1940.

Modifications

larry Blair

The program picks the questions at random. However, you can easily adjust the program so that no question is asked more than once by adding a new array variable as a flag (a value of 0 indicates the question has not yet been asked). For the B

1 DIM C\$(200), CA\$(200), FL(200) 45 IF FL(X%)<>0 THEN 40 55 FL(X%) = 1

As more and more questions are asked, program execution time is slowed considerably (as the program searches for unasked questions). However, as long as you've asked less than 90 percent of your available questions, time delay is not a problem.

The game will continue until the player decides to quit, either by pressing the RETURN key in response to a question or by turning off the machine. If you made the previous program modification, the game can continue until all the questions have been asked. You can modify the Commodore version of the program to ask a specific number of questions as follows:

230	PRINT "HOW MANY QUESTIONS, MAX
	OF ";N
240	INPUT NQ: IF NQ>N THEN 230

- 250 RETURN
- 19 FOR II = 1 TO NQ
- 70 IF A\$= CA\$(X%) THEN I = 10:GOSUB 500: GOTO 100
 100 NEXT II

You can also adjust the level of questions to be suitable for a user's educational level. The subroutine starting in line 500 of the Commodore version, while exciting for a preschooler, might not be appropriate for an older child. An alternative might be to include a number of cute sayings and print one at random for a correct response. For example, we can replace the subroutine with: 500 Z = INT(3*RND(TI) + 1)
510 ON Z GOSUB 520,530,540
515 FOR I = 1 TO 1000: NEXT
519 PRINT "CLR": RETURN
520 PRINT "NOT BAD"
525 RETURN
530 PRINT "BET YOU CAN'T DO IT AGAIN"
535 RETURN
540 PRINT "BOY, ARE YOU LUCKY TODAY!"
545 RETURN

Also, Clues can be a good teaching tool: you can store a few hundred questions and using the modifications, generate a 10-25 question quiz. No two students would have the same quiz.

BEFORE TYPING... If you're new to computing, please read "How To Type COMPUTE!'s Programs" and "A Beginner's Guide To Typing In Programs."

Program 1: Clues – TI Version

90 RESTORE 100 RANDOMIZE 11Ø DIM C\$(2Ø1) 111 DIM CA\$(201) 120 GOSUB 440 13Ø CALL CLEAR 14Ø CALL SCREEN(5) 150 INPUT "WHAT IS YOUR NAME?":N\$ 160 PRINT :: 17Ø CALL CLEAR 180 PRINT "OKAY, ";N\$;" USE THE FOLL 1 DIM C\$(200),CA\$(200) OWING CLUE" 190 PRINT "TO SPELL THE WORD" 200 I=0 21Ø XE=INT(N*RND+1) 250 PRINT :: 260 PRINT C\$ (XE) 27Ø INPUT A\$ 280 IF A\$<>CA\$(XE)THEN 320 29Ø I=1Ø 300 GOSUB 510 31Ø GOTO 16Ø 32Ø I=I+1 33Ø IF I<>1 THEN 37Ø 340 PRINT "ND, ";N\$; 350 PRINT " TRY AGAIN" 36Ø GO TO 27Ø 37Ø IF I<>2 THEN 41Ø 380 PRINT "NO, ";N\$ 390 PRINT "THE CORRECT ANSWER WAS "; 400 PRINT CA\$(XE) 410 FOR M=1 TO 1000 42Ø NEXT M 43Ø GOTO 17Ø 440 FOR K=1 TO 200 450 READ C\$(K) 46Ø IF C\$(K)<>"END" THEN 485 47Ø N=K-1 48Ø K=2ØØ 482 GOTO 490 485 READ CA\$ (K) 490 NEXT K 500 RETURN 51Ø FOR I=1 TO 11 520 CALL CLEAR 530 PRINT TAB(10)

54Ø PRINT :: 550 PRINT "OKAY GREAT--";N\$ 560 FOR T=1 TO 50 57Ø NEXT T 580 NEXT I 59Ø RETURN 600 DATA YOUR DAD'S NAME IS 610 DATA MEL 620 DATA YOUR SISTER'S NAME IS 63Ø DATA TARA 640 DATA YOUR MOM'S NAME IS 65Ø DATA CHERYL 660 DATA YOUR DOG'S NAME IS 670 DATA BRANDY 680 DATA THE OPPOSITE OF YES IS 690 DATA NO 700 DATA SOMETHING YOU SLEEP ON 71Ø DATA BED 720 DATA SOMETHING YOUR DOG LIKES TO CHEW ON 73Ø DATA BONE 740 DATA WHERE YOU LEAVE A STORE OR (4 SPACES) RESTAURANT THE SIGN SA YS 75Ø DATA EXIT 760 DATA SOMETHING YOU LIKE TO CHEW 765 DATA GUM 770 DATA WHAT DOES A CRANKY KID DO 78Ø DATA CRY 790 DATA HOW MANY FINGERS DO YOU HAV E? 800 DATA TEN 81Ø DATA END Program 2: Clues — For All Commodore Computers 10 X = RND(-TI)15 GOSUB 200 18 INPUT "{CLR}WHAT IS YOUR NAME";N\$ 20 PRINT: PRINT "{CLR}OKAY, ";N\$;", USE T HE FOLLOWING CLUE 30 PRINT TO SPELL THE WORD." 40 I=0:X%= N*RND(TI)+1 50 PRINT: PRINT: PRINTC\$ (X%) 60 PRINT: PRINT: INPUT A\$ 70 IF A\$= CA\$(X%) THEN I =10:GOSUB 500:G OTO 20 80 I=I+1: IF I=1 THEN PRINT:PRINT"NO, "; N\$;" TRY AGAIN":GOTO 60 90 IF I = 2 THEN PRINT"NO, ";N\$;", THE C ORRECT ANSWER": PRINT "WAS "; CA\$(X%) 97 FOR M = 1 TO 3500:NEXT 100 GOTO 20 200 FOR I = 1 TO 200 210 READ C\$(I) 212 IF C\$(I) ="END" THEN N=I-1:GOTO 230 215 READ CA\$(I) 220 NEXT 230 RETURN 500 FOR I = 1 TO 11 505 PRINT"{CLR}"{2 SPACES}: FOR J = 1 TO 100:NEXT 510 PRINT" {12 DOWN } [10 RIGHT] OKAY--GREAT ";N\$ 520 FOR J = 1 TO100:NEXT J 530 NEXT I 540 RETURN 600 PRINT" {CLR} {7 DOWN}" 700 DATA YOUR DAD'S NAME IS 710 DATA MEL Gwww.commodore.ca

AARDVARK L.T.D. TRS-80 COLOR COMMODORE 64 VIC-20 SINCLAIR/TIMEX TI99/4A



QUEST – A NEW IDEA IN ADVENTURE GAMES! Different from all the others. Quest is played on a computer generated map of Alesia. Your job is to gather men and supplies by combat, bargaining, exploration of ruins and temples and outright banditry. When your force is strong enough, you attack the Citadel of Moorlock in a life or death battle to the finish. Playable in 2 to 5 hours, this one is different every time. TRS-80 Color, and Sinclair, 13K VIC-20. Extended BASIC required for TRS-80 Color and TI99/A. \$14.95 each.

32K TRS 80 COLOR Version \$24.95. Adds a second level with dungeons and more Questing.



WIZARDS TOWER – This is very similar to Quest (see above). We added wizards, magic, dragons, and dungeons to come up with a Quest with a D&D flavor. It requires 16k extended color BASIC. 13k VIC, Commodore 64, TRS-80 16k Extended BASIC, TI99/A extended BASIC. \$14.95 Tape, \$19.95 Disk.

Authors – Aardvark pays the highest commissions in the industry and gives programs the widest possible advertising coverage. Send a Self Addressed Stamped Envelope for our Authors Information Package.

Send \$1.00 for Complete Catalogue - Please specify system on all orders - \$2.00 Shipping Charge on each order



ZEUS – It's fast and furious as you become the WIZARD fighting off the Thurderbolts of an angry ZEUS. Your Cone of Cold will destroy a thunderbolt and your shield will protect you – for a while. This is the best and highest speed arcade action we have ever done. Difficulty increases in wave after wave, providing hours of challenging fun and a game that you may never completely master. Commodore 64, Vic20 (16k expander), and 16k TRS-80 Color Computer. (ALL MACHINE CODE!)

\$19.95 tape \$24.95 disk. (Tape will not transfer to disk.)



SEAWOLFE – ALL MACHINE CODE In this high speed arcade game, you lay out patterns of torpedoes ahead of the attacking PT boats. Requires Joysticks, at least 13k RAM, and fast reflexes. Lots of Color and Sound. A fun game. Tape or Disk for Vic20, Commodore 64, and TRS-80 Color. NOTE: tape will not transfer to disk!

\$19.95 Tape - \$24.95 Disk.



ADVENTURES!!!

The Adventures below are written in BASIC, are full featured, fast action, full plotted adventures that take 30-50 hours to play. (Adventures are interactive fantasies. It's like reading a book except that you are the main character as you give the computer, commands like "Look in the Coffin" and "Light the torch.")

Adventuring requires 16k on Sinclair, and TRS-80 Color. They require 8k on OSI and 13k on VIC-20. Now available for TI99. Any Commodore 64.

\$14.95 Tape - \$19.95 Disk.

ESCAPE FROM MARS

(by Rodger Olsen)

This ADVENTURE takes place on the RED PLANET. You'll have to explore a Martian city and deal with possibly hostile aliens to survive this one. A good first adventure.

PYRAMID (by Rodger Olsen) This is our most challenging ADVENTURE. It is a treasure hunt in a pyramid full of problems. Exciting and tough! Dungeons of Death — This is the first D&D type game good enough to qualify at Aardvark. This is serious D&D that allows 1 to 6 players to go on a Dragon Hunting, Monster Killing, Dungeon Exploring Quest. Played on an on-screen map, you get a choice of race and character (Human, Dwarf, Soldier, Wizard, etc.), a chance to grow from game to game, and a 15 page manual. 16k Extended TRS-80 Color, 13k VIC, Commodore 64. At the normal price for an Adventure (14.95 tape, \$19.95 disk), this is a giveaway.

Dealers — We have a line of about 100 original programs for the machines listed here. We have High speed Arcades, Quality Adventures, Word processors and Business Software for Small machines. Better yet, we have excellent Dealer support. Phone for information.

AARDVARK L.T.D. 2352 S. Commerce, Walled Lake, MI 48088 / (313) 669-3110 Phone Orders Accepted 8:00 a.m. to 4:00 p.m. EST. Mon Friww.commodore.ca 720 DATA YOUR NAME IS 730 DATA KEITH 740 DATA YOUR SISTER'S NAME IS 750 DATA TARA 760 DATA YOUR MOM'S NAME IS 77Ø DATA CHERYL 780 DATA YOUR DOG'S NAME IS 790 DATA BRANDY 800 DATA THE OPPOSITE OF YES IS 810 DATA NO 820 DATA SOMETHING YOU SLEEP ON 83Ø DATA BED 840 DATA SOMETHING YOUR DOG LIKES TO CHE W ON 850 DATA BONE 860 DATA WHERE YOU LEAVE A STORE OR REST AURANT [3 SPACES] THE SIGN SAYS 870 DATA EXIT 900 DATA SOMETHING YOU LIKE TO CHEW 910 DATA GUM 920 DATA WHAT DOES A CRANKY KID DO 930 DATA CRY 940 DATA HOW MANY FINGERS DO YOU HAVE? 950 DATA TEN 1940 DATA{3 SPACES}END

Program 3:

Clues – Program Adjustment For VIC Version

Change this line of the Commodore version for use with VIC-20.

510 PRINT "{10 DOWN} {2 RIGHT}OKAY--GREAT ";N\$



A question and answer sequence appropriate for preschoolers. "Clues," VIC version.



NEW for the VIC and '64

🖙www.commodore.ca



Gold Miner For TI-99/4A

James Dunn

Dig your way into the Lost Mine and search for gold in this exciting TI-99/4A translation of a game first published in **COMPUTE!**, July 1982.

"Gold Miner" will run in TI BASIC, using about 5K. It won't run in Extended BASIC because of the character definition using ASCII 144 and above.

Most of the program was translated quite easily from Joseph Weber's original VIC-20 version except for formatting the display of the score and the charges. Extended BASIC contains commands to display at any position on the screen. But TI BASIC will print only at the bottom of the screen, which scrolls the whole display up. Since I wanted this program to run in TI BASIC, I had to use string manipulation to format the score and charges using their ASCII representations. Then, using HCHAR, printing at specific screen locations was possible without disturbing the rest of the display (see lines 1450-1640).

The only other modification is to the main character. I designed a small pick-ax to represent the miner, and animated it, so it would seem to chop its way into the mine. This is done in the main loop, lines 640 - 660, and slows execution only slightly. But it doesn't matter in this game because speed is unimportant. In fact, you can walk away from the game, come back an hour



Digging for golden nuggets in the TI version of "Goldminer."

later, and take up where you left off.

One other point: You must hold down the key, joystick, or fire button until the program calls the routine to read the input. It makes the joystick a bit awkward, but this doesn't affect the game because reflex time is unimportant with "Gold Miner."

BEFORE TYPING... If you're new to computing, please read "How To Type COMPUTE!'s Programs" and "A Beginner's Guide To Typing In Programs."

Gold Miner For TI-99/4A

5Ø REM INITIALIZE 60 CALL CLEAR 70 GOSUB 73Ø 8Ø GOSUB 88Ø 9Ø M=4 100 5=0 11Ø W=Ø 120 GO SUB 1090 13Ø T=25Ø MAIN LOOP 140 REM 150 CALL HCHAR (B, A, 32) 160 IF X=4 THEN 210 X=-4 THEN 230 17Ø IF 180 IF Y=4 THEN 300 190 IF Y=-4 THEN 320 200 GOTO 460 21Ø A=A+1 22Ø GOTO 39Ø 23Ø A=A-1 240 CALL GCHAR(B, A, Q) 250 IF Q=126 THEN 280 260 IF Q=35 THEN 280 27Ø GOTO 46Ø 28Ø A=A+1 29Ø GOTO 6ØØ 300 B=B-1 31Ø GOTO 43Ø 32Ø B=B+1 330 CALL GCHAR(B, A, Q) 34Ø IF Q=126 THEN 37Ø 350 IF Q=35 THEN 370 36Ø GOTO 46Ø 37Ø B=B-1 38Ø GOTO 6ØØ 390 CALL GCHAR(B, A, Q) 400 IF Q<>35 THEN 460 41Ø A=A-1 42Ø GOTO 46Ø 430 CALL GCHAR(B, A, Q) 440 IF Q<>35 THEN 460

460 CALL GCHAR(B, A, Q) 47Ø IF Q=126 THEN 52Ø 48Ø IF Q=152 THEN 58Ø 490 IF Q=144 THEN 540 500 IF Q=136 THEN 560 51Ø GOTO 6ØØ 520 GO SUB 2140 53Ø GOTO 6ØØ 54Ø S=S+1 55Ø GOTO 6ØØ 560 GO SUB 1650 57Ø GOTO 6ØØ 58Ø S=S+1 590 CALL SOUND (50, 4000, 0) 600 IF RV<>18 THEN 640 61Ø GOSUB 181Ø 62Ø GOSUB 219Ø 63Ø GO SUB 145Ø 64Ø FOR Z=128 TO 131 650 CALL HCHAR(B,A,Z) 66Ø NEXT Z 670 CALL SOUND (100,200,0) 68Ø GO SUB 1020 690 IF C<1 THEN 710 7ØØ GOTO 15Ø 71Ø GOSUB 239Ø 72Ø GOTO 15Ø 73Ø REM DEF SP CHARS 740 CALL CHAR(126, "AA55AA55AA55AA55" 750 CALL COLOR(12,15,1) 760 CALL CHAR(152, "00183C7E7E3C1800" 77Ø CALL COLOR(16,12,1) 780 CALL CHAR(136, "000000E742427E18" 790 CALL COLOR(14,13,1) 800 CALL CHAR(144, "00107C1010101010" 81Ø CALL COLOR(15,2,1) 820 CALL CHAR(128, "3854921010000000" 830 CALL CHAR(129, "000402011F010204" 840 CALL CHAR(130, "0000001010925438" 850 CALL CHAR(131, "204080F880402000" 860 CALL COLOR(13,5,1) 87Ø RETURN 880 REM PRINT INSTRUCTIONS 890 PRINT TAB(9); "GOLD MINER" 900 PRINT ::: 910 PRINT TAB(4); CHR\$(131); "= MINER" 920 PRINT TAB(4); CHR\$(152); "= GOLD": 930 PRINT TAB(4); CHR\$(144); "= DEAD M INER":: 940 PRINT TAB(4); CHR\$(126); "= DIRT": 950 PRINT TAB(4); CHR\$(136); "= ASSAY OFFICE"::: 960 PRINT "USE FIRE BUTTON TO BLAST" 970 PRINT "HIT ANY KEY TO PLAY" :::: 980 CALL KEY(3, RV, ST) 990 IF ST=0 THEN 980 1000 CALL CLEAR 1010 RETURN 1020 REM CHECK JOY STICK

1030 CALL JOYST(2, X, Y) 1040 IF ABS(X)+ABS(Y)=4 THEN 1070 1050 X=0 1060 Y=0 1070 CALL KEY (2, RV, SV) 1080 RETURN 1090 REM DRAW BOARD 1100 CALL HCHAR(1,3,35,28) 1110 CALL HCHAR(5,4,35,11) 1120 CALL HCHAR (5, 16, 35, 14) 1130 CALL HCHAR (24, 4, 35, 26) 1140 CALL VCHAR(1,3,35,24) 1150 CALL VCHAR(1,30,35,24) 1160 CALL VCHAR(2,14,35,3) 117Ø CALL VCHAR(3,16,35,2) 1180 CALL VCHAR(3,17,35) 1190 CALL VCHAR(2,18,35,2) 1200 FOR X=6 TO 23 121Ø CALL HCHAR(X, 4, 126, 26) 1220 NEXT X 1230 FOR GL=1 TO 180 124Ø RANDOMIZE 125Ø X=RND*25+4 126Ø Y=RND*17+6 1270 CALL HCHAR(Y, X, 152) 128Ø NEXT GL 129Ø REM 1300 GOSUB 1340 131Ø GOSUB 145Ø 1320 CALL HCHAR(6,4,32,12) 133Ø RETURN 134Ø REM PLACE MINERS 1350 IF M<1 THEN 2570 1360 CALL HCHAR(3,7,32,5) 137Ø CALL HCHAR(3,8,131,M-1) 138Ø CALL HCHAR(4,15,131) 139Ø C=1Ø 1400 S=0 1410 CALL HCHAR(2,16,136) 142Ø A=15 143Ø B=4 144Ø RETURN 1450 REM PRINT SCORE/CHARGES (5 SPACES) 146Ø A\$="CHARGES=" 1470 FOR I=0 TO 7 148Ø B\$=SEG\$(A\$, I+1, 1) 1490 CALL HCHAR(2,19+1,ASC(B\$)) 1500 NEXT I 1510 FOR I=0 TO LEN(STR\$(C))-1 1520 CG\$=SEG\$(STR\$(C), I+1, 1) 1530 CALL HCHAR(2,27+I,ASC(CG\$)) 154Ø NEXT I 155Ø A\$="GOLD=\$" 1560 FOR I=0 TO 5 157Ø B\$=SEG\$(A\$, I+1, 1) 1580 CALL HCHAR(4, 17+I, ASC(B\$)) 159Ø NEXT I 1600 FOR I=0 TO LEN(STR\$(W))-1 161Ø SC\$=SEG\$(STR\$(W), I+1, 1) 1620 CALL HCHAR(4,23+1,ASC(SC\$)) 1630 NEXT I 164Ø RETURN 165Ø REM TALLY GOLD 1660 CALL HCHAR(2,19,32,11) 167Ø CALL HCHAR(4,17,32,13) 1680 CALL SOUND(1,500,0) 1690 FOR DELAY=1 TO 5 1700 NEXT DELAY 1710 CALL SOUND(1,500,0) 172Ø C1=C 173Ø IF C1<>Ø THEN 175Ø

45Ø B=B+1

```
174Ø C1=1
175Ø W=S*C1+W
176Ø M=M-1
177Ø GOSUB 134Ø
178Ø GO SUB 145Ø
179Ø CALL HCHAR(2,4,32,1Ø)
1800 RETURN
1810 REM EXPLOSION
1820 CALL HCHAR(B, A, 131)
1830 FOR I=0 TO 30 STEP 5
1840 CALL SOUND(100,-5,1)
185Ø NEXT I
1860 CALL GCHAR (8+1, A, Q)
187Ø IF Q=35 THEN 189Ø
1880 CALL HCHAR(B+1, A, 88)
1890 CALL GCHAR (B-1, A, Q)
1900 IF Q=35 THEN 1920
1910 CALL HCHAR (B-1, A, 88)
1920 CALL GCHAR(B, A+1,Q)
1930 IF Q=35 THEN 1950
1940 CALL HCHAR (B, A+1, 88)
1950 CALL GCHAR(B, A-1,Q)
1960 IF Q=35 THEN 1980
1970 CALL HCHAR (B, A-1, 88)
198Ø REM
1990 CALL GCHAR (B+1, A, Q)
2000 IF Q=35 THEN 2020
2010 CALL HCHAR(B+1, A, 32)
2020 CALL GCHAR(B-1,A,Q)
2030 IF Q=35 THEN 2050
2040 CALL HCHAR(B-1, A, 32)
2050 CALL GCHAR(B, A+1,Q)
2060 IF Q=35 THEN 2080
2070 CALL HCHAR (B, A+1, 32)
2080 CALL GCHAR(B, A-1, Q)
2090 IF Q=35 THEN 2110
2100 CALL HCHAR(B, A-1, 32)
211Ø C=C-1
2120 CALL HCHAR(2,19,32,11)
213Ø RETURN
214Ø REM SFX EXPLOSION
2150 FOR I=0 TO 30 STEP 5
2160 CALL SOUND (20, -1, I)
217Ø NEXT I
218Ø RETURN
219Ø REM CAVE IN
2200 FOR I=1 TO 10
2210 RANDOMIZE
222Ø B1=INT(RND*17)+6
2230 A1=INT(RND*25)+4
224Ø CALL GCHAR(B1, A1, Q)
2250 IF Q=152 THEN 2280
2260 IF Q=131 THEN 2300
227Ø CALL HCHAR (B1, A1, 126)
228Ø NEXT I
229Ø RETURN
2300 GOSUB 2330
231Ø RV=Ø
232Ø GO TO 15Ø
233Ø REM
         SQUASH MINER
234Ø M=M-1
2350 CALL HCHAR (B, A, 144)
236Ø S1=S
237Ø GOSUB 134Ø
238Ø RETURN
239Ø REM GET OUT COUNTER
2400 IF T<128 THEN 2500
241Ø A$="GET OUT"
2420 FOR I=0 TO 6
243Ø B$=SEG$(A$, I+1, 1)
244Ø CALL HCHAR(2,4+I,ASC(B$))
245Ø NEXT I
```

```
2460 CALL SOUND (-50, 300, 0)
247Ø T=T-4
248Ø RV=Ø
249Ø RETURN
2500 CALL HCHAR(B, A, 32)
251Ø M=M-1
252Ø IF M=Ø THEN 257Ø
253Ø GOSUB 134Ø
254Ø GOSUB 145Ø
2550 CALL HCHAR(2,4,32,10)
256Ø GOTO 13Ø
257Ø REM
          PLAY AGAIN LOOP
258Ø GO SUB 145Ø
2590 FOR DELAY=1 TO 2000
2600 NEXT DELAY
261Ø CALL CLEAR
2620 PRINT "PLAY AGAIN?"
2630 PRINT "Y OR N"
2640 CALL KEY(3, X, ST)
2650 IF ST=0 THEN 2640
2660 IF X=89 THEN 90
267Ø IF X=78 THEN 269Ø
268Ø GOTO 261Ø
2690 CALL CLEAR
2700 END
```



YES! Send me a copy	of the Programmer's Reference Guide for
\$14.95 (plus \$ enclosed.	2 shipping/handling) check or money order
Charge my [] \	ISA MasterCard American Express
Acct. #	Exp.
Prepaid orders only.	All orders must include \$2 S/H.
Name	
Address	
City/State/Zip	

COMPUTE! Books • P.O. Box 5406 • Greensboro, NC 27403 Please allow 4-6 weeks for delivery. 0

FRIENDS OF THE TURTL

David D. Thornburg, Associate Editor

Travels With TOPO

The San Diego CUE (Computer Using Educators) conference was one speaking engagement I looked forward to with eager anticipation. My talk was on the use of robots in the classroom, and

Androbot's TOPO was my star attraction. (If you don't know about TOPO, see the "Friends of the Turtle" and "Computers and Society" columns in the May 1983 issue of **COMPUTE!**.) Since I like to travel light, I had arranged for TOPO to be sent ahead of me to the hotel.

A few hours before my scheduled departure, I found that TOPO was not going to be delivered as scheduled and that it had to travel on the plane with me.

My frantic call to the airline went something like this:

"PSA reservations. May I help you?"

"Yes, I need another round-trip ticket between San Jose and San Diego."

"Of course, and the passenger's last name, please?"

"TOPO."

"Fine, his first name please?"

I paused. What was his first name?

"Uh, Peter."

"Thank you. Is Peter a child?"

"Uh, Peter is under six."

"Excellent! He can travel for half fare."

"Good. Oh, by the way, there is something I think you should know."

"What's that?"

"Uh, Peter isn't human."

This time it was the agent who paused.

"Is it a dog?"

"No, it's a robot."

"A robot! How exciting! I'll make sure the airport personnel know to expect him."

And thus began an adventure that will be commonplace in a few years – taking the domestic robot on a trip.

We arrived at the airport with time to spare, picked up TOPO's ticket, and went through X-ray without a hitch. The response of other passengers was quite varied. One woman looked at TOPO, clasped her hands, and said, "I think I'm in love!" A four-year-old moppet named Alison approached TOPO with hesitation, but by the end of the trip she and TOPO were great friends.

The stewardess asked what TOPO would like to drink.

"WD-40 on the rocks," I replied.

Although TOPO was the subject of much attention, one can envision such scenes becoming commonplace in the not too distant future. And as domestic robots become more common, software will be developed to make them more useful. Today, TOPO is a tremendously valuable tool for education. By controlling TOPO through Logo's turtle graphics commands, children become highly motivated to learn programming. In the future we can expect ever more sophisticated programs to be developed around practical applications.

Whether TOPO or its offspring vacuum carpets, mow the lawn, watch the kids, or help carry groceries, it is clear to me that domestic robots will soon become as common as personal computers. As a result, we can expect the airlines to offer special seating (robot class?) in which our mechanical companions can travel together, perhaps getting recharged during their travel time. When this happens, we will know that the age of robotics has arrived.

Notes From All Over

The use of Logo with children has been the subject of university research since the language was developed. Dennis Harper at the University of California at Santa Barbara has a research project with a new twist. He is embarking on a special project in Papua, New Guinea, to teach PILOT and Logo to teachers. With the assistance of the government of New Guinea and the use of equipment supplied by Atari, Dennis will be studying the use of Atari PILOT and Logo by teachers who have, in many cases, only elementary educations themselves. The fact that some of these teachers will not have seen a television before should make their response to turtle graphics quite interesting.

Gwww.commodore.ca

116 COMPUTE! August 1983

Mr. Harper has quite a few objectives to accomplish during this project. He will be demonstrating existing computer-aided instructional materials, and will then let the teachers learn both Logo and PILOT. He hopes to see what effect the computer will have on positive attitudes toward technology, increased literacy, teacher training, effectiveness in teaching, the dropout rate, the overproduction of humanities graduates, indigenous research and development efforts, and discrimination in primary schools.

In his research proposal Mr. Harper states:

Whether or not logical thinking among the students will increase by learning programming will be part of these observations. Although such gains are assumed almost as a cultural truism, there is a paucity of research either supporting or not justifying that hypothesis. The lack of empirical testing of cognitive gains following computer training is understandable and results from the fact that much research dealing with Logo has been constrained until recently by expensive hardware and small, nonequivalent controls.

I expect that Dennis will have some interesting observations to share with us, and look forward to hearing reports from the field.

Chuck E. Cheese Learns Logo

I dropped into my local Pizza Time Theater last night and was quite pleasantly surprised to see a half-dozen Apple computers being used to teach Logo to members of the Pizza Time Theater computer club. This step-up from the arcade games comes as a pleasant rejoinder to those who claim that such places have no redeeming social value. I haven't found out if this is a purely local phenomenon, but I endorse the idea of locating computer clubs in pizza parlors and arcades and would like to hear from those of you who have seen or used such facilities in your area.

A Final Note

Some of you may have guessed that I am a technology junkie. Well, you are right. I have composed this entire column on a word processor that sits on my lap as I rest under a tree in the middle of a park. I have been using the Radio Shack Model 100 computer, and it has been working beautifully. I may write a review on it for the next issue. Meanwhile, keep those cards and letters coming.

Send me your turtle graphics discoveries so we can share them with other Friends of the Turtle!

Look what I've
got for you
LIGHT
PEN STATE
A THOMAS AND
a ³ 39 ⁵ Light Pen
• ATARI 400/800
APPLE II
Now you can make your computer come alive and free yourself of many keyboard strokes.
Touch my light pen to your TV screen and draw or paint multicolored pictures or pick
from a menu. It's that easy! My LP-10 low cost, no switch light pen is
active at all times.
has a push switch to activate the signal. It is superceptions and can control the curser 6
inches from the screen.
Interface card required for Apple II with
LP-10 & LP-15 \$99.95 FREE All Light Pens are sold complete with
Demo Cassettes & Instructions.
Order Toll Free 800-526-2514
Dealers and Distributor inquiries invited. Commodore, Atari, Apple are Reg. Tm's
TECU CVETCU
TECH-Sketch Inc. is a subsidiary of Ampower Instrument Company, Inc.
26 Just Road • Fairfield, N.J. 07006
Please send me LP-10 Light Pens @ \$39.95 LP-15 Light Pens @ \$119.95 LP-15 Light Pens @ \$119.95
For my Commodore 20/64 Atari 400/800 Apple II
Enclosed my check for \$ (allow 3 weeks)
Bill my UISA Master Card
Signature
Name
City State Zip
30 day money back guarantee C-8

ommodore.ca

Learning With Computers

Glenn M. Kleiman

After The Basics Of BASIC...

One of the questions I'm often asked is: "What do I do after I've learned the basics of BASIC?" Many people have taken introductory classes or read books about BASIC programming. They have mastered using PRINT, INPUT, GOTO, FOR-NEXT, IF-THEN, and other commands of the BASIC language and have written some simple programs. These introductions to BASIC help people gain a better understanding of computers and the nature of programming. However, they are not sufficient for learning to write the types of programs most people want to use. It's a lot like learning a foreign language: learning some of the vocabulary and grammar in school or from a book does not make you a fluent speaker of the language.

Humanized Programs

In this month's column, let's examine two books designed to help you become fluent in BASIC. Both books are for people who already know the fundamentals and want to learn more, and both teach you to develop well-structured, easy-to-use programs. These books are designed to be read while you work at the computer – the only way to learn a language, whether a human language or a computer language, is to practice using it.

Apple Backpack: Humanized Programming in BASIC, by Scot Kamins and Mitchell Waite. Byte Books, 1982, \$14.95.

This book aims to help you learn to write humanized programs – the authors' term for what others call "user-friendly programs." Humanized or user-friendly programs make the computer adapt to the people who use it, rather than force the people to adapt to the computer. Humanized programs provide easy-to-understand screen displays and clear instructions. They give prompts when users are to enter responses and let users correct or change responses. They wait until users signal they are ready to proceed, and provide help if users become confused or forget some of the instructions.

After a brief introduction about humanized programming, *Apple Backpack* contains four chapters which explain many of the techniques for creating well-designed programs. Each chapter starts with simple components of programs and gradually builds more complex and powerful routines. Although the examples are written in Applesoft BASIC, they are all easily modified for other versions of BASIC, and the authors are careful to point out when they use commands that are idiosyncratic to Applesoft. Therefore, this book will also be useful to those who are using Commodore, TRS-80, Atari, and other computers.

Chapter 1 shows how to create well-formatted screen displays. It begins with algorithms for centering and right justifying text and for drawing borders. It then proceeds to more sophisticated routines. These include an "anti-splitting" routine for formatting text so that words are not split between lines, a routine which presents long sections of text, one screen-full at a time, and routines for formatting numbers into columns.

Chapter 2 is about "crashproofing" programs – designing them so that they behave reasonably when users give unexpected responses. This chapter shows how to create programs which check for incorrect input – a number when a letter is expected or vice versa, too large or small a number, a name with too many letters, a response that begins with a space, or one of the many other possibilities that can wreak havoc on programs that are not crashproofed.

Chapter 3 shows how to write programs which let users check and change information they have entered. It covers programming to allow users to make immediate corrections and to make



UNIQUE MULTI-USER SOFTWARE BRINGS NEW EXCITEMENT TO GROUP LEARNING.

The results are always the same. Put a computer in a classroom and children are drawn to it like steel to a magnet. And even though only one child actually uses the computer, the others coach or offer encouragement. Involving as this activity may be, it fails to take advantage of one of the best known principles of learning. But more about this later.

A simple idea.

When two educational researchers, Dr. Matilda Butler and Dr. William Paisley, studied the interaction of children around microcomputers they had an interesting, yet simple, idea. Instead of one user and several observers, why not give every child the opportunity to learn simultaneously. This idea sparked an entire line of unique educational software and gave birth to a new company, Edupro.

Learning through cooperation and competition.

Each one of Edupro's Microgroup[™] computer programs presents your students with a different learning environment. It may be a visit with storybook friends. A trip through American history. Or an exploration of the world around us.

In any case, the principles are the same. Mathematical, language arts, social studies, and science problems are presented as contests, races, and puzzles. Using joysticks or paddles up to eight children work together, either competitively or cooperatively. They race against time, each other, or both.

Forgotten principle.

Now about that principle of learning other educational software ignores.

For years, studies have shown that children learn more efficiently in groups. Group learning motivates slower learners to persevere. It promotes divergent thinking. And it teaches the importance of working together for a common goal.

Atari® and 400/800TM are trademarks of ATARI Inc.

Ordinary educational software can't provide this stimulation. But with Edupro software children can experience the challenge and excitement of group learning on a daily basis.

Designed for the simplest computers.

Even with all the advances in computer science and micro-electronics, multi-user software typically requires a sophisticated, expensive computer. At a cost beyond the reach of most school districts. So the following paragraphs may contain the best news of all.

These unique programs run on Atari 400 or Atari 800 personal computers. They're available on floppy disk or cassette, and use the minimum amount of computer memory (16K bytes). So even the simplest Atari computer can teach eight students simultaneously.

And the learning doesn't have to stop in your classroom.

These Atari units are also one of the most popular home computers, so Edupro programs can involve the entire family in the group learning process. Not only can parents work with their children, brothers and sisters can share learning with each other. A feat that's hard to duplicate inside a classroom.

Your own hands-on experience.

If you were at this fall's Computer-Using Educators Conference you may have had a demonstration of our programs. Hundreds of educators did. Many of them said that this was an effective way to judge the potential of these programs. But you can have a better opportunity.

We've prepared a sampler kit of the conferences' most popular four user programs. It includes selections from six different programs spanning ages five to adult (all our programs are age graded). We'll be happy to send it to you so you can introduce these programs to your own students. The kit comes with complete instructions and our catalog listing over



50 additional programs. Plus we'll include a coupon good for a 10% discount on your first order.

We know of no other software that can turn a microcomputer into a tool for sharing the excitement of group learning.

Fill out the order form below and see the results in your own classroom.

Complex kit/a) with disk O \$7.05 each		
Sampler kit(s) with disk @ \$7.95 each		
Sampler kit(s) with cassette @ \$7.95 eac	ch	
California residents add sales tax	-	
First Class postage & handling	5	2.00
Total: Check or money order enclosed for	5	
Please billMasterCardVisa		
(card no.)	(exp. o	date)
Name		
Address	_	
City		
State ZIP		

send to: Edupro, Dept. CO, P.O. Box 51346, Palo Alto, California 94303



changes after all the information has been entered and processed.

Chapter 4 covers providing directions and helpful information on the computer screen. It describes the need for clear instructions within the program and the value of providing prompts when people are to enter information. It also covers techniques for making extra help available when the user presses a special key.

These four chapters on programming provide an excellent blend of general discussion, examples of programming routines and complete modules, and very clear, line-by-line explanations of how each program works. While you can simply plug the provided modules into your own programs, the authors' main aim is to help you understand the modules presented and learn to create your own.

There is a fifth chapter which is not about programming at all, but about principles of writing good documentation. This chapter discusses both tutorials which help beginners get started and reference aids which serve as reminders for those who have learned to use the program.

The appendix contains two complete programs, a States and Capitals educational game and an Electronic Phone pad for storing and retrieving telephone messages. These programs demonstrate how the modules discussed in Chapters 1 through 4 can be combined into useful, humanized programs. Each program has complete written instructions which demonstrate the principles in Chapter 5.

Apple Backpack is a valuable guide for anyone who has mastered the fundamentals of BASIC and wants to become a fluent user of the language. It is at the right level for those who have been introduced to the BASIC commands and written a short program or two. Careful study of this book will help novice programmers advance a long way toward creating their own sophisticated, humanized programs.

Graphics And Sound

Techniques for Creating Golden Delicious Games for the Apple Computer, by Howard M. Franklin, Joanne Koltnow, and Leroy Finkel. John Wiley & Sons, Inc., 1982, \$12.95.

This book focuses on programming the graphics and sounds that are such an important part of computer games. Its philosophy is similar to *Apple Backpack* in that it explores principles of good program design and coding, example program modules, and actual programs. However, the sound and graphics programming examples are unique to Applesoft BASIC, so this book is only for those who are programming Apple computers.

Entering many of the programming examples 120 COMPUTE! August 1983 requires a great deal of typing and, of course, everything has to be exactly correct. Fortunately, a set of two disks containing all the routines is available from the publisher for \$34.95.

The first of the seven chapters covers musical notes and sounds. It begins with simple routines which use the "bell" sound built into the Apple. On the Apple, more sophisticated sounds require a machine language routine. The authors provide a suitable one to be used as a musical "black box" – you are told how to use it, but not how it works. Since the book is about BASIC, but a machine language routine is required to play musical notes on the Apple, this is a good approach.

Several interesting programs make use of the black box. One plays simple tunes, another turns the Apple into a toy piano in which each key plays a different note, and a third lets you experiment with different sound effects. The sound effect program can be valuable for developing sounds to fit your games.

Chapter 2 introduces the fundamental commands for using low resolution color graphics. Chapter 3 offers an image module which lets you display low resolution images on the screen in any position and color. It also provides a set of uppercase letters and numbers created with low resolution graphics. In addition, this chapter explains how to design new images and incorporate them into the program, and it gives several example pictures.

Chapter 4 is on high resolution graphics. More on this chapter later.

Chapter 5 covers routines for handling data entry. A sophisticated, general-purpose input module is presented. By using this input subroutine within your program and setting certain variables, you can control whether the computer will accept letters (and the maximum length of the response), integer or decimal numbers (even setting the lowest and highest acceptable values), Y or N only (for yes/no questions), or any single keypress.

The input subroutine also signals when the ESC key is pressed, so you can use ESC within your programs to let the user ask for help, return to an earlier part, quit, or request other special functions. This input module is powerful and can greatly simplify writing programs requiring different types of responses from the user. It will also help you crashproof your programs.

Chapters 6 and 7 include fully developed games which use the modules from Chapters 1, 2, 3, and 5. The programs include: (1) a story game in which the computer asks a series of questions and then inserts the answers in a previously constructed story format; (2) a nonviolent version of the hangman word game; (3) a word-matching game; (4) a concentration game which uses

Cwww.commodore.ca

The Light Pen at the Right Price:

THE LIGHT PEN

Shown actual size

This is the **right** pen -a truly affordable peripheral. As an education aid to young children it is without equal, especially for pre-schoolers without keyboard skills. They simply touch the screen with Each the pen and a display is altered or new information is entered. Plus as an aid to games, it offers comparable utility to a joystick. Create your own programs with The Light Pen or choose from our software which includes a simple draw routine, checkers and hangman; or backgammon and chess. The Right Pen at the right pricemaximum utility and minimum cost.

Prices subject to change without notice. See your local dealer or order direct. New catalog available. Add \$3.00 for postage and handling. Credit card orders call toll free:



p.o. box 3470, dept. C, chapel hill, north carolina 27514, 919-967-0861

matching color patterns; (5) a number-guessing game; and (6) a version of the memory game Simon. While none of these games will put *Pac-Man* out of business, they are all good examples of the types of educational games many people could learn to program, and they provide useful examples of how to incorporate the modules into programs.

Routine Libraries

The sound, low resolution graphics, and input modules in this book are valuable components which can simplify creating many programs. These modules, and the discussion in the book, encourage people to develop their own libraries of general-purpose subroutines and to develop well-structured programs. In addition, a great deal can be learned by studying how the games are programmed and making your own revisions and extensions of them.

Since Golden Delicious Games focuses on sound and graphics while Apple Backpack focuses on text and number processing, the two books complement each other very well. In fact, the only way they overlap significantly is that both provide routines for accepting input. A comparison of the similarities and differences of the two input routines is interesting in itself, since it lets you compare different approaches to the same goal of making it easy for people to enter information.

However, the *Golden Delicious Games* book contains very little discussion of how each module works. Also, there isn't an adequate discussion of high resolution graphics. The chapter on high resolution graphics is by far the shortest one in the book, and about one-third of it is spent discussing the problem of color conflicts on the Apple screen. Unfortunately, the simple solutions to this problem are never mentioned. We can conclude this month's column with an overview of hi-res graphics.

Software For High Resolution Graphics

There are three general types of software tools for using high resolution graphics from Applesoft BASIC. One type is high resolution character generators, which let you create your own character sets and display them on the high resolution screen. Such sets are useful for combining text and pictures, for using characters of different sizes and colors, for having non-English alphabets in your programs, and for adding lowercase letters to the Apple II and II + screens. High resolution character generators are designed so that the standard BASIC print command is used to display characters from your program. You can also create characters of different shapes and combine them on the screen to form pictures. By printing, erasing, and reprinting these characters, you can

even create simple animations.

The second type of high resolution tool lets you create pictures that cover all or part of the screen, save them on a disk, and bring them back to the screen from your program. Some of these tools use commands typed on the keyboard, some use joysticks or game paddles, and some use graphics tablets. In the November 1982 "Learning With Computers" column I reviewed picturecreating programs. My focus there was computer art, but the pictures created with those tools could be easily incorporated into programs.

The third type of high resolution tool facilitates working with shape tables. Shape tables save instructions to the computer for re-creating a shape you have drawn. Commands in BASIC let you place the shape anywhere on the screen, as well as change its size, orientation, and color. Shape table pictures can be placed over a full screen picture and can be used to create animations.

The following is a list of companies which market programs to help you incorporate sophisticated high resolution graphics into your programs. This list doesn't cover all those available, but I have used all the programs listed below, and each serves its intended purpose well. With these tools, you can program professional quality highresolution graphics. In fact, the *High Text* and *Graphics Magician* programs listed below are widely used in commercial educational programs:

1. Synergistic Software (5221 12th Ave. S.E., Bellevue, WA 98006) offers *High Text*, an advanced high resolution character generator which lets you use characters of different sizes and colors. It also produces a good tool, called Higher Graphics, for working with shape tables.

2. Penguin Software (830 4th Ave., Geneva, IL 60134) sells the well named *Graphics Magician*. It combines picture creating, shape table, and animation capabilities.

3. Beagle Brothers (4315 Sierra Vista, San Diego, CA 92103) has several high resolution character generator, picture-creating, and shape table programs.

4. Edu-Soft (P.O. Box 2560, Berkeley, CA 94702) markets an inexpensive high resolution character generator program.

COMPUTE! is looking for good articles, tutorials, and games for the Timex/Sinclair, Commodore 64, and Color Computer.

Cwww.commodore.ca

PRODUCTS FOR ATARI* 400/800 FROM ELCOMP

BOOKS for ATARI Computers

ATARI BASIC - Learning by Using An excellent book for the beginner, Many short programs and learning exercises. All important features of the ATARI computers are described (screen drawings, special sounds keys, paddles, joysticks, specialized screen routines, graphics sound applications, peeks, pokes, and special stuff). Also suggestions are made that challenge you to change and write varam routines. Order #164 \$7.95

Games for the ATARI Computer This book describes advanced programming techniques like player-missile-graphics and use of the hardware-registers. Contains many ready to run programs in BASIC and one called GUNFIGHT in machine language. Order #162 \$7.95



How to program your ATABL in 6502 Mach Lang. machine language for the BASIC pro Order # 169 \$9.95

FORTH on the ATARI - Learning by Using



A Look into the Future - ASTROLOGY

How to calculate your own horoscope Order # 171 Incl. listing of the program \$9.95



Our catalog is free with every order. Send \$1.00 and SASE for catalog only.

SUPERMAIL	ATAMEMO
(500 addr_on 1 disk)	Datablock to keep track of
Completely written in	your appointments. (D+C)
EORTH. Comes on autoboot	Order #7310 \$29.95
disk. No cartridge, no DOS,	ATCASH
no FORTH Language re-	Convert your ATARI 800
quired!	into a powerful cash register,
Order#7312 \$49.00	(Disk only)
SUPERINVENTORY (1000 items per disk) Completely written in FORTH, Same as above. (Disk only) Order#7320 \$49.00	Invoicing progr. i. BASIC Order # 7201 (C) \$29,95 Order # 7200 (D) \$39,95 Mailing List in BASIC
BUSIPACK-1	Order # 7212 (C) \$19.95
(written in FORTH). Com-	Order # 7213 (D) \$24.95
plete order entry, inventory,	Inventory control in
mailing and invoicing.	BASIC
(Disk only)	Order # 7214 (C) \$19.95
Order #7313 \$98.00	Order # 7215 (D) \$24.95
Hicrocomputer Hicrocomputer Hicrocomputer	Microcomputer Hardware Handbook (845 pages) Descriptions, pinouts and specifications of the most popular micropro- cessors and support chips, A MUST for the hard- ware huff

100

Order-No. 29 \$14.95



PAYMENT: check, money order, VISA, MASTER CARD, Eurocheck, ACCESS, Interbank Prepaid orders add \$3.50 for shipping (USA) \$5.00 handling for C.O.D. All orders outside USA: add 15 % shipping, Califor-nia residents add 6.5 % sales tax.

ATARI is a registered trademark of ATARI Inc. VIC 20, CBM are registered trademarks of Commodore APPLE is a registered trademark of APPLE Computer, Inc.

SOFTWARE IN MACHINE LANGUAGE for ATARI ATMONA.1

This is a machine language monitor that provides you with the most important commands for programming in machine-language. Disassemble, dump (hex and ASCII), change memory location, block transfer, fill memory block, save and load machine-language programs, start programs. Printer option via three different interfaces. Order #7022 cassette version \$19.95 Order # 7023 disk version \$24.95 Order # 7024 cartridge version \$59.00 ATMONA-2 ATMONA-2 This is a tracer (debugger) that lets you explore the ATARI RAM/ROM area. You can stop at previously selected address, opcode, or operand. Also very valuable in understanding the microprocessor. At each stop, all registers of the CPU may be changed. Includes ATMONA-1. Order #7049 cassette version \$49.95 Order #7049 Order # 7050 disk version \$54.00 ATMAS Macro-Assembler for ATARI-800/48k. One of the most powerful editor assemblers on the market. Versatile editor with scrolling. Up to 17k of source-Code. Very fast, translates 5k source-code in about 5 seconds. Source code can be saved on disk or cassette. (Includes ATMONA-1) Order # 7099 disk version \$89.00 Order # 7999 cartridge version \$129.00 ATAS Same as ATMAS but without macro-capability. Cassette-based. Order # 7098 32k RAM \$49.95 Order # 7998 48k RAM \$49.95 ATEXT-1 This wordprocessor is an excellent buy for your money. It features screen oriented editing, scrolling, string search (even nested), left and right margin justification. Over 30 commands. Text can be saved on disk or cassette. Order # 7210 cassette version \$20 05 Order #7216 disk version \$34.95 Order #7217 cartridge version \$69.00 GUNFIGHT This game (8k machine-language) needs two joysticks. Animation and sound. Two cowboys fight against each other. Comes on a bootable cassette. Order #7207 \$19.95 FORTH for the ATARI FORTH from Elcomp Publishing, Inc. is an extended Fig-Forth-version, Editor and I/O package included. Utility package includes decompiler, sector copy, Hex-dump (ASCII), ATARI Filehandling, total graphic and sound, joystick program and player missile.



Expansion boards for the APPLE II



Software for ATARI VIC-20 OSI SINCLAIR Pomona, CA 91766 Phone: (714) 623 8314 Hardware – ADD–ONS for ATARI Pinne: (714) 719 71 Hardware – ATARI 400/800 Hardware with connector and construction article. Conter # 7042 8179 71 Hardware – ATARI 400/800 KIT Finned circuit board incl. Software and extensive construction article. Dref # 7229 849.00 FROM BOARD (CARTRIDGE) Holds two 4k EPROMS (2532). EPROMS not included. Dref # 7224 \$19.95 AtARI, VIC-20, Sinclair, Timex and OSI Hardware + Tota 120 (requires 3KRAM Exp.) No. 480 Wordprocessor for VIC-20 (requires 3KRAM Exp.) No. 480 Wordprocessor for VIC-20, HARAM \$19.95 Holds Hard Hard (Kaaus Ogino) No. 480 Nordprocessor for VIC-20, HARAM \$19.95 No. 480 Wordprocessor for VIC-20, HARAM \$19.95 No. 480 Wordprocessor for VIC-20, HARAM \$19.95 No. 480 Wordprocessor for VIC-20, HARAM \$19.95 No. 480 Maring List Sp. Minissembler for VIC-20, WARAM \$19.95 Minissembler for VIC-20, WARAM \$19.9		• /	+
for ATARI VIC-20 OSI ELCOMP PUBLISHING, INC 53 Redrock Lane Pomona, CA 91766 Phone: (714) 623 8314 SinCLAIR TIMEX Hardware – ADD–ONS for ATARI PINTER INTERFACE Innex Hardware – ADD–ONS for ATARI PINTER INTERFACE 1995 Construction article comes with printed circuit without the ATARI printer interface. (Works with jameports 3 and 4). 19.95 Conder # 7211 \$19.95 Conder # 7211 \$19.95 Conder # 7211 \$19.95 Conder # 7221 \$19.95 Conder # 7221 \$19.95 Conder # 7221 \$19.95 CAROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software \$216, 2732, 2532). CPROM BURNER for ATARI 400/800 KIT Trinted circuit board incl. Software and extensive construction article. Corder # 7042 \$19.95 Corder # 7223 \$49.00 CPROM BOARD (CARTRIDGE) Software sont included. Noter # 7224 \$19.95 Corder # 7224 \$14.95 Corder # 7224 \$14.95 Corder # 7223 Software So	/		Software
ATARI VIC-20 OSI SINCLAIR Promona, CA 91766 Phone: (714) 623 8314 Hardware – ADD–ONS for ATARI PINTER INTERFACE This construction article comes with printed circuit roard and software. You can use the EPSON printer vichout the ATARI printer interface. (Works with ameports 3 and 4). Order # 7211 Stages of the ataria of the of the ataria of the of the ataria of the of the of the ataria of the	A REAL PROPERTY AND		for
ELCOMP PUBLISHING, INC 53 Redrock Lane Pomona, CA 91766 Phone: (714) 623 8314 VIC-20 OSI SINCLAIR TIMEX Hardware - ADD-ONS for ATARI PINTER INTERFACE Immediate Times This construction article comes with printed circuit board and software. You can use the EPSON printer without the ATARI printer interface. (Works with pamports 3 and 4). \$19.95 S5232 Interface for your ATARI 400/800 Software with connector and construction article. Order # 7291 (5V TTL-Level) \$19.95 S78232 Interface for your ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). \$179.00 PROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). \$179.00 PROM BURNER for ATARI 400/800 KIT Timed circuit board incl. Software and extensive construction article. \$179.00 PROM BURNER for ATARI 400/800 KIT Sag.95 \$29.95 Dids two 4k PROMs (2532). EPROMs not included. Dref # 7292 \$49.00 PROM BOARD KIT Same as above but bare board only with description. Dref # 7224 \$19.95 Strology and Biorhythm for ATARI 100 konly!) Dref * No.723 S29.95 \$29.95 Not AST Dik only! S29.95 \$29.95 Not AST Dik only! \$29.95 \$29.95 <td></td> <td></td> <td>ATARI</td>			ATARI
S3 Redrock Lane Pomona, CA 91766 Phone: (714) 623 8314 OSI SINCLAIR TIMEX Hardware – ADD–ONS for ATARI PRINTER INTERFACE SINCLAIR TIMEX Printer interface This construction article comes with printed circuit soard and software. You can use the EPSON printer without the ATARI printer interface. (Works with jameports 3 and 4). \$19.95 SR-232 Interface for your ATARI 400/800 Software with connector and construction article. \$19.95 SR-232 Interface for your ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). \$179.00 PROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). \$179.00 PROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. \$179.00 PROM BOARD KIT Same as above but bare board only with description. \$29.95 Dids two 4k EPROMs (2532). EPROMs not included. \$14.95 Drder # 7224 \$14.95 ATARI 400/800 \$29.95 Same as above but bare board only with description. \$29.95 Drder M. 723 Dik only! \$29.95 Noter, T. 723 Dik only! \$29.95 Noter, T. 723 Dik only! \$29.95 <	EL COMP PUBLISHI	NG INC	VIC-20
Pomona, CA 91766 Phone: (714) 623 8314 SINCLAIR TIMEX Plance: (714) 623 8314 TIMEX Hardware – ADD–ONS for ATARI PINTER INTERFACE This construction article comes with printed circuit board and software. You can use the EPSON printer without the ATARI printer interface. (Works with ameports 3 and 4). Order # 7211 \$19.95 S5:232 Interface for your ATARI 400/800 Software with connector and construction article. Order # 7291 (5V TTL-Level) \$19.95 SPROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). \$179.00 PROM BURNER for ATARI 400/800 KIT Trinted circuit board incl. Software and extensive construction article. Order # 7242 \$179.00 PROM BOARD KIT \$29.95 Same as above but bare board only with description. Order # 724 \$14.95 Dider Works with gameports ATARI 400/800 \$29.95 Same as above but bare board only with description. Order # 7223 \$29.95 Dider No. 723 Dik only! \$29.95 Books + Software for VIC-20, KRAM \$19.95 No. 4870 YOL20, IEK RAM \$19.95 No. 4871 Dik only! \$29.95 <t< td=""><td>53 Redrock La</td><td>ne</td><td>OSI</td></t<>	53 Redrock La	ne	OSI
Phone: (714) 623 8314 TIMEX Hardware – ADD–ONS for ATARI PHNTER INTERFACE This construction article comes with printed circuit board and software. You can use the EPSON printer vichout the ATARI printer interface. (Works with ameports 3 and 4). Order # 7211 \$19.95 S5-232 Interface for your ATARI 400/800 Software with connector and construction article. Order # 7291 (5V TTL-Level) \$19.95 S7-232 Interface for your ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). Order # 7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Order # 7292 \$49.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Order # 7242 \$179.00 EPROM BOARD KIT Same as above but bare board only with description. Order # 724 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI Broker No. 723 Brith control with the ATARI 100/800 Autology and Biothythm for ATARI 100 ks only!) Drder-No. 723 Brith control with the ATARI 100/800 Numiassembler for VIC-20 (requires 3KRAM Exp.) No. 4890 Kordprocessor for VIC-20 (requires 3KRAM Exp.) No. 4891 \$19.95 Sident for VIC-20 (requires 3KRAM Exp.) No. 4893 Mailing List for VIC-20 (requires 3KRAM Exp.) No. 4895 Sil.95 Runtill for VIC-20 Not RAM \$19.95 No. 4881 \$19.95 Sident for VIC-20 Not RAM \$19.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 Harden Harden Lan	Pomona, CA 91	766	SINCLAIR
Hardware – ADD–ONS for ATARI PINTER INTERFACE This construction article comes with printed circuit without the ATARI printer interface. (Works with amports 3 and 4). Order # 7211 \$1995 35:232 Interface for your ATARI 400/800 Software with connector and construction article. Order # 7291 (5V TTL-Level) \$19.95 EPROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). Order # 7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Order # 7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Order # 7043 \$29.95 EPROM BOARD KIT Same as above but bare board only with description. Order # 7223 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NUMER for VIC-20 (requires 3KRAM Exp.) Noder W. 223 Brith control with the ATARI 105k only!) Disk only! Neared Biorhythm for ATARI 105k only!) Neared Biorhythm for ATARI 105k only!) Neared Biorhythm for ATARI 105k only!) Neared Biorhythm for VIC-20 (requires 3KRAM Exp.) No. 4890 Kitages Sings Brith control with the ATARI (Knaus Ogino) No. 4890 Sings Bink control with the ATARI 100 (KRAM Sings) No. 4890 Sings Runainsembler for VIC-20 (RAM Sings) No. 4890 Sings Runaill for VIC. No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$9.95 TIC TAC VIC	Phone: (714) 623	8314	TIMEX
Hardware – ADD–ONS for ATARI PRINTER INTERFACE This construction article comes with printed circuit toard and software. You can use the EPSON printer without the ATARI printer interface. (Works with pamports 3 and 4). Order # 7211 \$1995 35:232 Interface for your ATARI 400/800 Software with connector and construction article. Order # 7291 (5V TTL-Level) \$19.95 EPROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). Drder # 7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Drder #7292 \$49.00 EPROM BOARD KIT Same as above but bare board only with description. Drder # 724 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Drder.Wo. 723 Brith control with the ATARI (Disk only!) Drder.Wo. 723 Broker No. 723 Broker Software for VIC-20 (requires 3KRAM Exp.) No. 4890 Kurd Soos, 115 pages) \$9.95 No. 4893 Mailing List for VIC-20. Tisk RAM 219.95 Sonker + Software for VIC-20 (requires 3KRAM Exp.) No. 4893 Mailing List for VIC-20. No. 4895 Si19.95 Runtill for VIC. No. 4880 \$9.95 TIC TAC VIC, No	and the second second		
PRINTER INTERFACE This construction article comes with printed circuit board and software. You can use the EPSON printer without the ATARI printer interface. (Works with pameports 3 and 4). Drder # 7211 S19.95 RS-232 Interface for your ATARI 400/800 Software with connector and construction article. Drder # 7291 (SV TTL-Level) S19.95 RS-232 Interface for your ATARI 400/800 Works with gameports. No additional power supply beeded. Comes compl. assembled with software 2716, 2732, 2532). Drder # 7042 S179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Drder # 7292 S49.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Drder # 7043 S29.95 EPROM BOARD KIT Same as above but bare board only with description. Drder # 7224 S14.95 ATARI, VIC-20, Sinclair, Timex and OSI ENCM BOARD KIT Same as above but bare board only with description. Drder # 7224 S14.95 ATARI, VIC-20, Sinclair, Timex and OSI ENCM board or VIC-20 (requires 3KRAM Exp.) No. 4870 Wordprocessor for VIC-20 (requires 3KRAM Exp.) No. 4880 Mailing List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4880 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4890 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4890 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4890 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4891 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4890 Shiling List for VIC-20 (requires 3KRAM Exp.) No. 4891 Shiling List for VIC-20 (requires 3KRAM	Hardware - ADD-0	NS for AT	ARI
This construction article comes with printed circuit toard and software. You can use the EPSON printer without the ATARI printer interface. (Works with pamports 3 and 4). Start 211 \$1995 Start 221 [SV TTL-Level] \$19.95 Start 221 [SV TTL-Level] \$19.95 EPROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). Drder #7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Drder #7292 \$49.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Drder #7292 \$49.00 EPROM BOARD (CARTRIDGE) Holds two 4k EPROMs (2532). EPROMs not included. Drder #724 \$14.95 EPROM BOARD KIT Same as above but bare board only with description. Drder # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Drder-No.7223 Brith control with the ATARI (Disk only!) Ne. 4803 Mailing List for VIC-20 (requires 3KRAM Exp.) No. 4805 Stil.95 Runtill for VIC. No. 4880 \$9.95 TIC TAC VIC, No. 48	PRINTER INTERFACE		
Note and software to the transfer of the trans	This construction article	comes with	EPSON printer
ameports 3 and 4). Stranger 7211 \$19.95 Stranger 721 (5V TTL-Level) \$19.95 Stranger 729 (5V TTL-Level) \$19.95 Stranger 721 (5V TTL-Level) \$19.95 Stranger 721 (5V TTL-Level) \$19.95 Stranger 722 \$19.90 Stranger 722 \$179.00 Stranger 7042 \$19.95 Stranger 7042 \$19.95 Stranger 7042 \$19.95 Stranger 7042 \$29.95 Stranger 7043 \$29.95 Stranger 7043 \$29.95 Stranger 7043 \$29.95 Stranger 7043 \$19.95 Stranger 7043 \$29.95 Stranger 7043 \$29.95 Stranger 7043 \$29.95 Stranger 7044 \$14.95 Stranger 7044 \$19.95 Stranger 7050 Stranger 7051	without the ATARI prin	nter interfac	ce. (Works with
RS-232 Interface for your ATARI 400/800 Software with connector and construction article. Order # 7291 (5V TTL-Level) \$19.95 EPROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). Drder # 7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Drder #7292 \$49.00 EPROM BOARD (CARTRIDGE) Holds two 4k EPROMs (2532). EPROMs not included. Order # 7043 \$29.95 EPROM BOARD KIT Same as above but bare board only with description. Drder # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW - for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Drder-No. 723 Brith control with the ATARI (Disk only!) Drder-No. 723 Brith control with the ATARI (Disk only!) No. 4870 Wordprocessor for VIC-20 (requires 3KRAM Exp.) No. 4883 Mailing List Sil9.95 No. 4883 Mailing List Sil9.95 No. 4	gameports 3 and 4). Order #7211		\$19.95
Software with connector and construction article. Drder # 7291 (5V TTL-Level) \$19.95 EPROM BURNER for ATARI 400/800 Works with gameports. No additional power supply needed. Comes compl. assembled with software 2716, 2732, 2532). Drder # 7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive construction article. Drder #7292 \$49.00 EPROM BOARD (CARTRIDGE) Holds two 4k EPROMS (2532). EPROMs not included. Drder # 7043 \$29.95 EPROM BOARD KIT Same as above but bare board only with description. Drder # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Drder-No. 723 Brith control with the ATARI (Disk only!) Drder-No. 723 Brith control with the ATARI (Disk only!) No. 4870 Wordprocessor for VIC-20 (requires 3KRAM Exp.). No. 4883 Mailing List for VIC 20 (requires 3KRAM Exp.) No. 4883 Mailing List for VIC-20 (RAM \$19.95 No. 4883 Mailing List for VIC-20 (Source code 3 hex- Miniassembler for VIC-20 No. 4880 \$19.95 TIC TAC VIC, No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$	RS-232 Interface for your	ATARI 40	0/800
EPROM BURNER for ATARI 400/800 Works with gameports. No additional power supply Works with gameports. No additional power supply Vertex with gameports. No additional power supply Printed circuit board incl. assembled with software Printed circuit board incl. Software and extensive Printed circuit board incl. Software and extensive Printed circuit board incl. Software and extensive Promotion article. Order #7292 \$49.00 EPROM BOARD (CARTRIDGE) Holds two 4k EPROMs (2532). EPROMs not included. Order #7043 \$29.95 EPROM BOARD KIT Same as above but bare board only with description. Order # 7224 \$14.95 NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Order-No. 723 \$29.95 Books + Software for VIC-20 (requires 3KRAM Exp.) No. 4895 \$19.95 Miniassembler for VIC-20 (ReAM \$19.95 Miniassembler for VIC-20 MarAM \$19.95 Miniassembler for VIC-20 MarAM \$19.95 Miniassembler for VIC-20 Noce (as 19.95) \$14.95 Miniassembler for VIC-20 MarAM \$19.95 GAMEPACK I (3 Ga	Software with connecto Order #7291 (5V TTL-Le	r and cons vel)	truction article. \$19.95
Works with gameports. No additional percentage. Preded. Comes compl. assembled with software 2716, 2732, 2532). Drder # 7042 \$179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive tonstruction article. Dorder #7292 \$49.00 EPROM BOARD (CARTRIDGE) folds two 4k EPROMs (2532). EPROMs not included. Order #7043 \$29.95 EPROM BOARD KIT Same as above but bare board only with description. Order # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Order-No. 723 \$29.95 Books + Software for VIC-20 (requires 3KRAM Exp.) No. 4836 Mailing List for VIC-20, RERAM \$19.95 Runtills for VIC-20, Bix RAM \$19.95 Runtills for VIC-20, BARAM \$19.95 Miniassembler for VIC-20, BARAM \$19.95 Runtills for VIC-20, BARAM \$19.95 </td <td>EPROM BURNER for AT</td> <td>ARI 400/80</td> <td></td>	EPROM BURNER for AT	ARI 400/80	
2716, 2732, 2532). Drder # 7042 S179.00 EPROM BURNER for ATARI 400/800 KIT Printed circuit board incl. Software and extensive toonstruction article. Drder #7292 S49.00 EPROM BOARD (CARTRIDGE) folds two 4k EPROMs (2532). EPROMs not included. Order # 7043 EPROM BOARD KIT Same as above but bare board only with description. Drder # 7224 S14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Dik only!) Drder.No. 723 Brith control with the ATARI (Chaus Ogino) EBROks + Software for VIC-20 (requires 3KRAM Exp.) No. 4836 A 430 Wordprocessor tor VIC-20, BRAM S19.95 Broks + Software for VIC-20 (Requires 3KRAM Exp.) No. 4836 S 19.95 Miniassembler for VIC-20 (source code 3 hex- No. 166 S 19.95 Runfill for VIC, No. 4880 S 9.95 GAMEPACK I (3 Games) No. 4831 S 14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- dump + description plus a powerful machine language monitor (Hexdump), Order-No. 166 S 19.95 Artic Tark Story Art Art Art (Source code 3 hex- dump + description plus a powerful machine language monitor (Hexdump), Order-No. 166 S 19.95 Driversal Experimenter Board for the VIC-20. Drder # 4844 S 18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 # 2399 Machine Language Monitor S9.95 Honoramming in BASIC and machine language with	needed. Comes compl.	assembled	with software
Droter # 7042 Printed circuit board incl. Software and extensive construction article. Printed circuit board incl. Software and extensive construction article. \$49.00 Droter #7292 \$49.00 PROM BOARD (CARTRIDGE) toldid two 4k EPROMs (2532). EPROMs not included. Indida two 4k EPROMS (2532). EPROMs not included. \$29.95 Image: Software and extensive construction article. Image: Software Software Software and Software and Software and Software	(2716, 2732, 2532).		\$179.00
Printed circuit board incl. Software and extensive construction article. Drider #7292 \$49,00 PROM BOARD (CARTRIDGE) Holds two 4k EPROMs (2532). EPROMs not included. Order #7043 \$29,95 EPROM BOARD KIT Same as above but bare board only with description. Drider #7224 \$14,95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Drider No. 7223 Disk only! \$29,95 Books + Software for VIC-20, BKRAM \$19,95 No. 4870 Wordprocessor for VIC (requires 3KRAM Exp.) No. 4870 Wordprocessor for VIC 20, BKRAM \$19,95 No. 4883 Mailing List for VIC-20, ISK RAM \$19,95 No. 4886 \$19,95 GAMEPACK I (3 Games) No. 4886 \$19,95 GAMEPACK I (3 Games) No. 4881 States Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jumy + description plus a powerful machine language monitor (Hexdump), Order-No. 166 \$19,95 Javersal Experimenter Board for the VIC-20 Driver 4844 \$18,95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9,95 Hand Sita Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9,95 Hander for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9,95 Hander for SINCLAIR ZX-81 and TIMEX 1000	EPROM BURNER for AT	ARI 400/80	DO KIT
SMSI Under an one- books \$49.00 EPROM BOARD (CARTRIDGE) folds two 4k EPROMs (2532). EPROMs not included. S29.95 Support Support FORM BOARD KIT Support Same as above but bare board only with description. Stars Drder # 724 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI Support NEW – for your ATARI 400/800 Starslogy and Biorhythm for ATARI (Dikk only!) Starology and Biorhythm for ATARI (Dikk only!) Support No. 4830 Support Support Support Support Support No. 4830 Support Support<	Printed circuit board in	cl. Software	e and extensive
PROM BOARD ICAR INDEE Provide way that the term of the vic 20, 16k rank 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Monitor (Hexdump). Order Vic 20, 16k rank 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Monitor (Hexdump). States 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Monitor (Hexdump). States 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Monitor (Hexdump). States 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Monitor (Hexdump). States 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Monitor (Hexdump). States 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Monitor (Hexdump). States 11, 195 Progr. in 6502 Machine Language on your PET+CBM Camper Language Intor (Hexdump). Order-No. 166 (S19.95) Driversal Experimenter Board for the ViC-20. Progr. Software of SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor (S9.95) Programming in BASIC and machine language with this programme and the programme of the Vic 20, 100 #2399 Machine Language Monitor (S9.95) #2398 Mailing List (Same Intor S). Programming in BASIC and machine language with this programme of the Vic 20. Programming in BASIC and machine language with this programme of the Vic 20. Programming in BASIC and machine language with this programme of the Vic 20. Programming in BASIC and machine language with this programme of the Vic 20. Programming in BASIC and machine language with this programme of the Vic 20. Programming in BASIC and machine language with this programme of the Vic 20. Programming in BASIC and machine language with this programme of the Vic 20. Programme of the Vic 20.	Order #7292		\$49.00
Order # 7043 \$29.95 Drider # 7224 \$14.95 Drider # 7224 \$14.95 Atrology and Biorhythm for ATARI 400/800 \$29.95 Astrology and Biorhythm for ATARI (Disk only!) \$29.95 Drider Mo. 723 Disk only! Drider Mo. 723 Disk only! Books + Software for VIC-20 (requires 3KRAM Exp.). \$19.95 No. 4803 Mailing List for VIC-20 (requires 3KRAM Exp.). \$19.95 No. 4804 \$19.95 \$19.95 Runtill for VIC, No. 4880 \$19.95 \$19.95 Runtill for VIC, No. 4880 \$9.95 \$10.00000000000000000000000000000000000	Holds two 4k EPROMs (2	532). EPRO	Ms not included.
PROM BOARD KIT Same as above but bare board only with description. Order # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI Atrology and Biorhythm for ATARI (Disk only!) Order.Wo. 723 Birth control with the ATARI (Disk only!) Disk only! \$29.95 Brocks + Software for VIC-20 (requires 3KRAM Exp.) No. 4893 Mailing List for VIC-20 (requires 3KRAM Exp.) No. 4893 Mailing List for VIC-20 (requires 3KRAM Exp.) No. 4895 \$19.95 Runfill for VIC, No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- tomp + description plus a powerful machine language nonitor (Hexdump). Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20. Save money with this great board), This board plugs ight into the expansion slot of the VIC-20. Toder # 4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 # 2399 Machine Language Monitor \$9.95 # 2390 Machine Language Moni	Order # 7043	-	\$29.95
PROM BOARD KIT Same as above but bare board only with description. Order # 7224 Stage Stage ATARI, VIC-20, Sinclair, Timex and OSI ATARI, VIC-20, Sinclair, Timex and OSI Atrology and Biorhythm for ATARI (Disk only!) Order #. 7223 Stage S	The second second		
PROM BOARD KIT Same as above but bare board only with description. Order # 7224		1	
Comparing the second se	And Transfer	Contraction of the local division of the loc	
Complete Editor/Assemblers (Source code 3 hex- miniassembler for VIC-20, total spages) Same as above but bare board only with description. Drder # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Atrology and Biorhythm for ATARI (Disk only!) Drder-No. 723 Brith control with the ATARI (Knaus Ogino) Drder No. 722 Books + Software for VIC-20 (requires 3KRAM Exp.) No. 4870 Wordprocessor for VIC-20 (ReAM \$19.95 No. 4870 Wordprocessor for VIC-20 (ReAM \$19.95 No. 4870 Wordprocessor for VIC-20, 16K RAM \$19.95 No. 4880 Kalling List for VIC-20, 16K RAM \$19.95 No. 4881 \$19.95 TIC TAC VIC, No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$19.95 Drogr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Juny + description plus a powerful machine language nonitor (Hexdump). Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20. Save money with this great board), This board plugs ight into the expansion slot of the VIC-20. Drder # 4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95		habit	
EPROM BOARD KIT Same as above but bare board only with description. Order # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Atrology and Biorhythm for ATARI (Disk only!) Drder.W. 723 Brokenson Dirder.W. 723 Books + Software for VIC 20 (requires 3KRAM Exp.) No. 4870 Wordprocessor VIC 20 (requires 3KRAM Exp.) No. 4880 Mailing List for VIC 20, 16K RAM No. 4880 Mailing List for VIC 20, 16K RAM No. 4880 Mailing List for VIC 20, 16K RAM No. 4880 Mailing List for VIC 20, 16K RAM No. 4881 \$19.95 Miniassembler for VIC 20 No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language No. 4811 \$14.95 Jariversal Experimenter Board for the VIC-20. Save money with this great board), This board plugs ight into the expansion slot of the VIC-20. Order # 4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2399 Maching List \$19.95		Munn	
Order # 7224 \$14.95 ATARI, VIC-20, Sinclair, Timex and OSI NEW - for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Order-No. 723 Brokenson Drder-No. 7223 Disk only! Drder-No. 7223 Disk only! Disk only! Drder-No. 723 Books + Software for VIC-20 (requires 3KRAM Exp.) No. 4870 Wordprocessor for VIC-20 (requires 3KRAM Exp.) No. 4883 Mailing List for VIC-20 (ISK RAM \$19.95 No. 4896 \$19.95 Runtill for VIC, No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language monitor (Hexdump). Order-No. 166 \$19.95 Jariversal Experimenter Board for the VIC-20. Save money with this great board), This board plugs ight into the expansion slot of the VIC-20. Order # 4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95	Same as above but bare I	board only w	with description.
ATARI, VIC-20, Sinclair, Timex and OSI NEW – for your ATARI 400/800 Attrology and Biothythm for ATARI (Disk only!) Drder-No. 7223 Birth control with the ATARI (Knaux Ogino) Drder-No. 7222 Disk only! Books + Software for VIC-20 (requires 3KRAM Exp.). No. 4870 Wordprocessor for VIC-20 (requires 3KRAM Exp.). No. 4880 Mailing List for VIC-20 (requires 3KRAM Exp.). No. 4880 Kalling List for VIC-20 (requires 3KRAM Exp.). No. 4896 \$19.95 Runfill for VIC, No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language monitor (Hexdump), Order-No. 166 \$19.95 Jaiversal Experimenter Board for the VIC-20 Save money with this great board), This board plugs ight into the expansion slot of the VIC-20 Save money with this great board), This board plugs Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List	Order #7224		\$14.95
NEW – for your ATARI 400/800 Astrology and Biorhythm for ATARI (Disk only!) Drder-No. 7223 Brith control with the ATARI (Knaus Ogino) Drder-No. 7222 Disk only! \$29.95 Books + Software for VIC-20 (requires 3KRAM Exp.) No. 4870 Wordprocessor for VIC-20, BKRAM \$19.95 No. 176 Tricks for VIC-20 (IRK IRAM \$19.95 Runfill for VIC, No. 4880 \$9.95 TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 22 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language monitor (Hexdump), Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20 Drder #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List	ATARI, VIC-20, S	inclair, Tin	nex and OSI
New - for your Article ATARI (Disk only!) prefer No. 7223 Brith control with the ATARI (Knaus Ogino) Drder-No. 7223 Books + Software for VIC-20 (requires 3KRAM Exp.). No. 4870 Wordprocessor for VIC-20 (Requires 3KRAM Exp.). No. 4883 Mailing List for VIC-20 (Requires 3KRAM Exp.). No. 4884 Mailing List for VIC-20 (Requires 3KRAM Exp.). No. 4895 Runfill for VIC-20 (No. 115 pages) § 9.95 Miniassembler for VIC-20 No. 4896 S19.95 GAMEPACK I (3 Games) No. 4881 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Juniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20 Drder #4844 \$19.95 Machine Language Monitor \$9.95 Machine Language Monitor \$10.95 Machine Language Machine Language Monitor \$10.95 Machine Language Monitor \$10.95	NEW - for your ATARI	400/800	
Order-No. 7223 Drefer-No. 7223 Birth control with the ATARI (Knaus Ogino) 529.95 Drefer-No. 7222 Disk only! 529.95 Books + Software for VIC-20 (requires 3KRAM Exp.). 519.95 No. 4830 Mailing List for VIC-20 (RetARAM 519.95 519.95 No. 176 Tricks for VIC (20 (book, 115 pages)) 5 9.95 Miniassembler for VIC-20 No. 4896 \$19.95 Runfill for VIC, No. 4894 \$9.95 TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) \$14.95 No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language monitor (Hexdump), Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20. Stare money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 #2398 Mailing List \$19.95 #2398 Mailing List \$19.95	Astrology and Biorhythm for	ATARI (Dis	k only!).
Order-No. 7222 Disk only! Books + Software for VIC-20 (requires 3KRAM Exp.). Books + Software for VIC-20 (requires 3KRAM Exp.). No. 4895 Mailing List for VIC-20 (requires 3KRAM Exp.). No. 767 Tricks for VIC20 (16K RAM \$19.95 Miniassembler for VIC-20 No. 4896 \$19.95 Runfill for VIC, No. 4894 \$9.95 TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Junier 4844 \$19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20 Save money with this great board). This board plugs Software for SINCLAIR ZX-81 and TIMEX 1000 # 2399 Machine Language Monitor \$9.95 # 2398 Mailing List	Order-No. 7223 Birth control with the ATAF	II (Knaus Ogir	no) \$29.95
Buoks argo Wordprocessor for VIC20, BKRAM \$19.95 No. 4820 Wordprocessor for VIC20, BKRAM \$19.95 No. 767 Tricks for VIC20 \$19.95 Miniassembler for VIC20 \$19.95 No. 4896 \$19.95 Runtill for VIC, No. 4894 \$9.95 TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) \$14.95 No. 4881 \$14.95 Yogr, in 6502 Machine Language on your PET+CBM Yourp + description plus a powerful machine language monitor (Hexdump), Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95	Order-No. 7222 Rooks + Software for VII	C-20 (require	SKRAM Exp.)
No. 176 Tricks for VICs (book, 115 pages) \$ 9.95 Miniassembler for VICs (book, 115 pages) \$ 9.95 Miniassembler for VIC-20 No. 4896 \$ 19.95 Runfill for VIC, No. 4894 \$ 9.95 TIC TAC VIC, No. 4880 \$ 9.95 GAMEPACK I (3 Games) No. 4881 \$ 14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language monitor (Hexdump), Order-No. 166 \$ 19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order # 4844 \$ 18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 # 2399 Machine Language Monitor \$9.95 # 2398 Mailing List \$ 19.95 Homesmanning in BASIC and machine language with	No. 4870 Wordprocessor for No. 4893 Mailing List for VI	VIC-20, 8KR	AM \$19.95 \$14.95
Miniassembler for VIC-20 No. 4896 \$19.95 Runfill for VIC, No. 4894 \$9.95 TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language monitor (Hexdump). Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95	No. 176 Tricks for VICs	(book, 115	pages) \$ 9.95
No. 4899 Runfill for VIC, No. 4894 S9.95 TIC TAC VIC, No. 4880 S9.95 GAMEPACK I (3 Games) No. 4881 S14.95 Source code 3 hex- dump + description plus a powerful machine language monitor (Hexdump). Order-No. 166 S19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order #4844 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor S9.95 #2398 Mailing List Programming in BASIC and machine language with	Miniassembler for VIC-20	19.95	Tricks for ViCo
Runfill for VIC, NO. 4880 \$9.95 GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- dump + description plus a powerful machine language monitor (Hexdump). Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95	No. 4890	CO 05	
TIC TAC VIC, No. 4880 \$9.95 GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- dump + description plus a powerful machine language monitor (Hexdump). Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Drder #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95	Runtill for vic, no. 100	89.95	
GAMEPACK I (3 Games) No. 4881 \$14.95 Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- Jump + description plus a powerful machine language monitor (Hexdump). Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Software for SINCLAIR ZX-81 and TIMEX 1000 # 2399 Machine Language Monitor \$9.95 # 2398 Mailing List \$19.95 Programming in BASIC and machine language with	TIC TAC VIC, No. 4880	\$9.95	(Internet)
Progr. in 6502 Machine Language on your PET+CBM 2 complete Editor/Assemblers (Source code 3 hex- tump + description plus a powerful machine language monitor (Hexdump), Order-No, 166 \$19.95 Universal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95 Concempting in BASIC and machine language with	No. 4881	\$14.95	197
2 doinglete Control Assume that machine language monitor (Hexdump), Order-No. 166 \$19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95	Progr. in 6502 Machine 2 complete Editor/Asse	Language or	your PET+CBM
monitor (Hexdump), Order-No, 166 § 19.95 Jniversal Experimenter Board for the VIC-20 Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order # 4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 # 2399 Machine Language Monitor \$9.95 # 2398 Mailing List \$19.95	dump + description plus	a powerful r	machine language
Save money with this great board). This board plugs ight into the expansion slot of the VIC-20. Order #4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95	monitor (Hexdump), Ord	ler-No. 166	\$19.95
ight into the expansion slot of the VIC-20. Drder # 4844 \$18.95 Software for SINCLAIR ZX-81 and TIMEX 1000 # 2399 Machine Language Monitor \$9.95 # 2398 Mailing List \$19.95 Programming in BASIC and machine language with	(Save money with this g	reat board).	This board plugs
Software for SINCLAIR ZX-81 and TIMEX 1000 #2399 Machine Language Monitor \$9.95 #2398 Mailing List \$19.95 Programming in BASIC and machine language with	right into the expansion s	lot of the V	IC-20. \$18,95
#2399 Machine Language Monitor \$9,95 #2398 Mailing List \$19,95 Programming in BASIC and machine language with	Software for SINCLAIR	ZX-81 and	TIMEX 1000
Programming in BASIC and machine language with	#2399 Machine Langua	ge Monitor	\$9.95
rogramming in priore and maerine language inter	The second		



\$14.90 duction to Business Applications.

🔂 20 (20 MP) - 20 (20 MP) - 20 (20 MP)

Develop-20

Tina Halcomb

Without a knowledge of assembly language, it can be an impossible task to turn a great idea into a fast, smooth game. One solution to the problem is *Develop-20*, a collection of software tools designed to help the VIC-20 programmer advance beyond BASIC.

Develop-20 consists of an Editor, Assembler, Loader, Monitor, and Decoder. A similar collection, *Develop-64*, is available for the Commodore 64.

An informative guide is included with the package. If you are not already acquainted with 6502 assembly language, you will find this guide a very good introduction. It describes the architecture and functions of the 6502 chip from a user's viewpoint. The definitions and examples clearly explain the use of the addressing modes, register set, and instruction set.

The Editor

The original (Source) programs are created and modified with the Editor program. As you enter your program, it checks the validity of the mnemonics, and checks to see if the correct addressing modes are being used with respect to the mnemonics.

When you run the Editor, you will see a CPLDIMS prompt. You can then choose one of the seven functions of the Editor program. C is the create mode, used to enter new programs. P prints a listing of the program to the screen. L loads a program on 124 **COMPUTE** August 1983 cassette or disk into memory. S saves the source file in memory to cassette or disk. The editing capabilities of the Editor program are limited to D, which deletes lines; I, which inserts lines; and M, which lets you modify any line. Modifications can be made only one line at a time.

REVIEWS

There are two unusual aspects to this Editor. When you use zero-page addressing, you must identify the address with a left arrow.

STA ← \$00

Most assemblers are capable of determining that you intend zero-page addressing if the specified address is in zero page (\$00-\$FF).

Also, during program entry, there is no space allowed between the opcode field and the operand field. However, once each line of the program is entered and you press RETURN, the line is displayed in the standard 6502 assembly format with one space between each field.

In an unexpanded VIC, you can write programs with up to 89 statements. With any size memory expansion, the program size can increase by 50-75 statements per K of memory.

Assembling The Program

To translate your source program into executable machine (object) language, it must be loaded in with the Assembler program, assembled, and saved as an object file. The actual *saving* process is identical to that of the Editor program. You must remember that the two output files are different. The source is saved like any other text file, and the object is saved as a binary file. A distinguishing extension for the file name is not automatic. Perhaps setting a standard of extensions like a .BIN or .OBJ for binary object files and .TXT of .SRC for the text source files will make it easier for you to identify them.

Due to the limited amount of memory, the programs are assembled to a file on disk or cassette instead of directly into memory. In order to run the object code that you have just created with the Assembler program, you must save the object file and load it back into memory with the Loader program.

RUN In Single Steps

The Monitor is a very useful tool for debugging your software. It allows you to load your program and run it in single steps (one instruction at a time). As each instruction is executed, the instruction is displayed along with the status of all registers. This allows those just learning the language to watch what happens in each register and what changes occur in the status register (the flags) as a program runs.

The fifth tool of this package is the Decoder, which is a disassembler. This program takes machine language (executable object files) and translates them back into source files (mnemonics). The program produced by the Decoder will only resemble the original source program because it does not produce labels. For example, in a loop, instead of seeing branches to labels, you will see jumps to absolute addresses.

What would a game programmer's tool kit be without

🖙www.commodore.ca



ASK FOR DETAILS SM SOFTWARE INC. 252 Bethlehem Pike Colmar. PA 18915

and high level application programs such as such as SM-KIT — program de-bug enscreen handler index sequential file index sequential file nanager LOS — loadable operating system and high level application programs such as SM-TEXT — advanced text processor.

SM Software Inc. is a subsidiary of SM Software AG, Munich, one of Europe's top micro software houses. U.S. computer technology, allied with German software engineering, with German software engineering, ing aids such as: A

ith compliments to the U.S-market

> IS A RANGE OF HIGH SOFTWARE PRODUCE INTERNATIONAL EXP INTERNATIONAL EXP SMALL BUSINESS A

graphics tools? The manual includes information concerning screen and character management, color modes, joystick controllers, and sound and musical effects.

This collection of software tools is an effective, reasonably priced way to develop your machine language ideas into working VIC programs.

Develop-20 French Silk Smoothware P.O. Box 207 Cannon Falls, MN 55009 \$49.95

Astro Chase

John Blackford, Assistant Features Editor

Astro Chase, by Fernando Herrera, is a lively space-action game with impressive graphics and sound. Written for Atari, it contains several innovative features that distinguish it from others on the market.

The object of the game is to defend Earth from aliens of the Megard Empire. The playfield, which is a two-dimensional (map-style) depiction of the galaxy, is several times larger than the area visible on the screen. As you move your ship -Earth's sole defender - toward the edges of the screen, the background scrolls to reveal other portions of the galaxy. You can't visit the entire galaxy, however. The Megardians have thrown up an invisible force field that keeps you in the vicinity of Earth.

That's just as well, for to succeed at *Astro Chase*, it's best to cruise near Earth, intercepting the robot-like Mega Mines as they move in. If one of the mines reaches the home planet, the result is a spectacular, gameending explosion.

The Mega Mines have only one objective: to reach Earth. They never deviate from their path and cannot attack your ship, but the attack fighters can and will. As you advance to the higher levels, the fighters become more numerous and wield more impressive power. Some of them try to ram your ship; others fire lasers; some can even pass through planets in their relentless search for your craft. If you spend too much time going after the fighters, the Mega Mines will surely get through.

Maneuvering Hints

0

One of the most challenging aspects of the game is learning to control your spaceship. You can set your course, then aim and fire your lasers independently – all with the joystick and fire button. The result is a very versatile craft, but one that's difficult for beginners to handle. The secret is that when the fire button is depressed, the joystick controls the direction of the lasers. When the fire button is up, the joystick controls the ship. It sounds simple, but practice is required.

If you bump into a planet or the force field, you'll bounce back – perhaps adding to the confusion until you get the hang of maneuvering the ship. Another pitfall is the hot stars. These are bright stars scattered around the galaxy. If you run into one, you'll be stopped until you back up and go around. Running into either the hot stars or the force field drains energy from your ship, as does moving and firing lasers. You can recharge your energy by flying back and forth over one of the four energy generators. There's one at each corner of the square



In Astro Chase, you defend Earth against aliens of the Megard Empire.



Call Toll Free 1-800-482-7254 In Ohio 216/663-2032

Mon.-Sat. 10-6 EST

www.commodore.ca

BIGGER IS NOT ALWAYS BETTER!

Higher cost doesn't promise better software.

All across America, and around the world, people are becoming computer literate: both in use and purchase of a personal, home or small business computer. People are finding that more expensive computers are not always better computers. They are flocking to buy the low-priced, but high-powered Commodore 64TM. That is a smart decision. Very smart, indeed.

Perhaps you are one of the wise ones who has bought, or is getting ready to buy, a Commodore 64. Good for you. Keep making good decisions. *Compare before you buy software*.

TRY THEIRS, YOU'LL BUY OURS

Compare the features and capabilities of both from the information below. Try theirs. Try ours. You will see for yourself that more \$\$ doesn't give more software.

	Southern	Info
Feature	Solutions	Designs
Suggested List Price	129.95	199.95
Copyable Disks	Yes	No
Data Loss w/Power Failure	No	Yes
Can you legally sell disk?	Yes	No
Warranted to operate properly?	Yes	No
Trade-In for Bigger System?	Yes	No
User defined colors?	Yes	No
Requires removal/insertion of disk for all entries	No	Yes
Includes Budgeting	Yes	No
Interfaces to G/L	Yes	Yes
Works with all printers	Yes	Yes
Meaningless number codes for account set-up	No	Yes
Easy-to-understand letters for account set-up	Yes	No
All programs big, slow loading, compiled	No	Yes
Working programs in flexible, fast loading BASIC	Yes	No
Backup to inexpensive tape?	Yes	No
Backup to disk available?	Yes	Yes
Max number of G/L Depts	99	9
Max Accounts per Cash Journal Entry	9	1
Max Debits/Credits per General Journal Entry	11	5
Minimum Disk Sides Required	1	3

When you compare, you will see that our BusinessWare[™] for the Commodore 64 is like the biggest, newest state-of-the-art systems for big business computers. Theirs? You may see that it is more like an old system of days gone by.

You decide. It's your money, your time . . . and your decision.

Call for the name of your nearest dealer.

Dealers or distributors ask for our dealer/distributor pack.



P.O. Box P, McKinney, Texas 75069 - (214) 542-0278

Available in Canada: Canadian Micro Distributors, LTD. 500 Steeles Avenue, Milton, Ontario L9T 3P7 (416) 878-7277

Gwww.commodore.ca

force field.

Shield depots are also located around the force field perimeter. When you fly through one, your ship turns from solid white to flashing colors - and you are invulnerable for ten seconds. You can even ram and destroy the attack fighters. But don't neglect your main mission: eliminating the Mega Mines.

For Experts Only

When you begin Astro Chase, you are in level eight. With the Select button, you can choose any one of 24 levels. Each time Earth is destroyed, you move down one level. But if you destroy all 16 Mega Mines, you move up to the next higher level. And if you go beyond level 24, you reach the master level (24-34); it's definitely for experts only.

The graphics in the game opening and the intermissions after each group of seven levels strikingly depict the spaceport on Earth. In the first sequence, you, the pilot, walk out and beam onto the spacecraft, which lifts off in a blaze of rocket fire.

The pilot returns to the spaceport in the first intermission, looks around, and asks, "Where is everybody?" Each scene that follows is slightly different. If you move from the lowest levels all the way to the expert grade, the intermissions provide a little story line within the game.

The action in Astro Chase can get pretty frantic as you dodge the fighters, bouncing into planets and stars – all the while trying to stop the undeviating Mega Mines. But you can succeed by mastering your ship's movement and developing a prudent strategy for engaging the Mega Mines. If you like space-action games, this is one to look for. Astro Chase Parker Brothers 50 Dunham Road Beverly, MA 01915 C (617)927-7600

Galactic Blitz For The VIC-20

Tony Roberts, Assistant Managing Editor

You're sitting alone in your spaceship when, suddenly, swarms of aliens, daring you to shoot them down, appear in the darkened sky. The aliens swirl, dart, and loop-the-loop before streaming off out of sight. Seconds later they return to taunt you again.

The game is Galactic Blitz, produced by Tronix for the unexpanded VIC-20. The instructions are simple: shoot down the aliens, pile up the points.

Galactic Blitz, programmed by Jimmy Huey, is a smooth, fast machine language game that looks deceptively easy. But it turns out to be devilishly frustrating and mildly addicting. Throw in the eerie whine of the aliens and the game takes on a hypnotic quality.

With a joystick, you move your ship back and forth along the bottom of the screen. You fire in only one direction straight up.

The aliens, which attack in groups of 15, could easily find work in the National Football League. They run patterns more precisely than any wide receiver. They swirl, climb, and dive one after the other until all 15 have either been shot down or have completed their pattern.

But even as the colorful alien squadron dazzles you with its precision flying, its members are on the attack. They drop a barrage of bombs that keep your ship on the move.

Be Prepared To Dodge

The 15 patterns the aliens employ are easy enough to learn, but discovering the best defense against each is more difficult.

If you find yourself cowering in the corners to avoid the bombs raining down at center screen, you may lull yourself into

thinking you've found the answer. Check the score counter, and you'll find many of the aliens are blinking off the screen before your hits are recorded.

As the game progresses, the aliens move lower and lower, giving you less time to react to their bombs. In one pattern the crafty attackers fly off the bottom of the screen, then reappear right where you're likely to have positioned your ship. Just when you thought you were in control, you've lost another vessel.

Galactic Blitz is easy to play, but not easy to beat. And you'll find yourself trying to win again and again.

0

Galactic Blitz Tronix Publishing, Inc. 701 West Manchester Inglewood, CA 90301 \$24.95

CARDETTE LETS YOU **USE ANY** CASSETTE PLAYER/RECORDER WITH YOUR VIC-20®

With the new CARDETTE from Cardco, Inc. you can interface with any standard cassette player/recorder to save programs and load them with ease into yur VIC-20*

No longer are you restricted to using only the VIC Datasette. Just add a CARDETTE and you can use the tape unit of YOUR choice.

The CARDETTE comes with all necessary cables and wires to complete the hook-up. Nothing else to buy. All you need is YOUR tape player/recorder and your tapes.

"""COMPU SENSE ..."

Price: Just \$30.95



www.commodore.ca

Handling charges \$3.00 C.O.D. (Add \$2.00) Personal checks allow 3 week delivery VIC-20* is a registered trademark of Commodore Prices subject to change

128 COMPUTE! August 1983



computer mail order

PRINTERS SMITH CORONA

Call on \$50.00 Factory Rebate!	
TP-1	0
Tractor Feed	0
Ultrasonic I Typewriter \$439.0	0
C. ITOH (TEC)	

Gorilla
Prowriter 8510P \$379.0
Prowriter 85105 \$579.0
Prowriter II-P
Prowriter II-S
Starwriter F10-40\$1259.0
Printmaster F10-55 \$1649.0
OKIDATA

Call for price and information of OKIDATA 82A, 83A, 84(Parallel). 84(Serial), 92 & 93.

EPBON

Call for price and information on EPSON
RXBO, MXBO, MXBOFT, FXBO & MX100.
IDS
MicroPrism
132 (Fully Configured) \$1599.00
80 (Fully Configured) \$1399.00
Call for other configurations.
BTAR
Gemini 10
Gemini 15\$489.00
Serial Board\$75.00

DAIBYWRITER 2000 (Letter Quality) \$1149.00 Tractor Feed DIABLO 620 \$1769.00

	-			10.00
Y	P	P	10	20

TERM	
910	\$550 00
9120	\$689.00
920C	\$739.00
925C	\$719.00
950	\$929.00
COMP	UTERS
BOOA	\$1259.00
802	\$2649.00
802H	\$4695.00
806/20	\$4949.00
816/40	\$8999.00
803	\$1949.00
1602G	
1603	CALL
	7.4
	C
COMPL	JTERS
6000	CALL
8001A	\$669.00
8031	\$669.00
8012	
8801	CALL
PRINT	FERS
8023	\$419.00
7/10/7/30	\$2249.00
3510/3530	
MONI	TOAS
JB-1200	\$119.00
10-1212	\$200.00
IC-12-202	\$299.00
JC-1203	\$549.00

Edule	
	NE 35
	5%**
MINIMUM III	310.
Call on Eagle 8 Bit & 16 Bit Computers & Software	Amd
MODEMS	Cold
HAYEB Smart	Meg
Smart 1200 (1200 Baud) \$519.00 Chronograph \$199.00 Micromodem 100 \$309.00	PC
Micromodem II	Mich I.U.S
Smart Com II	1.0.5
Smart 12008	Pead
J-Cat\$119.00	1
D-Cat	PCP
103 Smart Cat\$189.00	
Apple Cat : 1	1st C
212 Apple Cat II\$609.00	The
Apple Cat II 212 Upgrade \$309.00	File
Mark I (RS-232)	PF
Mark II (Atari)	File
Mark IV (CBM-PET)	Rep
Mark V (Osborne)	Write
Mark VII (Auto Ans. /Auto Dial) \$99.00	
RS-80 Color Computer \$99.00	1"or2
Wark VIII	15"R
	8%
MONITORS	
AMDEK	MB1
300G \$159.00 300A \$169.00	
310A\$169.00	
Color I	MB
Color I plus	5500
Color III\$349.00	
BMC	
12AU 12" Green	
9191 U 13" Composite \$329.00	
TAXAN	
RGB 1 (HI-Res)	
12 N Green\$119.00	
12 A Amber\$125.00	\$3
ZENITH ZVM 121	16K
ZT-1 Terminal\$369.00	Vu-Ca
U.B.I.	Chec The C
Pi 2, 12" Green	The E
Pi 3, 12" Amber\$159.00	Stock
Pi 4, 9" Amber \$139.00	Mind
14000 14 00101	
	Gran
PANABONIC	Hom
anzoud azik reis. computer \$309.00	Hom

TR-120 12" Hi-Res Green ... \$159.00

CT-160 10" Dual Mode Color ... \$299.00

DT-D1000 10" RGB \$349.00 DT-D1300 13"RGB/Compos.... \$429.00

_	_			-
_	_			-
_	-		-	
_	-		_	-
-	_		-	-
-	-	_	-	-
-	_	_		_
_	_	_		-

C 50 PRINTER ... \$1949

PERCOM/TANDOM	
DRIVES	
5%" 160K Disk Drive \$249.00	
5% 320K Disk Drive	
3104 Amber Monitor \$169.00	
Amdisk III (3" Drive) \$499.00	100
DXY Plotter. \$599.00	
Color II \$439.00	
AST	
Mega Plus 64\$399.00	
GUBIE	. 14
PC Keyboard\$219.00	1
BOFTWARE	
LU.S. Easywriter II \$249.00	
I.U.S. Easyspeller	
Peach Package (GL/AP/AR) \$419.00	
PROFESSIONAL	1.
BOETWARE	
PC Plus(Word Processing) \$319.00	
CONTINENTAL	
BOETWARE	
1st Class Mail/Form Lettar \$89.00	
The Home Accountant Plus \$109.00	
BYNAPSE	
File Manager	1
FILE APPLE IBM	
Report \$89.00 \$89.00	
Graph \$89.00 \$99.00	
Write n/a \$99.00	
READY FORMS	
1"or2"Address Labis(Tract.Feed)\$9.95	
15" Report Paper (Tract. Feed) 324.95	
8'a"Bink Env(Tract. Feed) \$14.95	
	_
BANYO	- 1
MB1000 Computer	- H.
INCLUDES FREE SOFTWARE!	1.5
MicroPro, WordStar, Calcstar,	100
Mail Merge & Report Star.	100
MB 160 Add on Drive \$539.00	
5500 Letter Quality Printer \$699.00	-
TIMEY	
THVIER	
SINCLAIR	
1000	
1000	
	12
A 39.95	
\$39.95	
\$39.95 16K Memory Module	
539.95 16K Memory Module	
539.95 56K Mamory Module 544.95 Vu-Calc 517.95 Check Book Manager 513.95	
539.95 WCGIC \$17.95 Check Book Manager \$13.95 The Organizer \$14.95 The Organizer \$14.95	
S39.95 VuCalc \$17.95 Check Book Manager \$13.95 The Organizer \$14.95 The Budgeter \$13.95 Sheck Ontion \$14.95	
S39.95 VuCalc \$17.95 Check Book Manager \$13.95 The Organizer \$14.95 Stock Option \$14.95 Stock Option \$14.95 Loan & Mortages Amortizer \$12.95	
S39.95 Check Book Manager S13.95 Check Book Manager S13.95 The Budgeter S13.95 Stock Option S14.95 Stock Option S14.95 Mindware Printer S109.00 Mindware Printer S109.00	
A device of the second	
State of the second sec	
Status of the second se	
A more supported by the second	
Sas.ss Sas.ss	

1701 14" Color Monitor \$269.00 1311 Joysticks (each) \$5.99 1312 Paddles.....\$11.99 1110 VIC 8K \$42 00 1111 VIC 16K ... 1011 RS232 Interface \$42 00 1917 VooDoo Castle \$29.00 1922 Cosmic Cruncher \$35.00 1923 Gort... \$29.00 1924 Omega Race \$30.00 110 VIC 20 Reference Guide ... \$15.00 CBM 64 Reference Guide....\$18.00 EASY BUBINESS SERIES 64 Easy Mail \$39.00 Easy Script\$79.00 Word Machine/Name Machine...\$23.00 PROGRAMMER BERIES 64 Assembler \$39.00 \$79.00 Screen Editor ... Video/Music Support\$39.00 ART AND MUSIC BERIES 64 COMMERCIAL DATA Froquee/20/54) .\$23.00 CREATIVE BOFTWARE Astro Blitz\$32.00 Black Hole.....\$32.00 Trashman.....\$32.00 Home Finance \$27.00

1520 Color Printer/Plotter ... \$169.00 1525 80 Column Printer \$339.00

1530 Datasette.

600 VIC Modem

1650 AD/AA Modem

1541 Single Disk Drive

20.00
20.00
30.00
40.00
30.00
16.00
16.00

\$99.			
8032 \$599.00			
64K Upgrade Kit \$269.00			
8096			
9000			
8-128			
8-256			
4032 \$599.00			
4064\$569.00			
2031			
8050			
8250\$1199.00			
9060 (5 Meg. HD) \$1999.00			
9090(7.5 Meg HD) \$2199.00			
4023			
Sdoo Lat Qual Print 51399.00			
Booli Master \$149.00			
ZRam addsCP/M &64K			
Silicon Office			
Cels Result			
The Manager \$209.00			
The Boft Rom \$129.00			
Jinsem 800C/84 CALL			
ADA1600CBM to Part. Int \$89.00			
ADA1450 CBM to Ser. Int			
PROFESSIONAL			
SOFTWARE			
Power			
Info Pro\$199.00			
Word Pro 2 Plus			
Word Pro 3 Plus\$199.00			
Word Pro 4 Plus\$299.00			
Word Pro 5 Plus\$299.00			
Administator\$379.00			
Word Pro 64 \$69.95			
Spell Checker			
CARDCO			
VIC 20/CBM 84			
Light Pen			
Cassette Interface			
Parallel Printer Interface			
3Slot Expans. Interface(20 only). \$32.00			
6Siot Expans Interface(20onM) \$79.00			
HES			

CBM 64

\$369

VIC 20



Shamus (ROM)

Protector (ROM)

Robot Panic (ROM)

\$29.00

.\$32.00

\$29.00

Kansas City Software.

Commodore

\$69.00

\$339.00

\$95.00

\$159.00



PC-1500 POCKET COMPUTER \$169. PC1250....\$89.00

10 10



CE150 Printer, Plotter and Cassette Interface Unit \$172.00 CE152 Cassette Recorder ... \$62.00 CE1558K Ram Expans. Mod.... \$94.00 CE125 Printer/Micro Cass...\$129.00 Statistics Pack \$49.00

computer mail order east VISA' 1072530 In PA call [717]327-9575, Dept.806, 477 E. 3rd St., Williamsport, PA 17701

Mega Mind\$15.99

Words.....\$12.99

INTERNATIONAL ORDERS: All shipments outside the Continental United States must be pre-paid by certified check only. Include 3% (minimum \$3,00) shipping and handling. EDUCATIONAL DIBCOUNTS: Additional discounts are available from both Computer Mail Order locations to qualified Educational Institutions. APO & FPO: Add minimum \$5.00 shipping and handling.

computer mail order





Call for price and information on the NEW FRANKLIN Computers! Disk Drives, Software and System Specials ALSO AVAILABLE!

MICRO	-SCI
DISK DRIVE	ES FOR
APPLE & FR	ANKIN
A2	\$269.00
A40	\$349.00
A70	\$459.00
C2 Controller	
C47 Controller	

RANA DISK DRIVES Elite 1 plus (Apple/Franklin)...CALL 1000 (Atari).....CALL

AMDEK DISK DRIVES Apple II & Ile .

SYSCOM

48K Color Computer APPLE COMPATIBLE

\$599.

VISICORP
for Apple,IBM & Franklin
Visidex
Visifile
Visiplot\$159.00
Visiterm
Visitrend/Plot\$229.00
VisiSchedule\$229.00
Desktop Plan\$189.00
Visicalc(AppleII,CBM,IBM) \$179.00
Visicorp prices for IBM may vary slightly.

BRODERBUND

Apple Panic	0
David's Magic\$27.0	0
Star Blazer	0
Arcade Machine	ю
Choplifter	0
Serpentine	0
INFOCOM	
Deedline(AP.,IBM.AT.&C-64) \$35.0	x
Star Cross \$29.0	0
Zork I, II or III \$29.0	0
MPC	
Bubdisk (128K Non Volitare)\$649.0	o
AXLON	
Apple/Franklin 128K Ram \$299.0	ю
Apple/Franklin Ram Disk \$729.0	ю
KRAFT	
Apple Joystick	0
CONTINENTAL	
BOFTWARE	
Tax Advantage (Apple/Atari) \$45.0	0
Home Accnt. (Apple/Atari)\$59.0	0
1stCl. Mail/Form Letter(Apple) \$79.0	0
The Book of Apple	5
The Book of Atari	5

The Book of Apple Graphics ... \$14.95

klin 128K Ram \$299.00	HP 11C
klin Ram Disk \$729.00	HP 12C
KRAFT	HP 15C
lick \$44.00	HP 16C
NTINENTAL	
OFTWARE	HPIL Mod
ge (Apple/Atari) \$45.00	HPIL Cass
t. (Apple/Atari)\$59.00	Card Read
orm Latter(Apple) \$79.00	Extended
Apple	Time Mod
Atari 514.95	Mathmatic



DISKDRIVESP	ORATARI
AT88-S1	\$399.00
AT88-A1	\$299.00
AT88-52	\$649.00
RFD 40-S1	\$549.00
RFD 40-A1	
RFD 40-52	\$889.00
RFD 44-S1	
RFD 44-52	
MAXE	LL
MAXE	LL
MD I(Box of 10)	\$32.00
MD II(Box of 10)	\$44.00
FD1(8")	\$40.00
FD II (8" DD)	\$50.00
VERBAT	MUM
5%" SS DD	
5%" DS DD	
ELEPHA	ANT
5%" SS SD	\$18.99

BIRIUS	
andits (Apple)\$28.00	
eer Run (Apple)\$24.00	
ree Fall (Apple) \$74.00	

HEAD Disk Head Cleaner\$29.99

5%" DS DD

B

INTERFACES &		
	Deadly Duck (VIC)	
	Turmoil (Atari) \$21.00	
	Fast Eddie (Atari)\$21.00	
	Snake Byte (Apple)	
	Sneakers (Apple)\$24.00	
	Free Fall (Apple)	
	Beer Hun (Apple)	

ACCESSORIES
80 Column Apple Card \$159.00
Apple Paral. Printer Interface \$69.00
Atari 850 to Paral. Printer Cable \$29.00
RS232-RS232 Cables \$29.00
Centronics ParalParal.Cables\$29.00
Call on IBM, Osborne, Daisywriter,
Atan, Commodore, Apple and Franklin
Interface Cards, Cables and Accessories



HP 41C\$146.00	
HP 10C	
HP 11C	
HP 12C\$90.00	
HP 15C	
HP 16C	
For HP41/41CV	
HPIL Module	
HPIL Cassette or Printer\$359.00	
Card Reader\$144.00	
Extended Functions Module\$64.00	
Time Module	
Mathmatics Pac	
Real Estate Pac\$40.00	



٤

Atari
э.

300-48	ζ			\$3	89.
Our Price \$489.00.	Get S1	00.00	rebate	direct	from Ata

1200-64K..... \$449. Our Price \$549.00, Get \$100.00 rebate from Atari!

810 Disk Drive \$419.00
Inhome Keyboard/Atan 400\$39.00
1010 Program Recorder \$74.00
1020 40 Column Print/Plot \$269.00
1025 80 Column Printer \$469.00
1027 Letter Quality Printer \$299.00
1050 Double Density Drive\$379.00
830 Acoustic Modem \$159.00
850 Interface Module \$169.00
CX40 Pair Joysticks
CX418 Home Manager Kit \$69.00
CX419 Bookkeeper Kit \$195.00
CX482 Educator Kit \$129.00
CX483 Programmer Kit \$54.00
CX488 Communicator Kit \$229.00
CX7101 Entertainer Kit \$69.00
Invitation to Programming 1\$18.00
Invitation to Programming II\$20.00
Invitation to Programming III \$20.00
4002 Basic Language \$42.00
4003 Assembler Editor \$47.00
8121 Micro Assembler \$69.00
8126 Micro Soft
405 Pilot (Edu.)
4018 Pilot (Home)
8036 Atari Writer
404 Word Processor \$119.00
5059 Visicalc

Alani	
Pacman	.\$33.00
Centipede	.\$33.00
Detender	.\$33.00
Galaxian	\$33.00
Missile Command	.\$29.00
Star Raiders	.\$33.00
Caverns of Mars	.\$32.00
Dig Dug	.\$33.00
Donkey Kong	CALL
E.T. Phone Home	.\$39.00
Eastern Front (1941)	.\$39.00
QIX	.\$33.00
Superman III	.\$39.00
Star Trux	.\$33.00
Asteroids	.\$29.00
Basketball	.\$29.00
Computer Chess	.\$29.00
Juggles House	.\$23.00
My First Alphabet	.\$29.00
APX	
Text Formatter	.\$18.50
Family Budgeter	.\$18.50
Eastern Front	\$24.00
Family Cash	.\$18.50
Jukebox	.\$13.50
Downhill	.\$18.50
Outlaw	\$18.50
Holy Grail	.\$24.00
Player Plano	.\$18.50
Keyboard Organ	.\$18.50
Number Blast	.\$13.50
Frogmaster	.\$18.50
747 Land Simulater	.\$18.50
Bumper Pool	\$13.50

the second second
ON-LINE
awbreaker
oftporn
fizard and Princess
he Next Step
11110H ASTEROID
1005Kattack
1000 Eine (BOM) \$35.00
Some ON-LINE Products are also
available for Apple & IBM
Call for information!
SYNAPSE
File Manager 800 plus \$69.00
Chicken (ROM)
Picnic Paranoia (ROM) \$34.0
Claim Jumper (ROM)\$34.0
Slime (ROM)\$34.0
Shamus (ROM)\$34.0
Protector (HOM)
Dodge Hacer (C/D)
Shadow World (C/D) \$26.0
Survivor (C/D) \$26 D
Dreibs (C/D) \$26.0
Necromancer (C/D)
Pharoh's Curse (C/D)
Fort Apocalypse (C/D) \$26.0
Assembler \$30.0
DATABOFT
Pacific Coast Highway \$25.0
Canyon Climber \$25.0
Tumble Bugs
Shooting Arcade
Clowns and Balloons
Graphic Master
Graphic Generator
Text Wixerd \$59.0
Spall Witard \$39.0
Bishon's Square \$25.0
Sands of Egypt
Moon Shuttle
Zaxxon
Basic Compiler
ALIEN
Atari Voice Box
Apple Voice Box
MEMORY
Axion 32K Ram
Axion 48K Ram
Axion 128K Ram \$299.0
Intec 32K Board \$74.0
Intec 48K Board\$99.0
Intec 64K Board (400 only)\$149.0
JOYSTICKS
Wico Joystick
Famous Red Ball\$26.9
Apple Irackball \$59.0

Atari/VIC Trackball \$55.00

ATARI 400 VERSIONS 32K...\$174.* 48K...\$199.* 64K...\$259.* *Non-Atari Ram

HOME COMPUTERS

CBB

-razy Shoot Out	\$29.00
-razy Kritters	\$29.00
-razy Antics	\$29.00
-star Patrol	\$29.00
itick Stand	\$3.99
EPYX	
rush. Crumble & Chomp	
rypt of the Undead	
urse of Ra	
atestones & Ryn	
nvasion Orion	
ling Arthur's Heir	
Aorioc's Tower	
Rescue at Rigel	
licochet	
star Warrior	
emple of Apshai	\$29.00
Inper Beaches of Apshai	\$16.00
BRINNAKER	
BEINNAREE	*24.00
shooper froops = 1	
shooper troops = 2	
ace Maker	
story Machine	
Delta Drawing	
Rhymes and Riddles	\$21.00
(indercomp	
ROKLAN	
Wizard of War (ROM)	\$34.00
Deluxe Invader (ROM)	\$29.00
Gorf (ROM)	\$34.00
FIRST STAF	3
Astro Chase	\$25.00
BIGS	
Minar Agar	\$15.00
GAMESTAP	2
Baja Buggies	\$24.95
Football	\$24.95
BUDGECO	
Baster Blaster	\$24.95
LJ.K.	
Letter Perfect 40/80 Col. Disk	\$109.00
Letter Perfect 40 Col. ROM	\$179.00
Letter Perfect 80 Col. ROM	\$179.00
Data Perfect 40/80 Col. Disl	\$99.00
Mail Merge	\$21.95
CALL FOR APPLE/LJK P	RODUCTS
BIT 3	
80 Col. Card for Atari 800.	
INTEC	
Real Time Clock	\$39.00
near third stock	
We also stock soft	uare but

Adventure International, Eduware, Creative Software, Dorsett Educational, IDSI, Romox and Artworx. Call for details and prices



In NV call (702)588-5654, Dept. 806, P.O. Box 6689, Stateline, NV 89449 No risk, no deposit on C.O.D. orders. Pre-paid orders receive free shipping within the UPS Continental United States with no waiting period for certified

checks or money orders. Add 3% (minimum \$3.00) shipping and handling on all C.O.D. and credit card orders. Larger shipments may require additional charges. NV and PA residents add sales tax. All items subject to availability and price change. NOTE: We stock manufacturer's and third party software for most all computers on the market. Call today for our new catalog.

Space Station | For The Tl

Tony Roberts, Assistant Managing Editor

Space Station I mixes the sprite movement and sound abilities of the TI-99/4A with an interesting space-attack scenario to produce a fluid and challenging arcadequality game.

The program, available on disk or cassette from Data Force, requires that your TI be equipped with Extended BASIC and extra memory.

The action takes place in the year 2020. An invisible alien force has attacked and defeated a secret military outpost orbiting Saturn, and has turned its attention to Earth, which you must defend. The battle at Saturn, however, took its toll on the alien force, weakening its firepower, damaging its tactical computers, and making its drones visible 99 percent of the time.

Once the battle began, the Saturn outpost lasted only 34 seconds, but during that time, the station's tactical defense computer was able to transmit information back to Earth. The computer's report, which is printed in the instruction pamphlet, includes clues for developing the strategy you'll need to stave off the attackers.

Watch Battle On Scanner

On your scanner screen, you see Space Station I, orbiting quietly. Two green boxes are drawn around it. Press ENTER, and the sprite display begins. The alien drones, attacking in groups of three, swoop in; misguided missiles and bombs fly past; an orange alien command ship may appear from out of nowhere.

Using the keyboard or a joystick, you bring your target beam into play. Place it over an alien ship or missile and fire a torpedo. The torpedo, which is released from the bottom of the screen, flies to the point designated by the target beam and detonates. The beam can be moved to a new target before the first torpedo detonates.

Most of the alien missiles are harmless. Those released by the drone ships or the command ship, however, are not. Your main concern is stopping the drones. They attack in groups of three, and sometimes hide off the edges of the screen. You'll learn to listen for the characteristic sound that tells you the drones are nearby.

The drones will fire only from within the inner green boundary, and once a missile is



The green targeting beam is used to zero in on the aliens in Space Station I.

fired, the drones are helpless until the missile hits Space Station I or flies past the boundary area. If a missile is off course, it is best to attack the drones while they are helpless, then drop back on defense. Your station can survive five hits before the game ends.

The Command Ship

Your other concern, the command ship, has neither lost its invisibility nor its long-range firing ability. It must become visible to launch an attack, but after it fires, it disappears again. The command ship's foghornlike sound, however, is its weakness. When you hear it coming, search for it with your targeting beam (you'll see its shadow if you find it), and fire.

Space Station I starts out rather slowly, giving you a chance to find your way around. But with each 10,000 points you accumulate, the aliens step up the attack. If you manage to accumulate 100,000 points, your hit counter will be reset to one, giving you four chances to play at high speed.

To play the game successfully, you'll have to develop a sound strategy, and you'll have to be capable of reacting to assaults from all parts of the screen. It's quite a challenge.

O.

Space Station I Data Force Incorporated 10 S. 312 Hampshire Lane East Hinsdale, IL 60521 (312)323-0179 \$34.95

Calc Result

August Schau

"Spreadsheet" programs have proven to be among the most popular software for microcomputers over the past several years. Essentially, a spreadsheet is a specialized language - complete with rules and commands designed to help with simulations and modeling. They let you set up complex arrays of interrelated information and then, by changing one aspect of the model, you can watch the effects throughout the entire structure. Spreadsheets are especially useful in analyzing budgets, finance, and other systems which are based upon mathematical relationships.

Calc Result is a spreadsheet program for the Commodore 64. It organizes information on a grid made up of 63 columns labeled A-BK, by 254 rows. Individual cells within the grid are identified by referring to the column and row that intersect at

Complete Personal Accountant: we've made the best much more friendly.

If you have any doubts that we offer the best and most complete personal financial package available, look over the features listed below. Now we have the only package with full screen editing for Atari 400/800* TRS-80 COLOR, Commodore 64* and VIC-20; the ability to move the cursor in any direction makes our accountant-designed package even more friendly than before. No one else offers all of these:

1. CHECKBOOK MAINTENANCEautomatically balances your checkbook with each entry; manages checks, charges, deposits, and interest quickly and accurately. THE COLOR ACCOUNTANT

CHART OF ACCOUNTSmaximum of user flexibilty with up to 99 accounts plus 9 subcategories may be defined. 3. CHECK SEARCH-multi-reference; tracks items on every field including tax deductibles. 4. NET WORTH/ **INCOME/EXPENSE** STATEMENTknow-exactlywhere-you-stand program generates statements with the touch of a key. 5. DETAIL & SUMMARY BUDGET ANALYSIS—an absolute necessity in financial planning. 6. CHECK WRITER—prints personalized checks**

*Random acca

7. PAYMENTS/APPOINTMENTS CALENDARmonthly displays of up to 250 bills and 200 appointments.

8. COLOR GRAPH DESIGN PACKAGE—graphs all monthly files.

9. MAILING LIST - maintains all records, sorts by

name or zip, allows add/change/delete. 10. FRIENDLY USER MANUAL-complete with indexing, flow charts and diagrams; the most thorough documentation on the market.

This all adds up to the finest personal financial system available - comprehensive enough for a small business. Less than one hour of data input per month will allow this menudriven package to help you handle your finances with a lot more fun than drudgery. Plus, ours is the only expandable system; purchase the package in sections and add on programmes and a statistic as your financial needs grow. Features 1, 2, 3 and 6: \$39.95 diskette, \$36.95 cassette; Fea-tures 4 and 5: \$29.95 diskette, \$26.95 cassette; Features 7, 8 and 9: \$29.95 diskette, \$26.95 cassette; or save \$19.90 or \$15.90 respectively by buying the entire system for \$79.95 dis-kette, \$74.95 cassette.

Prices subject to change without notice. See your local dealer or order direct. New catalog available. Add \$3.00 for postage and handling. Credit card orders call toll free:



grammer's institute

a division of **future** AOUSe p.o. box 3470, dept. C, chapel hill, north carolina 27514, 919-967-0861

www.commodore.ca

the cell location. For example, the cell located at the intersection of column M and row 19 has coordinates M19. One 63 by 254 matrix of cells is called a page, and a *Calc Result* file can contain up to 32 pages.

Calc Result will store data in these cells as labels or values. Labels are descriptive text, and values are numbers that can be entered directly or calculated according to a formula that is stored in the cell. The program assumes that a value or formula is being input, and unless told otherwise it will not allow a label to be entered as a value. By referring to the coordinates of other cells, the program can incorporate their present values into a formula. Formulas operate according to normal mathematical laws and may include trigonometric functions.

When the value in a cell is changed, the values in all cells containing formulas that refer to the changed value are automatically recalculated. All formulas are protected so that a value cannot be entered and replace the formula in the cell. If this occurred, future recalculations would be affected. This protection can be removed so that formulas can be edited.

Special Functions

Formulas including special functions such as MEAN can be used instead of the lengthy formula that would otherwise be necessary to find the average of the values from a large number of cells. Other functions can search through a specified group of cells and locate the largest or smallest value within these cells.

The IF-THEN...ELSE function allows a formula to take one of two forms depending on whether a predefined condition has been met. For example, the formula can test the value in a cell, multiply the value by 3 percent if the number falls below \$250 or multiply by 6 percent if the value is \$250 or greater. The three-part manual, bound in a 7-by-9-inch ring binder, uses color-coded pages for easy identification. Part one contains instructions for the initial start-up and preparation of program and data disks. The master disk prompts the user through the creation of a program disk. In the process, information is entered about the printer and number of disk drives.

English is selected for the help screens from the eight languages available, and colors are selected for the border, background, and foreground. The newly created program disk is used to create a data disk for use with dual disk drive setups.

Part two is a five-lesson tutorial that introduces the user to *Calc Result*. The instructions are keystroke by keystroke at the beginning, but in subsequent lessons, the instructions become less specific. During a lesson you can check your progress against the numerous color illustrations. The values in key cells are also given as a selfcheck.

Part three is a reference containing descriptions of all of *Calc Result*'s commands and functions. In my copy of the manual, I have inserted a divider at the beginning of this section for quick access to the reference index.

Help Always At Hand

Calc Result contains a series of help screens to replace the pocket reference cards that often come with software packages. When the system commands are accessed with the F7 key, you are prompted across the top of the screen with the symbols of the available commands. If you do not recall what each symbol stands for, the F5 key will display a list of the symbols and the commands they represent along with a brief explanation of the command.

The desired symbol can be entered directly from the help screen.

The help screens, which operate quickly and efficiently with only a momentary interruption in the operation of the program, eliminate the need for repeated use of the reference manual.

Duplicating Pages

Once labels and formulas have been entered on a page, the page can be used to create additional pages with the identical format. Labels and formulas will be transferred to the new pages. The newly created pages can be called to the screen and titled so they are easier to tell apart.

The values from each cell of an individual page can be added to the values in the corresponding cells of other pages. These sums are placed in corresponding cells on page 32. When pages are added in this fashion, the cells on page 32 will have formulas identical to the individual pages, and the summary page will have the same recalculation power. Pages also can be added so that the values of the corresponding cells are added without carrying the formulas to the summary page.

The addition function would support the design of an annual budget that accepts monthly data and provides an end-of-year summary.

When *Calc Result* files are called up from the data disk, all of the pages are temporarily stored in a work area on the program disk. With a single disk drive, files must be saved on the program disk since data stored in files can be brought into internal memory only via the work area.

Two pages at a time can be loaded into the computer's internal memory, where data is entered onto the page and calculations made. Either of the pages currently stored in internal memory can be worked on by calling it to the screen. If a third page is called up, the page currently

C-www.commodore.ca
Commodore - 64 Word Processors

SCRIPT 64 EXECUTIVE WORD PROCESSOR

Rated best by COMMODORE. This is the finest word processor available. Features include line and paragraph insertion/deletion, indentation, right and left justification, titles, page numbering, characters per inch, etc. All features are easy to use and understand. With tabs, etc. SCRIPT-64 even includes a dictionary/spelling checker to make sure your spelling is correct. The dictionary is user customizable to any technical words you may use. Furthermore, all paragraphs can be printed in any order so doctors, lawyers, real estate agents, and homeowners will find contract writing and everyday letters a snap. To top things off, there is a 100 page manual and help screens to make learning how to use SCRIPT-64 a snap. This word processor is so complete we can't think of anything it doesn't have. When combined with the complete database you have a powerful mailmerge and label program that lets you customize any mailing list with personalized letters. List \$99.95. Sale \$79.00. (plus postage) Disk Only.

COMPLETE DATA BASE

This is a user friendly database that makes any information easy to store and retrieve. The user defines the fields and then can add change, delete and search for any category he wants. When combined with the SCRIPT-64 Executive Word Processor you can search out any category (zip codes, hair color, etc.) and print super personalized letters. List \$89.00. Sale \$69.00. (plus postage) Disk Only.

TOTAL WORD PROCESSOR PLUS 5.2

This top quality word processor was specially designed for PROTECTO ENTERPRIZES. Features include line and paragraph insert and delete, right and left justification, multiple copies, and line spacing. Extra functions include mailmerge, embedded footnotes, extra user defined character sets, plus a complete label program. List \$69.90. Sale \$56.00. (plus postage) Disk add \$7.00:

QUICK BROWN FOX WORD PROCESSOR

(Cartridge). Nationally advertised all purpose word processor that uses menu control to let you manipulate your text. Includes the features most often asked for including right and left justification, wordwrap, and more. List \$69.00. Sale \$59.00. (plus postage).

LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
 BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

WE SHIP C.O.D. HONOR VISA AND MASTER CHARGE ADD \$3.00 SHIPPING FOR C.O.D. ADD \$2.00 MORE SPECIAL SERVICES: One Day — Express Mail add \$10.00 **PROTECTO** ENTERPRIZES (WE LOVE OUR CUSTOMERS) BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

Cwww.commodore.ca

OAK STAND-C64, VIC, Apple, Atari

Beautiful natural solid oak two-level stand. Rests on table above computer. Holds disk drives/cassette deck, as well as your monitor/TV

KMMM Pascal for PET/CBM/C64

A subset of standard Pascal with extensions. Includes Machine Language Pascal Source Editor, Machine Language P-Code Compiler, P-Code to machine language translator for optimized object code, Run-time package, Floating Point capability, User Manual, and sample programs. Please specify configuration. Requires 32K

EARL for PET (disk file based) \$65

Editor, Assembler, Relocater, Linker Generates relocatable object code using MOS Technology mnemonics. Disk file input (can edit files larger than memory).

RAM/ROM for PET/CBM 4K or 8K bytes of soft ROM with optional

battery backup. RAM-ROM is compatible with any large keyboard machine. Plugs into one of the ROM sockets above screen memory to give you switch selected write protectable RAM

Use RAM/ROM as a software development tool to store data or machine code beyond the normal BASIC range. Use RAM/ ROM to load a ROM image where you have possible conflicts with more than one ROM requiring the same socket. Possible applications include machine language sort (such as SUPER-SORT), universal wedge, Extramon, etc.

RAM/ROM — 4K	\$75
RAM/ROM — 8K	90
Battery Backup Option	20

SUBSORT for PET/CBM \$35 Excellent general purpose machine language sort routine.

THE WHOLE PET CATALOG

\$9 A two year 320 page compendium of the Midnite Software Gazette for Commodore computer users. Contains 500 reviews of commercial products, 700 education programs (reviewed and organized by course), 200 reviews of free games, info on over 1800 free programs, list of PET and VIC user groups, and many pages of helps and hints.

COMAL Package for CBM \$25 Includes software on disk, and Comal Handbook

SuperGraphics 2.0 **NEW Version with TURTLE GRAPHICS**

SuperGraphics, by John Fluharty, provides a 4K machine language extension which adds 35 full featured commands to Commodore BASIC to allow fast and easy plotting and manipulation of graphics on the PET/CBM video display, as well as SOUND Commands. Animations which previously were too slow or impossible without machine language subroutines now can be programmed directly in BASIC. Move blocks (or rocketships, etc.) or entire areas of the screen with a single, easy to use BASIC command. Scroll any portion of the screen up, down, left or right. Turn on or off any of the 4000 (8000 on 8032) screen pixels with a single BASIC command. In high resolution mode, draw vertical, horizontal, and diagonal lines. Draw a box, fill a box, and move it around on the screen with easy to use BASIC commands. Plot curves using either rectangular or polar co-ordinates (great for Algebra, Geometry and Trig classes.)

The SOUND commands allow you to initiate a note or series of notes (or even several songs) from BASIC, and then play them in the background mode without interfering with your BASIC program. This allows your program to run at full speed with simultaneous graphics and music.

Seven new TURTLE commands open up a whole new dimension in graphics. Place the TURTLE anywhere on the screen, set his DIRECTION, turn him LEFT or RIGHT, move him FORWARD, raise or lower his plotting pen, even flip the pen over to erase. Turtle commands use angles measured in degrees, not radians, so even elementary school children can create fantastic graphic displays.

Specify machine model (and size), ROM type (BASIC 3 or 4) SuperGraphics in ROM (\$A000 or \$9000) \$45 Volume discounts available for schools.

215-822-7727 252 Bethlehem Pike Colmar, PA 18915



29

\$85

NFW VERSION 2 now for C64

FLEX-FILE is a set of flexible, friendly programs to allow you to set up and maintain a data base. Includes versatile Report Writer and Mail Label routines, and documentation for programmers to use Data Base routines as part of other programs

RANDOM ACCESS DATA BASE

Record size limit is 256 characters. The number of records per disk is limited only by record size and free space on the disk. File maintenance lets you step forward or backward through a file, add, delete, or change a record, go to a numbered record, or find a record by specified field (or partial field). Field lengths may vary to allow maximum information packing. Both subtotals and sorting may be nested up to 5 fields deep. Any field may be specified as a key. Sequential file input and output as well as file output in WordPro and PaperMate format is supported. Record size, fields per record, and order of fields may be changed easily

MAILING LABELS

Typical mail records may be packed 3000 per disk on 8050 (1400 in 4040). Labels may be printed any number wide, and may begin in any column position. There is no limit on the number or order of fields on a label, and complete record selection via type code or field condition is supported.

REPORT WRITER

Flexible printing format, including field placement, decimal justification and rounding. Define any column as a series of math or trig functions performed on other columns, and pass results such as running total from row to row. Totals, nested subtotals, and averages supported. Complete record selection. including field within range, pattern match, and logical functions can be specified.

FLEX-FILE 2 by Michael Riley \$110

Please specify equipment configuration when ordering.

DISK I.C.U.

Intensive Care Unit by LC. Cargile COMPLETE DISK RECOVERY SYSTEM FOR CBM DRIVES edit disk blocks with ease

- duplicate disks, skipping over bad blocks
- complete diagnostic facilities
- unscratch scratched files
- check and correct scrambled files
- recover improperly closed files
- extensive treatment of relative files
- optional output to IEEE488 printer
- comprehensive user manual (an excellent tutorial on disk operation and theory).

Furnished on copy-protected disk with manual. Backup disk available, \$10 additional.

PROGRAM YOUR OWN EPROMS

Branding Iron EPROM Programmer for PET/CBM software for all ROM versions. Includes all hardware and software to program or copy 2716 and 2532 EPROMs. PORTMAKER DUAL RS232 SERIAL PORT \$63

Two ports with full bipolar RS232 buffering. Baud rates from 300 to 4800. For PET/CBM, AIM, SYM.

CBM Software	
BASIC INTERPRETER for CBM 8096	\$200
PEDISK II Systems from cgrs Microtech availabl	e.
FILEX IBM 3741/2 Data Exchange Software ava	ilable.
JINSAM Data Base Management System for CB	M.
COPY-WRITER Word Processor for PET/CBM	\$159
CASH MANAGEMENT SYSTEM	\$45
Petspeed BASIC Compiler	120
Integer BASIC Compiler	120
CMAR Record Handler	110
UCSD Pascal (without board)	135
Wordcraft 80 or 8096	265
BPI Accounting Modules	280
Professional Tax Prep System	575
ASERT Data Base	375
Dow Jones Portfolio Management	110
Assembler Development	80

A B Computers

FORTH for PET now for C64 \$50

BY LC. Cargile and Michael Riley Features include

- full FIG FORTH model.
- all FORTH 79 STANDARD extensions.
- structured 6502 Assembler with nested decision
- making macros full screen editing (same as when programming in
- BASIC)

auto repeat key

sample programs.

standard size screens (16 lines by 64 characters). 150 screens per diskette on 4040, 480 screens on 8050

ability to read and write BASIC sequential files. introductory manual.

reference manual

For Commodore 64, or any 16K/ 32K PET/CBM with ROM 3 or 4, and CBM disk drive. Please specify configuration when ordering.

Metacompiler for FORTH

Simple metacompiler for creating compacted object code which can be executed independently (without FORTH system).

\$30



Paper-Mate is a full-featured word processor for Commodore computers. Page-Mate incorporates 60 commands to give you full screen editing with graphics for all 16K or 32K machines (including 8032), all printers, and disk or tape drives. Many additional features are available (including most capabilities of WordPro 3)

Page-Mate functions with all Commodore machines with at least 16K, with any printer, and either cassette or disk.

To order Page-Mate, please specify machine and ROM type. Page-Mate (disk or tape) for PET, CBM, VIC, C64 \$40

SM-KIT for PET/CBM Enhanced ROM based utilities for BASIC 4. Includes gramming aids and disk handling commands.	\$40 both pro-
Commodore 64	
Hunter-Killer - Commodore 64 - authentic naval warfare game (complete with some	15 ar)
Submarine Warfare (Clockwork Computers)	29
WordPro 3+/64	75
Vanilla PILOT with Turtle Graphics	27
 also includes sound, Toolkit, joystick support 	
Commodore 64 Programmer Reference Guide	16
CCI Submarine Warfare	24
Laser Command	15
EARLY GAMES for Young Children	25
PETSPEED Compiler C64	120
CALC RESULT Spread Sheet Package	135
1000 Miles (Mille Bornes Game	9
MicroChess	19
Adventure (disk)	9
Draw Poker	5
MAE Assembler - C64	85
Assembly Language Tutorial - C64/VIC Abacus Software in stock	27
Synthy-64 music and sound synthesizer	26
Tiny BASIC Compiler	17
ScreenGraphics-64 adds BASIC Graphics	22
Adventure Pack I Alistony Seftware)	10
Adventure Pack II (Victory Software)	12
Appihilator	16
Chomper Man	16
Educational Pack I	10
Grave Bobbers (Victory Software)	12
Kongo Kong	16
Strategy Pack I	16
TREK	12

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel. We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount. Regular prices slightly higher. Prices subject to change.

\$40

\$75



KRAFT Apple Joystick	
16K RAM Card for Apple	
Solid Oak 2 Level Stand for Apple	
Super Serial Card	
MPC RAM/80 column card for IIE	
Z80 Softcard and CP/M (Microsoft)	
RANA Elite I with Controller	
Parallel Printer Interface/Cable	
Apple Dumpling (Microtek) Printer Interface	
Apple Dumpling with 16K Buffer	
Grappler + Interface	
Kraft for Apple in stock	
DC Hayes Micromodem II	
Videx 80 Column Card	
Hayden Software for Apple 20% OFF	
PIE Writer Word Processor	

299

209

120

A B Computers

215-822-7727 252 Bethlehem Pike Colmar, PA 18915

Gcommodore

See us for Personal, Business, and Educational requirements. Educational Discounts available.

PETSCAN I

\$245 base price

\$115

Allows you to connect up to 30 CBM/PET Computers to shared disk drives and printers. Completely transparent to the user. Perfect for schools or multiple word processing configurations. Base configuration supports 2 computers. Additional computer hookups \$100 each.

COMPACK

Intelligent Terminal Package for PET, CBM, C64 Includes ACIA Hardware / STCP Software

VE-2 IEEE 1 Includes case, powe switch selectable cha	r supply	, full 8	Interface B-bit transmission on to ASCII.	110 n, and
VIDEO ENHANCE Realize video quality using standard color	R for C equal or TV.	ommon better 1	dore 64 than composite r	89 nonitor
SCREENMAKER 8 Provides big screen c	O Colur apability	nn Ada for bus	ipter for C64 siness applicatio	149 ns.
VIC 20 Products		VIC	Sargon II Chess	32

VIC 20 Products		VIC Sargon II Ches	ss 32
BACKUP V1.0	20	VIC GORF	32
VIC RAM Cards in ste	ock	Meteor Run (UMI) 39
VIC SuperExpander	52	VIC Radar Ratrac	e 24
VIC 16K RAM	95	Amok (UMI)	20
Thorn EMI Software		Snakman	15
HES Software		Rubik's Cube	13
VIC Omega Race	32	Programmers Refere	ence 15
Spiders of Mars (UMI)	39	FROGGER	25
Programmers Aid	45	VIC Adventure Ser	ies
VICTORY S	oftwar	e for VIC and C64	
Street Sweepers	12	Maze in 3-D	12
Night Rider	11	Cosmic Debris	12
Treasures of Bat Cave	12	Grave Robbers Adv	ent 11
Games Pack I	12	Games Pack II	12
Victory Casino	8	Adventure Pack I	12
Adventure Pack II	12	Trek	11
Commodore 64 Program	mmers	Reference Guide	16
MicroChess for C64-	-8 leve	els of play	19
Compute's First Book	of PET	/CBM	11
C64 or VIC SWITCH			125
POWER ROM Utilities	for PE	T/CBM	78
WordPro 3+/64			69
WordPro 4+ - 8032. d	lisk pri	nter	295
SPELL MASTER snelli	na che	cker for WordPro	170
VISICALC for PET ATA	ARL or	Apole	189
PET-TRAX PET to Ens	son Gra	nhics Software	40
SM-KIT enhanced PF	T/CRM	ROM Ittilities	40
Programmers Toolkit -	PETR	OM Utilities	35
CALC RESULT for C6	4		135
PET Snacemaker II RC	M Sw	itch	36
COPYWRITER Word P	menes	nr for C64	69
2 Meter PET to IEEE c	I IFFF	to IEEE Cable	40
Dust Cover for PET CE	RM 40	40 or 8050	8
CmC Interfaces (ADA)		ADA1450 SADI in	stack
7RAM - CRM 64K RA	M 780	CP/M	550
Programming the DET/	CDM II	Computel) R West	20
Computed First Book of	E VIC	sumputer) - n. wear	11
UCC MODEM with Co	ftware		65
HES MUDEM with Su	niwara	in stack	00
HES Sollware and ha	luware	III SLUCK	
UMI products in stock			70
UMNICALC (HES) SP	readsu	eel lor Lo4	19
GRIDRUNNER (HES)	VIC or	C64	29
COCO (HES) Tutorial f	or C64		39
Gridrunner (HES) C64	or VIC		29
Agressor (HES)			29
HES Turtle Graphics		VIC 29	C64 49
HES Writer	VIC	30	C64 34
Grand Master Chess (UMI) (C64 or VIC	27
Renaissance (UMI)		VIC 29	C64 24
Synthesound (HE)			44
HES MON	VIC	or C64	29
6502 Protessional Dev	elopen	ient System (HES)	24
RODOL PADIC 29	FILSTE.	S Peril 29 Hetro	a Ball 29

	-
CDECIALE	
SPECIALS	
Scotch (3M) 5" ss/dd 10/ 2.20 50/ 2.00 100/	1.95
Scotch (3M) 8" ss/sd 10/ 2.30 50/ 2.10 100/	2.06
Scotch (3M) 8" ss/dd 10/ 2.85 50/ 2.70 100/	2.65
We stock VERBATIM DISKS	
Write for Dealer and UEM prices.	1.85
NEW BASE Qualimetric Disks also in stock.	1.05
Nabash 5" ss/sd 10/ 1.80 50/ 1.75 100/	1.70
Wabash 5" ss/dd 10/ 2.00 50/ 1.95 100/ Wabash 8" ss/sd 10/ 2.00 50/ 1.95 100/	1.90
We stock MAYELL DISKS	
Write for dealer and OFM prices	
Disk Storage Pages 10 for \$5 Hub Bings 50 for \$6	5
Disk Library Cases 8"—3.00 5"—2.25 Head Cleaning Kits 11	
CASSETTES—AGFA PE-611 PREMIUM	
C-10 10/.61 50/.58 10 C-30 10/.85 50/.82 10	0/ .50 0/ .70
DATASHIELD BACKUP POWER SOURCE	225
Battery back up Uninterruptible Power Supply with surg	ge and
noise filtering. The answer to your power problems.	
Zenith ZVM-121 Green Phosphor Monitor	98
BMC 12A 12" Green Monitor	80
/OTRAX Personal Speech System	160
OICE BOX Speech Synthesizer (Apple or Atari)	
CompuServe Subscription (5 hours free) Roother HR-15 Daisy Wheel Printer	475
Prowriter Parallel Printer	379
Panasonic 1090 Printer with Correspondence Mode	389
Daisywriter 2000 with 48K buffer + cable	1150
Many printers available (Gemini-Star, Brother, OKI, et	c.)
We Stock AMDEK Monitors	600
A P Products 15%	OFF
Watanabe Intelligent Plotter 990 6-pen	1290
We stock Electrohome Monitors	34
Synertek SYM-1 Microcomputer	189
ALL BOOK and SOFTWARE PRICES DISCOUN	TED
Panasonic TR-120M1P 12" Monitor (20 MHz)	149
Panasonic C1-160 Dual Mode Color Monitor	285
USI Video Monitors—Green or AMBER 20 MHz hi- Dealer and OEM inquiries invited	·res.
Manuna data	
ENTIN Cuita	16
system	13
Z29 Terminal (VT100, VT-52, ADM3A,	
Hazi 500 compatible)	080
21-1 Intelligent communications ferminal 7100 16-hit/8-hit Systems in stock	CALL
We stock entire Zenith line.	JALL
1 did to the terms of	
	•
	Rr
SPEC	ALS
	MEO

WE STOCK ENTIRE LINE—write for prices. Atari 12

Atari 1200	499	QIX	34
Voice Box	100	Anchor Modem-Atari	79
FROGGER	25	Atari Graphics (Computel)	11
Thorn EMI Software		First Book of Atari	11
EduFun Software		APX Software	

WRITE FOR CATALOG. Add \$1.50 per order for United Parcel. We pay balance of UPS surface shipping charges on all prepaid orders (add extra for mail, APO/FPO, air). Prices include cash discount. Regular prices slightly higher. Prices subject to change

displayed on the screen is moved to the work area to make room.

Impressive Split-Screen And Plotting Capability

Splitting the screen horizontally or vertically allows you to view two pages. The cursor can cross the boundary between pages to operate on the individual pages. To view additional pages, a window can be created in one of the sections. The area to remain outside of the window must be formatted and scrolled to the desired position before the window is created because the cursor cannot leave the bounds of the window. The screen area inside the window can then be split, and a third and fourth page can be called into the window area.

A graphics function prepares a histogram of the values from any column or row. The procedure is simple and the results are impressive. Place the cursor in the row or column desired and select the graphics function. Enter column or row depending on the graph desired, enter the lower and upper limits of the scale to be used on the chart, and type in a title.

A full-screen chart containing eight bars is created with a labeled scale along the left margin. The chart can be scrolled left and right with the cursor keys to display the bars for the entire column or row.

The portion of the chart displayed on the screen can be printed.

I have used another spreadsheet program with a Commodore 8032 to introduce this type of computing to my data processing students. *Calc Result* compares quite favorably with the other program and includes additional features such as color, graphics, and multiple pages. I highly recommend it.

Calc Result

Computer Marketing Services, Inc. 300 W. Marlton Pike Cherry Hill, NJ 08002 \$149.95

C

Atari Airstrike

James V. Trunzo

The creators of *Airstrike* warn you in their advertisements that *Airstrike* is "very, very difficult" and that it is "The definitive, super-fast, multiple-skill, shootout game for Atari 400/800...." This warning is the last mercy the game designers do for you. *Airstrike* turns you into the "Rocky" of game players; it keeps knocking you down and you keep coming back for more.

At first glance, Airstrike appears to be little more than a typical see 'em and shoot 'em arcade-style game. Like Scrambler and Cosmic Avenger, Airstrike puts the player in the cockpit of a fighter bomber and sends him careening across the screen, firing at anything that moves. Surface to air missiles must be destroyed before they destroy you. Like Caverns of Mars turned on its side, Airstrike forces you to navigate through a field of fission bombs that move randomly up and down the display screen. Unlike other games, however, Airstrike takes these ideas one step further, moving them from the realm of the difficult to the almost impossible. And Airstrike throws in more than a few original ideas and variations of its own.

Quark Bombs

When play begins, the player is given three Mark V fighter bombers capable of one-way flight (though it can be jockeyed up and down) and armed with both a laser cannon and quark bombs. The cannon is front-mounted and is controlled by the fire button on the joystick, the shot traveling horizontally; the bombs, controlled by the space bar, arch out of the vessel, dropping on targets below.

Several things should be mentioned concerning the weapons. Unlike other games, pressing, the fire button does not fire the cannon while simultaneously releasing a bomb. What this means is that the player who typically keeps both hands on the joystick must adjust to the necessity of freeing one hand to drop bombs. Also, because the bombs arch away from the ship, timing becomes a bit more precise. And it is crucial that the space bar be completely depressed or the bomb will not be released, and the amount of ammunition you have is limited.

On the easiest of the five levels, you begin with 10 quark bombs and 40 shots in the laser cannon. You cannot simply fire shot after shot and release bomb after bomb. Accuracy becomes essential to completing a mission and achieving a good score. Actually, the destruction of most ships will be the direct result of having missed a shot. This is due, for the most part, to the fact that successful play occurs after the player has established a pattern of sorts and fallen into a rhythm. Missing a crucial shot upsets the pattern and disrupts that rhythm, and then another Mark V goes up in a nicely done graphic explosion.

Incidentally, though you begin the mission with a limited amount of fire power, you can gain extra missiles and bombs by destroying ammo dumps. (Don't miss the last ammo dump before entering the meteor shower; that's almost certain doom.)

Several Screens

To complete one full mission, you must traverse a number of screens. The first two screens are made up of basic mountaintype terrain. These ranges are defended by surface to air missiles and fission bombs, the latter of which are really nasty because of their erratic movement.

Once you're past the mountain ranges, the next display forces you to navigate across an entire screen of descending



Milwaukee, WI 53217

All other foreign software, please add 15% shipping, minimum \$7.00 (US Funds only). Prices subject to charge Sat without notice. ORDER HOURS Mon-Fri 12-9PM (CST) 12-5 PM (CST) ORDER HOURS ORDER HOURS ORDER HOURS ORDER HOURS Mon-Fri 12-9PM (CST) ORDER HOURS ORDER HOURS Mon-Fri 12-9PM (CST) ORDER HOURS

e.ca



Airstrike.

meteors whose slightest touch spells instant extinction. The meteor shower looks suspiciously like a lot of fission bombs raining down upon your ship, but in any case, this screen is no easier than the first two.

Assuming you pass safely through the meteors, you approach a series of sliding airlocks which must be blown open (achieved by hitting an area about the size of a pinhead while it's moving) in order to complete your first pass. And did I mention that all the airlocks after the first are guarded by alien ships that must be circumvented in order to survive? Or that the locks are in various positions on the screen and not a straight shot so joystick maneuvering is a must? Very, very difficult, and this is level one.

If there's anything after this, I wouldn't know because I've never made it through a complete pass. The instructions indicate that once through the sliding airlocks, the player proceeds to the next color-coded level at which point, I assume, the mission repeats itself. The added difficulty, from what information could be gleaned by selecting a higher complexity level to begin with, stems from the fact that the enemy defenses move much faster and the player's vessel begins its run with less ammunition.

Airstrike comes with several options. For openers, there are five difficulty levels at which to begin play. In addition, the game can be played by either one or two players, alternating turns. Also, a game may be interrupted during the course of play by depressing the CTRL key and 1 together.

A minor annoyance occurs after you lose one of your three ships: the next one appears so fast that there is little time to regroup. The only other complaint that might be registered is that until you are within the sliding locks area, any destruction of your ship sends you back to the very beginning of the program. Because it's so difficult to advance from screen to screen, especially for novices, this can be a tad frustrating.

All in all, *Airstrike* is exactly what it claims to be – a very demanding program. If you want a challenge, *Airstrike* is the game for you.

Mechanically, the game is quite strong. The scrolling and the graphics are very well done. The player's ship, missiles, bombs, and targets are clearly defined and, with the exception of the spaceship itself, all graphics are flicker-free. In addition, colors are vivid and the sound effects, though limited to explosions of one type or another, are more than adequate.

O

Airstrike English Software Company P.O. Box 3185 Redondo Beach, CA 90277 \$39.95

HESCAT For PET/CBM

Steve Leth

Soon after getting my PET, I realized I had a problem: cassettes. Hundreds of them. All over the place. After buying a disk drive, I thought my troubles were over. But now I have a new problem: diskettes. Hundreds of them, and, worse yet, they each hold one to two dozen programs. What I needed was a way of cataloging all these programs and the disks they're on: an inventory program, for programs. Enter *HESCAT*, a disk catalog program written by Jerry Bailey and distributed by Human Engineered Software.

HESCAT is available on disk for versions of PET/CBM with Upgrade ROMs or 4.0 BASIC, 40- or 80-column screens, and at least 16K of memory (32K preferred). It works with 2040, 4040, and 8050 disk drives.

How HESCAT Works

HESCAT is a series of programs accessed via a menu that appears when you run the main program. To perform a particular function, you just enter its number and the appropriate program is loaded. After each function is complete, you return to the main menu. Because every function except HELP is implemented as a separate program, HESCAT packs a lot of power into a 16K PET/CBM.

The first step in using *HES*-*CAT* is to catalog your diskettes with the CATALOG function. CATALOG copies information from the directory of the disk being cataloged, which is in drive #1, and records it on the *HES*-*CAT* disk, which must always be left in drive #0. After it has retrieved all the data from one disk, *HESCAT* asks you to insert the next disk. This continues until information from all your disks has been recorded on the *HESCAT* disk.

Exactly what kind of information is kept for each disk? The two-digit disk ID, the disk name, the number of free and allocated sectors, and the number of files on the disk are stored in a file called HEADERS. Then, for each diskette, HESCAT creates a file with the same name as the twodigit disk ID. This file contains a list of all the files on that disk, the type of file (Sequential, Program, Relative, or User), and the size of each file. On a 2040 or 4040 disk, you can catalog as many as 120 disks with 3300 to 6000 files; an 8050 disk will keep

THE BVSINESS MANAGEA...

FULLY INTERACTIVE ACCOUNTING SYSTEM. NO DISKETTE CHANGING! FINALLY ALL THE FEATURES YOU'VE BEEN WAITING FOR – IN ONE COMPLETE INTERACTIVE SYSTEM.

FULL SOFTWARE SYSTEM ONLY **\$995**.00



MANUAL ONLY – \$40.00 REFUNDABLE UPON SYSTEM PURCHASE.



HARDWARE REQUIREMENTS:

- Commodore Model 8032 or SuperPET or 8096 Micro-computer
- Commodore Model 8050 One Megabyte Dual Disk Drive

CBM

Multi

User

Sustem

- Commodore Model 4022 (or Larger) Printer
- Commodore PET IEEE cable
- Commodore IEEE IEEE cable

ISHSHARE

de marchine i

C: commodore

WORKS WITH ALL COMBINATIONS PET/CBM 100% HARDWARE. NO SOFTWARE REQUIRED! UP TO 8 USERS SHARE DISK AND/OR PRINTER. CONNECTS IN MINUTES – NO TOOLS REQUIRED. INCREASES PRODUCTI-VITY – REDUCES COSTS. IDEAL FOR EDUCATION AND BUSINESS. CABLE LENGTHS UP TO 50 FEET.

ONLY \$74900

8 USER SYSTEM ONLY \$1149

DEALER INQUIRIES WELCOME.



C-www.commodore.ca

dual driv

track of 10,000 to 20,000 files from 210 disks.

After cataloging new disks or recataloging an old disk that has been changed, the SORT NAMES function is used to create the ALPHA.NAMES file. This is a list of all your cataloged files, sorted alphabetically. It also contains the type of each file and the ID of the disk it's on. The sort routine itself is a heapsort and is written in machine language. All the names that will fit into memory can be sorted in a second or so. Usually, however, the list of names is too long to fit in memory. In this case, HESCAT uses a scratch disk for work files that are sorted individually and then merged together. It will only sort file names from disks that have been recataloged since the last sort and will merge them into the new ALPHA.NAMES file.

Once the names have been sorted, a number of reports can be generated using the PRINT function. You can request a listing of file names, showing the file type and what disk it's on; a listing of the directories of the individual disks; or a summary of the disk header information. All of these will list on a CBM or other printer. The program also contains a subroutine for Epson and Base 2 printers.

Another practical use for HESCAT becomes apparent when you use the LOCATE function. This function searches through the file names cataloged by HESCAT for a string specified by the user and displays all the names that contain that string along with their disk ID's.

This is really a most valuable function when you forget where you stored your *Space Invaders* game.

Complete Documentation

HESCAT comes with two manuals totaling 37 pages. The first is the *User Manual* that guides you step by step through the process

of cataloging disks and getting reports. The manual is clearly written and points up a number of spots where things might go wrong (especially disk I/O errors) and how to recover without losing your data. The second is the Program Manual, which covers technical information about the actual HESCAT programs. Included are detailed line-by-line narratives and variable dictionaries for each program. There is a section on how to safely modify parts of HESCAT and a complete description of all of HESCAT's file formats. In addition, the Program Manual includes complete, commented listings of all the programs, even an assembly listing of the heapsort routine. Because Jerry Bailey has used a lot of "tricks" to make HESCAT fast and compact, you can learn a lot by reading the Program Manual.

It is apparent that much thought went into making *HES*-*CAT* as easy to use as possible. All user interaction with the programs is via menus, and *HES*-*CAT* seems reasonably crashproof. One of my favorite features is the HELP function in the main menu program. HELP displays a brief description of each of *HESCAT*'s major functions. The information provided by HELP was often enough to keep me from having to refer to the manual.

To use *HESCAT* properly, you must update the catalog every time you start a new disk or add files to an old disk. If you don't do this, then *HESCAT* won't do you much good. However, if you are the sort of person who will keep the catalog updated, and you want an automated tool to help you, *HESCAT* is the program for you.

HESCAT Human Engineered Software 71 Park Lane Brisbane, CA 94005 \$39.95

Book Review TRS-80 Color Computer BASIC

Tony Roberts, Assistant Managing Editor

If you have a Color Computer and are taking your first steps in BASIC, Richard Haskell's book, *TRS-80 Extended Color BASIC*, can help make sure your feet are firmly planted.

Like its companions for the Apple, Atari, and PET computers, this book is designed as a textbook. It starts out assuming the reader knows nothing about the TRS-80 Color Computer (or BASIC) and builds from there.

Although the title implies that the contents refer only to Extended Color BASIC, the book serves equally well as a Color BASIC tutorial. Only a few, short references are made to commands or functions not available in Color BASIC.

Though written to be used with a computer at hand, TRS-80 Extended Color BASIC can be a useful study guide when no computer is available. The 170page book is packed with screen photos that show what happens when the sample programs are run. The photos also show what happens when common programming or input errors are made. The text carefully explains why the mistakes happened and shows the novice programmer how to avoid the problem in the future.

Start With The Basics

Once you have been introduced to the TRS-80 Color Computer and have learned to print your name on the screen, *TRS-80 Extended Color BASIC* takes on the BASIC statements one by one.

Many of the example programs in the book's early chapters have a mathematical bent. You learn to compute the area of

0



IN CANADA: write: Link Marketing 1480 West 58th Avenue, Vancouver, B.C. V6P 1W5 I-800-323-1717, operator 127 Illinois I-800-942-8881, operator 127 or write: Link Marketing 219-1st Ave. N., Suite 215, Seattle, WA 98109



various geometric shapes, and you are treated to an explanation of the trigonometric functions. Some of these may be lost on the beginner who is more concerned with learning about the computer than recalling high school math.

Once those problems are out of the way, however, Haskell clearly explains the things beginners need to know to get started in programming – printing to the screen, loops, and the IF...THEN, ELSE statements. Further along the way, simple and high-resolution graphics, sound, arrays, and the PEEK and POKE statements are covered.

The final chapter, called "Putting It All Together," leads you step-by-step through the programming necessary to create a hangman game and to turn your computer into a color organ.

No Machine Language

Though the book makes no attempt to teach any machine language, one of the nine appendices discusses, in a few short paragraphs, how to use a machine language subroutine in a BASIC program. Other appendices include information on BASIC's reserved words, ASCII codes, error messages, hexadecimal numbers, the EDIT statement, the PRINT USING statement, and screen locations.

TRS-80 Extended Color BASIC allows beginning programmers to build their knowledge of BASIC in a logical, understandable way. By following the examples and studying the dozens of illustrations provided, it should be a quick transition from taking your first steps to running your own BASIC programs.

TRS-80 Extended Color BASIC Prentice-Hall, Inc. Englewood Cliffs, NJ 07632 \$12.95 paper, \$19.95 cloth

0

The Flight Simulator For The Timex/Sinclair

Michael B. Williams

First came *Mazogs*, with its stunning graphics and entertaining game play. Then *3D Monster Maze*, boasting realistic, realtime movement along threedimensional corridors. Now *The Flight Simulator* is here. And it supersedes any graphics I've ever seen on the Timex/Sinclair or ZX-81.

If you're skeptical, you won't be after you've seen it. *The Flight Simulator* challenges you to land a small, twin-engine plane safely – and it's not easy.

In all, there are three displays. The cockpit display shows the control panel and simulates the view from the inside of the airplane. As you dive and bank, you see the horizon shift through the cockpit window. On the control panel are rate-of-climb, fuel, power, and flap indicators, along with an RDF (radio direction finder) clock, and speed and gear readings.

The map display shows the area in which you are flying, including your present position, the runway, various beacons, and a mountain range rising 1500 feet above sea level. The purpose of this display is to show you your position relative to a beacon or the runway.

The third display – and the most important – is the visual display. It contains the information you will need in landing the aircraft: the altitude, speed, ILS (instrument landing system) and, of course, the cockpit display. Despite the rather low pixel resolution on the Sinclair – only 48 x 64 – the realism is outstanding. If you approach the runway at an angle, you will see it pass to your right or left with astonishing accuracy. It is even possible to notice that you are slightly off-center, due to some remarkable machine code programming.

During landing, you have complete control of the airplane, and you must make minor adjustments to align yourself with the runway. Once down, you must pull the plane to a complete stop. If, on touchdown, the screen disintegrates (indicating a crash), you have probably forgotten the landing gear. Some sort of warning that the landing gear is up would spare dozens of aircraft and who knows how many lives.

The Flight Simulator takes six to ten minutes to load, but the wait is worth it. The game so accurately simulates the flight (and for me the plight) of an aircraft that you almost feel as if you're actually piloting a plane.

0

The Flight Simulator Gladstone Electronics 901 Fuhrmann Boulevard Buffalo, NY 14203 \$9.95



Educational Software With A Competitive Edge

Pre-School

24

16

26

Sammy the Sea Serpent (C) \$ 13, (D) \$ 19 Oswald and the Golden 19

Key (C) \$	13. (D) S
Pre-School I.Q. Builder (C) \$	13. (D) \$
Hodge Podge (D)	S
My First Alphabet (D)	S
Basic Math (+, -, *, /) (D)	S
Alien Counter/Face Flash (D. C)	S
Jar Game/Chaos (D. C)	
Pre-School Fun (Color, Shape, et	(c) S
Hickory Dickory Baa Baa	
Black Sheep (C)	S
Humpty Dumpty/Jack & Jill (C)	S
Counters (D. C)	5
Facemaker (D)	5
I'm Different (D)	S

Math

inath				
Three R Math Classroom I	Kit (D.	CI	S	39
(Grades K-8)				
Teasers by Tobbs Ages 8	& Up (I))	s	24
Math Mission, Ages 6-10 (D.CI		S	19
Escape to Equatus, Ages	6.10 (D	(C)	S	19
Monkey Up A Tree (D. C)			S	19
Video Math Flash Cards II	D. C)		.\$	13
Math Tic-Tac-Toe (D, C)			S	13
Calculus Demon (D, C)				\$19
Cubbyholes (D, C)			S	19
Metric & Problem Solving	(D)		\$	26
Algicalc (D. C)			.5	19
Polycalc (D, C)			\$	19
Counters (Ages 3-6) (D. C)			5	26
Compumath-Fractions.	(C) \$	23. (0))\$	29
Compumath-Decimals.	(C) \$	23. (0	210	29
Alien Numbers (D, C)			.\$	2;
Math Pak 1 (D.C)			\$	2:
Alien Counter/Face Flash	(D. C)		.\$	26
Golf Classic/Compubar (A	Angles) (D. C	3)\$	2
Jar Games/Chaos (Ages 6	5-10) (C	. C)	.\$	2
Gulp & Arrow Graphics (7	-12) (D	C) .	\$	2
Battling Bugs/Concentral	tion (D	C) .	.\$	2
Addition w/Carrying	(C) \$	13. ([2)\$	1
Cash Register	(C) \$	13. ([2)\$	1
Number Series	. (C) \$	13. ([215	1
Quantitive Comparisons	(C) \$	15. (0	2)\$	1
Sky Rescue	(C) \$	15. (0	2)\$	1
Big Math Attack	(C) \$	17. ([2)\$	2
Math Facts Level II				
Grades 1-3	(C) \$	13. ([215	1
Com*putation/				
Concentration	(C) \$	13. (1	D) \$	1
The Market Place (D)			. \$	2



Reading & Language Arts			
Finger Spelling (D. C)	S	19	
My Spelling Easel (Ages 3-10)	. \$	26	

1	м	a	t	1
	•••	-	٠	1

Sky Math (C)	\$12
Space Division	\$12
Bingo Speed Math (CT)	\$23
Number Crunch (CT)	.\$27
Number Chaser	.\$17
Number Gulper	\$17



Reading and Language Arts

19	Hey Diddle Diddle \$20	
26	Letterman (C, D)	
20	My First Alphabet (D)	
6	Wordmaker (C, D)	
	Spelling Genie (C, D)	
25	Word Search Generator (D)	
25	Compuread	
19	Astroquotes	
23	Memory Builder/	
19	Concentration	
	Let's Spell (C) \$13	
	Spelling Builder	
	Do-It-Yourself Spelling (C)	
39	S.A.T. College Board Prep. (C)	
	Story Builder/	
24	Word Master(C) \$13, (D) \$19	
19	What's Different	
19	Analogies	
19	Prefixes (D) \$26	
13	Snake-O-Nyms \$25	



Vocabulary Builder 1 (C) \$13. (I	D) \$19
Vocabulary Builder 2 (C) \$13. (I	0) \$19
Mini-Crosswords	0) \$19
Word Scramble Grades 1-4 (C)	
Fishing For Homonyms (C)	
Hidden Words 4 Levels (C)	\$16
Snooper Troops #1 (D)	. \$32
Snooper Troops #2 (D)	.\$32
Story Machine (D)	. \$23
Word Race (D)	.\$17
Claim to Fame/Sports Derby	
Crossword Magic (D)	\$34
Alphabet Arcade (C) \$15.(I	0) \$19
Talk & Teach Tanes	1000
Bequires Educational Master	
Cartridge	\$ 25
Phonics 8 Casselles	\$ 49
Province — o cassenes	
8 Cassettes	\$ 49
Time Bomb (C) \$13 (DI \$19
Chungtitor & Dop'r Spall	\$25
Skywiller a Fup i Spell	1. PEJ



* * Books * *

Kids and The Atari	18	HES Synthesound (CT)
Kids and The Vic	10	Language Arts
Programmer's Ref. Guide (Vic) \$	14	Language Arts
Elementary Commodore\$	14	Super Hangman (C)
Computers for People\$	8	Concentration (C)
Games for The Atari	8	Home Babysitting\$23
De Re Atari	19	Hey Diddle Diddle 64\$20
Adventure Hint Books\$	8	Social Studies/Science
6502 Assem. LG. Prog\$	16	Visible Solar System \$23
Some Common Basic Basic Programs\$	14	Reaganomics (CT)\$27
Your Atari Computer\$	16	
Atari Assembler – Inman\$	12	Programming Techniques
Atari Games and Recreation\$	14	Intro to Basic Prog. 1
Atari Pilot for Beginners\$	12	Intro to Basic Prog. II\$22
Visicalc Book — Atari Edition\$	14	Programmers and Cart. \$45
Atari Basic — R.L. Albrecht\$	8	Groteck & Microchip\$23
Book of Atari Software 1983\$	19	

1095 E. Twain - (702) 796-0296 Las Vegas, Nevada 89109

Call Toll Free 1-800-634-6766 Order Line Only We accept Major Credit Cards Mon. - Fri. 8 A.M. to 6 P.M.

Music

Rhyme & Pitch \$26 Player Piano (C, D) \$19 Keyboard Organ (C, D) \$19 Musical Computer—Music Tutor (D) \$13 Music 1—Terms and Notation (D) \$26 Advanced Music System (D) \$25 Music 2mposer (CT) \$25 Jerry White's Music Lessons (C) \$20 Magic Melody Box \$14
Telling Time
Social Studies & Geography
Social Studies & Geography
Globemaster (D)
European Scene Jigsaw Puzzles (C) \$ 22
Geography (D) \$ 26
Science
Elementary Biology Grades 4-8 (D) \$ 26 Frogmaster (D) \$ 19 Starware (D) \$ 19 Mapware (D) \$ 19 Earth Science Grades 5-12 \$ 26 Educational Software's \$ 26
Programming Techniques
Pilot (Cons. or Educator) .(C) \$59, (D) \$99 Invitation to Prog. #2 (C) \$22 Invitation to Prog. #3 (C) \$22 Invitation to Prog. #3 (C) \$22 Tricky Tutorials Santa Cruz TT #1 Display Lists (C, D) \$17 TT #2 Horiz/Vert. Scrolling (C, D) \$17 TT #3 Page Flipping (C, D) \$17 TT #4 Basics of Animation (C, D) \$17 TT #5 Player Missile Graphics (C, D) \$24 T#7 Disk Utilities (D) \$24 Page 6 \$20 The Next Step \$27 Typing
Touch Typing (C) \$19
Type Attack (C, D) \$26
Foreign Languages Atari Conversational Languages French, Spanish, German, Italian (C) \$45

Astro Word Search (Specify Spanish or French) (C) \$13, (D) \$19

Music

VIC Music Composer (CT)\$29	ł
HES Synthesound (CT)\$49	
Language Arts	



									-				-				
Visicalc									ŝ	à			1		.5	51	69
Mail Merge				÷											.5		20
Data Perfect			ŝ					1	į,	2		2	1	5	.5		75
Letter Perfect				1	1				i,		į		ç		.5	51	05
Text Wizard			2		2	ļ			į	2	2		0	0	.5	1	65
Datasm 65 2.0			1	l	0	l	į.	l	į.	2	1	į.	į.	į.	5	į.	59
File Manager 800 +				1	į.	Ì	ĵ,			2		2		2	.5		65
Syn Assembler			2		2	Ì								Ĵ	5		34
Page 6				1	2	2	Ċ.	ŝ	Č	1	Ĩ	Ĵ	Ĉ	Ĵ	5		20
Atari World			0	Ĵ	2	į	2						2	Ĩ.	5		30
K-Dos.	Ì.,		í.	2	2	j		2	0	5	į	0	Q	0	5		50
Micropainter					5	2									5		23
Color Print			1	l	3	0	Ì.	Ĵ	Ô	C	Î	1	Ũ	í.	5		27
Lisp Interpreter				ĵ,	2	1	Ì	Ĵ	ĝ	Î	Ì	1	0	2	5		70
Bishops Square			2	į.		1	Ĵ.		9		Ì		2	2	S		20
Graphic Master			0		2	į,	ĵ,	Ì	Į		ļ	Į.	1		5		27
Graphic Generator			ĵ,	į.		ļ	1	l	Ç,	2	į		į,	9	s		17
Basic Compiler	1		0		2	9	2	2	2	5	Q	2	0	Ĩ.	5		65
Computari's Finance	cia	al	v	Vi	z	a	re	i	Û		ì	l	į.	i	5		45
Color Accountant			l	1	1			1	Ĉ.	l	ĉ	Ĵ	2	ĵ.	5		6
Datalink			1				l			ĉ	2	ĩ	Ĵ	Ċ.	5		27
File It 2 System			ŝ	į.	ļ	į	1	1	Ĵ	3	Ì	Ì	2	1	s	1	34
Diskette Inventory	Sv	S	e	п	n	Ì	1	Ì	Ĩ	1		l	Ĵ	Ì	5		17
P.M.P. Property Ma	na	10	e	m	16	er	ht	1	Ĵ	1	ĺ	1	Ĩ	Ĵ	5	1	70
	1		1	1	1	1	F		1	î	1	í	1	1	1		

Programming Techniques

regranning reeningue		
Display Lists	.\$	17
Horiz/Vert Scroll	.\$	17
Page Flipping	.\$	17
Basics of Animation	.5	17
Player Missile Graphics	.\$	24
Sound	.\$	24
Data Files	.\$	24

		Dicos
dib	14	prices
_ increaw		Incrof
-		Incico
Temple of Apshai\$	27	Crush, Crumble & Chomp
Raster Blaster\$	20	Jawbreaker
Apple Panic\$	20	Zork I
Crossfire\$	20	Zork II
Threshold\$	27	Softporn Adventure
Mousekattack\$	23	Deluxe Invaders
Krazy Shootout	34	Chicken
Deadline\$	34	Nautilus
Tumble Bugs\$	20	Rescue at Rigel
Pool 1.5\$	23	Frogger
Richochet\$	15	Choplifter
Empire of the Overmind\$	23	Curse of Ra
Wiz & Princess\$	22	Ghost Encounters
Mission Asteroid\$	17	Ulysses and The Golden Fle
Ali Baba & the Forty Thieves\$	22	Battle of Shiloh
The Shattered Alliance\$	27	Tigers in the Snow
Canyon Climber \$	20	Track Attack
Shooting Arcade\$	20	Shamus
Pacific Coast Highway\$	20	Picknick Paranoia
Clowns & Balloons\$	20	Claim Jumper
Preppie\$	20	Embargo
Rear Guard\$	17	Firebird
Lunar Lander\$	17	Cyclod
War\$	17	Space Eggs
Star Warrior\$	27	Sneakers
Dragon's Eye\$	20	Snake Byte
And a second		and the second second second second second

•	Crush, Crumble & Chomp \$ 20
)	Jawbreaker\$ 20
)	Zork I \$ 27
)	Zork II\$ 27
7	Softporn Adventure \$ 20
3	Deluxe Invaders \$ 23
1	Chicken\$ 23
ţ.	Nautilus\$ 23
)	Rescue at Rigel \$ 20
3	Frogger \$ 23
5	Choplifter \$ 23
3	Curse of Ra\$ 15
2	Ghost Encounters\$ 20
	Ulysses and The Golden Fleece\$ 23
2	Battle of Shiloh\$ 27
,	Tigers in the Snow \$ 27
)	Track Attack \$ 20
)	Shamus\$ 23
)	Picknick Paranoia
)	Claim Jumper\$ 23
)	Embargo \$ 34
	Firebird \$ 34
•	Cvclod \$ 20
	Space Eggs \$ 20
	Sneakers \$ 20
)	Snake Byte \$ 20



Order Line Only Information & Order Inquiries (702) 369-5523 We accept VISA and MasterCard Mon. - Fri. 8 A.M. to 6 P.M. - Sat. 9 A.M. to 6 P.M.

1-800-634-6766

Dealers' Inquiries Invited

$\star \star \star$ Specials of the Month $\star \star \star$

Elephant Disks (Box)\$ 20
Hayes Smartmodem\$209
Mosiac 32K RAM \$ 89
RAMDISK (128K)\$399
Amdek Color I Monitor\$299
Percom Double Density Drive\$515
NEC 8023A Printer\$439
Basic A + (OSA + Included)\$ 59
Flip & Sort Diskette Box \$ 21 (Holds 50 Diskettes)
Flip-Sort Cartridge Box \$ 21 (Holds 10 Atari Computer Cartridges)
Mosaic 64K RAM \$149
80 Column Board (Atari)\$279
All APX Software
Percom Single Density Drive\$389

Prices!	Programs!
Incredible	New Hit List
Incies	David's Midnight Magic (D) \$ 23 Sky Blazer (D) \$ 22
h, Crumble & Chomp. \$20 preaker \$20 I. \$27 II. \$27	Serpentine (D) \$ 23 Sea Fox (D) \$ 20 Spell Wizard (D) \$ 53
oorn Adventure\$ 20 xe Invaders\$ 23	Sands of Egypt (D)\$ 27
ken \$23 ilus \$23 ue at Rigel \$20 ger \$23	Pool 400 (C1) \$ 27 Crossword Magic (D) \$ 34 Master Type \$ 27 Gorf (D) \$ 27 (CT) \$ 30
lifter\$23 e of Ra\$15	Wizard of Wor(D) \$ 27 (CT) \$ 30
at Encounters \$ 20 ses and The Golden Fleece \$ 23 e of Shiloh \$ 27 's in the Snow \$ 27	Cyborg (D) \$ 23 Gold Rush (D) \$ 23 Bandits (D) \$ 23 Way Out (D) \$ 23
Attack \$ 20 nus \$ 23	Fast Eddy (CT) \$ 24 World Wart (CT) \$ 24
nick Paranoia	The Cosmic Balance (D)
e Eggs\$ 20 kors	Odin (D)
e Byte \$ 20	Kid Frid (D, C) \$ 20 Submarine Commander (CT) \$ 34 Jumbo Jet Pilot (CT) \$ 34
	Soccer (CT) \$ 34 Kickback (CT) \$ 34
126	Starcross (D) \$ 27 Zork III (D) \$ 27 Zaxxon (D, C) \$ 27
	Juggler (D) \$ 20 Miner 2049er (CT) \$ 34
OUTLET	Jeepers Creepers (D) \$ 20 Twerps (D) \$ 23 Flip Out (D) \$ 20
0010	The Birth of the Phoenix\$ 16 Protector II
\forall	Baseball (CT). \$ 34 Preppie II (D, C). \$ 23 Arcade Machine (D). \$ 39
2) 796-0296	Match Boxes (D, C) \$ 20 Operation Whirlwind \$ 23
da 89109	Roundabout (D). \$ 20 Monster Smash (D). \$ 20 Bilestoad (D). \$ 20
····	Mating Zone (D)\$ 20 Night Raiders (D)\$ 20
-6/66 Dnly	Prisoner II (D) \$ 27 Cap n' Cosmos (D) \$ 29 Spy's Demise (D) \$ 15
ries (702) 369-5523	Thrax Lair (D)
- Sat. 9 A.M. to 6 P.M.	Morl (CT) \$ 29 Star Maze (CT) \$ 29 Pyramid Puzzler (CT) \$ 29
s Invited	Sammy Lightfoot (CT)\$ 20
	Apple Cider Spider (CT) \$ 27 Repton (D) \$ 27
ne Month * * *	Critical Mass (D)
\$ 20	Capture the Flag (CT) \$ 27 Slam Ball (D, C) \$ 23
\$209	Blue Max (D, C)
\$399	Poker Sam (D)\$ 17
\$299 \$515	Jump Man (D)\$ 27 Hellfire Warrior (D, C)\$ 27
\$439	Candy Factory (D)
\$ 59 \$ 21	Trion (D)
	Wavy Navy (D) \$ 23 Squish 'em (CT)
\$ 21 es) \$149	Final Orbit (CT) \$ 23 Alpha Shield (CT) \$ 23 Pharoah's Curse (D, CT) \$ 23
\$279	Escape (D, CT)\$ 23
	Alley Cat (D, C)\$ 23



MX (D, C) ...

\$ 23

\$ 23

Commodore Puts Excitement In Your Life Tronix

Spectravision

HES Software

Turtle Graphics (CT)



C commodore \$289

COMMODORE 64 (With factory rebate.)

1530 DATTASETTE	\$	59
1541 DISK DRIVE	\$3	329
1525 GRAPHIC PRINTER	\$3	329
1600 MODEM	\$	89
1701 COMMODORE MONITOR	\$2	289

COMMODORE 64 SOFTWARE

Ava	alon Hill Game Company	У
180-701	B-1 Nuclear Bomber (C)	\$12
180-702	Midway Campaign (C)	\$12
180-703	North Atlantic	
	Convoy Raider (C)	\$12
180-704	Nukewar (C)	\$12
180-706	Planet Miners (C)	\$12
180-712	Computer Stocks & Bonds (C)	\$15
180-719	Andromeda Conquest (C)	\$14
181-721	Computer	
	Football Strategy (C)	\$12
181-732	Telengard (C)	\$16

EPYX/Automated Simulations

14E-036 Jump Man (D) \$27

Human Engineered Software (HES)

HEE-307	6502 Professional	
	Dev System (C)	\$23
HEE-400	Retro Ball (Crt)	\$27
HEE-401	Hesmon (Crt)	\$27
HEE-402	Turtle Graphics II (Crt)	\$45
HEE-404	Heswriter 64 (Crt)	\$35
HEE-412	Gridrunner (Crt)	\$27

Infocom

63E-001	Zork I (D)	\$27
63E-002	Zork II (D)	\$27
63E-003	Deadline (D)	\$35
63E-004	Starcross (D)	\$27
63E-005	Zork III (D)	\$27

Sierra On-Line

54E-048 Frogger (D) ... \$23

Sirius Software

70E-036	Blade of Blackpoole (D) \$	27
70E-037	Type Attack (Crt) \$	27
70E-043	Repton (D) \$	27
70E-046	Critical Mass (D) S	27
70E-424	Snake Byte (Crt) \$	23
70E-445	Spider City (Crt) S	27
70E-447	Squish em (Crt) \$	23
70F-448	Final Orbit (Crt) 5	2

Spinnaker

SKE-001	Snooper Troops #1 (D)	\$30
SKE-004	Facemaker (D)	\$23
SKE-006	Kindercomp (D)	\$20
SKE-008	Hey Diddle Diddle (D)	\$20
SKE-009	In Search of the	
	Most Amazing Thing (D)	\$27

Snyapse Software

Ft. Apocalyse (D)	\$2:
Dreibs (D)	\$23
Survivor (D)	\$23
Pharoh's Curse (D)	\$23
Ft Apocalypse (C)	\$23
Drelbs (C)	\$23
Survivor (C)	\$2:
Pharoh's Curse (C)	\$2:
	Ft. Apocalyse (D) Dreibs (D) Survivor (D) Pharoh's Curse (D) Ft. Apocalypse (C) Dreibs (C) Survivor (C) Pharoh's Curse (C)

United Microwave Industries (UMI)

92E-302	Renaissance (C)	\$27
92E-331	Motor Mania (C)	\$20

Broderbund	Tror
shark Trap	Galactic Blitz (C)
Aulti Sound Synthesizer\$15	Swarm (C)
Creative Software	Sidewinder (C)
Black Hole (CT)\$36	Spectra
frashman (CT)\$36	Cave In (CT)
Astroblitz (CT)\$36	Number Crupph (CT)
City Bomber & Minefield (CT)\$20	Number Crunch (CT)
Apple Panic (CT)\$36	Reaganomics (C1)
Choplifter (CT)	HES So
Serpentine (CT) \$36	Aggressor (CT)
/ideomania (CT) \$36	Dam Bomber (C)
ferraquard (CT) \$36	Fuel Pirates (C)
Thorn EMI	HES Mon (CT)
	HES Writer (CT)
Hiver Hescue (CT)	Pak Bomber (C)
A composer (CT)	Protector (CT)
Autant Herd (CT)	Shamus (CT)
Automated Simulations	Simon (C)
Rescue at Rigel (C)\$20	Sunthanound (Music
Ricochet (C)	Synthesizer (CT)
Monster Maze (CT)\$27	Took Tree (C)
Sword of Fargoal \$27	Tank Irap (C)
and a strange s	Tank wars (C)

Sirius

Type Attack



1095 E. Twain (702) 796-0296 Las Vegas, Nevada 89109

Order Line 1-800-634-6766 Call Only **Toll Free**

Information & Order Inquiries (702) 369-5523

$\star \star \star$ Specials of the Month $\star \star \star$

ndek Color I Monitor	\$299
ico Jovstick	5 23
ico Redball Joystick	5 24
ico Trackball	5 49
ds & The Vic	5 18
ogrammer's Reference Guide (Vic)	5 14
ogrammer's Reference Guide (64)	\$ 18
agh 24K Memory Board	\$145
ardco 6 Slot Expansion Motherboard	\$ 79
ardco 3 Slot Expansion Motherboard	\$ 39
ardwriter Light Pen	\$ 29
ardette Parallel Interface	\$ 59
FW) Commodore Monitor	\$289
toh Prowriter Printer	\$365

ORDERING INFORMATION AND TERMS:

For fast delivery send cashier checks, money orders or direct bank wire transfers. Personal and company checks allow 3 weeks to clear. C.O.D. orders (\$3.00 minimum) and 1% of all orders over \$300. School purchase orders welcome. Prices reflect a cash discount only and are subject to change. Please enclose your phone number with any orders

SHIPPING: Software (\$2.50 minimum). Shipping - Hardware (please call). Foreign orders APO & FPO orders - \$10 minimum and 15% of all orders over \$100. Nevada residents add 5 3/4% sales tax. All goods are new and include factory warranty. Due to our low prices, all sales are final. All returns must have a return authorization number. Call 702-369-5523 to obtain one before returning goods for replacement. All returned merchandise is subject to a restocking fee and must come with their original packaging in order to be accepted. NO returns permitted after 21 days from shipping date.

K commodore

\$17

\$20

\$27

\$27 \$27

\$29

\$13 \$13

\$29

\$29 \$13

\$33 \$29

.\$13

\$49

\$15 .\$15

\$29 \$45

\$15

VIC 20 \$99	
1530 DATASETTE\$ 59	
1541 DISK DRIVE \$329	
1525 GRAPHICS PRINTER \$329	
VIC 1210 3K Memory Expander\$ 34	
VIC 11108K Memory Expander\$ 52	2
VIC 1111 16K Memory Expander \$ 89)
VIC 1011 RS 232 Terminal Interface\$ 43	3
VIC 1211 Super Expander\$ 59)
VIC 1212 Programmers Aid Cartridge \$ 45	j
VIC 1213 Vicmon Machine Language	
Monitor	ć
VL 102 Intro to Basic	
Programming 1	t
Intro to Basic	
Programming II\$ 2	۱
VT 106A Recreation Pack \$ 4	5
VT 107 A Home Calculation Pack \$ 4	5
VT 164 Programmable Character Set \$ 12	2
VIC 1600 Vicmodem \$ 8	9
VIC 1311 Joystick	8
VIC 1312 Game Paddles \$ 10	6
VM Programmers Reference Guide \$ 1	4

VIC Software

Avenger\$ 2	23
Supersiot\$ 2	23
Super Alien \$ 2	23
Jupiter Lander \$ 2	23
Draw Poker \$ 2	23
Midnight Drive \$ 2	23
Radar Rat Race \$ 2	23
Raid on Fort Knox \$ 2	23
Sargon II Chess \$ 2	29
Super Smash \$ 2	23
Cosmic Cruncher \$ 2	23
Gorf	29
Omega Race \$ 2	29
Money Wars \$ 2	23
Menagerie \$ 2	23
Cosmic Jailbreak \$ 2	23
Clowns \$:	23
Garden Wars \$ 2	23
Sea Wolf \$ 2	23
Adventureland \$ 3	29
Pirate Cove \$:	29
Mission Impossible \$	29
The Count \$	29
Voodoo Castle \$:	29
The Sky is Falling\$	23
Mole Attack \$:	23
Bingo Speed Math \$:	23
Home Babysitter \$	23
Visible Solar System\$	23
Personal Finance \$	29
Quick Brown Fox \$ 6	65
United Microware	
United Microware	
Spiders of Mars (CT)\$	34
Meteor Run (CT)	34
Amok (C)\$	17
Alien Blitz (C)\$	17
Skymath (C)\$	12

kymath (C)		ć					Ļ	ų	i.	į.	i.	.\$	12
pace Division (C)					4		2	4				.\$	12
uper Hangman (C)							į,			í.		.\$	14
he Alien (C)		į,			i,	į,			1		2	.\$	17
D Maze (C)						-				÷		.\$	12
osmic Kamikaze (C)						į,				÷		.\$	17
ub Chase (C)		1				+		÷	i.		į.	.\$	17
mok (CT)		ì					,			÷		.\$	27
Renaissance (CT)											į,	.\$	34
lien Blitz (CT)												.\$	27
loud Burst (CT)				.,			,			ļ		.\$	27
atellites and Meteor	ite	e	s	(0	T)				į		.5	34
Dutworld (CT)		k		2.		1						.\$	34
Nordcraft												5	270



The Computer Outlet is an associate of The Computer Learning Center For Children.

We are experts in educational technology featuring our own Computer Learning Center educational software. Dealers inguiries invited

INSIGHT: Atari

Bill Wilkinson

I've been a bit remiss about my column recently. The editorial staff at **COMPUTE!** has covered nicely for me, splitting some of my larger articles into two parts and cutting and pasting. I shall try to make life easier for them for the next few months, since I have finally accumulated a mental backlog of material which I feel is suitable for this column.

Mind you, I can still use some input from you readers on what you would like to see, so don't stop writing. As I have stated often in the past, it doesn't seem ethical for me to review software; but that shouldn't keep me from commenting on books, hardware, and who knows what else.

And, in that vein, this isn't truly a "review," since I have not had a chance to actually try it yet, but the most interesting new product for the "serious" Atari owner that I have seen lately is the new 64K byte memory card from Mosaic Electronics. With it you can make your 800 behave just like a 1200 so far as the bank selecting of RAM versus ROM goes. Mosaic rightly points out that there is zero software currently available to take advantage of the RAM which must lie where the OS ROMs are, so perhaps the other configuration of their RAM board makes more sense. How about up to 192K bytes of RAM in an Atari 800, with all but the first 48K being bank selected in 4K hunks that reside at \$C000 through \$CFFF. That gives you 36 little 4K byte banks, so just imagine the graphics switching you might do (in modes 7 and below only, though)! It's not cheap, but it certainly seems like a solution looking for a problem.

Predictions Revisited

I was right on two counts! First, I said the 1200 was overpriced. But look at the prices now. I am seriously considering buying one. Or I *was*. Because I just heard that Atari is *dropping* the 1200! Welcome, welcome, Atari 600, 1400, and 1450, which were introduced at the Summer Consumer Electronics Show. All will have expansion capability like nothing Atari has built before. So watch out world: here come the add-ons. [For more on the new Atari products at CES, see Tom Halfhill's article "The Fall Computer Collection At The Summer Consumer Electronics Show" elsewhere in this issue.]

Since, by the time you read this, the announcements will have been made, you will be able to see how good my rumor sources and crystal ¹⁴⁸ COMPUTE: August 1983 ball gazers are. Me? I'm sitting on the edge of my chair for another week or two.

One more thing before we get to the meat of this month's column. It would appear that I fooled more than a few people with my April column. If you were fooled, I apologize. But not much. After all, April Fool articles in computer magazines are a tradition that goes back to the first days of Datamation (a magazine sent free to anyone who owns a computer worth more than a quarter million dollars, heavily loaded with IBM mainframe articles, but it wasn't always so). Be assured that if you were fooled you were in good company: I showed the article to a COBOL programmer with ten years experience, and she didn't get it either. (To be fair to me, though, didn't you notice the title of the column that month, "Outasight: Atari"?)

Well, enough chitchat. Shall we tackle BAIT one more time? I am not sorry to see this series end, but looking at the finished product I can honestly say that those who understand it (and know at least a smattering of machine language) should be able to tackle **COMPUTEI**'s *Atari BASIC Sourcebook*, wherein we detail the workings of a *real* interpreter.

BAIT, Part 4

This month we present the listing of BAIT in its entirety. It is not a small listing, and there is no room in a single column to recap all the details of its creation and function. So, you really need Parts 1 through 3 (which appeared in March, May, and June) if you want the full design principles.

As a very brief summary, though, let's mention the following:

1. BAIT is a very simple pseudo-BASIC interpreter which has been written in Atari BASIC.

2. BAIT accepts only single-letter statement names (as shown in the table) and single-letter variable names (A through Z).

3. BAIT allows BASIC-style screen editing, line numbering, etc., with the restriction that line numbers must be from 1 to 99.

4. There is no precedence of operators, parentheses, functions, or any other amenities. This is a *primitive* language.

Does it work? Yes. Is it useful? Only as a learning tool. Could it be made useful? If we wrote a compiler for the same language, maybe. ONLY ATARI® GIVES YOU COMPUTERS THAT DO SO MUCH, AND THE "HELP LINE" SO YOU CAN DO MORE.

1-800-538-8543

Our Help Line could be the most useful innovation ever in home computers: it's someone to talk to.

Someone to help you diagnose problems when things don't seem to work right.

Someone to help you debug the programs that you're writing yourself. Someone who <u>knows</u> the answers to your questions about what ATARI[®] Home Computers can do, and how to do it.

Call the ATARI Help Line toll-free: 1-800-538-8543.* And find out how helpful

ATARI SERVICESM can be, even when nothing is wrong.



WE ANSWER YOUR CALL FOR HELP

*California: 1-800-672-1404

C 1983 Atari, Inc. All Rights Reserved. C A Warner Communications Company.

New Goodies

This month, I have finally implemented the rest of the statements listed in the table. In particular, we now have Accept, Call, Fetch, New, Return, and Store available to us.

New and Return function exactly like their BASIC counterparts of the same names. Accept, Call, and Store are simply different names for BASIC's INPUT, GOSUB, and POKE, respectively. They had to be named as they are to implement the single-letter statement names.

Fetch, then, is the only strange statement. It owes its existence to the fact that BAIT doesn't allow functions. Generally, Fetch is equivalent to PEEK, but its format is that of POKE (and, naturally, Store). It does, however, require a variable to store its Fetched value in (much like GET in Atari BASIC).

The statements are fairly straightforward, and we shall see more of them a little later on. For now, though, let's analyze the additions and changes made to BAIT this month on a line-by-line basis. The lines discussed below are those which have changed or been added since the June column. If you have typed in BAIT as we have proceeded through parts 1, 2, and 3, you may enter just those lines.

•Line 1130. This is the stack we will use for "remembering" where Calls (GOSUBs) were made from. The size is arbitrary, but I cheated and used a fixed number, so don't change it unless you also change line 10910.

• **1720.** This makes screen editing of BAIT programs very, very much easier. See line 2300.

• 2200. We always reset the Call stack pointer because program editing could invalidate any or all pending Return locations.

• 2300. See line 1720. This is how we eliminate the "?" prompt from the screen when using the INPUT statement. A clever trick: use it in all your programs. It comes to you courtesy of Howard Fishman. Thanks, Howard.

• 2360. Notice that this line (which used to strip off the question mark) is now gone. You won't miss it.

• 1540, 5520, and 5530. The TRAP to BAD-VALUE was added just in case your BAIT program generated an overflow.

• 8310 and 8410. Cosmetic changes only.

• 8500 and 8510. A new error message. It's used for all BAIT numeric data problems.

•10210. A minor change to allow Print (without a following expression) to be followed by a colon statement separator.

• 10530-10550. A fix. Without it, the Goto doesn't occur until the end of the line. Thus 'G 10

• 10810-10860. Finally, some new code! Actually, Accept is fairly simple and closely follows the format of Let. Instead of requiring an expression after an equals sign, though, Accept wants the user to INPUT something from the keyboard. Thanks to the TRAP, only numeric data will be allowed.

• 10910-10960. We process the Call statement. Line 10910 seems unnecessary: who would *want* to go 50 levels deep in a BAIT program? But it works. Notice that all three vital pointers must be saved on the stack. Could it have been done more compactly? Yes, but this way is much simpler. Finally, we allow Goto to do the real work of transferring control to a new line number.

• 11110-11150. Fetch also follows the form of Let, but in reverse. First we get an address (line 11110), then a comma (line 11120), and finally a variable to put the Fetched value into (line 11130). The TRAP of line 11140 insures that the address given was a legal one.

• 11310-11370. Return is the opposite of Call. Again, line 11310 is for safety only; good programmers can't make mistakes like this, right? Lines 11320 to 11350 restore the information saved by Call in lines 10920 to 10950. Finally, since we saved CURLOC before we joined the Goto processing, we must skip over the line number expression to find out if there is a colon (":") waiting for us.

• 11410-11450. Store is almost identical to Fetch. The exception: the item after the comma can be any expression at all; it does not need to be a simple variable. Again, the TRAP in line 11440 insures against illegal addresses and/or data.

Sampling The BAIT

Well, we can presume that you typed all of BAIT in properly, yes? So let's quickly try some BAIT programs, to see what you can do in the language.

Caution: The lowercase letters shown in these listings are there for clarity only! BAIT accepts *only* single-letter commands, so just leave out all lowercase letters. Do *not* convert them to uppercase. For example, the first line of Program 1 should actually be typed in as '1 S 20,0' (and even the spaces may be left out if desired).

Program 1: Tick-Tock

- 1 Store 20,0
- 2 Print "SHOWING HOW SLOW BAIT IS"
- 3 Fetch 20,T
- 4 Print "THAT TOOK "; : Print T; : Print "CLOCK TICKS"
- 5 End
- D B

PROGRAM JTDRE

THE / . Summer Atari Satisfaction



by Jun Wada and Makoto Horai from Broderbund Squadrons of menacing sting rays attack in waves throughout the solar system eluding the firepower of your remotely-fired, trigger-action missiles. Drive these streadking pests deep into the outer wastelands of space. Joystick controlled

12621 48K Disk \$34.95 \$29.71 **Discounted 15%**

til August 10

SHAMUS CASE II

by William Matago from Synapse

Intensive arcade action as the adventures of the most popular private eye continues. The enemy you know too well ... THE SHADOW is back ... and madder than ever. Try new obstacles, new pitfalls and 38 rooms to search!

34883 ROM \$44.95 32993 Disk \$34.95

FLYING ACE From Avalon-Hill Game Co.

Enemy planes are dogtailing your WWI bi-plane! Loop to loop, climb, spin, dive and attack. Destroy enemy trucks carrying ammunition to the front lines in this exciting flight simulation game

lienclein

20642 16K Tape \$25.95 35277 32K Disk \$30.95



Winner of 1983 Arcade Award! Escape the deadly confines of Castle Wolfenstein if you can. The allied soldier must maneuver past cruel Nazi guards and sadistic SS stormtroopers to recover the secret plans and escape. The most interactive game ever!

43647 32K Disk \$29.95

EARLY GAMES

by John Paulson from Early Games Co. Nine, colorful, non-aggressive, interactive games develop basic skills and creativity as they entertain young children 21/2 to 6 years old. Includes numbers, letters, shapes, and names plus a drawing option. No adult assistance needed!

28448 16K Tape \$29.95 30586 24K Disk \$29.95

Over 2500 Programs for TRS-80, **For Information Call**

202-363-9797 Visit our other stores: 829 Bethel Rd., Columbus OH Seven Corners Center, Falls Church, VA W. Bell Plaza, 6600 Security Blvd., Baltimore, MD White Flint Mall, Rockville Pike, Rockville, Md.



CHOPLIF1 From Broderbund

#1 Best Seller!

Can you rescue the hostages captured by the Bungelings? First you'll have to make careful plans for your helicopter rescue mission. But hurry — every minute counts! Who knows what the Bungelings have in mind? Requires joystick.

37718 40K Disk, \$34.95 \$29.71 44042 ROM, \$49.95 \$42.46

SALE 15% OFF **TIL AUGUST 10**

MINER 2049ER

Ry Bill Hoque from Big Five This is the author's first game for the Atarihe's already well known for his bestsellers for the TRS-80 - and we think you'll really enjoy it. There are more than ten screens of colorful mining-related machinery that you'll move around the screens, ducking, dodging and bobbing your way to a high score. Requires joystick

39204 ROM Cartridge (16K) \$49.95



From On-Line by Bob Davis & Ken Williams The setting is ancient Greece, and you are Ulysses. The king has assigned you the task of retrieving the Golden Fleece, kept from men for many years under the protection of the gods. On your journey, you will encounter the song of the Sirens, one-eyed Cyclops: and the famous winged horse, Pegasus. Ulysses is known as the most daring and skilled seaman of all time... it's up to you to prove it! 15646 40K Disk \$39.95

TEXT WIZARD From DataSoft

ULYSSES AND

THE GOLDEN FLEECE

You can learn and use TextWizard in about an hour, write copy, then edit; underline, insert or replace words or paragraphs (in one place or throughout text); print in 1 or 2-column format, get multiple copies, print in boldface, elongated or condensed lettering with proportional spacing. It even warns you about errors before you make them! TEXTWIZARD now has file compatibility with File Manager 800. It's also compatible with: EPSON MX-80 with Graftrax Plus ROMS; NEC 8023-A; Okidata, and Pro-Writer Instruction manual with 3-ring binder. 15253 32K Disk \$79.95

Price reduced!



		1	T
PROGRA	m ,	TOF	K

Franchise openings available in selected cities

Opening soon in Philadelphia

MAIL ORDERS: Send check or M.O. for total purchase price, plus \$2.00 postage & handling. VA .: add sales tax. Charge cards: Include all embossed information.

WSA

© 1983 The Program Store, Inc.

em	Tape/Disk/Book	Price	Postage	\$2.00	Name		
	Contraction of the second		Total		Address		
				U VISA	City	State	Zip
			D MASTER	RCARD	Card #		Exp

PAINT by Capital Children's Museum from Datamos variations with zoom feature, different size "paintbrushes"

and the ability to save your art. Try SimplePaint or Super-Paint for more advanced artists! 32667 Disk \$39.95

5% of sales proceeds are donated to support Capital Children's Museum.

SPELL WIZARD From DataSoft

SPELL WIZARD is a proofreading package, compatible with Atari's word processor and Text Wizard. It has a dictionary of 20,000 words, you can add up to 5,000 more. Insert your letter, term paper or the latest chapter of your novel, and SPELL WIZARD will proofread it for you. Your copy will be perfect.

39282 32K Disk. \$49.95













M

Program 2: Recursion

```
1 Print "GIVE ME AN INTEGER NUMBER";
Accept N
2 Let A = 1 : Call 10
3 Print "THE FACTORIAL OF YOUR NUMBER
IS "; : Print A
4 Print : Print : Goto 1
10 If N<2 : Return
11 Let A = A*N : Let N = N -1
12 Call 10
13 Return
D
B
```

Challenge: Can you modify BAIT so that it will, indeed, ignore the lowercase letters? If so, your BAIT programs could be more readable.

Whew!

And there you have it. BAIT in all its glory. Or is that gory? Some carpers may claim that the only thing it proves is that people will try to write *anything* in BASIC. I like to think it may have provided a way for some of you to understand the mechanics of an interpreter. If it helps turn even one or two people into systems-level programmers, it will have done its job.

But if BAIT didn't interest you, don't worry. There are even a few out there that don't like to program games. (I certainly like to play them. I'm hooked on – oops, can't review software here, sorry.)

Self-relocatable Machine Language, Part 2

Last time we were on this subject, I promised to give a reason why we would want to write selfrelocatable machine language. And sometimes I even keep my promises.

The primary advantage of self-relocatable code is, obviously, that you can load it and run it anywhere in memory. But why would you want to do that? Why not just decide where the code will go and leave it at that? Well, let's try to answer those questions.

First of all, none of what I am about to say pertains to programs which "take over" the system. After all, if you *know* that your code will run in such and such a way because, for example, you only give it out on a heavily protected game disk, then you can obviously place various hunks of machine language exactly where you want them. And they'll stay put.

But a large proportion of my readers are, I believe, attempting to either write machine language programs which interface to BASIC or are attempting to add on to the operating system in some way. In both these instances, self-relocatable code is invaluable.

Why? Because there simply isn't very much room in the Atari memory map that isn't used for something or other. In point of fact, the only clear portion of memory seems to be the infamous "Page Six." But, remember, even Atari BASIC can clobber the lower half of that page. And BASIC A + , Microsoft BASIC, Atari PASCAL, and several other products use portions or all of Page Six. What to do?

Well, if you have been following my articles, you will know that I advocate placing your program at LOMEM, moving LOMEM up to cover your program, and hooking into the system reset chain so that you can preserve your program if the user hits the reset key.

All well and good, but suppose LOMEM moves? And it will and it does. Depending on the number of disk drives and/or files you need to support, LOMEM can be anywhere from \$A20 (with OSS PicoDOS) to \$1D00 (standard Atari DOS) to \$2C00 (OS/A + version 4.1). And, if the RS-232 drivers are to be loaded (for the 850 interface), you can count on LOMEM being even higher still.

What's a poor old machine language programmer supposed to do? Follow my directions, natch. Put your program at LOMEM, no matter where it is. And that's easy to do if your program is self-relocatable.

And, before we get into discussing *how* to write this magic kind of program, I would like to point out one other significant instance where self-relocatable programs are handy. Putting programs at LOMEM and moving LOMEM up is all very well and good if you can do that before BASIC gets control. But once the language is entered, it has already noted the contents of LOMEM and used them for its own initialization purposes. Changing LOMEM will not necessarily force BASIC to move its own internal LOMEM, and you may wind up with a conflict of usage.

But there is a hunk of memory which is properly handled by BASIC as far as we are concerned: strings. Any data, including a machine language program, placed in a dimensioned string is guaranteed to be moved around intact (for example, when a new program line is entered or when a new variable is introduced).

Indeed, there have been many articles published which put a machine language routine or two in a string and then call the routine via USR(ADR(strings\$),...). In fact, I have even seen a few adventuresome souls who have used ADR("some graphics and other characters here"). That is, it is perfectly O.K. to take the address of a literal string, also.

For the rest of this series, I will presume that we are writing programs which are designed to reside in Atari BASIC strings. I think that is sufficient, since there is little, if any, difference in concept between placing programs in strings and placing them at a potentially movable LOMEM.

From Why To How

Let's begin by listing the things you *don't* have to worry about when writing self-relocatable programs. Some of these things were discussed briefly last month; others are new but should be fairly obvious. The following, then, are intrinsically "safe" types of machine language:

 All instructions which involve only one or more registers (e.g., TAX, PHA, INY, etc.).
 All load immediate instructions which do *not* involve the address of a location as the immediate value (e.g., LDA #5, but not LDY #LOCATION/256).

3. All branch instructions (BNE, BCC, etc.).

4. All instructions involving *fixed* operating system or language specific locations, either in ROM or RAM (e.g., STA LEFTMARGIN, JSR CIO).

5. Several miscellaneous instructions which do not reference memory addresses, such as SED, SEI, CLC, NOP, RTS, etc.

What about the intrinsically unsafe instructions? Here is one of them:

Any instruction which references an absolute memory location within your own code (or another block of relocatable code) or which references a fixed RAM location which is not dedicated to the purpose intended.

Now, that's not so bad. There are a lot more safe conditions than unsafe ones, aren't there? And, yet, it takes only one unsafe instruction to clobber you, so let's concentrate on some techniques for avoiding the unsafe conditions.

Safe Relocatable Techniques

1. Change JMPs to branches. Usually, you can do a CLC followed by a BCC to substitute for a JMP. Sometimes, the target of the jump is too far away, though. In that case, add an intermediate branch point, so that the first BCC branches to a second BCC, etc.

2. Save register values on the stack (via TAX, PHA, etc.) rather than in fixed RAM locations. If you need to save a value in between calls from a higher level routine (e.g., the BASIC program), though, you will *have* to find some safe place to put it. Watch out! There are only four safe locations in zero page and only a handful in other parts of memory. More about such safe locations in the next part in this series.

3. If you need to reference bytes in a table, string, or other portion of memory, why not let BASIC handle the addressing for you? For example, consider this BASIC line: TEST = USR(ADR(CODE\$), ADR(TABLE\$)) Presuming that your machine language routine is in CODE\$, it can then reference TABLE\$ as follows:

PLA		; parameter count
PLA		
STA	ZTEMP+1	; high byte of address
PLA		
STA	ZTEMP	; low byte of address
LDY	#0	
LDA	(ZTEMP),Y	; get first byte of the table

That program fragment is certainly intrinsically relocatable (except for the location of ZTEMP, but it needn't be preserved in between calls to the fragment). And BASIC will certainly move TABLE\$ around as it needs, giving you the address when you need it.

4. If you absolutely *have* to use a hunk of nonrelocatable programming, and you don't have space to keep it on a permanent basis, why not temporarily move it from a relocatable location (e.g., TABLE\$ in our example above) to a fixed location (e.g., BASIC's input buffer at \$580 or some such). Then you can use it safely there, without worrying about relocatability. Of course, each time you are called from BASIC you would have to move the routine. But, as slow as BASIC is, you might never notice the extra overhead.

Next time we will continue right here. We will try to develop some even more useful techniques, including one which can only be used with USR calls from BASIC. Stay tuned.

BAIT Statements

A	Accept (variable)	(INPLIT)
B	Begin	(RUN)
C	Call (line-number)	(GOSUB)
D	Display	(LIST)
E	End	(2.0.1)
F	Fetch (address), (variable)	(pseudo-PEEK)
G	Goto (line-number)	(perme r smit)
I	If (expression), (statement)	
L	Let (variable) = (expression)	
N	New	
Р	Print (string-literal)	
	Print (variable)	
	Print	
R	Return	
S	Store (address), (expression)	(POKE)
17		

BAIT

- 1000 REM .. INITIALIZATION..
- 1001 REM
- 1010 MAXLINE=99
- 1020 DIM BUFFER\$(5000),LINE\$(128)
- 1030 DIM LINES (MAXLINE)
- 1040 FOR LP=0 TO MAXLINE:LINES(LP)=0:NEX T LP
- 1050 BUFFER\$="*"
- 1100 DIM C\$(1), VARIABLES(26)
- 1110 FOR ALPHA=0 TO 26:VARIABLES(ALPHA)=
 0:NEXT ALPHA

1120 DIM ERR\$ (40) 1130 DIM STACK(50,2): REM MAX CALLS THUS IS 50 1500 REM LINE NUMBERS OF EXECUTION ROUTI NES 1510 PROMPT=2100:INNEXT=2300 1515 DIRECT=4700:BADLINE=8400 1520 LET GETNC=8100 1530 SYNTAX=8300:ERROR=8200:EXEXP=5000 1540 BADVALUE=8500 1550 DODISPLAY=10100:DOPRINT=10200 1560 DOBEGIN=10400:DOGOTO=10500:DOLET=10 600:DOIF=10700 1570 DOACCEPT=10800:DOCALL=10900:DOEND=1 1000:DOFETCH=11100 1580 DONEW=11200:DORETURN=11300:LET DOST ORE=11400 1700 REM MISCELLANY 1710 UNTRAP=40000 1720 OPEN #5,12,0, "E: ": REM SO THERE IS N 4100 REM READY TO EXECUTE A LINE O ? PROMPT 2000 REM .. INTERACTION ... 2001 REM 2100 PRINT "READY" 2200 STACK=0:REM CLEAN UP 'CALL' STACK 2300 INPUT #5, LINE\$ 2350 IF LEN(LINE\$)=0 THEN GOTO INNEXT <<< DELETED OLD LINE 2360 >>> 2370 LL=LEN(LINE\$) 2500 REM CHECK FOR LINE NUMBER 2510 FOR LP=1 TO LL 2520 IF LINE\$(LP,LP) <= "9" AND LINE\$(LP,L P)>="Ø" THEN NEXT LP 2550 REM LP HAS POSITION OF FIRST NON-NU MERIC CHARACTER 2560 CURLINE=0 2570 IF LP>1 THEN CURLINE=VAL(LINE\$(1,LP -1))2600 REM NOW SKIP LEADING SPACES, IF ANY 2610 IF LP>LL THEN 2700 2620 FOR LP=LP TO LL 2630 IF LINE\$(LP,LP)=" " THEN NEXT LP 2700 REM REMOVE LINE NUMBER AND LEADING SPACES 2710 IF LP>LL THEN LINE\$="":GOTO 3000 2720 LINE\$=LINE\$(LP) 3000 REM .. EDITING.. 3001 REM 3010 REM IF HERE, LINE NUMBER IS IN CURL INE 3020 LL=LEN(LINE\$):REM AND LL IS LENGTH THEREOF 3030 IF CURLINE=0 AND LL=0 THEN GOTO PRO MPT 3040 IF CURLINE <> INT (CURLINE) THEN 3060 3050 IF CURLINE <= MAXLINE THEN 3100 3060 GOTO BADLINE 3100 REM FIRST, DELETE CURLINE IF IT ALR EADY EXISTS 3110 LENGTH=LINES(CURLINE): IF LENGTH=Ø T HEN 3200 312Ø START=INT(LENGTH/1000) 3130 LENGTH=LENGTH-1000*START 314Ø BUFFER\$(START)=BUFFER\$(START+LENGTH 3150 LINES(CURLINE)=0 3160 FOR LP=1 TO MAXLINE: TEMP=LINES(LP) 3170 IF TEMP>=START*1000 THEN LINES(LP)= TEMP-LENGTH*1000 318Ø NEXT LP

3200 REM NOW ADD LINE TO END OF BUFFER 3210 IF LL=0 THEN GOTO INNEXT 322Ø START=LEN(BUFFER\$) 3230 BUFFER\$(START)=LINES\$ 324Ø BUFFER\$(LEN(BUFFER\$)+1)="*" 3250 LINES(CURLINE)=START*1000+LL 3300 REM NOW LINE IS IN BUFFER...WHAT DO WE DO 3310 IF CURLINE THEN GOTO INNEXT 3320 REM NOTE THAT CURLINE=0 AS WE FALL TO LINE 4000 4000 REM .. EXECUTE CONTROL .. 4001 REM 4010 LENGTH=LINES(CURLINE): IF LENGTH=0 T **HEN 4600** 4020 CURLOC=INT (LENGTH/1000): LENGTH=LENG TH-1000*CURLOC 4030 CUREND=CURLOC+LENGTH-1 4040 IF CURLINE=0 THEN CURLINE=-1 4200 REM EXECUTE A SINGLE STATEMENT 4210 GOSUB GETNC: IF NOT ALPHA THEN GOTO SYNTAX 4220 GOSUB 4900 4230 IF PEEK(53279) <>7 THEN GOSUB DOEND 4240 IF C\$=":" THEN 4200 4250 IF C>=0 THEN GOTO SYNTAX 4600 REM COME HERE FOR NEXT LINE 4610 CURLINE=CURLINE+1 4620 IF CURLINE>Ø AND CURLINE<=MAXLINE T **HEN 4000** 4700 REM ===COME HERE ON END OF DIRECT L INE EXECUTE=== 4710 IF LINES(0) THEN BUFFER\$(INT(LINES(Ø)/1000))="*" 4720 LINES(0)=0 4730 GOTO PROMPT 4900 REM THE STATEMENT CALLER 4910 ERR\$="BAD STATEMENT NAME" 4920 ON ALPHA GOTO DOACCEPT, DOBEGIN, DOCA LL, DODISPLAY, DOEND 4930 ON ALPHA-5 GOTO DOFETCH, DOGOTO, ERRO R, DOIF, ERROR, ERROR 4940 ON ALPHA-11 GOTO DOLET, ERROR, DONEW, ERROR, DOPRINT 4950 ON ALPHA-16 GOTO ERROR, DORETURN, DOS TORE 4960 GOTO ERROR 5000 REM .. EXECUTE EXPRESSION .. 5001 REM 5010 EVAL=0:LASTOP=-1 5020 VALID=0 5100 GOSUB GETNC: IF ALPHA THEN 5300 5110 IF C\$>="0" AND C\$<="9" THEN 5400 5120 REM WHICH OPERATOR? 5121 IF C\$="+" THEN OP=1:GOTO 5200 5122 IF C\$="-" THEN OP=2:GOTO 5200 5123 IF C\$="*" THEN OP=3:GOTO 5200 5124 IF C\$="/" THEN OP=4:GOTO 5200 5125 IF C\$=">" THEN OP=5:GOTO 5200 5126 IF C\$="<" THEN OP=6:GOTO 5200 5127 IF C\$="=" THEN OP=7:GOTO 5200 5128 IF C\$="#" THEN OP=8:GOTO 5200 5160 IF VALID THEN RETURN 5170 GOTO 5900 5200 REM GOT AN OPERATOR 5210 IF LASTOP>0 THEN 5170 5220 IF LASTOP<0 AND OP>2 THEN 5170 5230 LASTOP=OP:VALID=0:GOTO 5100 5300 REM GOT A VARIABLE

154 COMPUTE! August 1983

🕻 www.commodore.ca

5310 VAL2=VARIABLES(ALPHA):GOTO 5500 5400 REM GOT A NUMERIC 5410 CURLOC=CURLOC-1: REM BACKUP TO FIRST 10240 GOSUB EXEXP: PRINT EVAL; NUMERIC 5420 FOR LL=CURLOC TO CUREND:C\$=BUFFER\$(LL) 5430 IF (C\$>="0" AND C\$<="9") OR C\$="." 10300 FOR LL=CURLOC TO CUREND:C\$=BUFFER\$ THEN NEXT LL 5440 VAL2=VAL(BUFFER\$(CURLOC,LL-1)) 10310 IF ASC(C\$)<>34 THEN PRINT C\$;:NEXT 5450 CURLOC=LL 5500 REM VAR OR NUMERIC 5510 IF LASTOP=0 OR ABS(LASTOP)>8 THEN 5 900 5520 TRAP BADVALUE: GOSUB 5600+10*ABS (LAS 10410 FOR ALPHA=0 TO 26: VARIABLES (ALPHA) TOP) 5530 TRAP UNTRAP:LASTOP=0:VALID=1:GOTO 5 100 5600 REM EXECUTE OPERATORS 5610 EVAL=EVAL+VAL2:RETURN 5620 EVAL=EVAL-VAL2:RETURN 5630 EVAL=EVAL*VAL2:RETURN 5640 EVAL=EVAL/VAL2:RETURN 5650 EVAL=(EVAL>VAL2):RETURN 5660 EVAL=(EVAL<VAL2):RETURN 5670 EVAL=(EVAL=VAL2):RETURN 5680 EVAL=(EVAL<>VAL2):RETURN 5900 ERR\$="INVALID EXPRESSION":GOTO ERRO 10620 DESTVAR=ALPHA R 8000 .. MISCELLANEOUS SUBROUTINES.. 8001 REM 8100 REM GETNC 8110 IF CURLOC>CUREND THEN C=-1:C\$=CHR\$(10650 RETURN 155):GOTO 8140 8120 C=ASC(BUFFER\$(CURLOC)):C\$=CHR\$(C) 8130 CURLOC=CURLOC+1 8140 IF C=32 THEN GOTO GETNC 8150 ALPHA= $(C_{>}="A" AND C_{<}="Z")*(C-64)$ 10800 REM ===EXECUTE ACCEPT=== 8160 RETURN 8200 REM ERROR ROUTINE 8200 REM ERROR ROUTINESYNTAX8210 PRINT :PRINT "***"; ERR\$; "***";10820 TRAP 10850:INPUT EVAL:TRAP UNTRAP8220 IF CURLINE>0 THEN PRINT " AT LINE "10830 VARIABLES(ALPHA)=EVAL ; CURLINE 8230 PRINT :TRAP 8250 8240 POP :POP :POP :POP :POP :POP : POP 8250 TRAP UNTRAP 8290 GOTO DIRECT

 8300 REM SYNTAX ERROR
 LLS":GOTO ERROR

 8310 ERR\$="SYNTAX ERROR":GOTO ERROR
 10920 STACK(STACK,0)=CURLOC

 8400 REM BAD LINE NUMBER 8410 ERR\$="BAD LINE NUMBER":GOTO ERROR 8500 REM VALUE OUT OF RANGE ERROR 8510 ERR\$="BAD VALUE":GOTO ERROR10960 GOTO DOGOTO100000 REM ..EXECUTE THE VARIOUS STATEMEN11000 REM ===EXECUTE END=== TS... 10001 REM 10100 REM ==EXECUTE DISPLAY== 10110 FOR LP=1 TO MAXLINE 10120 LENGTH=LINES(LP): IF LENGTH=0 THE 1 11110 GOSUB EXEXP 0150 10130 START=INT(LENGTH/1000):LENGTH=LENG 11130 GOSUB GETNC:IF{2 SPACES}NOT ALPHA TH-1000*START 10140 PRINT LP; " "; BUFFER\$ (START, START+L 11140 TRAP BADVALUE: VARIABLES (ALPHA)=PEE ENGTH-1) 10150 NEXT LP 10190 GOTO GETNC 10200 REM ==EXECUTE PRINT== 10210 GOSUB GETNC: IF C<0 OR C\$=":" THEN PRINT : RETURN

10220 IF C=34 THEN 10300 10230 CURLOC=CURLOC-1 10250 IF C\$=";" THEN GOTO GETNC 10260 IF C\$="," THEN PRINT ,:GOTO GETNC 10270 PRINT :RETURN (LL) LL:PRINT :RETURN 10320 CURLOC=LL+1:GOSUB GETNC 10330 GOTO 10250 10400 REM ===EXECUTE BEGIN=== =Ø:NEXT ALPHA 10420 CURLINE=0:C=-1:RETURN 10500 REM ===EXECUTE GOTO=== 10510 GOSUB EXEXP 10520 IF LINES(EVAL)=0 THEN ERRS="NO SUC H LINE":GOTO 8200 10530 CURLINE=EVAL-1 10540 C=-1:C\$="" 10550 RETURN 10600 REM ===EXECUTE LET=== 10610 GOSUB GETNC: IF NOT ALPHA THEN GOTO SYNTAX 10630 GOSUB GETNC: IF C\$ <> "=" THEN GOTO S YNTAX 10640 GOSUB EXEXP:VARIABLES(DESTVAR)=EVA L 10700 REM ===EXECUTE IF=== 10710 GOSUB EXEXP 10720 IF NOT EVAL THEN C=-1:C\$="" 10730 RETURN 10810 GOSUB GETNC: IF NOT ALPHA THEN GOTO SYNTAX 10840 GOTO GETNC 10850 PRINT "??? MUST INPUT A NUMBER, RE PEAT " 10860 GOTO 10820 10900 REM ===EXECUTE CALL=== 10910 IF STACK=50 THEN ERR\$="TOO MANY CA 10930 STACK(STACK,1)=CUREND 10940 STACK(STACK,2)A=CURLINE 10950 STACK=STACK+1 11010 PRINT"===END AT LINE ";CURLINE;"== =" 11020 C=-1:CURLINE=C:C\$="" 11030 RETURN 11100 REM ===EXECUTE FETCH=== 11120 IF C\$<>"," THEN GOTO SYNTAX THEN GOTO SYNTAX K(EVAL) 11150 TRAP UNTRAP:GOTO GETNC 11200 REM ===EXECUTE NEW=== 1121Ø RUN 11300 REM ===EXECUTE RETURN===

11310 IF STACK=0 THEN ERR\$="NO MATCHING August 1983 COMPUTE: 155

diskwiz 🖗
COMPLETE & AFFORDABLE SK EDITING REPAIR & DUPLICATION TEM FOR ATARI OR PERCOM DRIVES e load • fast mach. lang. • repair, explore, dup n-dos sectors • simultaneous hex/ascii display and • print out all modes to any printer • dumps special se chars to EPSON graftax & NEC 8023 • fast map- d byte searches • file link trace • speedcheck and ad- block move • auto link pointer, file code change •



Converting VIC And 64 Programs To PET

Jim Butterfield, Associate Editor

This handy, short program will automatically fix VIC or 64 programs so they will run correctly on the PET/CBM.

BASIC programs move freely from PET, VIC, or Commodore 64 to the VIC or 64. But they don't flow easily to the PET from the other machines.

If you have a disk, this "Program Converter" will convert your BASIC programs easily and quickly. It will run on PET, VIC, or Commodore 64. The programs must be free from special PEEKs and POKEs, of course; but regular BASIC will work fine on any machine. Program Converter just helps you load it to the PET.

Programs which have been converted will load to any machine: PET, VIC (any memory configuration), and Commodore 64. Before conversion, the PET wasn't in the list; the other machines were capable of adjusting to "foreign" programs.

Type in Program Converter and run. It will ask you for the name of the program you wish to convert (say, a BASIC program written on the 64). Enter the name, and it will then ask you for the new name you wish to give to the converted program. Supply the name, and the job's under way.

If you have a dual drive, the new program will always be written to drive zero. After you have converted the program, the new version will still load without problems to the VIC or 64, but will also load to a standard PET.

The Program

- 100 PRINT "VIC/64 TO PET"
- 110 PRINT "PROGRAM CONVERTER"
- 120 PRINT
- 130 X=150:POKE X,127
- 140 IF ST<>127 THEN X=144
- 150 DATA 162,1,32,198,255,32,228,255,166 ,150,8,72,32,204,255
- 16Ø DATA 162,2,32,201,255,104,32,210,255 ,32,204,255,40,240,226,96

- 170 FOR J=828 TO 858 :READ A:POKE J,A:T=T +A:NEXT J
- 180 POKE 837, X: IF T<>4396 THEN STOP
- 200 CLOSE1:CLOSE2:CLOSE15
- 210 OPEN 15,8,15
- 220 INPUT "BASIC PROGRAM"; B\$
- 230 OPEN 1,8,3,B\$+",P,R"
- 24Ø INPUT #15,E,E\$,E1,E2 25Ø IF E THEN PRINT E\$:GOTO 200
- 260 GET #1,A\$,B\$
- 270 IF A\$<>CHR\$(1) THEN PRINT "OOPS!":GO TO 200
- 280 INPUT "NEW NAME";N\$
- 290 OPEN 2,8,4,"0:"+N\$+",P,W"
- 300 INPUT #15,E,E\$,E1,E2
- 310 IF E THEN PRINT E\$:GOTO200
- 32Ø PRINT #2,A\$;CHR\$(4);
- 33Ø SYS 828
- 34Ø CLOSE2:CLOSE1:CLOSE15
- 350 PRINT"DONE."

The Machine Language

It may be instructive to examine the simple machine language program which does the job. Machine language isn't vital, of course; it just speeds things up. Let's look at it. At the time this part of the program runs, the files have been opened.

Get a character from the input:

(connect the input) 033C A2 01 LDX #\$01 033E 20 C6 FF JSR \$FFC6 (get the character) 0341 20 E4 FF JSR \$FFE4 (get ST and stack it away) (on VIC/64, STATUS is hex 90) 0344 A6 96 LDX STATUS PHP 0346 08 (stack the input character) 0347 48 PHA (disconnect the input) \$FFCC 0348 20 CC FF JSR (connect the output) 034B A2 02 LDX #\$02 034D 20 C9 FF JSR \$FFC9 (get character and send) 0350 68 PLA 0351 20 D2 FF JSR \$FFD2 (disconnect the output) 0354 20 CC FF JSR \$FFCC (recall ST from stack) 0357 28 PLP 0358 F0 E2 BEQ REPEAT (quit if ST non-zero) 035A 60 RTS

If you type Program Converter into a VIC or 64, you might like to have it convert itself. That way, you'll have a universal program converter, one that will work on the PET. By the way, the machine language won't get in the way, since it's POKEd into place by the BASIC program.

Copyright © 1983 Jim Butterfield.

How To Create A Data Filing System

Part II. Planning The Output

Jim Fowler

Part I of this article covered the goals to keep in mind and the kinds of disk files that could be used in a data filing system. From painful experience, I can tell you that the most important planning begins with the output functions of a program. This will determine the best way to file the data. That will, in turn, define the nature of the input functions. There are two aspects to the problem: how to encode the data and how to search the file. Again, it's best to work backwards. Let's look at searching first.

Searching Takes Time

Let's say you want to search your file. You have data that you want to match up with data in the file – maybe an author's name – and you want the titles of the books by that author. The author's name will be used as the *key*, and you want to retrieve all the records having an author's name identical to the key.

First, you have arranged the data within the records so the program can find the author's name. Maybe it is the first 16 bytes in the record. You can read that from the disk and compare it to the key. If they match, you have a *hit*, otherwise you have a *miss*. Maybe you want all the hits to be printed or displayed on the screen. Maybe you want both, or, as I arranged to do in one of my programs, you can preview a hit on the screen and opt to have it printed for later use.

However, there is a serious problem here. It may take only a second or two to get the author's name from the disk, and the comparison with the key runs quite fast. But if you have a thousand records to search through at one second each, it's going to take about 20 minutes to go through the file – and that's not allowing any time for the printer to print or the user to preview records on the screen. You could flip through a lot of cards in a card file in 20 minutes. How can you get around this?

Creating An Index File

The answer is an *index file*; see Figure 1. You keep a separate file of authors' names, probably in the same order as the records on the disk. Because this file sits in RAM, searching is much faster. Furthermore, you may be able to make the program search while contemplating the last hit on the screen, or while the printer is printing. Then, the only delay is in retrieving the first hit. After that, the search appears instantaneous. Index files are almost a necessity if you have many records and want to retrieve them in anything other than top-to-bottom order. Even a mailing list ought to be retrievable in alphabetical order or by zip code, for example.

This brings up another problem: the index file (or files) will have to be recorded on the disk, too. The longer the file, the longer it will take to save it when you are through entering data – and the more space you will need in RAM. So give thought to keeping index files as short as you can and as easy to save as possible. This means using index words (entries into the index file) which are both short and packed with information. Look at your data with this in mind.

I found that last names can usually be reduced to the first eight letters. The number of false hits is quite tolerable, especially if you plan to preview the hits for other reasons. Now and then you will look for WADSWORTH and get WADSWOR-THENSON, but that has to be traded off against using a nine-letter index word which makes a thousand-record index a thousand bytes longer. You will have to compromise somewhere.

🕻 www.commodore.ca

COM-STAR F/T

Tractor Friction Printer

only \$259



COM-STAR F/T

Lowest price quality tractor friction printer in the U.S.A. • Fast 80 characters per second
40, 46, 66, 80, 96, or 132 characters per line spacing • Prints labels, letters, graphs, and tables
List your programs • Print out data from modem services

Deluxe COMSTAR F/T PRINTER — \$259.00

The Comstar is an excellent addition to any micro-computer system. (Interfaces are available for Apple, VIC-20, Commodore-64, Pet, Atari 400 and 800, and Hewlett Packard). At only \$259 the Comstar gives you print quality and features found only on printers costing twice as much. Compare these features.

 BI-DIRECTIONAL PRINTING with a LOGIC SEEKING CARRIAGE CONTROL for higher through-put in actual text printing. 80 characters per second.

 PRINTING VERSATILITY: standard 96 ASCII character set plus block graphics and international scripts. An EPROM character generator includes up to 224 characters.

 INTERFACE FLEXIBILITY: Centronics is standard. Options include EIA RS232C, 20mA Current Loop. (Add \$20.00 for RS232)

LONG LIFE PRINT HEAD: 100 million character life expectancy.

• THREE SELECTABLE CHARACTER PITCHES: • 10, 12 or 16.5 characters per inch. 132 columns maximum. Double-width font also is standard for each character pitch.

• THREE SELECTABLE LINE SPACINGS: 6, 8 or 12 lines per inch.

 PROGRAMMABLE LINE FEED: programmable length from 1/144 to 255/144 inches.

COMSTAR F/T

• VERTICAL FORMAT CONTROL: programmable form length up to 127 lines, useful for short or over-sized preprinted forms.

 FRICTION AND TRACTOR FEED: will accept single sheet paper.

- 224 TOTAL CHARACTERS
- USES STANDARD SIZE PAPER

if you want more try ____

Premium Quality COMSTAR F/T SUPER-10" PRINTER — \$299.00 More Features Than MX-80

For \$299 you get all of the features of the Comstar plus 10" carriage 120 cps, 9x9 dot matrix with double strike capability for 18 x 18 dotmatrix. High resolution bit image (120 x 144 dot matrix), underlining, backspacing, 2.3K buffer, left and right margin settings, true lower descenders, with super and subscripts, and prints standard, Italic, Block Graphics, special characters, plus 2K of user definable characters. For the ultimate in price performance the Comstart F/T Super 10" leads the pack!

80 COLUMN PRINTER \$189

Super silent operation, 60 CPS, prints Hiresolution graphics and block graphics, expanded character set, exceptionally clear characters, fantastic print quality, uses inexpensive thermal roll paper!

Double Immediate Replacement Warranty

We have doubled the normal 90 day warranty to 180 days. Therefore if your printer fails within "180 days" from the date of purchase you simply send your printer to us via United Parcel Service, prepaid. We will IMMEDIATELY send you a replacement printer at no charge via United Parcel Service, prepaid. This warranty, once again, proves that WE LOVE OUR CUSTOMERS!

15 DAY FREE TRIAL

OTHER OPTIONS

Extra Ribbons														\$	5,95
Roll Paper Holder														. :	32.95
Roll Paper															4.95
5000 Labels															19.95
1100 Sheets Fan F	ol	d	F	8	F	•	F								13.95

Add \$20.00 shipping, handling and insurance. Illinois residents please add 6% tax. Add \$40.00 for CANADA, PUERTO RICO, HAWAII, ALASKA orders. WE DO NOT EXPORT TO OTHER COUNTRIES. Enclose cashiers check, money order or personal check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail available!! Canada orders must be in U.S. dollars.



BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefshijk 1mn opgrstuvwxyz 1234567890 ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefshijk1mnopgrstuvwxyz1234567890

SUPER-10"

ABCDEFGHIJKLMNOPGRSTUVWXYZ 12345678 AWW.commodore.ca

Two Kinds Of Search

Another consideration is that there are two fundamentally different kinds of search. One is a match: like the author's name, it's an identity match. The other is a *topic* match. An example of this is looking for books on certain subjects. In this second case, the subjects are "contained in" the record, but the book might also include subjects you haven't asked for and don't care about. The match isn't an identity; let's call it a "contained-in" match. How you implement this depends on how you encode the information on subjects.

I recommend that you use a bitmap type of code as illustrated in Figure 2. Program 1 gives a sample "identity search" in both BASIC and machine language. Program 2 does the same for the "contained-in" search.

There are a few techniques you need to use. First, you set up a general buffer to use in inputting keys and index words. The same routine used for generating an index word (say, from an author's last name) can be used to put the comparable index word into this buffer. Carefully consider how you encode the data in light of your retrieval problems. A few hours at this stage can make a tremendous difference in the result.

If your key for an identity search is not as long as the index words compared with it, fill the rest of the space with nulls. In the search routine (as shown in the programs) the program returns as soon as it hits a null. That way you can input "SMITH" and find all the Smiths or even just "S" and get all the authors whose names start with S.

If you want to retrieve records by a combination of these search methods, you can do it by using them in sequence. For example, do an identity search first. Then, when you have a hit, check for the second kind, the contained-in search. If the record passes both tests, you have a full hit. This allows you to set up keys that are a mixture of "must-have" and "don't-care" data.

Record Formatting

Now it is time to decide how your records are to be set up. If you are using relative records (each record the same length – like pigeonholes), you have the same arrangement problem within a record as you had deciding the type of record to use.

Your record can be divided up into "fields." Each record will have the same size fields. One field will be the author's name, another the year of publication (four bytes can encode a four-digit year, or you can subtract 1792 from the year and encode all the years from 1792 to 2047 with only one byte). Each field will have to be big enough to hold the largest string of data you will ever want

160 COMPUTE! August 1983

to store there. Book titles in my file take 80 bytes, and even then I have to condense the longer titles.

Take your time deciding your record format. Since you will be reading a record from the disk only to display it (not for searching purposes), it is best to have the data in a few long strings rather than in shorter chunks. Author and year could be one ASCII string – then the input from the disk and the display on the screen (or printer) is easy to program. Numeric data can be either floating point or integer.

Working with output is the next step, and we'll cover that in the next issue.

Figure 1: Index files contain parts of records for rapid searching.

Smiths	on, Jos.	Computers	1979
(auth	nor)	(title)	(year)
Index F	iles		
	Authors		Subjects
(x -1)	JONES, F.	(x -1)	01011100
(x)	SMITHSON	(x)	10000000
(x+1)	DOE, JOHN	(x+1)	01101110

Figure 2: Subjects or other yes-no data can be coded by individual bits.



Program 1: Identity Search In BASIC And Machine Language

Start with SYS (or JSR) to "BEGIN"; routine will return with number of record hit in register. If that

PROSPORTS STATS "THE EDGE..."

LET YOUR HOME COMPUTER HELP YOU PICK SUNDAY'S WINNERS ON SATURDAY.

AVAILABLE NOW THROUGH MODERN COMPUTER TECHNOLOGY COMPLETE PROFESSIONAL FOOTBALL RECORDS FROM 1970 — RIGHT UP TO THE MINUTE

All of the history, information and data needed to help you pick winners against the spread available at your fingertips.

EASY TO USE!

Available for Apple, I.B.M. P.C., Radio Shack, Commodore 64 and other micro computers. Comes with Data Base, operating program and instruction manual.

AUTOMATICALLY UPDATED EACH WEEK!

Data Base Includes:

- -Every win/loss record since 1970
- -Every team's record against the spread
- -History of points scored and points against for over/ under
- -History of every coach
- -Artificial or natural turf
- -Includes USFL
- -Automatically updated each week computer to

computer



ANSWER QUESTIONS LIKE THESE

IN SECONDS

YOU SIMPLY WON'T BELIEVE THE QUANTITY OF IMPORTANT DATA AVAILABLE AT YOUR FINGERTIPS HELPS YOU SELECT WINNERS

YOU SELECT THE TEAMS, CRITERIA, AND THE TIME FRAME

FULL GUARANTEE

Run this program on your computer for seven days and if not completely satisfied, return it for a full refund.

	ND SAVE	
Order before September 15, 1983 and pay only \$285. Regular price \$ for one season (Regular \$25). 40% discount on baseball, hocke	\$495. Weekly computer update only \$15 per month ey or basketball programs you may purchase.	
Bush me my Data Reso Program and Operating Manual for Pro	Name	
Football Stats. If I order before September 15, I pay only \$285	Street	
and will pay only \$15 per month for a weekly update for one	City State Zip _	
Programs.	Telephone	
Enclosed is my check for \$25. Send me a Demo disk and instruction manual. My \$25 will be applied toward the purchase price should I decide to buy Pro Football Stats.	Make check payable to: Eastern Computer Consulting Associates, Inc., 11 Dick Drive, Worcester, MA 01609	
I'm not convinced, send me more information.	(617) 757-3131 Ext. 101	CMA

number is zero, then no more hits. After a hit, continue search with SYS (or ISR) to "DECPT."

"BEGIN" Put KEY into BUFFER. Set POINTER from NEXT EMPTY RECORD No. "DECPT" Decrement POINTER by one. If zero, then

(in BASIC)

RETURN.

- 10 AD=POINTER*LEN+OFFSET $2\emptyset$ FOR $I=\emptyset$ TO LEN-1 30 X=PEEK(BUFFER+I) 40 IF X=0 THENRETURN 50 IF PEEK(AD+I) <>X GOTO"DECPT" 60 NEXTI:RETURN (in machine language) **Put POINTER*LEN in REGISTER** Add OFFSET to REGISTER
 - LDY #0
- "CONT"LDA (REGISTER),Y BEQ "END" CMP (BUFFER),Y BNE "DECPT" INY CPY #LEN BCC "CONT"

"END"RTS

Note: LEN = index word length OFFSET = address of zero'th index word

Program 2:

Contained-in Search In BASIC And Machine Language

The operation is similar to routine in Program 1.

- "BEGIN" Put KEY into BUFFER. Set POINTER from NEXT EMPTY RECORD No.
- "DECPT" Decrement POINTER by one. If zero, then RETURN.

(in BASIC)

- 10 AD=POINTER*LEN+OFFSET
- $2\emptyset$ FOR I= \emptyset TO LEN-1
- 3Ø X=PEEK(BUFFER+I)
- 40 IF(PEEK(AD+I)ANDX) <> X THEN RETURN
- 50 NEXTI:RETURN

(in machine language)

Put POINTER*LEN in REGISTER Add OFFSET to REGISTER

LDY #0 "CONT"LDA (POINTER),Y EOR #SFF EOR (BUFFER),Y INY CPY #LEN BCC "CONT" RTS

Note: LEN is index word length OFFSET is address of zero'th index word.



VIC and 64 users

Would you like to be able to access any of these peripherals from your computer?

- ¹/₃ megabyte disks (Commodore 4040 drive)
- 1 megabyte disks (Commodore 8050 drive)
- 0 10 megabyte disks (Commodore 9090 hard disk
- Printers including a wide range of inexpensive IEEE and RS232 matrix and quality printers
- IEEE instruments such as volt meters, plotters etc.

Now you are no longer limited by the VIC or the 64's serial bus. Simply by attaching INTERPOD you can vastly increase the power of your VIC 20 and when used with the new 64, INTERPOD turns the computer into a really powerful system.

With INTERPOD the VIC and 64 become capable of running really professional quality software such as Word-processing, Accounting, Instrument control and many more.

INTERPOD will work with any software. No extra commands are required and INTERPOD does not affect your computer in any way.

> Using INTERPOD is as easy as this:

Simply plug INTERPOD into the serial port of your computer, power-up and you are ready to communicate with any number of parallel and serial IEEE devices and any RS232 printer.

SJB DISTRIBUTORS INC. 10520 Plano Road, Suite 110, Dallas, Texas 75238 Tel. 214 343 1328 LIMBIC SYSTEMS INC. 1056 Elwell Court, Palo Alto, CA 94303 Tel. 415 964 8788

Neat Numbers On The VIC

Daniel E. Dick

These subroutines will print numbers and display calculations on a TV or a printer in easily read columns. There are several solutions here to common formatting problems.

I use a VIC-20 and VIC-1515 printer in designing programs for my work in energy studies. I find that the familiar TAB and the CHR\$(16) functions leave something to be desired when you are sending numbers to a monitor or printer. Both TAB and CHR\$ left justify columns of numbers. The VIC-20 also does not include a PRINT USING statement for right justifying columns of numbers or for placing commas between numerical units in the thousands.

As you can see from these examples: 99999 is more easily read as 99,999 12345678 is more easily read as 12,345,678

And a column of numbers is more easily read (and checked for addition) if it is right justified as well. The column of numbers to the right is easier to read and total:

50.65	50.65	
1.10	1.10	
250.40	250.40	
2500.00	2500.00	

Program 1 is a short and simple program to right justify and display real numbers on the screen.

Input	Output
.01	.01
.1	1
1	and the second of the second s
1.2	1.2
1.21	1.21
11	11
11.2	11.2
11.21	11.21
111	111
111.21	111.21

Program 2 right justifies and prints integers up to 999999999 (999,999,999) – VIC's limit of standard notation.

INPUT	OUTPUT
9	9
99	99
999	999
9999	9,999
99999	99,999
999999	999,999
9999999	9,999,999
99999999	99,999,999
999999999	999,999,999

Program 3 right justifies and prints real numbers up to 99999999.99 (9,999,999.99) which is the limit of standard notation in the VIC-20.

INPUT	OUTPUT
.09	.09
.9	.90
9	9.00
9.99	9.99
99	99.00
99.99	99.99
999	999.00
9999	9,999.00
99999.5	99,999.50
999999	999,999.00
9999999	9,999,999.00

Program 4 displays and prints specific data and calculated results in a tabular form that is legible and understandable. Programs 2 and 3 have been integrated into the main program in lines 5000-5050 and 5100-5180.

Lines 10000-10050 are a helpful subroutine for renumbering lines (published in **COMPUTE!**, April 1982).

Your Energy Consumption For Space Heat During Year Chosen:

FUEL COST	UNIT COST	FUEL	UNIT	NO. UNITS
1 397 00	1.27	OIL	GALS	1,100.00
942 50	.65	NATURALGAS	CCF	1,450.00
1 111 05	.09	ELECTRICITY	KWH	12,345.00
522 50	95.00	WOOD	CORDS	5.50
788.50	166.00	COAL	TONS	4.75
ALCOST \$ 4,761.55	тот			
BTU'S CONSUMED	BTU/UNIT	FUEL	UNIT	NO. UNITS
154,000,000	140,000	OIL	GALS	1,100.00
145,000,000	100,000	NATURALGAS	CCF	1,450.00
42,145,830	3,414	ELECTRICITY	KWH	12,345.00
110,000,000	20,000,000	WOOD	CORDS	5.50
95,000,000	20,000,000	COAL	TONS	4.75
546 145 830	TOTAL			

Program 5 brings us back full circle to Program 1, with line 15 transferring control to the printer.

OUTPUT	
.01	
.1	
1	
10	
100	
1000	

Program 1:

Right-Justified Real Numbers Displayed On Screen

- 10 REM..RIGHT JUSTIFY TO SCREEN
- 20 INPUT"A NUMBER"; N
- 30 IF N=>1 THEN PRINT TAB(15-LEN(STR\$(IN T(N))))N
- 40 IF N<1 THEN PRINT TAB(14)N
- 50 GOTO 20
- 6Ø END

Program 2:

Right-Justified Integers Up To 999999999

- 10 REM..RIGHT JUSTIFY2
- 20 OPEN1,4
- 25 PRINT#1, CHR\$(16) "Ø7INPUT"; CHR\$(16) "46 OUTPUT"
- 27 PRINT#1, CHR\$(16) "Ø7E5 T]"; CHR\$(16)" 4686 T3":PRINT#1
- 30 INPUT"A NUMBER"; N
- 40 IF N<1 THEN PRINT TAB(14)N
- 50 BL\$="{11 SPACES}" 60 GOSUB 900
- 7Ø PRINT#1, CHR\$(16) "Ø6"N; CHR\$(16) "40"S\$
- 8Ø GOTO 3Ø

```
90 CLOSE1,4
```

900 N=INT(N):S\$=STR\$(N)

```
910 L=LEN(S$):S$=MID$(S$,1,L)
```

```
920 S$=RIGHT$(BL$,10-L)+S$
930 IF N<=999 THEN S$=LEFT$(S$,7)+"
```

- {2 SPACES}"+RIGHT\$(S\$,3)
- 940 IF N>999 AND N<=999999 THEN S\$=" "+L 50 GOTO 290

EFT\$(S\$,7)+","+RIGHT\$(S\$,3)

- 950 IF N>999999 THEN S\$=LEFT\$(S\$,4)+","+
 - MID\$(S\$,5,3)+","+RIGHT\$(S\$,3)
- 97Ø RETURN

Program 3: Right-Justified Real Numbers up to 9999999.99

- 10 REM. . RIGHT JUSTIFY3
- 20 OPEN1,4
- 25 PRINT#1, CHR\$(16) "Ø7INPUT"; CHR\$(16) "46 OUTPUT"
- 27 PRINT#1, CHR\$(16) "Ø7E5 T]"; CHR\$(16)" 4686 T]":PRINT#1
- 30 INPUT"A NUMBER"; N
- 32 DEF FNR(N)=(INT(100*N+0.5))/100
- 34 N=FNR(N)
- 40 W=N*100
- 50 BL\$="{13 SPACES}"
- 6Ø GOSUB 9ØØ
- 7Ø PRINT#1, CHR\$(16) "Ø6"N; CHR\$(16) "37"S\$
- 8Ø GOTO 3Ø
- 90 CLOSE1,4
- 900 S\$=STR\$(W)
- 910 L=LEN(S\$):S\$=MID\$(S\$,1,L)
- 913 IF L=2 THEN S\$=MID\$(BL\$,1,12)+".Ø"+R IGHT\$(S\$,1):RETURN
- 915 D\$="."+RIGHT\$(S\$,2)
- 917 S\$=LEFT\$(S\$,L-2)+D\$
- 920 S\$=RIGHT\$(BL\$,12-L)+S\$
- 930 IF N<=999.99 THEN S\$=LEFT\$(S\$,7)+" {2 SPACES}"+RIGHT\$(S\$,6)
- 940 IF N>999.99 AND N<=9999999.99 THEN S\$ =" "+LEFT\$(S\$,7)+","+RIGHT\$(S\$,6)
- 950 IF N>999999.99 THEN S\$=LEFT\$(S\$,4)+"
- ,"+MID\$(S\$,5,3)+","+RIGHT\$(S\$,6) 97Ø RETURN

Program 4:

Numerical Data Displayed And Printed In **Tabular Format**

20 REM. . ENERGY ANALYSISI

```
30 OPEN1,4
```

4Ø PRINT#1:PRINT#1

🕻 www.commodore.ca

164 COMPUTE! August 1983

Standard VIC 20

no additional memory needed

(CG008) Alien Panic \$12.95

Race against time as your guy digs holes to trap aliens in 4 floor laddered, brick construction site. Requires joystick.

(CG096) Antimatter Splatter \$24.95

This game is as good as its name. Another pure machine code game, this one is fast! The alien at the top of the screen is making a strong effort to rid the world of humankind by dropping antimatter on them. The splatter cannon and you are our only hope as more and more antimatter falls. Joystick again is optional equipment.

(CG026) Collide \$12.95

"Vic" controls one, you the other as cars go opposite directions on 4 lane track. Requires joystick.

(CG094) Exterminator \$24.95

Recently scoring a rating of 10 out of a possible 10 this game was praised as "one of the best I've seen on any computer" by a prominent reviewer in a leading magazine. The idea is to shoot a centipede before it overuns you, the problem being every time you hit it, it divides into two separate shorter ones. Several other little creatures bounce around during this struggle. All of them lethal. 100% machine language makes the rapid fire action very smooth. A joystick is optional, but as always, recommended, (a trac ball is also very nice!).

(CG054) Krazy Kong \$12.95

Three screens, a gorilla, barrels, and changing difficulty levels help to make this one of our most popular. Joystick optional.

(CG098) Racefun \$19.95

Extensive use of multicolored character capabilities of the "Vic" make this one very appealing to the eye. Fast all machine language action, quick response to the stick or keyboard controlled throttle, combine with the challenge of driving in ever faster traffic to make it appeal to the rest of the body. Joystick controlling is an option.

(CG058) Rescue From Nufon \$12.95

Must find 30 hostages in this 100 room, 5 story, alien infested, graphic adventure game. A continual big seller. Keyboard only (n. = north w = west etc.)

(CG068) The Catch . . . \$12.95

Another all machine language game based on the principle that one person with one joystick guiding one catch/shield can catch everything that one alien can throw at one. The action comes slowly at first but by the fourth wave you'll be aware of ... "The Catch"...

Expanded Memory Vic 20 Games

(CG090) Defender On Tri \$19.95

Pilot a defender style ship on mission to save trapped scientists from a fiery fate (they are aboard an alien vessel deep in the gravity well of sol). Excellent graphics. Short scene setting story in the instructions. "Defender On Tri" requires at least 3K added memory.

(CG092) 3D Man \$19.95

The maze from probably the most popular arcade game ever, with perspective altered from overhead to eye level. The dots, the monsters, the power dots, the side exits, the game is amazing. "3D Man" requires at least 3K added memory.

(CG088) Space Quest \$19.95

Our first 8K memory expander game and its a beauty. The scene (a short story is included) is far in the future, a time when man's knowledge has reduced an entire galaxy into a mapped series of quadrants. This game has stratagy (you plot your own hyperspace jumps on Galaxy map), action (against a starry background you find yourself engaged in a dogfight, laser style), exploration (you must fly your ship deep into caverns to pick up necessary fuel). "Space Quest" requires at least 8K memory expansion and a joystick.

Commodore 64 (CG602) 3D-64, Man \$19.95

This available on the expanded "Vic 20" game, has been completely rewritten for the 64 and uses sprites, sounds, and other features not available on the "Vic".

This one requires a joystick.

P.O. Box 156, Shady Cove, Oregon 97539-0156 Mastercard and Visa cards accepted VIC is a trademark of Commodore Business Machines, Inc. Games will be on tape unless you

Aastercard and Visa cards accepted C.O.D. Orders...call (503) 878-2113 Games will be on tape unless you request disk. Ask for our FREE catalog!

290	PRINT#1, "YOUR ENERGY CONSUMPTION FOR	-9
300	DIM QUAN(5), QUAN\$(5), UNIT\$(5), FUELS(
	5), CST(5), CST\$(5), ENCST(6), ENCST\$(6)	
310	PRINT#1	
320	PRINT#1. CHRS(16) "Ø8NO. UNITS" · CHRS(16	-
)"20UNTT". CHP\$(16)"30EUET".	
220	DDINUHI (CUDC(16) "FINNE COOM" CUDC()	
220	PRINT#1, CHR\$(16) "SIUNIT COST"; CHR\$(1	-
~	6) 66FUEL COST	ų
340	PRINT#1, CHR\$ (16) "08[8 T]"; CHR\$ (16)	
101-0-10	"20K4 T1"; CHR\$(16)"30E11 T1";	1
35Ø	PRINT#1, CHR\$(16) "51 [9 T]"; CHR\$(16)	
	"66E9 T]"	1
360	PRINT#1	-
37Ø	PRINT" {CLR } INPUT GALS OF FUEL OIL":I	1
	NPUT QUAN(1)	
380	PRINT"INPUT DECIMAL COST PER GAL	-
	PUT CST(1)	-
390	DEINT"INDUT COP OF NATURAL CAC", INDU	1
550	TOURNAL GAS :INPU	
100	T QUAN(2)	1
400	PRINT INPUT DECIMAL COST PER CCF":IN	
	PUT CST(2)	1
410	PRINT"INPUT KWH OF ELECTRICITY":INPU	5
	T QUAN(3)	1
420	PRINT"INPUT DECIMAL COST PER KWH":IN	1
	PUT CST(3)	1
430	PRINT"INPUT CORDS OF WOOD": INPUT OUA	
	N(4)	1
440	PRINT"INPUT DECIMAL COST PER CORD".I	1
	NPUT (ST(A)	1
450	DEINT"INDUT TONS OF COMI ". INDUT OUN	1
450	(5)	
100		-
460	PRINT INPUT DECIMAL COST PER TON ": IN	-
	PUT CST(5)	
470	PRINT WANT TO CHANGE ANY INPUTS (Y/N)	5
	":INPUT C\$	-
480	IF C\$="Y" THEN GOTO 37Ø	5
490	BS\$="{12 SPACES}"	
500	FOR R=1 TO 5	5
510	READ UNITS(R), FUELS(R)	
520	ENCST(R) = OUAN(R) * CST(R)	5
530	ENCST(6) = ENCST(6) + ENCST(R)	-
540	$N=OUN(P) \cdot W=N*100 \cdot COSUP 5100 \cdot OUNS(P)$	5
540	1-CC	-
FFA	J = 0	5
550	$N=CST(R):W=N^{-100}:GOSOB 5100:CSTS(R)=$	
	SS	5
560	N=ENCST(R):W=N*100:GOSUB 5100:ENCSTS	5
	(R)=S\$	5
57Ø	PRINT#1, CHR\$(16) "Ø1 "QUAN\$(R); CHR\$(16	5
)"20"UNIT\$(R);CHR\$(16)"30"FUEL\$(R);	
58Ø	PRINT#1, CHR\$(16)"45"CST\$(R): CHR\$(16)	
	"60"ENCSTS(R)	5
590	NEXT R	
600	DATA GALS OIL CCE NATURAL CAS KWH EL	5
000	ECEDICIEV CODDE WOOD HONE COM	
610	DDINUEL	5
010	PRINT#1	9
615	N=ENCST(6):W=N*100:GOSUB 5100:ENCST\$	9
	(6)=S\$	á
620	PRINT#1, CHR\$(16)"64[12 T]"	0
630	PRINT#1, CHR\$(16)"45TOTAL COST	9
	<pre>{2 SPACES}\$";CHR\$(16)"60"ENCST\$(6)</pre>	1
640	PRINT#1	1
650	GOTO 920	1
920	PRINT WAIT FOR PRINTER TO COMPLETE T	1
	HIS SECTION": PRINT	1
930	DIM URTU(5) URTUS(5) DTUC(6) DTUCC	+
150	1 DIM OBIO(3), OBIO2(3), BIOC(0), BIOC2(0	1
040	DETNERI CUDE (16) "GONO UNTER" CUDE (16	T
940	PRINT#1, CHR\$(16) "D8NO.UNITS"; CHR\$(16	ų,
	/ ZNONIT ; CHR\$ (16) "30FUEL";	T

950 PRINT#1, CHR\$(16)"49BTU/UNIT"; CHR\$(16	
)"65BTU'S CONSUMED"	
"20K4 TA". CHR\$(16) "30K12 TA"; CHR\$(16)	
970 PRINT#1, CHR\$(16) "49K8 T3"; CHR\$(16)	
"65E14 T]"	
980 PRINT#1	
990 FOR R=1 TO 5 $10000 \text{ (1)} = 100000 \text{ (1)} = 1000000 \text{ (1)} = 100000000000000000000000000000000000$	
$(3)=3414 \cdot IIBTII(4)=2000000000000000000000000000000000000$	
1010 UBTU(5)=20000000	
1020 BTUC(R)=QUAN(R)*UBTU(R)	
1030 BTUC(6)=BTUC(6)+BTUC(R)	
1040 N=QUAN(R):W=N*100:GOSUB 5100:QUAN\$(
R)=SS	
1050 N=BTUC(R):GOSUB 5000:UBTUS(R)=SS 1060 N=BTUC(R):GOSUB 5000:DBTUS(R)=SS	
1070 PRINT#1, CHR\$(16) "01"OUANS(R): CHRS(1	
6)"20"UNIT\$(R);	
1080 PRINT#1, CHR\$(16)"30"FUEL\$(R); CHR\$(1	
6)"45"UBTU\$(R);CHR\$(16)"65"BTUC\$(R)	
1090 NEXT R	
1095 N=BTUC(6):GOSUB 5000:BTUCS(6)=SS	
1110 PRINT#1, CHR\$(16) "50TOTAL": CHR\$(16)"	
65"BTUC\$(6)	
1120 PRINT#1	
1130 PRINT#1	
1140 PRINT	
F(A(A, N-T)) = C(-C)	
5010 $N=INT(N):SS=STRS(N)5010$ $L=LEN(SS):SS=MIDS(SS 1 L):SS=DICUMS$	
(BS\$,10-L)+S\$	
5020 IF N<=999 THEN S\$=LEFT\$(S\$,7)+"	
<pre>{2 SPACES}"+RIGHT\$(S\$,3)</pre>	
5030 IF N>999 AND N<=9999999 THEN S\$=" "+	
5040 IF N>999999 THEN SS=LEFTS(SS,3)	
+MID\$(S\$,5,3)+","+RIGHT\$(S\$,3)	
5050 RETURN	
5100 S\$=STR\$(W):L=LEN(S\$):S\$=MID\$(S\$,1,L	
)	
5110 IF L=2 THEN S\$=MID\$(BS\$,1,12)+".0"+	
5120 DS=" "+DICHTS(SS, 2)	
5130 SS=LEFTS(SS,L-2)+DS	
5140 S\$=RIGHT\$(BS\$,12-L)+S\$	
5150 IF N<=999.99 THEN S\$=LEFT\$(S\$,7)+"	
<pre>{2 SPACES}"+RIGHT\$(S\$,6)</pre>	
5160 IF N>999.99 AND N<=9999999.99 THEN S	
<pre>\$=" "+LEFT\$(S\$,7)+", "+RIGHT\$(S\$,6)</pre>	
51/0 IF N>999999.99 THEN SS=LEFTS(SS,4)+	
5180 RETURN	
9000 REM PAUSE TO READ SCREEN	
9010 PRINT"HIT 'RETURN' KEY TO CONTINUE"	
9020 INPUT CONT\$:RETURN	
10000 DEM DENIINDED I TNECI	
10010 Y6=4096:Y7=10	
10020 TE DEEK (V6+2)-6 AND DEEK /V6+4)-20	
THEN END	
10030 Y8=INT(Y7/256):Y9=Y7-256*Y8:POKE Y	
6+3, Y9: POKE Y6+4, Y8	
10040 IF PEEK(Y6+5) <>0 THEN Y6=Y6+1:GOTO	
10040 10050 X7=X7+10,X6-X6+5,COTO 10020	
10000 1/-1/10.10-1010.0010 100/0	

C-www.commodore.ca



OUTHERN AUDIO VIDEO ELECTRONICS, INC. 1782 Marietta Blvd., N.W., Atlanta, Georgia 30318

CE commodore VIC20-SPECIAL OFFER



FREE GORTEK & MICROCHIPS VL110 Cassette program (retail value \$24.95) with purchase of VIC20 at special low SAVE price \$99.00.

Commodore VIC20/64	1541 Single Disk Drive	
Commodore VIC20/64	1530 Datassette	65.00
Commodore VIC20/64	1525 Printer	
Commodore VIC20/64	1701 Color Monitor.	245.00
Commodore VIC20/64	1600 Vicmodem (Telephone Interface).	92.00

*Call for current price.

VIC1110 VIC 8K Memory Expander Cartridge	43.00
VIC1111 VIC 16K Memory Expander Cartridge.	69.00
VIC1923 Gorf	29.00
VIC1924 Adventure Land Adventure.	29.00
VIC1917 The Count	29.00
VIC 1929 Personal Finance	29.00
VIC1211A VIC 20 Super Expander	55.00
VIC1212 Programmers Aid Cartridge	45.00
VIC1213 Vicmon Machine Language Monitor.	45.00
VI 102 Introduction to Basic Programming-Part I	19.00
VI 103 Basic Programming-Part II.	19.00
VT107A Home Calculation Program Six Pack.	44.00
VT164 Programmable Character Set/	
Gamegraphics Editor.	11.00
VM100 Personal Computing On The VIC20	4.50
VL110 VIC20 Programmers Reference Guide.	13.00

Maxell. Mini-Disks. 51/4".

MD-2D	Double sided, double density. For use on TI, Shugart
	or equivalent (10 pkg.)
MD-1	Single sided, single density for mini floppy disc
	drives (10 pkg.)

Everything you need to support your C commodore VIC20

Cardco, Creative Software, EPYX, HES, UMI, WICO, Romox.

Texas Instruments TI-99/4A Home Computer - \$109.00*

*After TI manufacturer's rebate of \$50.00.



Texas Instruments 10" Color Monitor PHA 4100-\$339.00.

Designed to handle the TI Home Computer's wide range of color, graphic and music capabilities with an extra sharp, clear picture and clean, clear sound.

Free speech synthesizer when you buy six solid state software, command cartridges.

PHP	1200 Peripheral Expansion System															\$ 182.95
DUD	1220 BS 232 Card								0			0	5			129.95
DUD	1240 Dick Controller Card															183.95
PHP	1240 Disk Controller Card				1		1						2			290 95
PHP	1250 Expansion System Disk Drive.	2.2	*	6.8		5.5		1.7	2							 210.05
PHP	1260 Memory Expansion Card (32K). :		1.1	*	1.1	14.	1.14		*1	÷.			+		219.90
PHP	1270 P-Code Card	÷ .											١.,			182.95
PHP	1280 Pascal Devel System.									1	ι.	5	4			365.95
PHP	1500 Speech™ Synthesizer									- 1				-		75.95
PHP	1600 Telephone Coupler (Modem).		÷.						4					-		147.95
PHP	2500 TI Impact Printer.					ς.			4						4	529.00
PHP	1100 Wired Remote Controllers.								14					4	1	24.95
PHP	2700 Program Recorder				9								i.			51.95
	(Includes PHA 26221)															

We carry in stock all hardware and software for TI home computers.

PHM 3026 Extended Basic \$73	.95
PHM 3035 Terminal Emulator II	.95
PHM 3058 Mini-Memory. 73	1.95
PHM 3055 Editor/Assembler. 37	.95
PHM 3109 TI Logo II	.95
PHM 3113 Microsoft Multiplan. 73	.95
PHM 3111 TI Writer	3.95
PHM 3112 Parsec	.95
PHM 3053 TI Invaders. 30).95
PHM 3042T Tunnels of Doom	1.95
PHM 3041T Adventure (Pirate Adv.). 30).95
PHM 3057 Munch Man).95
PHM 3006 Home Financial Decisions. 23	1.95
PHM 3044 Personal Report Generator 30	1.95
PHM 3002 Early Learning Fun	.95
PHM 3090-97 Miliken Home Math Series K-8th	-
grade	1.95
PHM 3059-62 Scholastic Spelling Level 3-6.	.95
PHM 3046-48 Scott, Foresman, Reading Pkgs. 4	.95
PHM 3064 Touch Typing Tutor).95
PHM 7008 Speaking Scholastic Spelling 165	5.95
PHM 3122 Plato Interpreter	1.95
PHM 5201-5308 Plato Courseware Series. 37	.95
PHM 3083-88 Addison Wesley Computer Math Games	
I-VI).95

Get the best prices on hardware and software. For a complete listing of all SAVE's products, send \$5.00 for our catalogue (refundable with your first order).

Enjoy the convenience of in-home shopping. Call our toll free number today for orders only.

Use your American Express, VISA, Mastercard, check or money order. Minimum order of \$50. Shipping and handling charges are extra. All prices are subject to change without notice. Allow 2-4 weeks for delivery. Prices good through August 15, 1983. *\$50.00 TI Rebate expires January 1984.

Order Toll Free 1-800-241-2682 In Georgia (404)-351-8459

Program 5: Shorter Version Of Right-Justified Real Numbers 10 REM..RIGHT JUSTIFY TO PRINTER COMPUTE! 15 OPEN1,4:CMD1 18 PRINT TAB(40) "OUTPUT" **TOLL FREE** 19 PRINT TAB(40)"E6 T3":PRINT 20 INPUT N Subscription 30 IF N=>1 THEN PRINT TAB(40-LEN(STR\$(IN **Order Line** T(N)))N 800-334-0868 40 IF N<1 THEN PRINT TAB(39)N In NC 919-275-9809 50 GOTO 20 0 6Ø END

Atari Verify

Michael J. Barkan

Using less than 1K of memory, this utility program for cassette can save you a lot of time and frustration.

I had recently made a CSAVE *and* a LIST"C:" (after about five hours of typing) and *neither* of them had saved the program. This sort of thing is more than distressing. My solution is neither elaborate nor entirely original, but it works.

Ed Stewart's article in *COMPUTE!'s Second Book of Atari* on backing up machine language tapes served as the inspiration for my program. Stewart's program reads a block of data from the cassette tape, puts it in a string, reads another block, adds it to the string, and so on. The string eventually contains the entire program. Of course, the string needs to be as big as the computer's memory, so I couldn't use the method directly.

I know absolutely nothing about machine language except that when I try to change something, the system crashes – so I didn't change anything. The trick was to fool the machine language program. Locations 203 and 204 (decimal) contain the starting address of string A\$. All I had to do (sounds easy, now) was reset these locations so that the machine language subroutine would "forget" that it had already put something into A\$. This means that A\$ needs to hold a maximum of only 128 bytes, the size of one cassette data block. Therefore, this program, once running, takes up less than 1K of memory; A\$ just keeps reusing the same 128 bytes.

To use this utility, type it in and save it with LIST"C:". Load the program you want to save, or start typing in a new program. Make sure your program starts at line 10 or higher. CSAVE it. Now ENTER"C:" this utility and run it. It will ask you to start loading the tape with your new pro-168 **COMPUTE**! August 1983 gram. If the tape runs all the way through and ends with an end-of-file flag, you'll get a "GOOD TAPE" message. If the tape is not readable, you'll get an error message (my favorite is 143), but *your program is still in the computer*, so you can try again. Delete lines 0 through 9 first, though.

If your tape is of the ENTER"Č:" variety, just change the 255 in line 4 to 0, and the program will verify it, too.

That's all there is to it. Not quite like having a disk drive, but at least now tape storage will be far less likely to cause you distress.

Atari Verify

- 1 CLR :DIM A\$(128):POKE 203,ADR(A\$)-(INT(ADR(A\$)/256)*256):POKE 204,IN T(ADR(A\$)/256):REM POKE START LOCA TION OF A\$
- 2 FOR I=1536 TO 1565:READ A:POKE I,A :NEXT I:TRAP 7:REM POKE IN M.L. RO UTINE AND SET TRAP FOR END OF FILE FLAG
- 3 ? CHR\$(125);"INSERT TAPE TO TEST": ? "PRESS ANY KEY TO BEGIN"
- 4 CLOSE #1:OPEN #1,4,255,"C:":REM CH ANGE 255 TO Ø FOR TAPES WITH LONG INTER-RECORD GAPS
- 5 FOR I=1 TO 100000:GET #1,B:X=USR(1 536):REM LOOP THROUGH THIS MORE TI MES THAN ANYONE WILL EVER NEED
- 6 POKE 2Ø3,ADR(A\$)-(INT(ADR(A\$)/256)
 *256):POKE 2Ø4,INT(ADR(A\$)/256):NE
 XT I:REM EUREKA! RESET POINTER TO
 START OF A\$
- 7 IF PEEK(195)=136 THEN CLOSE #1:? C HR\$(125);"GOOD TAPE":END :REM LOOK FOR END OF FILE FLAG
- 8 ? "ERROR "; PEEK(195):END :REM TA PE IS NOT READABLE
- 9 DATA 104,174,138,2,134,61,160,0,16 2,0,185,0,4,129,203,200,230,203,20 8,2,230,204,196,61,240,3,76,10,6,9 6

EXPLORE A NEW DIMENSION IN SOFTWARE



INTRODUCING ACTION! - Now the fastest 8-bit language

Another first from OSS! ACTION! is a brand new language designed to run on 6502-based computers, including Atari, Apple II, and Commodore 64. A powerful, structured language, ACTION! can draw out a new, higher dimension of performance from these machines, with speeds never seen before. ACTION! combines some of the best features of such languages as Pascal, C, and Algol, and offers speeds over 100 times faster than BASIC interpreters.

ACTION! is ideal for games, music processing, real-time control, and many other applications. But if what you're really looking for is raw speed in compiled code, ACTION! is just for you. There's more . . . ACTION! comes with a 128-column screen editor which rivals word processing programs, as well as a monitor mode which allows you to choose between on-line activities. ACTIONI's unique one-pass compiler will accept code from memory, disk, or cassette, and ACTION! has the ability to include source library files.

ACTION! is provided in cartridge form only. Introductory price for ATARI Version \$99.00. Call or write for availability of Apple II and Commodore 64 Versions.

A Strong Software Family

Other major systems software products from OSS include

And More ...

	· · · · · · · · · · · · · · · · · · ·
BASIC A+	the only logical upgrade to Atari BASIC with extra features for games and business programs\$80.00
C/65	the first native mode "small c" compiler for Atari and Apple computers\$80.00
MAC/65	the finest and fastest complete 6502 macro assembler/editor package you can buy\$80.00
BUG/65	a powerful, self-relocatable debugger. FREE with MAC/65\$34.95

OS/A+, the first and finest operating system for BOTH Atari and Apple 11 computers, is NOW included FREE as a part of every OSS systems software package. OS/A + features a keyboard-driven, easy-to-use command processor, several simple resident commands, and logical and readable requests for even the most sophisticated utility commands. Versions of OS/A+ for some higher capacity drives are available at extra cost.

NOTE: Unless otherwise noted, all OSS products require 48K and at least one disk drive.

ASK YOUR DEALER, or call or write for our brochure.

ATARI, APPLE II, and TINY C are trademarks of Atari, Inc., Apple Computer, Inc., and Tiny C Associates, respectively. MAC/65, C/65, BASIC A+, BUG/65, and OS/A+ are trademarks of Optimized Systems Software, Inc.



Lyco Computer Marketing & Consultants

TO ORDER

JOYSTICKS

POINT MASTER.....\$12.75 WICO APPLE - VIC - ATARI - TI COMMAND CONTROL.....\$20.75 RED BALL.....\$22.75 TRACK BALL.....\$51.75 EXTENSION CORD.....\$9.75

APPLE ADAPTOR \$18.95 T.I. ADAPTOR \$9.95

PRINTER RIBBONS

PROWRITER......\$9.95 NEC2/\$19.75

SMITH CORONA ... \$8.50

EPSON\$10.95

TOLL FREE 800-233-8760

LLUS

In PA 1-717- 327-1824 '

SINGLE DRIVE AT88.....\$379.00

SINGLE DRIVE 40S1	\$479.00
ADD ON	\$329.00
DUAL DRIVE 40S2	\$845.00
DUAL HEAD SINGLE DRIVE 44S1	\$649.00
DUAL HEAD DUAL DRIVE 44S2	\$989.00

HARD DISK DRIVES for

APPLE	IBM-PC	TRS-80*
5 MAGABYTE DRI 10 MEGABYTE DR 15 MEGABYTE DR 20 MEGABYTE DR	VE RIVE RIVE RIVE RIVE	\$1099.75 \$1399.75 \$1799.75 \$2275.75
bbA.	\$30.00 for TRS-80 Drives	

SANYO

MBC 100 (with micropro)\$1549.00
MBC 1250 COMPUTER \$2195.00
MBC 4050 COMPUTER \$2749.00
EFD 160 ADD-ON DISK \$499.00
5500 LETTER QUALITY
PRINTERS \$649.00

INTERFACING AVAILABLE FOR

EPSON
NEC
PROWRITER
SMITH-CORONA

SAVE on these PRINTERS

GORILLA GX-100	\$199.00
GEMINI 10	\$319.00
PROWRITER 8510	\$369.00
NEC 8023	\$399.00
OKIDATA 92SAVE OKIDATA 82SAVE OKIDATA 83LOWEST OKIDATA 84P PRICE OKIDATA 84P AVAILABLE OKIDATA 93 SAVE TRACTORS49.75	PROWRITER 2P\$699.00 GEMINI 15\$449.00 PRINTMASTER\$1589.00 SMITH CORONA TP1\$549.00 CITOH 8600B\$1025.00 CITOH 8600B\$1025.00

BLANK DISKETTES

ELEPHANT	\$18.25
MAXELL MDI	\$32.75
MAXELL MDII	\$42.75
DISK CASE (holds 10)	
DISK CASE (holds 50)	\$19 75

DISK CASE	(holds 50)	\$19.75
ROM CASE	(holds 10)	
KANGROO		\$17.75
BULK DISK	(qty 150)	\$1.50 ea.

CALL for PRICES on RANA DISK DRIVES MICROMAINFRAME DRIVES

(Alcompoor

			-
	VIC 20		L
a.	VIC 64		L
	1542	DISK DRIVE \$339.7	5
	1525	PRINTER\$339.7	5
	1530	DATASETTE \$69.7	5
	1110	8K RAM\$53.7	5
	1211	SUPER EXPANDER \$53.7	5
	1212	PROGRAMMERS AID \$44.7	5
	1213	VICMON\$44.7	5
	VIC 20	DUST COVER \$6.9	9
	VIC 64	DUST COVER \$6.9	9
	CASSE	TTE INTERFACE\$29.7	5
	6 SLOT	EXPANSION \$89.7	5
	3 SLOT	EXPANSION \$29.7	5

CARDCO

6 SLOT EXPANSION	\$79.95
3 SLOT EXPANSION	\$24.95
UNIVERSAL CASSETTE	
INTERFACE	\$29.95
VIC 20/64 PRINTER	
INTERFACE	\$59.95
CARDADAPTER/1	
(ATARI VCS)	\$69.95
16K RAM	\$59.95
VIC 64/20 LIGHT PEN	\$29.95

MONITORS

NEC JB1260	\$125.00
NEC JB1201	\$155.00
NEC TC1201	\$315.00
AMDEK 300G	\$159.00
AMDEK COLOR I	\$289.00

MODEMS

ANCHOR MARK I	\$79.00							
ANCHOR MARK II	\$79.00							
HAYES SMART	\$239.00							
HAYES MICRO II	\$309.00							
CAT	\$144.00							
D-CAT	\$155.00							
J-CAT	\$115.00							
APPLE CAT II	\$279.00							
212 APPLE CAT	\$589.00							
Lyco Com	Lyco Computer Marketing & Consultants							
---	--	---	--	--	--	--	--	--
TO ORDER CALL US	TO ORDER TOLL FREE 800-233-8760							
800 48K\$459.00 JU								
FREE CATALOG with over 60 manuf. for ATARI ATARI 810 . \$409.								
HARDWARE B10 DISK DRIVE.\$419.00. 410 RECORDER .\$75.00 B50 INTERFACE.\$164.00 B50 INTERFACE.\$164.00 JUMPM	NEW RELEASES R 2049er \$32.75 ON \$29.75 (EY WRENCH. \$52.75) TREET WRITER	. \$26.95 . \$24.95 . \$22.95 . 16K ATARI RAM						
400 64K SCALL PHAROA 1200 64K SCALL FORT AI 1025 PRINTER . \$419.75	H'S CURSE \$24.75 POCALYPSE \$24.75 ATOR \$18.75 \$18.75 \$346 pages \$16.75	3 32K RAM\$69.75 48K RAM\$99.75 64K RAM\$129.75						
PACKAGES CX482 EDUCATOR \$109.75 CX483 PROGRAMMER \$51.75 CX488 COMMUNICATOR \$219.00 CX419 BOOKEEPER \$164.75 KX7104 ENTERTAINER \$63.75	ENTERTAINMENT SOFTWARE CRISIS MOUNTAIN \$25.95 WARLOCKS REVENGE \$25.95 CHOPLIFTER \$22.75 TEMPLE OF ASPHI \$26.75 TEMPLE OF ASPHI \$26.75	128K RAM DISK\$399.75 INHOME KEYBOARD\$49.75 TARA KEYBOARD\$99.75 TECHNICAL NOTES\$29.75 80 Column Screen Board\$279.75						
SOFTWARE	STAR WARRIOR	EDUCATIONAL						
CXL4012 MISSILE COMMAND . \$25.7 CXL4013 ASTEROID	5 RESCUE AT INGEL \$22.75 5 PACIFIC COAST \$23.75 5 CANYON CLIMBER \$23.75 5 CLOWNS & BALLOONS \$23.75 5 MICRO PAINTER \$23.75 5 SANDS OF EGYPT \$23.75 5 SERPENTINE \$22.75 5 STAR BLAZER \$24.75 9 WIZARD & PRINCESS \$22.75 5 FROGGER \$22.75 5 CROSS FIRE \$32.75 5 SAM SPEECH \$45.75 5 VOICE BOX II \$125.75 5 GORF (ROM) \$29.75 5 STRATOS \$23.75 5 STRATOS \$23.75 5 SPEPPIE 2 \$19.75 5 STARBON \$23.75 5 SPEDWAY BLAST \$28.75 5 BAJA BUGGY <	SUP I WARESTATES & CAPITALS\$12,75EUROPEAN COUNTRIES\$12,75FRENCH\$45,00GERMAN\$45,00SPANISH\$45,00ALIEN ENCOUNTER\$25,75GULP\$25,75FRENZY\$25,75BATTLING BUGS\$25,75COMPU-MATH\$23,75COMPU-READ\$23,75ADDITION\$14,95ANALOGIES\$14,95NUMBER SERIES\$14,95NUMBER SERIES\$14,95PRESCHOOL IO BUILDER\$14,95SAMMT THE SEA SERPENT\$14,95SAMMT THE SEA SERPENT\$14,95STORY BUILDER\$14,95STORY BUILDER\$14,95VOCABULARY ONE\$14,95VOCABULARY TWO\$14,95WORD SEARCH\$14,95VOCABULARY TWO\$14,95VOCABULARY TWO\$14,95PLAYER MISSILE\$24,75MATH for FUN\$13,95						
BUSINESS SOFTWARE visicalc \$159.7 LETTER PERFECT \$159.7 LETTER PERFECT \$115.7 LETTER PERFECT \$115.7 LETTER PERFECT \$99.7 TEXT WIZZARD \$79.7 SEPLL WIZZARD \$64.7 FILE MANAGER 800+ \$69.7 HOME FILING MANAGER \$41.7 BOOKKEEPER \$119.7 C.R.I.S. \$199.7 ATARI WORD PRO \$109.7 TAX ADVANTAGE \$35.7 HOME ACCOUNTANT \$59.7	SOCCER	MATH for FUN						

0

PLOTting On The Apple

Thomas P. Anderson

٢

How to plot and handle the screen on Apple's high resolution screen. Requires 16K RAM. This machine language routine simplifies screen graphics.

This little study of mine, which began about three months ago, first started after I had written a short BASIC program to plot pictures on the high resolution screen with four lines of text at the bottom. The entire screen memory had to be saved to store the picture on the disk. To avoid this waste of space, I decided to find out the memory locations of the four bottom screen lines. I could then devise a method of saving all screen memory except for those four lines.

I quickly found the necessary addresses, but in the process I also noticed how strangely the screen memory was laid out. There had to be a way of decoding the inconsequent order of screen memory, so that a specific point on the screen could be referenced easily.

How does Applesoft do it? I found absolutely no documentation of this subject. I could have waded through about 8K of disassembled code and still not found the answer, so I was on my own in figuring this one out. In this article, I am relating to you what I have found out about PLOTting on the high resolution screen in machine language.

Base Addresses

First of all, a review of the hi-res screen layout. The screen has a resolution of 192 lines by 280 dots. The lines are referenced by the decimal values 0-191, and the dots are referenced by the decimal values 0-279. The position of (0,0) is in the upper left-hand corner.

Seven consecutive dots of a line are controlled by the value stored in one byte of memory, so 40 bytes are required to control one line. These 40 bytes, referenced by the decimal values 0-39, I will call the column position. The zero column position is the base address in memory of the line. To see what values are necessary to turn on a dot, we have to look at the bit patterns of the controlling byte.

Screen Column Position

Controlling Memory Byte

2 1

0	1	2	3	4	5	6	7	6	5	4	

Shown above are seven consecutive dots on the screen and the controlling byte. If bit three of the controlling byte is on, then the dot in position three within the column will be on. Bit seven of the controlling byte will be zero for this article, since I am not concerned here with manipulating the screen colors.

What To Calculate

Once I had reviewed the basics of screen memory, my problem became defined for me. The routines I had to write would take two decimal values: 1) a line number in the range of 0-191, and 2) a dot position in the range of 0-279. From these values the routines would calculate:

The 16-bit hexadecimal *base address*,
 The *column position* in the range of 0-39, and

3) The *dot position within* the *column* in the range of 0-6.

I will explain the calculation of the base address first, since it is the complicated one. To understand this, I had to know what all the possible base addresses of page two could be. I used page two during the testing because PLOTting on page one wrote over my source file in memory, and it had to be reloaded after every test.

All base addresses lie within the range of \$4000-\$7FD0. This means that the high byte of our address will be in the range of \$40-\$7F, and the only possibilities for the low byte are \$00, \$28, \$50, \$A8, or \$D0. To see how this works exactly, I assigned variables to the bit positions of the line number.

Since we know the maximum and minimum value of the base address, we know that certain bits of the base address will always be off or on no matter what the line number is. Shown below are the assigned variables of the line and the starting framework of the base address.

172 COMPUTE! August 1983

🕬www.commodore.ca

Line Number ABCDEFGH 7 6 5 4 3 2 1 0 **Base Address** ? 0 0 0 ? ? ? ? ? ? ? ? 0 ? 0 1 5 4 3 2 1 0 5 4 3 2 1 0 7 6 7 6 Low Byte **High Byte**

Figuring Bit Positions

The steps that follow are the ones that I used to figure the bit position of the line that would determine the value of a bit position in the base address.

1. Choose a questionable bit position of the base address.

2. Determine all the possible values of that byte if the bit is on.

3. Determine all the possible values of that byte if the bit is off.

4. Determine all the possible values of the line number based on the values found in Step 2.

5. Determine all the possible values of the line number based on the values found in Step 3.

6. By examining the binary values of the line numbers, the bit patterns are easily seen. There will be one bit position in the values from Step 4 that is always the complement of that same bit position in the values from Step 5. Therefore, this bit position of the line number is the determining bit for the questionable bit in Step 1.

Using these steps for all questionable bits of the base address, I ended up with the representation of the base address as shown below.

						B	ase A	Addre	SS						
0	1	0	F	G	H	С	D	Ε	A	B	A	B	0	0	0
7	6	5	4	3	2	1	0	7	6	5	4	3	2	1	0
Hig	h B	yte						Lov	v By	te					

Now that I had figured out the starting and ending representations, I wrote the routine HBAS-CALC to perform this operation. This routine is shown in Program 1. The routine is entered with the line number in location HCV and exits the routine with the base address in locations HBASL and HBASH. The documentation explains the process and shows how the variable representations are manipulated by each instruction. This routine can be easily changed to use page one by changing the instruction ORA#\$40 to ORA#\$20 and setting the appropriate soft switches for page one. That may have been a bit complex; but now that you have the HBASCALC routine, you won't have to follow those steps as I did.

Calculating the column position and the dot position within the column was a simpler task for me. Since there are 280 dots to represent with 40 bytes of memory, I needed to divide the dot position by seven. The quotient would be the column position, and the remainder would be the dot position within the column. At first I used the standard 16-bit by 16-bit division routine, but this process seemed a little slow for PLOTting.

So I tried another routine which simply subtracted seven from the dot position until it went to less than zero. An index register was used to count the number of times seven could be subtracted, which gave me the column position, and then adding seven back to the now negative dot position gave me the dot position within the column.

Being unsure of the speed of this routine, I calculated the time required by each routine to plot 280 positions, one full line, and I found that the second routine used about 120,000 machine cycles less than the standard routine. The faster routine is called DIVIDE and is shown with the demo program (Program 2).

Plotting A Grid

This division process is the most time consuming aspect of hi-res plotting. I learned quickly that if the main driving routine consists of nested loops, as Hi-res Grid Demo does, then the division routine should be used in the outer routine, or the entire routine will be greatly slowed. If the division is performed in the inner loop, it will be executed for every dot plotted. If the division is performed in the outer loop, it will be executed only when the dot position changes.

Program 2, Hi-res Grid Demo, will accept input from the user in the range of 1-9. It then draws the grid with the number input as the number of spaces between each line of the grid. The program PLOTs the grid until it goes off the edge of the screen, and then it goes back and erases the excess plots to make a neater appearing grid. The program will terminate with a CONTROL-C.

Hi-res Grid Demo is fairly simple, but its purpose is to show you the basic routines used in PLOTting with machine language. Perhaps it will stimulate you to look further to other possibilities, such as color PLOTting, line drawing routines, animation, and faster game design than BASIC will allow. I know it has me working on other ideas. As for my original objective, the saving of hi-res pictures without the four bottom lines, I forgot all about that once I discovered the other interesting possibilities at my fingertips.

Program 1: Base Address Calculation

1	* LISTING 1.			
2	*			
3	**********	*******	*******	******
4	*HIRES BASE A	ADDRESS	CALCULATION	ROUTINE, PAGE 2*
5	**********	******	******	*****
6	HBASCALC PHA			
7	LDA	HCV	; ABCDEFGH;	GET VERT. PDS. (0-191).
8	ASL		; BCDEFGHO;	SHIFT LEFT UNTIL BITS
9	ASL		;CDEFGHOO;	"FGH" ARE IN CORRECT POSITION.
10	AND	#\$1C	;000FGH00;	TURN OFF ALL BUT BITS "FGH".
11	ORA	#\$40	;010FGH00;	BIT SIX IS ALWAYS ON.
12	STA	HBASH	;010FGH00;	SAVE THIS PORTION.
13	LDA	HCV	; ABCDEFGH;	START AGAIN.
14	LSR		; OABCDEFG;	SHIFT RIGHT UNTIL THE
15	LSR		; OOABCDEF;	"E" BIT SHIFTS TO CARRY.
16	LSR		; OOOABCDE;	AND BITS "CD"
17	LSR		;0000ABCD;	ARE IN CORRECT POSITION.
18	AND	#3	;000000CD;	TURN OFF ALL BUT "CD" AND
19	ORA	HBASH	;010FGHCD;	MERGE TO COMPLETE HI-BYTE
20	STA	HBASH	;010FGHCD;	and the second second second second second second
21	LDA	HCV	; ABCDEFGH;	WORK ON LO-BYTE.
22	AND	#\$C0	; AB000000;	TURN OFF ALL BUT BITS "AB".
23	PHA		; AB000000;	SAVE IT.
24	ROR		;EAB00000;	GET "E" BIT BACK FROM CARRY.
25	STA	HBASL	;EAB00000;	SAVE THIS PORTION.
26	PLA		; AB000000;	PULL BACK BITS "AB" AND
27	LSR		; OAB00000;	SHIFT RIGHT UNTIL THEY
28	LSR		:00AB0000;	ARE IN CORRECT POSITION.
29	LSR		:000AB000;	
30	ORA	HBASL	;EABABOOO;	MERGE TO COMPLETE LO-BYTE.
31	STA	HBASL	EABABOOO;	
32	PLA			
33	RTS			
Dre	aram 2. Hi	on Crid	Dama	
FIC	giuni z. ni-n	es Gna	Demo	
1	* LISTING 2	2		
2	*			
3	*********	*****	*	
4	* HIRES GRI	D DEMO	*	
5	* BY TOM AN	DERSON	*	
6	*********	******	*	
7	*			
8	* SYSTEM SC	OFT SWIT	CHES	
9	*			

10 KBD EQU \$CØØØ ; READ KEYBOARD EQU \$CØ1Ø 11 KBDSTR ; CLEAR KEYBOARD GRAPHICS EQU \$CØ5Ø ; GRAPHICS MODE 12 HI-RESOLUTION GRAPHICS 13 HIRES EQU \$CØ57 14 EQU \$CØ54 ; PAGE ONE PRIMARY ;FULL SCREEN GRAPHICS 15 ALLGR EQU \$CØ52 ; TEXT MODE TXTMODE EQU \$CØ51 16 EQU \$CØ55 ; PAGE TWO 17 SECOND 18 黨 *PAGE ONE LOCATIONS USED 19 20 * ; TEXT COLUMN POSITION (Ø-39) \$24 21 CH EQU ; TEXT LINE POSITION (Ø-23) \$25 22 CV EQU HIRES LINE POSITION (0-191) \$25 23 HCV EQU ;HIRES DOT POSITION (0-279) HPOSLO EQU \$26 24 25 HPOSHI EQU \$27 HIRES LINE BASE ADDRESS \$28 HBASL EQU 26 HBASH EQU \$29 27 REMAINDER IN DIVISION ROUTINE \$2C EQU 28 REMLO \$2D EQU 29 REMHI

; VALUE OF GRID SIZE

```
RTMARG
174 COMPUTE! August 1983
```

GRIDSZ

30

31

EQU

EQU

\$2E

\$2F

Cwww.commodore.ca

				32	*	POLIT		
				34	*	RUUT.	INES	
				35	COUT	EQU	\$FDED	; CHARACTER OUTPUT ROUTINE IN MONITOR
				36	HOME	EQU	\$FC58	MONITOR ROUTINE TO CLEAR TEXT PAGE
7000-	20	C2 7	70	3/	START	ISP	PRDICP	DISPLAY INPUT PROMPT
7003:	20	9B 7	7ø	39	U I I I I I I I I I I I I I I I I I I I	JSR	INPUT	GET USER INPUT
7006:	20	4A 7	71	4Ø		JSR	INHRES	; INITIALIZE HIRES MODE
				41			*******	
				43	* DRHW VI	*****		
7009:	A9	øø		44		LDA	#Ø	START AND RESET DOT POSITION TO ZERO
7ØØB:	85	26		45		STA	HPOSLO	
700E:	83	21		46	VERT	LDA	HPUSH1	START LINE ZERO
7Ø11:	85	25		48		STA	HCV	
7013:	20	EF 7	7Ø	49		JSR	DIVIDE	;CALCULATE HORIZONTAL OFFSET
7016:	20	10 7	/1	59	VERTI	JSR	HBASCAL	C ;CALCULATE LINE BASE ADDRESS
7Ø1C:	E6 :	25	-	52		INC	HCV	;LINE=LINE+1
7Ø1E:	A5	25		53		LDA	HCV	PRATTON OF OPPEEND
7020:	C9	CØ		54		DEC	#172	BUTTOM OF SCREEN?
7024:	18	F 2		56		CLC	VERII	INO, OU DHEN
7025:	A5	26		57		LDA	HPOSLO	; DOT POSITION=DOT POSITION+GRIDSZ
7027:	65	2E		58		ADC	GRIDSZ	
7029:	90 E4	92		59		BCC	UVERV	
7Ø2D:	85	26		61	OVERV	STA	HPOSLO	
7Ø2F:	A5	27		62		LDA	HPOSHI	;END OF LINE?
7031:	4A			63		LSR	UEDT	ND SO BACK
7034:	A5	26		64		LDA	HPOSLO	IND, GU BHCK
7036:	C9	18		66		CMP	#\$18	
7Ø38:	90	D5		67		DCC	UEDT	
						BLL	VENT	PTHADE I AGT BOT DOGITION DI GTTED
7Ø3A:	E5	2E 2F		68		SBC	GRIDSZ	;RTMARG=LAST DOT POSITION PLOTTED
7Ø3A: 7Ø3C:	E5 85	2E 2F		68 69 7Ø	*******	SBC STA	GRIDSZ RTMARG	;RTMARG=LAST DOT POSITION PLOTTED
7Ø3A: 7Ø3C:	E5 85	2E 2F		68 69 7Ø 71	******* * DRAW H	SBC STA *****	GRIDSZ RTMARG *******	;RTMARG=LAST DOT POSITION PLOTTED
7Ø3A: 7Ø3C: 7Ø3E:	E5 85	2E 2F		68 69 7Ø 71 72 73	******* * DRAW H *******	SBC STA ***** ORIZO *****	GRIDSZ RTMARG ******** NTAL LIN *******	;RTMARG=LAST DOT POSITION PLOTTED
7Ø3A: 7Ø3C: 7Ø3E: 7Ø4Ø:	E5 85 A7 85	2E 2F ØØ 26		68 69 7Ø 71 72 73 74	******* * DRAW Hi ******	SBC STA ***** ORIZO ***** LDA STA	GRIDSZ RTMARG ******** NTAL LIN ******** #Ø HPOSLO	;RTMARG=LAST DOT POSITION PLOTTED ***** NES * ***** ;START DOT POSITION ZERO
7ø3A: 7ø3C: 7ø3E: 7ø4Ø: 7ø42:	E5 85 A7 85 85	2E 2F ØØ 26 27		68 69 70 71 72 73 74 75	******* * DRAW Hi *******	SBC STA ***** DRIZO ***** LDA STA STA	GRIDSZ RTMARG ************************************	;RTMARG=LAST DOT POSITION PLOTTED
703A: 703C: 703E: 7040: 7042: 7044: 7044:	E5 85 A7 85 85 85 85	2E 2F ØØ 26 27 ØØ 25		68 69 7Ø 71 72 73 74 75 76 77	******* * DRAW H ********	SBC STA ***** DRIZO ***** LDA STA STA LDA STA	GRIDSZ RTMARG ******** NTAL LIN ******** #Ø HPOSLO HPOSLO HPOSHI #Ø HCV	;RTMARG=LAST DOT POSITION PLOTTED ***** *ES * ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO
703A: 703C: 703E: 7040: 7042: 7044: 7044: 7044: 7048:	E5 85 A7 85 85 A7 85 20	2E 2F 2F 26 26 27 90 25 EF 7	79	68 69 7Ø 71 72 73 74 75 76 77 78	******* * DRAW Hi ******** HORIZ	SBC STA ***** DRIZO ***** LDA STA STA LDA STA JSR	GRIDSZ RTMARG ************************************	;RTMARG=LAST DOT POSITION PLOTTED
703A: 703C: 703E: 7040: 7042: 7044: 7044: 7048: 7048: 7048:	E5 85 A7 85 85 A7 85 20 20	2E 2F 00 26 27 00 25 EF 7 21 7	70	68 69 70 71 72 73 74 75 76 77 78 79	******* * DRAW HI ******** HORIZ HORIZ1	SBC SBC STA ***** LDA STA STA STA LDA STA JSR JSR	GRIDSZ RTMARG ************************************	;RTMARG=LAST DOT POSITION PLOTTED
703A: 703C: 703C: 7040: 7040: 7044: 7044: 7048: 7048: 7048: 7048: 70451:	E5 85 A7 85 85 A7 85 20 20 20 18	2E 2F 26 27 90 25 25 25 21 7 10 7	7Ø 71 71	68 69 79 71 72 73 74 75 76 77 78 79 89	******* * DRAW Hi ******** HORIZ HORIZ1	SBC STA ***** DRIZO ***** LDA STA STA STA STA JSR JSR JSR CLC	GRIDSZ RTMARG ************************************	;RTMARG=LAST DOT POSITION PLOTTED ***** ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C;CALCULATE LINE BASE ADDRESS (;DISPLAY VALUE TO TURN ON ONE DOT
703A: 703C: 703E: 7040: 7042: 7044: 7044: 7048: 7048: 7048: 7048: 70451: 7052:	E5 85 A7 85 85 A7 85 20 20 18 5	2E 2F ØØ 26 27 ØØ 25 EF 7 21 7 25	7Ø 71 71	68 69 70 71 72 73 74 75 76 77 78 79 80 81 82	******* * DRAW Hi ******** HORIZ HORIZ1	SBC SBC STA ***** DRIZO ***** LDA STA STA LDA STA JSR JSR JSR JSR CLC LDA	GRIDSZ RTMARG ************************************	;RTMARG=LAST DOT POSITION PLOTTED ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS / ;DISPLAY VALUE TO TURN ON ONE DOT
703A: 703C: 703E: 7040: 7044: 7044: 7044: 7048: 7048: 7048: 704E: 7051: 7052: 7054:	E5 85 A7 85 85 A7 85 20 20 18 A5 65	2E 2F 00 26 27 00 25 25 21 7 10 7 25 22 25 22 25 22 25 22	7Ø 71 71	68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83	******* * DRAW Hi ******** HORIZ HORIZ1	SBC SBC STA ***** LDA STA STA STA LDA STA JSR JSR JSR JSR CLC LDA ADC	GRIDSZ RTMARG ************************************	;RTMARG=LAST DOT POSITION PLOTTED ***** ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS / ;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ
703A: 703C: 703C: 7040: 7040: 7044: 7048: 7048: 7048: 7048: 7048: 7051: 7051: 7054: 7054: 7054:	E5 85 A7 85 85 A7 85 200 200 18 55 85 200 200 18 55 85 85 85 85 85 85 85 85 85 85 85 85	2E 2F 00 26 27 00 25 27 00 25 25 7 7 7 7 25 22 5 7 7 7 7 7 7 7 7 7	7Ø 71 71	68 69 79 71 72 73 74 75 76 77 78 81 82 83 88 82 83 85	******* * DRAW Hi ******** HORIZ HORIZ1	SBC STA STA STA IDA STA STA STA STA JSR JSR JSR JSR CLC LDA STA STA STA STA STA STA STA STA STA	GRIDSZ RTMARG ************************************	;RTMARG=LAST DOT POSITION PLOTTED ***** ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS / ;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ
703A: 703C: 703C: 7040: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7048: 7051: 7051: 7054: 7054: 7054: 7054: 7054:	E5 85 A7 85 87 85 20 20 18 55 20 18 55 90	2E 2F 00 26 27 00 25 25 25 25 225 225 225 225 225 225	7Ø 71 71	68 69 79 71 72 73 74 75 76 77 78 81 82 83 88 84 85 86	******* * DRAW H ******** HORIZ HORIZ1	SBC SBC STA ***** LDA STA STA LDA STA LDA STA JSR JSR JSR JSR CLC LDA ADC STA CMP BCC	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** WES * ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C;CALCULATE LINE BASE ADDRESS /;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? :NO. 60 BACK</pre>
703A: 703C: 703C: 7040: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7051: 7052: 7054: 7054: 7056: 705A: 705A: 705C:	E5 85 A7 85 85 A7 85 20 20 18 A5 85 20 20 18 5 5 70 E6	2E 2F 00 26 27 00 25 25 25 25 25 25 25 25 25 25 25 25 25	7Ø 71 71	68 69 79 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 84 85 86 87	******* * DRAW Hi ******** HORIZ HORIZ1	SBC SBC STA ***** LDA STA STA STA LDA STA JSR JSR JSR JSR CLC LDA ADC STA CMP BCC INC	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** VES * ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C;CALCULATE LINE BASE ADDRESS /;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1</pre>
703A: 703C: 703C: 7040: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7051: 7051: 7054: 7054: 7054: 7056: 7055: 7055:	E5 85 A7 85 85 A7 85 200 200 18 55 85 200 200 18 55 85 90 E6 0 54	2E 2F 00 22F 00 227 00 25 25 25 25 25 25 25 25 25 25	7Ø 71 71	68 68 79 71 72 73 74 75 77 77 77 78 81 82 84 85 88 88 88 88 88 88 88 88 88 88 88 88	******* * DRAW Hi ******** HORIZ HORIZ1	SBC SBC STA ***** DRIZO ***** LDA STA STA JSR JSR JSR JSR JSR CLC LDA ADC STA CMP BCC INC BNC	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** VES * **** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C;CALCULATE LINE BASE ADDRESS /;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1</pre>
703A: 703C: 703C: 7040: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7048: 7051: 7051: 7054: 7054: 7054: 7054: 7054: 7054: 7055: 7056: 7055: 7056: 7055: 7056:	E55 A755A752002185557906 DE65	2EF ØØ 26 27 Ø25 27 025 27 25 25 25 25 25 25 25 25 25 25	7Ø 71 71	68 69 79 71 72 73 74 75 77 77 77 77 80 81 82 84 86 88 88 88 88 88 88 88 88 88 88 88 88	******** * DRAW H ******** HORIZ HORIZ1	SBC SBC STA ***** LDA STA STA STA STA STA STA STA STA STA ST	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** WES * ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS /;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1</pre>
703A: 703C: 703C: 7040: 7042: 7044: 7044: 7048: 7048: 7048: 7048: 7048: 7051: 7054: 7054: 7054: 7055:	E55 A7557 200 1855790 E00 E00 E00 E00 E00 E00 E00 E00 E00 E	2E 2F 00 26 27 00 25 27 00 25 25 25 25 25 25 25 25 25 25 27 25 25 27 25 25 25 25 25 25 25 25 25 25 25 25 25	7Ø 71 71	68 69 70 71 72 73 74 75 76 77 78 81 82 83 84 85 88 88 88 88 89 99	******** DRAW HI ******** HORIZ HORIZ1	SBC SBC STA ***** LDA STA STA STA LDA STA JSR JSR JSR JSR CLC LDA ADC STA CLC LDA ADC STA STA LDA STA STA LDA STA	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** %ES * ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS 7 ;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1</pre>
703A: 703C: 703C: 7040: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7048: 7048: 7048: 7051: 7054: 7054: 7054: 7055:	E5 85 A7585785200 208 A55790 E00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E45A00 E55B0 E5	2E 2E 2F 00 227 00 25 27 00 25 25 25 25 25 25 25 25 25 25	7Ø 71 71	68 67 77 77 77 77 77 77 77 77 77 77 77 77	**************************************	SBC SBC STA ***** LDA STA STA STA STA JSR JSR JSR JSR CLC LDA ADC STA DSR JSR LDA STA STA STA STA STA STA STA STA STA ST	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** %ES * **** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS /;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1</pre>
703A: 703C: 703C: 7040: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7051: 7052: 7054: 7054: 7054: 7055: 7054: 7055: 7056: 7056: 7056: 7065: 7064: 7065: 7064: 7065: 7064: 7065: 7066:	E55 A755782002185557960065540055	22F ØØ227 Ø225 22F 00 22F 225 225 225 225 225 225 225	7Ø 71 71	68 69 79 71 72 73 75 77 77 77 77 77 77 77 77 77 77 77 77	**************************************	SBC STA STA STA STA STA STA STA STA STA STA	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** %ES * ***** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C;CALCULATE LINE BASE ADDRESS /;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1</pre>
703A: 703C: 703C: 7040: 7042: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7051: 7052: 7054: 7054: 7054: 7055: 7055: 7055: 7055: 7055: 7055: 7055: 7056: 7064: 7065: 7064: 7065: 7065: 7065: 7065:	E5 85 A7 85 87 85 20 20 18 55 20 20 18 55 90 E6 50 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6 E6	2E 2F 00 22F 00 22F 00 22F 22F 22	70	669 79 77 77 77 77 77 77 77 77 77 77 77 77	******** * DRAW H ******** HORIZ HORIZ1	SBC SBC STA ***** LDA STA STA STA STA LDA STA JSR JSR JSR JSR CLC LDA ADC STA STA LDA STA STA STA STA STA STA STA STA STA ST	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** %ES * **** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C;CALCULATE LINE BASE ADDRESS /;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1 ;REACHED RIGHT MARGIN? :NO. GO BACK</pre>
703A: 703C: 703C: 7040: 7042: 7044: 7044: 7048: 7048: 7048: 7048: 7054: 7054: 7054: 7054: 7054: 7054: 7054: 7054: 7064: 7064: 7064: 7064: 7064: 7064:	E5 85 A7 85 87 85 20 20 18 55 20 20 18 55 20 20 18 55 20 20 18 55 20 20 18 55 79 20 20 18 55 79 20 20 20 18 55 79 20 20 20 18 55 79 55 79 20 20 20 20 20 20 20 20 20 20 20 20 20	2E 2F 00 22F 00 22F 00 25 25 25 25 25 25 25 25 25 25	70	669 77777777777777777777777777777777777	**************************************	SBC SBC STA ***** LDA STA STA STA STA STA JSR JSR JSR JSR CLC LDA ADC STA STA STA STA STA STA STA STA STA STA	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** VES * **** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET .C;CALCULATE LINE BASE ADDRESS (';DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1 ;REACHED RIGHT MARGIN? ;NO, GO BACK ;DETERMINE BOTTOM CUTOFF POINT</pre>
703A: 703C: 703C: 7040: 7042: 7044: 7044: 7048: 7048: 7048: 7051: 7054: 7054: 7054: 7054: 7054: 7054: 7055: 7054: 7055: 7056: 7065: 7064: 7065: 7055:	E55 A7557852200 A7557852200 A755795705 A755775705 A755775705 A755775 A755775 A755775 A	22F ØØ227Ø25 22F ØØ227Ø25 22F 22CEF2 0227 022F 027F	70	68 67 77 77 77 77 77 77 77 77 77 77 77 77	**************************************	SBC SBC STA STA STA STA STA STA STA STA STA STA	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED ***** VES * **** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS / ;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1 ;REACHED RIGHT MARGIN? ;NO, GO BACK ;DETERMINE BOTTOM CUTOFF POINT</pre>
703A: 703C: 703C: 7040: 7042: 7044: 7044: 7044: 7048: 7048: 7048: 7048: 7051: 7052: 7054: 7054: 7055: 7055: 7055: 7055: 7055: 7055: 7055: 7055: 7055: 7056: 7064: 7065: 7064: 7065: 7064: 7065: 7064: 7065: 7064: 7065: 7064: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 7065: 70665: 7077: 70675: 7077: 7077:	E5 85 A75572200 A555700 E00 E00 E00 E00 E00 E00 E00 E00 E00	22F ØØ 247 ØØ 257 ØØ 257 ØØ 257 00 257 0	70	669 77777777777777777777777777777777777	**************************************	SBC SBC STA ***** LDA STA STA STA STA STA JSR JSR JSR JSR CLC LDA STA STA STA STA STA STA STA STA STA ST	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED **** WES * **** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS / ;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES, DOT POS.=DOT POS.+1 ;REACHED RIGHT MARGIN? ;NO, GO BACK ;DETERMINE BOTTOM CUTOFF POINT</pre>
703A: 703C: 703C: 7040: 7042: 7044: 7044: 7048: 7048: 7048: 7051: 7054: 7054: 7054: 7054: 7054: 7054: 7054: 7054: 7066: 7066: 7077: 7077: 7077:	E5 85 A78587852200 18565790600665400 A559079600665400 A559079600665400 A559079600665400 A559079600665400 A559079600665400 A559079600665400 A5590797600665400 A5590797600665400 A559077777777777777777777777777777777777	22F Ø227Ø25E21Ø 22E50Ø 22E5	7Ø 71 71	68 69 79 71 72 73 74 75 77 78 812 823	**************************************	SBC SBC STA ***** LDA STA STA STA STA STA JSR JSR JSR JSR JSR CLC LDA STA STA STA STA STA STA STA STA STA ST	GRIDSZ RTMARG ************************************	<pre>;RTMARG=LAST DOT POSITION PLOTTED **** WES * **** ;START DOT POSITION ZERO ;START AND RESET LINE TO ZERO ;CALCULATE HORIZONTAL OFFSET C ;CALCULATE LINE BASE ADDRESS / ;DISPLAY VALUE TO TURN ON ONE DOT ;LINE=LINE+GRIDSZ ;BOTTOM OF SCREEN? ;NO, GO BACK ;YES,DOT POS.=DOT POS.+1 ;REACHED RIGHT MARGIN? ;NO, GO BACK ;DETERMINE BOTTOM CUTOFF POINT</pre>

7075:	E6	25		100		INC	HCV	
7077:	20	21	71	101	CLRBTM	JSR	HBASCAL	C : CLEAR LINNESSECARY PLOTS AT
7070-	00	28		102		IDV	#40	BOTTOM OF THE SCREEN
7070.	00	20		103	NYTRYT	DEV	1110	, BOTTOT OF THE SCREEN
7076:	00			105	NAIDTI	DET		
10/0:	91	28		194		SIA	(HBASL),Y
707F:	Dø	FB		105		BNE	NXTBYT	
7Ø81:	E6	25		106		INC	HCV	
7083:	A6	25		1Ø7		LDX	HCV	
7085:	EØ	CØ		108		CPX	#192	
7087:	DØ	FF		109		BNF	CI RBTM	
7089.		00	Ca.	110	PREV	IDA	VPD	CONTROL O CONTROL C AT TUTO
7600.	10	ED	60	444	NDNE I	DDI	NDU	BOTHT WILL TERMINATE
7000:	10	FD	-	111		BPL	RUKEY	;PUINI WILL TERMINATE
108E:	aD	19	60	112		SIA	KBDSTR	; ANY OTHER KEYSTROKE WILL RESTART
7091:	C9	83		113		CMP	#\$83	
7093:	DØ	Ø3		114		BNE	RESTAR	Г
7Ø95:	40	A7	7Ø	115		JMP	EXIT	
7098:	40	90	70	116	RESTART	JMP	START	
				117	*******	*****	*	
				110	+ HEED T	NDIIT	*	
				110	+ USER I		*	
			_	119	*******	*****	¥	
709B:	AD	ØØ	CØ	120	INPUT	LDA	KBD	SINGLE KEY INPUT
7Ø9E:	1Ø	FB		121		BPL	INPUT	
7ØAØ:	8D	10	CØ	122		STA	KBDSTR	
7ØA3:	C9	83		123		CMP	#\$83	CONTROL-C WILL TERMINATE
7005.	nø	ar		174		DNE	DIG	NOT CATEL -C
7647.	20	50	FC	125	EVIT	TOD	LONE	INDI CNIRC-C
70475	20	30	FL	123	EVII	JSR	HUME	
/ØAA:	AD	21	60	126		LDA	TXTMODE	
7ØAD:	AD	54	CØ	127		LDA	PRIMARY	(
7ØBØ:	4C	DØ	ø3	128		JMP	BASIC	
7ØB3:	C9	B1		129	DIG	CMP	##Bi	: IS IT < 17
7085:	90	F4		130		BCC	TNPLIT	VES INVALID OF BACK
7087.	10	RA		131		CMD	HADA	TE IT NOT
7000.	Da	Ea		170		DOO	THE	
1007:	80	20		132		BLS	INPUT	;YES, INVALID GU BACK
70BB:	29	ØF		133		AND	#\$ØF	; MASK OFF 4 MSB'S
7ØBD:	69	Ø1		134		ADC	#1	
7ØBF:	85	2E		135		STA	GRIDSZ	; THIS IS SIZE OF GRID
7ØC1:	60			136		RTS		
				137	****	****	****	t * * *
				138	* DISPLAT	TNP		PT #
				170	* 0101 201			
7000.	-	-	-	1.37	*******	1 50	*******	- OFT OUTTOUED FOD TENT MODE DAGE OUT
1062:	HD	21	60	140	PRDISP	LDA	TXTMUDE	SET SWITCHES FOR TEXT MUDE PAGE ONE
7005:	AD	54	CØ	141		LDA	PRIMARY	
7ØC8:	2Ø	58	FC	142		JSR	HOME	;CLEAR SCREEN
7ØCB:	A9	ØC		143		LDA	#12	; SET DISPLAY FOR HTAB 10, VTAB 12
7ØCD:	85	25		144		STA	CV	A REAL PROPERTY AND
7ØCF:	A9	ØA		145		LDA	#10	
7001.	85	24		144		STA	CH	
7007.	00	0 E		147		LDY	#15	
7003:	HZ DE	DE	70	147	NYTOUD	LDA	PDOMOT	Y BET CHARACTER
1005:	RD	DF	10	148	NATCHR	LDA	PROMPT,	A JUET CHARACTER
7ØD8:	20	ED	FD	149		JSR	COUT	; DISPLAY
7ØDB:	CA			150		DEX		
7ØDC:	DØ	F7		151		BNE	NXTCHR	
70DF:	60			152		RTS		
7005.	00	DE	00	157	PROMPT	ARC		2)9-1 (F7ISDIRG"
/ 10/01 8	nø	DF	Pie	100		100	******	
				134	*******		*******	
				155	#DIVIDE I	DUT PL	NUTTER	BY SEVEN #
				156	*******	*****	*******	******
7ØEF:	A5	26		157	DIVIDE	LDA	HPOSLO	
7ØF1:	85	20		158		STA	REMLO	
7053.	45	27		159		LDA	HPOSHT	
7055	OF	20		140		GTA	PEMLIT	
1013:	03	20		100		OFF	NENITI	
70F7:	38	-		161		SEC		
7ØF8:	AØ	FF		162		LDY	#\$FF	
7ØFA:	CB			163	DIV1	INY		
7ØFR:	A5	20		164		LDA	REMLO	
70ED.	FO	07		165		SBC	#7	
TAFE	OF	20		144		STA	REMID	
/ UFFI	60	20		1/7		LDA	DEMUT	
11010	63.53	10		10/		LUH	GECIEL	

7103.	FO	00		148		SBC	#0
7105.	05	20		140		STA	REMHT
7103.	10			170		DDI	DTUI
/10/:	10	F1		170		BFL	
7107:	A5	20		171		LDA	REMLU
71ØB:	69	Ø7		172		ADC	#7
71ØD:	85	20		173		STA	REMLO
71ØF:	60			174		RTS	
	-			175	********	*****	*****
				174	* DICPLAY	POLIT	TINE *
				170	+ DISPERI		
				1//	********	*****	
711Ø:	A6	2C		178	DISPLAY	LDX	REMLO ; DUT PUSITION WITHIN CULUMN (9-6)
7112:	BD	1A	71	179		LDA	ONBIT, X ; GET VALUE TO TURN BIT ON
7115:	11	28		180		ORA	(HBASL), Y ; MERGE WITH VALUE ALREADY THERE
7117:	91	28		181		STA	(HBASL) Y : DISPLAY NEW VALUE
7110.	40			182		RTS	
7117:	00	-	~	102	ONDIT	UEV	A1 4044401 40444
/11H:	01	ØZ	104	185	UNBII	HEA	91929490192949
				184	********	*****	********************************
				185	#HIRES BA	SE AI	DDRESS CALCULATION ROUTINE, PAGE 2*
				186	********	*****	******************************
7121:	48			187	HBASCALC	PHA	
7122.	45	25		188		IDA	HCV
7174.	60	20		100		ACI	1164
/124:	ØH			107		HOL	
7125:	ØA			190		ASL	2112
7126:	29	1C		191		AND	#\$1C
7128:	Ø9	4Ø		192		ORA	#\$4Ø
712A:	85	29		193		STA	HBASH
7120:	A5	25		194		LDA	HCV
712E.	40			195		ISP	
7105.	44			104		LOD	
7126:	41			170		LOR	
/130:	44			197		LSR	
7131:	4A			198		LSR	
7132:	29	Ø3		199		AND	#3
7134:	Ø5	29		200		ORA	HBASH
7136:	85	29		201		STA	HBASH
7138:	A5	25		202		LDA	HCV
7130.	29	rø		203		AND	#500
7170.	40	20		200		DUA	*****
71361	40			204		FRA	
713D:	6A			200		RUR	115 4 51
713E:	85	28		206		STA	HBASL
7140:	68			2Ø7		PLA	
7142:	4A			209		LSR	
7143:	44			210		LSR	
7144.	05	28		211		DRA	HBASI
7144.	05	20		212		GTA	HBASI
7140.	100	20		212		DIA	
/148:	68			213		PLA	
/149:	60			214		RIS	
				215	*******	*****	*******
				216	* CLEAR H	IRES	PAGE TWO #
				217	********	****	******
714A:	A9	00		218	INHRES	LDA	#Ø :START LINE ZERO
7140.	85	25		219		STA	HCV
7145.	20	21	71	220	CODEEN	TCD	HRASCALC INEW RASE ADDR WHEN HEV CHANGES
7146:	20	21	11	220	SCREEN	UBN	HAG
/151:	AD	28		221		LDY	#49 ; NUMBER OF COLUMNS
/153:	88			222	LINE	DEY	;CULUMN=CULUMN-1
7154:	91	28		223		STA	(HBASL),Y ;DISPLAY VALUE ZERO
7156:	DØ	FB		224		BNE	LINE ; COLUMN=ZERO?
7158:	E6	25		225		INC	HCV ;YES, LINE=LINE+1
715A:	AA	25		226		LDX	HCV
7150.	FØ	C.G		227		CPY	#192 .LAST LINE CLEARED?
7155-	Da	EE		220		DNE	SCREEN ING BO BACK
/IJE!	שט	CE		220	*******	DIVE	SCREEN ING, OU DHLK
				224	********	****	*********
				230	* SET SOF	T SW	ITCHES FOR HIRES #
				231	*******	****	***********
7160:	AD	57	CØ	232		LDA	HIRES
7163:	AD	50	CØ	233		LDA	GRAPHICS
7166:	AD	55	CØ	234		LDA	SECOND
7169.	AD	57	CØ	235		LDA	ALLER
7140-	LA	52		234		PTC	
/ 1001	00			200		1110	

COMPUTE's Author Guide

Most of the following suggestions serve to improve the speed and accuracy of publication. **COMPUTE!** is primarily interested in new and timely articles on VIC, Apple, PET/CBM, Commodore 64, Atari, Timex/ Sinclair, TI/99-4A, and Radio Shack Color Computer. We are much more concerned with the content of an article than with its style. Above all, articles should be clear and well-explained.

The guidelines below will permit your good ideas and programs to be more easily edited and published:

1. The upper left corner of the first page should contain your name, address, telephone number, and the date of submission.

2. The following information should appear in the upper right corner of the first page. If your article is specifically directed to one make of computer, please state the brand name and, if applicable, the BASIC or ROM or DOS version(s) involved. In addition, *please indicate the memory requirements of programs*.

3. The underlined title of the article should start about 2/3 of the way down the first page.

4. Following pages should be typed normally, except that in the upper right corner there should be an abbreviation of the title, your last name, and the page number. For example: Memory Map/Smith/2.

5. All lines within the text of the article must be double- or triple-spaced. A one-inch margin should be left at the right, left, top, and bottom of each page. No words should be divided at the ends of lines. And please do not justify. Leave the lines ragged.

6. Standard typing paper should be used (no erasable, onionskin, or other thin paper) and typing should be on one side of the paper only (upper- and lowercase).

7. Sheets should be attached together with a paper clip. Staples should not be used.

8. If you are submitting more than one article, send each one in a separate mailer with its own tape or disk.

9. Short programs (under 20 lines) can easily be included within the text. Longer programs should be separate listings. *It is essential that we have a copy of the program, recorded twice, on a tape or disk.* Please use high quality 10 or 30 minute tapes with the program recorded on both sides. The tape or disk should be labeled with the author's name, the title of the article, and, if applicable, the BASIC/ROM/DOS version(s). Atari tapes should specify whether they are to be LOADed or ENTERed. We prefer to receive Apple programs on disk rather than tape. On the other hand, tapes are preferred for the Radio Shack computer. Tapes are fairly sturdy, but disks need to be enclosed within plastic or cardboard mailers (available at photography, stationery, or computer supply stores).

It is far easier for others to type in your program if you use CHR\$(X) values and TAB(X) or SPC(X) instead of cursor manipulations to format your output. For five carriage returns, FOR I = 1 TO 5:PRINT:NEXT is far more "portable" to other computers with other BASICs and also easier to type in. And, instead of a dozen right-cursor symbols, why not simply use PRINT SPC(12)? A quick check through your program – making these substitutions – would be greatly appreciated by your editors and by your readers.

10. A good general rule is to spell out the numbers zero through ten in your article and write higher numbers as numerals (1024). The exceptions to this are: Figure 5, Table 3, TAB(4), etc. Within ordinary text, however, the zero through ten should appear as words, not numbers. Also, symbols and abbreviations should not be used within text: use"and" (not &), "reference" (not ref.), "through" (not thru).

11. For greater clarity, use all capitals when referring to keys (RETURN, TAB, ESC, SHIFT), BASIC words (LIST, RND, GOTO), and three languages (BASIC, APL, PILOT). Headlines and subheads should, however, be initial caps only, and emphasized words are not capitalized. If you wish to emphasize, underline the word and it will be italicized during typesetting.

12. Articles can be of any length – from a single-line routine to a multi-issue series. The average article is about four to eight double-spaced, typed pages.

13. If you want to include photographs, they should be either 5x7, black and white glossies or color slides.

14. We do not consider articles which are submitted simultaneously to other publishers. If you wish to send an article to another magazine for consideration, please do not submit it to us.

15. **COMPUTE!** pays between \$50 and \$600 for published articles. In general, the rate reflects the length of the article. Payment is made upon acceptance of an article. Following submission (Editorial Department, **COMPUTE!** Magazine, P.O. Box 5406, Greensboro, NC 27403) it will take from four to eight weeks for us to reply. If your work is accepted, you will be notified by a letter which will include a contract for you to sign and return. *Rejected manuscripts are returned to authors who enclose an SASE*.

16. If your article is accepted and you have since made improvements to the program, please submit an entirely new tape or disk and a new copy of the article reflecting the update. We cannot easily make revisions to programs and articles. It is necessary that you send the revised version as if it were a new submission entirely, but be sure to indicate that your submission is a revised version by writing "Revision" on the envelope and the article.

17. **COMPUTE!** does not accept unsolicited product reviews. If you are interested in serving on our panel of reviewers, contact the Review Coordinator for details.

Relocating VIC Loads

Tony Valeri

When you need to relocate a program in the VIC's memory, you can use this simple technique.

As most VIC users know, the VIC relocates all programs to the start of BASIC memory unless told otherwise. For example, LOAD 1,1 tells the computer to load the program into the area of memory specified by the tape.

So we have two choices; we can either load a program into the start of BASIC memory (usually \$1000 hex) or load a program back into its original location in memory (using a monitor like TINY-MON). But what if we want to place a previously prepared subroutine at the end of a program, or relocate a machine language program to some novel place in memory? There's not much we could do short of retyping it.

Basically, what happens during a LOAD is that, after a few pointers are stored (buffer location, program name, etc.), a routine is called that searches the tape for the next program header, and then reads it into the cassette buffer. The load routine next checks the buffer to find out whether the program being loaded is to be placed into the locations specified in the buffer or is to be relocated to the start of BASIC. Now, if we could by-pass the routine that does this, things would be much simpler.

In the figure, you'll see the locations necessary to relocate a program *anywhere* in the VIC's memory.

Use a SYS 63407. The computer will prompt with the usual PRESS PLAY ON TAPE. The difference is that the computer now prints READY as soon as the program is found. What has happened is that the SYS 63407 tells the computer to load the next program header and store the information in the cassette buffer.

To find out the original start and end locations of your program, type in PRINT PEEK(829) + PEEK(830)*256, PEEK(831) + 256*PEEK(832).

Increasing the value in locations 829 and 831 by one will place the program one byte higher in memory. Increasing the value in locations 830 and 832 by one will place the program 256 bytes higher in memory. Decreasing the values in these locations will have the opposite effect.

After the buffer has been changed, a SYS

62980 will return control of the computer to the load routine. Now load the main body of the program into memory, but load it into the *new* locations just specified.

See It Work

To demonstrate this technique, we'll fill the screen with data from tape. The demonstration is for the unexpanded VIC, so you'll need to remove or disable any memory expansion. To prepare, type in the following line in direct mode:

POKE 46, PEEK(46) + 2

This reserves two pages (512 bytes) at the end of your BASIC program for data.

Type in the following one-line program *exactly* as it appears. Any additional spaces will cause errors. The program will fill the space between the end of the program and the start of variables with the screen POKE value for the ball character.

10 FORA=4124T04629:POKEA,81:NEXT

After checking your typing, RUN the program then SAVE it to cassette.

Next, rewind the tape and reset the VIC with a SYS 64802. Start the relocatable load by typing:

SYS 63407

After the VIC reads the tape header into its buffer you can check the original start and end addresses by PEEKing addresses 829 - 832 as indicated above. The starting and ending addresses should be 4097

	HEX	DEC
Routine To Load Header	\$F7AF	63407
Buffer Start Of Prog.	\$033D & \$033E	829 & 830
Buffer End Of Prog.	\$033F & \$0340	831 & 832
Continue Load	\$F607	62980

Locations necessary to place a program anywhere in the VIC's memory. and 4636. Instead we want to put the block of 506 ball characters into screen memory, which starts at location 7680. To accomplish this, type in the following series of POKEs:

POKE 829,229:POKE 830,29:POKE 831,0:POKE 832,32

You'll need to prepare the screen by changing the colors to make the balls visible. Try POKE 36879,76. Finally, complete the tape LOAD by typing:

SYS 62980

The data coming in from tape will be directed to the screen memory area and will fill the display with ball characters.

PIZZA TIMEI

A smash Hit I The best, ever challenging maze game I Superb hi - res multi - color graphics never seen before on the VIC I Up to 20 levels of super fast action. Excel-lent sound. 1 - 2 players. 100% machine code. Joystick. &K expan. Cass. or Disk. VIC - 20 \$19.95

VIC - DO IT YOURSELF !

The most comprehensive tutorial to designing your own hi-res, full color arcade type games. 25 easy to understand chapters / programs including: Hi-res Animo-tion, Smooth Screen Motion, Colors, Sound, Graphic Editor, Useful Utilities, Screen Paint, Creepman (the game) and more. Basic and Assembly Language. Full listing, Just load and run. Even copy to your own games 1 Soft Bound + Cass. or Disk. \$24.95

BONUS OFFER

Order both and get ZZZAPP III (Breakout) free i 100% machine code, fast, full-color arcade game. (Unexpanded VIC.) \$1.50 shipping & handling. NY residents add 8.25 % tax.

SOFTRON, INC.

2067 Broadway, Suite 27 New York, NY 10023 Tel. 212 - 490 - 0077 Orders Only 800 - 328 - 8029

Cassettes are slow...

If you own a Commodore 64th or VIC 20th computer, you already know how long it can take to load or save a program. How much time are you wasting just waiting for READY to appear on the screen? Probably a lot, and that's why you need

THE SIGNAL® from ZAXIS.

THE SIGNAL automatically keeps track of cassette

operations and signals you with a pleasant "beep" when both a program header is found and when a Load or Save is completed. You no longer need to stare at the screen for what seems like endless minutesinstead you can go on to other work and when you hear THE SIGNAL, you know that things are READY. THE SIGNAL also provides a reassuring power-on beep, and can be activated under program control.



THE SIGNAL plugs right into the back of your VIC 20 or Commodore 64 computer, and your cassette cable plugs into THE SIGNAL. That's all it takes to start making your computer operations more efficient. After you've used THE SIGNAL, you won't know how you got along without it!

THE SIGNAL is available from your favorite computer dealer, or order direct: \$29.95 plus \$3.00 for UPS shipping and handling (CA residents add 6.5% sales tax). We accept VISA, MasterCard, check or money order. Do not send cash. Sorry, no CODs. Dealer Inquiries Welcome

Commodore 64 and VIC 20 are trademarks of Commodore Business Machines, Inc.



P.O. Box 666 San Carlos, CA 94070 (415) 592-4334

CARDRAM 16

Personal Computer

Provides the equivalent of two

Each 8K is individually switch se-

Opening in case to provide easy

Uses 8 low power CMOS 2K x 8

High quality glass/epoxy circuit

8K RAM cartridges.

lectable by block.

static RAM chips.

switch access.

board.



FIVE POWERFUL SOFTWARE DEVELOPMENT TOOLS

Plus The Exciting New Book

INSIDE THE VIC

THE BOOK

A complete clear explanation of machine language, Assembly language, VIC 20 archi-tecture, graphics, joystick and sound effect programming. Detailed step-by-step guide to the use of the development tools. How to combine BASIC and machine language, make auto-start cartridges, interface with the internal ROM-based programs of BASIC and the Kernal. Sample programs fully explained.

THE TOOLS

Assembler/Editor/Loader/Decoder/Monitor Full-featured Assembler allows use of labels, comments and arithmetic expressions to create machine language programs. Create, save, modify Assembly language programs with the Editor. Load and link machine language modules with the Loader. Decode machine language back into assembly language for study or input to the Editor. Single-step program execution with the Monitor. Extended features combines Assembler/ Editor for maximum ease of use.

ALL FOR \$49.95 PLUS \$2.00 POSTAGE AND HANDLING Standard version runs on any system with Datasette (5K and up) Add \$5.00 for disk version, \$5.00 for extended features (minimum 8K) Send check, M.O., VISA/MC (\$2.00 S.C.) or specify C.O.D. (add \$3.00) to:



P.O. Box 207, Cannon Falls, MN 55009

507-263-4821 VIC-20 is a registered TM of Commodore Business Machines Inc.



Personal checks allow 3 week delivery VIC-20* is a registered trademark of Commodore Prices subject to change

180 COMPUTE! August 1983

www.commodore.ca



- We have over 500 programs
- Visa Mastercharge C.O.D.
- We love our customers!



You can make: • Adventure games that talk • Real sound action games This voice synthesizer is VOTRAX based and has features equivalent to other models costing over \$370.00. To make programming even easier, our unique voice editor will help you create words and sentences with easy to read, easy to use symbols. The data from the voice editor can then be easily transferred to your own programs to make customized talkies.

* FREE — Your choice of \$19.95 4" Speaker and Cabinet or \$14.95 Voice Editor if you order before June 15, 1983!

- "15 DAY FREE TRIAL"
- We have the lowest VIC-20 prices
- We have over 500 programs
- Visa Mastercharge C.O.D.
- We love our customers!

BOX 550, BARRINGTON, ILLINOIS 60010+ Phone 312/382-5244 to order

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

PROTECT

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010

Phone 312/382-5244 to order

Commodore 64 Video – A Guided Tour

Jim Butterfield, Associate Editor

In this, the final installment of our exploration of the Commodore 64's unique video design, we look at a solution to the pesky "hiccup" screen glitch.

Last time, we looked at a simple program to split the screen of the Commodore 64. It was similar, but not identical, to this one:

100 FOR J=828 TO 862; READ X

- 110 T=T+X:POKE J,X
- 120 NEXT J 130 IF T<>3929 THEN STOP

```
200 DATA 173,25,208,41,1,240,25,141,25,2
08,162,146,160,6,173,18
```

```
210 DATA 208,16,4,162,1,160,0,142,18,208
,140,33,208,76,188,254,76,49,234
300 POKE 56333,127
```

```
310 POKE 788,60:POKE 789,3
```

```
320 POKE 56333,129:POKE 53274,129
```

Our previous example split the screen into two sections: graphics and text. This one splits the screen into two background color areas. It makes it easier for us to see the glitch – the hiccup that occasionally disturbs our screen split. By the way, it's easier to see the problem when you are using the keyboard.

Why The Problem?

Here's where the problem comes from: the timer interrupt strikes about every 1/60 of a second. The screen display, too, runs at a rate of about 60 times a second. But they are not synchronized. The two processes run at similar, but not identical, speeds.

Now, every once in a while, the timer interrupt hits just before the raster interrupt. The timer interrupt has quite a few jobs to do: update the TI\$ clock, check the cassette motor, flash the cursor, and check the keyboard. It takes time to do these jobs, and extra time is required if a key is being pressed.

Suppose we have just started on the timer 182 **COMPUTE**! August 1983 interrupt, and the raster scan says, "I'm ready!" Sorry, raster, we're already into an interrupt routine, and other interrupts are locked out until we have finished. By that time, the screen scan might have moved along a few lines, and our split screen has crept from its normal position.

Some Possible Fixes

There are several possible approaches to fixing this jitter. The ones that come to mind first are complex; in a moment, we'll move on to an easy one.

When the timer interrupt strikes, we could ask it to look at the raster and see if the scan was close to the interrupt point. If so, we might wait things out, or skip part of the timer interrupt jobs. Messy.

The timer interrupt could "unlock" the interrupt very quickly, using a CLI command. That way, we could interrupt the interrupt program itself to do the split screen job. Better, but some programmers feel it's dangerous to allow this kind of thing to happen.

A Better Way

There is an easier way: shut the timer interrupt off completely, and do its various jobs with our own programs. This *seems* complex, but it's not. We can call the timer interrupt routines ourselves, whenever it's time.

Let's look a little more closely into the timing of these interrupts. We expect to cause a raster scan interrupt about 120 times a second. That's twice as often as the timer interrupt needs to be handled. So our raster program could occasionally call in the timer interrupt program.

It seems that we could accomplish the task easily by calling the timer interrupt routines every second raster interrupt. That would certainly do the job, but there's a better way.

Even though we've shut off the timer inter-





Sprite Sprite



GAMES

(on tape) 646 Pacacuda 19.95 650 Logger 19.95 651 Ape Craze 19.95 652 Centropod 19.95 653 Escape 19.95 641 Monopoly 19.95 642 Adventure #1 19.95 648 Galactic Encounter 9. 667 Yahtzee 14.95 671 Robot Blast 14.95 673 Moon Lander 14.95 676 Othello 14.95 686 Horserace-64 14.95 692 Snake 14.95 697 Football 14.95 819 Backgammon 24.95 822 Space Raider 19.95 846 Annihilator 19.95 842 Zwark 19.95 845 Grave Robbers 13.95 841 Pirate Inn Adv. 22.95 904 Shooting Gallery 14.95 816 Dog Fight 19.95 817 Mouse Maze 19.95 818 Ski Run 22. 820 Metro 22. 823 Sub Warfare 29. 838 Retroball 39.95 (cartridge) 839 Gridrunner 39.95 (cartridge) 825 Mine Field 13. 672 Dragster 14.95 662 Oregon Trail 14.95 679 3-D TicTacToe 14.95 655 Castle Advent 14 95

EDUCATIONAL

(on tape) 644 Type Tutor 19.95 645 Assembly Language Tutor 14.95 687 Fractional Parts 14.95 902 Estimating Fractions 14.95 695 Tutor Math 14.95 870 Square Root Trainer 14.95 699 Counting Shapes 14.95 694 Money Addition 14.95 689 Math Dice 14.95 678 Speed Read 14.95 643 Maps and Capitals 19.95 645 Sprite Editor 19.95 904 Sound Synthesizer Tutor 19. 696 Diagramming Sentences 14.95 690 More/Less 14.95 688 Batting AVERAGES 14.95 802 TicTac Math 16.95 904 Balancing Equations 14.95 905 Missing Letter 14.95 864 Gradebook 15. 810 French 1-4 80. 811 Spanish 1-4 80. 807 English Invaders 16.95 809 Munchword 16.95 812 Puss IN Boot 20. 813 Word Factory 20. 660 Hang-Spell 14.95 905 Division Drill 14.95 906 Multiplic. Drill 14.95 907 Addition Drill 14.95 908 Subtraction Drill 14.95 910 Simon Says 14.95 911 Adding Fractions 14.95 912 Punctuation 14,95

EDUCATIONAL

Series on disk Computer Science (30 programs) \$350 HS Biology (70 programs) \$500 HS Chemistry (40 programs) \$450 HS Physics (60 programs) \$475 HS SAT Drill (60 programs) \$99. Elem. Social Studies (18 pr.) \$225 Elem. Science (18 programs) \$225 Elem. Library Science (12 pr.) \$170 Librarians Package (4 utilities) \$110 3rd Grade Reading (20 lessons) \$99. 4th Grade Reading (20 lessons) \$99. 5th Grade Reading (20 lessons) \$99. 6th Grade Reading (20 lessons) \$99. Spanish Teaching (12 lessons) \$95. PARTS OF SPEECH (9 lessons) \$95.

BUSINESS

(all on disk) WORD PRO 3 + 95.00 DATAMAN-64 data base program. 49.95 PERSONAL FILING SYSTEM (index card style) 19.95 HOME FINANCE 19.95 CYBER FARMER \$195. GA 1600 Accounting System 395. PERSONAL TAX 80. ACCOUNTS RECEIVABLE 22. New York State Payroll 89. MAILING LIST 24. Manufacturing Inventory 59. Stock Market Package 39. Finance 16.95

-www.commodore.ca

ORDERING BLANK	ITEM DESCRIPTION PRICE
To: American Peripherals 122 Bangor Street Lindenhurst, NY 11757	
Ship to: Name	
Street	
Town, State, ZIP	only add 71/4% tax
 Please send your complete 64K catalog, free of charge. 	Shipping \$1.50 COD, add 1.50 If Canada or Mexico, add additional 2.00
Commodore 64 is a requested trademark of Commodore LTD.	TOTAL AMOUNT

rupt, it's still signaling when the time is ready. Let's review: the timer leaves a signal in hex address \$DC0D (56333) whenever it counts down to zero. Normally, this signal triggers the interrupt line (IRQ) and causes the processor to be interrupted. But we may "break" the connection between the timer signal and the interrupt line. In this case, the timer will not cause an interrupt, but the signal bit will still flash when the appropriate time has come.

We can see the plan in Figures 1 and 2. We will disconnect the timer from interrupt, and service it ourselves when it flashes. Easier done than said. Let's look at the machine language coding:

033C A9 01 INTR LDA #\$01 033E 8D 19 D0 STA \$D019

Raster interrupt is now the only game in town, so we don't need to test for it. We must, of course, turn off the raster interrupt flag.

0341	A2	92	LDX	#\$92
0343	Å0	06	LDY	#\$06

Setup for top of screen. Next interrupt, line 92 hex; new color, number 6.

0345	AD	12	D0	LDA	\$D012
0348	10	04		BPL	MID

If it's really the top of screen, we can skip ahead. Otherwise, we change for mid-screen – line 1, new color, number 0:

034A	A2	01	LDX	#\$01
034C	A0	00	LDY	#\$00

Now we're ready to do the job, wherever the screen is:

034E 8E 12 D0 MID STX \$D012 0351 8C 21 D0 STY \$D021

The job is done. Now let's see if the timer interrupt is calling for action:

0354	AD	0D	DC	LDA	\$DC0D
0357	29	01		AND	#\$01
0359	FO	03		BEQ	SKIP

If we didn't skip, the timer wants attention. Call it in:

035B	4C	31	EA	JMP	\$EA31
				*	

If we did skip, the timer isn't needed. Quit with:

035E 4C BC FE SKIP JMP \$FEBC

We must remember, of course, to: turn off the timer interrupt; set the IRQ vector to our new code; and turn on the raster interrupt. We'll do all that in BASIC. Speaking of which....

BASIC-ally Yours

Here's the same program in BASIC.

100 FOR J=828 TO 864:READ X 110 T=T+X:POKE J,X 120 NEXT J 130 IF T<>4077 THEN STOP

186 COMPUTE! August 1983

- 200 DATA 169,1,141,25,208,162,146,160,6, 173,18,208,16,4,162,1
- 210 DATA 160,0,142,18,208,140,33,208,173 ,13,220

220 DATA 41,1,240,3,76,49,234,76,188,254

300 POKE 56333,127

310 POKE 788,60:POKE 789,3

320 POKE 53274,129

Now we have a rock-solid color change at the appropriate screen point. No creeping, no jit-tering, no hiccups.

We've only touched upon the techniques of raster interrupt. A whole host of new possibilities open up with its use.

But we've shown it can be done, and some of the techniques that can be used to do it.

Copyright © 1983 Jim Butterfield.

Figure 1:

"Conventional" coding requires the program to distinguish between the two live timing sources. It may also cause timing jitter.



Figure 2:

Single interrupt coding gives priority to the timesensitive raster job.



Strengthen your hand with Superbase 1

The complete information control system for the Commodore 64. Ideal for any home, business or professional environment where records are kept. Create the format you

need and enter your records. If the layout or data field sizes are not quite right, correct them and carry on. Superbase gives you an unrivalled range of powerful features including:

QUICK ACCESS Search, select from and sort names, dates, values

Fast key access Search and select

using multiple

Print, display or store selections Fully definable

report and screen formats Browse feature

EASY AMENDMENTS Add or remove fields dynamically or alter their length with no need to rebuild files Completely redefinable records Full file update and delete facility Fast on screen recalculation of numeric fields gives genuine spreadsheet capability Calendar accuracy operations to the solution

arithmetic

Find out more about Superbase 64. Contact your local Commodore Dealer or Precision Software at our U.K. office.

Precision Software Limited Park House 4 Park Terrace Worcester Park Surrey KT4 7JZ England Telephone: 01-330 7166 Telex: 8955021 PRECIS G





FLENBLE RECORDS

Fully definable records

fields

Fully definable records Fully definable records with text, numeric, date, ey calculated result, orking and key calculated to inking and key

Record Size up to

record.

UP to 128 tiens per 1000 characters

UP to 4 screens

Per record

File Size up to

16 million

characters



LINKS TO WORD

PROCESSING

HINKS ID FRASH SCIIDI WORD

Drocessor and Lasy soell to hallshos:

lenes, quoies, tables

Calculator and explanatory HILS

screens Of the Stell

addications to still

4044 Stores and the state Aver sterrage to the the

lecolds: stock ...

SUBSCIENT AN ANDER and calefing alc

Troubleshooting **A Program**

John Blackford, Assistant Features Editor

Suppose you've typed a program into your computer from the pages of **COMPUTE!**, and it doesn't run. The following checklist should help you find the problem in a jiffy.

There are two likely sources of trouble in a typed program: typing errors made as you enter the program into your computer or mistakes involving *COMPUTE*!'s conventions – the symbols used to indicate special keystroke combinations. If you have successfully typed in programs from the magazine before, the problem is probably a typing error. But if this is your first try (or if you are working with a new computer which is unfamiliar to you), you may be having trouble with the listing conventions.

Knowing How To Enter The Program

First fake a look at the articles published each month, "How To Type COMPUTE!'s Programs," and "A Beginner's Guide To Typing In Programs." As you'll see, finding a character or word enclosed in braces is either a *function key* – such as the "CLEAR" key - or a normal key pressed simultaneously with a control or escape key. Don't type in either the letters of the word in braces, or the braces themselves. Instead, press the key or keys indicated by the words within braces. {CLEAR} means, press the CLR key.

What about the possibility that the program in the magazine is incorrect? Each program we publish is tested carefully, and the versions for each different computer brand are checked separately. When we have a given version running smoothly, we LIST the program directly onto paper. This paper version is photocopied and then appears as is in the magazine. Because of this, there is very little chance of a typographical error in the magazine version - it is identical to

the program that was pretested in the computer.

Still, we have made mistakes. In almost every case, though, a program *will* run correctly as printed. If you continue to have problems after having followed these troubleshooting procedures, check the section of the magazine called CAPUTE! the next issue or two following the program in question.

On the other hand, there is a good chance that a typing error crept in as you keyed the program listing into your computer. The result can be anything from a slightly quirky display (such as square trees) to no game at all – just a cryptic error message or even a lock-up. When a computer locks up, the keyboard and RESET keys have no effect. To regain control, you must turn off the computer. Everything you typed in is lost. To avoid this disaster, always SAVE your program before you try to RUN it.

Finding The Source Of A Problem

Often, you can trace a mistake by knowing how to interpret error messages. Some computers give you a statement such as "OUT OF DATA," while others give only an error number. If you get a number, look it up in your user's manual. The error statement or number is accompanied by a line number, which helps in locating the problem.

First, LIST the line and make sure that it is exactly the same as the one in the magazine. If it isn't, make the required changes and try to RUN the program again.

Sometimes, the actual error is not on the line named as the source of the problem. If a DATA entry is missing, the error is listed at the line containing the READ instructions. If a string is incorrectly DIMensioned, the error will occur in the line that first calls for the variable, not in the line containing the DIM statement.

Gwww.commodore.ca

WE MAKE A GREAT CASE FOR YOUR COMPUTER.

One size does not fit all. Our cases are designed for specific hardware configurations. When you put your computer in our case, it fits hand-in-glove. Once your equipment is safely inside the attache-style carrying case, it never has to be taken out again. To operate, simply remove the lid and connect the power. To store your computer, disconnect the power, enclose your disks, working papers, and manuals in the compartment provided, and attach the lid. It's as easy as that.

• AP101	Apple II with Single Drive	\$109
• AP102	Apple II with Two Disk Drives	119
• AP103	Apple II 9-inch Monitor & Two Drives	129
• AP104	Apple III, Two Drives & Silentype Printer	139
· AP105	13" Black & White Monitor with Accessories	99
· AP106	Amdek Color I. II or III Monitor.	119
• FB152	Franklin Ace 1000 or 1200 with Two Drives	119
• FB153	Franklin Ace 1000 or 1200 with Two Drives & 9" Monitor	139
• BS201	TBS-80 Model I Computer, Expansion Unit & Drives	109
BS204	TBS-80 Model III	129
AT301	ATABL 400 or 800 Computers with Peripherals.	109
P401	Paper Tiger Printer (400/445/460)	99
P402	Centronics 730/737 & Badio Shack Printer	89
P403	Enson MX70 or MX80, Microline 82A Printer or Color	
-1400	Computer	89
P/04	Enson MX100 Printer	99
D/05	IDS 560 or Prism 132 Printer	109
P405	C Itab Stanwriter/Printmaster F-10 Printer	119
• P400	Okidata Microline 83A or 84 Printer	99
P407	C Itoh Drowriter 2 Printer	99
• F400	0. IUII FIDWIIGI 2 FIIIIGI	55

AB CONT **IB502** IB501 C. Itoh Prowriter (Apple Dot Matrix) or NEC PC8023 Printer 89 • P409 129 • IB501 IBM Personal Computer with Keyboard 99 IBM Monochrome Monitor..... IB502 99 HP41 with Accessories • HP601 CM702 Commodore 64 (or Vic 20) with One Drive 119 CM703 Commodore Model 64 with Two Drives 129 109 • CM704 139 NS010 North Star Advantage..... Matching Attache Case (5") 85 • CC80 75 Matching Attache Case (3") • CC90 Matching Accessories Case (51/4" Diskettes, Paper, etc.) . . . 95 CC91 5.25" Diskette Case (Holds 75 Diskettes) 49 CC92 79 CC50 Case Cart

CALL TOLL FREE: (800) 848-7548 Computer Case Company, 5650 Indian Mound Court, Columbus, Ohio 43213 (614) 868-9464



ATTENTION PROGRAMMERS!!

DATASOFT is currently seeking programs and programmers to add to their rapidly growing and expanding operation. A leading marketer and developer of personal computer software, DATASOFT offers experienced assemblylanguage programmers the opportunity to join their staff to develop and translate arcade games such as ZAXXON™, as well as to author original material for their games, education and home management product lines. DATASOFT pays competitive salaries, plus bonuses based on product performance. Relocation assistance is available, if needed.

If you have working knowledge of Atari, Apple, TI, or Commodore operating systems, graphics, animation and sound, call or write the Product Development Department at:



9421 Winnetka Ave Chatsworth. CA 91311 (213) 701- 5161 / (800) 423-5916

ZAXXON and SEGA are registered trademarks of Sega Enterprises. DATASOFT is a registered trademark of Datasoft, Inc.

www.commodore.ca

VISA

The Home Accountant: It can cover your assets.

If you're concerned about your money, it's important to know not only where your assets are but whether they're working for you.

By tracking up to 200 different budget categories,* 5 different checking accounts and all the credit cards you can carry, The Home Accountant will let you know where you stand on any given day. It will even print your checks, your net worth statements and financial statements.

Additionally, full-scale color graphics of actual vs. budgeted expenses give you an instant overview of your financial condition.

The Home Accountant can save you enough time and money to more than justify its cost. And the experts agree:

66 Of the five [home financial] programs reviewed here THE HOME ACCOUNTANT is the most thorough and powerful. Considering how much it can do, it's remarkably easy to use. 99

-Softalk, Apple, April, 1982.

66 Personal-finance programs, have for the most part, a manual file system. Only THE HOME ACCOUNTANT is fully automatic. 99

-Popular Science, December 1982.

66. The program itself does just about everything you'd ask of a personal finance package. 99

-Popular Computing, November, 1982.

THE HOME ACCOUNTANT. The #1 bestselling personal finance program in the world.

Available for: Apple II, IBM Personal Computer, Atari 400/ 800, Osborne, TRS-80 Model III, Commodore VIC 64.

*Actual budget capacities will vary with each computer.





Continental Software, 11223 South Hindry Ave. Los Angeles, CA 90045, (213) 417-8031.

The Home Accountant is a registered trademark of Continental Software. Apple II is a registered trademark of Apple Computer, Inc. IBM Personal Computer is a registered trademark of IBM Corp. Atari 400/800 are registered trademarks of Atari, Inc., a division of Warner Communications, Inc. Osborne is a registered trademark of Osborne Computer Corp. TRS-80 Model III is a registered trademark of Tandy, Inc. Commodore VIC 64 is a registered trademark of Commodore Business Machines, Inc.

Likewise, if you forget to use RETURN to end a subroutine or tell the program to jump to a nonexistent line, the error message will refer to where the computer failed to carry out your instructions, not to where the mistake actually is located. Thus, interpreting this kind of error message requires some imagination, but at least the messages narrow your search to two areas.

If you go through the above steps and still don't find a mistake, you'll have to check the program line by line to be certain that each character is exactly the same as the original text. First, check the line numbers themselves, comparing number by number. Make sure none are missing and that there are no extra ones which never appeared in the magazine.

Now, check the program line by line. As you go, recheck the line numbers. A common mistake is to enter correct information on the wrong line, and it is very easy to miss this when checking because your eye tends to jump from what you read on the screen to the same thing on the page. You may not notice when a program line is matched up with the wrong line number.

Look For Omissions

Another common problem is skipping part of a line or repeating part. A small omission of this sort can produce dramatic results. In the following example, leaving out part of the line creates an "endless loop" that will stop the program in its tracks:

10	X = 0
20	X = X + 1
30	PRINT X
40	GOTO 20

This program will never get beyond line 40. Line 20 should have read:

20 X = X + 1: IF X>10 THEN GOTO 50

The second part of line 20 allows the program to get out of the loop. Keep on the lookout for such omissions when you compare the listing line by line.

Once you have cleared up the major problems that keep the program from running at all, you can fine tune any glitches in the display. These can be tedious, but at least you have something to work with and can see right on the screen how your changes are affecting the program.

Troubleshooting can be frustrating. But when you check things out step by step – starting with the most likely sources of trouble - you will reduce your "debugging" time dramatically. 0





PROGRAMMING THE TI

C. Regena

DATA, READ, And RESTORE Statements

Let's look at DATA and READ – what do these statements do and how do you use them? Using DATA statements in a program can save memory and may be more efficient than using many equivalent lines of code. However, a DATA statement can be more difficult to decode or understand because it can look like just a random group of numbers.

DATA statements are used in conjunction with READ statements. Together they assign numbers or strings to variable names.

 100 READ N

 110 DATA 5
 is equivalent to
 100 N=5

The DATA-READ concept becomes efficient when you assign several values to a variable name for a particular procedure. Let's look at an example:

```
100 READ A
110 PRINT A,A*A
120 IF A=7 THEN 140 ELSE 100
130 DATA 3,2,6,8,7
140 END
```

When the program comes to READ A, the computer looks for the first DATA statement and assigns the first value, 3, to the variable A. The program continues, then comes to the statement READ A again. The computer has already read the first number, so it assigns the very next number, 2, to A. The process continues. Each time a READ statement is encountered, the *very next* data item in the DATA list is read, whether it is in the same DATA statement or the next DATA statement.

DATA Varieties

DATA statements may be placed anywhere in the program. They are ignored until a READ statement is executed. A "marker" is remembered by the computer so it knows exactly which data item has most recently been READ – and therefore which item the next READ statement will act upon.

A DATA statement may contain one item only or several items separated by commas. Data items may be numeric constants (numbers) or strings. Numbers may be positive or negative and may contain a decimal. Numbers may not be variable names and may not contain operators (such as 5/3). String variables do not need to be in quote marks unless there are leading spaces, trailing spaces, or embedded commas as part of the string. You may specify a null string by "", or ,, in a series. Example:

300 DATA " ", JOHN, ,, JIM, " "

Line 300 contains six data items – null, JOHN, null, null, JIM, and null.

You may combine numbers and strings in the same DATA statements, but you must be careful that the data items in order match the READ statements. If the READ statement specifies a numeric variable, a string will not be accepted. You must have at least as many data items as the READ statements will try to access (or you will get an OUT OF DATA error). If you happen to have extra data items, they will be ignored.

A READ statement may specify one or several items. The items may be a combination of numeric and string variables. Keep in mind that READ statements only read the data and assign values to variables – later program lines would actually print, calculate, sort, or manipulate the data.

Following are some examples:

```
String Variables
```

```
100 FOR C=1 TO 5
110 READ A$
120 PRINT A$
130 NEXT C
140 DATA ED,BILL,JOHN,JIM,KELLY
150 END
```

Subscripted Numeric Variables

```
200 FOR I=1 TO 4
210 READ A(I)
220 PRINT "A(";I;")=";A(I)
230 NEXT I
240 DATA 32,-42,48,69,-73,89
250 END
```

Multiple Variables

300 FOR I=1 TO 3 310 READ A,B,C 320 CALL HCHAR(A,B,C) 330 NEXT I 340 DATA 12,24,42,8,8 350 DATA 35,20,15,38 360 END

To help conserve memory, a DATA statement can be up to four screen lines long (112 characters). You can edit and insert to make the line even longer. One exception is that if you have quite a few items separated by a lot of commas, the computer will accept only a little over three lines.

Printing Lowercase As An Example

The following program illustrates how DATA and READ statements are used to save memory in defining graphics characters. To specify each character number and definition in a separate CALL CHAR statement would require 26 statements. Using DATA and READ, four lines READ and define the graphics characters, and five data lines are used.

Program 1 redefines the small capital letters in characters 97 through 122 to graphics characters which can print actual lowercase letters. Letters with ascenders or descenders will require two letters to be printed. The chart shows which small capital letter (release the alpha lock key to print these) represents which graphic character. Lines 200-300 in the program illustrate how to print the lowercase letters.

Small Capital Letters And The Graphics Characters They Represent.



Program 1: Lowercase Letters

- 100 CALL CLEAR
- 110 FOR C=97 TO 122
- 12Ø READ C\$
- 13Ø CALL CHAR(C,C\$)
- 14Ø NEXT C
- 15Ø DATA 3D4381818181433D,BCC2818181 81C2BC,3C428Ø8Ø8Ø8Ø423C,ØØØØØ1Ø1 Ø1Ø1Ø1Ø1,3C4281FF8Ø8Ø423C
- 160 DATA 0609080808080803E,010101010141 221C,00008080808080808,0000008,08 080808088887,8890A0C0A0908884
- 17Ø DATA Ø8Ø8Ø8Ø8Ø8Ø8Ø8Ø8Ø8Ø8,7884Ø2Ø2Ø2 Ø2Ø2Ø2,BCC2818181818181,3C428181 8181423C,8Ø8Ø8Ø8Ø8Ø8Ø8,Ø1Ø1Ø1Ø1Ø1Ø1
- 180 DATA BCC281808080808,3C42403C020 2423C,000008080808087F08,818181818 181433D,4141222214140808,0404888 85050202
- 190 DATA 8244281028448282,1010202040 4,7F0204081020407F
- 200 PRINT TAB(4);"1"
- 210 PRINT TAB(4);"1 o vw e r (3 SPACES)c a s e"
- 220 PRINT :TAB(9);"1{3 SPACES}h {3 SPACES}h{3 SPACES}t" 230 PRINT TAB(7);"a 1 b n a b e 1"
- 240 PRINT TAB(11);"P" 250 PRINT :::" h(3 SPACES)d
- (3 SPACES) f (3 SPACES) h i i h 1"
- 260 PRINT "abcaelanllkln m"
- 27Ø PRINT TAB(13); "g{5 SPACES}j"
- 280 PRINT : TAB(13); "t"
- 290 PRINT "nobarsluvvwxv z"

```
300 PRINT TAB(5);"p q";TAB(24);"y"
310 GOTO 310
```

```
320 END
```

RESTOREing

Now let's say you want to use a DATA statement to list some numbers. First you want to add the numbers, and then you want to multiply the numbers. The list of numbers for both processes is the same. To save memory (and typing effort), the TI allows you to RESTORE data. The RESTORE statement indicates that for the very next READ statement the computer will go back to the first DATA item in the program. RESTORE *resets* that "marker" to zero.

```
100 FOR I=1 TO 5
110 READ M,N
120 PRINT M; "+";N; "=";M+N
130 NEXT I
140 PRINT
150 DATA 3,2,5,7,4,4,2,1,9,7
160 RESTORE
170 FOR I=1 TO 5
180 READ A,B
190 PRINT A; "*";B; "=";A*B
200 NEXT I
210 END
```

RUN this sample program to see how the data items are used, then RESTOREd, then used again.



RESTORE can be very useful. TI BASIC also allows you to RESTORE to a certain line of data by specifying a line number. If you have a long program with lots of DATA statements, you can use a RESTORE *n* where *n* is a line number to make sure that each READ statement will read the correct data starting with the specified line of data.

This sample program illustrates the use of the RESTORE command. The DATA statements here contain duration factors and frequencies to be used in CALL SOUND statements. Ordinarily the first READ statement would read the first data items from the very first DATA statements. However, line 130 says to start reading the data in line 260 with the very next READ statement. Ten sounds are played; then we RESTORE 260 again so the ten sounds are repeated. Line 190 says RESTORE 240 so the data will start with line 240 for the very next READ statement.

Program 2: Sounds

100 CALL CLEAR 110 PRINT "SOUNDS" 120 FOR A=1 TO 2 13Ø RESTORE 26Ø 140 FOR I=1 TO 10 150 READ T,F 160 CALL SOUND (T*50, F, 2) 17Ø NEXT I 180 NEXT A 19Ø RESTORE 24Ø 200 FOR I=1 TO 22 210 READ T,F 220 CALL SOUND (T*100, F, 2) 23Ø NEXT I 24Ø DATA 2,1046,2,784,2,659,4,523,2, 440 25Ø DATA 2,392,2,349,3,392,2,330,4,2 62 260 DATA 6,330,4,262,4,330,6,392,4,5 23, 4, 494, 6, 523 27Ø DATA 4,392,4,330,6,392 28Ø DATA 4,330,8,262 29Ø END

This "Southern States" program illustrates a variety of uses of DATA and READ statements. Keep in mind that the DATA statements can go anywhere in the program and are ignored until a READ statement is executed.

Note: As you are typing in programs from listings, the most likely place for *bugs* (errors) is in DATA statements. Be sure you copy DATA statements carefully. Watch particularly the placement of commas. Do not accidentally put a comma at the end of a DATA statement. If your data list consists of graphics definitions, those rounded characters are zeros, not the letter O. If your program stops with a BAD VALUE message, you can PRINT some of the variable names to see if you can pinpoint which DATA statement may be causing an error.

In any case, Southern States is an educa-

tional program that draws a map of the United States. One of the Southern States is outlined, and the user must type the name of the state. If the state is correct, the user must then type the name of the capital city. States are chosen in a random order. If you get the state and the capital right, that state will not appear again. However, if you miss an answer twice, the correct answer will be given and the state will appear again.

The data in lines 270-310 defines graphics characters for the map. We're using small capital letters so they can be printed, a faster method of drawing than using CALL HCHAR or CALL VCHAR. Be sure to release the alpha lock key to type in lines 320 and 480-510.

Line 330 (RESTORE 370) is not necessary the first time through the program because the data in line 370 would be the next data anyway. However, the program branches back to line 330 to RESTORE data if you'd like to try a "new" quiz. Lines 340-390 read the names of the states and the capital cities as the S\$ array and C\$ array.

Outlining States

Lines 540-560 randomly choose one of the states that has not previously been chosen and identified. The S\$ value is set to "" (null) if the state is identified correctly. Depending on which state is chosen, certain data is RESTOREd (line 570 then lines 1500-2070).

Each state's data contains first a number representing the number of graphics characters that need to be defined. This number is READ in line 590 (READ N). Lines 600-630 then read the next data items to define the graphics characters. Line 640 reads N, the number of graphics characters that need to be placed on the map, and then lines 650-680 read the row coordinate, column coordinate, and character number from data to outline the state. To erase the state, line 1250 reads N, the number of characters needed to erase the state, and lines 1260-1290 read from the data the row coordinate, column coordinate, erasing graphic character, and number of repetitions. Most of the clearing is done with character 96, the plain yellow square, so repetitions can be used.

Program 3 Explained

Lines 110 Clear screen. 120-170 Define colors for graphics. 180-210 Print title screen. 230-310 Define graphics characters for map. 320 Define L\$ for use in printing the map. Read names of states in S\$ array and corresponding 330-390 capital cities in C\$ array. 400-460 Print instruction screen and wait for user to press ENTER. 470-510 Clear screen and print map of United States. Perform quiz for 11 states. 520 Initialize T, which keeps track of errors. 530

540-560	Randomly choose a state which has not previously been identified correctly.	2
570	Depending on state chosen, branch to appro- priate RESTORE statement.	3
580	Clear four lines under map where answers will be typed.	
590-630	Define graphics characters for particular state.	
640-680	Outline state on map.	C)
690-710	Ask for state.	
720	Clear previous answer if incorrect.	1
730-810	Receive user's answer.	-
820-830	Beep then test answer.	-
840-940	If answer is incorrect, sound "uh-oh" and return	1
	for another answer. If answer is incorrect twice,	-
	print correct answer, wait for user to press ENTER.	-
950	If answer is correct, play arpeggio.	
960-1230	Similar to state, ask for capital city, receive answer,	
1010	test answer, branch appropriately.	-
1240	null, " ", so the state will not be chosen again.	
1250-1290	Erase the state.	-
1300	Return for next state to be identified.	
1310	Clear printing.	
1320-1370	Print option to try again and branch appropriately.	
1380-1440	Subroutine to print "PRESS ENTER" and wait for	-
1 150 1 100	User to press ENTER.	
1450-1490	PECTOPE data for Toyas	1
1500-1560	RESTORE data for Oklahoma	
1570-1620	RESTORE data for Askansas, Louisiana, Tannossoo	
1630-2060	Mississiani Alabama Elorida Coorgia South	
	Mississippi, Alabama, Florida, Georgia, South	
	Carolina, and North Carolina.	

2070 END.

If you prefer to save typing effort, you may receive a copy of Program 3 by sending \$3, a blank cassette or diskette, and a stamped, self-addressed mailer to C. Regena, P.O. Box 1502, Cedar City, UT 84720. Be sure to specify "Southern States" for the TI-99/4A computer.

Program 3: Southern States

100	REM SOUTHERN STATES	
110	CALL CLEAR	
120	FOR G=9 TO 12	
130	CALL COLOR(G, 12, 1)	
140	NEXT G	
150	CALL COLOR(13,1,12)	
160	CALL COLOR(14,1,12)	
17Ø	CALL COLOR(15,2,11)	3
18Ø	PRINT " *******************	1
	":" *";TAB(25);"*"	1
190	PRINT " * IDENTIFY THE STATES *	1
	":" * ";TAB(25);" * "	1
200	PRINT " ******************	1
210	PRINT ::: TAB(7); "SOUTHERN STATES	
	·	3
230	FOR G=96 TO 123	1
240	READ G\$	
250	CALL CHAR(G,G\$)	1
260	NEXT G	1
27Ø	DATA FFFFFFFFFFFFFF, 3F1FØFØ7Ø7	-
	Ø3Ø3Ø1,7F3F1FØF,FFFF7F7F3F3F3F3F3F	
	,FFFFF3C,FØFØFØEØEØCØCØ8,ØFØFØFØ	4
	FØFØFØFØF	-
28Ø	DATA ØFØFØ7Ø7Ø3Ø3Ø1Ø1,Ø1Ø1Ø3Ø3Ø7	1
	ATAEAE AEAEAEAEEEEEEEE EEEEEEE	

- 90 DATA F8FCFEFE7F3E, FFFFFFFFFFFFFFFF F, FØF8F8FCFCFEFEFF, ØØ8Ø8ØCØCØEØE ØF, FØEØCØ8, FCFCF8F8FØFØFØF
- ØØ DATA 8Ø8ØCØCØEØEØFØF,ØF1F3F7FFFF FFFFF,00000000030F3FFF,00000000 ØØ10307,EØEØEØFØF8FCFEFF,ØØØØØØØ ØØØ8ØCØE
- 10 DATA ØØEØFØFEFFFFFFF,ØØØØØØØØØ EØF8FE,EØEØE1E3FFFFEFC 320 L\$="""""
- 330 RESTORE 370
- 340 FOR G=0 TO 10
- 35Ø READ S\$(G),C\$(G)
- 36Ø NEXT G
- 370 DATA TEXAS, AUSTIN, OKLAHOMA, OKLAH OMA CITY, ARKANSAS, LITTLE ROCK, LO UISIANA, BATON ROUGE, TENNESSEE, NA SHVILLE
- 380 DATA MISSISSIPPI, JACKSON, ALABAMA , MONTGOMERY, FLORIDA, TALLAHASSEE, GEORGIA, ATLANTA
- 390 DATA SOUTH CAROLINA, COLUMBIA, NOR TH CAROLINA, RALEIGH
- 400 CALL CLEAR
- 410 PRINT "ONE OF THE UNITED STATES" :: "WILL BE OUTLINED. "::: "TYPE TH E NAME OF THE STATE"
- 420 PRINT : "THEN PRESS <ENTER>. ":::" IF THE STATE IS CORRECT, "
- 430 PRINT : "TYPE THE CAPITAL CITY":: "THEN PRESS (ENTER). "
- 440 PRINT ::: "NAMES MUST BE SPELLED" :: "CORRECTLY TO BE ACCEPTED. "::: TAB(15); "PRESS <ENTER>";
- 450 CALL KEY (Ø, K, S)
- 460 IF K<>13 THEN 450
- 47Ø CALL CLEAR
- *** yz {7 SPACES}u'e":" ";L\$;"yx (3 SPACES)t'r":"h";L\$;"'w vt''("
- 490 PRINT "f";L\$;"`` t``nq":"f";L\$;" **t*******f";L\$;"**************** "******e";"g";L\$;"******
- 500 PRINT " c";L\$;" ```n":" g";L\$;" ` ``nq":" j";L\$;"``e":" (4 SPACES)kj '1 ''''': T AB(10); "a ' ' ' ' ndj ' 'p"
- 510 PRINT TAB(11); "bdc 'ndddm {3 SPACES}co":TAB(13);"a' (8 SPACES) a '": TAB(14); "b"; TAB(24);"b"::::::
- 520 FOR C=0 TO 10
- 53Ø T=Ø
- 540 RANDOMIZE
- 55Ø R=INT(11*RND)
- 560 IF S\$(R)="" THEN 550 570 ON R+1 GOTO 1500,1570,1630,1690, 1730,1780,1840,1890,1930,1980,20
- 20
- 580 CALL HCHAR(20,1,96,160)
- 590 READ N 600 FOR I=128 TO 127+N
- 610 READ G\$
- 620 CALL CHAR(I,G\$)
- 63Ø NEXT I
- 64Ø READ N
 - 650 FOR I=1 TO N
- 660 READ X, Y, G
- 670 CALL HCHAR(X, Y, G) 68Ø NEXT I

7F1FØ7Ø1,FF3FØFØ3,FFFFFFFFFFØFØF69Ø FOR I=1 TO 7

700 CALL HCHAR(21,2+I,ASC(SEG\$("STAT 1370 STOP E ?", I, 1))) 710 NEXT I 720 CALL HCHAR(21, 11, 96, 15) 730 51\$="" 740 CALL SOUND (150, 1397, 2) 750 FOR L=1 TO 15 760 CALL KEY (0, K, S) 77Ø IF S<1 THEN 76Ø 78Ø IF K=13 THEN 82Ø 790 CALL HCHAR(21, 10+L, K) 800 S1\$=S1\$&CHR\$(K) 810 NEXT L 820 CALL SOUND (100,880,2) 830 IF S\$(R)=S1\$ THEN 950 840 CALL SOUND (100, 330, 2) 850 CALL SOUND (100, 262, 2) 86Ø T=T+1 87Ø IF T<2 THEN 72Ø 880 CALL HCHAR(21,11,96,15) 890 FOR L=1 TO LEN(S\$(R)) 900 CALL HCHAR(21, 10+L, ASC(SEG\$(S\$(R), L, 1))) 910 NEXT L 92Ø GOSUB 138Ø 93Ø C=C-1 94Ø GOTO 125Ø 95Ø GOSUB 145Ø 960 FOR I=1 TO 9 970 CALL HCHAR(23,2+1,ASC(SEG\$("CAPI 1560 GOTO 580 TAL ?", I, 1))) 98Ø NEXT I 99Ø T=Ø 1000 CALL HCHAR (23, 13, 96, 15) 1010 51\$="" 1020 CALL SOUND(150,1397,2) 1030 FOR L=1 TO 15 1040 CALL KEY(0,K,S) 1050 IF S<1 THEN 1040 1060 IF K=13 THEN 1100 1070 CALL HCHAR(23,12+L,K) 1080 S1\$=S1\$&CHR\$(K) 1090 NEXT L 1100 CALL SOUND(100,880,2) 1110 IF C\$(R)=S1\$ THEN 1230 1120 CALL SOUND (100, 330, 2) 1130 CALL SOUND (100, 262, 2) 114Ø T=T+1 1150 IF T<2 THEN 1000 1160 CALL HCHAR(23,12,96,15) 1170 FOR L=1 TO LEN(C\$(R)) 1180 CALL HCHAR(23,12+L,ASC(SEG\$(C\$(R), L, 1))) 1190 NEXT L 1200 GOSUB 1380 121Ø C=C-1 1220 GOTO 1250 1230 GOSUB 1450 124Ø S\$(R)="" 1250 READ N 1260 FOR I=1 TO N 127Ø READ X, Y, G, J 1280 CALL HCHAR(X,Y,G,J) 129Ø NEXT I 1300 NEXT C 1310 CALL HCHAR(21,1,96,96) 1320 PRINT "TRY AGAIN? (Y/N)"; 1330 CALL KEY(0,K,S) 1340 IF K=89 THEN 330 1350 IF K<>78 THEN 1330 136Ø CALL CLEAR 196 COMPUTE! August 1983

1380 FOR I=1 TO 11 1390 CALL HCHAR(24, 20+1, ASC(SEG\$("PR ESS ENTER", I, 1))) 1400 NEXT I 1410 CALL KEY(0,K,S) 1420 IF K<>13 THEN 1410 1430 CALL HCHAR(24,21,96,11) 144Ø RETURN 1450 CALL SOUND (100, 262, 2) 1460 CALL SOUND (100, 330, 2) 1470 CALL SOUND(100,392,2) 1480 CALL SOUND (200, 523, 2) 149Ø RETURN 1500 RESTORE 1510 1510 DATA 11,0000001F10F0C0C,000000F F,8080808,80808080808080808,FF808 Ø8Ø8Ø8Ø8Ø8,F8Ø8Ø8Ø8Ø8Ø8Ø8Ø8Ø8,Ø8Ø 80601 1520 DATA 00000000C03807,00000000000 ØØFF, ØØØØØØØØØØØØØØØFØØC, Ø20201010 1010101, 12, 14, 12, 128, 14, 13, 129 1530 DATA 14,14,130,13,14,131,12,14, 132, 12, 15, 133, 13, 15, 134, 13, 16, 1 35, 13, 17, 136, 13, 18, 137 1540 DATA 14,18,138,15,18,138,4,12,1 4,96,2,13,14,96,5,14,12,96,7,15 ,18,96,1 1550 DATA 5,5,96,2,3,6,96,1 157Ø RESTORE 158Ø 1580 DATA 10,000000FF8080808,000000F F,000000FC04040404,04040404040404 0404,040404040404FC,0000000000 ØØFF 1590 DATA 00000000003807,08080601,F8 Ø8Ø8Ø8Ø8Ø8Ø8Ø8, FF, 12, 11, 14, 128, 12, 14, 137, 11, 15, 129, 12, 15, 136 1600 DATA 13, 15, 135, 11, 16, 129, 13, 16, 134, 11, 17, 129, 13, 17, 133, 11, 18, 1 30, 12, 18, 131, 13, 18, 132, 3 1610 DATA 11, 14, 96, 5, 12, 14, 96, 5, 13, 1 5,96,4 1620 GOTO 580 163Ø RESTORE 164Ø 1640 DATA 9,00000000001F101,00000000 ØØFF,ØØØØØØØØØØF8Ø4Ø4,Ø8Ø8ØFØ1Ø 1010102,040408081010101,2020E 1650 DATA 0000FF, 1C0201, 101010101010 101, 10, 11, 18, 128, 11, 19, 129, 11, 2 0,130,12,20,131,13,20,132 1660 DATA 14,20,133,14,19,134,14,18, 135, 13, 18, 136, 12, 18, 136, 4, 11, 18 ,96,3,12,18,96,3,13,18,96,3 167Ø DATA 14,18,96,3 168Ø GOTO 58Ø 169Ø RESTORE 17ØØ 1700 DATA 5,0000FF808080808,0000F010 10080808,08080403,000000E0110B0 FØF,4Ø4Ø4Ø4Ø8Ø8Ø8Ø8,5 1710 DATA 14, 19, 128, 14, 20, 129, 15, 20, 130, 15, 21, 131, 15, 19, 132, 3, 14, 19 ,96,2,15,19,96,2,15,21,110,1 172Ø GOTO 58Ø 173Ø RESTORE 174Ø 1740 DATA 7,0000000F1010204,003FC,00 FF,00FF0204040810E,010102FC,000 ØØØFF,4Ø8Ø8ØFF,9,11,19,128

175ø DATA 11,20,129,11,21,130,11,22,

130, 11, 23, 131, 12, 22, 132, 12, 21, 1 33, 12, 20, 133, 12, 19, 134

- 1760 DATA 2,11,19,96,5,12,19,96,4
- 177Ø GOTO 58Ø
- 178Ø RESTORE 179Ø
- 1790 DATA 9,0000000101010204,000000F F,000000F01010101,101010101010101 Ø1Ø,1Ø1Ø1Ø1ØFFFFFFF
- 1800 DATA 0000F0101113170F, 20203F, 08 0808080810202,080808081010101,1 0, 12, 20, 128, 12, 21, 129, 12, 22, 130
- 1810 DATA 13,22,131,14,22,131,15,22, 132, 15, 21, 133, 15, 20, 134, 14, 20, 1 35, 13, 20, 136, 6, 12, 20, 96, 3
- 1820 DATA 13,20,96,3,14,20,96,3,15,2 0,96,1,15,21,110,1,15,22,100,1 183Ø GOTO 58Ø
- 184Ø RESTORE 185Ø
- 1850 DATA 6,0000007F4040404,000000F0 10080804,0404040202020101,02020 201010101FF, 44444444FFFFFFFF
- 1860 DATA 404040404040404,7,12,22,12 8, 12, 23, 129, 13, 23, 130, 14, 23, 131 , 15, 22, 132, 14, 22, 133, 13, 22, 133
- 1870 DATA 4,12,22,96,2,13,22,96,2,14 ,22,96,2,15,22,100,1
- 188Ø GOTO 58Ø
- 1890 RESTORE 1900
- 1900 DATA 5,0F080808FFFFFFFF,FF00000 ØCØFØFCFF,ØØFFØØØØØØØØØ6ØE,ØØF9 Ø6, EFDFBFØØBFDFEFFF, 5, 15, 22, 128
- 1910 DATA 15,23,129,15,24,130,15,25, 131, 16, 27, 132, 4, 15, 22, 100, 1, 15, 23, 106, 1, 15, 24, 96, 2, 16, 27, 32, 1
- 1920 GOTO 580
- 1930 RESTORE 1940
- 1940 DATA 7,0000001F10080804,000000F 808040203,8040202018040202,00F9 Ø6,80FFØØØØØØØØØ6ØE,02020201010 10101
- 1950 DATA Ø4Ø4Ø4Ø2Ø2Ø2Ø1Ø1,7,12,23,1 28, 12, 24, 129, 13, 25, 130, 15, 25, 13 1, 15, 24, 132, 14, 23, 133, 13, 23, 134
- 1960 DATA 4,12,23,96,2,13,23,96,3,14 ,23,96,1,15,24,96,2
- 197Ø GOTO 58Ø
- 198Ø RESTORE 199Ø
- 1990 DATA 4,0000030C08040203,003CC3, 1ØECØ4Ø2Ø1Ø1Ø3Ø7,8Ø4Ø2Ø2Ø18Ø4Ø2 02, 4, 12, 24, 128, 12, 25, 129, 12, 26, 130
- 2000 DATA 13,25,131,3,12,24,96,2,12, 26,110,1,13,25,96,1
- 2010 GOTO 580
- 2020 RESTORE 2030
- 2030 DATA 8,00010204040810E,00FF,FF, 0000000000000000000FF, 10EC0102010103 07,003CC3,000003FC,01010207,8
- 2040 DATA 11,24,128,11,25,129,11,26, 130, 10, 27, 131, 12, 26, 132, 12, 25, 1 33, 12, 24, 134, 12, 23, 135, 4

```
2050 DATA 11,24,96,3,10,27,96,1,12,2
     3,96,3,12,26,110,1
2060 GOTO 580
                                    0
```

COMPUTE!

The Resource

2070 END

TI-99/4A OWNERS

Keyboard Basic • Learn at Home • No Classes

Comprehensive Instructional Series plus Games, Educational & Useful Programs (Including Checkbook/Budget Program)

For Information and Free Program, CALL TOLL FREE 1-800-241-6083



AMLIST, Inc. 4542 Memorial Dr. #202 Atlanta, GA 30032

(404) 292-0576



FOR T.I. ONLY!

Not another computer game but an actual speed handicapping aid for thoroughbred racing, handling up to sixteen horses per race from 41/2 furlongs to 2 miles.



Just six bits of information from The Daily Racing Form[®] and your TI-99/4 (4A) returns speed of each horse in ft./sec. at each quarter, plus predicted finish time! Manages horse numbers, OTB letters and scratches; adjusts routers and sprinters.

User friendly and error proof. Package contains cassette and step-by-step instruction booklet. Data displays on screen and/or TI thermal printer (recommended) or compatable RS232.

> ONLY \$34.95! NY residents add \$2.88. Canadian residents: \$42.95 Send check or money order to:



VIC And 64 Escape Key

Thomas Henry

While programming, there are lots of ways to get trapped inside quotes and be unable to use the cursor controls. Until now, your only recourse was to hit RETURN and try the line again. With this handy utility, you can escape from "quote mode" traps by just hitting the pound sign key. The routine also serves as an example of machine language programming for those who are interested in trying their hand at it.

How many times has this happened to you? You're sitting at your VIC-20 or Commodore 64, entering or editing a program, and through a series of keystrokes that you probably don't even remember, get into the following trap. When you push a cursor movement key, instead of the cursor actually moving, you get a reverse field symbol on the screen. Frustrating, isn't it? As you have probably learned, about the only way to get free of the trap is to hit RETURN to get out of the line, and then start over.

Here's an easier way: a program that adds a valuable "escape" option to your computer. With this feature, the seldom used British pound symbol (£) becomes an escape key. When you are stuck in the "cursor trap" mentioned above, simply push the key; you will be released from what's called *the quote mode* and will be free to move the cursor as desired. Before looking at the program, let's examine the problem in greater detail.

Store Or Ferform The Action

Some of the computer's keys are able to perform two distinct jobs, depending on whether the computer is in the immediate mode or program mode. These keys include LEFT, RIGHT, UP, DOWN, REV, OFF, CLEAR, HOME, INSERT, DELETE, and all of the color selection keys. In the immediate mode, you push one of these keys and the action is performed immediately. For example, depress the RIGHT key and the cursor moves one space to the right.

But one of the truly impressive features of all Commodore computers is their ability to store or save the action implied by the key. For example, here is a one-line program:

10 PRINT "{RIGHT} HELLO"

The string contains the word "HELLO" preceded by a cursor-right. When you type this line into the computer, the cursor-right movement is not performed; instead it is stored in the string. The cursor-right will be performed only when the program is run. We are storing a cursor movement to be executed later in the program mode. To indicate that a cursor-right movement is stored in the string, the computer will leave a reverse field brace symbol inside the quotes. In fact, every one of the keys mentioned above has a reverse field character which stands for it when it's inside quotes.

The trouble comes in when the computer thinks you're trying to store an action, but you want to perform it. There are a number of ways this can happen. One way is if you've typed in an odd number of quote marks while entering a line. Another way is pushing the insert key more times than you expected.

Escape By Machine Language

Having defined the problem, let's look at a program that will take care of it. Examine Program 1. This is the assembler listing of the VIC-20 "escape key" program. Since assemblers are now becoming quite common for the VIC and 64, enterprising users might wish to enter the source code in directly and assemble their own version. If you're an experimenter, you'll find that this is a great program to begin with. It's not too long, and yet not so short as to be a trivial exercise.

🕻 www.commodore.ca