Computers In The Classroom: The Brink Of A New Age



The Leading Magazine Of Home, Educational, And Recreational Computing

Monte Carlo

A fascinating game with simple rules but complex strategies. For the Commodore 64, Amiga, IBM PC/PCjr, Atari, Apple II, and Atari ST.

Audio Recorder For Apple II Add digitally recorded sound to your programs

64+

A full-scale enhancement to the 64's operating system

Atari XL/XE Hidden RAM Access an extra 8K of memory

IBM QuickChange Instant color changes without losing your current screen display

I Didn't Know You Could Do That With A Computer! Software you probably never

heard of—or dreamed of

Amiga SuperMenus

Smart Alec

Who says a computer can't think? A fascinating logic emulation on the Commodore 64

Ramdisk Files For 64 And Amiga



www.comm

AIR

From Origin, source of the classic, award-winning Ultima[™] series, comes

A futuristic, fast-paced strategy roleplaying game by Lord British and Chuckles. Based on the award-winning Car Wars[®] board game by Steve Jackson.

Drive the

freeways of the future where the right of way goes to the biggest gun. Somewhere within the 16 cities and outlaw-infested highways are the clues you will need to complete the ultimate mission.

Step into the arena on Amateur Night and earn the right to custom-build your combat vehicles.

The AADA will offer you courier missions. The FBI and the underworld will vie for favors. But watch out! To survive you'll need road experience, the ability to decipher clues, gambling skills, money, a super car—even a clone.

The final gauntlet will test your tactical skills and hair trigger reactions to the limit. But with triumph comes honor, and entry into the elite circle of AutoDuellists. The challenge of AutoDuel[®] awaits you. Are you ready?

SYSTEMS INC. 136 HARVEY ROAD, LONDONDERRY, NH 03053 (603) 644-3360



ULTIMA[™] III sends you on an incredible fantasy roleplaying journey through monster-plagued Sosaria in search of the elusive Exodus.



ULTIMA[™] IV is the longawaited sequel to Ultima[™] III. The Quest of the Avatar is a quest to the final frontier—the self.



MOEBIUS[™] takes you through the elemental planes of a colorful Oriental world of fantasy and adventure in search of the Orb of Celestial Harmony.



OGRE[®] is a strategy game fought on the nuclear battlefield of tomorrow as an inhuman juggernaut Cybertank battles conventional forces.

Authors wanted. Call us today.

Ultima and Lord British are trademarks of Richard Garriott. Moebius is a trademark of Greg Malone. Ogre and AutoDuel are registered trademarks of Steve Jackson Games, Inc. Car Wars is a registered trademark of Texas Instruments. Apple is a trademark of Apple Computer Inc.



Available on Apple*

Now at Your Local Waldenbooks Store!

COMPUTE!'s new Quick and Easy series

puts the computer information you need right at your fingertips.

Concise, reasonably priced, hands-on user guides to the most popular and powerful computer applications. You'll find all the easy-to-follow information you need. Look for these and other COMPUTE! books at your local Waldenbooks Store.

COMPUTEI's Quick and Easy Guide to AppleWorks Tom and Ellen Dougher

ISBN 0-87455-109-9 \$10.95 AppleWorks, the unchallenged leader in personal productivity software for the Apple II series, is an integrated package combining a word processor, database, and spreadsheet. Precisely because AppleWorks can do so much, it can prove com-plicated even for the regular user. COMPUTE!'s Quick and Easy Guide to AppleWorks solves that problem, putting all the information you're likely to need on a day-to-day basis in an easy-to-use format. Clear, complete guidance will benefit first-time and experienced users alike.

You'll see how to get started with *AppleWorks*, and exactly how to get the most out of each of the three major applications. You'll quickly master the intricacies of this powerful program using the special Command Summary, Keyboard Template, and Quick-Reference Chart.





Doug Wolf ISBN 0-87455-106-4 \$12.95 Here's the perfect resource for the novice user of 1-2-3. The book assumes no previous computer expe-rience whatsoever. In fact, COMPUTE!'s Quick and Easy Guide to Learning Lotus 1-2-3 covers everything from building a spreadsheet model, setting up a database, and using 1-2-3 for word processing, to creating graphs and powerful macros. Also included are discussions on starting *Lotus* 1-2-3 and selecting add-on software to enhance the program.

COMPUTEI's Quick and Easy Guide to Using MS-DOS Bonnie Derman and Strawberry Software 0-87455-105-6 \$12.95

An easy-to-follow reference guide that every user of this powerful and flexible

operating system will welcome. A must for new and experienced owners of IBM PCs or compatible computers.

No longer will you need to wade through hundreds of compatible computers. manual to find just the right DOS command. COMPUTEI's Quick and Easy Guide to Using MS-DOS makes the information clear and instantly accessible. With two in-dices and an expanded table of contents, simply look up the task you want to accomplish or the DOS command you need—and you'll find exactly what you're looking for.



Books • Audio • Video • Magazines • Book Clubs • Special Orders Over 1000 stores nationwide.

Check the yellow pages for the Waldenbooks store nearest you.









COMPUTEI's

IDE TO

LOTUS 1-2-3

3170

EARNING

How To Find Singing Frogs, Bathtub Reverb, Secrets Of Analog And Other Information Beethoven Would Have Killed For.



You're about to embark on a journey through the most complete music software catalog ever created. It's called the Coda Catalog. 160 pages of intrigue, amusement, and information.

On over 600 products, including virtually every piece of music software that exists today. Coda is detailed with whimsical illustrations. And written with a simplicity you'll appreciate. Use it to order software, books, videos, and equipment. All at the guaranteed lowest price. For Apple, IBM, Macintosh, Amiga, Atari, and Commodore computers.

> Quite simply, Coda is the best source of music software in the world. Or as one critic so eloquently put it, "Beethoven would have killed for this

information." Only \$4. Order by calling toll free 1-800-843-1337. Or collect 612-854-9554. Oh, by the way, the singing frog is on page 114. *Wenger Corporation, Music Learning Division, 1401 East 79th Street, Minneapolis, MN 55420-1590* CONPUTE SEPT VOL NUM ISSU

SEPTEMBER 1987 VOLUME 9 NUMBER 9 ISSUE 88

FE 12 26 30 40	ATURES Computers in the Classroom: Ten Years and Counting	GUIDE TO ARTICLES AND PROGRAMS
59 60 61 61 62	ProWrite for the Amiga Ervin Bobo Tornado Notes Keith Ferrell Warship Neil Randall PHM Pegasus James V. Trunzo Create a Calendar Ervin Bobo	AM PC AP/AT/64 AP/64 AP/64/PC
4 8 64 66 67 68 70 72 74 75 76	OLUMNS AND DEPARTMENTS The Editor's Notes Richard Mansfield Readers' Feedback The Editors and Readers of COMPUTE! The Beginner's Page: Interactive Programming C. Regena The World Inside the Computer: Music, Video, and FOR-NEXT Loops Music, Video, and FOR-NEXT Loops Fred D'Ignazio Microscope: The Micros Market Gets Serious Sheldon Leemon Telecomputing Today: Just When You Thought It Was Safe Arlan R. Levitan Computers and Society: The Classroom Computer— Arlan for Teachers David D. Thornburg INSIGHT: Atari—Machine Language Graphics Bill Wilkinson Bill Wilkinson ST Outlook: One Last Bug Philip I. Nelson IBM Personal Computing: Creating a Blues Symphony Donald B. Trivette ArnigaView: The Great Arniga Reboot Sheldon Leemon Sheldon Leemon	AT ST PC AM
77 82 84 86 88 91 93 95 97 71 106 107 110 113 116	E JOURNAL Smart Alec Ronald Carnell QuickChange: Easy Color Setting for the IBM PC/PCjr Paul Carlson Atari BASIC Search and Display Bruce Fenster Audio Recorder for Apple II Wing Shum Amiga SuperMenus Rick Du Chateau Atari XL/XE Hidden RAM Ronald R. Lambert Amiga and 64 Ramdisk Files Jim Butterfield Applesoft Line Lister Bruce E. Howell, D.D.S. 64+ Barry L. Camp CAPUTEI: Modifications or Corrections Barry L. Camp CAPUTEI: Modifications or Corrections NOTE: See page 107 before typing in programs Programs MLX: Machine Language Entry Program for Commodore 64 MLX: Machine Language Entry Program for Apple 64 Advertisers Index Advertisers Index	64 PC/PCjr AT AP AM AT AM/64 AP 64 AP 64

COMPUTE: Publications, Inc. Part of ABC Consumer Magazines, Inc. One of the ABC Publishing Companies ABC Publishing, President, Robert G. Burton 1330 Avenue of the Americas, New York, New York 10019 **COMPUTE!** The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., 825 7th Ave., New York, NY 10019 USA. Phone: (212) 265-8360. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, 824. POSTMASTER: Send address changes to: **COMPUTE!** Magazine, P.O. Box 10955. Des Moines, IA 50950. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright ©1987 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0194-357X.

www.commodore.ca

Editor's Notes

Programmers responding to a recent survey by the Boston Computing Society revealed an intriguing preference in languages—80 percent of them are programming in BASIC. One of the oldest computer languages, BASIC has been widely distributed. It comes either built into the computer's ROM chips (most eight-bit machines), or loaded from disk.

Next in popularity, used by 60 percent of the respondents, is Fortran, long favored by the scientific community. (The percentages add up to more than 100, since many programmers use more than one language.) Machine language, C, and Pascal were tied at 30 percent. LISP, a "list processing" language used in artificial intelligence work, received a 10-percent vote. Clustered at 5 percent each were Forth, Prolog, and COBOL. All other languages were at the low end of the spectrum, sharing 2 percent.

What's most intriguing about this survey is the overwhelming popularity of BASIC, a language rarely touted in the computer press. BASIC, it seems, has far more advocates than is generally assumed. Schools teach Pascal almost exclusively; it has many rules, so programs written in Pascal tend to converge into one correct version. If nothing else, this makes it easy to grade. Lately, professional programming teams are said to favor C. With its modular "black box" structure, with C it is relatively easy to divide a project into subtasks and then expect that they'll all work harmoniously when each programmer finishes his or her part of the larger program.

Prolog and LISP are often called "next generation" languages, ways to make computers understand context and infer relationships, ways to enrich the computer's thought processes. Machine language is to programming what lasers are to communication. Machine language programs are the most focused and most efficient, and they operate at the ultimate speed—the speed of light.

But exciting and valuable as many of these languages are, good old reliable, understandable BASIC still gets used for most programming by most programmers. And the reason is simple: BASIC is the most natural language. It's not as easy as English, but it's essentially intuitive. It's also very forgiving (loose and messy, its critics say). Unlike Pascal or C, you can create new variables of any kind, anywhere you want, in a BASIC program. Unlike Forth, you can do math as you've always done it: 1 + 1 = (versus Forth's 1 1 + =).Unlike many of the more "advanced" languages, everything is available, so you don't need to invoke outside libraries of routines or spend time deciding what should be added to the core language. And, unlike machine language, you use words like RETURN and STOP, the meanings of which you have known since you were a child.

Ultimately, though, the easiest thing for all of us would be *natural language* programming. That would mean we could talk to the computer and create a program in the same way that we would describe any job to another human being. For example, we could say:

"After next week, I want to see all my electronic mail organized by date, newest message first. If any duplicate messages arrive, delete all but one. When I answer a letter, file the letter and my answer in a new database called "Email," and organize them by recipient. Also, show me how many downloads I've done, where they're from, and graph them by cost, time, and distance." To us, these instructions are quite easy to understand; to computers they're filled with ambiguity. Nobody knows how long it will be before machines develop the capacity to understand human speech. A while back, it was thought that while computers would learn languages fairly easily, games like chess would be extremely difficult for computers to play. It turned out to be just the opposite.

It's hard to teach English to a machine because of the complex way we humans communicatemuch is left unsaid, or is implied by context, or is just inherently vague. Feed the instructions above to a present-day computer, and you'll run into several serious problems. 1. The word see is used in an odd way. 2. I don't really want to read all the Email I've ever received, just the new, unread letters (but this is only implied, never stated directly). 3. Does organize them refer to the senders, my databases, the letters, answers, what? And who is the recipient? 4. Done is used in an odd way. 5. Where they're from is ambiguous. 6. If I'm speaking these instructions into a microphone, how will the computer know I'm not saying therefrom? 7. Do I want one graph or three?

Daunting as the difficulties are, there has been some progress in natural language communication. But until computers get significantly more clever, it looks as if BASIC—the closest thing we've got to a plain English computer language—will remain the most popular way to talk to machines.

Richard Manufield

Richard Mansfield Editorial Director

FLIGHT!

From the sophisticated realism, detail, and intellectual stimulation of Flight Simulator...



...to the brute-force fun, thrills and excitement of Jet ...



...with new adventures in Scenery Disks...



...SubLOGIC. The State of the Art in Flight.

See Your Dealer. For additional product ordering information

or the name of the dealer nearest you, call (800) 637-4983.





Publisher Editorial Director	James A. Casella Richard Mansfield	Coming In Futu	ure Issues
Managing Editor Associate Publisher	Kathleen Martinek Selby Bateman	Marbles An ove	iting groado
Associate Publisher Editor, COMPUTEI & COMPUTEI's GAZETTE Assistant Editor, COMPUTEI Production Director Editor, COMPUTEI's Atari ST Disk & Magazine Editor, COMPUTEI's Apple Applications Magazine Features Editor Technical Editor Assistant Technical Editors Assistant Editor, COMPUTEI' Assistant Editor, COMPUTEI' Assistant Editor Programming Supervisor Editorial Programmers Copy Editors Editorial Assistant Submissions Reviewer Programming Assistants Executive Assistant Administrative Assistants	Selby Bateman Lance Elko Rhett Anderson Tony Roberts Tom R. Halfhill Gregg Keizer Keith Ferrell Ottis R. Cowper George Miller, Dale McBane, Jim Fuchs Todd Heimarck John Shadle Potrick Parrish Tim Victor, Tim Midkiff, William Chin, Randy Thompson Karen Uhlendorf, Karen Siepak, Jill Champion Caroline Hanlon David Hensley Troy Tucker, Joyce Sides Debi Nash Julia Fleming, Iris Brooks, Sybil	Marbles: An exc style strategy go Atari, Apple II, C Amiga, and IBM A Close-Up Look Amiga 500 Chrome: Double Graphics For Ap Atari ST Menu Dr Super Turtle Pilot Commodore 64 Rid: Instant File I For IBM PC Stringing The Ata	iting arcade- ame for the commodore 64, PC c At The Hi-Res plesoft river t For The Deleter ari Screen
Receptionist Associate Editors	Anita Armfield Jim Butterfield Toronto, Canada		Advertising S
Contributing Editor	Birmingham, AL David Thornburg Los Altos, CA Bill Wilkinson		
COMPUTEI's Book Division Editor Assistant Editors Programming Assistant Director of National Sales	Stephen Levy Tammie Taylor, Robert Bixby David Florance Joseph W. Hatcher	4	2
Production Manager Art Director Assistant Art Director Assistant Production Manager Artists Typesetting Wustrator	Irma Swain Janice R. Fary Lee Noel De Potter Robin Case, Kim Potts, Scotty Billings, Tony Jacobson Terry Cash, Carole Dunton Harry Riar		
Director of Advertising Sales Advertising Director Production Coordinator	Peter Johnsmeyer Bernard J. Theobald, Jr. Kathleen Hanlon	1. New England & Mid-Atlantic Bernard J. Theobald, Jr. 212-315-1665 Tom Link	Y
Customer Service Manage Dealer Sales Supervisor Individual Order Superviso	r Diane Longo Jose Cruz r Cassandra Green	212-315-1665 2. Southeast & Foreign Harry Blair 919-275-9809	4. West, Northwest & British Columbia
James A. Casella, Presideni Richard Mansfield, Vice Pre Richard J. Marino, Vice Pres Christopher M. Savine, Vice Ilene Berson Weiner, Vice P	sident, Editorial Director sident, Advertising Sales President, Finance & Planning resident, Production	3. Midwest & Southwest Jerry Thompson 312-726-6047 (Chicago) 713-731-2605 (Texas)	Jerry Thompson 415-348-8222 Lucille Dennis 415-348-8222 5. Canada
Editorial Board Richard Mansfield, Kathlee Lance Elko, Tom R. Halthill, Robert Lock, Founder and	n Martinek, Selby Bateman, Stephen Levy Editorial Consultant	415-348-8222 (California) Lucille Dennis 415-348-8222	Harry Blair 919-275-9809
COMPUTEI Publications, Inc COMPUTEI COMPUTEI's Gazette COMPUTEI's Gazette D COMPUTEI's Apple Appl COMPUTEI's Atari ST D	publishes: Visk Dilcations Isk & Magazine	The COMPUTEI subscriber list is mad may be of interest to our readers. subscription label to: COMPUTEI P.C receive only your subscription. Authors of manuscripts warrant the interested to its out out to be made	le available to carefully screene If you prefer not to receive suc D. Box 10955, Des Moines, IA 5095 at all materials submitted to COMPUTE
Editorial offices: 322 Sui Gre Corporate offices: 825 Net	4 West Wendover Avenue te 200 Sonsboro, NC 27408 USA 5 7th Avenue w York, NY 10019	acceptance for publication, bec magazine may be reproduced in 0 0 1987. COMPUTEI Publications. Inc author contract. Unsolicited materi a self-addressed, stamped envelop are optional, but helpful. Articles st	ome the exclusive property of any form without written permissi . Rights to programs developed ials not accepted for publication e. Programs (on tape or disk) m hould be furnished as typed cop
Customer Service: 800-346-6767 (in NY 212-887-8525) 10:00 AM-12:30 PM; 12:205-8360		spacing. Each page of your article assumes no liability for errors in article of COMPUTEI. VIC-20, Commodore 64, and Commoo Electronics Limited, Amian is a registered	e snouid bear the title of the and cles or advertisements. Opinions dore 128 are trademarks of Comm t trademark of Commodare-Amiga

Dealer Sales:

800-638-3822 (In NY 212-887-8566) 9 AM-5 PM Monday-Friday

Canada & Foreign \$24 (one yr.) Surface Mail \$30 **[he** (two yrs.) \$45 Foreign Air (three yrs.) \$65 Delivery \$65 er Member ABC reen dit Bureau Magazine Publishers Association of Circulations ertising Sales

US

Subscription Orders

& Inquiries

TOLL FREE Subscription Order Line

1-800-727-6937

COMPUTE!

Subscription Rates

(12-Issue Year):

COMPUTE!

P.O. Box 10954 Des Moines, IA 50340

Director of Advertising Sales: Peter Johnsmeyer

Advertising Director: Bernard J. Theobald, Jr. COMPUTEI Sales Office 212-315-1665

Address all advertising materials to: Kathleen Hanlon

Advertising Production Coordinator COMPUTEI Magazine 324 West Wendover Avenue Suite 200 Greensboro, NC 27408

e to carefully screened organizations with a product or service which er not to receive such mailings, please send an exact copy of your 5, Des Moines, IA 50950. Include a note indicating your preference to

rials submitted to COMPUTEI are original materials with full ownership rticles to COMPUTEI, authors acknowledge that such materials, upon exclusive property of COMPUTEI Publications, inc. No portion of this thout written permission from the publisher. Entire contents copyright programs developed and submitted by authors are explained in our cepted for publication in COMPUTEI will be returned if author provides ns (on tape or disk) must accompany each submission. Printed listings releted as typed conv (upper, and lowercase, pleans) with double unished as typed copy (upper- and lowercase, please) with double ear the title of the article, date and name of the author. COMPUTE ertisements. Opinions expressed by authors are not necessarily those

trademarks of Commodore Business Machines, Inc. and/or Commodore Electronics Limited. Amiga is a registered trademarks of Commodore-Amiga, Inc. Atari, XL, XE, and Atari ST are trademarks of Atari, Inc. Apple II, and Apple IIs are trademarks of Apple Computer Company. MacIntash is a trademark licensed to Apple Computer, Inc. IBM PC and PCjr are trademarks of International Business Machines, Inc. Radio Shack is a trademark of Tandy, Inc.



New Apple IIGS Books from COMPUTE!

Easy-to-use tutorials and ready-to-type-in programs show you how to get more from your Apple IIGs—from booting up the machine and programming in machine language to utilizing the advanced sound and graphics capabilities. Written in COMPUTEI's clear, concise style, these books contain all the information you need to access the power of your ligs.



Using Deluxe Paint II Steven Anzovin

ISBN 0-87455-111-0

\$18.95 Create the most spectacular art possible on a personal computer with this comprehensive, yet understandable, guide to Deluxe Paint II, the state-of-the-art graphics program for the Commodore Amiga and Apple IIGs. Simple drawing skills, customizing brushes, sophisticated palettes, special color effects, tools, styles, patterning, and perspective are just some of the techniques illustrated. Learn how to use every feature of Deluxe Paint II, from merging foreground and background to mixing graphics and text. A COMPUTE! Library Selection.

COMPUTEI's Guide to Sound and Graphics on the Apple liss

William B. Sanders ISBN 0-87455-096-3

The impressive new machine from Apple holds the promise of dazzling graphics and symphonic sound—if you know how to use them. This tutorial, by the author of The Elementary Apple IIcs, begins by showing how to create graphics and sound using Applesoft BASIC, but it doesn't stop there. The book includes a multitude of programs, routines, and utilities with which you can open the llgs's Toolbox, a sophisticated set of programming tools, so that you can produce truly amazing sights and sounds. A COMPUTE! Library Selection.

\$16.95

The Elementary Apple ligs William B. Sanders

\$15.95

\$19.95

ISBN 0-87455-072-6

A friendly, easy-to-use guide to the newest Apple computer, this book leads you through the steps of connecting the computer, loading programs, creating graphics, and writing programs. For both novice and seasoned programmers, it's an introductory text for everyone.

COMPUTEI's Apple IIGs Machine Language for Beginners Roger Wagner

ISBN 0-87455-097-1

The latest in a series of introductory machine language books, COMPUTEI's Apple IIGS Machine Language for Beginners is a clear and concise tutorial to learning the llgs's native language. Written by noted Apple columnist Roger Wagner, this book includes many programming examples and clear explanations that make learning 65816 machine language easy. For beginning and intermediate machine language programmers as well as those who know another machine language and want to move up to this fast 16-bit language. A COMPUTE! Library Selection.





COMPUTEI books are available outside the United States from subsidiaries of McGraw-Hill International Book Company.

Look for these COMPUTE! books at your book or computer store. You can order direct by calling toll free 1-800-346-6767 (in NY 212-887-8525) or by writing COMPUTEI Books, Customer Service, P.O. Box 5038, F.D.R. Station, New York, NY 10150. Customer Service hours are 10:00 a.m.-12:30 p.m. and 1:30 p.m.-3:00 p.m. EST.

Please include \$2.00 per book for U.S. or surface mail or \$5.00 for airmail.

-www.commodore.ca

NC residents please add 5 percent sales tax and NY residents add 8.25 percent sales

Readers Feedback

The Editors and Readers of COMPUTE!

If you have any questions, comments, or suggestions you would like to see addressed in this column, write to "Readers' Feedback," COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Due to the volume of mail we receive, we regret that we cannot provide personal answers to technical questions.

Colorful Text

I own an IBM PC and have seen more than four colors in programs that are written in BASIC. Unfortunately, the machine language games that I purchase always use the same colors: powder pink, blue, white, and black. Why this arbitrary restriction?

Raymond A. Scruggs

When the PC was designed, colorful graphics were a low priority. The most common color adapter, the color/graphics adapter (CGA), can indeed display 16 colors simultaneously, but only in text mode. It would be difficult to draw a tank, airplane, or olympic athlete with the text-mode character set built into the CGA adapter, so programmers use the bitmapped screen, which allows each pixel on the screen to be addressed separately. Unfortunately, the CGA's bitmapped screen is limited to four colors. Newer IBM graphics cards like the EGA (Enhanced Graphics Adapter) allow more colors, but only now are software publishers beginning to support them. Some manufacturers are designing games that sense what kind of graphics card you have installed. If you upgrade your system, you may see an improvement in the games you play.

Serial Printing With SpeedScript

Although the Commodore 64 version of COMPUTEI's *SpeedScript* word processor does not support output to the RS-232 interface (device 2), it is possible to print to an RS-232 printer by performing a few POKEs before you run the program. Here is the procedure to use:

1. Load SpeedScript into memory but do not run it.

2. Type the following lines in direct mode (without line numbers) and press

RETURN: POKE 5832,2

POKE 5837,0

3. POKE locations 659 and 660 with the correct values to set the baud rate, parity, and other RS-232 parameters you wish to use. For instance, the next two POKEs set the RS-232 interface for 1200 baud, eight-bit word size, one stop bit, full handshaking, and no parity.

POKE 659, 8 POKE 660, 3

4. Run *SpeedScript* as usual. If you perform the preparatory POKEs, the CTRL-P command now routes output to the RS-232 interface rather than to the serial bus. Location 5832 contains the number of the output device, normally 4 for a printer on the serial bus; and location 5837 contains the secondary address for output, normally 7 (the value for uppercase/lowercase printing on Commodore printers). By changing the device number to 2 and setting the necessary RS-232 parameters beforehand, *SpeedScript* prints to the RS-232 port rather than to the serial port.

Michel R. Vinette

Thank you for this information.

An Atari Adventure

I own an Atari 800XL, and I am trying to make an adventure game. What I want to do is use the ENTER command to load in different parts of the game from disk, depending on where the player goes. Every time I use ENTER, the program stops running. How can I make it continue?

Ken Wright

The solution to your problem is to use the forced-read mode. This mode lets your computer press its own RETURN key. To turn forced-read mode on, execute a POKE 842,13. To turn it off, use POKE 842,12. The idea is to print all the necessary commands to the screen, home the cursor, perform the POKE, and stop the program. The last command on the screen should be POKE 842,12 to stop forcedread mode. In your case, you would want to expand the line to read POKE 842,12:CONT This will cause your program to pick up where it left off.

When you're printing commands to the screen, remember to allow room for the READY that BASIC puts on the screen after it executes each command. Also, since the display can be confusing to people playing the game, you may want to include SETCOLOR statements that make the letters on the screen invisible while the computer is in forced-read mode.

Here's a program that demonstrates the use of forced-read mode.

- 5 REM DEMO OF FORCED READ MODE. NOTICE THAT THE VALUES OF ALL VARIABLES ARE PRESERVED.
- 1Ø A=5:B=1Ø
- 20 PRINT "{CLEAR}{3 DOWN} PRINT";CHR\$(34);"TEST" ;CHR\$(34)
- 30 PRINT "(3 DOWN)POKE 84 2,12:CONT"
- 40 POKE 842,13:POSITION 0 ,0:STOP
- 50 PRINT "(CLEAR)";A,B

ST Reference Books

I am interested in learning to use C with my Atari ST, but have been unable to find any reference books on GEM programming, such as using windows, alert boxes, and menus. Are any reference books available?

George Nehme

Here are some reference books that are available from COMPUTE! Books.

COMPUTE!'s ST Applications Guide (Programming in C), \$16.95, by Simon Field, Kathleen Mandis, and Dave Myers, contains practical examples which demonstrate the use of many GEM features, such as dialog boxes, menus, and icons.

Learning C (Programming Graphics on the Amiga and Atari ST), \$15.95, by Christopher D. Metcalf and Marc Sugiyama, provides an introduction to the C language, and includes many useful programming examples.

COMPUTEI's Technical Reference Guide, Atari ST, Volume One: The VDI, \$18.95, by Sheldon Leemon, is filled with program examples in C, machine language, and ST BASIC covering the VDI portion of GEM. It discusses everything you need to know to utilize the advanced graphic capabilities of the ST.

COMPUTEI's Technical Reference Guide, Atari ST, Volume Two: GEM AES, \$18.95, by Sheldon Leemon, is an exploration of the AES (Application Environment Services) of GEM and provides programming examples and reference material on the AES portion of GEM.

COMPUTE!'s ST Programmer's Guide, \$17.95, by the Editors of COM-PUTE!, contains a reference section on useful VDI functions, as well as instruction on using GEM and TOS.

Orders may be placed by calling COMPUTE! Books, 1-800-346-6767 (in NY, 1-212-887-8525) or by writing to:

COMPUTE! Books

Customer Service

G.P.O. Lockbox 5044 New York, N.Y. 10087-5044

New 101K, 14.1. 10007-3044

Other valuable reference books are available from Abacus Books:

Atari ST Internals contains information on using BIOS, XBIOS, and GEMDOS.

Atari ST GEM Programmer's Reference provides detailed information on GEM, covering both VDI and AES.

For more information on Abacus Books, call 1-616-241-5510.

Of course, the official GEM reference

is the Atari ST Developers Kit, available from Atari for \$300. In addition to a C compiler, assembler, and a resource construction set, you'll receive a huge stack of photocopied pages, much of which is more suitable to the PC version of GEM than the ST version. If you're willing to separate the wheat from the chaff, you'll find plenty here.

Transferring Files From Commodore To IBM PC

I would like to convert three years of files from the Commodore 64 and 128 to my IBM PC. These files were created with *SuperScript* and *Easyscript*. I also have some files from *Multiplan* and *Superbase*.

A.G. Farkas

I would like to convert some of my Commodore 64 programs to my IBM PC. How should I proceed?

H.W. Martens

Transferring text files is relatively easy, while program file transfers are somewhat more difficult.

Before a text file can be transferred, it must be converted into an ASCII file to remove any special formatting instructions that may be embedded in the file. Most word processors can do the conversion for you. Load the file into your word processor and then select the save option which creates an ASCII file. Of course, any special features, such as special fonts or underlining, will be lost.

Database and spreadsheet programs are more difficult to transfer. First, you must make certain that the fields are set up exactly the same on both programs that will use the data. This may require a bit of trial and error. Applications which use relative files may be especially difficult to transfer.

Program files must also be converted to ASCII before being sent. Load the program into your Commodore and then type

OPEN 1,8,2,"0:filename,S,W":CMD1:LIST

When the cursor reappears, type

PRINT#1:CLOSE 1

This creates an ASCII (nontokenized version) of your program file on your disk.

After transferring the file to another computer, you'll have to go through the program and convert Commodore-specific instructions into instructions acceptable to the new computer. This is trivial for the simplest BASIC programs, but becomes increasingly difficult as the programs become more specialized and optimized for a particular computer.

Most game programs, even those written in BASIC, are very difficult to convert from machine to machine. As a general rule, the more graphics commands

"INSTANTLY, GIVE YOUR PERSONAL COMPUTER ACCESS TO THE POWER OF A MAINFRAME"



- Choose the exact terminal emulation you need from over 40 available
- · Simple to install and easy to use
- Transfer files using nine different protocols
- Supports IBM[®] PS/2, PC, XT, AT, and compatibles

INTRODUCTORY PRICE \$79.95

CALL 800/548-9777 FOR DETAILS

2 FUECONCC 303/593-9540 TELEX 450236

www.commodore.ca

contained in the program, and the more PEEK, POKE, and SYS commands there are, the more difficult the translation. Programs written in machine language, or which contain machine language modules, are nearly impossible to transfer between dissimilar computers; 6502 machine language is quite different from 8088 machine language, and whole sections of machine code would need to be rewritten. Even if the two machines shared the same processor, the differing video and audio hardware would make translation difficult.

The easiest way to physically transfer files between computers is by attaching a modem to each computer, then connecting the two modems. You may use any telecommunications program (you'll need one for each computer) to transfer the data.

Usually a straight ASCII transfer is all that's necessary, but if the line connecting the computers is at all noisy, you may find that the XMODEM protocol is more reliable. Select a baud rate for the transfer which is supported by both communications programs, and be sure the parameters for both computers are set the same. Refer to the user's manuals for your modem and telecommunications programs for specific details.

Select the send file option for your telecommuncations program on your Commodore and the receive file option on your IBM PC, and the transfer of data will begin.

Another way of connecting the RS-232 ports of the computers is via a null modem cable. This method is usually the quickest way to transfer data, since it requires the least hardware. There's one potential problem, however. Commodore computers don't supply true RS-232 levels to the user port. Only TTL levels (0-+5volts) are provided. An RS-232 level converter is required on the Commodore computer to supply the correct voltage levels to the RS-232 port of the IBM (and most other computers) when using a null modem connection.

The simplest null modem cable attaches the transmit data line of one computer to the receive data line of the other computer, and vice versa, while connecting the ground lines of both computers. The other pins are not used and need not be connected for a simple null modem cable. More sophisticated null modem cables cross-connect several of the RS-232 port's handshaking lines. If you are not skilled in making cables, buy a readymade cable or have a professional make one for you. An improperly wired cable could cause damage to both computers.

Two Chores At Once

In the April 1986 issue of COMPUTE!, you printed a batch file for moving

AmigaDOS commands to a ramdisk. In another issue, you told how to set the date using the DATE? command. Since it takes such a long time to move the commands to a ramdisk, couldn't you just take advantage of the multitasking environment of the Amiga to get the date while the commands are being moved to RAM?

Darcy Otto

Yes, there is a way to do this.

First, if you don't already have a backup of your Workbench disk, make a copy of it and store the original in a safe place. (Whenever you experiment, be sure to use a copy of the disk.)

Create a new file in the s subdirectory by typing (from a CLI window) ED S/SET-DATE. Type in the following two lines:

ECHO"Please enter the time and date in DD-MMM-YY HH:MM:SS format" DATE <* ?

Then, exit the editor by typing ESC-e. Now edit the startup-sequence file (also found in the s subdirectory of the Workbench disk) and insert the following line at the top:

RUN EXECUTE SYS:S/Set-Date

The next time you boot from this disk, your Amiga will ask for the date and time while the ramdisk fills with AmigaDOS commands.

Compiled Applesoft?

I have been experimenting with the machine language monitor built into my Apple IIc. Recently I typed in the following lines of BASIC:

10 HOME 20 PRINT

30 END

I then went into the monitor and used the pointer located at \$67 to find my program. I was surprised to find that my BASIC program was not stored as ASCII text. Am I looking at compiled Applesoft or some form of assembly language? Is there a way of saving this area of memory as a binary file that will BRUN? I haven't had any luck yet, but if there is a way that I can use this area of memory to run my programs faster, please let me know.

David R. Bergman

When you use the monitor to look at a BASIC program in memory, the values you see reflect the way that Applesoft normally stores programs. What you are seeing is pure BASIC; saving it in a binary file won't improve the program's performance. If you are interested in speeding up your BASIC programs, several commercial compilers are available that really do convert BASIC to machine language. Your three-line program looks like this in memory:

*0801 07 08 0A 00 97 00 0D *0808 08 14 00 BA 00 13 08 1E *0810 00 80 00 00 00

The first two bytes, 07 08, are the line link, the address of the next line of the program (\$0807). The next two bytes, 0A 00, are the line number in hexadecimal form (\$000A = 10).

The next byte, 97, is the token for HOME. All modern BASIC interpreters tokenize programs. When you type in a program line, BASIC scans it, looking for keywords such as PRINT or GOTO. It would waste quite a bit of memory if every letter in each command were saved in a separate byte, so BASIC replaces the keywords it knows with one-byte values called tokens. For example, the keyword HOME is replaced with the value \$97. When you list your program, the tokens are converted back into full words. To perform this coding and decoding of tokens, BASIC has an internal table of all the keywords that are tokenized. By using your monitor, you can scan through the BASIC ROM area and find a list of all the tokens.

The sixth byte, 00, marks the end of the first line of the program. Every program line ends with a 00 byte.

Using this example, you should be able to decode the next program line: OD 08 14 00 BA 00. The line link is \$080D, the line number is \$0014 (20), and \$BA is the token for PRINT. If you had included any text in the PRINT statement—PRINT "HELLO", for example—the characters within quotes would have appeared as individual characters. Nothing within quotes in a PRINT statement or following the REM in a REM statement is tokenized.

Note that the line link for the third line, \$0813, points to two 00 bytes. This indicates the end of the program.

All the programs in this issue are available on the readyto-load COMPUTE! Disk. To order a one-year (four-disk) subscription, call toll free **1-800-727-6937** Please specify which computer you are using.

Nobody's Perfect...

Game	Winner	Time to Move
1	SARGON III	5 seconds
2	SARGON III	5 seconds
3	SARGON III	15 seconds
4	SARGON III	15 seconds
5	SARGON III	30 seconds
6	Chessmaster	30 seconds
7	SARGON III	3 min
8	SARGON III	3 min

YOU CAN'T WIN THEM ALL.

We pitted Sargon III, the world champion, against the challenger. Head to head, with no punches pulled. And believe it or not, the champ lost one game to the challenger. But Sargon III beats Chessmaster 2000 almost everytime.

Sargon III is the result of more than twenty one man years of development. Sargon III will play at precisely the level of difficulty you desire. Ask Sargon III for a hint, take back a move you've already made, replay a sequence, change sides, or set up your own board for customized learning. Sargon III lets you study in detail more than 100 great games of history or review 45 classic chess problems, all on screen. Sargon III also includes the largest library of opening moves available on any chess program.

SARGON III WRITES CHESS HISTORY

In a tournament sanctioned by the U.S. Chess Federation, Sargon III beat



a master rated 2209. That makes Sargon III the only microcomputer program ever to defeat a player at that level.

Sargon III has no trouble wiping Chessmaster 2000 off the globe. Someday, maybe a chess playing program will be able to beat Sargon III. Until then, which chess program do you want to own: the world champion or the runner-up?

(Note: The test was run on two Apple II computers. Each program played once as white and once as black at each level. Send us \$5.00 for handling, along with a postage paid return envelope and we'll send you a copy of the moves each side played.)

Sargon III is available for: Apple II series, Apple Macintosh, IBM PC and Commodore 64/128 computers. You can find Sargon III at your local retailer or call 1-800-826-0706. Illinois residents call 1-800-826-1330. Only MasterCard, VISA and American Express accepted for phone orders.



© 1986 Spinnaker Software Corp • One Kendall Square • Cambridge, MA 02139

Computers In Ten Years And Counting

Keith Ferrell, Features Editor

Alexander the Great possessed many gifts, perhaps none greater than the teacher selected for him: Aristotle. A great teacher, however, can't do *everything*, and the story goes that Alexander had difficulty mastering the Calculus. Stumped, the young king finally invoked his sovereignty and *demanded* that his teacher simply give him the knowledge of the Calculus as his kingly right.

Aristotle's response to the youthful monarch was both patient and profound: "There is no royal road to learning."

Whether or not the story is true, the sentiment it expresses is as accurate today as 22 centuries ago. That accuracy extends to all forms and formats of the educational process, no less for software, hardware, and the computerized classroom than for Alexander, Aristotle, and the Calculus.

A decade ago, when the educational promise of the microcomputer was first being explored, many saw that promise as unlimited, projecting vast and dramatic changes in the nature of the educational process. That computers and classrooms go together is obvious now, but even before microcomputers became generally available, some educators and quite a few speculators had begun to extol the computer's virtues as a "teaching machine," a royal electronic road to learning.

Predictions ran rampant. Within a decade, printed media would become extinct. Children would begin programming at an early age, and as they progressed through school there would be increasing emphasis upon learning sophisticated programming languages. The computer would come to dominate the educational process, replacing traditional tools and curricula. With sufficient advances in technology, some felt, computers might even take the place of human teachers.

Now, though, after a decade's experience in computers and education, most of those speculators have come to see that, for all of the

The Classroom

The partnership between microcomputers and the classroom is ten years old. During this decade, hopes for the partnership first dwindled, then revived as new hardware and improved software became available. To what extent does the marketplace determine the nature of educational computing? And what lies ahead for computers, classrooms, and the educational system in which they are evolving?

contributions computers and software can and do make to every level of education, they remain *tools*, just as chalk and blackboard are tools.

After a relatively brief flirtation with establishing a national goal of "computer literacy"—usually interpreted to mean providing students with a foundation in computer programming—both the educational establishment and the computer industry shifted their focus toward the use of computers as applications machines designed to help students accomplish specific tasks.

The voice of big business entered the dialogue as well. Early on, Apple Computer recognized the size and importance of the educational market, specifically the K-12 market. Apple's huge and ongoing success in that market has attracted other computer manufacturers into the arena. Today, a duel is shaping up between Apple, which still holds the largest share of the educational hardware market, and Radio Shack and a variety of IBM compatible manufacturers who are aggressively promoting their MS-DOS machines to schools.

The evolution was even more dramatic in software. The initial flurry of unfocused excitement prompted the development of many dramatic programs which captured children's interest, but were of questionable educational value. Gradually, though, the software industry and the educational establishment moved toward a more thoughtful incorporation of computers into existing, proven curricula.

Now, ten years on, the introductory phase of the partnership between education and computers is ending. Newer, more dynamic educational technologies loom, promising new opportunities. Excited speculation once again fuels symposiums and debate. This time, however, the speculation is informed by a decade's worth of practice, successes and failures, experimentation and refinement. While many techniques remain to be discovered, the educational computing industry now has a solid sense of purpose and direction.

Join the celebration!

Learning Technologies

Across the nation, schools, teachers, students and parents are celebrating computers and education all through the month of October. Check with your school, and join in the fun! You'll discover special events, prizes, and opportunities to experience first hand the excitement of computer learning.

TEACHER POTTER

A Congressional Resolution.

Publishers **Computer Learning Month has even** gained the support of our nation's leaders. The U.S. Senate quickly declared October 1987 as Computer Learning Month. By the time you read this, we expect the House of Representatives to have passed a similar resolution.

Computer Learning Month Contest! Fun to enter. Easy to win.

You don't even have to have a computer! Write an essay (750 words or less). Create an original work of art. Also special project entries for teachers and groups of all kinds.

101

Education Systems Corporation

inCider

For official contest entry materials, mail the coupon.

Over \$100,000 in prizes.

The Learning

Company

When you win, your school wins, too!

FIRST PRIZES for each category will be computer workstations, complete with printers - one for the winner and one for the winner's school. Thirty computer workstations in all.

SECOND PRIZES for each category are multiple program software packages - one for the winner and one for the winner's school. Thirty multiple program software packages in all.

Peter Li, Inc.

ctob

Mindscape, Inc.

Association

Random House Scholastic, Inc. Media

Software www.commodore.ca

Spinnaker

Advanced Ideas

Davidson & ssociates, Inc. Britannica Software (DesignWare, EdaWare, Blue Chip Software")

> B. Dalton Software Etc.

15 ways to enter: grades grades grades K-5 6-9 10-12 Art contest (computer generated) Art contest (non-computer generated) Essay contest Teacher (lesson ideas) Group contest individual prizes \Box = school prizes

A+

MORFAI

For official contest rules, art and essay ideas and suggested topics, mail in the coupon below no later than September 15, 1987. Contest entries must be postmarked no later than October 20, 1987.

FREE for parents:

DLM, Inc.

Special booklet, "What every parent should know about educational computing." Packed with information on computer learning, ways you can help, ideas and resources. Free – from participating software retailers in your area.

FREE for teachers:

Special Computer Learning Month posters bound into October issues of Classroom Computer Learning, Electronic Learning, Teaching & Computers and Today's Catholic Teacher. Posters are ideal for classroom use, and they're filled with lesson plans and activities on the back. Even if you're not using computers in your classroom

Springboard Software, Inc. Weekly Reader Family Software now, Computer Learning Month is for you! For additional ideas and official contest entry materials, mail the coupon.

BIG savings. Special events. Fairs and parents' nights during October.

Look for special discount prices on educational software at participating retailers, special events and computer fairs. If your school has a computer lab, parents' nights offer a good opportunity to try computer learning first hand, and local retailers



are likely to be on hand for demonstrations. Or sponsor a computer walka-thon to raise money for computers and software for your school.

onocerbund oftware, Inc.

Computed publications

Computers and Education: Giving America's Youth the Winning Edge



Yes - send me more informatio and official contest entry mater	n on Computer I ials.	earning Month
I am a 🗆 teacher 🗆 parent	□ student	and a large
I own a computer 🛛 yes		🗆 no
	(type of co	mputer)
Name		
School		a second second
Address	-	
City	State	_Zip
Phone		
Mail coupon to: Computer Lea	rning Month	a statement
P.O. Box 1976	3	a state
Washington, I	D.C. 20036-0763	
		A CONTRACT OF

C-www.commodore.ca

L. How It Was

Computers and educational software have had a great impact upon our educational system over the past ten years, but the educational system—especially the educational marketplace—has exerted influence of its own as well.

First, computers had to physically get into schools. That task was not easily accomplished. During the late 1970s, there were few school systems or districts with concrete plans for incorporating the emerging technology into their classrooms.

Charles Blaschke, president of Education Turnkey Systems, a market research and consultation firm specializing in educational hardware, recalls the late seventies as a time during which schools began seeking a rationale for incorporating computers into their curricula.

"There was increasing pressure from parents," Blaschke says, "who wanted their students to have the opportunities that computers could provide. Schools reacted by getting their first machines, although they didn't know exactly how to put them to work."

As recently as 1980, only seven states had official policies regarding the implementation of computers in public schools. Yet schools in virtually all of the states were acquiring machines, and various uncoordinated activities were creating a sort of computerized anarchy. At the same time, teachers began coming to terms with the physical reality of the computer, and learning how to take actual advantage of the machines' educational potential.

Teachers Take The Lead

Parents and school boards weren't the only ones who were interested in computers. Teachers themselves played a large part in putting the technology to work.

"Initially, the process of getting computers in the classroom was a scattered grassroots effort on the part of individual teachers," says Brian Dougherty president of Berkeley Softworks. He goes on to say that these teachers were often lonely in their enthusiasm in computers—not everyone perceived the benefits that computers could bring to education. That's changed now. "Today all schools recognize computers as an important part of the educational process," Dougherty says. "But even five years ago it was quite different."

He likens the situation in classrooms to that in the business environment. "Corporations did not initially embrace personal computers," he points out. "At many companies what happened was that an individual who perceived the computer's potential bought a PC and put it to work." The example set by those individuals fostered the implementation of other computers, and so on, leading to today's business environment where personal computers are ubiquitous.

"In the educational market," Dougherty continues, "you had an individual teacher getting a computer, then individual schools planning courses in computer use, followed by school districts putting together plans for computers. And finally the entire educational establishment sees how important computers are."

Obviously that sort of revolution in understanding does not take place over night, but the early 1980s witnessed a dramatic acceleration in attention and energy giver to the incorporation of computers into schools. Charles Blaschke reports that those initial seven states with official computer education policies in 1980 were joined by nearly three dozen more within a year or so.

Washington Keeps Hands Off

One reason for the diversity of approaches to classroom computers may be the decentralization of our educational system. Educational decisions are pretty much left to individual school districts. With the exception of a brief debate over the goals of computer literacy, the federal education bureaucracy has left the details of their implementation to the schools themselves.

Chester Finn, Assistant Secretary for Research and Improvement at the U.S. Department of Education, says that the Federal government plays only a very small part in determining either curricula or resources for our schools. He says, "We don't in general get involved at all in the delivery of any instructional materials—and computer hardware is completely outside our ken."

Rather, the Department of Education sees its role as that of clearinghouse, providing toll-free educational bulletin boards for teachers. "Our largest undertaking," Finn states, "is E.R.I.C.—the Educational Resources Information Center, a database for gathering and disseminating educational research information."

Curing Computer Phobia

While some teachers eagerly embraced the arrival of the computer, others were less certain. Some even feared it. The attitudes of teachers have changed as well. Jan Davidson, founder and president of Davidson & Associates, an educational software publishing firm, recalls that many professional educators mistrusted computers.

"Teachers have naturally become much more sophisticated about computers than they were," says Davidson, a former teacher herself. "When we got started with computers there was some apprehension that computer technology might ultimately replace teachers themselves. There was therefore some real reluctance about embracing classroom computer technology."

Seth Levin, president of Gessler Educational Software, a developer and distributor of foreign language software and supplementary course materials, reveals that his company faced particular challenges in the early days of educational computing.

"Language teachers," Levin says, "unlike teachers in most other disciplines, already had a large investment in technology, represented by language labs with tapes and headphones. There was a real uncertainty about computers, a definite fear that this was another technological system that would cost a lot of money and end up not being used."

Hesitation and apprehension, Davidson says, have largely been replaced by enthusiasm. This shift in attitudes can be traced in part to simple proximity, Davidson feels. Teachers have used computers more and more, and as a result they are now relaxed about the technological and professional implica-

Cwww.commodore.ca

Make Any Computer Do Exactly What You Want With McGraw-Hill's

Contemporary Programming & Software Design

Ny Family Plan

Inventory

Budget Plan

Declining Interest

Loan

From Writing Your Own Programs to Modifying Existing Software, Here's the New, Easy, and Low Cost Way to Unlock the Secrets of Your Computer

Whether you use computers for business, for personal applications, or for fun, off-the-shelf programs will never do everything you want them to do for you. That's because they were written by programmers to satisfy what they perceived as the needs of the greatest number of potential users—often <u>missing</u> some or many of <u>your</u> House hold Investigation of the greatest.

That's why McGraw-Hill's new Contemporary Programming and Software Design Series teaches you how to create your own software...either from scratch or by making key modifications to existing programs.

There is nothing magical about it. You learn the process of building a computer program step-bystep with McGraw-Hill *Concept Modules* sent to you one at a time, once a month. Each of the ten modules in the Series takes you through an important step in the development of the structure and detailed logic of a program, including testing, debugging, and documentation.

Unique Interactive Hands-On Instruction

Each module includes an easy-to-understand guide PLUS a 51/4" floppy disk containing typical programs and interactive instruction that you can run on Commodore 64 and 128 computers, IBM PCs and PC compatibles for hands-on experience.

In the first Module, for example, when your sample program (Declining Interest Loans) appears on your screen, you'll find errors on certain program lines. You'll also see that the program is only three-quarters completed.



Now comes the fun part. You'll discover how this program is built, and in the process you'll learn how to identify and correct errors. And by the end of Module 1, you'll actually have completed this program yourself.

But there's more. Special graphics on your screen work in conjunction with the accompanying guide to amplify, illustrate, and deepen your understanding of software design principles.

The Crucial 95%—Learn the Foundation of Computer Programming

While the Series includes interactive disks that run on specific computers, everything you learn you can apply to any language or machine. Why is this possible? Because McGraw-Hill knows programming is far more than coding a program into the computer using a specific language. In the real world of computers, 95% of the programming process is carried out using design techniques that are independent of specific language or machine. It is this crucial 95% that you thoroughly understand and master in the Series.

Make no mistake. Almost all books and courses on "programming" teach you only the final 5% of the total programming process namely, how to code in a specific language. . . information of little value if you don't know how to reach the point in the programming process when you are ready to code.

With the Series, however, you'll learn to create your own programs from scratch, even modify off-the-shelf programs. You'll learn enough BASIC and machine language to get you started on the remaining 5% of the programming process.

Build Your Own Personal Software Library

The sample programs you work with throughout the Series are excellent learning tools. But they're more than that. By combining the sample programs onto one master disk, you'll have the start of your own personal software library. In addition to the programs you've written and modified throughout the Series, you'll also receive dozens of the most popular public domain and user-supported programs, such as data base manager, word processor, calendar generator, appointments reminder and much,

much more.

15-Day No-Risk Trial

CREATE

YOUR OWN

SOFTWARE

To order your first module without risk, send the

postage-paid card today. Examine the first module for 15 days and see how the Series will help you make your computer do exactly what you want it to do!

If someone has beaten you to the card, write to us for ordering information about the Contemporary Programming and Software Design Series.

Graw Hill

McGraw-Hill Continuing Education Center 3939 Wisconsin Avenue Washington DC 20016 mmodore.ca tions; few feel threatened by computers today.

"But a lot of the change in attitude is a result of the higher quality of software available today," Davidson says. "This is true at all levels and in almost every discipline. We're able to see the advantages of teaching writing with word processing software, or organization with outlining software, and so on."

Software Goes To School

At first, no one seemed certain what qualities made for good educational software. For one thing, there was confusion about the value of the computer itself in our classrooms.

David Seuss, president of Spinnaker Software, recalls the early days of classroom computing. "Back in 1981, the educational applications the industry was coming up with were basically for boring and ineffective uses of the computer. The industry displayed a lack of imagination coupled with enormous expectations, real blue sky stuff about the computer's impact."

While the great potential of computers was being invoked by market analysts, software companies themselves were doing little more than adapting traditional educational materials such as flash cards for display on CRTs.

Kathleen Hurley, vice president for the educational division of Mindscape, remembers teachers' eagerness for worthwhile educational software being dampened by weak programs. "When computers first started being used in classrooms," Hurley says, "teachers were pretty much restricted to drill and practice software, although any type of educational software was rare enough that teachers were really using whatever kinds of programs they could get their hands on."

Dissatisfaction with the nature of educational software in the early 1980s led more than a few educators to enter the marketplace with products of their own. Jan Davidson was among those teachersturned-entrepreneurs.

Davidson recalls her reactions to scholastic software in the early 1980s. "As a teacher I looked at the software from an educational point of view, and I saw a good amount of material that was labeled educational, but that displayed poor pedagogical approaches to its subject matter. It's important that the educational aspects of a product be primary—not the product's technical aspects."

The former teacher also says that there was a real misperception of the rewards that the educational marketplace offered. "When I first got into the industry," she observes, "there were a lot of people who saw educational software as glamorous, and its market as a good place to get rich quick." Davidson feels that the misperception has largely disappeared. "The industry, I think, now understands that it's a long-term business, as is any aspect of education, really. And, while it's certainly rewarding, it's not a field for anyone to choose who wants a fast route to getting rich."

Publishers are looking much more closely at the curriculum...making more of an effort to work with teachers, helping train them, showing them how software can fit into their whole educational program.

> –Kathleen Hurley Mindscape

Spinnaker's David Seuss notes that the period of boring, unimaginative (though educationally sound) products did not last long. "Within a couple of years we began to see several things happening to educational software all at once," he says. "Companies began generating products that did use the computer imaginatively, products that used graphics that were attractive and well-designed, programs that were able to hold children's interest."

At the time, there were few computers in the schools, and programs tended to use the hardware in alternative ways, unrelated to specific curriculum goals. "A program such as *Snooper Troops*," Seuss says of one of the earliest and largest educational software successes, "involved the whole class in solving a mystery. The package had arcade elements, offered the class a chance to play a fun game, involved the students in solving a mystery, while teaching skills that included gathering information and drawing conclusions."

Such programs, however engaging, did not address actual dayto-day curriculum needs.

Now we're experiencing a much closer integration of software with academic agenda. "Today," Hurley continues, "publishers are looking much more closely at the curriculum, seeking to tie their products in with textbooks and daily lesson plans. We're all making more of an effort to work with teachers, helping train them, showing them how software can fit into their whole educational program."

The Age Of The Computer Lab

For a time it looked as though computers might be restricted to specific rooms within schools. Computer labs came into being in many if not most schools, with computers centralized in a single room to which students came for instruction. Labs and workshops seemed at first to solve the problems caused by the fact that there were a lot more students than there were computers. But it was not a very effective solution.

"The computer lab is a mistake," says John Paulson, president of Springboard, a manufacturer of educational software. "A room filled with computers that students see only occasionally is not very satisfying to the students. The reason for the dissatisfaction is that the computer can't be used as a tool the way the student wants to use it."

Another teacher-turned-entrepreneur, Paulson sees the problems with computer labs as carrying an opportunity as well. "Obviously, if students see the potential of the computer, know what it can do for them, but don't get to use it often, there's a real feeling of frustration," he says. "But I think of it as a *wonderful* frustration, because it creates a demand for more computers, more computer time per student."

Paulson senses that the pace of getting more computers into schools is increasing. "It's speeding up as a result of that frustration," he says. "If you have only one computer in a school—as many schools

Cwww.commodore.ca

did just a few years ago—then nobody gets to use it much. But if you have 100 computers, then there's a lot more frustration, a lot more demand for even more computers. The more we allow students to have more access more regularly to their computers, the higher the rate of frustration during those times when access isn't available. And that wonderful frustration increases the time cycle for getting computers where they belong—in front of every student in every classroom in every school all the time."

In addition to questioning the wisdom of physically locating all computers in a central lab, many educators and software developers resisted the initial purpose of those labs—the teaching of something called "computer literacy."

Computer Literacy (Whatever That Was)

Charles Blaschke says, "Computer literacy attracted a great deal of attention around 1983." Various levels of government sought to establish a mandate for a consistent approach to making students computer literate.

Blaschke says that the problem is that there was never a consensus as to what computer literacy meant. Generally, the goal of computer literacy was to teach students how to operate computers. Many educators and legislators also felt that instruction in programming computers was another important objective.

That's changed now. The failure to arrive at a common definition and shared goal for computer literacy coincided with the topic itself being largely abandoned. There was a shift toward using the computer as a productivity and applications tool throughout the curriculum, rather than simply in computer labs and workshops. Instead of learning BASIC, students are learning word processing, desktop publishing, and the operation of spreadsheets and databases.

The increased focus on applications and productivity is another consequence of the growing but still limited number of computers available. Jan Davidson says, "I personally don't think it's necessary for a child to learn programming. As long as computers are a limited resource, students are better off using them as word processors than writing BASIC."

The abandonment of computer literacy as the single goal of computer education, however, does not mean that understanding of computers plays no part in education.

As Betsy Pace, K-12 education marketing manager for Apple Computer, points out, "We're seeing computer literacy-the ability to operate a computer-seen more and more as a means to an end rather than as an end in itself." Pace compares computers to telephones, saying, "I think that over time computers are going to be like the phone system. You don't have to know anything about the communications infrastructure in order to use a phone. With a computer, you don't have to know how a program is written in order to put that program to work."

We're seeing computer literacy...as a means to an end rather than as an end in itself...you don't have to know how a program is written in order to put that program to work.

> —Betsy Pace Apple Computer

Springboard's John Paulson notes that the act of learning how to run various applications also teaches, almost incidentally, a high level of computer literacy. "Students derive so much value from applications," he says, "that their ability to run them can almost be taken for granted."

This is not to say that programming is not finding an important place in education. "Students can learn a great deal about problemsolving from writing programs," Pace says. Jan Davidson suggests that programming can be used effectively with advanced and gifted students. Additionally, she says programming itself, rather than being restricted to computer rooms, is finding its way into mathematics and science curricula as an elective.

LL. Current Trends

When there were only a few computers in schools, computer labs and concentration on computer literacy made sense: Few schools had computers. Those that had computers had few. In 1981 less than 20 percent of American schools were using computers. Last year there were computers in 96 percent of our schools. A few years ago, the educational hardware market absorbed roughly 50,000 computers a year. "Now," says Pace, "that market is taking more than 400,000 new machines every year."

Numbers that large, coupled with machines already in schools, have resulted in schools encountering the happy dilemma of having too many computers to put in one room or even several rooms.

The solution seems to be to put computers in *every* room.

The greater quantities of hardware is accompanied by increasing teacher expertise. Throughout the country, teachers are demonstrating greater facility both in operating the machines and in using them to aid instruction.

As a result of the dramatic increase in the number of machines, can we expect a consensus on the place of computers in education? Not necessarily, says Brian Dougherty. "We're starting to see some centralized guidelines, not only at the state and local levels, but also on the federal level, with increased computer funding being delivered.

"But, as far as a standardization of the purposes to which computers are put, no, I don't think so. Different states and different school districts mean that you're going to have different attitudes about computers. But among all the teachers and schools that I've talked with there is an understanding that the computer is a tool that students are going to be using for the rest of their lives."

David Seuss of Spinnaker suggests that it's a mistake to expect any sort of shared vision or agreement on the educational place of personal computers.

"The last few years have showed that teaching with computers is *hard*," Seuss states. "But so is teaching with textbooks. We have over 200 years experience with textbooks, and we *still* debate what the best approach to material is, how a curriculum should be assembled, which cognitive theories we believe. Nearly every state has its own, different approach to teaching the same topic to kids the same age."

Seuss says it's no different with computers and software. "We're at the very beginning of that 200-year period. Basically, we still don't have any real idea what we're doing. As far as computers go, we haven't explored and failed enough, we haven't tried enough strategies, alternative curricula, and so on. We're at the beginning of an enormous period of experimentation that's going to have its share of failures and partial successes. The result is going to be different from all of our initial hopes and dreams."

Integrated Programs

The disputes about the uses to which computers should be put is viewed by some as one of the real benefits that the technology provides. Computers, after all, are good at *many* things, not just a single thing.

Kathy Hurley of Mindscape takes note of the current, rapid diffusion of computers throughout curricula. "Computers are finding their way into every subject," she says. "We're seeing word processing used to prepare reports in virtually every subject; spreadsheets are being put to work in home economics and science classes; desktop publishing programs are turning up in several disciplines; databases are being used in social studies, and so on."

One result of this diffusion is a growing need for teacher-oriented materials aimed at effectively incorporating software into classrooms. Teachers themselves are requesting more than just software from developers. At the moment, many educational software developers are responding to requests for more supplementary materials to accompany the programs they use.

Cathy Carlston, vice president of educational market planning for Brøderbund, an educational software publisher, is excited about the opportunities these material present. "Brøderbund now works more closely in partnership with teachers. I think we're seeing a shift away from courseware alone. We're working to develop materials that really help teachers in the classroom, and this is a significant response on our part to market needs."

If teachers have come to see more clearly the ways in which computers can be used in class, it's also true that software developers are arriving at a better understanding of the teacher's needs. "Teachers face unique classroom challenges," Carlston says. "They have limited time that's also segmented. They face 30 or more students and have to deal with the managerial problems that accompany numbers that large. Our approach is to put together teacherspecific materials that address the entire classroom situation which includes the curriculum itself in the form of lesson plans, as well as addressing the students' skills, goals, and accomplishments. This sort of approach makes the computer a much more effective teaching tool."

Seth Levin points out that his company, Gessler, had 50 years' experience as a publisher of foreign language supplementary materials before entering the software field. Now Gessler is coordinating its software with other teacher materials. "Software struck us as a natural adjunct to our product line," Levin says. "We entered the market in 1982, fully expecting that most of the other major publishers would do so as well. While that didn't happen, we've found the response to the products we've developed and licensed to be gratifying."

Hardware manufacturers are involved in producing coordinated curriculum materials as well. IBM has achieved much success with its Write to Read literacy course. Apple Computer has long been actively involved in the generation and distribution of teacher-oriented materials.

Drill And Drill Again

These advances and shifts in emphasis do not mean that the use of computers for traditional purposes is being overlooked. Among the many advantages the computer offers is its inexhaustibility and infinite patience. For drill and exercise, computers can provide students with programs which, while essentially geared to rote learning, are interesting and also free the teacher to concentrate on more substantive matters.

Jan Davidson says that, "From the teacher's point of view, the computer can make captivating something that's hard for teachers to do. Few teachers really enjoy long sessions of drill and practice. By letting the computer deal with those aspects of education, the teacher has more time and energy to focus on the principles that underlie the exercises."

"Teachers enter the profession," says John Paulson, "because they understand the importance of their various subject areas, and they want to communicate that importance to their students. By shifting the routine aspects of education to the computer where possible, the teacher is better able to deliver that sense of importance to the class."

As computers have grown more sophisticated, so has their ability to provide tailored drills and exercises. Seth Levin of Gessler notes that in foreign languages drill and review remains essential to mastery. "Conjugations and vocabulary words," he says, "have to be learned by pure rote. A good computer program can provide a complete tutorial, analyzing the particular mistakes each individual student makes. Obviously this flexibility has advantages. The program can be used remedially for students who are having trouble. But it also gives the gifted and talented students the chance to move ahead of the class and learn new material on their own."

Market Challenges

The evolution of the purposes to which computers are put in classrooms places additional marketing challenges on software manufacturers and developers. Should programs be developed for the most common machines in schools, which means restricting the program to 128K or involving frequent disk-swaps? Or should developers push the limits of technology, taking advantage of increased memory to offer increasingly sophisticated features? Does it make better market-

Cwww.commodore.ca

How much computer will \$699*buy?



With the AMSTRAD PC1512, everything is included.

THE TAKE

At last! A powerful IBM-compatible personal computer with the popular "MOUSE" and software, all at an affordable price. No add-ons needed, just plug it in and go!

Here's what you get:

Monochrome monitor, paper white with 16 gray levels – 360kb double sided floppy disk drive – 512k memory – 8086 processor (8mhz) – "mouse" – PC compatible keyboard – Joystick port – Parallel and Serial ports – 3 full sized PC compatible expansion slots – Complete user instructions.

"FREE" Software (\$500 retail value)

Microsoft MSDOS V3.2 operating system, Digital Research DOS PLUS operating system, Digital Research "GEM Desktop," "GEM Paint," "GEM Doodle," Locomotive Software "Basic 2" and very detailed, clearly presented user manual.

Optional Features

Second Floppy disk drive or 20 MB hard drive, RGB Color Monitor, 16 colors.

It's never been easier to get going on your own personal computer. It's what you've been waiting for.

The AMSTRAD PC1512 is available now at better Computer Dealers Nationwide. If your dealer doesn't have them yet, write or call and we'll tell you where you can buy one.

*At participating dealers

IBM Compace, Leading Edge, Esson, Amstrad and Microsoft MS DOS are registered tradgemarks of International Business Machines Corp., Compace Computer Corp., Leading Edge Products, Epson America Inc., Amstrad pic and Microsoft Corp., respectively.

*Prices and specifications are subject to change without notice



Unit pictured with optional

RGB monitor.

"Family-friendly"...business-smart"

PC

PC

YEAR TO DATE SALES

ev penduc



sense to develop for the most experienced teachers, those who have a history of understanding computers? What's the best way to address the needs of teachers less comfortable with computers?

"There's no question," says Seth Levin, "that market pressures and questions like those play a large part in determining which products actually make their way into the classroom. Sometimes there's no immediate market—or at least no immediate payoff-for the most innovative or exciting packages." As an example, Levin cites Gessler's CLEF—Computer-assisted Learning Exercises for French, a Canadian-developed package that consists of dozens of disks. "In many ways this is the most sophisticated error-analysis program we've ever seen," he says. "But the size of the package—the number of disks-frightens off some purchasers. We made the decision, though, to proceed with the marketing of CLEF because it was too good a product not to. It was a long-term decision, not something we wanted to amortize in six months. Longterm, it's probably a good decision. As networking from hard disks becomes more common in schools, I think we'll see large packages like CLEF facing less resistance."

Gessler offers no easy solutions to the market questions. "We're beginning to see a really striated classroom," notes Levin, "with some teachers who want to use computers to their limits, and others who want software that will hold their hands." Gessler, he points out, is, like many software manufacturers, now marketing programs that let the teachers themselves establish the level of difficulty with which they are most comfortable.

John Paulson of Springboard is also aware of the fragmentation of the market. "I think we're finally beginning to understand where computers ought to be, how they ought to be used," he says. "But the field is still so new and young that while there are a lot of teachers who are putting computers to work in innovative ways, there are also quite a few teachers who will retire without ever having used a computer."

The Hardware Question

Whatever the advances in software, it is the computer itself—the actual hardware—that remains the focus of much of the attention given to the changing classroom. The machines themselves provide the momentum for their own integration into the academic environment.

The most successful hardware manufacturer in the educational marketplace is Apple Computer. Apple was among the first hardware manufacturers to perceive the importance of the education market, and to approach that market aggressively. As a result of its ongoing and intensive effort, there are more than one million Apple–II series computers in the nation's schools.

There's no denying that price is an important factor.... But just as important is the availability of useful and educationally sound software.

-Ed Juge, Tandy

Pace says the company has achieved an educational penetration comparable to the penetration of MS-DOS in the business environment. To preserve that market share, the company has worked closely with educators from the very beginning, creating a separate educational marketing division and maintaining a high profile at educational conferences, symposiums, and conventions. In the higher education marketplace, the company achieved a large success with its Macintosh line.

MS-DOS Moves In

Now, though, Apple's clearcut educational hegemony may be ending. The huge business success of IBM's PC family paved the way for the PC-clones and compatibles which offer large memory, mass storage, and access to huge libraries of MS-DOS programs. Clones deliver these features at a price far lower than IBM's, and often lower than Apple's as well.

Additionally, there is a sense on the part of some manufacturers and distributors of PC compatibles that the market is open to MS-DOS machines.

"The past six to eight months has seen a significant increase in educational market share for Radio Shack," says Charles Blaschke of Education Turnkey Systems. "There's also been a definite increase in the number of MS-DOS education packages over the past 12 months." Blaschke estimates that there are as many as 1600 educational packages available for MS-DOS machines, as opposed to 8000–9000 software packages for Apple machines.

The dominance of MS-DOS in business is being exploited by manufacturers eager to extend that dominance to the schools.

Wally Amstutz, vice president for marketing for Amstrad, views MS-DOS as a natural choice for schools, pointing out that the business environment into which students will graduate is overwhelmingly MS-DOS driven.

"It doesn't make any sense," says Amstutz, "for students to grow up on Apple and then have to cut their wisdom teeth, as it were, on MS-DOS in the office and professional environment." New to the American computing market, Amstrad hopes to achieve substantial penetration of the educational market in the months ahead.

One company that has been involved with educational computing from the early days of the industry is Tandy/Radio Shack. "We've been making a determined effort to get our machines into classrooms since 1979," says Ed Juge, Tandy's director of market planning. Since the introduction of PC-DOS and MS-DOS in the early 1980s, the company has seen an increasing number of schools select MS-DOS machines as their computer of choice.

"Our research shows Tandy holding down 25–28 percent of the K-12 education market," Juge notes. "In some states our share of education climbs as high as 45 percent." While the company has achieved educational success in school districts of all sizes, Tandy has particularly high levels of market penetration in smaller communities, where the local Radio Shack store may be the only computer outlet. "Naturally, our retail presence plays a part in our success," Juge explains, "but we also make a concerted effort to work with educational software developers to insure that their programs are available for our machines."

Whatever the size of the particular school system, Juge does not view computer purchasing as solely price-driven. "There's no denying that price is an important factor, particularly for school systems with limited funding. But just as important is the availability of useful and educationally sound software. That plays an important part in buying decisions. Desktop publishing, for example, was for a long time available on Apple machines. Now, of course, desktop publishing programs are coming out for MS-DOS machines, which further strengthens our position in that market." Juge estimates that education accounts for approximately 20 percent of Tandy's computer sales.

Juge, too, sees decided advantages to increased educational dependence upon MS-DOS machines. "Using machines other than MS-DOS in the schools," he says, "is like teaching driving in a righthand drive car. When the student gets out on the roads he discovers that it's a left-hand drive highway system. MS-DOS is the world's dominant operating system: It doesn't make sense for students to be learning on anything else."

Apple's Betsy Pace is confident about her company's strength in education, and is sanguine about the criticism, noting that Apple enjoys the competitive atmosphere. "Competition creates a healthy dialogue," she says, "and goes a long way toward making more people more interested in educational computing." She acknowledges that MS-DOS computers have demonstrated a lot of appeal in vocational education classes where students learn word processing and other skills.

To suggestions that Apple machines don't provide adequate preparation for "the IBM world," Pace suggests that critics might consider supplying students with Macintoshes, which are achieving substantial penetration of the business market and are on their way toward establishing a business standard of their own.

Selling To Students

Another growing educational target market for computer manufacturers is the individual student. The bulk of this market is made up of older students, and specifically college students who can afford personal computers. At the same time, more households are acquiring computers, with education listed by consumers as one of the primary motivations for the purchase.

The college market is particularly lucrative, as more and more colleges and universities require students to have computers. Again, it was Apple that first tapped the potential of this market with its Macintosh.

"The way Apple positioned the Mac in college bookstores tells you a lot about how to go after that market," says Wally Amstutz. "In many ways college students are the ultimate hard market. They don't have a lot of money; they buy for price, but they're very demanding of features. College students also tend to have a certain pragmatic sense of time. They want to go the fastest, most efficient route they can."

He says it was an understanding of all these market aspects that led to Apple's successful penetration of college bookstores-and through them to the students themselves-with the Macintosh. The time has come, he feels, for MS-DOS machines. "Certainly Amstrad is well-aware of the real success that the Macintosh found," Amstutz says. "But we also understand student concerns about compatibility with IBM. It's one of the reasons our computers are configured the way they are-with a mouse, GEM, and windows, graphics, all the features that are appreciated in K-12.

"But we're also bundling productivity software that should find real success with the older student, the student who understands computers and is ready to get to *work*."

The Next Ten Years

The coming decade promises educational and technological evolution on a scale likely to dwarf even the most dramatic recent innovations. So far, classroom computers have pretty much been used to deliver traditional educational materials in new ways.

Now, however, education and society are poised upon the brink of advances that may be as far ahead of the current generation of computers as those computers are of blackboard and chalk.

"We've barely scratched the surface when it comes to using computers in the classroom," says Betsy Pace of Apple. "I think we all have an increasing vision of how computers can be used, as well as a sense that the computers of the future won't even look like they do now and are going to be able to do many more things than we can now envision."

It's this aspect of the educational computer that most excites Pace. "We're approaching the point where computer technology will be conveying information in ways different from books or blackboards and chalk. That difference is going to make the technology sustainable in the classroom."

Pace emphasizes that computers deliver information differently from books rather than instead of them. "We don't see computers replacing teachers or books. Mankind has had an intimate friendship with books for hundreds and hundreds of years. Rather than replacing books and teachers, we have concentrated on the ways the computer can be used to help and reinforce them."

Ultimately, Pace feels, computers will alter the nature of classroom education itself. "I think we're going to be moving away from students learning facts," she says, "and toward higher learning skills. School will no longer focus solely on memorizing a set of information, but on helping the student in using, finding, sorting, applying, and writing about information."

John Paulson of Springboard sees this sort of advance as bearing

enormous educational advantages. "Education will start crossing a variety of subject matters," he says, "showing students the relationship among many bodies of information. And it won't be just facts. In simulations, for example, we'll be able to greatly elevate the level of discussions and understanding by putting students in charge of very intriguing and complex scenarios through which students can explore a variety of political circumstances. They'll be able to experiment, to make decisions and see the consequences of those decisions. For the first time, I think, students will really have a clear picture of consequences and variables and will learn that in some subjects there are no absolute judgments, that every path can be explored."

Friendlier And Friendlier

The software for these new types of learning will be increasingly easy to use, says Brøderbund's Cathy Carlston. "One of the things we're beginning to see is a real opportunity to take advantage of the available technology to make our educational programs more effective.

Although it's tempting to work with bigger configurations, the challenge is to develop not just bigger programs, and more sophisticated programs, but programs that are even easier to use and to incorporate into the classroom. Of course, it takes a lot of memory to make programs more transparent, but we are seeing more memory in the newer computers." Carlston feels the arrival of these transparent programs will be accompanied over the next two to five years by the integration of many different technologies.

Mindscape's Kathy Hurley also sees a rapid convergence of several technologies. "Developers and educators will be taking advantage of videodisc, telecommunications, and other technologies to the point where I'm not certain of the future of stand-alone software. The opportunity that exists for developers is to take what's already there and tie it into these new and emerging technologies. The challenge, on the other hand, is to keep up with all of those technologies and make the right development decisions for what the market is going to buy."

Networking

One new area that's attracting a good bit of attention and excitement is networking, the linking of all the computers in a classroom or a school.

Tandy is providing classroom networking, whereby the students' computers are linked to the teacher's machine, which serves as both a file-server and a monitoring location from which the teacher can observe individual students at work.

"Our networks have evolved quite a bit over the years," Juge explains. "In our early networks the teacher was able to download files to the students. By the time we introduced Network 3, the individual student was able to use the computer to request a download." Network 4 is a Corvus network, with students able to access the teacher's hard disk storage.

As with any new technology...technology alone is not the answer. What's important is that developers take advantage of new capabilities in ways that increase educational effectiveness.

> –Jan Davidson Davidson & Associates

Other companies also see the increased importance of networking, not the least of them Berkeley, which has developed a program that permits teachers to network Commodore 64s with Apple and PC compatibles, all managed from the teacher's PC. The program, called *geoNet*, lets the teacher create a customized directory and then send it to each of the computers on the network. A 512K RAM expansion card for each student's computer turns that computer into a workstation.

Brian Dougherty of Berkeley

envisions classroom networks as only a beginning. "With geoNet," he says, "each student workstation is linked to the teacher's PC, but the PC itself is not only a file-server. The teacher's PC can be ethernetted to other PCs in the school or elsewhere. This will let a student with, say, a Commodore 64, go through the teacher's PC by way of geoNet, then go out over ethernet to access other educational technology throughout the system."

Talking In Class

Farther down the road there is the promise of speech synthesis and voice recognition. "Right now this is of paramount concern to us," says Gessler's Seth Levin. "While at the moment speech synthesizers don't have the sophistication to generate accents, much less recognize pronunciation problems, we will have those capabilities someday soon, and a whole new generation of instructional possibilities will be made available to us."

Speech synthesis excites developers outside the foreign languages disciplines as well. "The ability to include speech in our packages will add an entirely new dimension to a child's educational experience at the computer," says Jan Davidson. "As with any new technology, though, the technology alone is not the answer. What's important is that developers take advantage of new capabilities in ways that increase educational effectiveness while addressing student motivational factors and attention."

Another area that Davidson finds exciting is the increased memory that new computers offer. "The one thing my developers fight for," she says, "is more memory to do what they need to do. Some things are hard to accomplish in 128K. You only have so much memory to spend when you're developing a program. I'd love to see 256K become standard."

At the same time, Davidson feels it's important to maintain a sense of perspective and purpose. "We have to be sure that the advances in computers are used to help achieve educational results. We must not only take advantage of new technology but do it in ways that increase the educational effectiveness of our materials." Animation So Unique — You May Wonder Where Fantasy Ends... and Reality Begins.

MASTER NINJA SHADOW WARRIOR OF DEATH

You become the "Master Ninja" on his quest to recover the Magical Sword in the Mysterious Emperor's Castle.

Actual size of graphics—large, smoothly animated 31/2" characters.

Welcome to the adventure of a lifetime. Assume the identity of a proud ninja warrior and ready yourself to enter the castle of the evil Japanese Warload, Sanjo. Your quest is to regain a precious magical sword that Sanjo has stolen from your ninja sect. Through the castle lurk powerful ninja warriors, Samurai guards, evil mys-

tic priests, and deadly tigers. You must work your way through the many chambers of Sanjo's castle, fight and kill his ninjas, battle his black magic curses, overcome his traps and obstacles and recapture the magic sword. No ninja has ever survived. Are you the one who can finally battle the dark power and bring truth and goodness back to the land? Are you the one who has no fear? Are you the one that will be called . . . "MASTER NINJA"?

Paragon's "MASTER NINJA" is the most realistic martial arts adventure game available today.

Developed exclusively for the IBM PC,[®] PCXT,[®] PCAT[®] and IBM compatibles.

IBM PC, PCXT and PCAT are registered trademarks of International Business Machines, Inc Master Ninja Shadow Warrior of Death is a trademark of Paragon Software Corporation.

SPRINE P

in ne



Game features include:

- 20 Real-to-Life Martial Arts Moves
- Obstacles including Hidden Ninja's, Evil Curses of Black Magic, Hidden Traps, and Even Deadly Tigers
- Over 25 Combat Screens growing more and more difficult
- Historic Ninja Weapons including Knives, Blinding Powder, Throwing Stars, Blow Dart Guns, and Bow and Arrows
- A Historic Story That Unfolds Like an Actual Ninja Movie with Detail so Great That Even the Constellations in the Sky are Accurate
- Realistic Sound

For the distributor nearest you, call Master Ninja "Hotline" 412-838-1166



or write:

Paragon Software, Inc. Plymouth Center 521 Plymouth Street Greensburg, Pennsylvania 15601

🥵 🖉 🖉 🕐 🕐 🕐 🕐 🖉 🕐 🕐

Computer Learning Month: An Enthusiastic Start

Selby Bateman, Associate Publisher

The first national Computer Learning Month, scheduled for October, will be the focal point for a variety of contests, meetings, back-to-school nights, and other events highlighting the impact that personal computers are having in classrooms across the country. Here's an overview of the events and activities in which teachers, parents, and students can take part.

Scarcely ten years after the advent of the personal computer, the nation's first Computer Learning Month is to be held this October. It's officially sanctioned by both houses of Congress and is supported by a wide cross-section of computer software and hardware companies, publishing houses, teachers, and state and national educational organizations.

So great has been the im-

pact of personal computers in education—and so exciting the potential—that the reactions to this first national Computer Learning Month have far surpassed the expectations of its sponsors, says Katherine Borsecnik, Computer Learning Month project director for the Software Publishers' Association (SPA), the primary association of microcomputer software publishers, with more than 200 member firms.

"The level of enthusiasm has surprised me," says Borsecnik. "I'm not only surprised at the



response by Computer Learning Month sponsors, but I'm getting these incredibly enthusiastic calls from teachers as well."

The event is sponsored by more than 25 hardware and software companies, computer publications (COMPUTE! Publications is a principal sponsor), and the SPA. Apple Computer, IBM, and Tandy Corporation are the three computer hardware sponsors who are also donating computers as prizes in several contests.

"It's an opportunity for all of us, as parents or educators, to take a close look at how our kids are using computers and to acknowledge the strides in education made possible by teachers who effectively use the technology," says Ken Wasch, executive director of the SPA.

"What's important about computer learning isn't the mastery of technology by

whiz kids and hackers, but how millions of ordinary kids are using computers to develop criticalthinking abilities, academic skills, and creativity. That's what Computer Learning Month is all about," he adds.

The national, nonprofit campaign is aimed at promoting the creative and productive use of computers in the classroom as well as sharing information and ideas on how computers are already being used across the nation. Educational technology coordinators in all 50 states have been contacted, and a number of educational and computer magazines and related periodicals will be featuring information on Computer Learning Month.

Nationwide Contests

Among the activities now under way are five different Computer Learning Month contests for teachers and students in primary (grades K-5), middle (grades 6-9), and secondary (grades 10-12) levels. Entries for each of the contests noted below must be postmarked by October 20, 1987. Top prizes are computer systems and software for the student winners to keep and other systems and software for the schools from which the winners come.



Computer Learning Month, a celebration of the use of computers in education, will get under way in October with a variety of contests and special events.

The five contests include competition in the following categories:

• Computer-generated student artwork, in color or black-and-white, with no enhancements made using other artistic tools.

 Noncomputer-generated student artwork that integrates in its theme the use and promotion of computers.

• Student essays of 750 words or less on a computer topic that begins with one of several specific opening sentences supplied by SPA.

• Teacher lesson plans and related ideas for integrating computers into the classroom in unique and innovative ways.

• Group projects (four or more students and a teacher) in which the participants have used the computer in an innovative learning situation.

Specific details of each of the contests are available from the SPA by writing to Computer Learning Month, P.O. Box 19763, Washington, D.C. 20036-0763. The contest entries will be judged by selected educators at the joint conference, Making Schools More Productive, in Dallas, Texas, November 5–7.

The student artwork entries will become part of the nation's largest single exhibit of student computer work and will be available for a national tour.

Additional Activities

Many of the software companies that produce educational programs for the classroom and the home will be offering special discounts on their products as well as catalogs of educational materials. And computer dealers across the country will be hosting Computer Learning Month activities, such as fairs and other promotions.

For example, Davidson & Associates, an educational software firm, will award \$25,000 in free software to 20 schools that celebrate Computer Learning Month with activities for parents, teachers, and students. For information on that contest, write to Computer Learning Month, Davidson & Associates, 3135 Kashiwa St., Torrance, CA 90505.

This fall, parents will be able to receive at many Walden Bookstores a free 16-page booklet entitled "What Every Parent Should Know About Educational Computing." The booklet contains not only information on how parents can help their children use computers at home, but also suggestions for ways to get involved through the schools. In addition, schools, libraries, and museums will receive special Computer Learning Month posters.

In November, a Computer Learning Month time capsule containing student work will be dedicated at the Institute for the Transfer of Technology of Education conference in Dallas. Included in the capsule will be predictions about computer learning, written by students, to be viewed when the capsule is opened in the year 2001.

Principal sponsors of Computer Learning Month are A + magazine, Advanced Ideas, Apple Computer, B. Dalton Software, Britannica Software, Brøderbund Software, COMPUTE! Publications, Davidson & Associates, DLM Teaching Resources, Education Systems Corporation, IBM, *inCider* magazine, The Learning Company, Learning Technologies, Mindscape, Peter Li, Random House Software, Scholastic, Soft-Kat, Software Publishers Association, Spinnaker Software, Springboard Software, Tandy, and Weekly Reader Software.

Reading & Writing & CD-ROM

Another area of information technology that will change the way students learn is CD-ROM, Compact-Disc Read Only Memory. This optical storage medium uses compact discs, whose ability to store enormous amounts of information digitally, allows a single disc to text, music, pictures—anything that can be digitized.

Already being used for databases and bibliographies, CD-ROM promises to provide students with access to larger bodies of information than even the greatest of libraries can contain. "Never before have students been able to use technology as a simulation of experience," Betsy Pace of Apple points out. "But, with the advent of disc technology, that's what we'll be seeing. National Geographic, for example, has an exceptional library of images. Imagine what it will be like for students to be able to draw upon collections like that.'

While CD-ROM technology has been around for several years, its immediate descendent, CD-I, Compact Disc Interactive, is only just being developed. This medium uses the increased memory of newer computers to produce true multimedia gatherings of information. "CDI will let students marry text and pictures, full motion video, speech and music, with computer overlays," Betsy Pace says. "Interactive video is among the most exciting tools ever to come onto the horizon, so it greatly expands the potential for using computers in instruction that it's all but indescribable."

Gessler's Seth Levin sees tremendous potential for the marriage of disc technology and foreign language instruction. "We'll be able to design programs that place the student *in* the foreign country," he says, "letting them see the sights and hear the sounds, all the while making them use their language skills to survive the simulation. And it will be a simulation—a recreation of a trip overseas without leaving the classroom or the language lab."

Springboard's John Paulson foresees a time when students, assigned, say, a report on whales, will have an array of tools at their disposal. "Word processors will let them create their text," he says, "while through telecommunications they can call up full-motion video images of whales swimming and accompany those images with actual whale sounds—blending all of it together into a type of educational report that has never before been possible."

It was not by luck that the species created the computer. It's up to all of us to see that computers continue to fulfill their primary purpose, helping students learn by amplifying the things their intelligence is capable of.

> —John Paulson Springboard

This sort of report-these sorts of advances-will insure the permanent presence of computers in the classroom, says Betsy Pace. She points out that the initial novelty of personal computers-computers for their own sake because they are new-has worn off. "But the thing that makes the technology sustainable as an educational medium is the fact that we're now able to do things with it that have never been done before. The computer's effectiveness increases as we learn to use it to convey ideas in ways that are better than books, than chalk and blackboards. We're learning to use computers," she says. "And that learning process is going to be very exciting.

The Dawn Of A New Era History shows us how to approach the future. Looking at history, John Paulson sees the advent of the computer as inevitable. "It was not by luck that the species created the computer," he says. "The computer is an amplifier of intelligence, and our intelligence is the species' greatest gift. It's up to all of us to see that computers continue to fulfill their primary purpose, helping students learn by amplifying the things their intelligence is capable of."

What lies ahead? The futurist Arthur C. Clarke once proposed that the future will be not only stranger than we imagine—it will be stranger than we *can* imagine. H. G. Wells felt that civilization was a race between education and catastrophe.

Whether or not the computer provides the energy needed to insure that the race is won remains to be seen. It does seem certain, though, that as computers continue to reach more and more students, and as software further increases students' abilities to learn, the nature of education itself may come full-circle. The traditional purpose of education, after all, is to prepare the student for a lifetime of learning, to teach the student to *think*.

Which brings us once more to ancient Greece, and to another, possibly apocryphal, story of a great educator. This time the teacher is Plato, who supposedly said that the ingredients for education were simple: All that education requires is a student, a teacher, and a log for them to sit upon.

Ten years ago the personal computer was widely misperceived as an electronic teacher. Now we know better. The teacher is the professional at the head of the class, the author creating the text, the scholar organizing the body of knowledge, the photographer whose images are translated to disc, the software developer pushing the limits of his skill to prepare a challenging educational program, the musician whose compositions are digitized, the archivist whose database is the raw material from which exciting learning experiences are made.

And the computer? The computer is Plato's log—where each student and, ultimately, all of the teachers and teaching materials through history can gather together and accelerate the process of learning.



Design pictures and graphics guickly and precisely. Unlike other drawing programs, you can produce exact scaled output on your printer. Design in the units of your drawing problem (feet, miles, meters, etc.) and send hardcopy to most printers. Uses either the keyboard, lightpen or 1351 mouse. Two separate work screens-transfer artwork from one screen to the other. Place text in four sizes anywhere in the picture-three extra fonts included: Old English, 3-D and Tech. "Try Again" allows you to undo mistakes. Draw solid or dashed lines, circles, ellipses at any angle, rays and boxes. Design fill patterns, fonts and objects. Cadpak is the full-featured design and graphics package for your computer. for C-64 \$39.95 for C-128 \$59.95



PPM

Personal Portfolio Manager is the most comprehensive stock market portfolio management system available for the 64 or 128—For investors who need to manage stock portfolios, obtain up-to-the-minute quotes and news, and perform selected analysis. Allows multiple portfolios for special



"...Personal Portfolio Manager will help you make the most of your money." Jim Grubbs, RUN Magazine "...a customized data base with advanced telecommunication features...sophisticated report generator...hard to beat..." Ted Salamone, Commodore Magazine

interests (high tech, low risk, income, etc.) and monitored individually. And the versatile report generator lets you produce any kind of report to analyze a portfolio or stock. You can even update your portfolio automatically using Dow Jones or Warner Computer Systems and your modem.

for C-64 \$39.95 for C-128 \$59.95

BASIC Compiler

Now anyone can speed up their BASIC programs by 3 to 35 times! Basic-64 and Basic-128 easily convert your programs into fast machine language or speedcode (takes up less space yet protects your programs from prying eyes) or a mixture of both. You can even compile programs written with extentions-Simon's Basic, VICTREE. BASIC 4.0, VideoBasic and others. When the compiler finds an error, it just doesn't stop, but continues to find any other errors as well. Supports overlays and has many other options. 128 version works in FAST mode and allows you to use all 128K of memory. If your program walks or crawls, give it the speed to RUN!

for C-64 \$39.95 for C-128 \$59.95

"...everything a good compiler should be...easy to use...efficient...offers a good range of optional features...excellent documentation...inexpensive." Tom Benford, Commodore Magazine

Give your BASIC programs a boost!

... and SUPER BOOKS!



Anatomy of the C-64 Insider's guide to '64 internals. Graphics, sound, I/O, kernal, memory maps, and much more. Complete commented ROM listings. 300pp \$19.95



C-128 INTERNALS Important C-128 information. Covers graphic chips, MMU, I/O, 80 column graphics and fully commented ROM listings, more. 500pp \$19.95



Anatomy of the 1541 Drive Best handbook on this drive, explains all, Filled with many examples programs, utilities. Fully commented 1541 ROM listings. 500pp \$19.95



1571 INTERNALS Essential reference. Internal drive functions. Explains various disk and file formats. Fully-commented ROM listings. 450pp \$19.95



Tricks & Tips for the C-64 Collection of easy-to-use techniques: advanced graphics, improved data input, CP/M, enhanced BASIC, data handling and more. 275pp \$19.95



C-128 TRICKS & TIPS Fascinating and practical info on the C-128. 80-col hires graphics, bank switching. 300 pages of useful information for everyone. \$19.95



GEOS Inside and Out Detailed info on GEOS. Add your own applications to GEOS. Edit icons. Constant display clock. Single-step through memory. \$19.95



C-128 PEEKS & POKES Dozens of programming quick-hitters. techniques on the operating system, stacks, zero page, pointers, and BASIC. 240pp \$16.95



GEOS Tricks and Tips Collection of helpful techniques for all GEOS users. Includes font editor, machine language monitor, quick backup, more. \$19.95

C-128 BASIC 7.0 Internals Get all the inside info on BASIC 7.0. This exhaustive handbook is complete with fully commented BASIC 7.0 ROM listings. \$24.95

Abacus Software

128

BASIC 7.0

INTERNALS

Complete 70 BDM

Call now for the name of your nearest dealer. Or order direct with your credit card by calling 616/241-5510. Add \$4.00 per order for S&H. Foreign add \$12.00 per item.

Abacus P.O. Box 7219 Dept. C9 Grand Rapids, MI 49510 Telex 709-101 • Fax 616/241-5021 Phone 616/241-5510

Other books and software also available. Call or write for your free catalog. Dealers inquires welcome-2000 nationwide.

🗲www.commodore.ca



Thomas Carlson

Casino excitement at home can be yours when you type in this solitaire card game. Originally written for the Commodore 64, we've included new versions for the Amiga, Atari ST, Atari eight-bit computers, IBM PC/PCjr, and the Apple II series. The IBM version requires BASICA or GW-BASIC for the PC and compatibles, or Cartridge BASIC for the PCjr. It can be used with both monochrome and color/graphics adapters. The Apple II version runs under either ProDOS or DOS 3.3.

Monte Carlo is the name of a town in Monaco that is famous as a gambling resort. It also gave birth to the name of a card game with simple rules and complex strategies.

To play Monte Carlo, shuffle a deck of cards and deal 20 cards into a grid 5 cards across by 4 cards down. The goal of the game is to remove all the cards from the grid. Cards can be removed only in pairs. The cards must be of the same face value for you to remove them. In addition, they must be adjacent vertically, horizontally, or diagonally. The remaining cards are moved to fill in the gaps. Slide cards to the left to fill in the gaps. Gaps at the right edge are filled in by moving cards up from the row below. When all the cards have been moved, two cards from the deck are dealt into the empty slots at the bottom right corner of the board. Eventually, all cards in the deck are exhausted. You win the game if you are able to remove the remaining cards from the board.

As you can imagine, all this moving about of cards can take quite a long time if you're playing with a real deck of cards. Letting the computer do the busywork makes the game more enjoyable. As you play, you'll develop strategies. Each pair you remove can destroy other pairs on the board and create new ones. But you might also have fun just removing the first pair of cards that you see. This game can be played by those who would rather leave their fate to the wind, those who analyze the consequences of each and every move, and all those players in be-

	64	-		
			49	84
84	69	74	J¥	99
69	94	104	59	7.
40	J.	<u>an</u>	-10	29
ti 🌢	3.	49	K¥	

"Monte Carlo" for the 64 is a casino card game with three levels of difficulty.



The Apple version of "Monte Carlo" features hi-res playing cards.

www.commodore.ca

8 •	6 🛊	10+	к •	J
7.	943	9 ÷	8 🕈	24
4.	3 ÷	J♠	6 *	Qł
18 *	7*	4 *	8.	9
3+	6 🖤	к♥	6 ÷	Q 4
2 🔹	9 🔹	8 ÷	-	-
	EXIT	1	RESTART	

"Monte Carlo" for the Amiga lets you select cards with the mouse.



The IBM PC/PCjr version of the game works on both color and monochrome displays.

(S-20)		1.19	NO SE		
> 94	30	50	Je	64	
	59	74	Q÷	40	教 作材
50	64	98	A+	10*	
40	49	54	64	100	
24	KŦ	20	30	20	÷,
30	64	41	94	88	
Carl PAC					

The Atari 400, 800, XL, and XE version of "Monte Carlo."

1		100 JUN	OUTI	PUT		1
						1
The second	> 4d	65	A	d 8	s	4h
	7h	3h	6	d 9	ł	Jd
	5s	8d	9	s Q	5	Ac
	2c	3c	5	c Q	h	90
	10c	As	5	d Q	d	8h

"Monte Carlo" for the Atari ST.

tween. Three difficulty levels are included. The level affects the number of rows on the the grid. *Easy* is six rows, *Medium* is five, and *Hard* is four. Choose the difficulty at the beginning of the game.

Typing It In

"Monte Carlo" is written in BASIC. Type in the correct version for your computer and save a copy.

Except for the Amiga version of the game, all versions use the cursor control keys to move a pointer on the screen. When the arrow is pointing to one of the cards you wish to remove, press the RETURN key (on some computers, this is known as the Enter key). The arrow changes shape to let you know that you have selected a card. If you change your mind after selecting one, go to the card and press RE-TURN again. The arrow will return to its normal shape.

When you've selected a card, move to the matching card (remember—the two cards you wish to remove must have either a corner or an edge in common) and press RE-TURN again. The computer will not let you make an illegal move. The Amiga version uses the mouse to select and match cards (see below for details).

Commodore 64 Version

This version of Monte Carlo (Program 1) sports excellent sound effects. Move the cursor with the cursor keys and press RETURN to select a card. Press Q to quit a game and start a new one.

Apple II Version

The Apple II version is in two parts. Program 2, in BASIC, is the main portion of the game. Program 3 contains graphics data for the card shapes, along with the machine language routine to draw cards in high resolution for an attractive display. Type in Program 2 and save a copy. Program 3 must be entered with the Apple version of the "MLX" machine language entry program, found elsewhere in this issue. When MLX asks for a starting and ending address, respond with these values:

STARTING ADDRESS? 8000 ENDING ADDRESS? 831F

Type in the data from Program 3. Before leaving MLX, save a copy of your work with the name CARD-PLOT.OBJ0. The BASIC program expects a file of this name to be on the disk.

To play Monte Carlo, simply load and run Program 2. Use the cursor keys to move the arrow. Press Return to select a card. Since the Apple II+ does not have the up or down cursor keys, press Ctrl-J for up and Ctrl-K for down. The Apple IIc, IIe, and IIGS have all four cursor keys. To start a new game, press Q.

Amiga Version

The Amiga version of Monte Carlo (Program 4) uses the mouse to select cards. To choose a card, move the mouse pointer to the first card and click the left mouse button. Then move the pointer to the other card and click again. The cards are removed and the other cards slide into place. If you wish to deselect a card, point to the selected card and click on it again. Press Q at any time for a new game.

IBM PC/PCjr Version

The IBM version of Monte Carlo (Program 5) requires BASICA or GW-BASIC for the PC and compatibles. If you're using a PCjr, be sure to use Cartridge BASIC. The program will work with either a color/ graphics or monochrome adapter. As with most other versions, use the cursor control keys and Enter to play the game. Press Q at any time if you wish to start a new game.

Monte Carlo For Atari 400, 800, XL, And XE

Program 6, for Atari eight-bit computers, uses the cursor keys (either alone or in combination with the CTRL key) to move the cursor. Press RETURN to select a card. Press Q at any time to start a new game.

ST Version

The Atari ST version (Program 7) works in any screen resolution. Use the cursor keys to move the arrow pointer. Press RETURN to select a card. Because of an oddity in ST BASIC, the game board will occasionally be displayed incorrectly. If the board looks strange to you, select a nonmatching pair of cards. The board will be displayed correctly. Press Q at any time for a new game.

GET UP TO 200 FUN-FILLED PROGRAMS EACH YEARwhen you subscribe now to COMPUTE!







Subscribe to COMPUTE! today through this special introductory money-saving offer, and you'll be getting a lot more than just another computer magazine. That's because each issue of COMPUTE! comes complete with up to 20 all-new, action-packed programs.

Subscribe now and you can depend on a steady supply of high quality, fun-filled programs like Hickory Dickory Dock, Switchbox, TurboDisk, Home Financial Calculator, Turbo Tape, SpeedScript, SpeedCalc, and hundreds of other educational, home finance, and game programs the entire family can use all year long.

The superb programs you'll find in each issue are worth much, much more than the low subscription price.

And there's more to COMPUTE! than just exciting new programs. Month after month, COMPUTE!'s superb articles deliver the latest inside word on everything from languages to interfaces...from programming to disk drives.

Whether you're a novice or an experienced user, COMPUTE! is the magazine for you. So subscribe today. Return the enclosed card or call 1-800-727-6937.

Do it now.

CTNO









If attached order card is missing, write: COMPUTE! PO. Box 10955, Des Moines, IA 50950

🕞www.commodore.ca

For instructions on entering these programs, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

Program 1: Commodore 64			
M	onte	Carlo	
CC	100	REM COPYRIGHT 1987 COMP	
		{2 SPACES }ALL RIGHTS RE	
		SERVED.	
ME	110	POKE53280,15:POKE53281,	
KO	120	PRINT CLR DOWN COPYR	
ng	120	IGHT 1987 COMPUTE! PUBL	
		ICATIONS"	
DG	125	PRINTTAB(10)"ALL RIGHTS	
CF	130	PRINT" DOWN }": TAB(12):"	
-		MONTE{2 SPACES}CARLO	
		{DOWN}"	
BR	140	DIM $C_{5}(52), V_{5}(13), T_{5}(4)$ $PS_{4}(4, 5)$	
SS	150	C\$(52)=" "	
QA	160	FOR I=1TO4	
RP	17Ø	READ A\$:T\$(I)=A\$:NEXT	
DP	180	FORI=1T013	
CG	190	READAS:VS(I)=AS:NEXT	
QR	200	DATA (BLK)AE43", (RED)S	
		XE43"	
JS	21Ø	DATA" A"," 2"," 3"," 4"	
		," 5"," 6"," 7"," 8","	
		{SPACE}9","10"," J"," Q	
DR	220	FOR T=1TO13 FOR T=1TO4	
OG	230	PRINT"15 SPACES]":VS(I)	
		;T\$(J);	
PJ	24Ø	NEXT: PRINT: NEXT	
MC	250	GOSUB940	
F.B	260	SHUFFLING DECK - PLEASE	
		WAIT"	
DD	27Ø	P=RND(-TI)	
CJ	280	FOR I=1T04:FOR J=1T013	
QB	290	P=INT(RND(1)*52) IF CS(D)="" THEN CS(D)=	
AQ	300	VS(J)+TS(I):GOTO330	
DE	310	P=P+1:IF P=52 THEN P=Ø	
KF	320	GOTO 3ØØ	
AE	330	NEXT:NEXT	
PR	350	TS=CHRS(146):SS=CHRS(18	
)	
FC	36Ø	PRINT TAB(9)"CHOOSE: "	
FF	370	SPACE SS "H" TS "ARD"	
	5/10	"EDIUM"	
AS	38Ø	PRINT TAB(17) S\$ "E" T\$	
-	200	"ASY"	
JX	390	SETAS: IF (AS <> "H") AND (AS	
		90	
MS	400	C=4:IF A\$="M" THEN C=5	
FR	410	IF AS="E" THEN C=6	
RD	420	CRS="{WHT}U****I{DOWN}	
		LEFT J****KR43	
HS	430	BLS="{WHT] [6 SPACES]	
		[DOWN] [LEFT] [6 LEFT]	
		[DOWN] [LEFT] [6 SPACES]	
R.T	440	XS=CHPS(29) - VS=CHPS(17)	
FQ	450	FOR I=1 TO 6:XS=XS+XS:Y	
		\$=Y\$+Y\$:NEXT	
RQ	460	FOR X=ØTO4:FOR Y=ØTO5	
QS KC	4/10	AX=X*/+3:YY=Y*3+3	
NO	100	(YS, YY)+LEFTS(XS, XX)	
QB	490	NEXT:NEXT	
AK	500	REM DISPLAY	
DX	510	CT=Ø:PRINT"{CLR}	
GC	520	FOR T=1TOC	
MJ	530	FOR J=1TO5	

QA	54Ø	PRINT" [4 SPACES] "; C\$ (CT
ME	EEA); cm=cm+1
DS	560	NEYT . DRINT . DRINT . DRINT .
05	500	NEXT
ED	57Ø	IF CS(Ø)=" "THEN PRIN
-		T TAB(11) "TABLEAU IS CL
		EARED":GOTO750
CJ	58Ø	X=Ø:Y=Ø
QG	59Ø	GOSUB830: POKE781, 1:SYS
		{SPACE}49152:X1=X:Y1=Y:
		P1=Y*5+X
SB	600	POKE53280,15
MQ	010	GOSUB0301A2-A112-1122-1
FO	620	POKE 53280 11
P.T	630	IF P1=P2 THEN590
RK	640	IF(LEFTS(CS(P1),2)) <> (L
		EFTS(CS(P2),2))THEN81Ø
GF	65Ø	IF ABS(X2-X1)>1 OR ABS(
		Y2-Y1)>1 THEN810
XH	66Ø	POKE 781,2:SYS49152
QM	67Ø	FOR I=P1 TO 51
XK	68Ø	$C_{(I)=C_{(I+1)}$
RR	69Ø	NEXT
BX	700	IF P2>P1 THEN P2=P2-1
FQ	710	FOR I=P2 TO 51
CJ	720	$C_{\gamma}(1) = C_{\gamma}(1+1)$
DA	730	COTO 500
KA	750	FOR T=1TO11+GETAS
OB	760	NN=1-NN:POKE 781,NN+1:S
		YS 49152
XC	77Ø	NEXT
CS	78Ø	GETA\$: IF A\$ <> " THEN RU
		N
HP	79Ø	GOTO78Ø
HG	800	REM BAD MOVE SOUND
DK	810	POKE 781, Ø:SYS49152:GOT
	000	0590
AE	820	REM CURSOR INPUT ROUTIN
DF	020	E DETNEDES(V V).CDS
HF	840	GETAS TE AS="" GOTO840
CE	850	IF AS="O" THEN RUN
BD	86Ø	PRINT PS\$(X,Y); BL\$
MA	87Ø	IF A\$="{UP}" THEN Y=Y-1
		:IF Y<Ø THENY=C-1
KJ	88Ø	IF A\$="{DOWN}" THEN Y=Y
		+1:IF (Y>(C-1)) THEN Y=
-		Ø
JP	890	IF AS="{RIGHT}" THEN X=
OM	oaa	TE AC- "ITEEM!" MUEN X-Y
QPI	500	IF AS- [DEFI] THEN A-A
VD		-1.TE YOM THEN Y-A
D P	910	-1:IF X<Ø THEN X=4
XS	91Ø 92Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN
XS	91Ø 92Ø 93Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN
XS KQ	91Ø 92Ø 93Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS
KP XS KQ BH	91Ø 92Ø 93Ø 94Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152
KP XS KQ BH GJ	91Ø 92Ø 93Ø 94Ø 95Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS
KP XS KQ BH GJ	91Ø 92Ø 93Ø 94Ø 95Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS 49155:RETURN
KP XS KQ BH GJ HX	91Ø 92Ø 93Ø 94Ø 95Ø 96Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS 49155:RETURN POKE T,A:T=T+1:GOTO95Ø
KP XS KQ BH GJ HX AH	910 920 930 940 950 960 970	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS 49155:RETURN POKE T,A:T=T+1:GOTO95Ø DATA 76,19,192,162,24,1
KP XS KQ BH GJ HX AH	91Ø 92Ø 93Ø 94Ø 95Ø 96Ø 97Ø	-1:IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS 49155:RETURN POKE T,A:T=T+1:GOTO95Ø DATA 76,19,192,162,24,1 69,0,157,0,212,202,16
KP XS KQ BH GJ HX AH RE	91Ø 92Ø 93Ø 94Ø 95Ø 96Ø 97Ø 98Ø	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS 49155: RETURN POKE T,A:T=T+1: GOTO95Ø DATA 76,19,192,162,24,1 69,0,157,0,212,202,16 DATA 250,169,015,141,24
KP XS KQ BH GJ HX AH RE	91Ø 92Ø 93Ø 94Ø 95Ø 96Ø 97Ø 98Ø	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS 49155:RETURN POKE T,A:T=T+1:GOTO95Ø DATA 76,19,192,162,24,1 69,Ø,157,Ø,212,202,16 DATA 250,169,015,141,24 ,212,96,189,48,192,141,5
KQ BH GJ HX AH RE	91Ø 92Ø 93Ø 94Ø 95Ø 96Ø 97Ø 98Ø	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A:T=T+1: GOTO95Ø DATA 76,19,192,162,24,1 69,0,157,0,212,202,16 DATA 250,169,015,141,24 ,212,96,189,48,192,141,5 DATA 212,169,0,141,6,21
RP XS KQ BH GJ HX AH RE DH	91Ø 92Ø 93Ø 94Ø 95Ø 96Ø 97Ø 98Ø 99Ø	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T,A:T=T+1:GOTO95Ø DATA 76,19,192,162,24,1 69,0,157,0,212,202,16 DATA 250,169,015,141,24 ,212,96,189,48,192,141,5 DATA 212,169,0,141,6,21 2,189,51,192,141.1.212
RF KQ BH GJ HX AH RE DH EG	910 920 930 940 950 960 970 980 980 990	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T,A:T=T+1: GOTO95Ø DATA 76,19,192,162,24,1 69,0,157,0,212,202,16 DATA 250,169,015,141,24 ,212,96,189,48,192,141,5 DATA 212,169,0,141,6,21 2,189,51,192,141,1,212 Ø DATA 189,54,192,141,4
RP XS KQ BH GJ HX AH RE DH EG	910 920 930 940 950 960 970 980 980 990	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155:RETURN POKE T,A:T=T+1:GOTO95Ø DATA 76,19,192,162,24,1 69,0,157,0,212,202,16 DATA 250,169,015,141,24 ,212,96,189,48,192,141,5 DATA 212,169,0,141,6,21 2,189,51,192,141,1,212 Ø DATA 189,54,192,141,4, 212,73,1,141,4,212,96
RP XS KQ BH GJ HX AH RE DH EG BK	910 920 930 940 950 960 970 980 980 990 1000	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T,A:T=T+1: GOTO95Ø DATA 76,19,192,162,24,1 69,0,157,0,212,202,16 DATA 250,169,015,141,24 ,212,96,189,48,192,141, 5 DATA 212,169,0,141,6,21 2,189,51,192,141,1,212 Ø DATA 189,54,192,141,4, 212,73,1,141,4,212,96 Ø DATA 152,104,104,6,88,
RE RE DH EG BK	910 920 930 940 950 960 970 980 980 990 1000	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A: T=T+1: GOTO95Ø DATA 76, 19, 192, 162, 24, 1 69, Ø, 157, Ø, 212, 202, 16 DATA 25Ø, 169, Ø15, 141, 24 ,212, 96, 189, 48, 192, 141, 5 DATA 212, 169, Ø, 141, 6, 21 2, 189, 51, 192, 141, 1, 212 3 DATA 189, 54, 192, 141, 4, 212, 73, 1, 141, 4, 212, 96 9 DATA 152, 104, 104, 6, 88, 66, 32, 16, 32, -1
RP XS KQ BH GJ HX AH RE DH EG BK	910 920 930 940 950 960 970 980 990 1000 1010	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A:IF A=-1 THEN SYS 49155: RETURN POKE T,A:T=T+1:GOTO95Ø DATA 76,19,192,162,24,1 69,Ø,157,Ø,212,202,16 DATA 25Ø,169,Ø15,141,24 ,212,96,189,48,192,141,5 DATA 212,169,Ø,141,6,21 2,189,51,192,141,1,212 Ø DATA 152,104,104,6,81 66,32,16,32,-1
RF XS KQ BH GJ HX AH RE DH EG BK	910 920 930 940 950 960 970 980 980 1000 1010	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A: T=T+1: GOTO95Ø DATA 76, 19, 192, 162, 24, 1 69, Ø, 157, Ø, 212, 202, 16 DATA 250, 169, Ø15, 141, 24 ,212, 96, 189, 48, 192, 141, 5 DATA 212, 169, Ø, 141, 6, 21 2, 189, 51, 192, 141, 1, 212 Ø DATA 189, 54, 192, 141, 4, 212, 73, 1, 141, 4, 212, 96 Ø DATA 152, 104, 104, 6, 88, 66, 32, 16, 32, -1 CM 2: Apple II Monte
RE GJ HX AH RE DH EG BK	910 920 930 950 950 950 950 980 980 1000 1010	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A: T=T+1: GOTO95Ø DATA 76, 19, 192, 162, 24, 1 69, Ø, 157, Ø, 212, 202, 16 DATA 250, 169, Ø15, 141, 24 , 212, 96, 189, 48, 192, 141, 5 DATA 212, 169, Ø, 141, 6, 21 2, 189, 51, 192, 141, 1, 212 Ø DATA 189, 54, 192, 141, 4, 212, 73, 1, 141, 4, 212, 96 Ø DATA 152, 104, 104, 6, 88, 66, 32, 16, 32, -1 CMM 2: Apple II Monte
RP XS KQ BH GJ HX AH RE DH EG BK Pro	918 928 938 958 958 968 978 988 998 1008 1018	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A: T=T+1: GOTO95Ø DATA 76, 19, 192, 162, 24, 1 69, Ø, 157, Ø, 212, 202, 16 DATA 25Ø, 169, Ø15, 141, 24 , 212, 96, 189, 48, 192, 141, 5 DATA 212, 169, Ø, 141, 6, 21 2, 189, 51, 192, 141, 1, 212 Ø DATA 189, 54, 192, 141, 4, 212, 73, 1, 141, 4, 212, 96 Ø DATA 152, 104, 104, 6, 88, 66, 32, 16, 32, -1 CMM 2: Apple II Monte BASIC Program
RF XSQ BH GJ HX AH RE DH EG BK Pro	910 920 930 950 950 960 970 980 980 1000 1000 1000	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A:T=T+1: GOTO95Ø DATA 76, 19, 192, 162, 24, 1 69, 6, 157, Ø, 212, 202, 16 DATA 25Ø, 169, Ø15, 141, 24 , 212, 96, 189, 48, 192, 141, 5 DATA 212, 169, Ø, 141, 6, 21 2, 189, 51, 192, 141, 4, 212, 96 DATA 189, 54, 192, 141, 4, 212, 73, 1, 141, 4, 212, 96 DATA 152, 104, 104, 6, 88, 66, 32, 16, 32, -1 CMM 2: Apple II Monte BASIC Program DME : PRINT CHR\$ (4): "BLD
RF KQ BH GJ HX AH RE DH EG BK Proco	910 920 930 950 950 960 970 980 980 1000 1000 1000	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A:T=T+1: GOTO95Ø DATA 76, 19, 192, 162, 24, 1 69, 0, 157, 0, 212, 202, 16 DATA 250, 169, 015, 141, 24 , 212, 96, 189, 48, 192, 141, 5 DATA 212, 169, 0, 141, 6, 21 2, 189, 51, 192, 141, 1, 212 9 DATA 189, 54, 192, 141, 4, 212, 73, 1, 141, 4, 212, 96 9 DATA 152, 104, 104, 6, 88, 66, 32, 16, 32, -1 CARDPLOT. CHR\$ (4); "BLOD DATA : PRINT CHR \$ (4); "BLOD
RE GJ HX AH RE DH EG BK Pro CC CC F6 1	910 920 930 940 950 960 970 980 980 1000 1000 1000	-1: IF X<Ø THEN X=4 IF A\$<>CHR\$(13) GOTO83Ø RETURN REM ML ROUTINE FOR SOUN DS T=49152 READ A: IF A=-1 THEN SYS 49155: RETURN POKE T, A: T=T+1: GOTO95Ø DATA 76, 19, 192, 162, 24, 1 69, Ø, 157, Ø, 212, 202, 16 DATA 250, 169, Ø15, 141, 24 , 212, 96, 189, 48, 192, 141, 5 DATA 212, 169, Ø, 141, 6, 21 2, 189, 51, 192, 141, 1, 212 Ø DATA 189, 54, 192, 141, 4, 212, 73, 1, 141, 4, 212, 96 Ø DATA 152, 104, 104, 6, 88, 66, 32, 16, 32, -1 CARDPLOT. CHR\$(4); "BLODDING CARDPLOT. OBJØ"

RIGHTS RESERVED

52 104 K = PEEK (49152): POKE 49

168, Ø: IF KC > Ø AND (K = 205 DR K = 197 DR K = 20 Ø) THEN 104 C7 110 TEXT : HOME : PRINT " COP YRIGHT 1987 COMPUTE! PUBL ICATIONS": PRINT SPC(9)" ALL RIGHTS RESERVED. " FB 122 HTAB 14: VTAB 3: PRINT "M ONTE CARLO": HTAB 12: VTA B 5: PRINT "CHOOSE H FOR HARD": HTAB 19: PRINT "M FOR MEDIUM": HTAB 19: PRI NT "E FOR EASY" ED 124 K = PEEK (49152): IF K = 200 THEN NC = 4: 60TO 130 38 125 IF K = 205 THEN NC = 5: G **OTO 130** CA 126 IF K = 197 THEN NC = 6: G OTO 13Ø AA 128 K = RND (1): GOTO 124 77 130 HOME : POKE 230, 32: POKE 28,42: CALL 62454 46 150 POKE 49239, 0: POKE 49235, Ø: POKE 49232, Ø:X = Ø:Y = EE 160 VTAB 21: PRINT SPC(6) "SH UFFLING DECK, PLEASE WAIT 67 170 DIM C(52) # 175 FOR I = Ø TO 51:C(I) = I + 1: NEXT 27 180 FOR I = 0 TO 51 83 190 T = INT (RND (1) \$ 52) EE 200 TC = C(I):C(I) = C(T):C(T)) = TC F0 220 NEXT 48 23Ø HOME 11 24Ø CT = Ø: FOR I = 1 TO NC 73 244 Y = I \$ 24 - 18 48 250 FOR J = 1 TO 5 ED 260 X = J # 48 - 5:PP = C(CT) 19 262 REM IFPP=ØTHENCALL32768,Ø , X-1, Y: GOT0274 91 270 CALL 32768, PP, X, Y 20 272 IF PP = Ø THEN CALL 32768 ,Ø,X + 1,Y 82 274 CT = CT + 1 M 280 NEXT : HCOLOR= 1: HPLOT Ø ,Y + 23 TO 279,Y + 23: NE XT % 29Ø IF C(Ø) = Ø THEN 44Ø EF 300 X = 0:Y = 0:CR = 0: GOSUB800 40 310 X1 = X:Y1 = Y:V1 = TV:P1 = TP 50 314 IF C(P1) = Ø THEN 780 16 320 CR = 2: GOSUB 800 A6 330 X2 = X:Y2 = Y:V2 = TV:P2 = TP 61 334 IF C(P2) = Ø THEN 780 BD 34Ø IF P1 = P2 THEN 24Ø 6F 350 IF V1 < > V2 THEN 780 AA 360 IF ABS (X2 - X1) > 1 DR A BS (Y2 - Y1) > 1 THEN ER = 1: GOTO 78Ø 5E 38Ø FOR I = P1 TO 51 DF 390 C(I) = C(I + 1): NEXT FD 400 IF P2 > P1 THEN P2 = P2 -53 410 FOR I = P2 TO 51 02 420 C(I) = C(I + 1): NEXT 18 43Ø GOTO 24Ø 78 44Ø VTAB 21: PRINT SPC(11) "T ABLEAU IS CLEARED" 83 450 PRINT SPC(12) "PLAY AGAIN (Y/N)?"; AD 460 GET AS: IF AS = "Y" THEN RUN BE 470 IF A\$ = "N" THEN TEXT : E ND 25 48Ø GOTO 46Ø 91 780 FOR I = 0 TO 29:A = PEEK (- 16336): NEXT 27 79Ø GOTO 24Ø 2C 800 XX = X # 48 + 32:YY = Y #

		24 + 3
10	81Ø	HCOLOR= CR: HPLOT XX, YY +
		2 TO XX + 7, YY + 13 TO X
		X, YY + 24
4E	82Ø	GET AS: IF AS = "" THEN 8
		2Ø
2B	830	IF A\$ = "Q" THEN RUN
E9	84Ø	A = ASC (A\$)
74	844	HCOLOR= 1: HPLOT XX, YY +
		2 TO XX + 7, YY + 13 TO XX
		,YY + 24
BC	85Ø	IF $A = 11$ THEN $Y = Y - 1$:
		IF Y < Ø THEN Y = NC - 1
EC	860	IF $A = 10$ THEN $Y = Y + 1$:
		IF $Y > NC - 1$ THEN $Y = \emptyset$
F8	87Ø	IF $A = B$ THEN $X = X - 1$:
		IF $X < \emptyset$ THEN $X = 4$
78	880	IF $A = 21$ THEN $X = X + 1$:
		IF $X > 4$ THEN $X = \emptyset$
98	89Ø	IF A < > 13 THEN 800
F7	900	TP = X + Y * 5:T = C(TP):
		TV = T - INT (T / 13) * 1
		3
A6	9Ø5	HOME : PRINT "{G}"
18	91Ø	RETURN

Program 3: Apple II Monte Carlo—Machine Language Program

8000: 20 EC 80 B0 72 20 00 82 FD 8008: BØ 6D 5B 82 20 BØ 68 AD CB 8010: 26 83 FØ ØF A9 7F 8D 2C A6 8018: 83 8D 2D 83 A9 07 8D 2E CE 8020: 83 DØ ØF A9 2A 8D 2C 83 F6 8028: A9 55 8D 2D 83 A9 02 8D 2C 8030: 2E 83 A9 8D Ø3 1A 83 A9 14 8038: 02 8D 22 83 20 09 81 A9 EB 8040: 18 8D 18 83 20 98 81 20 D2 8048: 5C 81 FE 1E 83 CE 18 83 A8 8050: DØ F2 AD 26 83 FØ 20 AØ 4F 8058: 00 AD 27 83 20 88 80 A0 A6 8060: 04 AD 27 83 20 88 80 AØ BØ 8068: ØB AD 26 83 20 88 80 A0 9A 8070: 0C AD 26 83 20 88 80 60 64 8078: 72 82 03 08 92 82 0A 08 FF 8080: AA 82 01 01 AA 82 0A 0F 24 8088: ØA ØA ØA 8D 2B 83 B9 78 7E 8Ø 85 FC C8 B9 78 8Ø 85 95 8090: 8098: FD C8 AD 28 83 8D 20 83 19 8ØAØ: 87 78 8Ø C8 18 6D 29 83 85 BØAB: C9 Ø7 90 Ø7 E9 Ø7 EE 2Ø 3C 8ØBØ: 83 BØ F5 8D 21 83 B9 78 3A 8Ø88: 8Ø 18 6D 2A 83 8D 1E 83 62 80C0: A9 01 8D 1A 83 A9 07 8D 88 Ø8 8D 1B 83 AC FD BØC8: 22 83 A9 80D0: 28 83 81 FC 8D 2C 83 20 92 8ØD8: Ø7 81 20 98 81 20 5C 81 13 80E0: EE 1E 83 EE 2B 83 CE 1B 60 80F8: 83 DØ F4 60 20 67 82 C9 EF 90 01 60 A2 00 BE 8ØFØ: 35 27 30 8ØF8: 83 C9 ØE 9Ø Ø7 E9 ØD EE E1 81ØØ: 27 83 BØ F5 8D 26 83 18 11 8108: 60 AD 1A 83 8D 1C 83 A8 AE 811Ø: A7 ØØ 99 2C 83 AD 21 83 76 8118: 18 6D 22 83 C9 Ø7 90 05 BF 8120: E9 Ø7 EE 1C 83 8D 23 83 95 2C 83 Ø9 7F 8D 1D 83 FD 8128: AD 8130: AC 21 83 FØ 15 A2 ØØ ØE 92 8138: 2C 83 BD 2C 83 ØA 3E 2D 9A 8140: 83 E8 EC 1C 83 DØ F3 88 6E 8148: DØ EB AC 1C 83 B9 2C 83 E4 8150: 09 80 2D 1D 83 99 2C 83 CD 8158: 88 10 F2 60 AC 23 83 B9 BA 8160: 8A 81 AC 1C 83 88 31 FE FF 8168: 19 2C 83 91 FE 88 30 ØA 11 817Ø: FØ Ø8 B9 2C 83 91 FE 88 DØ 8178: DØ F8 AC 21 83 89 91 81 71 818Ø: AØ ØØ 31 FE ØD 2C 83 91 **9**B 7C 78 70 60 Ø2 8188: FF 60 7F 7E 8190: 40 00 01 03 07 ØF 1F 3E F5 A8 89 CØ CD 8198: AD 1E 83 29 3E 81AØ: 81 Ø5 E6 85 FF AD 1E 83 51 81A8: 27 Ø8 FØ Ø2 A9 8Ø 18 2C 2C 8180: 1E 83 70 04 10 04 69 28 7D

8188: 69 28 6D 20 83 85 FE 60 BA 81CØ: ØØ Ø4 Ø8 ØC 1Ø 14 18 1C A3 81C8: 00 04 08 0C 10 14 18 1C AB 81DØ: Ø1 Ø5 Ø9 ØD 11 15 19 1D **B**3 81D8: Ø1 Ø5 Ø7 ØD 11 15 17 1D BB 81EØ: Ø2 Ø6 ØA ØE 12 16 1A 1E C3 12 16 1A 81E8: Ø2 Ø6 ØA ØE 1E CB 81FØ: Ø3 Ø7 ØB ØF 13 17 1B 1F D3 81F8: Ø3 Ø7 ØB ØF 13 17 1B 1F DB 8200: A7 00 8D 2Ø 83 8D 21 83 A5 82 8D 1F 83 CØ 8208: 20 67 Ø1 A9 8210: 90 12 FØ Ø1 6Ø C9 18 90 FA 8218: Ø1 6Ø A7 24 8D 2Ø 83 A7 CA 8220: 04 8D 21 83 A9 00 8D 74 25 8228: 83 A9 EØ 8D 24 83 AD 1F F7 8230: 83 CD 24 83 90 04 ED 24 BB 8238: 83 38 2E 25 83 4E 24 83 46 824Ø: 9Ø EF 18 6D 21 83 8D 21 86 8248: 83 8D 29 83 18 AD 25 83 15 8250: 6D 20 83 8D 20 83 8D 28 AF 8258: 83 18 60 20 67 82 8D 1E B1 8260: 83 8D 2A 83 C9 CØ 6Ø 20 3A 8268: B1 ØØ 2Ø Ø5 E1 A5 A1 A4 28 827Ø: AØ 60 7F 7F 5F Ø7 Ø1 Ø1 DF 8278: ØF 7F 77 55 7F 7F 55 57 DF 7F 7F 8280: 5F 7F 5F 57 55 57 57 5F 7F 7F 47 8288: 7F 47 Ø1 Ø1 5F 8290: 47 7F 7F 7F 7F 7E 78 78 6Ø 8298: 7F 7F 7F 7F 7E 7A 7A 7E 76 82AØ: 7F 7F 7F 7F 7F 7E 7A 7E 96 8248: 7F 7F 7F 7F 7F 7F 7E 7E AA 828Ø: 7F 7F 63 1C 1C 1C ØØ 1C FØ 8288: 1C 1C 63 1C 1F 1F 63 7C **B**9 82CØ: 7C 00 63 1C 1F 63 1F 1F 16 82C8: 1C 63 4F 47 43 49 4C ØØ EA 82DØ: 4F 4F ØØ 7C 7C 6Ø 1F 1F DB 82D8: 1C 63 43 79 7C 6Ø 1C 1C 7E 1F 82EØ: 1C 63 ØØ 1C 4F 07 67 73 1C 63 1C 1C 82E8: 73 73 63 1C 75 82FØ: 1C 63 63 1C 1C 1C Ø3 1F 81 1C 1C B8 82F8: 1C 63 63 1C 1C 1C 8300: 1C 63 1F 1F 1F 1F 1F 1F 96 8308: 10 63 63 10 10 1C 10 10 BD 8310: 44 13 1C 1C 1C 60 1C 1C F9 8318: 1C 1C 06 07 06 58 58 58 FF Program 4: Monte Carlo For Amiga Copyright 1987 COMPUTE! Public ations, Inc. All rights reserve d.4 GOSUB DefinePLayFieLd4 start:4 DEFINT a-z4 CLS:PRINT " Copyright 1987 COMPU TE! Publications": PRINT TAB(10)" All rights reserved."4 LOCATE 4,14:PRINT "MONTE CARLO": PRINT4 DIM c\$(52),v\$(13),t\$(4),c2(52)4 c\$(52)=" -"4 RESTORE: FOR i=1 TO 134 READ a\$:v\$(i)=a\$:NEXT4 DATA " A"," 2"," 3"," 4"," 5"," 6"," 7"," 8"," 9","10"," J"," Q" ," K"4 PRINT TAB(12); "Shuffling Deck"4 RANDOMIZE TIMER* FOR i=1 TO 4:FOR j=1 TO 134 p=INT(RND(1)*52)4 skip2: IF c\$(p)="" THEN c\$(p)=v\$ (j):c2(p)=(i-1)*43:GOTO skipl4 p=p+1:IF p=52 THEN p=04 GOTO skip2:4 skipl: NEXT:NEXT4 GOSUB suitshapes4 SOUND 440,1.54 PRINT: PRINT4 PRINT TAB(14)"Click on:":PRINT4 PRINT TAB(16)"HARD" 4 PRINT TAB(16)"MEDIUM" 4 PRINT TAB(16) "EASY"4 skip4: WHILE MOUSE(0)=0:WEND4 x=MOUSE(1):y=MOUSE(2) 4 IF x<120 OR x>170 OR y<80 OR y>1

IF y<104 THEN c=64 IF y<96 THEN c=54 IF y<88 THEN c=44 WHILE MOUSE(Ø) <> Ø: WEND 4 dispLay: 4 ct=0:CLS:LOCATE 5,14 FOR i=1 TO c:t=44 FOR j=1 TO 54 PRINT SPC(t);c\$(ct);:t=54 IF c\$(ct)<>" -" THEN PUT (j*56-6 ,i*24+8),suit(c2(ct))4 ct = ct+14NEXT4 PRINT: PRINT: PRINT 4 NEXT4 PRINT TAB(12); "EXIT"; SPC(8); "RES TART":4 IF c\$(Ø)=" -" THEN LOCATE 2,12:P RINT"Tableau is cleared":GOTO wi nner4 x=0:y=04 cr\$=CHR\$(62):GOSUB cursor:x1=x:y 1=y:p1=y*5+x:SOUND 440,1.54 cr\$=CHR\$(187):GOSUB cursor:x2=x: y2=y:p2=y*5+x4 IF pl=p2 THEN dispLay4 IF (LEFT\$(c\$(p1),2)) <> (LEFT\$(c\$(p2),2)) THEN invaLid4 IF ABS(x2-x1)>1 OR ABS(y2-y1)>1 THEN invaLid4 SOUND 660,1.24 FOR i=pl TO 514 c\$(i)=c\$(i+1):c2(i)=c2(i+1):NEXT IF p2>p1 THEN p2=p2-14 FOR i=p2 TO 514 c\$(i)=c\$(i+1):c2(i)=c2(i+1):NEXT GOTO dispLay4 winner: 4 FOR i=1 TO 114 SOUND 440,1:SOUND 660,1:a\$=INKEY \$4 NEXT:game=14 GOSUB cursor4 invaLid:4 SOUND 150,3:GOTO dispLay4 cursor:4 WHILE MOUSE(Ø)=0:WEND4 xx=(MOUSE(1)-12)/8:yy=(MOUSE(2)-36)/124 x=(xx-6)/7:y=yy/24 IF y<>c OR (yy MOD 2)=1 THEN ski p34 IF xx>9 AND xx<14 THEN CLS:END4 IF xx>20 AND xx<29 THEN CLEAR ,, 25000:WHILE MOUSE(0) <>0:WEND:GOT 0 start4 SOUND 190,1.9:GOTO cursor 4 skip3: 4 IF game THEN SOUND 190,1.9:GOTO cursor 4 IF (xx MOD 7)<3 OR (yy MOD 2)<>Ø THEN SOUND 190,1.9:GOTO cursor4 x=(xx-6)/7:y=yy/24 IF x>4 OR x<0 OR y<0 OR y>=c THE N SOUND 190,1.9:GOTO cursor4 tx=x*56+30:ty=y*24+30:LINE (tx,t y)-(tx+40,ty+10),3,b 4 WHILE MOUSE(0) <>0:WEND4 RETURN4 DefinePLayFieLd:4 SCREEN 1,320,200,2,14 WINDOW 1, "MONTE CARLO", , 2, 14 PALETTE Ø,.5,.5,.94 1,0,0,04 PALETTE 2,1,0,04 PALETTE PALETTE 3,.9,.9,04 RETURN4 suitshapes:4 DIM suit(299):RESTORE suitshapes m= 42 :m2= 10 :GOSUB ReadCompres sed4 DATA 9, 7, 2, 6144, 15360, 3225 6,-256,-256 4

03 THEN skip44

34 COMPUTEI September 1987

Gwww.commodore.ca
DATA 6144, 15360, 40033 4 m= 42 :m2= 10 :GOSUB ReadCompres sed4 DATA 8, 7, 2, Ø, 6144, 6144, 32 256, 26112 4 DATA 6144, 15360, 40033 4 m= 42 :m2= 11 :GOSUB ReadCompres sed4 DATA 8, 7, 2, 40007, 2048, 7168 15872, 32512 4 DATA 15872, 7168, 2048, 40026 4 m= 42 :m2= 11 :GOSUB ReadCompres sed4 DATA 8, 7, 2, 40007, 27648,-512 ,-512,-512 4 DATA 31744, 14336, 4096, 40026 RETURN4 ReadCompressed: 4 FOR j=Ø TO m24 READ t& 4 IF t&<40000& THEN suit(i2)=t&:i2 =i2+1 ELSE FOR i=0 TO t&-40000&: suit(i+i2)=0:NEXT:i2=i2+t&-40000 &4 NEXT RETURN4

Program 5: IBM PC/PCjr Monte Carlo

BE	100	REM Copyright 1987 COMPUT
		E! Publications, Inc. Al
		1 rights reserved.
JE	110	DEF SEG = Ø:KEY OFF:WIDTH
		40
AA	120	CLS:PRINT" Copyright 1987
		CUMPUTE: Publications":P
		RINI TAB(10) "All rights r
-	170	eserved."
An	130	ADI DU
UN	140	HALU
na	140	DIM L\$(32), V\$(13), 1\$(4), F
00	150	S= (4, 5)
CU BU	140	
DN	170	PEAD ATTAIN - CUDE (A) - NE
DR	170	REHD H:I P(I) = L H R P(H):NE
uc	100	EOP 1- 1 TO 17
ND	100	PEAD At Ut (I) -At NEVI
RI	200	DOTO 3 4 5 4
KD	210	DATA " A" " 2" " 3" " A"
~	210	" 5" " 4" " 7" " 8" " 9"
		"10" " 1" " 0" " K"
KD	220	FOR 1=1 TO 13. FOR 1 =1 TO
~	220	4
CL	230	PRINT" ".V\$(I).T\$(.I).
MH	240	NEXT: PRINT: NEXT
BJ	250	REM junk
HO	260	PRINT TAB(5): "Shuffling d
		eck - please wait"
AA	270	RANDOMIZE TIMER
EE	280	FOR $I = 1$ TO 4:FOR $J = 1$
		TO 13
LH	290	P = INT(RND(1) * 52)
LI	300	IF C\$(P)="" THEN C\$(P)=V\$
		(J)+T\$(I):GOTO 33Ø
ON	310	P = P+1: IF P=52 THEN P=0
B6	320	GOTO 300
OP	330	NEXT :NEXT
FD	340	SOUND 440,1.5
6F	350	PRINT TAB(10) "Choose H fo
		r hard"
L6	360	PRINT TAB(17) "M for medi
		um"
CD	37Ø	PRINT TAB(17) "E for easy
-		
PH	380	A\$=1NKEY\$:1F (A\$ <> "h")
		HND (A\$ <> "m") AND (A\$ <
-	700	
IN	370	L-4:IF HD="M" HEN L=5
LI	490	PEM dicalay
DE	410	CT-0.CLS.LOCATE E 1
-	420	UI-DICLOILUCHIE GII

BL 43Ø FOR I= 1 TO C

IP 44Ø FOR J=1 TO 5 10 450 PRINT " ";C\$(CT); KK 460 CT = CT+1 00 470 NEXT CP 480 PRINT: PRINT: PRINT OC 490 NEXT FP 500 IF C\$ (0) =" -- " THEN PRI TAB(12) "Tableau is clea ed":GOTO 66Ø IA 51Ø X=Ø:Y=Ø AB 520 CR\$=CHR\$(16):GOSUB 740: =X: Y1=Y: P1=Y*5+X: SOUND Ø,1.5 BA 530 CR\$=CHR\$ (175) : GOSUB 740 2=X: Y2=Y: P2=Y*5+X P6 54Ø IF P1=P2 THEN 52Ø LH 550 IF (LEFT\$(C\$(P1),2))<>(L FT\$(C\$(P2),2)) THEN 720 LH 560 IF ABS(X2-X1)>1 OR ABS(-Y1)>1 THEN 720 F6 57Ø SOUND 660,1.2 LK 58Ø FOR I=P1 TO 51 P6 59Ø C\$(I)=C\$(I+1) NC 600 NEXT HJ 610 IF P2>P1 THEN P2=P2-1 LL 620 FOR I=P2 TO 51 PL 63Ø C\$(I)=C\$(I+1) OK 640 NEXT DE 650 GOTO 410 IN 660 FOR I=1 TO 11 EL 67Ø SOUND 44Ø, 1: SOUND 66Ø, 1: A \$=INKEY\$ DC 680 NEXT P6 690 AS=INKEYS: IF AS<>"" THEN RUN JH 700 GOTO 690 80 710 REM bad move sound CB 720 SOUND 150,3:GOTO 520:REM JE 730 REM cursor input routine HC 74Ø XX=X*7+4: YY=Y*3+5: LOCATE YY. XX: PRINT CR\$:

	I to market	and a subsequence and descended and the second
	NE 75Ø	A\$=INKEY\$:IF A\$="" THEN 7
	EB 76Ø	IF LEN(A\$)=2 THEN A\$=RIGH
		T\$(A\$,1)
	IC 77Ø	IF A\$="q" THEN RUN
	HA 78Ø	LOCATE YY, XX: PRINT " ";
NT	HI 79Ø	IF A\$=CHR\$(72) THEN Y=Y-1
ar		: IF Y<Ø THEN Y=C-1
	NE BØØ	IF A\$=CHR\$(BØ) THEN Y=Y+1
		: IF (Y>(C-1)) THEN Y=Ø
X1	6P 81Ø	IF A\$=CHR\$(77) THEN X=X+1
44		: IF X>4 THEN X=Ø
	FF 82Ø	IF A\$=CHR\$(75) THEN X=X-1
X		: IF X<Ø THEN X=4
	EN 830	IF A\$<>CHR\$(13) THEN 740
	NK 840	RETURN
E		
-	Progr	am 6: Monte Carlo For
Y2	Adami	400 800 VI And YE
	Aldri	400, 000, AL, ANG AL
	00 100	REM CORVEIGHT 1987 CO
		MPUTE! PUBLICATIONS.
		INC ALL RIGHTS RESE
		RVED
	01 1 1 0	OPEN #1 A & "K . " . POKE
	UNITE	752 1.2 CHP4(125) .PD
		VE 710 0
	UN 1 7 4	2 " COPVETENT 1997 CO
	1 120	CUPTRIGHT 1987 LU

- MPUTE! PUBLICATIONS" JA 130 POSITION 11,2:? "ALL RIGHTS RESERVED" IA 140 POSITION 15,3:? "MONT E CARLO" JD 150 DIM C\$(53),C2\$(53),C3 \$(53),V\$(13),V2\$(13),
- V3s(13), Ts(4), CRs(1) IA 16Ø C2s(53)="-":Cs(53)=" ":C3s(53)=" " AN 17Ø FOR I=1 TO 4
- NE 18Ø READ A: T\$(I) = CHR\$(A):



Now for \$79.95 you can own the rest. You see, today's new dot matrix printers offer a lot more.

Like an NLQ mode that makes their letters print almost as sharp as a daisy wheel. And mode switching at the touch of a button in over 160 styles. But now, a Dots-Perfect upgrade kit will make your printer work like the new models in minutes— at a fraction of their cost.

FESCH

And FX, JX and MX models will print the IBM character set, too.

So, call now and use your Visa, MasterCard, or AmerEx. Don't replace your printer, upgrade it!

1-800-368-7737 (Anywhere in the United States or Canada) Sample of letter with Dots-Perfect Sample of ots-Perfect letter without Dots-Perfect

Dresselhaus

8560 Vineyard Ave., Ste. 405, Rancho Cucamonga, CA 91730

An upgrade kit for EPSON FX, JX, RX, & MX printers

September 1987 COMPUTE 35

(714) 945-5600 IBM is a registered trademark

NEXT I MK 190 V2\$="A23456789ØJQK" VS=" (9 SPACES) 1 LO 200 (4 SPACES)" MN 210 DATA 0,16,96,123 W 220 FOR I=1 TO 13:FOR J=1 TO ? " (5 SPACES) "; V\$ (I, I NB 230);V2\$(I,I);T\$(J,J); NEXT J:? :NEXT I FK 240 ? " (5 SPACES) SHUFFLIN PD 250 G DECK - PLEASE WAIT" C2\$(1)=" ":C2\$(52)=" DK 260 ":C2\$(2)=C2\$:C2\$(53,5 3)="-" 00 27Ø FOR I=1 TO 4:FOR J=1 TO 13 16 280 $P=INT(RND(1) \pm 52 \pm 1)$ IF C2\$(P,P)=" " THEN 10 290 C\$ (P, P) = V\$ (J, J) : C2\$ (P , P)=V2\$(J, J):C3\$(P, P) =T\$(I,I):GOTO 320 # 300 P=P+1: IF P=53 THEN P= 61 31Ø GOTO 29Ø DA 320 NEXT J:NEXT I DA 33Ø SOUND 2,75,10,12:FOR I=1 TO 22:NEXT I:SOUN D 2,0,10,0 EN 340 POSITION 9, 18: PRINT " CHOOSE: H FOR HARD":P OSITION 17,19:? "M FO R MEDIUM": POSITION 17 .20:? "E FOR EASY" N 350 GET #1, A IF A<>69 AND A<>72 AN AM 360 D A<>77 THEN 350 C=4: IF A=77 THEN C=5 DH 370 PH 380 IF A=69 THEN C=6 EH 390 CR\$=CHR\$ (62) 10 400 REM DISPLAY CT=1:? CHR\$(125):POSI 00 41 0 TION 2,4 BK 420 FOR I=1 TO C A0 430 FOR J=1 TO 5 ? "{4 SPACES}"; C\$ (CT, KC 440 CT);C2\$(CT,CT);C3\$(CT CT): 64 450 CT=CT+1 FA 460 NEXT J:? :? :? :NEXT FI 470 IF C2\$(1,1)="-" THEN POSITION 12, 1: PRINT ... TABLEAU IS CLEARED": GOTO 660 68 48Ø X=Ø:Y=Ø PJ 490 GOSUB 740:X1=X:Y1=Y:P $1 = Y \pm 5 + X + 1$ MP 500 SOUND 2,75,10,12:FOR I=1 TO 22:NEXT I:SOUN D 2,0,10,0 C 51Ø SETCOLOR 4,Ø,14 GOSUB 740:X2=X:Y2=Y:P P6 520 2=Y\$5+X+1 SETCOLOR 4,0,4 PD 530 DE 540 IF P1=P2 THEN 490 IF C\$(P1,P1)<>C\$(P2,P 18 550 2) OR C2\$(P1,P1)<>C2\$ (P2, P2) THEN 720 E 560 IF ABS(X2-X1)>1 OR AB S(Y2-Y1)>1 THEN 720 01 570 SOUND 2,55,10,12:FOR I=1 TO 26:NEXT I:SOUN D 2.0.10.0 EC 580 I=P1: J=P1+1 HL 59Ø C\$(I)=C\$(J):C2\$(I)=C2 \$(J):C3\$(I)=C3\$(J):C2 \$(53,53)="-":C\$(53,53 ": C3\$ (53, 53) =")=" DN 600 I=P2: J=P2+1 CH 61Ø IF P2>P1 THEN I=I-1:J =J-1 HM 620 REM H6 63Ø C\$(I)=C\$(J):C2\$(I)=C2

\$(J):C3\$(I)=C3\$(J):C2 \$(53,53)="-":C\$(53,53))=" ":C3\$(53,53)=" " H0 640 REM 8J 65Ø GOTO 41Ø FD 660 REM WINNER FA 670 FOR I=1 TO 99 CH 680 SOUND 2, I, 10, 12: SOUND 2,120-1,10,12:NEXT I : SOUND 2, 0, 10, 0 6P 69Ø GET #1, A: RUN GOTO 690 8P 700 M 710 SOUND 2,75,12,12:FOR I=1 TO 79:NEXT I:GOTO 490 AC 720 SOUND 2,75,12,12:FOR I=1 TO 69:NEXT I:SOUN D 2,0,12,0:GOTO 490 E 730 REM CURSOR INPUT ROUT INE XX=X*7+5: YY=Y*3+4: PDS E0 740 ITION XX, YY:? CR\$ GET #1,A DN 750 DH 760 IF A=81 THEN RUN 0H 770 POSITION XX, YY: PRINT 40 780 IF A=28 OR A=45 THEN Y=Y-1: IF Y<Ø THEN Y=C A0 790 IF A=29 OR A=61 THEN Y=Y+1: IF Y>C-1 THEN Y =0 1800 IF A=30 DR A=43 THEN X=X-1: IF X<Ø THEN X=4 10 810 IF A=31 OR A=42 THEN X=X+1: IF X>4 THEN X=Ø EN 820 IF A<>155 THEN 740 HL 83Ø RETURN Program 7: Atari ST Monte Carlo 100 rem Copyright 1987 COMP UTE! Publications. All r ights reserved." fullw 2:clearw 2:resto 110 re:randomize Ø gotoxy Ø,1:?" Copyrigh 120 t 1987 COMPUTE! Publicat ions" gotoxy 13,3:?"MONTE CA 130 RI O" 140 DIM C\$(52), V\$(13), T\$(4 C\$(52)=" ---" 150 160 FOR I=1 TO 4 READ AS: T\$(I)=A\$:NEXT 170 180 FOR I=1 TO 13 READ AS: VS(I) =AS: NEXT 190 DATA "h","d","s","c" DATA " A"," 2"," 3"," 4"," 5"," 6"," 7"," 8"," 200 210 9", "10", " J", " Q", " K" 220 for i=Ø to 51:c\$(i)="-":next i 230 gotoxy 5,5:?"Shuffling deck - please wait" 240 rem randomize timer for i=1 to 4: for j=1 t 250 0 13 260 p=int(rnd(1)\$52) 27Ø if c\$(p)="-" then c\$(p)=v\$(j)+t\$(i):goto 300 280 t=p+1:if t=52 then t=0 290 p=t:goto 27Ø 300 next j:next i print tab(10); "Choose 310 H for hard" 320 print tab(17) "M for m edium"

asy" 340 sound 1,8,5,4,20: sound 1,0,0,0,0 350 a=inp(2):if a=69 or a= 101 then c=6:goto 390 360 if a=72 or a=104 then c=4: ooto 390 370 if a=77 or a=109 then c=5:goto 390 380 goto 35Ø 390 ct=Ø:clearw 2:gotoxy Ø . 4 400 for i=1 to c 410 for j=1 to 5 420 xx=j\$6-2:yy=i\$2+2:goto xy xx, yy:?c\$(ct) 430 ct=ct+1 440 next:?:?:next if c\$(Ø)=" --" then go 450 toxy 9,1:?"Tableau is cl eared":goto 640 460 x=0:y=0:cr\$=">" 470 gosub 720:x1=x:y1=y:p1 =y\$5+x 480 if q then clear:goto 1 00 490 sound 1,8,5,4,20:sound 1,0,0,0,0:cr\$=chr\$(175) 500 gosub 720:x2=x:y2=y:p2 =y\$5+x 510 if q then clear:goto 1 ØØ 520 if p1=p2 then 390 530 if (left\$(c\$(p1),2))<> (left\$(c\$(p2),2)) then 7 ØØ 540 if abs(x2-x1)>1 or abs (y2-y1)>1 then 700 550 sound 1,8,7,4,20: sound 1,0,0,0,0 for i=p1 to 51 56Ø c\$(i)=c\$(i+1) 57Ø 580 next 590 if p2>p1 then p2=p2-1 for i=p2 to 51 600 c\$(i)=c\$(i+1) 610 620 next 630 goto 39Ø 640 for i=1 to 10 650 sound 1,8,5,4,5: sound 1,8,7,4,5 660 next:sound 1,0,0,0,0 670 a=inp(2) 680 clear:goto 100 690 rem bad move sound 700 sound 1, 12, 2, 2, 35: soun d 1,0,0,0,0:goto 390 710 rem cursor input routi ne 720 xx=x\$6+3:yy=y\$2+4:goto xy xx, yy:?cr\$; 73Ø a=inp(2) 740 if a=101 then end 75Ø if a=113 then q=1:a=13 gotoxy xx, yy:?" "; 760 770 if a=200 then y=y-1:if y<Ø then y=c-1 if a=208 then y=y+1:if 780 y>(c-1) then y=Ø if a=205 then x=x+1:if 790 x>4 then x=Ø 800 if a=203 then x=x-1:if x<Ø then x=4 810 if a<>13 then 720 820 return 0

print tab(17) "E for e

33Ø

36 COMPUTEI September 1987

Cwww.commodore.ca

COMPUTE! Books introduces a new line of easy-to-use computer books.

COMPUTE!'s Quick and Easy Guides are effective. dependable reference guides to using applications on your personal computer. From command summaries and quick-reference charts to tips for power users, you'll have the information you need right at your fingertips. Each book is specially designed to be convenient and easy to understand.



COMPUTE!'s Quick and Easy Guide to Using MS-DOS

Bonnie Derman and Strawberry Software ISBN 0-87455-105-6 \$12.95 Whether you're an experienced MS-DOS user or just starting out, this book is your easy-to-use reference to this powerful and flexible operating system for IBM and compatible computers. No longer will you need to wade through hundreds of pages to find just the right DOS command. COMPUTE!'s Quick and Easy Guide to Using MS-DOS puts the information right at your fingertips. With two indices and an expanded table of contents, simply look up the task you want to accomplish or the DOS command you need-and you'll find an explanation of exactly what to do.

COMPUTE!'s Quick and Easy Guide to Learning Lotus 1-2-3

Doug Wolf ISBN 0-87455-106-4

\$12.95 The perfect guide for the novice user of the popular and powerful Lotus 1-2-3, this book assumes no previous computer experience whatsoever. COMPUTE!'s Quick and Easy Guide to Learning Lotus 1-2-3 covers everything from building a spreadsheet model, setting up a database, and using 1-2-3 for word processing, to creating graphs and powerful macros. Also included are discussions on how to start 1-2-3 and available addon software that can be used with Lotus 1-2-3.

COMPUTE!'s Quick and Easy Guide to AppleWorks Tom and Ellen Dougher

ISBN 0-87455-109-9 \$10.95 AppleWorks, the unchallenged leader in personal productivity software on the Apple II series, is an integrated package combining a word processor, database, and spreadsheet. It's a complete program that lets you do everything from writing letters and reports to keeping extensive files and projecting financial earnings. With COMPUTEI's Quick and Easy Guide to Appleworks, you'll see how to get started with AppleWorks, and how to use each of the three major applications. A Command Summary, Keyboard Template, and Quick-Reference Chart provide information in one-stop locations. Numerous ideas offer practical examples on new ways to use AppleWorks. And there's even all the latest information on AppleWorks' add-ons and enhancements. Clearly defined sections apply to novices and power users alike.

COMPUTE!'s Oulck and Easy Guide to dBase III Plus

Chuck Doherty ISBN 0-87455-107-2

\$10.95 For the beginning or experienced user of this popular database management program. Ashton-Tate has sold more than a million copies of dBase, and COMPUTE!'s Quick and Easy Guide to dBase III Plus is the guide and reference to help you tap all the power and flexibility that dBase III Plus has

to offer. This is not a manual for dBase, rather, it's a guide that makes getting started with dBase easy and finding specific information guick. For all users of dBase III Plus on the IBM PC, PC XT, PC AT, or compatible computer.

COMPUTE!'s Oulck and Easy Guide to WordPerfect

Patricia Farrell ISBN-0-87455-011-4 \$10.95 Write, edit, format, and print with WordPerfect your first day, using this simple-to-use guide to the most popular word processor for the IBM and IBM compatibles. Organized so that you can immediately begin to use this impressive software, this book covers all the basics and many of the program's advanced features. Read what you need and then start to work with WordPerfect, Learn how to enter, edit, shift, and print text, Use the more advanced techniques when you're ready. See how to prepare a complete report, set text columns, merge information to create form letters, and create special forms.

COMPUTE!'s Quick and Easy Guide to Desktop Publishing

Dan McNeill \$10.95 ISBN 0-87455-112-9 With a computer, a printer, and the right software, you can turn out documents, flyers, brochures, and moreall of the highest quality available outside a professional print shop. This

easy-to-use reference guide explains the ins and outs of desktop publishing, shows what you can do with the variety of available software, and even helps you select your system. If you're tired of wading through long and technical manuals, this guide and tutorial will get you started today with desktop publishing.

COMPUTE!'s Oulck and Easy Guide to Dow Jones News/Retrieval

Donald B. Trivette ISBN 0-87455-113-7 \$10.95 Learn how to more efficiently use the Dow Jones Information Service, a powerful business and stock information database. Access up-to-date stock quotations, financial information, company background data, and more-all with Dow Jones. Using a personal computer, a modem, the phone, and the right software, you can search through back issues of publications like the Wall Street Journal or directly place orders. This simplified quide to the preeminent business information service puts everything within easy reach, and gets you started faster and more easily than any manual.

Look for COMPUTEI's Quick and Easy Guides at your local book or computer store. To order any COMPUTE! book, call toll free 1-800-346-6767 (in NY call 212-887-8525) or write COMPUTE! Books, Customer Service, P.O. Box 5038, F.D.R. Station, New York, NY 10150. Customer Service hours are 10:00 a.m.-12:30 p.m. and 1:30 p.m.-3:00 p.m. EST Mon. through Fri.



COMPUTEI books are available outside the United States from subsidiaries of McGraw-Hill International Book Company.

🕬www.commodore.ca





I DIDN'T KNOW YOU COULD DO MITAA WITH A COMPUTER

Dan Gutman

Computers are unbeatable for word processing, spreadsheet work, and games. But if you think that's all they can do, think again. There are hundreds of unusual, specialized software packages out there if you know where to look. From the purely practical to the imaginative to the utterly eccentric, most of these programs sell for under \$30. Here's a sampling from Dan Gutman's I Didn't Know You Could Do That with a Computer!, recently published by COMPUTE! Books.

Your Home And Family

Trace Your Family Roots

E

There isn't a computer program in the world that will go to Europe or Africa for you and track down your long-lost ancestors. Maybe in a few years. But if you do the research, your computer is excellent at storing and organizing all the information. *Family Roots*, from Quinsept, is one of many genealogy programs on the market. There's even a program of pet genealogy called *Pet-I-Gree* (by Genealogy Software) for dog breeders.

But for now, let's stick with humans. Family Roots is broken into six interlinked programs, the first of which is "Edit." You type in each family member, including as much information as you have on the person. You can include the name, date of birth, place of birth, date of baptism, sex, number of marriages, cemetery where the person is buried, and occupation. Any of this data can easily be changed if you should find out more about the person. The computer assigns an identification number to each individual and keeps track of the relationships between members of a family.

The "Charts" section of *Family Roots* allows you to make printouts of charts in different forms. You can take your great-great-grandfather and print out all his descendants (up to seven generations), all his predecessors, or his immediate family. The "Sheets" section of the program lets you print single pages about an individual or a family, which are nice to send to the people involved. It's also possible to print out all the addresses of living relatives, which can be helpful around holiday time.

The "Search" section of the program helps you find people who fit into specific groups. As an example, the computer can quickly name all the members of your family who died between 1890 and 1920, if for some reason you need that information.

Cwww.commodore.ca

Family Roots was created by a genealogist and can be best used by people from large families with a serious interest in the subject. If you have a small family tree or if you don't know much about your ancestry, you'll be better off with a written record kept in a safetydeposit box.

Quinsept, for Apple II, Commodore 64/128, CP/M, IBM PC.

Other programs to look for: Pet-I-Gree (Genealogy Software), for Apple II; Patriarch I (Cyclone Software), for Apple II; Ancestors (Autumn Color Software), for Radio Shack TRS-80 Color Computer; Your Family Tree (Acorn Software), for IBM PC/PCjr, TRS-80 Models III/4.

Manage Your Career

Construction worker? Farmer? Machine operator?

When you make your living as a writer, you don't expect to be told that you're best suited to occupations like the above. But I had honestly told CBS's *Career Planning* that I enjoy physical labor, and the computer honestly told me jobs which would provide this satisfaction. Despite that fluke, the program can really help a young adult starting out to pick the right career and manage it skillfully.

Career Planning is more than a computerized aptitude test. The four-disk program is designed for job hunters and job holders. Disk 1 (Assessing Your Skills and Attitudes) examines your likes, dislikes, talents, and feelings about work. Disk 2 (Writing a Career Plan) probes the importance of your working environment, co-workers, location, salary, and job responsibilities. Disk 3 (Strategies for Career Change) helps you decide if you should change the direction of your career and in what way. Disk 4 (The Art of the Interview) helps you write your cover letter and résumé, and provides tips for that all-important personal interview.

The computer is worthwhile only if it can perform a task differently from other media—like books. The bestseller What Color Is Your Parachute? can also help you plan your career, but it doesn't do it interactively. To teach you how to handle the interview situation, Career Planning puts you in that situation and requires that you make decisions. In this case, you are the interviewer, and you've got to decide which of four applicants should be hired for two positions. Your assessment indicates whether or not you'll know the right things to say when you're on the other side of the desk.

In evaluating you, the program asks questions about the satisfaction level of your current situation and then about your ideal situation. If the two are very different, you're encouraged to think about what you could do to bring them closer together.



No guidance counselor or computer program works miracles. All the program can do is force you to sit down and ask yourself, in logical order, questions that may be vague or disorganized in your mind. It forces you to examine yourself and nudges you toward making decisions you really need to make. By directing questions to you (using your name), the computer strips away any excuses or defense mechanisms you may have been hiding behind. It asks you questions you may have avoided asking yourself.

For people who are already quite introspective, *Career Planning* probably won't say much that you don't already know about yourself. But for people who haven't sat down and figured out in which direction they're heading, it can help organize those thoughts and provide valuable tips.

CBS Interactive Learning, for Apple II, IBM PC.

Other programs to look for: Jobfinder (Compu-Job Software), for IBM PC. This program helps you write your résumé and cover letter, print a personal history report, and pick the best job offer.

Design Your Own House

Anybody who's ever lugged a 500pound couch from one room to another only to find out that it still looks lousy will appreciate Avant-Garde's *Design Your Own Home* series. Now, instead of carrying all that furniture up and down the stairs, you can just slide it around your computer screen.

Design Your Own Home is actually three programs: Architectural Design, Interior Design, and Landscape Design.

Architectural Design helps you design the house itself. The program contains 126 different detail shapes that can be used to make up a floor plan. These shapes can be rotated or arranged on the screen in any way you'd like. The computer automatically calculates distances, diagonals, and angles. Feet and inches can easily be converted into decimal or metric numbers. You can observe your design from a top view or a side view.

Nice floor plan. But what about that truckload of furniture that just pulled up outside?

Interior Design allows you to move your simulated furniture all over the house to decide where it fits best in your available space. Kitchens, living rooms, bedrooms, and bathrooms can all be laid out to your specifications. You can even experiment with different color schemes and put multicolored patterns on the walls to simulate wallpaper. If you don't like the way your wife or husband has arranged the furniture, rearrange it onscreen and then have the argument.

Your house is looking pretty good now. But a house isn't a home until you get the exterior looking the way you want it.

Landscape Design contains several outlines of "canned houses," or you can draw an original outline of your own home. Then you can position simulated plants, flowers, trees, and shrubs around the grounds. To help with your future planning, you can even make the foliage larger to see how it will look in a few years.

Avant-Garde, for Apple II, IBM PC.

New home buyers who own a Macintosh aren't neglected. Hayden Software has turned the Mac into a computer-aided design tool. Their *Home Design* contains over 800 three-dimensional images of chairs, tables, fireplaces, hot tubs, and other home furnishings. And that includes 112 different kinds of chairs.

For more professional purposes, Hayden's *da Vinci* goes even further. It's a series of five packages consisting of predrawn and professionally rendered graphics. You can take a door, for instance, and change its size, stretch it, rotate it, and then insert it into your house design. The *da Vinci* programs can be used to design building exteriors, landscapes, interiors, offices, restaurants, even an entire city.

Moving furniture around with a computer is so effortless that it may be hard to tear you away from the screen to take your real furniture out of its boxes.

Hayden Software, for Macintosh.

Other programs to look for: Room Arranger (Henry M. Hufnagel), for IBM PC.

THE

Teach Yourself

Learn To Read 1000 Words A Minute

Here's a depressing thought—there will be about 40,000 books published in the United States this year, but if you read at the average rate of 250 words per minute, you'll probably get through only 2500 in your *entire lifetime*. This can be good motivation to take a speed-reading course. Many of us have a pile of books, newspapers, and magazines all over the house that we never seem to have time to even *look* at.

There's nothing magical about doubling or even tripling your reading speed. The main idea is that most of us read ... one ... word ... at ... a ... time. This is what slows us down. Research has shown that our brains are capable of taking in clusters of words or even incomplete words and assembling them into a coherent thought.

As an example, read this passage:

L-st ni—t I had a dre-m th-t I w-s an elder— man on my d—thbed. J-st as I was ab—t to die, Al—n Funt jump— out fr-m behi-d a wa-l a-d expl n-d th-t my wh-le life w-s one l-ng episo-e of C-ndid Cam a.

There were 32 letters missing from those two sentences, but you probably read them perfectly. Your brain automatically filled in any letters that were missing. You don't have to see every letter or every word in order to get the meaning. You'll read much faster if you read only what you *have* to read.

Micro SpeedRead uses this idea to help you zip down the pages. Probably the most familiar strategy is Z-patterning, in which you train your eyes to scan a line from left to right, then to scan diagonally backward down the next line, and then to scan the third line normally. Speed-readers will usually trace this Z-pattern across the page with one of their hands, so it looks like they're reading with their fingers.

So who needs a computer program? We could learn the same thing from a book. After all, we do most of our reading from paper, not green phosphor screens.

Speed-reading by computer has several advantages over a book. First of all, the computer has an internal stopwatch, which can time you and instantly calculate the number of words you're reading per minute. More importantly, the computer can scroll passages of text past your eyes at whatever speed you tell it. Of course, being able to work at your own pace and take the course in your own home are also advantages of speed-reading by computer. And computer programs cost less than most speed-reading courses.

Micro SpeedRead takes advantage of these capabilities to give you a complete speed-reading course. First, you'll estimate your present reading speed; then you'll learn about clustering words and ideas, various pacing patterns, and skimming and scanning; and finally you'll find out how much your reading speed has improved.

Your eyes and brain are approaching the end of this section

now. You've probably been at it for a couple of minutes. While every writer hopes that readers are hanging on to every word, you could have actually skipped many of my words and knocked off this section in about 30 seconds. In fact, if you were a speed-reader, you'd probably have finished reading this book by now.

CBS Software, for Apple II, Commodore 64/128, IBM PC.

Other programs to look for: Evelyn Wood Dynamic Reader (Timeworks), for Apple II, Commodore 64/128, IBM PC, Macintosh; Speed Reader II (Davidson & Associates), for Apple II, Commodore 64/128, IBM PC, Macintosh.

Learn A Foreign Language

When President Carter visited Poland in 1977, he tried to express his wish to "learn your opinions and understand your desires for the future." Unfortunately, his words were translated as, "I desire the Poles carnally."

That's just one story of a bad translation. When General Motors introduced their Chevy Nova, it didn't occur to anyone at the company that *Nova* in Spanish means "it doesn't go." Not surprisingly, sales weren't so hot in Puerto Rico or Latin America. GM flubbed another one when their "Body by Fisher" slogan was translated "Corpse by Fisher" in Flemish.

And who can forget the famous Pepsi ad campaign in which confused Chinese soft-drink lovers thought "Come Alive with Pepsi" meant "Pepsi Brings Your Ancestors Back from the Grave"?

It all goes to show that Americans are terrible at languages other than English. (The English would probably say we don't shine at *that* language either.) High school classes don't seem to work. Books, audiotapes, and videotapes haven't worked. Maybe computers will work.

Fifty-five-year-old Gessler Publishing does nothing but sell foreign language software. At last count they had 250 titles covering just about every language spoken on the planet. Specialty software on grammar, vocabulary, and refresher courses is available. For adults, they've got *Gutenberg*, a word processor that can load language fonts for French, Spanish, German, and ten other languages. For children, they've got the ever popular *La Guillotine* (Hangman, à la française). Foreign versions of Trivial Pursuit are in the works.

Real language buffs can say *au revoir* to boring drills and exercises. Gessler's programs try to make learning languages fun. Their latest is *French Micro Scrabble*, a clone of the 90-million-selling game we all know and love. The computer version has a built-in 20,000-word French vocabulary. You can play against the computer, or four players can compete against each other. No English words are allowed.

Gessler has also translated topselling American programs into other languages. Spinnaker's *Snooper Troops* is available in German and French. Fans of Brøderbund's *The Print Shop* can now create their own greeting cards in French, Spanish, German, Italian, or Latin. Gessler recently completed a translation of Epyx's popular adventure game *Temple of Apshai* into French (*Le Temple d'Apshai*).

"It forces you to think in a language," says Gessler president Seth Levin. "If you're in a dungeon and you've got a troll coming after you, you don't have time to think of the correct word for *run* or *fight*. You've got to do it in your head immediately."

But what can a computer do that a human teacher can't? Levin believes that, "The beauty of the computer is that it's endlessly patient. If you have a problem with conjugating a verb, it will drill you forever."

Most Americans still have a "let the rest of the world learn English" attitude. But as the world gets smaller, we *need* to learn other languages. Our neighbors Canada and Mexico speak different languages. We can fly to Europe now in just three hours. "People are finally realizing that we can't survive in the world today without understanding another language," says Seth Levin.

Learning a nation's language is more than just a convenience. It also shows an appreciation for its culture. Sometimes we deceive ourselves into thinking the world revolves around the United States.

Gessler, most programs available for Apple II, Atari,

Commodore 64/128, Commodore PET, IBM PC, Tandy 1000, TRS-80.

Other programs to look for: Linkworld Language Series (Artworx), for Apple II, Atari, Commodore 64/128, IBM PC; Russian for the VIC-20 (Russian Software), for Commodore VIC-20; Le Français par Ordinateur (DHC Educational Software), for Apple II. DHC also makes programs that help students with the names of French foods, customs in French-speaking countries, conversation about sports, and getting around the Paris subway system.

You might also want to check out Translator, from Polygon Industries. It translates texts in French, German, Spanish, English, and Italian. The manufacturer claims 90 percent accuracy. The program is made for most computers.

Sports And Recreation

Programs For Camera Buffs

的

Camera Simulator is one of the more clever computer programs you'll come across. As the name suggests, it simulates the action of taking a picture and teaches the fundamentals of photography at the same time.

As an example, the computer generates an animated image of a skier tumbling down a slope. Mountains, trees, and the sky are in the distance. First, you've got to focus the "camera." Alternately hitting the F and G keys causes the image to slide in and out of focus. You manipulate the keys until the image is sharp. Then you select a shutter speed with the arrow keys (from one second to 1/1000 second). Next, you pick one of several lens openings to adjust the exposure. When everything looks perfect, you hit the S key to snap the picture.

The computer "develops" the shot in a few seconds. The screen then becomes your finished photograph. If you have set everything correctly, it looks good. If you haven't focused properly, the skier is a blur on the screen. The same is true if you have selected a shutter speed that's too slow to freeze a moving object. If your lens opening is too wide, the image looks washed out. Whichever mistake you make, the computer gently informs you that you have done something wrong and suggests how you should correct it—"YOU DIDN'T FOCUS PROPERLY. TRY AGAIN." By seeing your mistakes instantly, you can understand how shutter speed and f/stops interact in photography. The computer has acted as your teacher, camera, film, and processing lab.

Camera Simulator includes brief lessons on range finders, shutters, apertures, exposures, light meters, and trouble shooting, as well as a short history of photography. It was created by Armand Ensanian, a photography teacher for 18 years.

Brain Builders, for Apple II, Commodore 64/128, IBM PC.

Camera Simulator is strictly for beginners, but even serious hobbyists and professional photographers are starting to use computers in their work. The computer can be a secretary that sends out mailings to clients. It can keep track of thousands of slides, prints, and negatives. It can log on to Photonet, an online information network exclusively for photographers.

DarkStar Plus will even assist you in the darkroom. If you want to make an 8×10 print from a 35mm negative, for example, DarkStar will tell you exactly how many seconds the negative should be exposed under the enlarger. You don't have to waste time and expensive materials making test strips. The program also calculates processing times and lens openings, and tells you which filters you'll need for a color print.

F/22 Press, for Apple II, Atari, Commodore 64/128, IBM PC.

Photographers interested in computerizing should also consult *The Photographer's Computer Handbook*, written by B. Natine Orabona and published by Writer's Digest Books.

Build Your Own Robot

At Bell Labs in New Jersey, they're spending millions to teach robots how to catch Ping-Pong balls. Catching a Ping-Pong ball is easy with human hand/eye coordination, but a robot needs two television cameras, a vision microprocessor to calculate the trajectory of the ball, and motors to quickly move the arm into position and catch the ball in a cup. Someday maybe—we'll figure out how to teach the robots to throw the balls back.

If computing is an infant industry, robotics is in the fetal stage. A lot of people think that robotics now is where personal computers were ten years ago, when people like Steve Wozniak were building them in their garages. Robotics, say the experts, is "the next big thing."

Multibotics is a home robotic workshop that hooks up with your computer. It may turn out to be the erector set for kids of the eighties.

The heart of the system is the B100 Interface Module, which plugs into your computer. Cables are used to connect lights, motors, sensors, and other external devices. Instead of just crunching numbers, your computer can be turned into a variable-speed motor controller, voltmeter, oscilloscope, infrared detector, and audio digitizer. *Multibotics* connects your dumb terminal to mechanical and electrical devices in the real world.

The system is flexible. You can do one of the 50 projects and experiments described in the instructions, or design and build your own inventions. The first project is easy. You simply attach a small motor to the computer and program it to go forward, reverse, and at different speeds. Then you progress through Motors and Gears, Generators and Feedback, Digital Electronics, Moving Vehicles, and Electronic Speech. Not all the projects are robotic in nature, but you can build your own computer-controlled robots, cars, and cranes.

Adults will enjoy it, but the system has been designed so that even a ten-year-old child can perform the sample projects without help. No tools are necessary for assembly; the parts snap together. It's probably best not to tell your kids that *Multibotics* is an educational system that demonstrates the basic science and engineering principles they see every day.

Multibotics, for Apple II, Commodore 64/128, Amiga, Atari, Atari ST, IBM PC.

Other programs to look for: Robotic Computing Kit (fischertechnik), for Apple II, Commodore 64/128.

Create Your Own Crossword Puzzles

At some point in our lives, almost all of us have killed a few hours doing a crossword puzzle. But only a few of us ever *created* a crossword puzzle from scratch. Designing the grid and making all those words fit together perfectly just seems a pain in the neck, so why bother?

The computer may change all that. With *Crossword Magic*, you just provide the words and clues. The computer does the dirty work.

First, you're asked you if you want to use the "automatic puzzle sizing option." This means that you pick your words freely, and the computer makes the grid larger to accommodate them. If you prefer, you can pick the size of your puzzle in advance, anywhere from 3 to 20 boxes square.

Then you just type a word that you want in your puzzle. Crossword Magic automatically enters it into the grid. The first word always appears in the top row across. You can move it to a different location or delete it if you change your mind. When you enter your next word, the computer will show you all the spaces where it can fit. If the word doesn't connect with anything on the screen, you'll hear a buzz and see, "Word does not fit yet." The word will be stored in an "Unused Word File." When a spot opens up, the computer will reintroduce it. You can save as many as 500 words in the Unused Word File.

At the same time you're entering words, you're also writing clues for them. The computer organizes the clue list for you. When you print out the puzzle, it will also print out the clues and an answer code.

Crossword Magic not only makes it easier to write a puzzle, but it also makes it easier to *play* one. Unlike the first-come, firstserved puzzles in your daily paper, computer crossword puzzles give each member of the family a chance to work the same puzzle. And you can store up to 20 puzzles on a single disk.

The only real disadvantage is that *Crossword Magic* doesn't allow you to create wild, imaginatively shaped puzzles. The program works only with square boxes. But

you can create respectable-looking crossword puzzles simply for the fun of it or as a way to expand your vocabulary. The program can also make creative crossword greeting cards, announcements, or invitations. Whatever you do, you'll get your point across.

Or down.

Mindscape, for Apple II, Atari, Commodore 64/128, IBM PC.

Other programs to look for: The New York Times Computer Crossword Puzzles (Simon & Schuster), for Apple II, Atari, Commodore 64/128, IBM PC; MasterPieces (Hayden Software), for Macintosh; Puzzle Master (Shenandoah Software), for TRS-80; Crosscheck (Datasoft), for Apple II, Atari, Commodore 64/128, IBM PC. You can solve any cryptogram with Crypto (Piedmont Specialty Software), for IBM PC.

Health And Fitness

Get An Aerobic Workout

If there's one thing that's bad for your body, it's sitting at a computer keyboard all day. You can bet *The New England Journal of Medicine* is working up some fashionable new disease like "keyboard backache" or "disk drive elbow." Just like anything else carried to excess, computers can be hazardous to your health.

Computers can also be good for your health. Aerobics is the first computer program to give you a physical workout. It's also the first program you use standing ten feet away from the keyboard. As your onscreen computer-generated instructor performs her exercises, you follow her movements. She does 18 exercises, each consisting of a warm-up, aerobics, conditioning, and a cool-down. There's no voice to egg you on, but captions tell you what to do (like "Breathe!" in case you need to be told). Synthesized disco music helps you stay with the pace. Your instructor is quite lifelike and even sports a snappy headband. She seems to be in pretty good shape herself. In fact, it wouldn't hurt her to put on a few pounds, if you ask me.

Why would anybody want to work out with a hi-res Jane Fonda clone when they can just as easily buy a videotape and work out with



Illness and injury. It's every parent's fear, but you don't have to worry. Thanks to FamilyCareTM software you can now handle medical problems with confidence. Developed by a team of expert pediatricians, FamilyCare is a revolutionary new computer program that will tell you exactly what to do if your child gets sick or injured.

With FamilyCare, you can now get the medical answers you need. Fast. And FamilyCare is as easy to use as talking to your doctor. By asking you simple questions about your child's symptoms, the FamilyCare program will interact with you to help determine the nature and seriousness of the problem. You will then receive professional advice on how to get proper and effective medical help.

Thanks to FamilyCare, you will now know...

- when, and when not to see a doctor
- how to treat minor problems at home

- prepares you for life's little emergencies.
- how to spot the early symptoms of serious illness
- what to do in a medical
- emergeney

FamilyCare will teach you the basics of first aid as well as provide you with a health maintenance schedule so that you can help prevent illness and injury throughout your child's development. And FamilyCare is comprehensive in its coverage. You will receive top pediatric advice on everything from diaper rash to serious illness.

The remarkable FamilyCare program is now available for only \$180. Imagine, for the cost of a few, and sometimes unnecessary doctor's visits, you can now receive expert medical advice whenever you need it. Any time, day or night. And FamilyCare comes with a 30-day money-back guarantee. If you are not completely satisfied, you may return the program for a full refund.

Your family depends on you, so be prepared. Order FamilyCareTM software today and you will rest assured that you're doing the best for your child.



Order FamilyCare Today. (For Newborns to Age 15) Telephone orders: Call 1-800-426-8426 In Michigan call collect at (313) 559-4561. Mail Orders: (Please fill out and send to FamilyCare¹⁶ Software, 29451 Greenfield Rd., Suite 216, Southfield, M1 48076-2251) Method of Payment: UVISA MC Check or Money Order Credit Card #_______ Signature _______ Exp. Date ______ (Make checks payable to FamilyCare—Include \$2.00 for postage and handling. Canadian and overseas orders add \$5.00.) Name _______ Address _______ Phone

Indicate Computer:

□ Macintosh® □ IBM PC® and compatibles

ww.commodore.ca

a living, breathing, squatting human being. Or even with Richard Simmons. Well, videotapes are fine, but since everybody who buys them has a different body type, they have to be geared toward an "average" person. If you don't have that average body, too bad. You can't change the tape. You have to do the exercises at the same speed and in the same order that Jane Fonda does them. Even the most dedicated fitness fans get tired of working out in the exact same way, day in and day out.

But a computer is flexible. You can tap a few keys and slow the instructor down or speed her up. You can customize the exercise routine. You can concentrate on the leg exercises, upper body exercises, or any other part of your body that needs work. You can do as many repetitions as you want. You can create a workout that will take anywhere from half an hour to an hour and a half, and it will be personalized to your body.

To be frank, Jane Fonda sells a lot more videotapes than Spinnaker will ever sell copies of *Aerobics*. There's a reason—people would rather watch a human being than an animated character. But it's out there if you want it. Feel the burn.

Spinnaker, for Atari, Commodore 64/128.

Other programs to look for: Exercise/Aerobics (CTRL Health Software), for Apple II, Commodore 64, IBM PC; MacMuscle (Tech 2000 Software), for Macintosh; Fit and Trim (Andent), for Apple II.

Go On A Diet

Everyday we're bombarded with advice on what we should or shouldn't eat. Don't eat fat. Eat fiber. Don't eat sodium. Eat vegetables. Don't eat sweets. Take vitamins. This is all pretty obvious, but unless you go to a trained (and expensive) nutritionist, you never really find out whether the combinations of foods you eat add up to a balanced diet or not. This is one area where both books and computers can do the job, but computers—because they're interactive do it better.

Nutri-Byte is better than a diet book because it can find out all about you and tailor a program based on *your* personal needs. The program starts by asking you questions about your age, sex, and frame size. Then you're requested to type in all the foods you eat during the day. It's important to be specific here. If you had a cheeseburger for lunch, you have to indicate whether it had Swiss cheese or American cheese on it. If you had orange juice, you're asked to estimate the number of ounces. Every little detail affects the analysis.

The program will then list all the foods you've admitted to eating and tell you their nutritional composition. A fried egg, for instance, contains 199 total calories—52 calories of protein, 146 calories of fat, and 1 calorie of carbohydrate. Did you know that an apple contains more calories than a glass of apple juice? The program has a database of 1200 foods, and you can add any of your favorites that might be missing.

After you go over these numbers, your current diet will be presented as a chart. You may find that your diet is made up of 10 percent protein, 42 percent fats, and 48 percent carbohydrates (it should be 12 percent, 30 percent, and 58 percent, according to the U.S. Senate Select Committee on Nutrition and Human Needs). All of this information can be printed out. That's just the first week of the five-week Nutri-Byte plan.

The designers of the program recognize that there are a number of factors that lead to overeating. Instead of eating when they're hungry, many people eat for other reasons-because they're depressed, because the clock says it's lunchtime, or simply because the refrigerator is a few feet away. During weeks 2-5, the program asks you questions and analyzes variables that might be relevant to your eating habits. How hungry were you before dinner? What mood were you in? Where did you eat? With whom? It may sound like the Spanish Inquisition, but you could find that you're eating more when you're in certain situations or with certain people. The program will act as an electronic conscience and tell you, "Overeating when fa-tigued or tired," or, "Too many snacks with Wanda." Nutri-Byte will also ask you about your physical activity and take that into account.

Behavior modification techniques are used to set goals, provide feedback, and comment on your progress. The program won't prevent you from stuffing that piece of cake into your mouth, but it *will* tell you what the consequences will be.

Nutri-Byte is very easy to use and is recommended for weightconscious people between the ages of 20 and 69. The program is sensible; if you tell it you want to lose 80 pounds by Tuesday, it will refuse to run until you consult with a doctor or *claim* to have consulted with a doctor. Crash dieters will be better off with one of those "eat mangos till you drop" diets.

ISC Consultants, for Apple II, IBM PC.

Other programs to look for: The Complete Scarsdale Medical Diet (Bantam), for Apple II, IBM PC; The Original Boston Computer Diet (Scarborough), for Apple II, Commodore 64/128, IBM PC; The Model Diet (Softsync), for Commodore 64/128; Nutri-Calc (Camde), for Macintosh.

And when you go grocery shopping for your healthy foods, don't forget to consult The Coupon Organizer (Andent), for Apple II.

Mental Health And Fitness



Analyze Your Own Personality

Psychologist Carl Jung has been dead for 25 years, but his theories live on in, among other places, *Personality Analyzer*. This program attempts to assess Jung's four psychological functions of thinking, feeling, sensing, and intuiting, in conjunction with your own attitudes of judging, perceiving, and introversion/extroversion.

Personality Analyzer asks you questions—22, 44, or 88 (your choice). The questions require you to choose between two opposing responses. A few samples: Are social gatherings energizing or tiring? Do you prefer being separate or crowded? Do you prefer people who are sensible or imaginative? Do you prefer to travel or arrive?

Instead of requiring black or white answers, *Personality Analyzer* lets you respond according to how strongly you feel about a question. By moving the cursor left or right, you move a bar along a bar chart to

Get your workspace back again.



□ 64.....\$119.95

Consolidate your 64, 64C or 128 system with the Command Center.

Just look at all it includes:

Built-in AC Power Strip with power surge and voltage spike protection, line noise filtering and power outlets.

Built-in Drive/CPU Cooling Fan to prevent overheating.

Modular Telephone Plug with its own on-line/off-line telecommunications switch. (Optional on 64 and 64C).

Master AC Switch for easy system power up.

Single or Dual Drive Configurations with the standard drive insert.



The Command Center will untangle your wires, unclutter your desk and put peripherals at your fingertips.

128.....\$149.95 □ 64C..... \$129.95

COMMAND CENTER ACCESSORIES (Specify 128, 64, or 64C when ordering)

Dust Cover \$19.95 - covers entire system Keyboard Cover \$19.95 - smoked acrylic Drive Reset \$14.95 — one switch per drive Short Serial Cable \$9.95 - for chaining drives Modem Switch \$9.95 - 64/64C option Tilt/Swivel Monitor Stand \$14.95 - see below

(Call for details)

TILT/SWIVEL MONITOR STAND

110 E

Swivel base adjusts to desired viewing angle.

Cushioned pads hold monitor securely in place.

Accommodates most popular monitors.

Padded feet to protect surface.

Tension adjustment holds stand firmly in

Places monitor at ideal viewing level and

Name

DATA DIRECTOR * STEP

\$39.95

- Share two Commodore® 6-pin serial devices with one computer.
- Share two computers with one serial device.
- Works with Commodore[®] compatible disk drives, printers, and all interfaces.
- LED indicates which device is in use.
- Convenient button resets device.
- Saves wear on disk drive serial ports.
- Eliminates cable swapping.

SHIPPING AND HANDLING

Commodore is a registered trademark of Commodore Electronics, Ltd.

\$14.95

Conti	inental	U.S.

- \$ 4.50 for each Command Center
- \$ 2.00 for one accessory item
- \$ 3.00 for two or more accessories

APO/FPO/CANADA/Puerto Rico/Hawaii/Alaska

- \$13.00 for each Command Center
- \$ 4.00 for one accessory item
- \$ 6.00 for two or more accessories

\$2.00 charge for C.O.D. orders Iowa residents add 4% sales tax

Free 30-day trial offer and one-year warranty.

NEW

correct position.

position.

For faster service, call 1-800-626-4582 toll-free 1-319-338-7123 (lowa **Residents**)

DEALER INQUIRIES INVITED

VETEV				
	P.O.	Box	(203	
02	akdal	e la	523	19

Phone Number	1
CHANNAL CO	mmodore ca

State

Lyco Computer Marketing & Consultants

Since 1981



Gwww.commodore.ca



We stock interfacing for Atari, Commodore, Apple and IBM.

C-www.commodore.ca

SOFTWARE -

ARI	ST		🖉 🝏 apple	🖉 🖉 🖉	IBM		
	\$24.95	Microleag. Wrestling SNew	Activision:	GFL Football \$27.95	Toy Shop \$29.95		
ms:		Strategic Simulations:	Zork Trilogy \$29.95	Hacker \$16.95	Bank St. Writer + \$54.95		
	\$48.95	Gemstone Healer \$18.95	Game Maker \$29.95	Hacker 2 \$24.95	Unison World:		
	\$51.95	Gettysburg \$35.95	Leather Goddesses \$24.95	Music Studio \$29.95	Art Gallery 2 \$18.95		
tions:		Kampfgruppe \$35.95	Champ Baseball \$24.95	Tass Times	News Master \$55.95		
	\$24.95	Phantasie II \$24.95	Champ Basketball \$24.95	Sublogic:	Print Master		
	\$24.95	Phantasie III \$24.95 Bing of Zolfin \$24.95	Championship Golf SNew	let Simulator \$32.95	Firebird:		
	\$24.95	Boad War 2000 \$24.95	GFL Football \$24.95	Scenery Disk \$17.95	Stargilder		
t	\$24.95	Shard of Spring \$24.95	Top Fuel Eliminator \$19.95	Envr:	Learning Company		
		Wizards Crown \$24.95	Microprose:	Apshai Trilogy \$13.95	Think Quick \$29.95		
tor	\$24.95	War in the S. Pacific \$35.95	Crusade in Europe \$24.95	Rogue \$22.95	Reader Rabbit \$24.95		
	\$14.95	Wargame Constr \$18.95	Decision in Desert \$24.95	Winter Games \$22.95	Math Rabbit \$24.95		
	\$24.95	Battlecruiser \$35.95	F-15 Strike Eagle \$20.95	World Games \$22.95	Writer Rabbit \$24.95		
	\$24.95	Battle of Antetion \$32.95	Silent Service \$20.95	Firebird:	Magic Spells \$22.95		
		Colonial Conquest \$24.95	Microleague:	Guild of Thieves \$26.95	Access:		
	\$26.95	Computer Ambush \$35.95	General Manager \$18.95	Pawn	Wid. Cl. Leader Board . \$CALL		
	\$26.95	Sublogic:	Stat Disk \$13.95	Starglider \$26.95		7	
	\$26.95	Flight Simulator II \$31.95	'86 Team Disk \$11.95	Unison World:	Dickottoo		
	\$27.95	Jet Simulator \$25.95	Broderbund:	Art Gallery 1 or 2 \$18.95	Diskettes		
	921.95	Night Mission Pinball \$21.95	Airheart \$22.95	Micronrose:	Personal States of States		
	\$18.95	Scenery Disk \$15.95	Ancient Art of War \$25.95	Silent Service \$24.95	5-1/4		
	\$24.95	Epyx:	Print Shop \$26.95				
		Create A Calendar \$17.95	Carmen S. Diago (USA) \$22.95		Maxell:		
ball	\$35.95	Eastload \$22.95	On Balance \$62.95		SSDD \$8.99		
	\$19.95	Football \$13.95	Bank St. Writer + \$44.95		DSDD \$9.99		
		Karate Champ \$19.95	Strategic Simulations:		Bonus:		
	SCALL	Movie Monster \$13.95	Battlecruiser \$35.95	Activision: Pabble Beach Golf \$24.95	SSDD		
		Multiplan \$24.95	Battlegruppe \$35.95	Champ, Baseball \$24.95	0300 07.35		
		Sub Battle \$24.95	Colonial Conquest \$24.95	Champ. Basketball \$24.95	SSDD SR 95		
200	RE /	Super Cycle \$13.95	Gettysburg \$34.95	Zork Trilogy \$39.95	DSDD		
		Graphics Scrapbook \$14.95	Phantasie II	Leather Goddesses \$24.95	DSHD \$16.95		
		Str. Sports Basketball . \$24.95	Bealms of Darkness \$22.95	Moonmist \$24.95	Generic DSDD \$6.99		
28K	\$27.95	Wid.'s Great Baseball . \$13.95	Shard of Spring \$22.95	Microprose:	Verbatim:		
jo	\$22.95	Summer Games II \$22.95	Wizards Crown \$22.95	Conflict in Vietnam \$24.95	SSDD \$9.95		
nner	\$22.95	Vorpol Utility Kit \$13.95	Sublogic:	Decision in Desert \$24.95	DSDD \$12.95		
	\$15.95	World Games \$22.95	Flight Simulator II \$29.95	F-15 Strike Eagle \$20.95	and the second second		
	\$25.95	Firebird: Colossus Choss IV \$19.95	Jet Simulator \$25.95	Silent Service \$20.95	25		
an	\$22.95	Elite \$19.95	Night Mission Pinball \$22.95	Gunship \$28.95	3.5		
	\$12.95	FrankieHollywood \$14.95	Scenery #1+#0	Microleague:	3M:		
		Golden Path \$22.95	Create & Calendar \$17.95	Microleag. Baseball \$23.95	SSDD\$12.95		
	\$24.95	Guild of Thieves \$24.95	Destrover \$24.95	General Manager \$18.95	DSDD \$18.95		
s #1.	\$13.95	Pawn \$22.95	Karate Champ \$19.95	'86 Team Disk \$11.95	Maxell:		
s #2.	\$13.95	Tracker \$22.95	Movie Monster \$14.95	Envy:	SSDD \$12.50		
	\$29.95	Starglider \$19.95	St. Sports Basketball \$24.95	Apshai Trilogy \$14.95	DSDD \$17.99		
	\$24.95	Sentry \$22.95	Sub Battle Simulator \$24.95	Create A Calendar \$17.95	Verbatim:		
ıt	\$13.95	Hi Tech Expressions:	World Games \$24.95	Destroyer \$24.95	SSDD \$16.95		
	\$13.95	Heart Ware \$6.50	Wrestling \$24.95	Karate Champ \$19.95	0300		
	\$13.95	Holiday Paper \$8.95	Firebird:	Movie Monster \$14.95	SSDD ELLOF		
srd	\$24.95	Card Ware \$6.50	Colossus IV Chess \$24.95	St. Sports Basketball \$24.95	DSDD		
		Fany ware \$9.50	Elite \$22.95	Sub Battle Simulator \$23.95	Generic SSDD \$14.95		
thall	\$22.95	Ad Gallen 1 or 2 Ste 05	The Pawn \$26.95	Winter Games \$24.95	Generic DSDD \$15.95		
	. \$9.50	Print Master \$22.95	Starglider \$26.95	World Games \$23.95			
	\$22.95	Action Soft	Unison World:	Strategic Simulations:			
	\$19.95	Up Periscope	Print Master \$25.05	Road War 2000 \$24.95			
	\$22.95	Timeworks:	Learning Company:	Kampigruppe \$35.95	Joysticks		
•••••	\$18.95	Partner 64 \$34.95	Think Quick	Battle of Antetiem \$35.95			
es	\$24.95	Partner 128 \$39.95	Reader Rabbit \$24.95	Computer Baseball \$14.95	Tao 3 60.00		
	\$24.95	Swift Calc 128 \$39.95	Math Rabbit \$24.95	Gettysburg \$35.95	Tac 2 \$9.95		
	\$24.95	Wordwriter 128 \$39.95	Writer Rabbit \$24.95	Wizards Crown \$24.95	Tac 5 \$12.95		
tor	\$19.95	Learning Company:	Magic Spells \$22.95	Chickamauga \$35.95	Tac 1 + IBM/AP \$26.95		
		Magic Spelle \$18.95		Sublogic:	Economy \$5.95		
	\$22.95	Gertrude's Secrets \$14.95		Jet Simulator	Slik Stick \$6.95		
	\$22.95	Rocky's Boots \$14,95		Scenery Japan	Black Max \$10.95		
11	\$15.95			Scenery #1-#6	3-Way		
	\$18.95		Access:	Flight Simulator \$36.95	Bathandle \$16.75		
	\$15.95	apple)	Leader Board \$24.95	Broderbund:	500XJ \$14.75		
			10th Frame \$24.95	Ancient Art of War \$28.95	500XJ-Apple/PC \$28.95		
all	\$24.95	Access:	Tournament #1 \$14.95	Print Shop \$32.95	Winner 909 \$24.95		
r	\$18.95	Triple Pack \$13.95	Activision:	Print Shop Compan \$31.95	Contriver levelick Pd 524.05		
	\$15.95		Championship Golf \$21.95	Graphic Lib. For II \$21.95	Commen Joystick Bd \$34.95		
	\$13.95		onampionship Golf \$24.95	Narateka			

Sewww.commodore.ca

Lyco Means Total Service.

Call Lyco



Order Now

sales staff at our toll free number to inquire about our diverse product line and weekly specials.

First and foremost our philosophy is to keep abreast of the changing market so that we can provide you with not only factory-fresh merchandise but also the newest models offered by the manufacturers at the absolute best possible prices. And we offer the widest selection of computer hardware, software and accessories.

Feel free to call Lyco if you want to know more about a particular item. I can't stress enough that our toll-free number is not just for orders. Many companies have a toll-free number for ordering, but if you just want to ask a question about a product, you have to make a toll call. Not at Lyco. Our trained sales staff is knowledgeable about all the predicts we stock and is harver to guerter any question the products we stock and is happy to answer any questions you may have. We will do our best to make sure that the product you select will fit your application. We also have Saturday hours - one more reason to call us for all your computer needs.

Once you've placed your order with Lyco, we don't forget about you. Our friendly, professional customer service representatives will find answers to your questions



about the status of an order, warranties, product availability, or prices

Mark "Mac" Bowser, Sales Manager

I would personally

like to thank all of our

helping to make Lyco

Computer one of the

companies and a leader in the industry.

invitation to all computer

services that we provide.

Please call our trained

enthusiasts who have

largest mail order

Also, I would like to

extend my personal

not experienced the

past customers for

Lyco Computer stocks a multimillion dollar inventory of factory-fresh

merchandise. Chances are we have exactly what you want right in our warehouse. And that means you'll get it fast. In fact, orders are normally shipped within 24 hours. Shipping on prepaid cash orders is free in the U.S., and there is no deposit

required on C.O.D. orders. Air freight or UPS Blue/Red Label shipping is available, too. And all products carry the full manufacturers' warranties.

I can't see why anyone would shop anywhere else. Selection from our huge in-stock inventory, best price, service that can't be beat — we've got it all here at Lyco Computer.

TO ORDER, CALL TOLL-FREE: 1-800-233-8760 In PA: 1-717-494-1030

Hours: 9AM to 8PM, Mon. - Thurs. 9AM to 6PM, Friday — 10AM to 6PM, Saturday

For Customer Service, call 1-717-494-1670, 9AM to 5PM, Mon. - Fri. Or write: Lyco Computer, Inc. P.O. Box 5088, Jersey Shore, PA 17740

Risk-Free Policy: • full manufacturers' warranties • no sales tax outside PA • prices show 4% cash discount; add 4% for credit cards • APO, FPO, international: add \$5 plus 3% for priority • 4-week clearance on personal checks • we check for credit card thet • compatability not guaranteed • return authorization required • price/availability subject to change





Access: Lea

Firebird:

Mach II

The Pawn .

Leader Board \$24.95	Optimized Sys
Tournament #1 \$14.95	Personal Pasca
Triple Pack \$14.95	Personal Prolog
10th Frame \$24.95	Strategic Simu
Activision:	Phantasie
Hacker \$14.95	Phantasie II
Hitch Hikers \$24.95	Road War 2000
Leather Goddesses \$24.95	Colonial Conqu
Moonmist \$24.95	Enury
Music Studio \$24.95	Apphai Trilogu
Stationfall \$22.95	Apsnar Thiogy
Lurking Horror \$22.95	Sub Battle Simil
Microprose:	Super Cycle
Conflict in Vietnam \$24.95	World Games .
E-15 Strike Fagle \$22.95	wresung
Konnody Annroach \$18.95	Firebird:
Silant Service \$22.05	Pawn
Top Cupper \$18.95	Starglider
Top Guiller	Golden Path
Microleague:	Guild of Thieve
Microleag. Baseball \$24.95	Tracker
General Manager \$24.95	Unison World:
Stat Disk \$17.95	Art Gallery 1 or
'86 Team Disk \$14.95	Print Master
Broderbund:	Manufactures
Print Shop \$25.95	Microleague:
Print Shop Compan \$22.95	Microleague Ba
Graphic Lib. I, II, III \$15.95	General Manag
Karateka \$12.95	Broderbund:
Bank St. Writer \$29.95	Kareteka
Optimized Systems:	and the second second
Action \$46.95	
Action Tool Kit \$18.95	COMM
Basic XE \$46.95	/
Basic XI \$36.95	CONTRACTOR OF STREET,
Basic XI Tool Kit \$18.95	Broderbund:
Mac 65 \$46 95	Bank St. Writer
Mac 65 Tool Kit \$18.95	Carmen San Di
	Champ. Lode F
Strategic Simulations:	Graphic Lib. I, I
Battle of Antetiem \$32.95	Karateka
Battlecruiser \$35.95	Print Shop
Nam	Print Shop Com
Phantasie \$24.95	Print Shop Pap
Wargarne Construc \$18.95	Access:
Warship \$35.95	Leader Board
wizards Grown \$24.95	Famous Cours
Sublogic:	Famous Cours
Flight Simulator II \$31.95	Mach 5
Night Mission Pinball \$21.95	Mach - 128
Scenery #1-#6 ea \$14.95	10th Frame
Scenery #7 \$17.95	T T

JATARI'ST

\$27.95

\$17.95

Access:	2.2.4	
Leader Board	\$24.95	
Tournament #1	\$13.95	
10th Frame	\$24.95	
Activision:		
Champion. Baseball	\$24.95	
Champion. Basketball .	\$24.95	
Championship Golf	\$New	
GFL Football	\$24.95	
Hacker 2	\$24.95	
Leather Goddesses	\$24.95	
Moonmist	\$24.95	
Music Studio	\$29.95	
Paint Works	\$24.95	
Shanghai	\$24.95	
Bureaucracy	\$24.95	
Stationfall	\$24.95	
Lurking Horror	\$24.95	
Microprose:		
Silent Service	\$24.95	

Activision: Aliens Champion. Basi Hacker ... Hacker 2 Labyrinth ... Music Studio ... Tass Times Titanic Leather Goddes Stationfall Lurking Horror Top Fuel Elimin Microprose: F-15 Strike Eag Gunship Kennedy Appro Silent Service . Solo Flight

Microleague: Microleag. Base General Manag Stat Disk . '86 Team Disk

Top Gunner



Here's How



儿ATARI / 人AT

F-15 Strike Eag Optimized Sys

Exec. Tourname

Tournament #1

Triple Pack

Wid, Cl. Leader

register your degree of certainty. For instance, "Are social gatherings energizing or tiring?" If you simply hate parties, you'd move the bar all the way to 7 on the side of "tiring." If you slightly dislike parties, you'd just move it to 2 or 3. These subtle distinctions allow the computer to paint a more accurate picture of your personality.

After the last question, the computer "thinks" for a few seconds, cross-tabulates your replies, and delivers your personality profile. You receive numerical scores on Extrovertive/Introvertive, Intuition/Sensation, Thinking/Feeling, and Judging/Perceiving. Then you're told which of 16 personality types you fit into, along with a list of adjectives that describe you.

The computer then tells you which occupations might be best suited to your personality and what you might be like as a mate. It also describes a characteristic you value strongly (such as dependability, privacy, or independence) and your potential weaknesses ("fascination with irresponsible people").

Psycom Software, for Apple II, Commodore 64/128, IBM PC.

Bantam Software's Know Your Own Personality takes a different approach. The computer asks you 210 yes/no questions ("Are you careful to keep a supply of canned food in your house in case of an emergency food shortage?") to test for three personality traits—Extroversion/Introversion, Emotional Stability/Adjustment, and Tough-/ Tender-Mindedness. At the end of the test, you're presented with charts comparing your various traits and a paragraph that describes your personality.

Taking this test can be fun, as long as your head is screwed on reasonably well. Bantam suggests inviting close friends over and throwing a "personality party." I wouldn't recommend it. Your close friend might not appreciate having everyone see such results as, "You have a low opinion of yourself. You believe you are an unattractive failure. You are characteristically pessimistic, gloomy, and depressed. You are disappointed with your existence and at odds with the world." That could cool off a party *real*

fast.

Bantam Software, for Apple

II, Commodore 64/128. On the same disk is another program, Know Your Own I.Q.

Other programs to look for: Understand Yourself (Dynacomp), for Apple II, Commodore 64/128.

Improve Your Memory

Does this mean anything to you?

I saw a ton of wash floating in a dam. A chef and his son were there, and the chef was mad at his son.

That's a simple mnemonic device to learn the names of the first four presidents of the United States—Washington, Adams, Jefferson, and Madison. The suggestion comes from *Remember!*, a handy tool for high school and college students trying to memorize course material.

The program works by having you type questions and answers about the material you're trying to memorize. For instance, if you want to learn state capitals, you'd type CALIFORNIA as one question and SACRAMENTO as its answer. Later, the computer will present the word CALIFORNIA, and you'll have to type in the correct response. The computer organizes all the questions and answers, similar to the way teachers use flash cards.

Much of memorization involves forming associations between words, and the computer can help do this. The program contains a simple art and music program, so you can create a drawing or tune to go with each question. If you can't seem to remember that Little Rock is the capital of Arkansas, you might want to draw a picture of an ark sitting on top of a boulder—or whatever image you can dream up.

Learning comes easier if you can test yourself in many different ways. With *Remember!* you can respond to your original question or you can receive the answer first and provide the question (as on the game show "Jeopardy"). The computer is happy to construct multiplechoice questions on the material, or it can put the answers in a list format. At the end of the test, the computer will tell you how many questions you got right and which ones you missed. You can also print out the whole lesson on paper.

Remember! isn't really useful

for *serious* memorization. A question can be only 79 characters long, exactly the length of this sentence. Answers must be even shorter—19 characters. That rules out essays and complicated questions. You can ask yourself only 20 questions per lesson. So if you were trying to memorize the names of the presidents, the program would top out before you hit Chester Arthur. That would be fine if we lived in 1887, but a student in 1987 needs to memorize 40 presidents.

Remember! can, however, be useful for memorizing vocabulary words, foreign languages, dates, phone numbers, chemical symbols, states and capitals, and short lists. Just typing the material into the computer, reviewing it, and taking a test on it makes it easier to learn the material. But this is one of those situations where the computer's solution to a problem isn't a vast improvement over the methods we already have. Homemade flash cards do just about the same thing as *Remember!*, and they're a lot cheaper.

Designware, for Apple II, Commodore 64/128, IBM PC.

Other programs to look for: Think Fast (Brainpower), for Apple II, Macintosh; The Einstein Memory Trainer (Avant-Garde), for Apple II.

Designware also makes a "French Vocabulary Disk" and a "Spanish Vocabulary Disk" to go with Remember!

Reduce Your Stress Level

In the sixties, drugs promised to bring us salvation, happiness, maybe bliss. It didn't happen. In the seventies, meditation was supposed to improve our lives and relax our minds if we'd only repeat a mantra for 20 minutes, twice a day. It didn't happen. Now it's the eighties, and we've finally found the one true answer to coping with the stress of everyday life—technology.

Relax is an offbeat device that you strap around your head and then plug the other end into your computer. Three small sensors on the headband record the tension in your forehead by measuring electrical activity in the muscles. They record your level of relaxation.

If biofeedback is Greek to you, here's the scoop—your body is constantly pumping out invisible signals. Your heart is beating, your blood pressure is pulsing, your temperature is fluctuating, your muscles are firing, you're sweating. You're not even aware of it. Talk about body language. The body is a walking transmitter.

These signals are important. When you're under pressure, your heart beats faster, you sweat more and breathe faster. When you're relaxed, everything slows down. The idea of biofeedback is that if you can watch these invisible body signals on a computer screen as they're happening, you can actually manipulate them. This isn't voodoo; it's science. If you can see a blip on a screen representing your tension level, you can lower it—at will.

Basically, *Relax* transforms the signals from inside your body into data your computer understands (digital information), and your computer then transforms the digital information into data you can understand (graphics and sound). Some people can use biofeedback to change their heart rate or even their brain waves at will. With other people, it doesn't work at all.

As you stare at the screen, the headband sends the information it is registering about your tension level. It's a sensitive gauge—when you tighten your muscles on purpose, the simulated needle jumps up instantly.

Relax doesn't just have you sit there and watch your muscles tense up. At the same time, you wear headphones and listen to an audiotape with a soothing voice that guides you in deep relaxation exercises. In one sequence, kaleidoscopic patterns and colors on the screen change according to how relaxed you are. Far out! It's legal and cheaper than drugs.

Relax was developed with the help of Dr. Martha Davis, a clinical psychologist at California's Kaiser Permanente Medical Center. I'm not sure if this is the thing that will finally bring us eternal happiness, but it will have to do until the next century, when we'll probably be able to insert electrodes directly into our brains.

Brøderbund/Synapse, for Apple II, Atari, Commodore 64/128, IBM PC.

Other programs to look for: Calmpute (Thought Technology), for Apple II, Commodore 64/128; Body-Link (Body-Log), for Apple II, Commodore 64/128, IBM PC; Learning to Cope with Pressure (Sunburst), for Apple II; Coping with Stress (Psycomp), for Apple II, IBM PC. The Surf (JAL Software), for Commodore 64/128, is an "environmental" program that displays soothing waves crashing to the shore while you listen to "pink noise."

The Arts

Make Your Own Rock Videos

THE

What do you get when you combine an art program with a music program? Before you answer, throw in an animation program to get your figures moving. Next, top it off with computer-generated music by Michael Jackson, Bruce Springsteen, or other well-known artists. Now, what do you have?

If you answered computerized music videos, you're right. Two companies are producing disks of contemporary music that allow you to make artistic creations that go along with the tunes. Amazingly, you don't have to know anything about music, art, rock-and-roll, or computer programming to use them.

Sight & Sound's Computer Song Albums are disks filled with popular tunes arranged with computergenerated bass, rhythm, melody, and harmony. Songs from Michael Jackson ("Thriller"), Joe Jackson ("Steppin' Out"), Willie Nelson ("On the Road Again"), the Eurhythmics ("Sweet Dreams Are Made of This"), Van Halen, and Culture Club are included, along with some blasts from the past like "Duelling Banjos," "Classical Gas," "The Hustle," and even the theme song from "Charlie's Angels." You can use a joystick to change the instrument sounds and add special effects. Color graphics will dance across the screen. The songs have no vocals and don't sound like the original records, but they are excellent, full-sounding synthesized music.

For some people, that will be enough. To create a video, you've got to add *Music Video Kit*, also from Sight & Sound. This program can be used like a standard drawing program to create your own graphics, or you can use the library of preprogrammed objects on the two disks. There are a dozen background scenes, such as city streets, haunted houses, deserts, and sunsets. The available "actors" include robots, flying saucers, musicians, and break dancers. By putting a hit song together with the background and animated foreground of your choosing, you can create your own rock video-and nobody's going to give you a hard time, even if your homemade videos are in poor taste. And if the idea of creating a video to the tune of "Charlie's Angels" turns you off, you can write your own music.

Passport Music Software has taken another approach to computerized rock videos. Their Computer Hitware disks include "albums" from individual artists. Their Duran Duran package, for instance, includes ten songs from that band, including hits like "The Reflex," "Hungry Like the Wolf," and "Union of the Snake." The Michael Jackson album includes all the songs from Thriller. You can also buy albums of computer music by The Police, Huey Lewis and the News, Bruce Springsteen, and Van Halen. The graphics that go with the songs are colorful, kaleidoscopic images, which can be altered by the user. The lyrics to the songs are also included.

For the time being, *Computer Hitware* and *Music Video Kit* are no threat to MTV. But as new computers get even more sophisticated, they'll put increasingly powerful graphics and musical capabilities into the hands of the average music lover.

Sight & Sound Music Software, for Commodore 64/128.

Passport Music Software, for Apple II, Commodore 64/128.

Create Title Screens For Your Videotapes

A few years ago, the videocassette recorder made it possible for everyday people to screen movies in their homes. Now, camcorders—those little video camera/recorders—are making it possible to shoot movies easily and watch them on TV. The technology is in place for just about anybody to become a filmmaker.

The only things missing are those big, flashy Hollywood title screens. If you're shooting a videotape that you're proud of, you'll want to shout in big letters—PRO-DUCED BY JOSEPH _____. DI-

RECTED BY WENDY _____. STARRING TERRY _____. Real movies cry out for jazzy title screens. There are devices that will create titles for your videos, of course. But character generators, as they're called, cost over \$400 probably more than you paid for your VCR to begin with.

Surprise! You can do it on your computer for \$29.95 with a program called *Video Title Editor*. You won't catch Steven Spielberg or Woody Allen using one, but it's inexpensive and it does the job for a beginning filmmaker.

It's basically a graphics program that runs while the computer is connected to the VCR. It contains some canned messages for birthdays, weddings, and anniversaries, as well as title screens specifically for people making home video feature films. There's a movie marquee screen with flashing lights that seem to move around, just like at the real movies. You can put one of the canned messages in the middle of the screen or type in a five-line message yourself. Color is under your control. You can instruct your computer to cycle through all its colors and select what you'd like for the letters and the background. The Apple II version of the program even gives you four different typefaces, so you can experiment.

When your computerized title screen looks good, you just find the exact spot on your videotape where you want to insert it. It's a fairly simple procedure to hook the computer to the VCR and make a recording of your title screen.

For \$30, Video Title Editor doesn't have all the features of a character generator. Your title screens, for instance, have to go before or after your filmed sequences. You can't superimpose the computer graphics over the video images. So if you wanted to add subtitles to your movie, you'd be out of luck. But the program is good for the hobbyist or beginner who wants to experiment with simple, quick, and inexpensive title screens.

Videoware, the company that makes the program, is actually three guys named Mike Siro, Howard Berenbon, and Howard Kahn. Berenbon is the only full-time employee—Kahn is a dentist and Siro is a physician's assistant. This is one of hundreds of companies out there, operating from bedrooms and kitchen tables. *Video Title Editor* is the only program Videoware makes.

Says Howard Berenbon, "There was a need there, and we decided to fill it."

Videoware, for Apple II, Atari, Commodore 64/128, Commodore VIC-20, IBM PC.

Other programs to look for: Video Titler (Dynacomp), for Atari; Video Billboard (Dynacomp), for Atari.

Arts And Crafts For Kids

The scribbling that your children are doing on scraps of paper and the living room wall can also be done on a computer screen. More than that, a few computer scribbles can be turned into a high-tech arts and crafts studio for kids.

Mindscape's Color Me: The Computer Coloring Kit is a simplified version of a drawing program like MacPaint. A child can draw on the screen with different pen thicknesses and make letters in different type sizes. Besides this freehand drawing capability, Color Me includes dozens of predrawn graphics, which can be "cut and pasted" alongside the child's original drawings. The graphics feature familiar children's characters such as Rainbow Brite, Hug-A-Bunch, Shirt Tales, and TinkTonk.

The figures are in outline, so they can be printed out on paper and colored in like any other coloring book. An optional *Color Me* Supply Box includes buttons, colored paper, adhesive-backed paper (for making stickers), and a binder so that children can put together their own coloring books.

Springboard's Mask Parade is a similar program that focuses on making paper costume items that kids can create, print out, and wear. The program includes outlines of masks, badges, jewelry, ties, hairpieces, glasses, funny feet, hats, and name tags. Kids can select from different eyes, noses, and mouths, or they can draw a face of their own. Then they print them out, color them in, and put them on. Mask Parade is great for children's parties, Halloween, and Valentine's Day. It's recommended for 4–12 year-olds.

Mindscape, for Apple II, Atari, Commodore 64/128, IBM PC.

Springboard, for Apple II, IBM PC.

Other programs to look for: Stickers (Springboard), for Apple II, Commodore 64/128, IBM PC.

Up In The Sky



Look At The Universe

In the larger scheme of things, you and your computer and your house and your hometown and the United States and Earth itself are like an insignificant speck of dust floating in the vast universe. Don't take it personally. That's just the way it is. The sky is filled with zillions of stars and planets, and perhaps there are creatures living on them who go to work each day, put on their pants one leg at a time, and go to the movies on Saturday night. Who knows?

Looking up at the dots in the sky at night gives you a beautiful view, but it doesn't tell you much about what's up there. There's a fascinating computer program that makes it possible to locate constellations, stars, and planets, and gives you a look at the universe as if you were in the most powerful observatory in the world. *TellStar II* is advanced enough to be used by professional astonomers, yet simple enough to be used by children.

After loading the program, you enter the exact latitude and longitude of your location-it can be anywhere on Earth. The instruction manual or any atlas will help you find the exact degrees, minutes, and seconds of where you are. Then you're asked for the month, day, year, and whether or not you're on daylight-saving time. The computer will make the necessary calculations and give you an exact graphic representation of what the heavens look like from your particular vantage point at that moment in time. If you decide to change the date or location coordinates, the computer will recalculate and give you a different view. For instance, you can see what the night sky looks like to the people in Paris, London, or Newark, New Jersey. You can pick a date anytime from

Programming Books

from COMPUTE!

COMPUTE! Books offers a line of programming books for the intermediate to advanced Commodore 64 and 128 users. These reference books take you beyond BASIC and into machine language programming, helping you learn about memory maps, addresses, the new GEOS, and time-saving routines you can add to your own programs.

COMPUTEI's 128 Programmer's Guide

Editors of COMPUTE!

ISBN 0-87455-031-9 444 pages A complete guide to the Commodore 128, this book explores BASIC 7.0, shows you how to create graphics and sounds, explains how to program peripherals, and introduces you to machine language programming. \$17.95

Mapping the Commodore 128

Ottis R. Cowper

ISBN 0-87455-060-2 The comprehensive memory map and programmer's guide that provides a detailed explanation of the inner workings of the Commodore 128 including memory management, BASIC 7.0, I/O chip register, the operating system, system RAM, and more. \$19.95

Machine Language Routines for the Commodore 128 and 64

Todd Heimarck and Patrick Parrish ISBN 0-87455-085-8

This collection of machine language routines is a must for every Commodore 128 and 64 machine language programmer. Scores of these routines can simply be inserted into your own programs. Included is the assembly language code with easy-to-understand documentation and instructions. There is a companion disk available for \$12.95 that includes all the programs in the book (858BDSK). \$18.95



Programming the Commodore 64 Revised: The Definitive Guide Raeto Collin West

UTB Books Publicatio

ISBN 0-87455-081-5

592 pages

This bestselling, encyclopedic reference guide which covers the Commodore 64 in its entirety has been updated to include information on the new Commodore 64C and GEOS, from Berkeley Softworks. There is also a disk available for \$12.95 which includes the programs in the book (507BDSK). \$24.95

MAPPING

A comprehensive memory guide for BASIC and machine language programmers.

\$16.95

Mapping the Commodore 64 and 64C Sheldon Leemon

ISBN 0-87455-082-3

324 pages

COMPUTE!'s

Programmer's

Guide

An update of the bestselling memory map and programming guide that's a necessity for intermediate and advanced programmers. This definitive sourcebook has been expanded and now covers the new icon-based *GEOS* (Graphics Environment Operating System) with clear descriptions of how to make it work for you. For BASIC and machine language programmers of both the Commodore 64 and 64C.

These books are now available at your local book or computer store. You can also order directly from COMPUTE! by calling toll free 800-346-6767 (in NY call 212-887-8525) or by mailing your order to COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

Customer Service hours are 10:00 am-12:30 pm and 1:30 pm-3:00 pm EST, Monday-Friday Please include \$2.00 postage and handling per book or disk. NC residents add 5 percent sales tax, and NY residents add 8.25 percent sales tax. Please allow 4-6 weeks for delivery.



COMPUTE! books are available outside the United States from subsidiaries of McGraw-Hill International Book Company.



the year 0 to the year A.D. 3000. It's really amazing.

And that's not all TellStar can do. You can use your keyboard like a telescope and swing the view back and forth across the sky. You can look at the horizon, or imagine that you're lying on your back and looking straight up in the air. If you're wondering where the North Star is, the program will highlight it and tell you its precise location. If you see an interesting star, but don't know what it is, just position the cursor over it, and the computer will identify it for you. The computer will also be happy to tell you the names of all the constellations as well as their phases, astronomical coordinates, compass headings in relation to where you are, and the time and location of their risings and settings. You can even print out a copy of anything on the screen.

TellStar won't help you track down any E.T.'s or Starmen, but when they *do* land in the backyard, it'll help you figure out where they came from.

Spectrum Holobyte, for Apple II, IBM PC, Macintosh 512K.

Design A Space Shuttle

Perhaps the only positive thing that can be said about the January 1986 space shuttle disaster is that it renewed our respect for the power and danger of technology. Before the Challenger explosion, we had become so used to manned space flight that we took safe launchings and landings for granted. Actually, it's a tremendous achievement to shoot human beings into space and bring them home safely.

HesWare's Project: Space Station is a shuttle simulation that could teach the folks at NASA a thing or two. This is no flight simulator. Flying is just a small part of the job. You're the mission coordinator here. You've got to make a budget, select your crew and equipment, plan the mission, choose the research projects you'll be conducting in space, and even design the spacecraft itself. Each piece of equipment and astronaut you choose eats into your ten billion dollar budget. And you ain't going nowhere until you get approval for your flight plan.

This is a complete simulation. In choosing your crew, you've got to select six people from a pool of 32 potential astronauts. Each one has a different personality and level of expertise. Mac Stevens, for instance, is rated as very competent, but not very imaginative. Joe Church is more charismatic and less dependable. For each candidate, you'll also learn the last book read and a favorite quote, and you'll get an evaluation by other astronauts. (You probably won't be willing to trust your mission to the guy who says, "It's five o'clock. Time to party.")

When you finally get the A-OK for launch, you've got to steer skillfully, conduct your experiments in space, and make a perfect landing.

Like all ambitious projects, *Project: Space Station* has a goal. Is it to explore new galaxies and worlds? Is it to boldly go where no human has gone before? Is it to reach a new dimension of space and time? Is it to take a small step for man and a giant leap for mankind?

No. No. No. No. None of that 1960s idealistic stuff. The goal is to make the shuttle a commercial success. This is a real-life simulation for the 1980s. Only in America.

HesWare, for Apple II, Commodore 64/128.

Other programs to look for: Orbiter (Spectrum Holobyte), for IBM PC, Macintosh; Space Shuttle: A Journey into Space (Activision), for Apple II, Atari, Commodore 64/128; Shuttle Designer (Simpletec), for Commodore 64/128.

Miscellaneous

Plug Your Wristwatch Into Your Computer

Chester Gould never lived to see a wristwatch that could be plugged into a computer. Gould died a month before Seiko introduced its PC Datagraph. Somehow it seems fitting that the computer wristwatch wouldn't be invented until the creator of Dick Tracy had passed away.

Gould gave Tracy his famous wristradio, and he probably would have strapped this new electronic gizmo onto Tracy's wrist in a minute. It looks pretty much like a regular watch, but it does a lot more. The watch stores 2K (2000 characters) of memory. Not much, compared with today's 512K computers. But, remember, it doesn't sit on your desk—it weighs two ounces and it's strapped to your arm.

The face of the Seiko RC-4000 has a 24-character readout and will store a list of phone numbers, addresses, your daily schedule of appointments, your grocery list, or maybe some foreign language phrases you need to keep "on hand" while traveling. Dick Tracy might have used one to keep track of his court appearances so that Pruneface, Gravel Gertie, and other assorted creeps would stay safely locked behind bars.

Did you forget your relatives' birthdays or anniversaries this year? You can program reminders into the computer watch up to a *year* in advance, and it will beep when the time comes to tell you to call the folks. Nobody can ever say that you're thoughtless again. For absent-minded people, this may be the greatest thing since lost and found departments. It won't be long before students are hiding electronic crib sheets on their wrists—and teachers have to remove all watches before examinations.

The best thing about the Seiko watch is that you can hook it directly to a computer with a cable that attaches to the serial port. You can, for instance, type your daily schedule into your computer and then transmit that information to the watch so you can look at it during the day.

I know what you're thinking who needs a computer built into a watch? Most of us get along fine with our paper calendars and scraps of paper. The people who buy computer watches are probably the tekkies, the status seekers, and the guys who want to be the first on their block with the latest electronic gadget.

Oh, by the way, computer watches also keep excellent time.

Seiko, for Apple II, Commodore 64/128, IBM PC.

Find Out How Many

Miles You Are From Anywhere London is 212 miles from Paris, 3451 miles from New York, and 3906 miles from Greensboro, North Carolina. How do I know? I looked it up in the *Concepts Computerized Atlas*, from Software Concepts. The program will tell you how far you

Cwww.commodore.ca



are from just about any city on the planet (2500 of them, anyway). It will also tell you each city's population, latitude, and longitude, and it will even draw a map of the area right on your screen.

Almanacs and atlases aren't particularly exciting. They don't make *People* magazine or "Entertainment Tonight." They sit on the shelf gathering dust until you suddenly need to know the capital of Zimbabwe. But the new breed of computerized reference books that are coming out may shake things up a little. Instead of dragging out a ten-pound book and searching through thousands of pages, you can pop a three-inch disk into your computer and let it do the searching for you.

Admittedly, computerized reference programs don't yet match the bulk of information in books. Hippopotamus Software's Hippo Computer Almanac contains just 35,000 facts, compared to over a million in The 1986 World Almanac and Book of Facts. But the Hippo Almanac excels at interactive information. You can instruct it to convert 23 gallons into liters, or 90,067 meters into feet. Your computer will have the answer in seconds. This computerized almanac can translate common words into more than a dozen languages. It can tell you what time it is in Tokyo right now, or how many miles you are from Newark, New Jersey. It will convert units of time, mass, distance, volume, or energy for you.

You can ask *Hippo* a question like, "What is the monthly payment on a \$45,000, 12 percent, 30-year loan?" Two seconds later—\$411. There isn't a book in the world that can do that.

Unlike most computer programs, *Hippo Computer Almanac* understands English sentences. If you type, "What is the zip code for Duluth?" you get the answer. That's a lot easier than looking up Duluth in the table of contents, finding the page, and then finding the information.

Hippo understands English, but it's not a genius. Here's what I went through to get the answer to a simple question:

Me: How many calories in a Coke? Hippo: That's not a valid conversion. Me: How many calories in a soda? Hippo: There are 12 calories in one average soda cracker.

Me: How many calories in a cola?

Hippo: There are 94 calories in one cup of cola drinks.

They may not replace the paper almanacs yet, but these programs show the potential for using the computer as a reference tool.

Software Concepts, for Apple II, IBM PC, Macintosh.

Hippopotamus Software, for Atari ST, Macintosh.

Other programs to look for: The Millennium Electronic Almanac (Avant-Garde), for Apple II, IBM PC.

Software For Just About Any Business

The Gorsline Runciman Funeral Parlor in Lansing, Michigan, is an up-to-date company. It uses a computer program called *Funeral Director's Management System*. "It pays our bills, generates minister's clergy records and death certificates," says chapel manager Jordan Odell. The program is made by Davidson Software Systems, also located in Lansing.

It's no gag—funeral parlors can use computers to streamline their operations, just like any other business.

There seems to be a mistaken belief that computers in business are limited to the accountants of large companies. Since computers are number crunchers, people think, they're only useful to "number people."

In the last few years, software packages that are specifically made for individual types of companies have started coming out. There are programs that help doctors and dentists run their offices. There are programs geared toward video store owners. There are programs, not only for funeral directors, but even for auto body shops, junk yards, and pig farmers.

If you run a business, chances are there's a computer program that can help you run it better. You don't have to do any programming—the software is designed for your particular profession.

In the computer industry, this is called vertical software—pro-

grams that have been customized for specific purposes. Every business has its own needs. Doctors need to keep track of upcoming appointments. Sales reps need to keep track of sales leads. Pig farmers need to keep track of . . . well, pigs. Vertical software is designed to accomplish a particular task that is unique to a certain profession. It came about because people realized that the software out there solved only general problems; it didn't solve their particular problem.

If you think computers can be useful only to accountants, here are a few of the vertical software programs available for various professions:

Video Cash Register. Helps a video store keep track of tapes out for rental and members of the video club. (Custom Computer Software.)

Hollander Computer System. For the salvage yard boss who wants to know instantly which parts are in stock, their condition, location, and selling price. (Hollander Publishing, for IBM PC.)

OR-D Medical/Dental Management System. Manages a doctor's patient recall, progress reports, billing statements, insurance forms, prescriptions, referrals, and other paperwork. (OR-D Systems, for Apple II, AT&T, IBM PC, Macintosh.)

The Apparel Manager. Helps fashion apparel retailers write purchase orders, print up price tags, and determine the proper order levels. (Retail Solutions, for IBM PC.)

Real Estate Professional. A calendar/appointment schedule program that also helps a real estate office do expense reports and correspondence. (National Microware, for IBM PC.)

H.E.L.P. Health clubs and athletic trainers can design fitness programs by telling the computer the patient's age, sex, body fat, stress level, lifestyle, and diet. (CMA Micro Computer, for Apple II.)

Auto Body Computer. Auto body shops are using this package to help estimate job costing, write damage reports, and assist with their finances. (Automotive Computer Group, for IBM PC.)

There are hundreds more for every business imaginable. Check for ads and articles in your industry's trade magazines.

Acorn Software 353 W. Lancaster Ave. Radnor Square Wayne, PA 19087

Activision 2350 Bayshore Frontage Rd. Mountain View, CA 94043

Andent 1000 North Ave. Waukegan, IL 60085

Artworx 1844 Penfield Rd. Penfield, NY 14526

Automotive Computer Group 1421-B Court St. Clearwater, FL 33516

Autumn Color Software 4132 Lay St. Des Moines, IA 50317

Avant-Garde 37B Commercial Blvd. Novata, CA 94947

Bantam Electronic Publishing 666 Fifth Ave. New York, NY 10103

Body-Log 120 Mt. Kisco Ave. Mt. Kisco, NY 10549

Brain Builders P.O. Box 11324 Hauppauge, NY 11788

Brainpower 24009 Ventura Blvd., Ste. 250 Calabasas, CA 91302

Brøderbund Software 17 Paul Dr. San Rafael, CA 94903

Camde 46 Prince St. Rochester, NY 14607

CBS Interactive Learning 1 Fawcett Pl. Greenwich, CT 06836

CMA Micro Computer 55722 Sante Fe Trail Yucca Valley, CA 92284

Compu-Job Software 20516 Lorne Taylor, MI 48180

CTRL Health Software 18653 Ventura Blvd., #348 Tarzana, CA 91356

Custom Computer Software 1108 Woodshire Dr. Knoxville, TN 37922

Cyclone Software 3305 Macomb St. NW Washington, DC 20008

Datasoft 19808 Nordhoff Pl. Chatsworth, CA 91311

Davidson & Associates 3135 Kashiwa St. Torrance, CA 90505

Software Sources For more information on any of the products mentioned in the preceding article, please contact:

Designware 185 Berry St. San Francisco, CA 94107 DHC Educational Software 125 Spring St. Lexington, MA 02173

Dynacomp 1064 Gravel Rd. Webster, NY 14580

fischertechnik fischer America 175 Rte. 46 W. Fairfield, NJ 07006

F/22 Press P.O. Box 141 Leonia, NJ 07605

Genealogy Software P.O. Box 1151 Port Huron, MI 48061

Gessler 900 Broadway New York, NY 10003

Hayden Software 600 Suffolk St. Lowell, MA 01854

HesWare 390 Swift Ave. #14 South San Francisco, CA 94080

Hippopotamus Software 985 University Ave., Ste. 12 Los Gatos, CA 95030

Hollander Publishing P.O. Box 9405 Minneapolis, MN 55440

ISC Consultants 14 E. 4th St., Ste. 602 New York, NY 10012

JAL Software Box 128 S. Milwaukee, WI 53172

Mindscape 3444 Dundee Rd. Northbrook, IL 60062

Multibotics #A2561 South 1560 West Woodscross, UT 84087

National Microware 2102 Business Center Irvine, CA 92715

OR-D Systems 1 Martin Ave. Cherry Hill, NJ 08002

Passport Music Software 625 Miramontes St. Half Moon Bay, CA 94019

Piedmont Specialty Software Box 6637 Macon, GA 31208

Polygon Industries P.O. Box 24615 New Orleans, LA 70184

Psycom Software 2118 Forest Lake Dr. Cincinnati, OH 45244 Quinsept P.O. Box 216 Lexington, MA 02173

Retail Solutions 1227 Innsbruck Dr. Sunnyvale, CA 94089

Russian Software P.O. Box 36 1744 W. Devon Chicago, IL 60660

Scarborough Systems 55 South Broadway Tarrytown, NY 10591

Seiko Hattori Corporation Consumer Electronics 1330 W. Walnut Pkwy. Compton, CA 90220

Shenandoah Software P.O. Box 776 Harrisonburg, VA 22801

Sight & Sound Music Software 3200 S. 166th St. New Berlin, WI 53151

Simon & Schuster Electronic Publishing Group Gulf & Western Building 1 G & W Plaza New York, NY 10023

Softsync 162 Madison Ave. New York, NY 10016

Software Concepts 1116 Summer St. Stamford, CT 06905

Spectrum Holobyte 1050 Walnut, Ste. 325 Boulder, CO 80302

Spinnaker 1 Kendall Square Cambridge, MA 02139

Springboard 7808 Creekridge Cir. Minneapolis, MN 55435

Sunburst 39 Washington Ave. Pleasantville, NY 10570

Tech 2000 Software 263 Lugonia St. Newport Beach, CA 92663

Thought Technology 2180 Belgrave Ave. Montreal, Quebec, Canada H4A 2L8

Timeworks 444 Lake Cook Rd. Deerfield, IL 60015

Videoware 19777 W. 12 Mile Rd., Ste. 180 Southfield, MI 48076

C www.commodore.ca

ProWrite For The Amiga

Ervin Bobo

Requirements: Amiga with 512K minimum of memory (1 megabyte recommended) and Kickstart 1.2.

At first glance, *ProWrite* appeared to be a fancy word processor, but it soon proved to be more than that. It is a kind of bridge between word processing and desktop publishing, and because of this we thought it best to look at the separate parts and then see how they add up.

As a word processor, *ProWrite* gives you many useful features, including a working mode of Insert, which we've always found preferable to Strikeover. The default font is 12-point diamond, which gives you a large and readable screen display as well as a clear hardcopy. Left and right margins are set by moving arrows on the ruler at the top of the page, and paragraph indention can be automatic. Headers and footers are supported, and these can either be displayed as you work or be hidden until the document becomes hardcopy.

The "clipboard" buffer makes cutting and moving of text easy, and since *ProWrite* is multitasking—giving you the ability to work on several documents simultaneously—this moving and pasting may take place between documents as well as within a single document.

Since *ProWrite* is a WYSIWYG (What You See Is What You Get) word processor, there is never any doubt about how your document will look as hardcopy: It will look as it does on the screen display, down to and including the colors. The program supports a variety of color printers.

Other features include Find and Change—which most of us know as Search and Replace—as well as the ability to emphasize words or phrases by means of underlining, boldface, italics, or using all three in combination.

Combining Text And Graphics

As a publishing program, *ProWrite* is effective and imaginative because of its



Reviews

ProWrite offers a unique combination of word processing and graphics.

ability to combine text with graphics, to mix as many as ten fonts in a variety of sizes, to show and print your text in a rainbow of colors, and to place text so that it will wrap around a graphic.

In using graphics, *ProWrite* supports IFF (Interchange File Format), which has become a standard. Because of this, you can incorporate into your document pictures made with such programs as *Deluxe Paint*, *Aegis Images*, *Draw Plus*, and more. Creating your own pictures with such programs and then using them with text will personalize your memos and manifestos in a way that no word processor could.

Because it treats text and graphics as equals, no arcane moves are necessary to add a picture to your document. Select the desired image from a pop-up directory and select the amount of shading you wish *ProWrite* to give it, and the graphic appears on your screen where it can be dragged into the appropriate place among your words. You'll also find it convenient that pictures can be moved between documents just as easily as you'd move text.

(A special note: The original release of *ProWrite* worked only in hi-res mode. Because of the screen flicker inherent with hi res, the upgrade version now offers a medium-res flicker-free mode. Drawings loaded into a mediumres document will be compressed horizontally but will print with correct proportions. The upgrade version is free to all registered owners of *ProWrite*.)

Where words are concerned, Pro-

Write gives you the standard Amiga fonts as well as an additional three. The largest size offered is 20 points, precluding you from making large headlines, but you still should be able to grab attention. If the size of the type won't do it, try coloring. Highlight an area as small as one letter or as large as an entire page, then go to the pulldown menu and select another color. Or gain emphasis by mixing fonts. As with every operation in *ProWrite*, these are quick and simple.

Desktop Publishing?

In referring to *ProWrite* as a desktop publishing program, we are using one of the broader definitions of a term that will surely be bandied about and misused for years to come. Since *ProWrite* does not contain routines for creating graphics (such as drawing lines or boxes), since it does not support fonts larger than 20 points, and since it will not format text into newspaperlike columns, it will not fit the narrower definitions.

Yet while you can't publish a newspaper, you could use it to combine text and illustrations into a children's book, a company report or memo, or a uniquely personal note.

As with any graphics-oriented program, memory is at a premium when using *ProWrite*. Expansion memory will help, but the Amiga can address only 512K of graphics memory, and it is possible to use up the graphics memory and crash while still having free expansion memory. Fortunately, a touch of the Help key will invoke a pop-up window to inform you of memory usage. We'd suggest you refer to this before bringing in a new graphic or opening a new document.

Because all final drafts of a document are printed as graphics (even if your work contains only text), expect to spend some time waiting for hardcopy to emerge from your printer. If nothing emerges, check the settings in Preferences—*ProWrite* may be the first software you've seen to have serial printing set as a default. This is because the default printer is the Apple Imagewriter II. After changing to parallel output, we found that the Okimate 20 color printer works quite well. Documentation is good, without being overlong or overbearing. Because it incorporates so many of the Amiga protocols, we think you'll find the use of *ProWrite* almost instinctive, and that you'll use the documentation simply as a reference tool for some of the finer points of usage and creation.

Although *ProWrite* is neither an excellent word processor nor a fullfledged publishing program, it fills a gap between the two, and it is for those who occasionally wish to create a document that grabs attention quickly. It is a program you'll use when words alone can't express what you must say. And, because a picture is worth a thousand words, *ProWrite* can turn what might have been a long document into a page of text with a picture.

Prowrite

New Horizons Software P.O. Box 43167 Austin, TX 78745 \$124.95

Tornado Notes

Keith Ferrell, Features Editor

Requirements: IBM PC, XT, or AT, or compatibles; DOS 2.0 or higher; 128K RAM or higher.

Several times a day I find myself making the following resolution: This time the desk stays *clean*.

It doesn't, of course. Ideas occur and get jotted on whatever paper is closest to hand; notes and requests arrive from various sources and find their way into the mix; scribbled reminders of items on my agenda, reference notes and citations, phone messages—it can take a few hours to clean my desk but only a few minutes to pile it high once more.

I'm not alone in this. Harold Geneen, former head of ITT, can become positively poetic extolling the virtues of a cluttered, busy desk, and in his management book advises distrust of those whose desks are too often too clean. Not that there are many of those: From vivid evidence obtained on visits to other offices, sessions seated on the other side of other cluttered desks, I've gathered pretty conclusively that the at least occasionally chaotic desk is pretty close to being a species norm.

Tornado Notes offers a clever RAMresident solution to the chaotic desk approach to work. The program uses windows to simulate notes of various sizes and configurations, interleaving and overlapping them on the monitor so that you face an apparent pile of notes, ready to be sorted.

Browsing Is A Breeze

That sorting, though, like almost all of the other features of *Tornado Notes*, is elegantly programmed, and is available to users in a variety of ways. Using the up- and down-arrow keys, you can browse through the pile a note at a time, setting a leisurely pace for cleaning out the notefile, or flying through the pile almost faster than your eye can follow. The current note is highlighted to catch your attention. A simple two-key command (and one of those accesses an alternate menu) lets your computer do the walking, flipping automatically through the whole pile of notes.

Keepers of chaotic desktops occasionally seek to impose order through coding schemes—this color for all notes related to that matter, pink for all phone messages, and so on. Given enough time and sufficient clutter, you can conceive pure palettes of potential organization—and have the whole rainbow fall apart the first time you apply the wrong color to a purpose.

Tornado Notes deals with that dilemma by way of a search mode through which you can separate a specific pile of notes from the general morass. The key that you search for to create your subpile can be any word, graphics symbol, or combination contained in a note. Once the key is requested, the program gathers all the notes sharing the key, and you have a dedicated pile of notes at your disposal. The search mode is smart and quick. No matter how I tried to fool it, the Get function provided me with the right group of common notes each time I tested or used the function.

Not all notes are created equal. Some of mine are little more than a hurriedly scribbled word or phrase; others are several lines or even paragraphs long. Tornado Notes accommodates the occasional need for lengthor longwindedness-with a function that lets users alter the dimensions of the notefield. If you wish, notes can be stretched to cover the whole screen, shrunk to encapsulate a single word or phrase, made tall and narrow or squat and wide. I've found the program's default to be sensibly sized for the majority of my notes: three inches tall by two inches wide. Once the note is entered, the box shrinks to the minimum size.

Easy To Use

Getting into *Tornado Notes* is easy (easier, in fact, than it sometimes is to find an appropriate scrap of paper for a note). Once the program is loaded into memory, accessing it is simply a matter of pressing Alt-J. Once you're done with your notes—and they're saved to disk—returning to your other work is

as easy as pressing the C key. When a note has outlived its usefulness, the T key provides a trashcan for dumping it.

The introductory tutorial is brief and engaging, guiding you through the basic functions and features of the program without going into exhaustive detail. One of the notes in the tutorial explains Micro Logic's thinking, advising users simply to get started making notes. A new notefield is called up by pressing N; Esc gets you out of the edit mode and adds the new note to the pile. *Tornado Notes* makes it easy to create dedicated piles of notes—this one for phone messages, that one for reference notes, and so on.

There are all sorts of elegant and engaging extras built into Tornado Notes. A special notepile called Facts is a collection of just that: measurement conventions and conversions, ASCII code tables, forms that can prove useful as standard note formats for messages and memoranda, and so on. The program constantly reminds users to save their notes to disk, lest they be lost when the computer is shut off; once the habit of saving is acquired, the reminders can be turned off. Color is adjustable on color monitors, as is shading on monochrome. Dating each note is as simple as pressing Esc-T. Time-stamping notes is a bit problematical, as it is invoked by Esc-T; until I got the right key rhythm for time-stamping, I found that when I pressed Esc-T, it tended to summon the trashcan instead of placing the time.

Tornado Notes resides neatly in RAM, with its default set at 20K. The residency is easily reconfigured to use as little as 5K, or-for those who take lots of notes-it can use much more than 20K. Included in a read.me file on the disk are those programs with which Tornado Notes has trouble sharing residency. The program is not copy-protected, so it can be backed up or added to a mass storage device. The manual provides clear instructions on loading the program onto a hard disk, if one is available. I added Tornado Notes to my autoexec batch file; when my computer boots up, so does Tornado Notes, ready to go at the stroke of a key.

Did Tornado Notes solve the problem of my cluttered desk? Sort of. Handwritten notes have disappeared everything goes to Tornado Notes right away. The desk space freed by the program, though, quickly became filled by books, magazines, more. Maybe there's a marketing opportunity here—Tornado Tomes anyone?

Tornado Notes Micro Logic Box 174 Hackensack, NJ 07602 \$49.95; volume discounts available.

Warship

Neil Randall

Requirements: Commodore 64, Apple II series, or Atari 8-bit computer.

To quote the game's introduction, "Warship is a game of tactical-level naval combat between Japanese and Allied ships from 1941 to 1945." For those familiar with computer wargames, this is self-explanatory. For others, the statement is almost certain to destroy whatever interest they may have had.

I have always wondered why SSI begins its manuals in this manner. True, SSI's games appeal mostly to an audience experienced in wargames, but surely a friendlier, more explanatory introduction would at least allow a newcomer to get involved. SSI's manuals are otherwise consistently superb. Colorful and well-organized, the typical SSI manual provides more pure information about the topic than practically any other game manuals.

Like most SSI games, Warship provides a wealth of detail about its subject. Here the topic is World War II naval combat, with Japanese ships fighting against ships from the Allied countries. The section of the manual entitled Ship Data, with its attractive pictures of individual ships and its concisely displayed information, gives a hint of the complexity built into the game. But in fact the game plays much more smoothly than this wealth of information would suggest.

During each turn, players move their ships, set targets, fire guns and torpedoes at enemy ships, and try to maneuver into favorable positions. Ships can be commanded either individually or as part of a division, which means that the game will play as quickly or as slowly as the players wish. If they want a quick game, the players need use only the division menu, commanding each division to move in a specific direction, firing when the computer deems it appropriate, changing commands only when the original plan begins to go awry. If the players want more control over their fleets, they can command each ship in turn, worrying about such details as visual-fire control versus radar-fire control, assigning ships to particular divisions, targeting on individual enemy ships, and even making smoke.

Warship provides three historical scenarios and one hypothetical scenario. Challenging enough on their own, these scenarios can be supplemented by scenarios created by the players from scratch. The game allows you to design your own maps, modify the technical data for each ship, and even set damage control levels. In other words, if you are interested in WWII tactical naval combat, or if you become interested as a result of playing the game, the game itself will never grow stale. You can set up and play any historical or hypothetical engagement, altering history to suit your particular interest.

Warship is entertaining, either solitaire or against a human opponent. It plays quite quickly, and the interface is less intimidating than that of many other wargames. With its informative and thoroughly professional manual, the game should teach even the most experienced wargamer a considerable amount about naval battles in the Pacific.

Warship

Strategic Simulations (SSI) 1046 N. Rengstorff Ave. Mountain View, CA 94093 \$59.95

PHM Pegasus

James V. Trunzo

Requirements: Apple II series and Commodore 64 computers.

Recent releases like *Skyfox* and *Arcticfox* have placed gamers in the pilot seats of futuristic supercraft—vehicles complete with incredible weapons, defenses, and surveillance equipment. Electronic Arts' newest arcade/simulation is based in present-day reality; yet once you've experienced the immense firepower and maneuverability of this latest toy, you'll swear you've gone "back to the future."

PHM Pegasus installs you at the helm of one of three different NATO hydrofoils, equipped with the most advanced instrumentation and weapons systems currently available. These hydrofoils, authentic to the last detail thanks to technical consulting done by Boeing Marine systems, are the jets of sea surface, combining mindboggling speed with devastating firepower.

Once you take command of a (P)atrol (H)ydrofoil (M)isslecraft, your training commences with "simple" seek-and-destroy missions. These introductory scenarios allow you to familiarize yourself with the controls of the craft in which you are in charge.

A large-scale view of the theater of operations permits you to set an autocourse for your target area (and in more advanced scenarios, you control search helicopters and convoy ships). Once there, the bridge view allows you to engage and control the functions available on the control panel in front of you, while scanning the enemy-crowded seascape.

Excellent 3-D Graphics

Graphics in PHM Pegasus are up to Electronic Arts' usual standards, and unlike many arcade/war simulations currently on the market (including Skyfox and Arcticfox), the simulated 3-D graphics are solid-fill, not outlines. This feature is not only helpful but also essential when it comes to identifying vessel type. Such identification takes practice, and the enclosed cardboard spotter cards are a must, especially in advanced scenarios when many of the ships encountered are not enemy vessels-and you don't want to destroy those unless you want to be demoted to deck-mopper status.

When combat does occur, your arsenal consists of a 76mm water-cooled naval gun-a short-ranged rapid fire cannon which is great against enemy patrol boats; Harpoon-, Exorcet-, or Gabriel-guided missiles-whose 90 percent accuracy comes in handy against such heavyweight antagonists as the 900-ton Nanuchuka II Missile Corvettes and ASSAD missile boats (the latter capable of attacking from 80 miles awayyour effective firing range is half of that); and Chaff Rockets-exploding rockets that disperse aluminum foil in the air, attracting and deflecting enemy missiles away from your hydrofoil.

Game play is fast and furious. Strategy is important, especially in escort or scouting missions when observation or escape is more important than destruction of enemy craft. Ship repairs are not possible during a scenario, so damage is a factor which must be monitored carefully. Loss of speed, for example, can be as harmful as loss of firepower. As long as the hydrofoil is skimming the water, it can't sink, even with hull damage; however, as soon as the foil slows down, it settles into the water and the hull fills.

Contemporary Scenarios

Eight scenarios are available for play, their objectives ranging from escorting ships out of the Persian Gulf to photographic surveillance of ships smuggling military equipment to Nicaragua. You might be ordered to destroy terrorist ships off the coast of Sicily or to navigate the Yucatan Straits between Mexico and Cuba on your way to South America. Part of the enjoyment of PHM Pegasus lies in the fact that your missions take place in today's hot spots like the Gulf of Sidra and the Eastern Mediterranean. You can almost feel the tension as you spot Soviet-built ships heading towards you across the "Line



PHM Pegasus is an authentic simulation that places you at the helm of one of three NATO hydrofoils.

of Death."

PHM Pegasus is a well-balanced blend of complexity and playability. It isn't an overly difficult game to play,

Create A Calendar

Ervin Bobo

Requirements: Commodore 64, Apple II– series with a minimum of 64K, and IBM PC and compatibles with a minimum of 256K.

At first glance, a program for creating calendars may seem superfluous; each year, most of us are inundated with calendars from funeral homes and insurance agents (probably to remind us that time is running out)—so much so that it becomes difficult to find enough wall or desk space for them all.

Create a Calendar from Epyx, however, does just what its title implies: It allows you to create a calendar from scratch or from a template, and to populate it with the events you feel are most important. In doing so, you may highlight Aunt Martha's birthday, your next dental appointment, Walpurgis-Nacht (these days found on very few commercial calendars)—anything, in fact, that may assume more than momentary importance.

In using *Calendar*, you'll first be asked to insert a data disk for initialization. Bear in mind that there will be only one calendar per data disk, which at first may seem wasteful, but that single calendar can be printed in a variety of ways and can be re-edited at any time. If you become upset with George Washington and decide to eliminate his birthday from your party planning calendar, you may do so.

Next, select a title for the calendar. There is no need to get cute about this, since the title is for filing purposes only: It will not appear on the printed result. Then type in the numbers of the year in which you are interested. Unless you yet it is a very challenging game to master. Sound effects synchronize perfectly with the splash of missed shots or the explosion of ships hit by your guided missles; full-screen graphics clearly depict the action in both the strategic and tactical modes; and a thoroughly documented manual gets you into the action quickly. What more could you ask for from a game of this type?

PHM Pegasus is a worthy addition to even the casual game player's collection. It's a must if you are an action fanatic looking for a new challenge.

PHM Pegasus Electronic Arts 1820 Gateway Dr. San Mateo, CA 94404 \$29.95 Commodore 64 version \$39.95 Apple II-series version

are doing research for a novel or a historical treatise, there seems little point to going backward in time, or too far forward, for that matter. But both can be done—you can go back as far as 1753 or as far forward as 9999.

Then choose the template with which you wish to work. There is one for historical dates, another for holidays, still another for Jewish holidays, one for holidays plus, and one blank. In making your choice, you are opting for a template where pertinent dates will be highlighted automatically with text and graphics.

Scheduling Aunt Martha

Once you have filled in this date, you select a month on which to work. Here we get to the meat of the program, where dates can be individually edited. It is in this mode, for example, that you enter and edit text pertaining to Aunt Martha's birthday—or to her impending two-week visit.

Choose a date, and the screen changes to show only that day. The cursor takes position at the vertical middle, and you can enter as many as five lines of text. Each line is necessarily short, but should be enough to call attention to the date and its special events. If it's not, you may also select a graphic from more than eighty on the flip side of the program disk, or from a compatible graphics library such as Epyx's Graphic Scrapbook Collection. The graphic will appear in the upper part of the box.

Should you wish only a monthly calendar, you may stop there. Otherwise, you may fill in important dates for each month of the year. If you deal with recurring events, such as a user's group meeting on the fifteenth of each month, the "repeat this date" option will automatically fill them in for every month.

When the calendar has been created and is ready to be printed, you may include a credit line to let everyone know who was responsible. Prior to printing, you'll make a choice of whether you want a daily calendar, in which one full sheet will hold only two days; a weekly, in which a single week is printed vertically on a full page; an annual, which shows the entire year (with highlighted dates indicated by bold type only); a banner, in which a year is printed horizontally over six pages; or an events list, which extracts all important dates, groups them by month, and prints them as a list. With the exception of the yearly calendar and the events list, all printouts will show the text and graphics you used to highlight dates.

It is primarily in the printing mode that *Create a Calendar* exhibits its one drawback. Because of the broad nature of the piece, the program is on side A of the disk; graphics, fonts (five of them) and borders (twelve from which to choose) are on side B; and your personally created parameters are on your data disk. This situation necessitates a great deal of disk-swapping, yet there seems no way in which it could have been minimized. The program is tight and organized, and the slight inconvenience results from the complexity of the subject rather than from sloppy work.

Since it is a dedicated program, *Create a Calendar* offers a greater variety of choices than programs which have simply included calendars as one more option in a printing program. Once you've set up a particular year on a data disk, you may go back to it time and again to print out whichever type of calendar is currently most useful.

Documentation is good, leading you through the creative process one step at a time and providing ample illustrations so you'll know what to expect. Your printer configuration is saved to the master disk so that it need be done only upon the program's first booting, and all fonts used by the program result in text that is clear and easy to read at a glance. Daily, weekly, and monthly calendars use date boxes large enough that you may pencil in any important dates forgotten during the creative process-large enough even for the chilling message that Aunt Martha will arrive early and stay longer.

Create A Calendar Epyx 600 Galveston Dr. Redwood City, CA 94063 \$29.95

C-www.commodore.ca

O

From the publishers of COMPUTE!



September 1987 COMPUTE! Disk

All the exciting programs from the past three issues of *COMPUTE!* are on timesaving, error-free, floppy disks that are ready to load on your IBM PC and PCjr or Commodore 64 and 128. The September 1987 *COMPUTE! Disks* contain the entertaining and useful Commodore or IBM programs from the July, August, and September 1987 issues of *COMPUTE!*.

The September 1987 *COMPUTE! Disk* costs \$12.95 plus \$2.00 shipping and handling and is available only from COMPUTE! Publications. Please specify whether you need a Commodore or IBM disk.

For added savings and convenience, you may also subscribe to the *COM*-*PUTE! Disk.* At a cost of only \$39.95 a year (a \$12.00 savings), you'll receive four disks, one every three months. Each disk will contain all the programs for your machine from the previous three issues of *COMPUTE!.* To order a subscription, call toll free 1-800-727-6937.

This is an excellent way to build your software library while you enjoy the quality programs from *COMPUTE*!.

Disks and subscriptions are available for Apple, Atari, Commodore 64 and 128, and IBM personal computers. Call for details.

For more information or to order individual issues of the September 1987 *COMPUTE! Disk,* call toll free 1-800-346-6767 (in NY 212-887-8525) 10:00 AM-12:30 PM or 1:30 PM-3:00 PM EST, or write *COMPUTE! Disk,* P.O. Box 5038, F.D.R. Station, New York, NY 10150.



Part of ABC Consumer Mogazines, inc. One of the ABC Publishing Companies 825 7th Avenue, oth Floor, New York, NY 10019 Publishes of COMPUTEI, COMPUTEI's Gazette, COMPUTEI's Gazette Disk, COMPUTEI Books, COMPUTEI's Apple Applications, and COMPUTEI's Atari ST Disk & Magazine. The Beginner's Page

Interactive Programming

Many people start programming by writing a demonstration program type RUN and the computer performs. The beginning programmer may write PRINT statements that leave a message for the person running the program, or create a graphics or music demo to show off the computer's capabilities. The next step is to write an *interactive* program—one that involves the user.

Regena

An interactive program asks a question, and the user either types an answer or presses a key to answer. The computer then acts upon that input. The command most commonly used for interaction is INPUT, and there are many forms of the INPUT statement. We'll cover the general forms in this column, and then you can experiment and see what will actually work on your particular computer.

When INPUT is used, the computer waits for the user to type something and then press the EN-TER or RETURN key. (To simplify matters, I'll just refer to the key as RETURN—your computer may call it the ENTER key instead.) Some computers automatically print a question mark, or a question mark and a space, and then show the cursor to indicate the user's turn to do something. Two sample statements are:

200 INPUT N 300 INPUT S\$

Line 200 asks for a number, so whatever value the user types will be assigned to the numeric variable N. Line 300 asks for a string; the user's input will be assigned to the string variable S\$. A string variable can contain alphabetic or numeric characters and symbols, or even a null string (entered by pressing RE-TURN without typing anything else), but a numeric variable must be a number only—the computer will print an error message if a string is entered. The previous example lines will cause the program to wait for the user to enter something. Notice that nothing else happens until the RETURN key is pressed. When writing a program, you'll need to tell the user what you want. You can use PRINT statements to print a message and then use the INPUT statement to receive the answer. For example:

100 PRINT "TYPE A NUMBER" 110 INPUT N 200 PRINT "WHAT IS YOUR NAME?" 210 INPUT NAME\$

Another form of using the IN-PUT command is to combine the PRINT and the INPUT into one statement using an *input prompt*. After the INPUT command, put in quotation marks the prompting message you want to print. Follow the last quotation mark with a semicolon and then the variable name:

100 INPUT "WHAT IS THE ANSWER";A 200 INPUT "WHAT IS YOUR NAME" ;NAME\$

This method keeps the input cursor on the same line as the prompt message. The printing method puts the input on the next line. You can also print a message, put a semicolon after the printed message, and then use an INPUT command.

100 PRINT "ENTER THE MONTH."; 110 INPUT MONTH\$

The version of BASIC for Atari eight-bit computers (those other than the ST line) does not allow an input prompt with the INPUT statement. Users of this dialect must always use the PRINT/INPUT combination.

Notice that INPUT normally prints a question mark to indicate that it is waiting for input. Some versions of BASIC allow you to suppress the question mark by using a comma instead of the semicolon after the input-prompt message:

200 INPUT "THE ANSWER IS ",A

Notice that I included a space before the last quotation mark to get a space before the input cursor. You can experiment with input prompts to get the proper spacing and to understand the differences between using a semicolon and a colon. (The IBM, Amiga, and Atari ST versions of BASIC allow this format; the Commodore, Atari eightbit, and Applesoft versions do not.)

You may ask for more than one variable in a single INPUT statement, but the variable names must be separated by commas. In this case, the user must enter the numbers or strings in the proper order, separated by commas:

200 INPUT "ENTER LAST NAME, FIRST NAME, CODE";L\$,F\$,C

The user must enter three items separated by commas such as SMITH,CINDY,456.

Using more than one variable in the INPUT statement can cause confusion, because a user who is unfamiliar with the program may not know exactly what is expected and may not use the commas properly. The error message in this case may also be confusing. Some computers use ?REDO FROM START to indicate insufficient input; you're then required to enter all items again. Other versions indicate that additional input is needed, in which case values or strings are accepted for the rest of the input items. The Commodore and Applesoft versions of BASIC print a pair of question marks to request additional input; BASIC for the Atari eight-bit models uses a single question mark.

To avoid problems, I prefer using a different INPUT statement for each item desired.

If you provide more values than the input requests, most versions of BASIC provide an error message to indicate this (?EXTRA IGNORED, for example). However, unlike other BASIC errors, this one does not halt program execution in most dialects.

The use of the comma as a separator imposes a restriction on what can be typed in response to an IN-PUT request. Specifically, your input cannot contain a comma. Some versions of BASIC also will not allow a colon (:) in the input line.

The following short interactive program illustrates different ways to use INPUT. Line 30 asks a question, and then line 40 receives an answer and puts it into the string variable N\$. Line 50 uses that variable N\$ in the PRINT statement. Line 70 asks a question requiring a numeric answer A. Line 80 then uses A in the printed response. Lines 100–140 illustrate one way of receiving input to add two numbers. The numbers are entered individually.

Line 30 uses a PRINT statement to ask for the input, and then line 40 uses INPUT alone. Line 70 uses an input prompt with a semicolon so the question mark is printed automatically. Lines 110 and 120 suppress the question mark by using the comma after an input prompt. You may find it necessary to modify this program to meet the restrictions of the INPUT statement in your dialect of BASIC.

30 PRINT "WHAT IS YOUR NAME?" 40 INPUT N\$ 50 PRINT "HELLO, ";N\$ 60 PRINT 70 INPUT "HOW OLD ARE YOU";A 80 PRINT A;"IS A GOOD AGE." 90 PRINT 100 PRINT "NOW ADD TWO NUMBERS." 110 INPUT "FIRST NUMBER IS ",N1 120 INPUT "SECOND NUMBER IS ",N2 130 PRINT 140 PRINT "THE SUM IS";N1+N2

150 END

INPUT receives whatever the user types in before pressing the RETURN key-whether it is one character, several lines of characters, or nothing. With INPUT, it is easy for the user to cause errors by entering something the program is not expecting. The result can be error messages or program crashes. You do need to be careful when using the INPUT statement. Try to be as specific as possible in asking for the input items. Next month, we'll discuss other methods of interactive programming that help the user to avoid INPUT errors. @

HIGH GRADE FUEL.

Davidson's new Math Blaster Plus is the highest octane math software program you can buy for your kids. Built by teachers to grow with kids—from addition and subtraction to multiplication, division, fractions, decimals, and percents.

Math Blaster Plus pumps in confidence and motivation, prints out Certificates of Excellence, and improves kids' grades from 1st grade through 6th.

With four motivating learning activities, exciting graphics and color, and a new action-packed arcade-style game, Math Blaster Plus makes learning fun. And, it has new pull-down menus that are easy to use with keyboard or mouse.

So pull into your local software dealer and pick-up





A Pres

Davidson.

Performance math software around—Math Blaster Plus. Call us toll-free for more information and for the name of the Authorized Davidson Dealer nearest you.

800-556-6141 or 213-534-4070 (California residents)

tes 1 through 6

ition & Subtracti

plication & Divis

-imala & F

Grades 1 through 6. Available for Apple* and IBM.* \$49.95 suggested retail.

Return this coupon to enter our monthly drawing for \$100 worth of free Davidson software* We'll also send you more information about all the high grade programs available from Davidson.

Name.

Address ____

City, State, Zip_

Type of Computer_

Davidson & Associates, Inc. 3135 Kashiwa St. Torrance, CA 90505

*NO PURCHASE NECESSARY Offer ends Dec 31 1988 Void wherever prohibited or restricted by law. Odds of winning will be determined by total number of entries received

C 9/87 © 1987 Davidson & Associates, Inc.



Davidson Celebrates

C www.commodore.ca





Music, Video, And FOR-NEXT Loops

When you walk into Bridget Logan's computer lab at Mountain Brook High School near Birmingham, Alabama, you take a giant step into the future.

The first thing you notice is that the student workstations are lined up along the wall instead of in rows facing the front of the room. The second thing you notice is the rock music coming softly from the speakers of the students' computer monitors. If you peer over the students' shoulders, you see BASIC programs on the monitors. But if you keep watching, the programs suddenly disappear and instead you see Bridget herself on the screens, talking about FOR-NEXT loops. A moment later, her face disappears from the screens and is replaced by the original BASIC program. As if guided by a ghostly hand, the program runs itself, and you hear Bridget's voice pointing out the program's highlights.

When you walk deeper into the room, you see Bridget's teacher workstation, which, with its two computers, VCR, video camera, and microphone, looks like the console on the Starship Enterprise. On one computer monitor is the FOR-NEXT video being "piped" into the student monitors. Bridget is at the second computer using a word processor to type the day's assignment onto the screen, which acts as an electronic blackboard.

When the FOR-NEXT video is over, she switches off the VCR, and an instant later the day's assignment appears on all the students' computers. Bridget leans over to her microphone and says, "All right, everyone, if you want to hear that next Bruce Springsteen cut, you'd better get busy on these programming problems." All the students hurry to press switches atop their monitors. The staccato sounds of keys clicking on keyboards mixes

with the newest Springsteen single playing on 15 speakers.

Meanwhile, Bridget begins preparing for the next lesson. She pops the FOR-NEXT videotape out of her VCR and loads in a videotape marked "The GOSUB Command." She turns to her second computer and loads a new demonstration program from the disk. She spins around and smiles. "One of the biggest advantages of this system,' she says, "is that I can let students work at their own pace. While some students are working on FOR-NEXT loops or GOSUB commands, other students can be solving advanced programming problems. Still others may need extra help, and I can replay my beginner tapes, visit their workstations, and give them personal attention. Distrivid makes individualized instruction a reality in the computer lab."

The Classroom Of The Future

Distrivid is the product that has turned Bridget Logan's computer lab into a classroom of the future. It was developed by Jimmy Alford and is being marketed by Micrologic, Inc. Jimmy, a computer engineer at Micrologic's retail store, Village Computers, came up with the idea when Bridget asked him to help her find large-screen monitors for her computer lab. Bridget needed the monitors to display computer problems and daily assignments for the 15–30 students in her six daily labs.

While he was looking around for monitors, Jimmy had an ingenious idea. Why not use a daisychain to wire the video signal from Bridget's master computer directly into all of her students' computers? With a little switch box mounted atop each computer monitor, a student could switch between the display coming from Bridget's computer and the display coming from his or her own computer.

Bridget grew excited about the idea and collaborated with Jimmy on its development. As the product evolved, Jimmy added the capability to plug in a VCR and send a video, movie, or TV program to each workstation. And he added both a microphone at the teacher workstation and the ability to mix audio sources so teachers could lecture with music or mix their voices with the sound from a video.

Distrivid has turned out to be more successful than Jimmy or Bridget ever imagined. It is the perfect "bridge" product for schools that are interested in interactive video but that cannot pay the high price of networked CD-ROMs and interactive videodisks. (Distrivid costs \$1,095 for the teacher's master unit and five student boxes, including cables and teacher's microphone. Each additional student box costs \$72.50. Micrologic will customize cables to fit different-sized classrooms. There is no practical limit to the number of workstations in a Distrivid network.)

Distrivid has been a hit at Mountain Brook High School. English teachers can show a movie to their students at their workstations; then the students can switch to their word processors and write about the movie. Social studies teachers can show movies, and students can switch to their database programs. Business teachers can show movies, and students can use their spreadsheets. Even the school's football coach is hooked. Each week before a game, he brings his team into Bridget's lab and shows his players a tape of the team they'll be playing next.

For more information about Distrivid, write: Jim Anderson, President, Micrologic, Inc.; 1720 Twenty-eighth Ave. S.; Homewood, AL 35243.



Microscope

Sheldon Leemon

The Micros Market Gets Serious

When the IBM PC first appeared, it divided the micro computer world into two distinct camps. On the low end of the price scale were *home* computers, like the Apple II, the Atari 800, and the Commodore 64. On the high end were the IBM PC and compatible computers. The PC computers were sold strictly as *business* machines, and most people bought them for the express purpose of running one or two specific business programs like *Lotus 1-2-3*, *Wordstar*, or *dBase*.

The focus of the home computer market, however, was much less precise. People bought inexpensive micros for a variety of reasons, sometimes with no clear idea of what they were going to do with them, other than play a few games and maybe balance their checkbooks. Some were hobbyists who liked to tinker with hardware and software, while others were just curious about what a computer could do. Even the advertisments for these home computers were a little vague as to their uses, talking about things like computer literacy, education, and entertainment (a euphemism for games).

In the last couple of years, however, the distinctions between home computers and business computers have begun to blur. On one hand, the computers from the traditional home computer companies like Atari and Commodore have become much more sophisticated. Nobody can seriously contend that a computer with a powerful 16-bit processor, a megabyte of RAM, and large disk storage capacity is a toy, even if it does cost under \$1,000. On the other hand, PC compatible computers have become much more affordable. Many large companies are following the lead of the Tandy 1000 and are introducing low-cost, easy-to-use PC compatibles.

Marketing distinctions be-

tween the two types of computers have also started to blur. Epson, for example, has announced that its new, low-price personal computer will be sold through the mass market-departments stores and discount houses. Atari and Commodore, on the other hand, seem to have abandoned the mass market as an outlet for their more powerful PCs. Atari announced that it will not be selling the ST at Toys "R" Us just about the time that Commodore said that it will sell the Amiga 500 only at specialty computer stores. Both companies have also announced that they'll begin extensive advertising campaigns in the fall, and their themes sound surprisingly similar.

Instead of selling computers, they're going to be selling "business solutions." The goal is to show how you can use the . (Amiga, Atari ST) to do _ (desktop publishing, word processing, graphic design, mailing lists, accounting, MIDI music composition) much more cheaply and easily than with the (IBM, Macintosh). This approach may ignore the fun aspect of computers that attracted early computer buyers, but at least it may finally dispell the "what do you do with it" attitude many people still feel toward personal computers.

It hasn't been too long since the announcement of the IBM PS/2 computers, but rumors of clones have already begun. Several companies have announced or shown graphics adapters that will upgrade existing compatibles to the new VGA graphics standard. Chips and Technologies, the noted manufacturer of high-density VLSI chip sets used in many compatibles, has been busy tearing apart the new models. They hope to have chips ready to ship to clone makers by the end of the year. The biggest challenge seems to be the new Micro Channel architecture. Although IBM has been comparing it to a four-lane highway, some engineers have found that there are a lot of tricky cloverleafs and detours. Still, Chips believes that it can come up with a system that's functionally identical without infringing on IBM's patents. Rather than copying IBM, they hope to come up with an alternate approach that will result in improved performance.

Intel recently announced that it had formalized specs for the 80486 microprocessor. The new model will have the equivalent of about ten times the number of transistor ciruits found on the just-introduced 80386. This will allow on-board functions like a memory-management unit (MMU) and floating point math operations. In fact, designers think that this chip will have all of the processing power of current IBM mainframes. But don't hold your breath waiting for it-the first samples won't be available until sometime after 1990.

In the meantime, Motorola isn't standing still, either. The 68030, the successor to the 68000 and 68020 should be available soon. This powerful chip is going to include a 256-word instruction cache, which should allow small program loops to execute super quickly. Work is also underway on the 78000 processor, a Reduced Instruction Set Chip (RISC). Instead of the 256-word instruction cache, this chip will have 256 general purpose registers. In addition to about 150 very short instructions, it's said to have programmable microcode, so that it can easily emulate the instruction set of other processors, like the 68030 or even Intel chips.

September 1987 COMPUTE 67

Telecomputing Today

Just When You Thought It Was Safe . . .

The tribe at the Federal Communications Commission is at it again. In April of this year, the Commission bowed to public pressure against surcharges for local computer access numbers provided by commercial information services, and dropped the matter from its Computer III inquiry. Two months later, in a classic demonstration of the concept of volatile memory, the Commission voted 4-0 to eliminate the present exemption against such surcharges on January 1, 1988. The FCC estimates that the surcharges could add as much as \$4.50 an hour to the cost of providing local access to commercial info services and \$9 an hour to Telenet's PC Pursuit. Anyone interested in jogging the Commission's recall is encouraged to write:

Arlan R. Levitan

Dennis Patrick, Chairman Mimi Weyforth Dawson James Quello Patricia Dennis 1919 M Street NW Washington, DC 20554

Southern Boarder

I managed to break away at the last minute to attend Spring COMDEX in Atlanta and camped at the IBIS Hotel, a French-owned inn which was so European that there was not a single drawer in the room. The staff wasn't even put off by my removing the room telephone's wall plate and installing an evillooking tangle of wires to hook up my trusty laptop's internal modem. Nice folks.

At the show, Touchbase Systems, manufacturers of the popular pocket-sized Worldport 1200-bps modem, displayed prototypes of a 2400-bps Worldport with a projected list price of \$349. The Worldport 2400 is no larger than its slower cousin and, according to Touchbase, will be available in September.

Hayes celebrated its tenth birthday by dropping the list prices of its 1200-and 2400-bps modems \$200 and \$300 respectively, and by announcing its new 9600-bps (\$1199) and 2400-bps (\$899) V-Series modems. The new units include automatic correction circuitry for error-free transmission, but shun the more common Microcom Networking Protocol (MNP), opting instead for support of protocols that are compatible with the business world's X.25 communications scheme.

Automatic data compression/ decompression circuitry is incorporated in the V-Series modems as well. Hayes estimates that transmission times for text-type files will be cut in half when the file transfer occurs between two V-Series compatible modems. Automatic Negotiation circuitry in the new products detect whether the modem on the other end is a V-Series and turns the compression and error correction options on if one of its brethren is sensed.

Owners of Hayes modems who wish to add the error correction, data compression, and automatic negotiation features to their existing units may purchase a stand-alone V-Series Modem Enhancer for \$199 until September 30, and for \$349 thereafter.

The jury is still out on whether Hayes's V-Series will fare better than the same-named "Lizards from Space" television fiasco of several years ago. Most experienced telecomputerists have been enjoying the benefits of data compression by using public domain Archive and Squeeze programs for years. While not automatic, compression ratios exceeding the projected 2:1 of the V-Series are the norm for such programs when dealing with text and spreadsheet files. Furthermore, the ARC programs allow multiple files to be combined into one for ease of transmission. Adding to the general confusion is the fact that the new Hayes 9600 and the US Robotics Courier HST, which has been finding favor with bulletin board SY-SOPs, are not compatible with each other at 9600 bps.

Tymnet's Clock Keeps Ticking—Users Take A Licking

Packet-switcher Tymnet mystified everyone and raised the dander of the hobbyist community at large in June by announcing that it was expanding its prime time period by an hour on each end. Tymnet users will now pay premium rates from 6 a.m. to 7 p.m. (instead of 7 a.m. to 6 p.m.). The rate increase fueled speculation that the number three packet-switching firm lacks the means to expand its present network without added capital.

For The Telecomputerist Who Has Everything

Collectors of telecomputing curiosities should take note of the IXO Computer, a paperback-sized terminal with built-in 300 baud modem. The IXO was spawned in the early eighties by a group of renegade engineers who left Mattel after designing that toy manufacturer's Intellivision video game unit. The tiny terminal's high price (about \$600) and radical design made it an instant Edsel. The skimpy one-line LCD display and calculator-like keyboard of the IXO are eminently unusable on a regular basis, but it's still one of the slickest pieces of engineering I've ever seen. The few IXOs that were manufactured are being dumped by some computer and specialty liquidators for under a hundred dollars, which makes it an attractive acquisition for its historical and conversation piece value alone.

RUSH POSTAGE-PAID CARD FOR YOUR FREE CATALOG

- COMPUTER ELECTRONICS training prepares you to service all computers as you build your own 16-bit IBM PC compatible computer. Total system program includes disk drive, test equipment, bundled software, and NRI Discovery Lab.
- TV/VIDEO/AUDIO SERVICING includes training with a state-of-the-art 27" high resolution broadcast stereo TV for learning troubleshooting and professional bench techniques.
- SATELLITE ELECTRONICS training gives you the skills to service both consumer and commercial satellite earth station equipment as you assemble your own home satellite TV system.
- ROBOTICS training features remote-controlled, mobile, fully programmable robot you build, experiment with, and keep along with other test equipment.

Name	(Fiease Print)		Age
Street			
City		State	Zip

and share the sales a case

SMALL FNOINF

Air Conditioning

ELECTRONICS

Home Training in



TV/Video/Audio Servicing

Send me your free catalog

- Robotics
- Satellite Electronics
- Digital Electronics Servicing
- Data Communications
- Electronic Design Technology
- Industrial Electronics
- Communications Electronics
- Basic Electronics
- Building Construction and Remodeling
- Automotive Servicing
- Small Engine Servicing
- Electrician
- Air Conditioning, Heating, and Refrigeration
- Locksmithing and Electronic Security
- Telephone Servicing
- Appliance Servicing

For career courses approved

Bookkeeping and Accounting

U

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

NRI Schools

McGraw Hill Continuing Education Center 3939 Wisconsin Avenue Washington, D.C. 20077-9265

huhiliminiminiminiminimitie www.commodore.ca

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES
Train with NRI for a high paying career servicing computers.

DIGITAL MULTIMETER— Professional test instrument for quick and easy measurements.

LESSONS—Clear, well illustrated texts build your understanding of computers step-by-step.

DISK SOFTWAREincluding MS-DOS, GW BASIC, WordStar, and CalcStar. SANYO COMPUTER = 8088 CPU double-sided disk drive, 256K RAM, 4.77 MHz and 8 MHz turbo speed.

MONITOR—High resolution, green screen displays, crisp text and graphics.

> TECHNICAL MANUALS --with complete specs on Sanyo computer and professional programs.

DISCOVERY LAB—Using it, you construct and test circuits like those used with computers.

> DIGITAL LOGIC PROBE— Simplifies analyzing digital circuit operation.

Get started now by building this fully IBM PC compatible computer

Now you get it all...training for America's fastest growing career opportunity.... training to service all computers... training on the newest total computer system, the Sanyo 880. Only NRI can give you the well-rounded training you need, because only NRI gives you a complete computer system...computer, monitor, disk drive, software, even test instruments like a digital multimeter and logic probe to work with and keep. It all adds up to training that builds the knowledge, competence, and ability you need to succeed as a computer service specialist.

Get inside the newest, fully IBM PC compatible Sanyo Microcomputer

As an NRI student, you'll get total hands-on training as you actually build your own latest model Sanyo 880 Series computer from the keyboard up. It's fully IBM PC compatible and, best of all, it runs programs almost twice as fast as an IBM PC. As you assemble the Sanyo 880, you'll perform demonstrations and experiments that will give you a total mastery of computer operation and servicing techniques. You'll do programming in BASIC language—even run and interpret essential diagnostic software.

Understanding you get only through experience

You need no previous knowledge to succeed with NRI. You start with the basics, rapidly building on the fundamentals of electronics with bite-size lessons. You perform hands-on experiments with your NRI Discovery Lab and then move on to master advanced concepts like digital logic, microprocessors, and computer memories.

Learn at home in your spare time

You train in your own home at your own convenience, backed at all times by your own NRI instructor and the entire NRI staff of educators and student service support people. They're always ready to give you guidance, follow your progress, and help you over the rough spots to keep you moving toward your goal.

100 page free catalog tells more . . . send today

Send the postage-paid reply card today for NRI's 100 page catalog that gives all the facts about computer training plus career training in robotics, data communications, TV/audio/ video servicing, and many other fields. If the card is missing, write to NRI at the address below.



SCHOOLS

Computers and Society

David D. Thornburg, Associate Editor

The Classroom Computer—A Tool For Teachers

While the use of computers as educational tools goes back 20 years or more, the current interest in educational computing is the result of the creation of powerful microcomputers in the late 1970s. By 1979, those teachers who were interested in educational computing were coping with the rapid introduction of new hardware and were confronted with very few choices in the area of educational software.

Computer manufacturers-unsure of the role of their product in schools-used every trick in the book to promote the computer as an educational tool. I remember one advertisement for the Radio Shack Model I that included this line: Parents—For the price of a good bicycle you can make an investment in your child's future. This strategy, and others like it, succeeded in pushing small computers into the classroom, even though most educators were unsure how to use them. The only thing that seemed certain was that the computer was being promoted as a tool for students, not for teachers.

The ensuing years saw an inevitable shakeout as some manufacturers dropped out of sight. The teacher's choice was soon limited to a few brand names, and software companies devoted to studentbased educational software started to blossom like wildflowers after a spring rain. One result of the sudden growth of the software industry, was that confusion in the area of computer hardware shifted to confusion in the realm of software instead. Many industry leaders picked (or created) bandwagons of their own, and teachers were bombarded with messages from all sides, each promoting one use of computers at the expense of others.

Philosophical debates raged as to the best use of computers:

Should they be used as primary delivery vehicles for instruction? Should they be used to supplement the teacher's efforts? Should computers be used to structure the educational experience or to liberate it?

In an attempt to bring organization to people's thinking about educational software, some people latched on to the Tutor, Tool, Tutee model of computer use, described by Robert Taylor in his book, *The Computer in the School: Tutor, Tool, Tutee* (Teacher's College Press, 1980). His model divided most educational software into three classes based on the function of the computer, the scope of its application, and the nature of the student's interaction with it.

Tutor, Tool, Tutee

Tutor software is designed to help the student acquire a specific skill number facts, for example. The content and instructional style of this type of software covers the range from simulation of a task (running a lemonade stand, for example) to rote drill and practice.

Tool software includes word processors, databases, spreadsheets, graphics programs, music composition tools, etc. The focus here is on using the computer as a tool for the creation, capture, development and exploration of ideas in many subject domains. A word processor, for example, is of as much utility to a student in English as it is to a student in History.

Tutee software is based on a model that the student learns best by teaching a concept to others. In this case the "other" is a computer, and the vehicle for communicating ideas to the computer is a programming language. Logo, for a variety of reasons, is considered by many to be an excellent language for this task. What About The Teacher? A brief glance at the three categories mentioned above—Tutor, Tool, Tutee—reveals one aspect in common: Each of these applications treats the computer as a device for the student, not for the teacher.

Is this a reasonable expectation? As valuable as these applications are, it may well be that our focus has been benevolently misplaced. Educators naturally place their children ahead of themselves. But given the scarcity of computers in the classroom, there may be a better way to use technology for the benefit of children and teachers and education in general.

To see why, let's explore the reality of computers in today's schools.

Where Are The Computers?

As popular as educational computing may seem from the total volume of sales into the classroom, the penetration of computer technology has barely scratched the surface. In 1983, for example, only 7 percent of the elementary schools in the United States had five or more computers. According to a survey conducted by Henry J. Becker, at Johns Hopkins University, the number of classroom computers quadrupled by 1985. But even then the overall ratio of students to computers was a pitiful 42 to 1. Allowing for the purchase of more computers in the interim, today's student to computer ratio is probably about 25 to 1-still too small for computers to reach their fullest potential.

It should come as no surprise, then, that many schools concentrated most of their computers in a "computer lab," where students get access to the machines for about 20 minutes per week. The remaining one or two computers in the school are often put on movable carts, like movie projectors, to be wheeled from room to room on an "as needed" basis.

To see how limiting this is, imagine what impact the pencil would have on students if they could only use one for 20 minutes a week—and they would have to go to a "pencil lab" to find one. And yet many of us (myself included) were blinded by the promise of student-based educational computing, and we saw the scarcity of classroom computers as only a temporary inconvenience.

The reality is quite different.

The investment required to place the power of the computer in each student's hands—an investment of \$2,000 per student—is beyond the scope of educational budgets in this country. And yet, because of our focus on the computer as a tool for student use, we have overlooked an important opportunity. While the ratio of students to computers may be 25 to 1, the ratio of teachers to computers is nearly 1 to 1. Provided that a way can be found to make the computer into a power tool for educators—a tool that lets teachers teach what they want to teach the way they want to teach it—educational computing may finally come of age.

Interestingly enough, the technology to make this happen has nothing to do with computers. The tool that can make the classroom computer into a powerful teaching tool is the inexpensive liquidcrystal display plate. This new display technology, available from several vendors for well under \$2,000, sits on top of a standard overhead projector. Anything that would be displayed on the computer screen is projected onto a standard movie screen at the front of the room for all to see. For less than the cost of another complete computer system, the teacher can increase the effectiveness of the classroom computer by 30.

With The Computer

The model I envision for classroom computing places the computer in the hands of the teacher. Using special software, the teacher can use

ECAPUTE!

the computer as an electronic blackboard. Unlike conventional blackboards, the teacher's computer can hold a lot of information, can bring up high-quality graphic images in a few seconds, and can provide a printed copy of anything that has been displayed. This printout can serve as class notes, the recording of classroom brainstorms, and so on.

The challenge for software developers now, is to respond to the needs of the teacher who wants to use the computer as a direct tool of instruction from the front of the room. I, for one, have elected to concentrate my efforts in this area of software development.

I think it is time that we shifted our focus slightly from educational computing from the student's desk to the front of the room. The benefits are tremendous.

This article is excerpted from Dr. Thornburg's latest book, The Empowered Teacher, published by Starsong Publications. He welcomes letters from readers and can be reached at P.O. Box 1317, Los Altos, CA 94023.

Atari *Laser Chess*™ On Disk

The *Laser Chess* program on the April–June COMPUTE! Disk for Atari computers will not run properly when selected from the disk menu. However, the program runs just fine when loaded and run without the menu. Simply use the command RUN "D:LASER.JUN".

IBM Fast Fractal Landscapes

This program from the June issue (p. 88) works as published on IBM PCs and compatibles equipped with color/graphics adapter (CGA) cards or equivalent hardware. However, we have learned that the landscape display may be distorted when the program is used on systems with enhanced graphics

adapter (EGA) hardware. The program may also fail to perform properly on high-speed PC AT and compatible systems, even when CGA hardware is used. We regret that there is no simple solution to this incompatibility problem.

The Power Of ON-GOTO And ON-GOSUB

The "Calendar" program in this article from the August issue (p. 105) reports incorrect weekdays for dates in some leap years. This problem occurs because the formula used in line 110 requires greater numerical precision than the Atari provides. Reader Paul Schaefer suggests a modification, which substitutes an alternate date formula known as Zeller's Congruence. Add or replace the following lines:

85	ON	YE	AR	< 1	7	52	G	OT	D	180:	
	ON	()	EA	R=	1	75	2	AN	DI	M<=9	7
	AN	D	DA	Y<	=	13)	GO	ТО	180	ð

- 110 X=M+10:IF X>12 THEN X =X-12
- 112 C=INT(YEAR/100):D=YEA R-C*100:IF X>10 THEN D=D-1:IF D<0 THEN D=9 9:C=C-1
- 114 DAYS=DAY+INT(2.6*X-Ø. Ø2)+D+INT(D/4)+INT(C/ 4)-2*C

This modification also needs to be made to the version of the program supplied on the July–September COMPUTE! Disk. The program is stored on the disk with the filename ONGOTO.AUG.

Pop-Up ASCII Table For IBM

This program, from the August issue (p. 91), is not compatible with the IBM PCjr. It should, however, function properly with any other IBM model or compatible.



Machine Language Graphics

Last month we looked at how Atari BASIC translates its own graphicsoriented statements into simpler pieces for its calls to the Atari's operating system (the *OS*). Or, more correctly, we showed how *you* could do such an expansion. When Atari BASIC executes a statement in your program, it actually interprets it as a request to do a series of machine language operations—the equivalents of the simplified pieces we discussed last month.

The only example we've taken a close look at so far is POKE. I showed you that

POKE 85, xpos

may be accomplished by the machine language instructions

LDA xpos STA 85

(Remember, I'm using variable names with lowercase letters on purpose, to remind you that the names are arbitrary. Please pick your own.)

Again, if you go back to last month's column, you'll find that the only BASIC statements I used to simulate the graphics commands of BASIC were OPEN, CLOSE, PUT, GET, and XIO. You may also have noted that each of these statements was associated with a channel number (specifically, channel 6, because that's where BASIC does all its graphics operations). You won't be too surprised, then, when I tell you that each of these five is actually a fundamental OS operation. Specifically, each involves a direct call to Atari's Central Input/Output (CIO) processor. You may, however, be a little startled when I tell you these five calls represent all but one of the fundamental OS operations. (The missing one is represented by BASIC's STATUS statement, which is generally used only for modem operations because of a flaw in BASIC's implementation

of the OS call.)

The point of all this is both simple and important: If you master these five OS calls from machine language, you can use virtually any input/output (I/O) operations you might need or want. For example, you can read records from a disk file using only three of these operations (OPEN, GET, and CLOSE). True, there are some variations on GET and PUT that are useful with lines of text or with large files, but the concepts are all the same. So, without further delay, let's translate the five BASIC I/O statements into five machine language routines.

All I/O on the Atari is controlled through eight Input/Output Control Blocks (*IOCBs*), one for each *channel* or *file number*. Each IOCB is 16 bytes long and is located adjacent to another, beginning at addresses 832, 848, 864, and so on. (In hexadecimal, the sequence is \$340, \$350, \$360, and so on.) The channels are numbered 0–7 in BASIC, but in machine language, we use the offset from the start of the first IOCB as the IOCB number. Under this system, the first block is still IOCB 0, but the fourth, known as channel 3 in BASIC, is designated as IOCB number 48 (\$30). The reason for this is because it begins at memory location 880 (\$370), which is 48 bytes beyond the start of IOCBs at location 832.

Graphics I/O

To perform any I/O operation, you put information into certain places in the IOCB of your choice. Then you put the IOCB number into the processor's X register and call the CIO routine at address \$E456 in ROM. (I'm not going to put in the decimal equivalents from now on. You really should learn to use hexadecimal—it's much more logical for machine language.) The only magic, then, is in learning just *what* to put into the IOCBs.

Each IOCB consists of 16 bytes, as shown in Table 1.

All of these labels and bytes

Table 1												
Label	Size in	Offs	et	Mnemonic								
Name	bytes	in IO	DCB	Description								
ICHID	0		Identifier									
ICDNO	1		Device number									
ICCOM	2		Command									
ICSTA	3		Status									
ICBA	4		Buffer address									
ICPT	6		Put vector									
ICBL	8		Buffer length									
ICAX1	10		Auxillary byte 1									
ICAX2	11		Auxillary byte 2									
ICAX3	12		Auxillary byte 3									
ICAX4	13		Auxillary byte 4									
ICAX5	14		Auxillary byte 5									
ICAX6	15		Auxillary byte 5									
Table 2 Command OPEN CLOSE GET PUT XIO	ICCOM 3 12 7 11 xio	ICBA device X X X device	ICBL X X \$0000 \$0000 X	ICAX1 type X === ===	ICAX2 mode X ==== ===							

Gwww.commodore.ca

have uses (I refer you to Mapping the Atari, or Atari Roots for more details), but for our purposes, we need to learn about only a few of them. Again, I have prepared a chart (Table 2) to summarize which labels are meaningful for which graphicsrelated commands. (Remember, see last month's column for examples of the BASIC commands we are using.)

If a labeled location has a number assigned to it, then use that number with the operation. Descriptions in italics (*device*, for example) will be explained in the text that follows. An X means that the value in the corresponding location has no effect for the operation, and ===means that the contents of the corresponding location should not be disturbed. For our purposes, these two symbols are equivalent: We won't change the contents of these locations.

CLOSE is the simplest of the routines. To do a CLOSE, you simply place the command number in the appropriate location, load the X register properly, and call CIO. The complete routine looks like this:

LDX #\$60	; using channel 6-graphics
LDA #12	; CLOSE command
STA ICCOM,X	; put command in place
JSR \$E456	; call CIO

Don't understand all that? Don't worry. A few sessions with an assembler and a good tutorial will help you get started.

For OPEN and XIO, the buffer address (ICBA) field should contain the address in memory of the beginning of a string, and that string should have the name of the device (and/or file) that you wish to work with. For graphics, the device name is always S:. The command value (ICCOM) is always 3, for OPEN. For XIO, you use the same number you would in BASIC. (For example, 17 for DRAWTO, as we saw last month.)

For OPEN, the first two auxillary bytes (ICAX1 and ICAX2) correspond to the two auxillary values in the BASIC version of the statement. Although ICAX2 is usually given a zero value, when opening a graphics screen, it gets the number of the appropriate graphics mode instead. Usually no command, except OPEN, should touch the auxillary two bytes. (Atari BASIC actually errs in making them part of

the normal XIO commands, and that's why we had to stick in a value of 12 in our DRAWTO equivalent last month. The exceptions that prove the rule are various modem command XIOs, used with the R: device.)

Finally, for GET and PUT, as we will use them for graphics, you need only put a value of zero in both bytes of the buffer length (ICBL), put the appropriate command value (7 or 11) in its field (ICCOM), set up the X register, and use the A register to transfer the byte. That is, if you want to PUT a byte to the screenwhich, as I hope you remember from last month, is how you implement PLOT-put the byte (for example, the color value) in the A register just before calling CIO. If you want to GET a byte from the screen to simulate the LOCATE command, do all of the above and the byte will be in the A register after your call to CIO.

Too complicated? Cheer up. This is the worst of it. Next month we'll put together some bona fide examples to try out. Next month will also be the last part of this series on converting BASIC graphics commands to machine language. I intended all of this to be an introduction (or refresher, for you old-timers) to machine language. If you want to take this topic further, you really *must* get an assembler and a couple of books. Good luck.©

All the programs in this issue are available on the readyto-load COMPUTE! Disk. To order a one-year (four-disk) subscription, call toll free **1-800-727-6937**. Please specify which computer you are using.

Save Your Copies of COMPUTE!

Protect your back issues of *COMPUTEI* in durable binders or library cases. Each binder or case is custom-made in flag-blue binding with embossed white lettering. Each holds a year of *COMPUTEI*. Order several and keep your issues of *COMPUTEI* neatly organized for quick reference. (These binders make great gifts, too!)



BindersCases:\$9.95 each;\$7.95 each;3 for \$27.95;3 for \$21.95;6 for \$52.956 for \$39.95

(Please add \$2.50 per unit for orders outside the U.S.)

Send in your prepaid order with the attached coupon

Mail to: Jesse Jones Industries P.O. Box 5120 Dept. Code COTE Philadelphia, PA 19141 Please send me _ _ COM-PUTE! Cases binders. Enclosed is my check or money order for \$ _____. (U.S. funds only.) Name . Address _ City _ _ Zip _ State ___ Satisfaction guaranteed or money refunded. Please allow 4-6 weeks for delivery.



One Last Bug

I vowed to refrain from flogging this particular dead horse, but here's an ST BASIC bug that ranks among the worst BASIC bugs of all time. Type this line in the Command window and press Return:

x = 18.9

The computer prints these messages:

function not yet done

System error #%N, please restart

Don't bother searching for an explanation in your BASIC manual; these are not BASIC messages. The bug appears when you assign certain values—multiples or fractions of 18.9—to a variable. The value 18.7 works just fine, but 18.8 is close enough to the demon quantity to generate part of the weird error message. And the problem involves more than mere messages. Enter this statement from the Command window:

x = 37.8

This time, ST BASIC crashes completely. The computer puts up a pair of cherry bombs, signaling a bus error, and dumps you back onto the desktop. Things look fine there until you touch a key, whereupon the system locks with four cherry bombs. If you're still feeling adventurous, try either of these:

x = 4.725

or

x = 1.18125

BASIC bombs with two cherries. When you dash back to the desktop, the computer locks with ten cherry bombs on the screen. That's as bad a crash as you can get on the ST without seeing the machine rip free from its cables, drag itself to the edge of the desk, and leap into the trash bin.

If that doesn't convince you to avoid ST BASIC for serious programming, enter these two lines from the Command window and compare the results:

? 257 * 257

and ? 257 ^ 2

Most Earthlings recognize these statements as mathematically equivalent, but in ST BASIC, it just ain't so. While users struggle with bugs like these, Atari has spent the last year waiting for MetaComCo to finish a revision of ST BASIC. Last year, based on a copy of Atari's draft manual, I wrote a column outlining the features of the new BASIC. Although it has yet to appear, one highly placed Atari source has been heard to say that the new version is only "one bug away" from completion-prompting some wags to ask whether Atari has only one more bug to eliminate from ST BASIC or one more to add.

Adding insult to injury, Atari has quit bundling *NEOchrome* and *First Word* with the computer. So while early ST buyers got a great graphics program and a decent word processor in addition to ST BASIC and Logo, current ST purchasers get only the languages.

LET Rides Again

In the meantime, others have been quick to market alternatives to ST BASIC. The most popular third party BASIC to date is *GFA BASIC*, which I've mentioned in past columns. A more recent offering is *True BASIC*, marketed under the auspices of John Kemeny and Thomas Kurtz, whom you may remember as the originators of the first BASIC language.

True BASIC has a certain fundamentalist appeal; after all, who better than the original authors to tell us how BASIC ought to work? The only problem is that computers and computer programming have changed a lot in the decades since BASIC was first devised. For instance, when was the last time you used LET or END in a BASIC program? END is mandatory in *True BASIC*, even if you're writing a quick five-line program for test purposes. And the statement LET, as in LET X = 20, is mandatory unless you begin the program with the statement OPTION NOLET. Tortured didacticism of that sort may win raves in an academic setting, but it's not going to earn many friends among practical programmers.

True BASIC provides a comfortable, GEM-based programming environment, and its documentation is thorough, but the language is a disappointing performer. Everything seems to run at about half speed, and many ST features are purposely made inaccessible-presumably so that True BASIC programs can run on less powerful machines like the IBM PC. Following the emerging norm, True BASIC includes a compile option. However, I didn't notice any significant speed increase after compiling the demo programs, all of which are on the order of drawing a flag or solving the Towers of Hanoi puzzle. True BASIC may be hot stuff on the PC, for which it evidently was designed. However, it's hard to imagine such a stiff language gaining wide approval among ST owners.

> COMPUTE! TOLL FREE Subscription Order Line 1-800-727-6937

Gwww.commodore.ca



Creating A Blues Symphony

The introduction of the IBM Personal System/2 received so much ballyhoo that it overshadowed another announcement on the same day—the IBM Music Feature.

Donald B. Trivette

The Music Feature is a professional-quality music synthesizer contained on a full-length expansion card that fits in the IBM PC, XT, AT, and PS/2 Model 30; it does *not* fit in the PCjr, the IBM Portable, or the Convertible. It may or may not work with IBM compatibles although my best guess is that it will. On the back of the card are three RCA-type plugs and a D-shell connector which provide input and output to the music card.

Two of the RCA-plugs are for input to a home stereo amplifierleft and right audio outputs-and the third is for headphones. The Dshell plug accommodates a short cable connected to a MIDI (Musical Instrument Digital Interface) adapter box, which is part of the Music Feature. Into the MIDI box (MIDI in, out, and through) you may plug a keyboard or other musical apparatus. A typical home installation might have two cables (left and right channel) running from the PC's Music Feature to the input jacks on your stereo, and a keyboard such as the Yamaha DX-100 attached to the MIDI adapter box.

Once all the hardware is connected—it takes about 10 minutes—you have an FM synthesis of up to 336 instrumental sounds in any musical style from jazz to classical, with as many as eight instruments or voices playing at one time. If eight instruments aren't enough, you can install two IBM Music Feature boards in the PC and have up to 16 voices. But you won't get nary a whistle if you don't buy some software, because even at \$495 the IBM Music Feature is softwareless.

Fortunately, there are already dozens of products on the market

that work with the Music Feature and there are more on the way. However, you must be careful if you're installing the system on IBM's PS/2 Model 30, as I did. That machine has only the new 3½-inch disk drive, and most music programs are currently available only in the 5¼-inch format. I tried to transfer some of the better programs through a floppy-disk equipped PC to the Model 30 via a modem connection, but their copyprotection scheme prevented me from using them.

Playing The Blues

The only software I was able to test was Yamaha's PlayRec-which is the 1-2-3 of music software—and it made me wish I knew more about notes, keys, and beat. The manual says you can create music by playing a chord on the keyboard, and PlayRec will create an entire accompaniment played by up to five separate instruments. Since I'm not particularly musical, I had to rely on some prerecorded songs thoughtfully sent to me by a musically inclined IBMer. I was able to load and play them without difficulty. The 3¹/₂-inch disk can hold up to an hour of music; a floppy can store about 35 minutes.

The PlayRec screen is divided into four parts: Master Block Window, Instrument Window, Play/ Record Window, and a graphics keyboard across the bottom. When I loaded a prerecorded blues piece, the Instrument Window indicated that it was played with five instruments: Upright Bass, Piano, Hard Brass, Jazz Organ, and New Electric Piano. Moving the cursor to highlight any one of these instruments, and pressing Enter, caused a list of 336 other instruments to appear on the screen. Then, by moving the cursor though the list, I could hear how the music sounded with each instrument.

I spent hours "improving" the blues piece until it was completely unrecognizable—and quite awful. Imagine blues played with Whistle, Marimba, Tom Tom, Concert Organ, and Thunder Storm. Yes, sound effects are included. Chris the Surfer, my equally musicallyignorant neighbor, composed a symphony with Martian noises, ghost sounds, a race car, and Maui's thundering surf.

Of course IBM and Yamaha didn't spend hundreds of thousands of dollars developing this equipment so we could play with funny noises. The *PlayRec* program allows serious musicians to compose, record, edit, and modify musical scores. The *Play/Record* Window has the controls to simulate a 16-track digital tape deck; different parts can be recorded on different tracks. The individual instrument sounds can be modified to have as much variety and volume as those in a concert hall.

An Instrument Control Window allows you to set octave range for each instrument; a pan control lets you direct sound to left, right, or both channels; the portamento adjustment determines how smoothly one note slides into another; and the bend parameter gives you the ability to bend an instrument's pitch in response to a message from the keyboard. This window also controls over a dozen other parameters—like vibrato/ tremolo, poly/mono modes, detune, and range.

PlayRec is wonderfully instructional. Students can see notes as they are played, and make modifications to existing music. If I hadn't had to return the DX-100 keyboard that Yamaha lent me, I believe I eventually might have learned to play a bit. As it is, I'll have to be satisfied with knowing Lotus 1-2-3.©

September 1987 COMPUTEI 75



The Great Amiga Reboot

Summer is traditionally a slow season in the computer business, but as far as the Amiga is concerned, this summer has been anything but slow. The first production units of the Sidecar and the Amiga 500 were arriving in stores just as Commodore was preparing to show off the new line at the Spring COM-DEX (COMputer Dealers EXposition) in Atlanta. Prior to the show, Commodore held a national sales meeting which was attended by more than 200 Amiga dealers. Though the main purpose of the meeting was to give dealers an opportunity to meet the new management team, a couple of substantive items were discussed.

Selling The New Amigas

Commodore execs pledged that they'd finally do some advertising of the Amiga. They also pledged that the Amiga 500 wouldn't be sold in mass market outlets like K mart. This was a surprise, since it was rumored that one of the reasons Irving Gould ousted Tom Rattigan from the top spot was that Gould wanted to market the 500 like the 64, and Rattigan disagreed. But Gould made it clear that the new management team's mission is to try and duplicate Commodore's success in Europe, here in the U.S. The plan apparently includes emulating the marketing methods used in Europe, where Commodore is seen as a manufacturer of serious business machines. Finally, plans were confirmed for some promotional offers. One of these is a repeat of the old "buy two, get one free" offer, which was used so successfully in the days of the Commodore PET. Under this plan, schools get one free Amiga system for every two they purchase. Commodore also confirmed that a trade-in program will be offered to current model 1000 owners who want to

move up to the 2000. The plan allows for the purchase of a 2000 for \$1,000 with a trade-in of a 256K one-drive Amiga system.

Desktop Video

Meanwhile, back at the show, Commodore hosted a large and active booth on the show floor. About three dozen Amiga 2000s were set up, along with a few 500s and PC compatibles. And dozens of thirdparty developers were on hand to demonstrate their hardware and software on the new machines. Among the most interesting developments were new video products. The Amiga genlock interface, which Commodore introduced recently, represented a first step towards realizing the Amiga's potential as a "desktop video" machine that can be used to add fancy titles and special effects to videotape recordings. But Commodore's genlock unit, though the least expensive interface of its kind, doesn't produce a clean enough signal for broadcast, or even some commercial applications. That's why it was particularly encouraging to see third parties developing high-quality genlock interfaces for the Amiga.

The least expensive of these is a \$179 unit from Mimetics. This interface, roughly the size of a pack of playing cards, works with all Amiga models and is said to produce a better video signal than the \$300 Amiga genlock. And it provides a composite video output for the 2000 and 500, to boot. Mimetics hopes to bring it out by fall, with a higher priced broadcast-quality unit to follow. Mimetics also plans an interesting video frame buffer product that will allow the creation of hi-res video still images with millions of colors. Commodore was also showing a better quality internal genlock for the Amiga 2000, though price and availability

weren't discussed. Finally, a group from the New York Institute of Technology's Computer Graphics Laboratories was showing an early prototype of a professional video card for the Amiga 2000. This unit is a combination genlock, frame buffer, and digitizer. The frame buffer allows you to freeze a single video frame from an external liveaction source; the digitizer then lets you turn it into a computer image. The genlock interface produces broadcast-quality output. Although still in the early stages, the current plan calls for Commodore to manufacture and sell the interface-at \$600-\$700-sometime this year.

One exciting new Amiga video peripheral wasn't shown at COM-DEX. That's because the Sci-Tech Gen-key interface won a Product of the Year Award at the Consumer Electronics Show, which was being held at the same time. The Gen-key is a combination genlock, chroma keyer, and time-base corrector. Although the product sells for \$995, it produces broadcast quality RS 170A video, and offers features usually found only on much more expensive equipment. With a Genkey and an Amiga, you can easily do the kind of video titling usually performed by a dedicated character generator unit costing thousands of dollars more.

This isn't to say that video hardware products were the only items of interest at COMDEX. There were lots of great new software products like the Amiga version of *WordPerfect*, and there were interesting sidelights like a software 64 emulator and a utility called *Fruit Friend*, which reads Apple II disks from the Amiga. But desktop video production is one of the important markets that could really make things happen for the Amiga, and anything that brings that day closer is really big news.

Smart Alec

Who says a computer can't think? "Smart Alec" emulates an important part of human logic and can provide intriguing insights into how we reason deductively. Although it's written in machine language, this Commodore 64 program is as easy to use as BASIC. A disk drive is required.

"Smart Alec" is a program that simulates human thinking, or at least one portion of it. That portion is the realm of deductive reasoning through syllogistic logic. A syllogism is an argument in which a conclusion is inferred from two premises. Here is a simple example:

a Greek is a human an Athenian is a Greek therefore an Athenian is a human

The conclusion is derived from the first two statements, which are called categorical propositions. Categorical propositions either affirm or deny that one class or category is included in another. The example shows that we can use two categorical propositions to arrive at a logically correct conclusion. Although humans seldom think in such formal terms, syllogisms are an important part of our reasoning process.

Syllogisms are important to Alec, too. The premises you supply to him are his food (and he's always hungry), and the conclusions he draws are his only reason for existence.

Type in and save Program 1 using the "MLX" machine language entry program found elsewhere in this issue. When you run MLX, you'll be asked for a starting and an ending address for the data you'll be entering. Here are the values to use for Smart Alec:

Starting address: 0801 Ending address: 15F0

Ronald Carnell

Although Smart Alec is written in machine language, it loads and runs exactly like a BASIC program. To help distinguish your input from Alec's responses, your input statements appear in white; his statements appear in black. If these colors are hard to read on your TV or monitor, change the screen background color before you run the program. For instance, type POKE 53281,12 and press RETURN to change the background color to gray. When you're ready to proceed, load and run Smart Alec as you would a BASIC program.

Statements

Smart Alec accepts three different kinds of input from you: statements, questions, and direct commands. Let's look at each one in turn, beginning with statements.

A statement is a sentence that can be used as a premise in a syllogism. A statement must be expressed in a format that Alec can understand. Here is the correct format for statements:

article, subject, verb, negation, article, predicate

The italicized items are optional, while those in normal type must appear in every statement. Consider the following sentence:

an apple is not a vegetable

The words *a* and *an* are articles. Alec recognizes these, plus *the*, *all*, and *every* as words that may precede a noun. The subject of our sentence is *apple* and the predicate is *vegetables*. Our example sentence is a negation—it says an apple is not part of the class known as vegetables—so the optional *not* has been included. Finally, the sentence is joined by a verb, *is*. Most of the verbs recognized by Alec are some form of the verb to be. These include am, are, is, was, were, will be, has been, be, will, does, do, and would.

Alec also accepts a special verb phrase as an assignment. When you tell Alec an apple is a fruit, he is smart enough to know that the reverse isn't necessarily true: a fruit is an apple would be an invalid deduction. There will be times, however, when you will want one thing to equal another-to be exactly the same. Alec accepts the phrase is the same as, or more simply, an equal sign (=) as such an assignment. This verb phrase allows you to set up synonyms that Alec will understand. For example, the statement smart is the same as intelligent instructs Alec that the words smart and intelligent are completely interchangeable. You could also use the phrase smart = intelligent to accomplish the same goal.

If Alec responds with OK, he understands your statement. Other responses depend on the situation. If he doesn't understand the statement, he'll ask you to rephrase it. If you try to tell Alec something he already knows, he'll notify you of that fact. Alec will also respond with I know if you try to directly contradict an existing fact, meaning that he knows the statement cannot be true.

Two Input Modes

There are two ways to supply statements to Alec. The first, an interactive method, involves simply typing the statements. This mode is quite interesting in that you can type in several statements about a given subject and then question Alec immediately about his deductions.

The second way is to enter your statements in the form of program lines, save the file to disk, and then ask Alec to read the file. This is more efficient for complex situations because it allows you to edit the statements and rerun the entire session. Once you have supplied a statement in interactive mode, there is no way to edit it. For instance, I once told Alec that man is the same as human, thinking of man in the sense of mankind. When I later stated that a woman is not a man, Alec was led to the erroneous conclusion that a woman is not human. If you store statements in a file, you can change only the statements you need, without having to retype everything from scratch.

Program 2 is an example of a statement file, which is simply a numbered list of sentences each enclosed in quotation marks.

One final note about statements before we discuss questions: A statement to Alec is not a mere intangible that can be used to reach deductions; it is the very sustenance of his life. Alec calls a statement a morsel, and with good reason. He hungers for morsels just as you and I might crave a peanut. If Alec answers too many questions without being fed any morsels, he begins to get hungry and he will let you know it's time to feed him. His degree of hunger and how often it arrives will depend on just how full Alec already is. If Alec has little information on hand, he begins to hunger quickly and his hunger increases rapidly. If you ignore his requests, Alec's hunger eventually reaches the point where he can't think and will refuse to answer questions until he's fed. If Alec's database is close to full, however, he will get hungry infrequently, and not very significantly.

Questions

As noted earlier, you can also ask questions of Smart Alec. The format for questions is just a slightly rearranged version of the statement:

verb article subject term article negation predicate term

The words that Alec recognizes as articles and verbs are identical to those he recognizes in a statement (see above).

Alec can respond in four differ-

ent ways to a question, with yes, no, I don't know, or I don't know anything about that. The first two responses are self-explanatory. The third response means that Alec can't reach a conclusive deduction. The last means that you are asking about a subject which Alec can't find in his memory.

Commands

Alec understands the following words as direct commands:

read save load discuss explain why don't explain always explain dump bye

Some of the commands involve statement files. For instance, the command READ HUMANS causes Alec to read a statement file named *humans*.

Note that the filename is not enclosed in quotation marks. You can also tell Alec to load or save his entire database for future sessions. The syntax is similar to the read command: The command SAVE HUMANS saves the database with the filename HUMANS, and the command LOAD HUMANS loads the file HUMANS into memory. The size of data files is always the same.

In some cases you might want to learn how much Alec knows about a particular subject. The DIS-CUSS command causes Alec to disgorge everything he knows about a topic. For instance, if you're curious about how much Alec has learned about humans, you might command him to DISCUSS HUMAN. Alec searches his entire database for any reference to *human* and repeats everything he has previously been told about that word.

When you first run Smart Alec, he is designed to answer questions concisely, without explaining the underlying logic. The commands EXPLAIN and WHY are synonyms which cause Alec to display the entire chain of logic behind a conclusion, including false starts and interrupted chains of thought. The command ALWAYS EXPLAIN causes Alec to explain his thought

process after each question without the need to ask. The command DON'T EXPLAIN resets the original concise mode.

The DUMP command causes Alec to dump, or display, his entire database to a printer. Alec dumps only the words that appear in his memory, without reconstituting them into sentences.

The last command, which Alec hates to receive, is BYE. When you issue this command, indicating that you wish to terminate the session, Alec asks for confirmation. If you respond by pressing Y for yes, Alec returns control of the computer to you. Because he has made so many temporary changes to the computer, the only way Alec can depart safely is by causing the computer to reset.

Accuracy

There are instances where Alec might appear to be wrong. The first such instance is by far the most prevalent. Alec's conclusions are only as accurate as the premises you supply; he depends totally on you to supply factual and unambiguous statements. The example cited earlier, where we told Alec that man is the same as human, is a typically ambiguous premise. The word man was used incorrectly to mean mankind or humanity; when man later appeared in a different context, Alec became confused. Logicians call this the fallacy of equivocation and it emphasizes that Alec is subject to the same fallacies of logic that we humans face.

Sometimes you may suspect that Alec *should* know something when he doesn't. Consider these propositions:

a mortal will die a unicorn is not mortal

When Alec was asked if a unicorn would die, he responded *I* don't know. At first you might think that Alec should be able to deduce the correct answer. However, that reasoning includes assumptions that Alec could not know at that point. You and I know that an entity is either mortal or not mortal there is no third alternative. But Alec doesn't know this and would not assume it. Based on the information available to Alec at the time, the fact that a unicorn is not mortal does not necessarily make it im-

Cwww.commodore.ca

mortal. In addition, this pair of statements equates the words *mortal* and *die*, but that is not what we told Alec. These statements may illustrate the point more clearly:

water will evaporate alcohol is not water

It becomes obvious, now, that just because alcohol is not water doesn't mean it won't evaporate. Given only the information Alec had in the previous example, you can see that just because a unicorn is not mortal, doesn't mean it won't die.

This example points out one of the more intriguing features of this program. When Smart Alec reaches a conclusion that we suspected, we find it interesting. But when Alec quite correctly reaches a conclusion that goes against our own sense of logic—our own experience of right and wrong—we are forced to examine our own thought processes to see how they differ from Alec's. We discover not only how Alec thinks, but how we think as well.

How Smart Alec Thinks

Smart Alec simulates the appearance of human thought, but he certainly doesn't think in the same manner we do. Alec's "mind" is composed of a two-dimensional array which contains the subjects and predicate terms you supply. A very simple entry might look like this:

Subject: man human mortal Predicate: human mortal die

In this instance, we have told Alec that a man is the same as a human, a human is mortal, and a mortal will die. The subject of each statement is stored as a header in the array, and the predicate terms are stored beneath the proper header. If we added the statement a man is a mammal, Alec would store mammal beneath the already created header of man.

Smart Alec has room for 256 different headers in his memory. He will refuse to accept more. Under each header, he can store 20 different predicate terms. If a twenty-first term is entered, Alec accepts it and allows it to replace the first predicate term that was entered under that header. In effect, he forgets the first entry.

In addition to each header and

predicate term, Alec also stores the articles and verb that were used in the sentence. These are stored as one-byte numbers to conserve memory; they can later be retrieved to reconstruct the original statements.

Using the array we set up as an example, let's ask Alec a question and see how he answers it. The question is *will a man die?*

Alec dissects the question and discovers that *man* is the subject and *die* is the predicate term. He sets *man* aside for a moment and looks through his memory for *die* stored as a predicate term. He finds it under the header of *mortal*. Retrieving *man*, he compares it to the current header and finds that *mortal* and *man* do not match. Alec sets *man* aside again, and replaces the original predicate term with the current header. In effect, he transforms our question from *will a man die*? to *is a man mortal*?

Alec now searches his memory for mortal stored as a predicate term. It's important to note that the mortal that replaced die was a header, but Alec is now searching for it as a predicate term. He finds it listed as such under human. When he looks and finds that man doesn't match human, he will replace mortal with the header human and then look for human as a predicate term. When he finds it under *man*, he will again retrieve the original subject, man, and find that he does indeed have a direct match. Because the train of thought was uninterrupted, Alec will answer yes, a man will die.

The algorithm for Alec's thinking, then, becomes a fairly simple search-and-replace procedure. It becomes slightly more complicated when Alec can't find a direct path between predicate term and subject on the first attempt. Then he has to start crossing off the tail end of a bad search to insure that he doesn't end up back there when he searches again. He will continue crossing off the tail end of a bad search until he eventually finds the right track to follow, or has no tracks left.

Actually, Alec's own thinking is more complex than this because he allows us to assign a subject and predicate term as equal, and because he allows negative statements.

Program 1: Smart Alec

Please refer to the "MLX" article in this issue before entering the following program.

Ø8Ø1:ØA Ø8 Ø8 ØØ 9E 32 3Ø 36 6D Ø809:31 ØØ ØØ ØØ A9 E2 85 Ø3 98 Ø811:A9 CC 85 Ø4 2Ø 33 ØC A9 A9 Ø819:00 A8 AA 91 05 C8 D0 FB AA Ø821:E6 Ø6 E8 1Ø F6 85 45 85 22 Ø829:4B 85 4C 85 4D 78 A9 36 F7 Ø831:85 Ø1 58 A9 FA AØ Ø8 2Ø 74 3D Ø839:38 Ø9 E6 45 2Ø 4C Ø9 2Ø Ø841:C5 Ø9 A5 2C FØ 14 2Ø 46 4C Ø849:ØD A5 34 FØ ØA A5 4C DØ 2F Ø851:09 20 7B ØD 4C 5B Ø8 20 2E Ø859:CD 11 20 ØC 15 4C 3B Ø8 B1 Ø861:64 14 45 56 45 52 59 2Ø FC Ø869:00 41 20 00 41 4E 20 00 51 Ø871:54 48 45 20 00 41 4C 4C 52 Ø879:20 ØØ 4E 4F 54 20 41 20 1E Ø881:00 4E 4F 54 20 41 4E 20 17 Ø889:00 4E 4F 54 20 54 48 45 84 Ø891:20 ØØ 4E 4F 54 2Ø 41 4C 62 Ø899:4C 2Ø ØØ 4E 4F 54 2Ø ØØ C8 Ø8A1:49 53 20 54 48 45 20 53 5F Ø8A9:41 4D 45 2Ø 41 53 2Ø ØØ EF Ø8B1:3D 2Ø ØØ 49 53 2Ø ØØ 57 6F Ø8B9:41 53 20 00 57 49 4C 4C Ø8 Ø8C1:2Ø 42 45 2Ø ØØ 57 45 52 57 Ø8C9:45 20 00 41 4D 20 00 41 C4 Ø8D1:52 45 20 00 48 41 53 20 6E Ø8D9:42 45 45 4E 2Ø ØØ 42 45 B4 Ø8E1:20 00 57 49 4C 4C 20 00 55 Ø8E9:44 4F 45 53 20 00 44 4F A6 Ø8F1:20 00 57 4F 55 4C 44 20 76 Ø8F9:00 ØE 93 11 Ø5 20 20 20 1A Ø9Ø1:D3 CD C1 D2 D4 2Ø C1 CC 4D Ø9Ø9:C5 C3 ØD 2Ø C3 CF CD DØ 5C Ø911:D5 D4 C5 21 20 DØ 55 42 3F Ø919:4C 2E ØD 11 11 9Ø C9 27 15 Ø921:4D 2Ø 52 45 41 44 59 2E 7C 0929:2E 2E 0D 0D 00 90 CF CB FD Ø931:05 ØD ØØ A9 2E AØ Ø9 8D 37 Ø939:41 Ø9 8C 42 Ø9 AØ ØØ B9 68 Ø941:FF FF FØ Ø6 20 D2 FF C8 E6 Ø949:DØ F5 6Ø A9 Ø1 8D 86 Ø2 35 Ø951:A9 3E 20 D2 FF A9 00 85 25 Ø959:2C 8D A7 Ø2 2Ø A6 Ø9 C9 71 Ø961:ØD FØ 37 C9 14 DØ ØC A4 5A Ø969:2C FØ F1 20 D2 FF C6 2C 5E Ø971:4C 5D Ø9 C9 2Ø 9Ø E5 C9 97 Ø979:8Ø 9Ø ØC C9 95 9Ø DD C9 82 Ø981:9B 9Ø Ø4 C9 A1 9Ø D5 A4 42 Ø989:2C CØ 55 9Ø Ø3 4C 5D Ø9 A2 Ø991:99 A7 Ø2 20 D2 FF E6 2C 2D Ø999:DØ C2 20 D2 FF A9 00 A4 41 Ø9A1:2C 99 A7 Ø2 6Ø A9 ØØ 85 74 Ø9A9:CC 86 2B 2Ø E4 FF AA FØ 98 Ø9B1:FA A2 Ø2 86 CD A6 CF DØ ØC Ø9B9:FC E6 CC A6 2B 6Ø A9 ØD 43 Ø9C1:20 D2 FF 60 A9 2D 85 FB A7 Ø9C9:A9 ØA 85 FC A2 ØØ A5 2C 4Ø Ø9D1:DØ 19 AØ ØØ 8C 86 Ø2 B1 DA Ø9D9:FB FØ Ø6 20 D2 FF C8 DØ E1 Ø9E1:F6 20 BF Ø9 C8 E8 EØ ØA B5 09E9:90 ED 60 A0 00 B1 FB FØ 85 Ø9F1:24 D9 A7 Ø2 DØ Ø7 C8 C4 9A Ø9F9:2C 9Ø F2 FØ FØ C8 B1 FB BD ØAØ1:DØ FB C8 18 98 65 FB 85 EE ØAØ9:FB A9 ØØ 65 FC 85 FC E8 BC ØA11:EØ ØC 9Ø D7 6Ø 8A ØA AA 14 ØA19:BD 75 ØA 8D 26 ØA BD 76 CE ØA21:ØA 8D 27 ØA 20 FF FF A9 CD ØA29:00 85 2C 60 52 45 41 44 98 ØA31:00 4C 4F 41 44 00 53 41 60 ØA39:56 45 ØØ 45 58 5Ø 4C 41 FB ØA41:49 4E ØØ 57 48 59 ØØ 44 EE ØA49:55 4D 5Ø ØØ 44 49 53 43 96 ØA51:55 53 53 ØØ 41 4C 57 41 7A ØA59:59 53 ØØ 44 4F 4E 27 54 89 ØA61:00 42 59 45 00 41 52 45 74 ØA69:20 59 4F 55 20 48 55 4E 3E ØA71:47 52 59 ØØ 34 ØB EA ØA 96

ØA79:09 ØB 28 ØB 28 ØB CI ØB 86	ØD19:FE C8 B1 Ø7 85 2E C8 B1 B3	ØFB9:20 AC 10 60 20 33 0C A0 A1
ØA81:3C ØC 3F ØD 3B ØD 93 ØB AF	ØD21:07 85 2D AØ ØØ B1 FD 99 2C	ØFC1:00 84 38 84 36 84 35 B1 30
ØA89:8B ØA A9 92 AØ ØA 4C 38 42	ØD29:66 Ø3 C8 C4 43 9Ø F6 A9 9Ø	ØFC9:05 C9 FF FØ 19 A5 Ø5 85 DA
ØA91:09 90 4F 46 20 43 4F 55 9E	ØD31:00 99 66 03 20 0A 0F C6 BC	ØFD1:07 A5 Ø6 85 Ø8 18 A5 Ø7 E8
ØA99:52 53 45 ØD ØØ A9 A5 AØ B7	ØD39:4B 6Ø A9 ØØ FØ Ø2 A9 Ø1 2A	ØFD9:69 Ø5 85 Ø7 90 Ø2 E6 Ø8 71
ØAA1:ØA 4C 38 Ø9 90 50 4C 45 Ø9	0D41:85 4B 4C 34 09 A9 A1 85 75	ØFE1:AØ ØØ B1 Ø7 DØ Ø8 20 FB D9
ØAA9:41 53 45 20 52 45 50 48 6E	ØD49:FB A9 Ø8 85 FC A2 ØØ 86 1E	ØFE9:ØF A5 36 FØ EØ 6Ø C5 43 26
ØAB1:52 41 53 45 2E Ø5 ØD ØØ 9D	ØD51:34 AØ ØØ B1 FB FØ 20 D9 86	ØFF1:DØ E3 20 1C 10 A5 35 FØ A9
ØAB9:AØ Ø3 A2 ØØ C8 B9 A7 Ø2 B1	ØD59:A7 Ø2 DØ Ø3 C8 DØ F4 C8 4E	ØFF9:DC 60 18 A5 05 6D 61 08 A4
ØAC1:C9 20 F0 F8 84 2C C8 E8 BF	ØD61:B1 FB DØ FB C8 98 18 65 6B	1001:85 05 90 02 E6 06 E6 38 AC
ØAC9: B9 A7 02 D0 F9 8A 48 18 94	ØD69:FB 85 FB A9 00 65 FC 85 12	1009:A5 38 CD EC 15 90 03 E6 6A
ØAD1:A9 A/ 65 2C AA A9 02 69 7D	ØD71:FC E8 EØ ØE DØ DB 60 E6 DE	1011:36 60 A0 00 B1 05 C9 FF AD
ØAD9:00 A8 68 20 BD FF A9 02 6A	0D/9:34 60 A9 01 85 4D 20 C1 6E	1019:F0 E0 60 C8 B1 07 85 FB 33
0AE1:A0 00 AE 03 08 20 BA FF 02	0D81:13 85 2F 20 6F 12 85 30 6D	1021:C8 B1 07 85 FC A0 00 B9 6F
CAESION 20 BY DA AS DO AZ EC OD	GD01-GC 0D 24 G2 E9 DG E2 30 E9	1029:66 03 DI FB D0 42 C8 C4 ID
GAPO. 05 02 AD FF 15 95 04 49 46	apoo. aa op 34 03 66 43 F9 10 81	1031:43 D0 F4 E0 35 E0 37 A0 88
apal aa 95 45 95 4C 4C 14 4B 61	GDAL 00 DD 37 02 00 47 02 F0 A0	1039:03 BI 0/ 85 2E AA F0 00 84
GPG9. 15 G3 8D ED 15 15 64 8D 18	GDA9:04 F9 C8 DØ F4 20 6F 12 3F	1041:E0 03 B0 02 E0 33 C8 B1 10
ØB11.FF 15 20 B9 0A A9 EC 85 D9	ØDR1 85 31 A2 00 BD A7 02 FØ BØ	1051.46 FØ 13 95 FØ 10 C9 Ø3 35
ØB19:FB A9 15 85 FC A2 E3 AØ 6D	ØDB9:ØA C9 3F FØ Ø6 9D 66 Ø3 B8	1059 BØ ØC 15 33 29 Ø1 DØ Ø6 B1
ØB21 +CC A9 FB 20 D8 FF 60 A5 B6	ØDC1:E8 DØ F1 86 43 A9 ØØ 9D 89	1061:A9 00 85 33 FØ 02 E6 46 DD
ØB29:4D FØ Ø7 E6 4B 2Ø 13 ØE 8Ø	ØDC9:66 Ø3 85 44 85 3E 85 46 43	1069:A5 05 85 3C A5 06 85 3D 9F
ØB31:C6 4B 6Ø 2Ø B9 ØA 2Ø CØ 82	ØDD1:85 38 85 33 85 47 85 36 2B	1071:60 A5 44 D0 12 A5 2E FØ 35
ØB39:FF A2 Ø2 20 C6 FF 20 CF 80	ØDD9:85 4A 20 33 ØC AØ ØØ B1 15	1079:06 C9 03 B0 02 E6 47 A5 5A
ØB41:FF 20 CF FF 20 CF FF 20 B9	ØDE1:05 C5 42 DØ 23 C8 B1 05 E9	1081:2D C9 06 90 02 E6 47 A0 4F
ØB49:CF FF FØ 3B 20 CF FF 20 79	ØDE9:85 48 C8 B1 Ø5 85 49 AØ 7E	1089:00 84 32 B1 05 C5 44 D0 C4
ØB51:CF FF A5 90 D0 31 20 CF 68	ØDF1:00 B1 48 D9 34 03 D0 10 7E	1091:34 C8 B1 05 85 FB C8 B1 E3
ØB59:FF FØ E9 C9 22 DØ F7 AØ 6A	ØDF9:C8 C4 42 90 F4 A5 05 85 C8	1099:05 85 FC A0 00 B1 FB D9 DF
ØB61:00 20 CF FF FØ ØD C9 22 EA	ØEØ1:48 A5 Ø6 85 49 4C 13 ØE 73	10A1:CA 03 DØ 21 C8 C4 44 90 86
ØB69:FØ Ø6 99 A7 Ø2 C8 DØ F1 ED	ØEØ9:20 FB ØF A5 36 FØ CE 4C CF	10A9:F4 E6 32 A0 00 B1 05 A6 C5
ØB71:20 CF FF A9 ØØ 99 A7 Ø2 DD	ØE11:E7 ØC 20 76 11 20 50 ØF 48	10B1:3E 9D F6 CC A9 FF 91 05 79
ØB79:84 2C A9 A7 AØ Ø2 2Ø 38 12	ØE19:20 BD ØF A5 35 FØ 19 20 BØ	LØB9:A5 Ø5 9D F6 CD A5 Ø6 9D BF
ØB81:09 20 CD 11 4C 45 ØB 20 9C	ØE21:ØA ØF 20 72 10 A5 32 DØ 7D	LØC1:F6 CE E8 86 3E 60 AØ 00 4B
ØB89:CC FF A9 Ø2 20 C3 FF 4C B7	ØE29:EF 20 C7 10 A5 35 DØ 18 FA	10C9:84 35 B1 05 C5 42 F0 01 1A
ØB91:A4 ØB A9 AC AØ ØB 2Ø 38 66	ØE31:E6 4A 20 ED 10 4C 19 0E 28	10D1:60 C8 B1 05 85 FB C8 B1 3A
ØB99:09 20 A6 09 C9 59 D0 03 F9	ØE39:A5 37 DØ Ø3 4C C6 ØE 20 F9	10D9:05 85 FC A0 00 B9 34 03 D9
ØBA1:4C E2 FC A9 B7 A0 0B 20 47	ØE41:FE ØE 20 65 ØF 4C 19 ØE A4	10E1:D1 FB D0 07 C8 C4 42 D0 23
ØBA9:38 Ø9 60 90 CD 55 53 54 F1	0E49:A9 FB A0 0E 20 38 09 A5 C/	10E9:F4 E6 35 60 A0 00 B9 66 C9
ØBB1:20 C9 3F 05 20 00 90 D4 79	0E51:46 FØ 2E C9 02 BØ E8 A5 79	10F1:03 99 CA 03 C8 C4 43 90 F3
ØBB9:48 41 4E 4B 53 21 0D 00 FB	0E59:47 D0 12 A5 4A F0 0E A0 BC	10F9:F5 84 44 A9 00 99 CA 03 58
UBC1:20 33 UC A9 UU 85 38 85 DC	0E61:00 A9 FF 91 05 A9 14 20 18	1101:A8 BI 05 85 43 C8 BI 05 82
0BC9:30 20 BD FF A9 04 A0 07 00	GEGYIDZ FF 4C 40 DE AS SI FD DO	1109:85 FB C8 BI 05 65 FC A0 F5
0BD1:A2 04 20 BA FF 20 CO FF BB	0E71:04 C9 0A D0 04 A9 0A D0 FB	1110.42 00 F6 10 00 09 66 03 B0
ØBE1:15 05 85 07 15 06 85 08 85	GE01.GE 15 31 CO G6 90 07 15 F6	1121 F6 37 4C AC 10 AA F0 23 09
ØBE9:4C F7 ØB AØ ØØ B1 Ø7 FØ 55	0E01:0E AS SI CS 00 90 07 AS FO	1120.00 63 85 FD 09 08 85 FE 01
ØBE1:31 A9 20 20 D2 FF A0 00 E8	0E01.10 0F 20 38 09 20 65 0F AB	1131 A FF CA FØ Ø7 C8 B1 FD C8
ØBF9:B1 Ø7 85 42 C8 B1 Ø7 85 2Ø	ØE99:A5 30 20 26 11 A9 34 AØ 33	1139 DØ FB FØ F6 C8 18 98 65 8D
ØCØ1:FB C8 B1 Ø7 85 FC AØ ØØ 51	ØEA1:03 20 38 09 A9 20 20 D2 BF	1141 FD AA A9 00 65 FE A8 8A 45
ØCØ9:B1 FB 20 D2 FF C8 C4 42 19	ØEA9.FF A5 2F 20 4D 11 A5 31 42	
		1149:20 38 09 60 AA FO FC A9 6D
ØC11:90 F6 20 BF 09 18 A5 07 2A	ØEB1:20 26 11 A9 66 AØ Ø3 20 FF	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4
ØC11:90 F6 20 BF 09 18 A5 07 2A ØC19:69 05 85 07 90 CD E6 08 D9	ØEB1:20 26 11 A9 66 AØ Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34
ØC11:90 F6 20 BF 09 18 A5 07 2A ØC19:69 05 85 07 90 CD E6 08 D9 ØC21:D0 C9 20 FB 0F A5 36 F0 44	ØEB1:20 26 11 A9 66 A0 03 20 FF ØEB9:38 09 A9 2E 20 D2 FF 20 B8 ØEC1:BF 09 4C 8F 11 A9 D3 A0 F9	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20	ØEB1:20 26 11 A9 66 A0 03 20 FF ØEB9:38 09 A9 2E 20 D2 FF 20 B8 ØEC1:BF 09 4C 8F 11 A9 D3 A0 F9 ØEC9:0E 4C 93 0E D9 45 53 2C 0A	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:D0 C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 6Ø A9 F1 85 Ø5 A9 15 5E	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 4C 8F 11 A9 D3 A0 F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 9Ø 3E C9 2Ø 44 4F 9A	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 42 C3 20 ØC31:FF 60 A9 F1 85 55 A9 15 55 ØC39:85 Ø6 60 A0 Ø0 A2 Ø8 84 CA	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC 8F 11 A9 D3 A0 F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 9Ø 3E C9 20 44 4F 9A ØED9:4E 27 54 20 4B 4E 4F 57 FC	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 60 A9 F1 85 05 A9 15 5E ØC39:85 Ø6 60 A0 Ø0 A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4	ØEB1:20 26 11 A9 66 AØ Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC1:0F Ø0 90 3E C9 20 44 F 9A ØED1:20 Ø0 90 3E C9 20 44 4F 9A ØED9:4E 27 54 20 4B 4E 4F 57 FC ØEE1:20 49 46 ØD ØØ 92 2E 2E C6	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 60 A9 F1 85 5A A9 15 5E ØC39:85 Ø6 60 A0 Ø0 A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:00 FØ Ø4 E8 C8 D0 F2 84 A0	ØEB1:20 26 11 A9 66 AØ Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC 8F 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C 8F 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED9:4E 27 54 20 48 4E 4F 57 FC ØEE1:20 49 46 ØD ØØ 92 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 60 A9 F1 85 Ø5 A9 15 5E ØC31:FF 60 A0 Ø0 A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 38 2Ø 33 ØC BF	ØEB1:20 26 11 A9 66 AØ Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 9Ø 3E C9 20 44 4F 9A ØED1:20 ØØ 9Ø 3E C9 20 44 4F 9A ØED1:20 ØØ 9Ø 3E C9 20 44 4F 9A ØED1:20 ØØ 9Ø 3E C9 20 44 4F 9A ØED1:20 Ø9 46 ØD ØØ 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 44 44 44 45 54 40 50 54 <td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B</td>	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 60 A9 F1 85 Ø5 A9 15 5E ØC39:85 Ø6 60 AØ Ø8 A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 38 20 33 ØC BF ØC59:A5 Ø5 85 Ø7 A5 Ø6 85 Ø8 FE	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED1:20 40 90 3E C9 90 2E 2E C6 ØEE1:20 49 46 ØD Ø0 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 <td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55</td>	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 6Ø A9 F1 85 Ø5 A9 15 5E ØC39:85 Ø6 6Ø AØ ØA 2Ø 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 38 2Ø 33 ØC BF ØC59:A5 Ø5 85 Ø7 A5 Ø6 85 Ø8 FE ØC61:AØ ØØ B1 Ø5 C5 A2 DØ 39 62 <t< td=""><td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 Ø0 90 3E C9 20 44 4F PA ØED9:4E 27 54 20 4B 4E 4F F ØEF9:2E 50 41 54 20 41 42 26 ØEF1:41 4E 44 4F<!--</td--><td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 191:11 78 A9 34 85 01 A4 3F 8B 199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8</td></td></t<>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 Ø0 90 3E C9 20 44 4F PA ØED9:4E 27 54 20 4B 4E 4F F ØEF9:2E 50 41 54 20 41 42 26 ØEF1:41 4E 44 4F </td <td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 191:11 78 A9 34 85 01 A4 3F 8B 199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8</td>	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 191:11 78 A9 34 85 01 A4 3F 8B 199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:D0 C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CE FF A9 42 20 C3 20 ØC31:FF 60 A9 F1 85 05 A9 15 55 ØC39:85 Ø6 60 AØ ØØ A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 82 33 ØC BF ØC59:A5 05 85 Ø7 A5 Ø6 85 Ø8 FE ØC61:A0 ØØ B1 Ø5 C5 42 DØ 39 62 <t< td=""><td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F PA ØED1:20 ØØ 90 3E C9 20 44 4F PA ØED9:4E 27 54 20 4B 4E 4F F PA ØED9:4E 27 54 20 4B 4E 4F F PA ØED9:4E 27 54 20 4B 4E 4F F C6 ØEE1:20 49 46 0D 0Ø 90 2E 2E C6</td><td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D</td></t<>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F PA ØED1:20 ØØ 90 3E C9 20 44 4F PA ØED9:4E 27 54 20 4B 4E 4F F PA ØED9:4E 27 54 20 4B 4E 4F F PA ØED9:4E 27 54 20 4B 4E 4F F C6 ØEE1:20 49 46 0D 0Ø 90 2E 2E C6	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 2Ø ØC31:FF 60 A9 F1 85 05 A9 15 5E ØC39:85 Ø6 60 AØ ØØ A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 38 20 33 ØC BF ØC61:A0 ØØ B1 Ø5 C5 42 DØ 39 62 ØC69:C8 B1 Ø5 S5 FB C8 B1 Ø5 B6 <td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 GE D9 45 53 2C ØA ØED1:20 Ø0 90 BE 20 44 4F 9A ØED9:4E 27 54 20 48 4E 4F 57 FC ØEE1:20 49 46 ØD ØØ 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 ØFØI:</td> <td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02</td>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 GE D9 45 53 2C ØA ØED1:20 Ø0 90 BE 20 44 4F 9A ØED9:4E 27 54 20 48 4E 4F 57 FC ØEE1:20 49 46 ØD ØØ 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 ØFØI:	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 2Ø ØC31:FF 60 A9 F1 85 05 A9 15 5E ØC39:85 Ø6 60 AØ ØØ A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 38 2Ø 33 ØC BF ØC61:A0 ØØ B1 Ø5 C5 42 DØ 39 62 ØC69:C8 B1 Ø5 85 FB C8 B1 Ø5 B6 <td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED9:4E 27 54 20 48 4E 4F 57 FC ØEE1:20 49 46 ØD ØØ 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 44 4F 4E 45 44 50 D4 <t< td=""><td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1191:11 78 A9 34 85 01 A4 3F 8B 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 F7</td></t<></td>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED9:4E 27 54 20 48 4E 4F 57 FC ØEE1:20 49 46 ØD ØØ 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 44 4F 4E 45 44 50 D4 <t< td=""><td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1191:11 78 A9 34 85 01 A4 3F 8B 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 F7</td></t<>	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1191:11 78 A9 34 85 01 A4 3F 8B 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 F7
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 60 A9 F1 85 Ø5 A9 15 5E ØC39:85 Ø6 60 A0 Ø0 A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 38 20 33 ØC BF ØC61:A0 ØØ B1 Ø5 C5 42 DØ 39 62 ØC69:C8 B1 Ø5 S5 FB C8 B1 Ø5 B6 <td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C B7 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C B7 D9 45 53 2C ØA ØED1:20 Ø9 3E C9 20 44 4F 9A ØED1:22 49 46 ØD Ø0 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 <t< td=""><td>1149:20 38 09 60 AA r0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A</td></t<></td>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C B7 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C B7 D9 45 53 2C ØA ØED1:20 Ø9 3E C9 20 44 4F 9A ØED1:22 49 46 ØD Ø0 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 <t< td=""><td>1149:20 38 09 60 AA r0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A</td></t<>	1149:20 38 09 60 AA r0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 F0 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 60 A9 F1 85 05 A9 15 5E ØC39:85 Ø6 60 A0 Ø0 A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 36 85 38 20 33 ØC BF ØC69:A5 Ø5 85 Ø7 A5 Ø6 85 Ø8 FE ØC61:A0 ØØ B1 Ø5 P5 P6 B1 Ø5 B6 <td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED1:20 49 46 ØD ØØ 90 2E 2E 2C C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 ØEF9:0D ØØ 90 3E ØØ A6 A6 90<td>1149:20 38 09 60 AA r0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 1C9:02 E6 36 60 AD EC 15 C9 8B</td></td>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 4C BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED1:20 49 46 ØD ØØ 90 2E 2E 2C C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 ØEF9:0D ØØ 90 3E ØØ A6 A6 90 <td>1149:20 38 09 60 AA r0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 1C9:02 E6 36 60 AD EC 15 C9 8B</td>	1149:20 38 09 60 AA r0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 1C9:02 E6 36 60 AD EC 15 C9 8B
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 Ø4 20 C3 20 ØC31:FF 60 A9 F1 85 Ø5 A9 15 5E ØC31:FF 60 A9 F1 85 Ø5 A9 15 5E ØC31:FF 60 A9 F1 85 Ø5 A9 15 5E ØC39:85 Ø6 60 A0 Ø0 A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F5 B6 B7 <td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØED1:20 Ø0 90 3E C9 20 44 4F A4 F FC ØEE1:20 49 46 ØD Ø0 90 2E 2E C6 ØEE9:2E 50 41 54 82 04 14 2 6 ØEF9:0D ØD 90 3E ØD A5 4B</td> <td>1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 A0 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA</td>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 4C BF 11 A9 D3 A0 F9 ØED1:20 Ø0 90 3E C9 20 44 4F A4 F FC ØEE1:20 49 46 ØD Ø0 90 2E 2E C6 ØEE9:2E 50 41 54 82 04 14 2 6 ØEF9:0D ØD 90 3E ØD A5 4B	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 A0 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA
	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED9:4E 27 54 20 4B 4E 4F 57 FC ØEE1:20 49 46 ØD Ø0 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF9:0D ØØ 90 3E ØØ A5 4B FØ B0 ØF9:0D ØØ 90 3E ØØ A5 4B FØ B0 ØF1:47 4E 44 4F 4E 45 44 Ø5 D4	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 1E1:33 20 6F 12 85 2D 20 46 1C
	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 GE D9 45 53 2C ØA ØED1:20 Ø0 90 3E C9 20 44 47 9A ØED9:4E 27 54 20 4B 4E 4F 57 FC ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 50 D4 ØEF9:0D Ø0 90 3E Ø0 A5 BF B ØB Ø	1149:20 38 09 60 AA F0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 66 EF 1C1:E6 38 A5 38 CD EC 15 90 7A 1C9:02 E6 36 60 AD EC 15 C9 88 1D1:F5 90 08 EE 20 D0 C9 FF DA 1D9:91 2 F0 0C 20 F4 12 20 46 1C 1E9:12 F0 0C 20 F4 12 20 46 1C
	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB1:20 A9 A2 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 GE D9 45 53 2C ØA ØED1:20 Ø9 GE D2 Ø4 4F 9A ØED9:4E 27 54 20 48 4E 4F 57 FC ØEE1:20 49 46 ØD Ø0 90 2E 2E C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 05 D4 ØF91:07 A9	1149:20 38 09 60 AA $F0$ FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 88 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 66 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 04 20 CC
	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 Ø9 ØE 20 Ø4 4F 9A ØE ØE 20 44 F A9 ØE ØE 20 44 45 7F ØE ØE ØE ØE 44 45 44 45 44 50 D4 ØE	1149:20 38 09 60 AA $f0$ FC A9 61 $1151:A1$ 85 FD A9 08 85 FE A0 F4 $1159:FF$ CA F0 E0 C8 B1 FD D0 34 $1161:FB$ F0 F6 A9 Ø0 85 38 85 43 $1169:36$ 85 FB 85 3F A9 E0 85 C7 $1171:FC$ 20 33 ØC 60 20 64 11 9E $1179:A0$ Ø0 B1 Ø5 A4 3F 9I B3 $181:E6$ 3F D0 Ø2 26 FC 20 B4 3F 8B $1191:11$ 78 A9 34 85 Ø1 A4 3F 8B $1199:B1 FB A0 Ø0 91 Ø5 E6 3F 55 11A1:D0 Ø2 E6 FC 20 B5 11$
	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE AC 93 ØE D9 45 53 2C ØA ØED1:20 Ø9 ØE 20 Q 44 F9A ØED9:4E 27 54 20 AB E4 FF FC ØEE1:20 49 46 ØD ØØ 90 2E 2E C6 ØEF1:41 44 44 45 44 45 D4 ØF9:60 A5 4B FØ AØ ØE D4 ØF9:60 A5 4B FØ HØ AB	1149:20 38 09 60 AA r^0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 07 42 0CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0F 14 EE EF 15 D0 03 A2
	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 F9 ØED9:4E 27 54 20 48 4E 45 7F ØEE1:20 49 46 ØD ØØ 90 2E 2E 2C C6 ØEE9:2E 50 41 54 48 20 41 42 26 ØEF1:41 4E 44 4F 4E 45 44 Ø5 D4 ØEF9:0D ØØ 90 3E ØØ A5 BF ØB ØB 55 G6 ØB 55 FF 70 ØF91:07 A9 E6 A0 ØE	1149:20 38 09 60 AA r^0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D2:F5 90 06 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 04 20 C7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9
	ØEB1:20 26 11 A9 66 A0 32 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØED1:20 Ø0 90 3E C9 20 44 FF A ØED9:42 50 41 54 48 20 41 42 26 ØEF9:20 Ø0 90 3E Ø0 A4 M5 B4 B7 B0 ØF09:60 A5 4B FØ 44 45 44 45	1149:20 38 09 60 AA $F0$ FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 04 20 CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE EF 15 D0 3A 22 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 01 60 A6 22 A4 43 86 06
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 42 ØC 3 20 ØC31:FF 60 A9 F1 85 Ø5 A9 15 55 ØC39:85 Ø6 60 AØ ØØ A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 AØ ØC51:42 85 85 Ø7 A5 Ø6 B5 Ø8 FE ØC61:AØ ØØ B1 Ø5 C5 42 DØ 39 62 ØC69:C8 B1 Ø5 B5 FA S6 F4 DD 34	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø9 AC BF 11 A9 D3 A0 F9 ØEC1:BF Ø0 90 BE 20 44 4F 9A ØED9:2C C0 ØA ØED9:4E 27 54 20 48 44 4F 4E 45 44 Ø5 D4 ØED9:4E 27 54 44 4F 4E 45 44 Ø5 D4 ØEF9:0D Ø9 90 3E ØA ØE A0 ØE B ØB ØF91:0D ØA	1149:20 38 09 60 AA $F0$ FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 1D9:90 16 0A 9 00 85 45 85 51 1E1:33 20 6F 12 85 2D 20 46 1C 1E9:12 F0 0C 20 B4 12 20 C1 C4 1F1:13 85 2E C9 00 D0 04 20 CC 1F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 2111:D0 01 60 A6 42 A4 43 86 06 1219:43 84 42 E4 42 B0 02 A6 16
ØC11:90 F6 20 BF Ø9 18 A5 Ø7 2A ØC19:69 Ø5 85 Ø7 90 CD E6 Ø8 D9 ØC21:DØ C9 20 FB ØF A5 36 FØ 44 ØC29:B7 20 CC FF A9 42 ØC 3 20 ØC31:FF 60 A9 F1 85 Ø5 A9 15 55 ØC39:85 Ø6 60 AØ ØØ A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC49:ØØ FØ Ø4 E8 C8 DØ F2 84 A0 ØC51:42 85 85 Ø8 80 Ø3 C9 E4 ØC51:42 85 85 Ø7 A5 Ø6 B8 Ø8 B6 ØC61:A0 Ø0 B1 Ø5 C5 42 DØ B4 Ø5 <tr< td=""><td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED9:4E 27 54 20 48 4 FF F7 ØED9:4E 27 54 20 48 44 47 28 20 41 42 26 ØEF1:41 44 4F 4E 45 44 05 D4 04 06 B1 77 ØF1:07 A9 E6 A0 ØE 20 38 Ø9 5E ØF ØE B0 65 85</td><td>1149:20 38 09 60 AA $F0$ FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 11 1E1:33 20 6F 12 85 2D 20 46 1C 1E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 04 20 CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0F 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 01 60 A6 42 A4 43 86 06 1221:42 BD 34 03 48 BD A7 02 17</td></tr<>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED9:4E 27 54 20 48 4 FF F7 ØED9:4E 27 54 20 48 44 47 28 20 41 42 26 ØEF1:41 44 4F 4E 45 44 05 D4 04 06 B1 77 ØF1:07 A9 E6 A0 ØE 20 38 Ø9 5E ØF ØE B0 65 85	1149:20 38 09 60 AA $F0$ FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 11 1E1:33 20 6F 12 85 2D 20 46 1C 1E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 04 20 CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0F 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 01 60 A6 42 A4 43 86 06 1221:42 BD 34 03 48 BD A7 02 17
\emptyset C11:90F620BF0918A5072A \emptyset C19:6905850790CDE608D9 \emptyset C21:D0C920FB0FA536F044 \emptyset C29:B720CCFFA90420C320 \emptyset C31:FF60A9F18505A91555 \emptyset C39:850660A000A20884CA \emptyset C41:33BDA702993403C9E4 \emptyset C41:33BDA702993403C9E4 \emptyset C51:428536858820330CBF \emptyset C59:45058567A5666508FF \emptyset C61:A000B105C542D03962 \emptyset C69:C8B1058567A56666A000B175 \emptyset C69:C8B1058567906305779663 \emptyset C71:85FCA000B16785679663 \emptyset C99:0220FB07A53660B10770 \emptyset C99:03D0C6C542D0B4061057 \emptyset C99:0420FB07A556678040 <td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 Ø9 GE 20 Ø4 4F 9A ØED ØED 20 24 4F 9A ØED1:20 Ø9 GE 20 ØA 4E 4F 55 FC ØE ØE<!--</td--><td>1149:20 38 09 60 AA r^0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 1D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 44 20 CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 160 A6 42 A4 43 86 06 1221:42 BD 34 03 48 BD A7 02 CA 6A</td></td>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 Ø9 GE 20 Ø4 4F 9A ØED ØED 20 24 4F 9A ØED1:20 Ø9 GE 20 ØA 4E 4F 55 FC ØE ØE </td <td>1149:20 38 09 60 AA r^0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 1D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 44 20 CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 160 A6 42 A4 43 86 06 1221:42 BD 34 03 48 BD A7 02 CA 6A</td>	1149:20 38 09 60 AA r^0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 1D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 44 20 CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 160 A6 42 A4 43 86 06 1221:42 BD 34 03 48 BD A7 02 CA 6A
\emptyset C11:90F620BF0918A5072A \emptyset C19:6905850790CDE608D9 \emptyset C21:D0C920FB0FA536F044 \emptyset C29:B720CCFFA90420C320 \emptyset C31:FF60A9F18505A91555 \emptyset C39:850660A000A20884CA \emptyset C41:33BDA702993403C9E4 \emptyset C41:33BDA702993403C9E4 \emptyset C51:428536853820330CBF \emptyset C59:A5058507A5068508FE \emptyset C61:A000B105C542D03962 \emptyset C69:C8B10585FBC8B105B6 \emptyset C71:85FCA000B1FBD93405 \emptyset C69:C8B10585079063068400B107F0 \emptyset C81:18A5076905850786068400B10770 \emptyset C81:18A5076965850786068406810757 \emptyset C61:180BA06 <td>ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE AC 93 ØE D9 45 53 2C ØA ØED9:4E 27 54 20 48 4E 4F F7 ØED9:4E 27 54 20 48 4E 45 54 ØA ØEF1:41 44 4F 4E 45 44 Ø5 D4 ØF9:60 A5 4B FØ 41 AØ ØØ B1 FB ØB ØF B1 ØS S5 FB 70 ØF19:60 A5 4B FØ</td> <td>1149:20 38 09 60 AA r^0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 01 60 A6 42 A4 43 86 06 1221:42 BD 34 03 48 BD A7 02 17 1229:9D 34 03 68 9D A7 02 CA 6A 1231:10 EF A5 2D 48 A0 04 B1 5F</td>	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC9:ØE AC 93 ØE D9 45 53 2C ØA ØED9:4E 27 54 20 48 4E 4F F7 ØED9:4E 27 54 20 48 4E 45 54 ØA ØEF1:41 44 4F 4E 45 44 Ø5 D4 ØF9:60 A5 4B FØ 41 AØ ØØ B1 FB ØB ØF B1 ØS S5 FB 70 ØF19:60 A5 4B FØ	1149:20 38 09 60 AA r^0 FC A9 6D 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 1181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 01 60 A6 42 A4 43 86 06 1221:42 BD 34 03 48 BD A7 02 17 1229:9D 34 03 68 9D A7 02 CA 6A 1231:10 EF A5 2D 48 A0 04 B1 5F
\emptyset C11:90F620BF0918A5072A \emptyset C19:69 \emptyset 585 \emptyset 790CDE6 \emptyset 8D9 \emptyset C21:D0C920FB \emptyset FA536F044 \emptyset C29:B720CCFFA90420C320 \emptyset C31:FF60A9F18505A91555 \emptyset C39:856660A000A20884CA \emptyset C41:33BDA702993403C9E4 \emptyset C41:33BDA702993403C9E4 \emptyset C41:42853685820330CB \emptyset C51:42858507A5068508FE \emptyset C61:A0 \emptyset 0B105C542D03962 \emptyset C69:C8B1058567A685B8FE \emptyset C61:A0 \emptyset 0B195C542D0F4DD \emptyset C61:A0 \emptyset 0B19585079063 \emptyset C79: \emptyset 3D026C8C44290F4DD \emptyset C81:18A5076905850786 \emptyset C91:0885432000D4C8122D \emptyset C91:0885432000D4C812	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØED1:20 Ø9 AC AB FI AF FA PA ØED9:4E 27 54 20 48 44 FF FC ØEE1:20 49 46 ØD<Ø9	1149:20 38 09 60 AA $(0 \ FC \ A9 \ 6D$ 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D2:F5 90 08 EE 20 D0 C9 FF DA 11D2:F2 00 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 04 20 C7 1201:20 0E 14 EE EF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 01 60 A6 42 A4 43 86 06 1219:43 84 42 E4 42 B0 02 A6 16 1221:42 BD 34 03 48 BD A7 02 17 1229:9D 34 03 68 9D A7 02 CA 6A 1231:10 EF A5 2D 20 84 12 68 85 2D
\emptyset C11:90F620BF0918A5072A \emptyset C19:69 \emptyset 585 \emptyset 790CDE6 \emptyset 8D9 \emptyset C21:D0C920FB \emptyset FA536F044 \emptyset C29:B720CCFFA942 \emptyset C320 \emptyset C31:FF60A9F18505A91555 \emptyset C39:856660A0ØØA2Ø884CA \emptyset C41:33BDA7Ø29934Ø3C9E4 \emptyset C49: \emptyset ØFØØ4E8C8D0F284A0 \emptyset C51:4285368582Ø3ØCB \emptyset C59:A5Ø585Ø7A5Ø66285Ø8 \emptyset C51:42858585F7A5Ø6B5Ø8 \emptyset C61:A0Ø0B1Ø5C542D03962 \emptyset C69:C8B1Ø5B5Ø7A7Ø663 \emptyset C79: \emptyset 3D0C6C8C44290F4 \emptyset C79: \emptyset 3	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 4C 8F 11 A9 D3 AØ F9 ØEC9:ØE 4C 93 ØE D9 45 53 2C ØA ØED1:20 ØØ 90 3E C9 20 44 4F 9A ØED1:20 Ø9 3E C9 20 44 FF FC ØEE1:20 49 46 ØD<Ø9	1149:20 38 09 60 AA $(0 \ FC \ A9 \ 6D$ 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 1A9:36 F0 EB A9 36 85 01 58 5D 1B1:EE 86 02 60 18 A5 05 6D 02 1B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 1E1:33 20 6F 12 85 2D 20 46 1C 1E9:12 F0 0C 20 B4 12 20 C1 C4 1F9:9E 0A 60 20 6F 12 85 2D F7 1201:20 0E 14 EE FF 15 D0 03 A2 1209:EE F0 15 20 34 09 A5 33 C9 1211:D0 01 60 A6 42 A4 43 86 06 1219:43 84 42 E4 42 B0 02 A6 16 1221:42 BD 34 03 48 BD A7 02 17 1229:9D 34 03 68 9D A7 02 CA 6A 1231:10 EF A5 2D 20 44 15 1239:05 85 2D 20 44 12 68 85 2D 1241:2D 20 0E 14 60 A2 00 BD 52
ØC11:90 F6 20 BF 09 18 A5 07 2A ØC19:69 05 85 07 90 CD E6 08 D9 ØC21:DØ C9 20 FB ØF A5 36 F0 44 ØC29:B7 20 CC FF A9 42 0C 3 20 ØC31:FF 60 A9 F1 85 05 A9 15 55 ØC39:85 06 60 A0 ØØ A2 Ø8 84 CA ØC41:33 BD A7 Ø2 99 34 Ø3 C9 E4 ØC59:45 Ø5 85 Ø7 A5 Ø6 B5 Ø8 FE ØC61:A0 Ø0 B1 Ø5 C5 42 D0 39 62 ØC69:C8 B1 Ø5 B5 FB C8 B1 Ø5 B6 ØC79:Ø3 D0 26 C8 A4 Ø0 B1 Ø7 Ø	ØEB1:20 26 11 A9 66 A0 Ø3 20 FF ØEB9:38 Ø9 A9 2E 20 D2 FF 20 B8 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 AC BF 11 A9 D3 AØ F9 ØEC1:BF Ø9 GE D9 45 53 2C ØA ØED1:20 Ø9 GE D2 Ø4 44 F9 A ØED1:20 Ø9 GE QE 2E C6 ØEE9:2E 50 41 54 48 Q0 14 22 6 ØEF1:41 4E 44 4F 4E 45 44 Ø5 D4 ØEF9:0D Ø9 3E Ø0 A0 ØE 20 38 Ø9 5E ØF9:60 A5 4B F0 41 A0 Ø0 B1 77 ØF11:65 20 20<	1149:20 38 09 60 AA $(0 \ FC \ A9 \ 6D$ 1151:A1 85 FD A9 08 85 FE A0 F4 1159:FF CA F0 E0 C8 B1 FD D0 34 1161:FB F0 F6 A9 00 85 38 85 43 1169:36 85 FB 85 3F A9 E0 85 C7 1171:FC 20 33 0C 60 20 64 11 9E 1179:A0 00 B1 05 A4 3F 91 FB B3 181:E6 3F D0 02 E6 FC 20 B5 42 1189:11 A5 36 F0 EB 60 20 64 F8 1191:11 78 A9 34 85 01 A4 3F 8B 1199:B1 FB A0 00 91 05 E6 3F 55 11A1:D0 02 E6 FC 20 B5 11 A5 F8 11A9:36 F0 EB A9 36 85 01 58 5D 11B1:EE 86 02 60 18 A5 05 6D 02 11B9:61 08 85 05 90 02 E6 06 EF 11C1:E6 38 A5 38 CD EC 15 90 7A 11C9:02 E6 36 60 AD EC 15 C9 88 11D1:F5 90 08 EE 20 D0 C9 FF DA 11D9:90 01 60 A9 00 85 45 85 51 11E1:33 20 6F 12 85 2D 20 46 1C 11E9:12 F0 0C 20 B4 12 20 C1 C4 11F1:13 85 2E C9 00 D0 04 20 CC 11F9:9E 0A 60 20 6F 12 85 2D F7 1201: $(1 \ 60 \ A0 \ 20 \ 60 \ F1 \ 20 \ 33 \ C9$ 121:D0 01 60 A6 42 A4 43 86 06 1219:43 84 42 E4 42 B0 02 A6 16 1221:42 BD 34 03 48 BD A7 02 17 1229:9D 34 03 68 9D A7 02 CA 6A 1231:10 EF A5 2D 20 84 12 CA 6A 1241:2D 20 0E 14 60 A2 00 BD 52 1241:2D 20 0E 14 60 A2 00 BD 52 1249:A7 02 F0 21 C9 20 F0 06 A8

C-www.commodore.ca

	The second second second				
	1259:A9 ØØ	9D 34 Ø3	A8 E8	BD 93	14F1:C8 A5 Ø4 91 Ø7 C8 A5 2E 56
	1261:A7 Ø2	99 A7 Ø2	FØ Ø4	E8 4C	14F9:91 Ø7 C8 A5 2D 91 Ø7 6Ø 3E
	1269:C8 DØ 1	F4 A9 Ø1	6Ø A9	63 9F	1501:90 C9 20 4B 4E 4F 57 2E 2B
	1271:85 FB	A9 Ø8 85	FC A2	Ø1 73	1509:05 0D 00 A6 45 F0 30 AD 5F
	1279:AØ ØØ 1	BI FB FØ	23 09	A7 53	1511:FØ 15 10 ØA A5 45 10 36 34
	1001 00 00				1519:A9 7B AØ 15 DØ 59 C9 5A 36
	1281:02 00	03 C8 D8	F4 C8	BI 65	1521:90 06 45 45 10 28 46 45 11
	1289:FB DØ 1	FB C8 98	18 65	FB D7	1529.09 30 90 09 15 45 00 10 00
Ц	1291:85 FB A	A9 ØØ 65	FC 85	FC D3	1521.00 10 P0 10 N3 P0 10 N5 C1
	1299:E8 EØ 6	B DØ DE	A2 ØØ	AØ E2	1531:90 IC B0 IB AA F0 18 A5 61
	12A1:00 8A	48 A2 ØØ	B9 A7	Ø2 D3	1539:45 C9 07 90 11 80 10 86 54
1	12A9:9D A7 6	32 FØ Ø4	C8 E8	DØ BB	1541:4C E6 40 A5 40 C9 ØA 90 7B
	12B1:F4 68 6	50 20 33	ØC A9	00 95	1549:05 86 40 20 A4 0B 60 A5 59
	1289:85 38 8	35 35 85	36 20	C7 BF	1551:45 10 08 E6 4C A9 C8 A0 CC
1	1201.10 35	35 DØ 19	20 20	AP 52	1559:15 DØ 1C C9 2Ø 9Ø Ø6 A9 5B
	1200.15 26 1		20 FB	DF 55	1561:B8 AØ 15 DØ 12 C9 ØC 9Ø 2Ø
	12C9:A5 30 1	ED FZ 20	ØD 13	18 01	1569:06 A9 9A A0 15 D0 08 C9 24
	12D1:A5 05 0	9 05 85	07 A5	06 21	1571 . 06 90 DB A9 78 A0 15 4C AD
	12D9:69 ØØ 8	35 Ø8 60	A2 ØØ	A5 17	1579.39 69 96 CO 27 4D 26 47 AC
	12E1:05 85 G	37 A5 Ø6	85 Ø8	EC 68	1579:38 09 90 C9 27 4D 20 47 A6
	12E9:62 Ø8 H	30 12 18	A5 Ø7	69 47	1581:45 54 54 49 4E 4/ 20 41 93
	12F1:05 85 g	37 9Ø Ø2	E6 Ø8	AØ 4Ø	1589:20 4C 49 54 54 4C 45 20 C3
	12F9:00 B1 0	7 DØ EA	60 18	A5 27	1591:48 55 4E 47 52 59 2E ØD D4
	1301:05 69 6	15 85 07	A5 06	69 41	1599:00 90 C9 27 4D 20 48 55 64
	1309.00 85	18 60 20	33 00	12 20	15A1:4E 47 52 59 2E 20 DØ 4C 84
	1311.00 00 1	C 15 DO	GE 10	AL LU	15A9:45 41 53 45 20 46 45 45 6F
	1210-05 (5	1 00 05	01 18	AS FA	15B1:44 20 4D 45 2E 0D 00 90 3A
	T213:02 0D 6	08 85	05 90	02 2D	15B9:C9 27 4D 20 53 54 41 52 FE
	1321:E6 Ø6 H	SE DO EC	EE EC	15 78	15C1:56 49 4E 47 21 0D 00 90 75
	1329:A2 34 A	10 03 A5	42 20	4D B5	15C9:D3 4F 52 52 59 2F 20 C0 3F
	1331:13 AØ Ø	00 A5 42	91 Ø5	C8 8E	1501.07 AD 20 54 AD AD 20 40 60
	1339:A5 Ø3 9	91 Ø5 C8	A5 Ø4	91 EB	1501127 40 20 54 4F 4F 20 48 6C
	1341:05 C8 A	19 ØØ 91	Ø5 C8	A5 29	15D9:55 4E 4/ 52 59 20 54 4F 93
	1349:2D 91 0	5 6Ø 86	FB 84	FC 3B	15E1:20 54 48 49 4E 4B 2E 2E F8
1	1351:85 3F #	9 F1 85	FD A9	15 EA	15E9:2E 0D 00 00 00 00 00 00 6E
	1359:85 FE A	5 FE C9	3C BØ	49 90	Brogram Q. Campala
	1361:40 00 1	I FD C5	SF DØ	34 FF	Program z: sample
	1369.C8 B1 F	D 85 F7	CB BI	ED BC	Statement File
	1371.95 59 2	0 00 P1	EP DI	FD BC	For instructions on entering this are more
	1370.00 22 0	DO DO BI	FB DI	FT CD	Por instructions on entering this program,
	1379:00 22 0	0 C4 JF	90 15	AD BE	please refer to COMPUTE's Guide to Typing
	1381:00 A5 3	or 91 05	CB AS	F/ A0	in Programs eisewhere in this issue.
н	1389:91 05 0	8 A5 F8	91 05	C8 ØE	PP 100 PFM ** CMAPT ATEC CTATE
	1391:A9 00 9	1 05 C8	A5 2D	91 D7	BB 100 REM - SMART ALEC STATE
	1399:05 68 6	60 18	A5 FD	69 2C	MENT FILE
	13A1:05 85 H	PD 90 B5	E6 FE	DØ 8C	QE 101 REM ** COPYRIGHT 1987
	13A9:B1 38 A	15 Ø3 E5	3F 85	Ø3 D5	CR 102 REM ** COMPUTEI PUBLICA
	13B1:BØ Ø2 C	:6 Ø4 AØ	ØØ B1	FB 2E	TIONS, INC.
	1389:91 Ø3 C	C8 C4 3F	9Ø F7	6Ø 5B	KK 103 REM ** ALL RIGHTS RESER
	13C1:A9 A1 8	5 FR AG	08 85	FC OD	VED.
		J LP W	00 05	LC DP	
	13C9:A2 Ø1 A	Ø ØØ B1	FB FØ	23 18	FS 105 REM [8 SPACES]MAN
	13C9:A2 Ø1 A 13D1:D9 A7 Ø	Ø ØØ B1 12 DØ Ø3	FB FØ C8 DØ	23 18 F4 ED	FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F	0 00 B1 2 D0 03 B D0 FB	FB FØ C8 DØ C8 98	23 18 F4 ED 18 A9	FS 105 REM[8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE
	13C9:A2 Ø1 P 13D1:D9 A7 Ø 13D9:C8 B1 P 13E1:65 FB Ø	0 00 B1 02 D0 03 05 FB A9	FB FØ C8 DØ C8 98 ØØ 65	23 18 F4 ED 18 A9 FC 3F	FS 105 REM[8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FB FØ C8 DØ C8 98 ØØ 65 DØ DB	23 18 F4 ED 18 A9 FC 3F A2 53	FS 105 REM [8 SPACES]MAN MX 110 "A MAŃ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F 13F1:ØØ AØ Ø	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ	23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB 8 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9	ØØ B1 ØZ DØ Ø3 ØZ DØ Ø3 ØB DØ FB ØS FB A9 SS FB A9 SS FB A9 SS FB A9 SS FS A9	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4	23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 E 13E1:65 FB 8 13E9:85 FC E 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F	ØØ B1 ØZ DØ Ø3 DØ FB DØ FB SF FB A9 S8 EØ ØF SS FB A9 S8 EØ ØF SS FB A9 S8 EØ ØF SS FA A8 EØ ØF SS FA A8 FØ A7 Ø2 SA 468 FØ FØ FØ FØ	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9	23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D	FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB 8 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F	ØØ B1 Ø2 DØ FB Ø3 B DØ FB Ø5 FB A9 85 EØ ØF Ø0 8A 48 ØD A7 Ø2 64 68 FØ 66 33 60	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF	23 18 23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68	FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB 8 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1411:R9 A7 Ø	10 10 10 10 10 2 DØ Ø3 10 FB 10 B DØ FB AØ FB 20 FB 10 FB DØ FB AØ FB 20 FB AØ 10 F FB AØ A 80 A 48 40 A 70 20 A4 68 FØ A0 A4 40 A 40	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2F	23 18 23 18 24 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ FB	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1411:B9 A7 Ø 149:F6 2A0	00 00 B1 02 DØ 00 B1 02 DØ Ø3 B 03 FB DØ FB 04 Ø0 B1 B 05 FB DØ FB 05 FB DØ FB 06 8A 48 00 A7 Ø2 04 68 FØ 05 25 FØ Ø3 02 FØ Ø2	FB FØ CB DØ CB 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 A2	23 18 23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A5 Ø	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:BØ Ø2 F 1411:B9 A7 Ø 1419:F6 7A9 1421:Ø5 85 FC	M ØØ B1 M ØØ B1 M ØØ B1 M DØ FB M DØ FB M DØ FB M B0 FG M B0 FG M B0 FG M FG FG	FB FØ CB DØ CB 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AJ 85 FF	23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC 78	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F 13F1:Ø0 AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1411:B9 A7 Ø 1419:F6 ?A9 1421:Ø5 85 F	Model Model <td< td=""><td>FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AI 85 FE</td><td>23 18 23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC 78 FD AF</td><td>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL</td></td<>	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AI 85 FE	23 18 23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC 78 FD AF	FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:BØ Ø2 F 1411:F9 A7 Ø 1419:F6 ?A9 1421:Ø5 Ø5 F 1429:62 Ø8 F 1431:69 Ø5	00 00 00 01 02 00 03 02 00 03 03 04 05 FB A9 03 05 FB A9 03 05 FB A9 03 05 FB A9 03 05 FD 04 A8 A9 04 A8 F0 A7 02 F0 07 04 68 F0 63 64 54 64 54 54 56 57 57 56 63 64 56 57 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 56 <td>FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AJ 85 FE 18 A5 FE</td> <td>23 18 23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC 78 FD AF FE 39</td> <td>FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE</td>	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AJ 85 FE 18 A5 FE	23 18 23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC 78 FD AF FE 39	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB 8 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1411:B9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1429:62 Ø8 F	M ØØ B1 M MØ A8 M A7 Ø2 M A8 FØ M A7 Ø2 V A68 FØ M A7 Ø2 V A5 Ø6 M 42 E8 M 42 E8	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 18 A5 Ø2 E6 Ø2 E6	FC 55 23 18 F4 ED 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1410:F6 ?A9 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø	M ØØ B1 M ØØ B1 M ØØ B1 M DØ FB M B DØ FB M DØ FB A9 M B A 48 M D A7 Ø2 M A8 48 FØ M D A7 Ø2 M A8 FØ Ø9 M D A5 Ø6 M D A7 Ø2 M Ø 99 A M 42 E8 E9 A7 E8 E9 A7	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ 04 ØØ C9 AØ FF C9 2E 7 Ø2 AP 85 FE 18 A5 Ø2 E6 Ø2 DØ	23 18 23 18 23 18 23 18 18 A9 FC 3F B9 6F C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS A MAILE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:BØ Ø2 F 1411:B9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1439:AØ FF Ø	M ØØ Ø B M ØØ Ø B 1 M ØØ B D Ø FB M DØ FB DØ FB DØ FB M DØ FB A 98 A 48 FØ M DD A7 Ø2 FØ Ø9 A FØ 69 A 50 A5 60 A2 E8 55 FD 90 80 42 E8 B9 A7 A0 80 A2 E8 B9 A7 50 A5 60 A5 60 <td>FB FØ C8 DØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ A0 FF Ø 44 Ø6 C9 A0 FF C9 2E 7 Ø2 A1 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ FD FØ FD FØ</td> <td>23 18 23 18 23 18 23 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A A5 Ø EC 78 FD AF FE 39 FA 48 26 12</td> <td>FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS A MAILE QC 150 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HIMAN</td>	FB FØ C8 DØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ A0 FF Ø 44 Ø6 C9 A0 FF C9 2E 7 Ø2 A1 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ FD FØ FD FØ	23 18 23 18 23 18 23 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A A5 Ø EC 78 FD AF FE 39 FA 48 26 12	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS A MAILE QC 150 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HIMAN
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1411:B9 A7 Ø 1411:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 Ø5 Ø	Mode Mode <td< td=""><td>FB FØ C8 DØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 A6 C9 AØ FF C9 2E 7 Ø2 AI 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD</td><td>23 18 23 18 23 18 23 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 1E 85 88</td><td>FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAM IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES}WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES}MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES}HUMAN FR 250 "A HUMAN IS MOPTAL</td></td<>	FB FØ C8 DØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 A6 C9 AØ FF C9 2E 7 Ø2 AI 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD	23 18 23 18 23 18 23 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 1E 85 88	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAM IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES}WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES}MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES}HUMAN FR 250 "A HUMAN IS MOPTAL
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB 8 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1401:B9 A7 Ø 1411:F9 A7 Ø 1411:F9 A7 Ø 1411:F9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 8 1439:AØ FF C 1441:84 43 A 1449:C5 43 F	A Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 C9 2E 7 Ø2 Ø5 FE 18 A5 Ø2 DØ B1 FD FC A9	23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 1E 85 8B ØØ 21	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 166 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 226 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC B 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 1409:BØ Ø2 F 1411:B9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1441:84 43 A 1449:C5 43 T 1451:FB C8 F 1459:B1 FB F	A Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E7 7 Ø2 A85 FE 18 A5 Ø2 DØ FD FØ B1 FD DØ C8	23 18 23 18 24 18 18 A9 FC 3F B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 1E 85 88 ØØ 21 C8 BC	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E1:65 FB Ø 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1410:F6 ?A9 1421:Ø5 85 F 1429:62 Ø8 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1439:AØ FF C 1441:84 43 A 1449:FF C8 F 1459:F1 F8 F 1459:F1 F8 F	Mode Mode <td< td=""><td>FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ 64 FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AØ 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD FØ B1 FC AØ DØ C8 Ø1 AØ</td><td>23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 12 C8 8C 15 C5</td><td>FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE PD 200 "ALIVE IS THE SAME AS N</td></td<>	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ 64 FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AØ 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD FØ B1 FC AØ DØ C8 Ø1 AØ	23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 12 C8 8C 15 C5	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE PD 200 "ALIVE IS THE SAME AS N
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1411:B9 A7 Ø 1419:F6 ?A9 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1439:AØ FF C 1441:84 43 A 1449:C5 43 F 1451:FB C8 F 1451:FB C8 F 1451:FB C8 F 1459:FB C8 F 1461:C4 43 9 1469:2Ø 38 Ø	0 00 00 00 00 01 0 00 00 00 01 01 02 00 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 03 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 <td>FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AA 85 FF Ø2 E6 Ø2 DØ FD FØ B1 FD FC AØ B1 FD FC AØ Ø4 AØ 60 AØ</td> <td>23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 1E 85 8B ØØ 21 C8 BC 15 C5 FF 5D</td> <td><pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OTT FEAD</pre></td>	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 AA 85 FF Ø2 E6 Ø2 DØ FD FØ B1 FD FC AØ B1 FD FC AØ Ø4 AØ 60 AØ	23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 1E 85 8B ØØ 21 C8 BC 15 C5 FF 5D	<pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OTT FEAD</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:E0 Ø5 FC 1411:B9 A7 Ø 1419:F6 ?A9 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1441:84 43 A 1449:C5 43 F 1451:FB C8 F 1459:E1 FB F 1461:C4 43 9 1469:20 38 Ø 1471:C8 B9 F	Mode ØØ ØØ B1 Mode ØØ ØB B2 DØ Ø3 Mode ØØ ØB DØ FB DØ FB Mode ØØ ØB DØ FB DØ FB DØ Mode ØØ 8A 48 ØØ A7 Ø2 FØ Mode A7 Ø2 FØ ØØ 99 A PD A5 Ø6 Mode A2 E8 B9 A7 Ø2 E8 B9 A7 Ø2 B9 A7 Ø2 B9 A7 Ø2 ØØ B1 D0 DB C8 B1 FD 85 D9 A7 Ø2 DØ Ø4 A3 Ø9 68 68 A7 Ø2 DØ Ø4 A9 Ø9 Ø6 A4 A9 Ø9 Ø6 A4 A9 Ø9 Ø6 A4 A6 Ø2 Ø6	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 C9 2E Ø2 DØ B1 FD FØ A1 Ø1 AØ FA 84	23 18 23 18 24 18 A2 53 B9 6F C8 47 Ø3 2D C8 47 Ø3 2D C8 6F C8 47 Ø3 2D C8 6F EC 78 FD AF FE 39 FA 48 26 1E 85 8B ØØ 21 C8 8C 15 C5 FF 5D 43 4Ø	FS 105 REM [8 SPACES]MAN MX 110 "A MAÑ IS A HUMAN JD 120 "A MAN IS A HUMAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD PO 290 "NULVE IS COOD
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1401:B9 A7 Ø 141:B9 A7 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1439:AØ FF C 1439:AØ FF C 1441:84 43 A 1449:C5 43 F 1451:FB C8 F 1459:B1 FB F 1461:C4 43 9 1461:C4 89 Ø 1471:C8 B9 F 1471:C8 B9 F 1479:A9 F1 8	A Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF 7 Ø2 7 Ø2 7 Ø2 AØ FF 18 A5 Ø2 E6 Ø2 DØ FD FO DØ C8 Ø1 AØ GØ AØ FA 84 15 85	23 18 23 18 24 18 18 A9 FC 35 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 1E ØØ 21 C8 BC 15 C5 FF 40 FA EA	<pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]AUIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD </pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 141:E9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1441:84 43 A 1451:FB C8 F 1459:B1 FB F 1469:20 38 Ø 1471:C8 B9 A 1479:A9 F1 Ø 1461:A5 FA O	Mode Mode <td< td=""><td>FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ A2 ØØ FØ Ø4 Ø6 C9 AØ FF 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD DØ C8 Ø1 AØ FA 84 AØ FA</td><td>23 18 23 18 23 18 24 18 18 A9 FC 3F B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 12 C8 BC 15 C5 FF 5D 43 40 FA EA ØØ 20</td><td><pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 3000 REM</pre></td></td<>	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ A2 ØØ FØ Ø4 Ø6 C9 AØ FF 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD DØ C8 Ø1 AØ FA 84 AØ FA	23 18 23 18 23 18 24 18 18 A9 FC 3F B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 12 C8 BC 15 C5 FF 5D 43 40 FA EA ØØ 20	<pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 3000 REM</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:BØ Ø2 F 1411:B9 A7 Ø 1411:F6 ?A9 1421:Ø5 85 F 1429:62 Ø8 F 1429:62 Ø8 F 1439:AØ FF C 1441:84 43 A 1449:C5 43 F 1459:FB1 FB F 1459:FB1 FB F 1461:C4 43 9 1469:2Ø 38 Ø 1471:C8 FF 7 1479:A9 F1 8 1489:F1 F9 C	0 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 </td <td>FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ 64 FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 A4 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD FC AØ 60 AØ FA 84 15 85 C8 28 C8 98 C9 98 C9 28 C9 2</td> <td>23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 15 S5 8B ØØ 21 C8 BC 15 C5 FF 5D 43 40 FA 48 20 20</td> <td><pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM [2 SPACES]SUGGESTED </pre></td>	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ 64 FØ Ø4 Ø6 C9 AØ FF C9 2E 7 Ø2 A4 85 FE 18 A5 Ø2 E6 Ø2 DØ FD FØ B1 FD FC AØ 60 AØ FA 84 15 85 C8 28 C8 98 C9 98 C9 28 C9 2	23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 15 S5 8B ØØ 21 C8 BC 15 C5 FF 5D 43 40 FA 48 20 20	<pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM [2 SPACES]SUGGESTED </pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC B 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:E0 Ø5 Ø 1411:F9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:FB C8 F 1459:E1 FB C8 1459:E1 F	0 00 00 01 0 00 00 01 0 00 00 01 0 00 00 01 0 00 00 01 0 00 00 02 0 00 04 08 0 0 04 08 0 0 04 02 0 00 90 04 0 00 02 03 0 00 03 04 0 00 04 28 0 00 04 08 0 00 04 08 0 00 04 04 00 04 04 04 00 64 02 00 00 64 02 00 00 64 02 00 00 64 02 0	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 C9 2E Ø2 DØ B1 FD FØ A4 M1 A6 FA 84 15 85 A3 C8	23 18 23 18 24 18 253 18 4 253 89 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 1E 85 8B ØØ 21 C8 EC FF 5D 43 4Ø FA EA E0 28 E0 81 E0 F8	<pre>FS 105 REM {8 SPACES}MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAN IS A MAMMAL SG 166 "A MAMMAL DOES HAVE HAI R KM 170 REM{8 SPACES}WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM{8 SPACES}MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM{8 SPACES}HUMAN ER 250 "A HUMAN IS A WORTAL ER 260 "A HUMAN IS A NORTAL ER 260 "A HUMAN IS A NORTAL ER 260 "A HUMAN IS A WORTAL ER 260 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM{2 SPACES}UGGESTED {SPACE}QUESTIONS</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1401:B9 A7 Ø2 1411:B9 A7 Ø 1411:F9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1439:AØ FF C 1441:84 43 A 1449:C5 43 F 1459:B1 FB F 1461:C4 43 9 1461:C8 B9 A 1471:C8 B9 A 149:F9 A 1	A Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF 7 Ø2 AØ FF 18 A5 Ø2 E6 Ø2 DØ FD FØ Ø1 AØ FA 84 15 85 J1 F7 S3 C8 J2 F9 J3 C8 J1 F7	23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC FD AF FE 39 FA 48 26 1E 85 8B ØØ 21 C8 8C 15 C5 FF 5D B43 4Ø FA EA ØØ 20 B1 8C F8 1D DØ DB	<pre>FS 105 REM {8 SPACES}MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 166 "A MAMMAL DOES HAVE HAI R KM 170 REM{8 SPACES}WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM{8 SPACES}MORTAL FJ 210 "A MORTAL WILL DIE HP 226 "A MORTAL DOES EXIST BR 240 REM{8 SPACES}HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM{8 SPACES}LUVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM{2 SPACES}UGGESTED {SPACE}QUESTIONS AR 320 REM</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC B 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 141:B9 A7 Ø 141:B9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1429:62 Ø8 F 1439:AØ FF C 1441:84 43 P 1449:C5 43 T 1451:FB C8 F 1459:B1 FB T 1461:C4 43 9 1469:2Ø 38 Ø 1471:C8 B9 F 1479:A9 F1 Ø 1489:B1 F9 C 1491:F9 85 F 1499:AØ ØØ F 1491:F9 85 F 1499:AØ ØØ F 1491:F9 85 F 1499:AØ ØØ F 1441:20 C8 C	A Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø Ø	5 5 5 FB FØ 6 C8 98 00 65 DØ DB A2 00 04 A2 00 DB A2 00 A2 A2 00 A2 00 A4 06 C9 A0 FF 00 A4 FF C9 22 7 7 02 A5 FF 18 A5 602 D0 FD FD FD FD FD A0 C8 01 A0 C8 01 A0 C8 04 A4	23 18 23 18 24 18 253 18 FC 37 B9 6F C8 47 Ø3 2D C8 68 DØ EB Ø 2D C8 68 DØ EC FE 39 FA 48 ØØ 21 C8 BC 15 C5 FF 50 43 40 ØØ 20 E7 50 FA EA ØØ 20 E7 50 F3 10 ØØ 72	<pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM [2 SPACES]WILL A MAN EG 330 REM [2 SPACES]WILL A MAN</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13E9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 141:E9 A7 Ø 1419:F6 ?A9 1421:05 85 F 1429:62 Ø8 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1441:84 43 P 1449:C5 43 T 1451:FB C8 F 1459:B1 FB T 1461:C4 43 9 1469:2Ø 38 Ø 1471:C8 B9 F 1479:A9 F1 § 1481:A5 FA Ø 1489:B1 F9 Ø 1491:F9 85 F 1499:AØ ØØ F 1449:A5 43 9	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00<	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF 7 Ø2 7 Ø2 85 FE 18 A5 Ø2 E6 Ø2 DØ B1 FD DØ C8 Ø1 AØ FA 84 15 85 A8 A9 33 C8 F9 85 D1 F7 F4 AØ	23 18 23 18 24 18 253 18 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 12 C8 80 21 C8 C8 82 15 C5 FF 50 43 40 20 B1 81 80 20 B1 82 B1 DØ DB ØØ 72 91 76	<pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE QC 150 "A MAN IS A MAILE QC 150 "A MAN IS A MAMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 2000 REM {8 SPACES }MORTAL FJ 210 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A LIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM{2 SPACES }SUGGESTED {SPACE }QUESTIONS AR 320 REM EG 330 REM{2 SPACES }WILL A MAN DIE</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:BØ Ø2 F 1411:F9 A7 Ø 1411:F9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1439:AØ FF C 1441:84 43 A 1449:C5 43 F 1459:FB C8 F 1459:FB C8 F 1459:FB FB F 1459:FB FB F 1469:2Ø 38 Ø 1471:C8 B9 F 1469:2Ø 38 Ø 1471:C8 B9 F 1469:2Ø 38 Ø 1471:C8 B9 F 1499:A5 FA Ø 1499:A0 Ø Ø 1491:F9 85 F 1499:A0 Ø Ø 1441:20 C8 Ø 1491:A7 C8 P	00 00 00 00 00 01 02 00 03 10 10 10 10 03 10 00 FB 10 FB 10 FB 10 00 FB 10 FB 10 FB 10 FB 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 10 <td>5 5 5 FB FØ 28 0 C8 98 0 D D A2 0 0 FØ 0 A FØ 85 FE 18 A5 F7 FD FØ B1 FD FØ B1 FD C8 Ø Ø1 A B S3 C8 F9 S5 F1 F7 F4 A A5 Ø7 C8 A</td> <td>23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 1E 80Ø 21 C8 8C 15 C5 FF 5D 43 40 FA 48 20 B1 8C 15 C5 FF 5D 43 43 40 F8 1D ØØ 72 91 76 A5 B3</td> <td><pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMAL SG 160 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS A WORTAL ER 260 "A HUMAN IS A MORTAL ER 260 "A HUMAN IS A WORTAL ER 260 A A HUMAN IS A WORTAL ER 260 A A A A A A A A A A A A A A A A A A A</pre></td>	5 5 5 FB FØ 28 0 C8 98 0 D D A2 0 0 FØ 0 A FØ 85 FE 18 A5 F7 FD FØ B1 FD FØ B1 FD C8 Ø Ø1 A B S3 C8 F9 S5 F1 F7 F4 A A5 Ø7 C8 A	23 18 23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB A5 Ø EC 78 FD AF FE 39 FA 48 26 1E 80Ø 21 C8 8C 15 C5 FF 5D 43 40 FA 48 20 B1 8C 15 C5 FF 5D 43 43 40 F8 1D ØØ 72 91 76 A5 B3	<pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMAL SG 160 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS A WORTAL ER 260 "A HUMAN IS A MORTAL ER 260 "A HUMAN IS A WORTAL ER 260 A A HUMAN IS A WORTAL ER 260 A A A A A A A A A A A A A A A A A A A</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:BØ Ø2 F 1411:B9 A7 Ø 1411:F9 A7 Ø 1411:F9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 FF 1451:FB C8 F 1459:B1 FB C 1461:C4 33 9 1461:C4 33 9 1461:C8 B9 F 1461:C8 B9 F 1479:A9 F1 Ø 149:F9 85 F 1499:A0 ØØ F 1499:A0 ØØ F 1499:A0 ØØ F 1499:A0 ØØ F 1499:A0 ØØ F 1499:A5 43 9 1481:A5 FA 0 1491:F9 85 F 1499:A0 ØØ F 1499:A0 ØØ F 1499:A0 ØØ F 1499:A5 43 9 1489:25 91 Ø	0 00 00 01 0 00 03 01 02 0 00 03 01 03 0 00 03 01 03 0 00 03 02 04 03 0 00 03 40 04 03 0 0 04 02 64 03 60 0 0 04 02 03 64 03 64 0 0 04 04 08 04 04 08 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 05 04 05 04 05 04 05 04 05 04 05 04 04 04 04 04 04 04 04 04 04 04 04 04<	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 FØ Ø4 Ø6 C9 AØ FF Ø2 AØ FD FØ Ø1 AØ FØ A4 15 85 F1 FD F0 ØØ AØ AØ FA 84 15 85 D1 F7 F4 AØ S3 C8 D1 F7 F4 AØ A5 F7 Ø7 C8 2D 91	23 18 23 18 24 18 18 A9 FC 3F A2 53 B9 6F C8 47 Ø3 2D C8 68 DØ EB A5 Ø 26 15 C5 C7 FF 48 26 15 C5 C5 F4 40 F4 EA ØØ 20 C8 8C F5 5D F4 40 F4 EA ØØ 20 C8 10 DØ DB ØØ 72 91 76 A5 B3 Ø7 D6	<pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 166 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM {8 SPACES }ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS THE SAME AS N OT DEAD RS 310 REM {2 SPACES }WILL A MAN DIE CM 340 REM {2 SPACES }IS A MAN A WOMAN</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1401:B9 A7 Ø 141:B9 A7 Ø 141:B9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:AØ FF Ø 1441:84 43 A 1449:C5 43 F 1451:FB C8 F 1459:B1 FB F 1461:C4 43 9 1461:C4 89 F 1461:C4 89 F 1461:C8 B9 F 1461:C8 B7 Ø 1471:C8 B9 F 1479:A9 F1 Ø 149:A9 ØØ F 149:A9 ØØ F 149:A9 ØØ F 149:A9 ØØ F 149:A7 C8 A 149:A5 A3 9 1481:Ø7 C8 A 1489:A2 9 1481:Ø7 C8 A	A A A A B DØ A B B DØ B DØ B DØ B A B DØ <	B G G FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ A2 ØØ A2 ØØ FØ Ø4 A0 FF A2 ØØ Ø4 A0 FØ Ø4 A0 FF A0 FF F1 F0 Ø2 DØ A8 FD FG FD FC AØ DØ C8 Ø1 AØ C8 A0 A3 FA 84 AØ S3 C8 F0 F7 F4 AØ A5 F7 F4 AØ A5 F7 Ø7 C8 2D 91 Ø5 85	23 18 23 18 24 18 18 A9 FC 35 B9 6F 03 2D C8 47 Ø3 2D C8 68 DØ EB A A5 Ø EC 78 FD AF FE ØØ 21 C8 BC 15 C5 FF 500 B1 8C F8 DØ DØ DB ØØ 72 91 76 A5 B3 ØØ 72 91 76 807 D6	<pre>FS 105 REM {8 SPACES}MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS ALIVE HH 130 "A MAN IS ALIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMAL SG 160 "A MANMAL DOES HAVE HAI R KM 170 REM{8 SPACES}WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM{8 SPACES}MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES EXIST BR 240 REM{8 SPACES}HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM{8 SPACES}LIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM{2 SPACES}WILL A MAN DIE CM 340 REM{2 SPACES}IS A MAN A WOMAN FD 350 REM{2 SPACES}IS A MAN G</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC B 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 141:B9 A7 Ø2 141:B9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1439:AØ FF C 1441:84 43 A 1449:C5 43 G 1441:FB C8 F 1459:B1 FB G 1459:B1 FB G 1461:C4 43 9 1469:2Ø 38 Ø 1471:C8 B9 F 1461:C4 89 F 1479:A9 F1 Ø 1489:B1 F9 C 1489:B1 F9 C 1491:F9 85 F 1499:F9 85 F 1499:AØ ØØ F 1441:2Ø C8 Ø 1441:2Ø C8 Ø 1441:07 C8 A 1481:67 C8 A 1481:67 C8 A 1481:67 C8 A 1481:67 C8 A	00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00<	5 5 5 FB FØ 6 C8 98 60 C8 98 6 DØ DB A2 60 A2 00 DB A2 A2 00 A2 70 02 A0 FF 70 22 A3 85 FE 18 A5 60 00 C8 60 A0 FD FD FØ B1 FO A0 C8 A1 A0 C8 A0 A3 C8 F9 85 F1 F4 A0 A5 F7 F4 A0 A5 F7 C8 2D 91 45 B2 32	23 18 23 18 24 18 253 18 F4 ED 18 A9 FC 35 B9 6F C8 47 Ø3 2D C8 68 DØ EC 78 FD AF Ø Ø 2D FE 39 FA 48 ØØ 21 C8 BC 15 C5 FF 5DØ FA 48 ØØ 20 E7 5D F8 1D DØ DB ØØ 72 91 76 A5 DB	<pre>FS 105 REM [8 SPACES]MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM [8 SPACES]WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM [8 SPACES]MORTAL FJ 210 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A MORTAL DOES EXIST BR 240 REM [8 SPACES]HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM [8 SPACES]ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM [2 SPACES]WILL A MAN DIE CM 340 REM [2 SPACES]IS A MAN A WOMAN FD 350 REM [2 SPACES]IS A MAN G OOD</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:BØ Ø2 F 1409:BØ Ø2 F 1411:B9 A7 Ø 1411:F9 A7 Ø 1411:F9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1439:AØ FF C 1441:84 43 P 1451:FB C8 F 1459:B1 FB F 1469:2Ø 38 Ø 1471:C8 B9 P 1469:2Ø 38 Ø 1471:C8 B9 P 1469:2Ø 38 Ø 1471:C8 B9 P 1491:F9 85 F 1499:AØ ØØ F 1499:AØ ØØ F 1491:F9 85 F 1499:AØ ØØ F 1481:Ø7 C8 P 14B1:Ø7 C8 P 14B1:Ø7 C8 P 14B1:Ø7 C8 P 14B1:Ø7 C8 P 14D1:Ø3 E5 P	00 00 00 00 00 00 00 00 01 02 00 03 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 00 </td <td>FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 A0 FF 7 Ø2 A0 FF 18 A5 Ø2 E6 Ø2 DØ B1 FD DØ C8 Ø1 AØ FA 84 15 85 D1 F7 Ø7 C8 S01 F7 Ø3 C8 F9 85 D1 F7 Ø7 C8 2D 91 Ø5 85 B2 38 BØ Ø2</td> <td>23 18 23 18 24 18 253 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB C8 68 DØ EB A5 Ø EC 78 FF 39 FA 48 85 8B ØØ 21 C8 8C 15 C5 FF 5D 43 40 20 B1 8C 10 DØ DB 8C 72 91 76 A5 B3 Ø7 D6 A5 DB C6 5B</td> <td><pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM {8 SPACES }ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM {2 SPACES }SUGGESTED {SPACE }QUESTIONS AR 320 REM EG 330 REM {2 SPACES }IS A MAN A WOMAN FD 350 REM {2 SPACES }IS A MAN G OOD DA 360 REM {2 SPACES }DOES A MAN</pre></td>	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 A0 FF 7 Ø2 A0 FF 18 A5 Ø2 E6 Ø2 DØ B1 FD DØ C8 Ø1 AØ FA 84 15 85 D1 F7 Ø7 C8 S01 F7 Ø3 C8 F9 85 D1 F7 Ø7 C8 2D 91 Ø5 85 B2 38 BØ Ø2	23 18 23 18 24 18 253 18 18 A9 FC 3F A2 53 B9 6F C8 68 DØ EB C8 68 DØ EB A5 Ø EC 78 FF 39 FA 48 85 8B ØØ 21 C8 8C 15 C5 FF 5D 43 40 20 B1 8C 10 DØ DB 8C 72 91 76 A5 B3 Ø7 D6 A5 DB C6 5B	<pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM {8 SPACES }ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM {2 SPACES }SUGGESTED {SPACE }QUESTIONS AR 320 REM EG 330 REM {2 SPACES }IS A MAN A WOMAN FD 350 REM {2 SPACES }IS A MAN G OOD DA 360 REM {2 SPACES }DOES A MAN</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 1409:E0 Ø5 Ø 1411:F9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1439:AØ FF C 1441:84 43 A 1449:C5 43 F 1459:E1 FB C8 F 1499:A0 Ø0 F 1491:F9 85 F 1499:A0 Ø0 F 1481:Ø7 C8 Z 1481:Ø7 C8 Z 1489:2E 91 Ø 14C1:6Ø 18 Z 14D9:Ø4 AØ Ø	A A A A B DØ A 68 A 68 A 68 A C A C A C A DØ A DB C DB C DØ A S B A A S A	5 5 5 FB FØ 28 00 CB 98 00 DB 7 00 DB 7 0 A2 00 DB 7 00 DB 7 0 2 A0 FF 7 0 2 A0 FF 7 0 2 A1 A5 FF 48 A0 A1 F5 85 5 11 FF A2 A1 FD FC A3 CB A1 F0 CB A1 5 A5 A1 A5 F7 CB 20 91 A5 F7 CB 85 85 82 32 88 90 5 7	23 18 23 18 24 18 253 18 F4 18 A9 57 F2 35 B9 6F C8 47 Ø3 2D C8 68 A5 88 ØØ 21 C8 80 26 15 C5 5D 43 40 28 20 C8 55 91 76 A5 B8 ØØ 72 A5 08 ØØ 76 F9 D8 C6 58 ØØ 573	<pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMAL SG 160 "A MAN IS A MAMMAL SG 166 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS MORTAL ER 260 "A HUMAN IS MORTAL ER 260 "A HUMAN IS A WORKER PM 270 REM {8 SPACES }ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD CT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM {2 SPACES }SUGGESTED {SPACE }QUESTIONS AR 320 REM EG 330 REM {2 SPACES }IS A MAN A WOMAN FD 350 REM {2 SPACES }IS A MAN A WOMAN FD 350 REM {2 SPACES }IS A MAN A WOMAN FD 350 REM {2 SPACES }IS A MAN G OOD DA 360 REM {2 SPACES }DOES A MAN HAVE HAIR</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:A5 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 14Ø9:BØ Ø2 F 1411:B9 A7 Ø 1411:F8 A7 Ø 1411:F8 A7 Ø 1411:F8 C Ø 1411:F9 A7 Ø 1421:Ø5 85 F 1429:62 Ø8 F 1439:AØ FF C 1441:84 43 A 1449:C5 43 F 1459:B1 FB C 1459:B1 FB C 1461:C4 43 9 1469:2Ø 38 Ø 1471:C8 B9 F 1461:C4 89 F 1479:A9 F1 Ø 1491:F9 85 F 1499:AØ ØØ F 1491:F9 85 F 1499:AØ ØØ F 1441:2Ø C8 0 1491:F9 85 F 1499:AØ ØØ F 1441:A7 C8 9 1491:F9 85 F 1499:AØ ØØ F 1441:A7 C8 0 1491:F9 85 F 1499:AØ ØØ F 1441:A7 C8 0 1491:F9 85 F 1499:AØ ØØ F 1411:Ø7 C8 0 14B9:22 91 Ø 14C1:6Ø 18 F 14D1:Ø3 E5 4 14D1:Ø3 E5 4 14D1:Ø3 E5 4 14D1:Ø3 E5 4 14D1:Ø3 E5 4	A A A A B DØ A A B DØ	FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ FØ Ø4 Ø6 C9 AØ FF ØØ FØ ØØ AØ FØ Ø4 Ø6 C9 AØ FF B1 FD DØ C8 Ø1 AØ FA 84 A33 C8 D1 F7 F4 AØ A5 F7 Ø7 C8 BØ Ø2 Ø7 S8 BØ Ø2 Ø2 P0 Ø5 85 BØ Ø2 Ø2 ZØ Ø2 ZØ Ø2 ZØ Ø2 ZØ Ø2 ZØ Ø2 ZØ	23 18 23 18 24 18 253 18 F4 18 A9 53 F4 253 B9 67 32 20 C8 47 Ø3 20 C8 68 Ø 20 C8 68 Ø 20 C8 68 Ø 20 C8 86 Ø 20 FF 39 FA 48 26 18 B0 20 21 C8 C8 80 21 C8 C8 80 20 21 C8 80 21 C8 C8 80 200 B1 800 20 B1 80 Ø 72 A5 99 A5 99	<pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A HIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 166 "A MAMMAL DOES HAVE HAI R R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES THINK FC 230 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM {8 SPACES }ALIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS THE SAME AS N OT DEAD RS 310 REM {2 SPACES }SUGGESTED {SPACE }QUESTIONS AR 320 REM EG 330 REM{2 SPACES }IS A MAN A WOMAN FD 350 REM{2 SPACES }IS A MAN A HAVE HAIR PB 370 REM{2 SPACES }IS A MAN A</pre>
	13C9:A2 Ø1 A 13D1:D9 A7 Ø 13D9:C8 B1 F 13E1:65 FB Ø 13F9:85 FC F 13F1:ØØ AØ Ø 13F9:A7 Ø2 9 14Ø1:E8 DØ F 14Ø9:BØ Ø2 F 14Ø9:BØ Ø2 F 1411:B9 A7 Ø 1419:F6 7A9 1421:Ø5 85 F 1429:62 Ø8 F 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1431:69 Ø5 Ø 1439:AØ FF O 1441:84 43 A 1449:C5 43 F 1451:FB C8 F 1459:B1 FB F 1461:C4 43 9 1461:C4 9 F 1461:C4 9 F 1461:C4 9 F 1461:C4 9 F 1461:C4 9 F 1461:F9 85 F 149:F9 F 149:F9 85 F 1499:AØ ØØ F 1441:F9 85 F 1499:AØ ØØ F 14A1:20 C8 Ø 14A1:20 C8 Ø 14A	A A A A B DØ A B B DØ	B G G FB FØ C8 DØ C8 98 ØØ 65 DØ DB A2 ØØ A2 A2 ØØ A4 FØ Ø4 A0 FØ Ø4 Ø6 C9 A0 Ø FF F8 A5 B2 E6 Ø2 DØ A8 FD FO AØ DØ C8 Ø1 AØ C8 AØ AØ FA 84 AØ S S FA 84 AØ S C8 F9 85 F7 F4 AØ A5 F7 S S S B2 38 BØ Ø2 FØ B2 38 BØ Ø2 FØ B2 38 BØ Ø3 91	23 18 23 18 24 18 253 18 F4 10 F4 10 F4 10 F5 35 B9 67 68 47 Ø3 20 C8 68 Ø4 20 C8 68 Ø4 20 F5 50 A4 28 Ø0 21 C8 80 20 21 C8 80 20 21 C8 80 20 21 C8 80 20 20 21 74 23 20 24 20 25 50 26 58 27 94 28 28 291 763 291 763 205 58 205 58	<pre>FS 105 REM {8 SPACES }MAN MX 110 "A MAN IS A HUMAN JD 120 "A MAN IS A LIVE HH 130 "A MAN IS AN ANIMAL SD 140 "A MAN IS AN ANIMAL SD 140 "A MAN IS A MALE QC 150 "A MAN IS A MAMMAL SG 160 "A MAMMAL DOES HAVE HAI R KM 170 REM {8 SPACES }WOMAN HK 180 "A WOMAN IS A FEMALE HR 190 "MALE IS THE SAME AS NO T FEMALE GG 200 REM {8 SPACES }MORTAL FJ 210 "A MORTAL WILL DIE HP 220 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A MORTAL DOES EXIST BR 240 REM {8 SPACES }HUMAN ER 250 "A HUMAN IS A WORKER PM 270 REM {8 SPACES }LIVE BP 280 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS THE SAME AS N OT DEAD RQ 290 "ALIVE IS GOOD JP 300 REM RS 310 REM {2 SPACES }SUGGESTED {SPACE }QUESTIONS AR 320 REM EG 330 REM {2 SPACES }IS A MAN A WOMAN FD 350 REM {2 SPACES }IS A MAN A WOMAN FD 350 REM {2 SPACES }DOES A MAN HAVE HAIR PB 370 REM {2 SPACES }IS A MAN A WORKER</pre>



www.commodore.ca

Direct

Marketing Corp.

Sign Here _

1

QuickChange Easy Color Setting For The IBM PC/PCjr

Customize the colors of your text screens with this handy program that allows you to easily change the border, background, and foreground colors at any time—without losing the information on your screen. For DOS versions 2.0 and higher. A color display is required.

"QuickChange" lets you choose the colors for your text screen. You'll be suprised at how refreshing—and sometimes much more readable—it can be to work with a new set of colors.

QuickChange is a terminateand-stay-resident program (TSR) that runs silently in the background, waiting for you to call it. When summoned, it lets you quickly enter new foreground, background, and border colors.

You may already be familiar with the two most common ways to change screen colors. The first is to load the ANSI.SYS driver while including the color-setting escape sequences in the DOS prompt, using the PROMPT command. The problem with this approach is that, once set, the colors are difficult to change. The other common approach is to change screen colors with a machine language program that scrolls the entire screen up 25 lines, filling each line with the desired color attribute bytes. Unfortunately, this method clears the screen. QuickChange avoids these problems, changing the colors of the entire screen without clearing it.

Type in and save the BASIC program listed below. It creates a machine language program called

Paul Carlson

SETCOLOR.COM, so be sure you don't use that name when you save the BASIC program itself. Once the SETCOLOR.COM file is created, you won't need the BASIC program again except to create new copies of SETCOLOR.COM.

To begin using QuickChange, make sure the SETCOLOR.COM file is on the disk in the current drive, or-if using a hard diskmake sure it's in a directory included in the DOS search path, and then simply type SETCOLOR at a DOS prompt. Like many TSR programs, after QuickChange is run, it waits to be activated by a specific combination of keypresses. As listed, Alt-C activates QuickChange. If another of your programs already uses this combination, choose another combination for this program. Use the following table to select the new key combination. Replace the value 46 in line 30 with the number corresponding to your choice, then run the program again to create a new copy of SETCOLOR.COM.

Alt-A	30	Alt-N	49	
Alt-B	48	Alt-O	24	
Alt-C	46	Alt-P	25	
Alt-D	32	Alt-Q	16	
Alt-E	18	Alt-R	19	
Alt-F	33	Alt-S	31	
Alt-G	34	Alt-T	20	
Alt-H	35	Alt-U	22	
Alt-I	23	Alt-V	47	
Alt-J	36	Alt-W	17	
Alt-K	37	Alt-X	45	
Alt-L	38	Alt-Y	21	
Alt-M	50	Alt-Z	44	

A Custom Screen

Run QuickChange each time the computer is turned on or reset. If you have an AUTOEXEC.BAT file on your system disk, you may want to add a line with the command SETCOLOR. With this command in the AUTOEXEC file, QuickChange will run automatically each time you boot your computer. (Note: This requires that you have a copy of SETCOLOR.COM on your boot disk or in the same hard disk subdirectory as the DOS system files.)

Anytime you wish to change colors, press Alt-C (or whatever other combination you selected). A window appears on the screen containing a menu of the items BOR-DER, BACKGROUND, and FORE-GROUND, with the first item highlighted. You can move the highlight bar to any of the three items using the cursor keys. You can step through all the available colors for the highlighted item by using the cursor right key. This makes it easy to select a pleasing combination. After you're satisfied with your color selections, press the Esc key to remove the window.

This program works in either 40- or 80-column color text mode. If your display is in any other mode, pressing the Alt-key combination has no effect.

If your DOS prompt includes color-setting escape sequences, they should be removed; otherwise, the prompt will regularly destroy your color choices. For instance, the ANSI.SYS program is often loaded along with DOS. Check your boot disk for a file named CONFIG.SYS. If that file exists and contains the line DEVICE=ANSI.SYS, then the program is being loaded. The foreground and background colors set by ANSI.SYS, when DOS boots, will take precedence over the colors chosen with QuickChange. To prevent this from happening, use a text editor or word processor to remove the DEVICE=ANSI.SYS line from the CONFIG.SYS file. If the CON-FIG.SYS file isn't needed for some other purpose, you can delete it from your DOS disk altogether, but you should check carefully before taking this step.

Some application programs may select their own color combinations. Within such programs, QuickChange has no lasting effect. One example is the BASIC interpreter. Although you can use QuickChange to change the screen colors while using the BASIC, any output from BASIC will be printed in white characters on a black background.

QuickChange

For instructions on entering these programs, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

- ' Program to create SETCOLO 6K 1 R.COM
- DA 2 'COPYRIGHT 1987 COMPUTE! PU BLICATIONS, INC. 00 3 'ALL RIGHTS RESERVED.
- KK 4 CLS:PRINT "COPYRIGHT 1987": PRINT "COMPUTE! PUBLICATION S, INC.":PRINT "ALL RIGHTS RESERVED. "
- KD 5 FOR ZZ=1 TO 1500:NEXT:CLS
- 00 6 PRINT "CREATING SETCOLOR.CO M PLEASE WAIT."
- K 10 OPEN "SETCOLOR.COM" FOR OU TPUT AS 1
- P0 20 PRINT#1, CHR\$(&HE9); CHR\$(&H 32); CHR\$(&H4);
- CJ 3Ø PRINT#1,CHR\$(46); AB 4Ø FOR N=1 TO 146:PRINT#1,CHR \$(Ø);:NEXT
- T=Ø:FOR J=1 TO 963:READ A\$:N=VAL("&H"+A\$) PP 50
- FD 60 T=T+N: PRINT#1, CHR\$ (N) ; :NEX T:CLOSE 1
- DE 70 IF T=88099! THEN PRINT"SET COLOR. COM SUCCESSFULLY CRE ATED ! ": END
- NE 80 DATA 00,00,00,00,00,00,00,00,00,00, Ø7, CD, Ø7
- LP 90 DATA CD, 07, CD, 07, CD, 07, CD, Ø7, CD, Ø7
- 100 DATA CD, 07, CD, 07, CD, 07, CD ,Ø7,CD,Ø7
- KE 110 DATA CD, 07, BB, 07, BA, 07, 20 07,42,07
- NC 120 DATA 4F, 07, 52, 07, 44, 07, 45 07, 52, 07
- IP 130 DATA 20,07,20,07,20,07,20 ,07,20,07
- NE 140 DATA BA, 07, BA, 07, 20, 07, 42 ,07,41,07
- LL 150 DATA 43, 07, 48, 07, 47, 07, 52 , Ø7, 4F, Ø7
- BK 160 DATA 55,07,4E,07,44,07,20 Ø7, BA, Ø7
- 0K 170 DATA BA, 07, 20, 07, 46, 07, 4F ,07,52,07
- K8 180 DATA 45,07,47,07,52,07,4F ,07,55,07
- PB 190 DATA 4E, 07, 44, 07, 20, 07, BA , 07, C8, 07
- ME 200 DATA CD, 07, CD, 07, CD, 07, CD .07.CD.07

- N8 21Ø DATA CD, Ø7, CD, Ø7, CD, Ø7, CD .Ø7.CD.Ø7 BH 220 DATA CD, 07, CD, 07, BC, 07, 00
- , 66, 66, 66 80 230 DATA 2E, 80, 3E, 04, 01, 00, 75
- , 22, FB, 5Ø EK 240 DATA 53, 51, 52, 56, 57, 1E, 06 ,E4,60,2E
- 8C 25Ø DATA 3A, Ø6, Ø3, Ø1, 75, Ø8, B4 . Ø2. CD. 16
- 0K 260 DATA A8,08,75,00,07,1F,5F ,5E,5A,59
- 0K 27Ø DATA 58, 58, 2E, FF, 2E, 28, 02 ,E8,C4,Ø2
- N 280 DATA ØE, 1F, ØE, Ø7, B4, ØF, CD , 1Ø, 3C, Ø1 HI 290 DATA 74,00, 3C, 03, 74,09,07
- , 1F, 5F, 5E KE 300 DATA 54, 59, 58, 58, CF, A2, 05
- ,01, C6, 06 DA 310 DATA 9A, 01, 01, C6, 06, 9B, 01
- Ø1, C6, Ø6 PF 320 DATA 95,01,00,C6,06,96,01
- ,00,06,06 6J 33Ø DATA 97, Ø1, ØØ, 88, 3E, Ø6, Ø1
- , C6, Ø6, Ø4 N 340 DATA 01,01, B4,03, CD, 10, 87
- ,ØE,Ø7,Ø1
- IP 350 DATA B4, 01, E8, 51, 02, E8, 1E ,Ø1,E8,96
- BH 360 DATA 01, E8, DE, 01, E8, 5D, 02 , B4, ØØ, CD
- KA 37Ø DATA 16, 3C, 1B, 75, Ø3, E9, 95 00,80,FC
- MA 380 DATA 48,75,10,80,3E,9A,01 ,Ø1,74,E9
- 0L 390 DATA FE, 0E, 9A, 01, E8, BD, 01 , EB, EØ, 8Ø
- AC 400 DATA FC, 50, 75, 10, 80, 3E, 9A ,01,03, 74
- DE 410 DATA D4, FE, 06, 9A, 01, E8, A8 Ø1,EB,CB
- DE 420 DATA 80, FC, 4D, 75, C6, 80, 3E ,9A,Ø1,Ø1
- CB 430 DATA 75, 1C, FE, 06, 95, 01, 80 ,26,95,01
- PO 440 DATA 07, E8, F8, 01, 88, 00, 08 , B7, ØØ, BA
- 66 450 DATA 1E, 95, 01, CD, 10, EB, 02 , Ø2, EB, A3
- BE 460 DATA 80, 3E, 9A, 01, 02, 75, 20 ,FE,Ø6,96
- OP 470 DATA 01,80,26,96,01,07,8A , 16, 96, 01
- LH 480 DATA B1,04,D2,E2,88,16,99 ,01,C6,06
- HH 490 DATA 98,01,8F,E8,38,00,E9 7C, FF, FE
- HL 500 DATA 06, 97, 01, 80, 26, 97, 01 ,ØF,8A,16
- 0 510 DATA 97,01,88,16,99,01,C6 ,06,98,01
- U 520 DATA FØ, EB, 1C, 00, E9, 60, FF E8, A2, Ø1
- LE 530 DATA E8, BE, 00, E8, B4, 01, B4 ,Ø1,88,ØE
- NI 540 DATA 07,01,CD,10,C6,06,04 ,Ø1,ØØ,E9
- PI 550 DATA 00, FF, E8, 89, 01, 06, B8 ,00, B8, 8E
- H 560 DATA CØ, 89, DØ, 07, 88, 00, 10 ,8Ø, 3E, Ø5
- PN 570 DATA 01,03,74,06,89,E8,03 , B8, ØØ, Ø5
- LP 580 DATA 8A, 1E, 06, 01, 32, FF, F7 ,E3,88,F8 DATA 47,8A,36,98,Ø1,8A,16 # 590
- ,99,01,26 FJ 600 DATA BA, 05, 22, C6, 0A, C2, 26
- ,88,05,47
- EB 610 DATA 47, E2, F2, 07, 8D, 3E, 09 Ø1, 47, B9 HI 620 DATA 46,00,8A,05.22,C6,0A
 - ,C2,88,Ø5
- , E8, CA, ØØ DN 640 DATA E8,49,01,C3,06,0E,07 , BE, 82, Ø6 FE 650 DATA B8,00,10,80,3E,05,01 .03.74.06 1 660 DATA BE, 3A, 03, 88, 00, 05, 8A ,1E,Ø6,Ø1 DH 670 DATA 32, FF, F7, E3, 03, F0, 8D . 3E, Ø9, Ø1 N 680 DATA 1E, 88, 00, 88, 8E, D8, E8 03,00,1F IL 690 DATA 07, C3, BB, 05, 00, B8, 84 .00,2E,80 KO 700 DATA 3E, 05, 01, 03, 74, 03, 88 , 34, ØØ, B9 LH 710 DATA 1C,00,F3,A4,03,F0,4B ,83,FB,00 CL 720 DATA 75, F3, C3, 06, 80, 36, 09 Ø1, BF, 82 KH 730 DATA 06, B8, 00, 10, 80, 3E, 05 ,01,03,74 01 740 DATA 06, BF, 3A, 03, B8, 00, 05 ,8A,1E,Ø6 CK 750 DATA 01, 32, FF, F7, E3, 03, F8 , B8, ØØ, B8 AF 760 DATA BE, CØ, E8, 2F, 00, 07, C3 Ø6,8D,36 JK 770 DATA 9C, 01, BF, 82, 06, 88, 00 ,10,80,3E BH 780 DATA 05,01,03,74,06, BF, 3A Ø3, B8, ØØ FN 790 DATA 05,8A, 1E, 06, 01, 32, FF ,F7,E3,Ø3 K8 800 DATA F8, 88, 00, 88, 8E, C0, E8 ,03,00,07 FB 810 DATA C3, C3, BB, 05, 00, B8, 84 ,00,80,3E KH 820 DATA 05,01,03,74,03,88,34 , ØØ, B9, 1C LK 830 DATA 00, F3, A4, 03, F8, 48, 83 ,FB,ØØ,75 FA 840 DATA F3, C3, E8, 67, 00, 06, B8 ,00, B8, 8E 18 850 DATA CØ, BF, 87, 06, 88, 00, 10 ,80,3E,05 ND 860 DATA 01,03,74,06, BF, 3F,03 , B8, ØØ, Ø5 JD 87Ø DATA 8A, 1E, Ø6, Ø1, 32, FF, F7 , E3, Ø3, F8 MI 880 DATA 88, F7, 8A, 0E, 98, 01, 88 , AØ, ØØ, BØ 80 890 DATA 3E, 05, 01, 03, 74, 03, BB 50,00,03 IH 960 DATA FB, E2, FC, BØ, Ø7, B9, ØA .00,26.88 08 910 DATA 05, 47, 47, E2, F9, 88, FE , BA, ØE, 9A 6J 92Ø DATA Ø1, Ø3, FB, E2, FC, BØ, 7Ø , B9, ØA, ØØ N 930 DATA 26,88,05,47,47,E2,F9 , AØ, 7A, Ø1 EE 940 DATA A2,98,01,07,E8,19,00 C3, BA, DA EH 950 DATA 03, EC, A8, 08, 74, FB, 83 , EA, Ø2, BØ 66 960 DATA 25,80,3E,05,01,03,74 , Ø2, FE, C8 NL 970 DATA EE, C3, B0, 29, 80, 3E, 05 ,01,03,74 FF 980 DATA 02, FE, C8, BA, D8, 03, EE ,C3,E4,61 80 990 DATA BA, EØ, ØC, BØ, E6, 61, BA ,C4,E6,61 JD 1000 DATA FA, BØ, 20, E6, 20, FB, C 3, 89, 07, 06 CO 1010 DATA 84,01,CD,10,84,35,8 Ø, Ø9, CD, 21 BF 1020 DATA 89, 1E, 28, 02, 8C, 06, 2 A, Ø2, B4, 25 JP 1030 DATA B0,09,80,16,20,02,0 D, 21, BA, 36 HD 1040 DATA 05, CD, 27 C

HP 630 DATA 47, 47, E2, F4, E8, 82, 00

Atari BASIC Search And Display

Quickly search through a BASIC program for any string of characters with this short routine for Atari 400/800/ XL/XE computers.

It's easy to lose track of where you used a certain variable or referenced a certain line number when you write BASIC programs. By helping you to find all references to any string of characters in your programs, "Atari BASIC Search and Display" will make you a more effective programmer.

Suppose you are modifying a program. You want to delete or change a line number, but you are not sure if the line is referenced by other statements. With Search and Display, all you simply need to do is search for the line number in question. All statements that reference the line (including GOTOs, GOSUBs, and RESTOREs) are displayed. You can then make any required changes right on the screen.

Because Atari BASIC is so heavily tokenized (keywords, variables, and numbers are all coded into tokens—they are not stored as ASCII characters), searches are not easy to program. This routine uses machine language to rapidly scan a BASIC program in memory.

Program Creation

Using the Atari Proofreader program found elsewhere in this issue, type in the program and save a copy to disk or tape. Be sure that you save a copy *before* you try to run it—the program modifies itself the first time it is run, moving a

Bruce Fenster

machine language routine from DATA statements into a string. Now load the program and type RUN. The resulting program is the one that you will be using to search BASIC programs. To make it easy to merge this program with the programs you will be searching, LIST Search and Display to disk or tape with a statement of the form LIST "D:SEARCH" or (for tape users) LIST"C:".

Using The Routine

Here are the steps necessary to use Search and Display:

- Load the BASIC program to be searched into memory.
- Use an ENTER command to retrieve the final version of the Search and Display routine from disk or tape. This brings it into memory without disturbing the BASIC program.
- To activate the routine, type GOTO 32700 and press RETURN.

You are prompted to enter a string of characters or to press RE-TURN for a menu. For now, just press RETURN. You'll see a menu at the bottom of the screen. There are three options:

1. Press START to run the routine. This returns to the search string prompt.

2. Press SELECT to quit. This returns to the Atari screen editor. Statements that were found by a search will be on the screen for you to examine or change.

3. Press OPTION to erase the Search and Display routine from memory. Use this prior to saving your BASIC program. If you forget, the routine will be appended to your program.

As a test, press START, then enter any string of characters that you know to be contained within your BASIC program (the maximum size of the search string is 20 characters). Press RETURN. Near the bottom of the screen, you'll notice program statements flashing by (this is your BASIC program being scanned). All lines which contain a matching string will be displayed at the top of the screen. When the entire program has been searched, the menu reappears.

You should be aware that the search is case sensitive. For example, if you specify *ENTER* as your search string, the program won't find occurrences of *Enter* or *enter* if those appear in the program. This is especially important to remember when searching for text in PRINT statements.

You can terminate a search at any time by pressing the space bar. The menu will reappear without disturbing any statements that are displayed. You can temporarily halt a search by pressing CONTROL-1. Press CONTROL-1 again to resume the search.

As the screen fills with statements, they will begin scrolling off the top to make room for those near the bottom. This presents a minor problem if you intended to make changes. The best way to deal with this situation is to let the routine run to completion, then press SE-LECT and change the statements that are still on the screen. Next, reactivate the routine by typing GOTO 32700 and do the search again. When the missing statements appear on the screen, press space to terminate the search.

Routine Logic

One of the problems in writing this routine developed because BASIC statements are stored in memory as tokens. This is why many similar utilities display only various components of tokenized statements, but not strings of characters. For example, some utilities let you search for the string PRINT or the string A, but not the string PRINT A.

When I wrote this routine, I decided to let the BASIC interpreter do the most difficult work. When you LIST statements on the screen. BASIC untokenizes each one before displaying it. The Search and Display routine then must simply scan the resulting line of ASCII characters. Here's how it works: A statement is displayed at the bottom of the screen (lines 32708-32710). Then, a machine language routine is called to search for the string (line 32711). It scans the bottom of screen memory where the statement was listed. If the string is found, it returns to BASIC with a value of 1, otherwise it returns with a value of 0. If the value returned is a 1, the statement is listed to the upper portion of the screen (lines 32712-32716). The process begins again with the next statement. When line number 32700 is encountered, the routine goes to line 32717 to display the menu.

Technical Notes

The Atari forced read mode (similar to the dynamic keyboard technique used by other computers) is used by the erase option. It is also used when creating the final version of this routine (converting the DATA statements to a string). In effect, the computer pushes its own RETURN key.

The machine language routine does not check the line number of each program line when testing for matches. This enables you to search for line references without having the line itself listed in the search. If the line refers to itself (as in 100 GOTO 100) and you search for the line number, it will be listed.

When you press SELECT (to quit), you'll notice the screen is cleared and then repainted with any statements that were found. This is not wasted effort. The Atari logical line bitmap (locations 690-693) is destroyed by the search and this corrects it.

Atari BASIC Search And Display

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue. JO 10 GRAPHICS 0: POSITION 2

- 2:? "327Ø1 ML\$ (LEN (ML\$)+1)=";CHR\$(34); E 11 FOR I=1 TO 87:READ X:? CHR\$(X)::NEXT I:? CHR \$ (34) KH 12 ? "32702 ML\$ (LEN (ML\$) + 1)=";CHR\$(34); IA 13 FOR I=88 TO 174:READ X :? CHR\$(X);:NEXT I:? C HR\$(34) PN 14 FOR I=10 TO 14:? I:NEX T I:FOR I=32725 TO 327 31:? I:NEXT I:? "POKE 842,12":POKE 842,13:PO SITION 2, Ø: STOP LK 32699 REM COPYRIGHT 1987 COMPUTE! PUBLICATIO NS, INC. ALL RIGHT S RESERVED. MH 32700 CLR : DIM S\$ (20), ML\$ (174), CP(20), LN(20) CE 327Ø1 RESTORE 32725 AM 32702 FOR I=1 TO 174:READ B:ML\$(I,I)=CHR\$(B) INEXT I BN 327Ø3 STMTAB=PEEK(136)+PE EK(137) #256: X=Ø: X1= 1: SWT=0:LN(1)=0:GRA PHICS Ø AH 32704 ? " (CLEAR) COPYRIGHT 1987":? "COMPUTE! PUBLICATIONS, INC." :? "ALL RIGHTS RESE RVED":? "(DOWN)Pres s ETTTE to stop sea rch" CO 32705 ? :? "ENTER STRING: (Press Ranual for menu)": INPUT S\$: POK
- E 16,112:PDKE 53774 ,112:PDKE 752,1 D 32706 ? CHR\$(125):IF LEN(S\$)=Ø THEN LINE=PEE K (STMTAB) +PEEK (STMT AB+1) #256: GOTO 3271 PI 32707 POKE 82,0 PM 32708 LINE=PEEK (STMTAB) +P EEK (STMTAB+1) #256: I F LINE=32700 OR PEE K(764)=33 THEN POKE 764,255:GOTO 32717 KB 32709 STMTAB=STMTAB+PEEK (STMTAB+2) WH 32710 POSITION 2, 18:LIST LINE 6J 32711 INSTR=USR (ADR (ML\$),

ADR (S\$), LEN (S\$), SWT): SWT=1 LO 32712 IF INSTR=Ø THEN 327 ØB PH 32713 POKE 82,2 N 32714 IF X<16 THEN POSITI ON 2, X:LIST LINE: CP

	(X1)=PEEK(84)-X-1:L N(X1)=LINE:X=PEEK(8
	4) -1: X1=X1+1:GOTO 3 2707
LP 32715	FOR I=1 TO CP(1):PO SITION 2,1:? CHR\$(1
LL 32716	56):NEXT I X=X-CP(1):X1=X1-1:F
	CP(I+1):LN(I)=LN(I+ 1):NEXT I:GOTO 3271
CF 32717	4 POSITION 2,21:? "Sti
	t 0110001 = Erase": PO KE 53279,8: POKE 82,
DA 32718	2 POKE 764,255:K=PEEK (53279):IF K=6 THEN
	? CHR\$(125):GOTO 3 2703
NE 32719	IF K=5 AND X=0 THEN GRAPHICS Ø:CLR :EN D
HE 3272Ø	IF K=5 THEN GRAPHIC S Ø:FOR I=1 TO X1-1
	PEEK(84)-1:NEXT I:
	POKE 84, PEEK (84) +1: CLR : END
LK 32721	IF K<>3 THEN 32718
	2,2:FOR I=32700 TO
	"GOTO 32724"
DL 32723	N 2, Ø: STOP
NH 32724	S Ø:POSITION 2,2:FO
	R I=32713 TO 32724: ? I:NEXT I:? "POKE
	842,12":CLR :GOTO 3 2723
EL 32725	DATA 216,104,104,13 3,207,104,133,206,1
	Ø4,1Ø4,133,2Ø8,1Ø4, 1Ø4,2Ø8,57,166,2Ø8,
	177,206,201,32,176, 11,24
DF 32726	DATA 105,64,145,206
	0,25,201,96,176,5,5
W 30707	,128,176,2,144,233
na 32727	144,224,201,224,144
	,235,24,189,248,101,88,133,203,169,2,1
	Ø3
HN 32728	DATA 72,165,204,72, 160,0,177,203,230,2
	Ø3,208,2,23Ø,2Ø4,2Ø 1,Ø,2Ø8,244,169,124
	,133,205,132,212,13 2
JE 32729	DATA 213,177,203,20 9,206,240,12,198,20
	5,240,32,230,203,20 8,242,230,204,208,2
	38,166,208,198,208, 240,13
DL 3273Ø	DATA 200,177,203,20 9,206,240,245,134,2
	Ø8,160,0,240,225,16 9,1,133,212,234,104
	,133,204,104,133,20
EK 32731	DATA Ø,169,0,145,20
	49,9,15,9,240,141,1
	180,2,96

0

Audio Recorder For Apple II

Add digitally recorded sound and music to your programs with this fascinating program for your Apple II, II+, or Apple IIe computer. A cassette player and disk drive are required.

Digital music is a revolution. Ever since Thomas Edison invented the first phonograph, sound has been stored in analog form. But recently, new media have been invented and computer memories have grown large enough to store sound in a more accurate way-as a series of numbers. Digital recording and mastering make the music you buy sound better, especially if you have a digital compact disc (CD) player or the even newer digital audio tape (DAT) player. You may not know it, but your Apple can record and play back digital music. Although the sound quality leaves something to be desired (CD players use 16 bits of resolution; the Apple uses only 1-so the sound quality of a CD player will be 65,536 times better than that possible with your computer), it may be just what you need to add a blood-curdling scream or a rousing cheer to your latest game.

"Audio Recorder" makes digital recording and playback easy. The sound comes through the cassette port into your computer. When you're ready, the sound can be played back through the built-in speaker or saved to a disk for later use.

How does digital recording work on an Apple II? The sound

Wing Shum

source-a cassette player, for example-is connected to the cassette input port of your computer. A machine language program continuously monitors memory location 49248. The seventh bit of this memory location varies between 0 and 1 as the signal level at the cassette input port changes. The changing status of this bit is recorded in memory. Once the sound data is in memory, it can be manipulated or saved to disk. Later, the recorded sound is played back by toggling the bit in memory location 49200 that controls the speaker.

Note: Only the Apple II, II+, and IIe models have a cassette port, so those are the only ones which can record sounds with this program. However, the program can be used on any Apple II, including the IIc and IIGS, to play back recorded sounds saved on disk.

Typing It In

Audio Recorder is written in machine language, so it must be entered using the Apple version of the "MLX" machine language entry program, found elsewhere in this issue. Be sure you read and understand the instructions for using MLX before you begin entering data. When you run MLX, you'll be asked for a starting address and an ending address for the data you'll be entering. For Audio Recorder, use the following values:

STARTING ADDRESS? 0300 ENDING ADDRESS? 036C

Once you've typed in all the data, be sure to save a copy before leaving MLX.

You are now ready to record a song or a sound effect. Look at the back of the main board of your computer. Next to the video connector are two jacks labeled CAS-SETTE IN and OUT (the IIe has icons instead of words). Plug one end of a cable into the CASSETTE IN jack (for the IIe, the one with the arrow pointing away from the cassette icon) and the other into the external speaker or earphone jack of the tape recorder or other sound source. If you are using a tape player, insert a tape with music or sound effects into the player. Type BLOAD RECORDER (substitute whatever name you used for the Audio Recorder program). For the best possible quality, adjust the controls of your sound source so that it is near, but not at, its maximum volume. At the Applesoft] prompt, type CALL 768, but don't press RETURN yet. Start your sound source; for example, if you are using a tape player, press the PLAY button. When you get to the sound that you want to record, press the Apple's RETURN key. When all the memory available for storing sounds has been filled you'll see the flashing cursor again. To play back your sound, type CALL 823. If you are dissatisfied with the results, try recording the sound again.

When you are ready to save a sound to disk, follow this procedure. If you are using DOS 3.3, first type POKE 43364,255. ProDOS users should not use this POKE. To save the song in either DOS, type: BSAVE filename,A\$800,L\$8E00 To play back a song that has been saved to disk, type BLOAD RECORDER (if Audio Recorder is not already in memory); then BLOAD your song. At an Applesoft] prompt, type CALL 823 to play it back.

The recording may not always sound clear. If you are unhappy with the results, try changing the volume control of the sound source. For best results, use the highest quality equipment to which you have access. Another way to alter the quality of the recording is to change the sampling rate—the time between checks of the cassette port, or between bits being played back on the speaker. Fast sampling rates allow for more accurate recording or reproduction. But taking the samples faster means that memory will be filled more quickly, so less can be recorded. Conversely, slow sampling rates increase the length of the recording but diminish its quality. When choosing sampling rates, you must strike a balance between quality and length.

Audio Recorder provides separate sampling rates for recording and playback, so you can record at one speed and play back at another. The recording speed is controlled by the value in location 784 (\$310) and the playback speed, by the value in 839 (\$347). The default value for both of these locations is 4, which allows 40 seconds of sound to be saved. Changing the delay values to 1 gives the highest sampling rate, and hence the highest sound quality. However, at that rate only 15 seconds of sound can be recorded.

The following line would change the sampling rate to obtain the best sound:

DF=1 : POKE 784,DF : POKE 839,DF

Feel free to experiment with other values for DF.

A Personalized Message

Here's one example of the many uses that you can find for Audio Recorder: Put your voice on a disk as a greeting card and then send it to a friend who has any Apple IIseries computer. To make your personalized greeting disk, type the following commands with a word processor and save it as an ASCII text file with the name BIRTHDAY. (Check your manual to find out if your word processor can save files as straight ASCII text.)

BLOAD GREETING BLOAD RECORDER

- TEXT:HOME:VTAB 3:HTAB 2:PRINT "Dear friend,"
- VTAB 12:HTAB 13:PRINT "HAPPY BIRTHDAY !"
- VTAB 21:HTAB 30:PRINT "Yours,": HTAB 30:PRINT "your name" CALL 823
- CALL 976

Assuming that you have created a recording of your voice and saved it with the name GREETING, this series of commands will display a greeting card screen as your voice plays through the Apple speaker. To make the contents of the file execute automatically when they boot their computer, write a program like this and save it as your HELLO or STARTUP program:

10 PRINT CHR\$(4);"EXEC BIRTHDAY"

About The Program

Audio Recorder consumes a lot of memory space—from 2048 (\$800) to 38400 (\$9600). Any BASIC program or any data stored in this area will be overwritten when sound data is recorded or loaded. Therefore, you must be sure that any important data in this area is saved before you run Recorder. The starting and ending address of the sound sample can be changed to make shorter samples or to relocate the sample data to memory locations that are otherwise unusedjust the thing for a game sound effect.

Locations 769 (\$301) and 829 (\$33D) should both contain the page number where you would like the recording to start. Locations 819 (\$333) and 872 (\$368) should contain the page number where you want the recording to end. A page is a 256-byte block of memory; you can convert an address to a page number by dividing by 256. For example, location 2048 (\$0800) corresponds to page number 8. Since only the high byte of the starting and ending address can be changed, the sound sample storage area must begin at an address which is an exact page boundary. The default starting page number is 8, for address 2048 (\$0800). The default ending page number is 150, for location 38400 (\$9600).

To create a version of Audio Recorder which uses different addresses for sound data, BLOAD a copy of the original version and then POKE the new page numbers into the addresses given above. Finally, save a copy of the modified version with a statement of the form

BSAVE filename, A\$300, L\$6C

You should take care not to overwrite your original copy of Audio Recorder. Save the modified copy with a different filename, or on a different disk.

Audio Recorder

For instructions on entering this program, please refer to the "Apple MLX" article elsewhere in this issue.

Ø3ØØ: AØ Ø8 BC 28 Ø3 A2 ØØ BE 9D Ø3Ø8: 27 Ø3 86 FF AØ Ø8 48 A9 92 0310: 04 20 AB FC 18 AD 60 CØ FD Ø318: 45 FF 1Ø Ø5 45 FF 85 FF 48 Ø320: 38 68 2A 88 DØ E8 9D ØØ 8F Ø328: Ø8 E8 DØ EØ EE 28 Ø3 AD 6Ø Ø33Ø: 28 Ø3 C9 96 DØ D6 6Ø A2 F2 Ø338: ØØ 8E 5C Ø3 AØ Ø8 8C 5D 39 Ø34Ø: Ø3 DØ 18 AØ Ø8 48 A9 Ø4 C1 Ø348: 20 AB FC 68 ØA EA 90 Ø5 DØ Ø350: 8D 30 CØ BØ ØØ EA EA EA BB Ø358: 88 DØ EA BD ØØ Ø8 E8 DØ D2 Ø360: E2 EE 5D Ø3 AD 5D Ø3 C9 22 Ø368: 96 DØ D8 60 ØØ Ø1 ØØ ØØ 13 C



Enclosed is \$	or charge on
□ MasterCard □ Vis	a D Expires
Card No.	
Send 🗆 1200-Watt @ \$199	🗆 1800-Watt @ \$259
Name	
Company	
Address	
City,State,Zip	

Phone www.commodore.ca

Amiga SuperMenus

Rick Du Chateau

Add new capabilities to Amiga Basic's MENU command with this powerful extension. Requires version 1.2 of Amiga Basic.

Amiga Basic may be the most powerful BASIC interpreter available. However, while it does a reasonable job of providing access to the system software built into the Amiga, Amiga Basic doesn't support the system software as completely as compiled languages like C, Pascal, and Modula II.

As an example, consider Amiga Basic's MENU command. With it, you can create custom menus and menu items, enable or disable the items, and place a checkmark next to a menu item. But this is only a small fraction of the menu features and capabilities provided by Intuition. (Intuition is the portion of the Amiga operating system that controls the user interface-the windows, menus, and alert boxes.) Amiga Basic's MENU command doesn't provide for submenus, command keys, alternate ways of highlighting a selected menu, and the ability to turn a checkmark on or off while excluding the other choices. For an example of how complex and useful menus can be, load Deluxe Paint II and wander through the menus and submenus.

Fortunately, the designers of Amiga Basic provided for these and future features by making Amiga Basic an extensible language through the use of subprograms and the LIBRARY command. By using LIBRARY, the Amiga Basic programmer has access to the multitude of the Amiga's operating system routines. And subprograms can actually add new commands to Amiga Basic.

"Amiga SuperMenus" illustrates the usefulness of subprograms by adding several menurelated commands to Amiga Basic. These new commands are INI-TIALIZE, SMENU, SUBMENU, and SMENUOFF. Adding Super-Menus to your own programs will give you access to the full power of the Amiga's menu system, and enable you to create more professional-looking programs. A short demonstration program is included that utilizes most of Supermenu's features.

Getting Started

Type in and save Program 1. This is the SuperMenus routine. You will want to be able to merge this routine into programs you write yourself, so you must save the program in ASCII (text) format. This is ac-



Add new power to Amiga Basic's menu handling with this clever utility.

complished by adding ,A to the end of the SAVE command: SAVE "SuperMenus",A

To learn how to use the routine, type in and save a copy of Program 2, SuperMenus.Demo. Now go to the BASIC command window and type LOAD "Super-Menus.Demo" and then type MERGE "SuperMenus" to add the SuperMenus routine to the demonstration program. Note that Program 2 will not work unless you merge SuperMenus with it. If you failed to save Program 1 as an ASCII file, you'll see the error message *Bad file mode* when you give the MERGE command.

Run the resulting program. After a few seconds, you'll hear a beep and see the message Super-

Available Flags

You may select as many of these flags as you like:

check%	puts a checkmark to the left
text%	indicates that the item or subitem consists of text as
command%	uses this flag if this item or subitem is to have a command-key associated
	with it.
toggle%	uses this flag in conjunction with check% to toggle the checkmark on or off with
enabled%	indicates the item or subitem is enabled as opposed to ghosted (off).
You must sele	ect one and only one of the
following high	hlighting flags:
comp%	inverts the colors of an item or subitem during selection.
box%	draws a box around the item or subitem during selection.
selectimage%	uses a defined alternate image during selection.
none%	indicates no highlighting.

Menus Ready! Use the menu select button (the right mouse button) to view the various SuperMenu features. The demonstration will print any selections you make (when the right button is released). Select Quit to exit the program.

Follow these steps to incorporate SuperMenus into your own programs:

- After loading your Amiga Basic program, type MERGE "Super-Menus".
- Add the following lines to the beginning of your program: DECLARE FUNCTION AllocMem&() LIBRARY INITIALIZE

See the demonstration program for an example of how this is done.

- Follow the format described below to create a menu.
- Call the SUBITEM subprogram to test for a subitem selection (returned in variable called Sub-Num%).
- At the end of your program call the SMENUOFF subprogram.
- Save your program.
- Before running your program, be sure the files *exec.bmap* and *graphics.bmap* are in either your current directory or the Libs directory. These files can be found in the

BasicDemos drawer on the Extras disk for version 1.2 of Amiga DOS.

The Commands

The first new command, INITIAL-IZE, should be used only once before the SMENU command. This subprogram initializes all of the variables used by SuperMenus and loads the necessary libraries from disk.

The SMENU command is the heart of SuperMenus. It is similar to Amiga Basic's MENU command. The format is

SMENU (Menu%, Item%, SubMenu%, Flags%, MExclude&, CommandKey\$, Text\$, SelecText\$)

The items in italics in the SMENU command have the following meanings:

• *Menu%* is the menu position, in the range 1–10 (as in Amiga Basic MENU).

• *Item*% is the item position, in the range 1–19 (as in Amiga Basic MENU).

• *SubItem*% is the subitem position (no limit).

• Flags% is one or more of the flags listed in the table of flags.

• *MExclude&* is used in conjunction with the check% and toggle% flags in the table of flags. Choosing from Item1& through Item31& will exclude these items from selection when this item is active. For example, if you have a set of menu items 1, 2, and 3, and if you set MExclude&= Item2& + Item3& for the first menu item, then when item 1 is selected (and checkmarked), Intuition will erase any checkmarks on items 2 and 3. See the Amiga technical manuals for additional information.

• CommandKey\$ is an alphanumeric character to be used with the right Amiga key to select this item.

• *Text\$* is the text to be used for this item.

• SelecText\$ is the text to be substituted for Text\$ when this item is selected if you use the selectimage% highlighting flag.

Amiga Basic's MENU(0) and MENU(1) functions return the values of the selected menu and menu item respectively. So, in order to check for a selected subitem, a new command—SUBITEM—had to be

added. SUBITEM returns a selected subitem number in the variable SubNum%.

The final new command, SMENUOFF, should be used at the end of your program to free up the memory used by Supermenus.

Program 1: Amiga Supermenus

For instructions on entering these programs, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue. ' SuperMenus+ Copyright 1987 COMPUTE! Public ations, Inc.4 All Rights Reserved.4 4 start:4 Initial:4 SUB INITIALIZE STATIC4 DEFLNG a-z4 SHARED check%, text%, command%, tog gLe%, enabLed%4 SHARED image%, comp%, box%, none%4 SHARED item1, item2, item3, item4, i tem5, item6, item7, item8, item9, ite mlØ4 SHARED item11, item12, item13, item 14, item15, item16, item17, item18, i tem19, item204 SHARED item21, item22, item23, item 24, item25, item26, item27, item28, i tem29, item30, item314 LIBRARY "exec.library"4 LIBRARY "graphics.library"4 'Flag Definitions4 check%= 14 text%= 24 command%= 44 toggLe%= 84 enabLed%= 164 seLectimage%= Ø4 comp%= 644 box%= 1284 none%= 1924 'Mutual Exclude Flags4 item1&= 14 item2&= 24 item3&= 2 ^ 24 item4&= 2 34 item5&= 2 ^ 44 item6&= 2 54 item7&= 2 ^ 64 item8&= 2 ^ 74 item9&= 2 74 item9&= 2 84 item10&= 2 9 item10&= 2 ^ 94 item11&= 2 ^ 104 item12&= 2 ^ 114 item13&= 2 ^ 124 item14&= 2 134 item15&= 2 144 item16&= 2 154 item17&= 2 164 item18&= 2 174 item19&= 2 184 item20&= 2 194 item21&= 2 ^ 204 item22&= 2 ^ 214 item23&= 2 ^ 224 item24&= 2 ^ 234 item25&= 2 244 item26&= 2 ^ 254

item29&= 2 274 item30&= 2 294 item31&= 2 ^ 3Ø4 END SUB 4 SMenus: 4 SUB SMENU(xpos%, ypos%, spos%, fLag s%, mexcLude&, Key\$, titLe\$, titLe2\$) STATIC4 SHARED Address&4 DEFLNG a-z 4 IF Spos%=Ø THEN4 IF (fLags% AND 16) THEN active%= 1 ELSE active%= Ø MENU xpos%, ypos%, active%, titLe\$ stalL=TIMER:WHILE TIMER < (stalL + 1):WEND 'Give AmigaBasic time to SetMenuStrip4 GOTO SetKey4 END IF4 SetSPos:4 Address= PEEKL(WINDOW(7) + 28)4 IF xpos% >1 THEN CALL FindAddres s(xpos%)4 MenuAdd= Address4 TextAttr=ALLocMem(12&,65539&)4 CALL AskFont(WINDOW(8), TextAttr) height%=PEEKW(TextAttr + 4) 'Fi nd the height of current font.4 titLe\$= titLe\$ + CHR\$(0) 4 wide%= LEN(titLe\$) * 104 titLe= SADD(titLe\$) 4 Intuit= ALLocMem(20,65539&) 4 IF Intuit= Ø THEN PRINT "No Memo ryll":STOP4 POKE Intuit + 1, 1 'Set BackPen to color register 14 POKE Intuit + 2, 1 'Set DrawMod e4 POKEL Intuit + 12, titLe4 subitem= ALLocMem(34,65539&) 4 IF subitem= Ø THEN PRINT "No Mem oryll":STOP4 POKEW subitem + 4,50 'Start the subitem 50 pixels to the right o f the Menu4 POKEW subitem + 6, height% * spos 'Figure the top position4 POKEW subitem + 8, wide&+ POKEW subitem + 10,height%4 POKEW subitem + 12,824 POKEL subitem + 18,Intuit4 Address= PEEKL(MenuAdd + 18) + IF ypost >1 THEN CALL FindAddres s(ypos%)4 ItemAdd= Address4 IF spost = 1 THEN Address= ItemA dd + 28:GOTO SkipIt4 Address= PEEKL(ItemAdd + 28) IF spost > 2 THEN4 CALL FindAddress(spost -1)4 END IF4

SkipIt:4 POKEL Address, subitem4 CALL FreeMem(TextAttr, 12) 4 SetKev:4 Address= PEEKL(WINDOW(7) + 28) IF xpos% > 1 THEN CALL FindAddre ss(xpos%)4 Address= PEEKL(Address + 18)4 IF ypos% > 1 THEN CALL FindAddre ss(ypos%)4 IF spost > Ø THEN4 Address= PEEKL(Address + 28) 4 IF spos%= 1 THEN PokeKey4 CALL FindAddress(spos%)4 END IF4 PokeKey:4 POKEW Address + 12, fLags% 'Set the Flags4 POKEL Address + 14, mexcLude& + IF Key\$ <> "" THEN POKE Address + 26, ASC(Key\$) 'Poke in the Key IF titLe2\$ <> "" THEN4 titLe2\$= titLe2\$ + CHR\$(0)4 wide%= LEN(titLe2\$) * 104 titLe= SADD(titLe2\$)4 Intuit= ALLocMem(20,65539&)4 IF Intuit= Ø THEN PRINT "No Memo ryll":STOP4 POKE Intuit + 1, 1 'Set BackPen to color register 14 POKE Intuit + 2, 1 'Set DrawMod e4 POKEL Intuit + 12, titLe4 POKEL Address + 22, Intuit4 END TF4 OutaHere:4 END SUB4 SUB FindAddress(Position%) STATI C4 SHARED Address4 FOR counter%= 1 TO (Position% -1 Address= PEEKL(Address) 4 NEXT END SUB 4 TurnSmenuOff:4 SUB SMENUOFF STATIC4 MenuAdd= PEEKL(WINDOW(7) + 28) 4 Again:4 IF MenuAdd= Ø THEN ALLDone4 GOSUB ItemAddress4 MenuAddress:4 MenuAdd= PEEKL(MenuAdd) 4 GOTO Again4 ItemAddress:4 IF PEEKL(MenuAdd + 18) = Ø THEN OutOfItems

ItemAdd= PEEKL(MenuAdd + 18)4

END IF4 KeepLooking: 4 GOSUB LookForSub+ ItemAdd= PEEKL(ItemAdd) 4 IF ItemAdd > Ø THEN KeepLooking 4 OutOfItems:4 RETURN4 LookForSub:4 IF PEEKL(ItemAdd + 28) = Ø THEN OutOfSubs4 Address= PEEKL(ItemAdd + 28) + CLearMem: 4 NextAddress= PEEKL(Address) 4 Intuit= PEEKL(Address + 18)4 CALL FreeMem(Intuit, 20) 'Free I ntuitext4 IF PEEKL(Address + 22) > Ø AND P EEKL(Address + 22) <> PEEKL(Addr ess + 18) THEN 4 Intuit= PEEKL(Address + 22) 4 CALL FreeMem(Intuit, 20) Free Select IntuiText4 END TE4 CALL FreeMem(Address, 34) Free Item Structure Address= NextAddress4 IF Address > Ø THEN CLearMem4 OutOfSubs:4 RETURN4 ALLDone:4 LIBRARY CLOSE4 MENU RESET4 END SUB4 CheckSmenus:4 SUB SUBMENU STATIC DEFLNG a-z4 SHARED SubNum&4 intuitmessage= PEEKL(WINDOW(7) + 94)4 menucode= intuitmessage + 244 SubNum%= (PEEKW(menucode)/ (2¹¹) AND 31) + 14 IF SubNum%= 32 THEN SubNum%= Ø 'No Sub if all bits "on"4 END SUB4 Program 2: Amiga Supermenus Demo SuperMenu Demo4 'Copyright 1987 COMPUTE! Publica tions, Inc.4 'All Rights Reserved.4 DECLARE FUNCTION ALLOCMEm&() LIB RARY4 ON ERROR GOTO HandLeErrors4 INITIALIZE4

IF PEEKL(ItemAdd + 22) > Ø AND P

EEKL(ItemAdd + 22) <> PEEKL(Item

Intuit= PEEKL(ItemAdd + 22) 4
CALL FreeMem(Intuit, 20)

Free Select IntuiText4

Add + 22) THEN 4

PRINT "Copyright 1987":PRINT"COM

PRINT "Setting up SuperMenus, wa it for the BEEP."4

PUTE! Publications, Inc."4

PRINT4

4

PRINT "All Rights Reserved."4

```
MExcLude&=Ø
FLags%= text% + enabLed% + comp%
SMENU 1,0,0,FLags%,MExcLude&,"",
"First", ""4
SMENU 2,0,0,FLags%,MExcLude&,"",
"second",""4
SMENU 3,0,0,0,MExcLude&,"","","
'Blank out menus 3 and 44
SMENU 4,0,0,0,MExcLude&, "", "", ""
FLags%= text% + enabLed% + comp
84
SMENU 1,1,0,FLags%,MExcLude&,"",
"ItemA",""4
SMENU 1,2,0,FLags%,MExcLude&,"",
"ItemB",""4
FLags%= text% + enabLed% + box%
+ command%4
SMENU 1,3,0,FLags%,MExcLude&,"Q"
           ", ""4
, "Quit
MExcLude&= item2&+
FLags%= text% + enabLed% + togg
Let + checkt + seLectimaget4
SMENU 1,1,1,FLags%,MExcLude&,""
"SubIteml "," Alternate
                      Alternate"
MExcLude&= item1&4
FLags%= text% + enabLed% + comp%
+ toggLe% + check% +
SMENU 1,1,2,FLags%,MExcLude&,"",
"Subltem2",""4
MExcLude&= Ø4
FLags%= text% + enabLed% + toggL
e% + check% + comp% + command% +
SMENU 2,1,0,FLags%,MExcLude&,"T"
   Menu2Item1
                     ", ""4
MExcLude&= Ø4
FLags%= text% + enabLed% + comp%
SMENU 2,2,0,FLags%,MExcLude&,"",
" Menu2Item2 ",""4
MExcLude&= item2&+
FLags%= text% + enabLed% + toggL
e% + check% + command% + comp% +
SMENU 2,2,1,FLags%,MExcLude&,"A"
     Item2Sub1
                   ", ""4
MExcLude&= item1&4
FLags%= text% + enabLed% + toggL
e% + check% + box%4
Item2Sub2
MExcLude&= item1& + item2&+
FLags%= text% 4
SMENU 2,2,3,FLags%,MExcLude&,"",
    Disabled",""4
BEEP4
PRINT4
PRINT "SuperMenus Readyl"4
CheckMenus: 4
MenuNum%= MENU(Ø) +
IF MenuNum%= Ø THEN CheckMenus4
ItemNum%= MENU(1) 4
SUBMENU4
PRINT "MenuNum= "; MenuNum%, "Item
Num= "; ItemNum%, "SubNum= "; SubNu
m%4
IF MenuNum%= 1 AND ItemNum% = 3
THEN CALL SMENUOFF: END4
GOTO CheckMenus4
HandLeErrors:4
IF ERR= 53 THEN4
PRINT "You must have the files '
exec.bmap' and 'graphics.bmap'"4
PRINT "in either your current or
Libs directory."4
PRINT "These files can be found
in the BasicDemos drawer of the
Extras 1.2 disk."4
END IF4
                                 0
END4
```

Atari XL/XE Hidden RAM

Ronald R. Lambert

Don't let the hidden RAM in your computer go to waste. Instead, use it to store text, machine language programs, graphics data, or help screens. For the 800XL, 65XE, 130XE, and for the 600XL with memory expanded to 64K.

Have you ever needed just a little more RAM? Perhaps you have a custom character set that you would like to store away for a more convenient time. Or you may have a series of help screens that you'd like to use without tying up the normal RAM in the computer. Or maybe you have a whole collection of machine language programs that you would like to be able to use. If you own an Atari 130XE, you have an extra 64K of RAM that you may be using as a ramdisk. You may not realize it, but there is an additional 8K of RAM available "under" the BASIC ROMs. This extra RAM can be found in any Atari XL or XE model (excluding the 1200XL) with 64K or more of memory. You can use this technique only when you are using the BASIC ROMs inside your computer. It will not work if you have a BASIC cartridge plugged into the cartridge port.

Normally, BASIC programmers can't make use of the RAM at memory locations 40960–49151. This is because the ROM containing the BASIC interpreter itself resides at these locations. But RAM is still there—hidden, but ready to be used by an enterprising programmer.

To use this 8K block of RAM, you must switch the BASIC ROM out of the computer's memory map, and switch in the alternate block of RAM. Location 54017 controls whether ROM or RAM is seen at addresses 40960–49151. That location contains the value 253 when BASIC ROM is selected, and 255 when RAM is selected.

In BASIC, you might be inclined to try to accomplish the switch using a statement like POKE 54017,255. But there is one obvious problem in using a POKE to switch from ROM to RAM. When the BASIC ROM is switched out, the computer (which has been executing the BASIC interpreter, a machine language program) tries to execute whatever is in the RAM under BASIC. Since there is no intelligible machine language program here, the computer crashes. The only way to recover is to press SYSTEM RESET (which, among other things, turns BASIC ROM back on). This makes it impossible to usefully turn off BASIC from within BASIC.

Fortunately, turning the BASIC

Y WP-KBY WP-KBY WP-KBY WI

WP-KEY

A NEW FORM OF WRITE PROTECTION

IP-AIT slides into the disk at the top corner directly above the write-protect notch and slips down to cover the notch from the inside.

WP-NBY slides out just as easily to allow the disk to be written to.

WP-ABY is good for the life of your disk.

IP-ATY is light in color allowing it to be viewed when the disk is installed in the drive just by glancing at the drive door.

IP-AT sells for \$1.39 per pkg of ten (10). Please include \$.50 for shipping and handling. Sorry, no C.O.D. or credit card orders.





ROM off with machine language causes no problems, and machine language can be executed from BASIC with the USR function. Even if you don't know machine language, you can use the program presented here to copy information to and from the hidden area of RAM.

Using The Program

Type in the program and save a copy to tape or disk. Because the program requires accurate typing, be sure to use "The Automatic Proofreader" program found elsewhere in this issue.

Use this program as a model for your own programs. In lines 10–30, the program POKEs the machine language program held in the DATA statements (lines 100–180) into memory starting at location 1536. This machine language program has two entry points. X=USR(1536) copies the contents of a section of normal memory into the hidden RAM beneath the BASIC ROMs. X=USR(1543) does the opposite, copying the contents of a section of the hidden memory into normal memory.

Before you call one of these routines, you must first set up two zero-page memory locations. This is done in lines 300–310 and 330–340 of the sample program. Locations 203–204 hold the number of bytes to be transferred to or from hidden RAM. Remember that no more than 8192 bytes can be transferred. Locations 205–206 hold the address of the first byte in normal memory to be copied into hidden RAM, or the address of the first byte in normal memory into which the contents of hidden RAM is to be copied.

If you are moving information back and forth between a string and hidden memory, as in the example program, be sure that the string is large enough to hold the data. Otherwise, you may crash your computer.

Atari XL/XE Hidden RAM

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

005 REM COPYRIGHT 1987 COM. UTE! PUBLICATIONS, INC. ALL RIGHTS RESERVED. FD 8 PRINT "(CLEAR)Copyright 1987":PRINT "COMPUTE! Publications, Inc.":PRI

	N	т		A	11		R	1	g	h	t	5		R		5		r	v		d
		" :	P	R	IN	IT		2	P	R	I	N	т								
B8 1 1	0	FC	R		Γ=	• 1	5	3	6		т	0		1	6	ø	4				
MA 1 :	5	RE	A	D	N	IU	M	:	C	H	E	C	ĸ	-	C	H	E	C	ĸ	+	N
	-	UP	1	-	-	-															
RB ZI	0	PL	JK	E	-		N	2	п	~		_	_					~	_	_	-
LA SI	0			-	. 1	-	å	-		-	н		2	K D	ŝ	2	h	ø	-	2	4
		n	NT		4	P	ĩ	Ê		à	=	-	5	L	Ē	2	R		÷		P
		TN	ia	-		1	-	-	-	3	-		-		-	-	~		'		
DP 1	30	T	A	÷,	2	1	ø	4		1	4	9		2	ø	5		1	4	ø	
		2	Ø	7	2	Ø	8		ŝ	ī	1	ø	4		-		,		-	1	1
AP 1 :	10	L	A	TI	ĥ	1	6	ø		ź	ø	5		1	6	9		2	ø	7	
		1	4	1,	, 3	54	,	6	,	1	4	ø	1								
LH 1:	2Ø	E	A	T	A	3	6		6	,	1	6	9	,	2	5	5	,	1	4	1
			1	, :	21	. 1	,	1	6	9											
EB 1:	3Ø	E	A(T	9	ø	3	1	3	3	2	2	ø	7	9	1	6	9		1	6
-		6		1.	53	5 .	2	ø	8	2	1	6	ø	_				_		_	-
EP 14	4 Ø	L	A (T	9	ø	2	1	7	7	1	2	Ø	5	,	1	4	5	,	2	ø
		4	2	1.	72	1	2	2 7	3	2	1	-	2	-				-		_	
	שנ	-	н		1	, ²	20	3	-	4	1	1	-	1	5	2	,	~	Ø	8	,
05 1 4	La	-		÷		'2	4	2 7	"	-	-	202	3			2	a			4	
UT I C	50	1	6		٦,	5	3	5	-	4	1	-	2	7		~	2	0	,	0	3
A0 1 7	70	Ē	A	Ť	5	1		2	1	1	Ĉ	9	6		2	ø	ø		2	ø	8
			2	2	7.	2	ź	ø		2	ø	6	1					ſ		-	
JL 18	BØ	Ĺ	A	TI	A	2	3	ø	,	2	ø	8		7	6		3	3	,	6	
IH 26	ØØ	E	I	Μ	F	\$	(5	ø)											
JF 21	10	F	\$	-	۲'	h	i	s		i	5		a		s	a	m	P	1	e	
		-	it	r	П	g	•	"													
11 36	80	L	.A	=1	.E	N	(A	\$)	1	H	-	I	N	Ţ	(Ľ	A	1	2
		-	6	, ,	L	-	2	A	2	н	#	2	2	6	1	P	U	ĸ	E		2
-		5	S I	1		F	,	K			2	9	4	3	H	-	,	~		,	-
M SI		-	A		11		2	n	-	"	-	2	-	-		P	à	R	E	1	5
		0	15	1		P	2	ĸ	F	-	2	a	4	-	ĥ	-	-	~	-		~
CN 32	20	ē	-	ůs	36	11	1	5	3	6	5	~	-	*							
FJ 32	25	e	15	(50	5)	-	-	*			P	R	I	N	т			A	\$	
		F	A	9	E	E	E	N		8	т	0	R	E	D		U	N	D	E	R
			B	A	3 1	C		R	0	M	9				A	\$		н	A	3	
		E	BE	EI	N	C	H	A	N	8	E	D									
LO 33	3Ø	L	A.	=1	-E	N	(A	\$)	:	H	-	I	N	Т	(L	A	1	2
		5	56):	L	-	L	A	-	H	*	2	5	6	1	P	O	ĸ	E		2
		6	33	,۱	- 1	P	0	ĸ	E		2	ø	4	2	H	_		_			_
KD 34	4Ø	6	D	= f	1E	R	(A	\$)	1	H	-	ļ	N	T	(A	D	1	2
		-	6	, ;	L	-	A	D	-	H	草口	20	5	6	1	P	U	K	E		2
		2	10	, 1		5	-	K	-	_	~	9	0	,	n						
10 35	B	A			SR 17	. (1	2	4	3	2	~	~		P	-	-				-
AL SE	010	-	R	11		-	D	H	*			H	5		D	-		NI de	,		-
		2	4	2	- "	E	-	•		•	-	~	-	1.4		1	-	-	•	-	,
		-																		0	Ţ



Cwww.commodore.ca

Amiga And 64 Ramdisk Files

Jim Butterfield, Associate Editor

Learn about the powerful technique of using ramdisk files on both the Amiga and the 64. Sample programs are included for both machines. The 1764 RAM Expansion Module and RAM-DOS software are required for the 64.

When most people think of data files, they think of collections of information stored on magnetic media-disk or tape. But files may also be stored, at least temporarily, in the computer's RAM (Random Access Memory). Special software can allow the computer to simulate the actions of a physical disk drive using a portion of memory for storage. Because the memory storage behaves just like a physical disk, it's frequently referred to as a ramdisk. This article explains simple sequential ramdisk file techniques for both the Amiga and Commodore 64.

The Amiga's operating system has built-in support for ramdisks. If you have a Commodore 64, you must also have a 1764 RAM Expansion Module to use the ramdisk techniques discussed here. The module provides the extra RAM to hold the files. Additionally, the *RAMDOS* program supplied with 1764 must be installed in the computer's memory. See your 1764 User's Guide for information on connecting and using the RAM Expansion Module.

Temporary Files

Many programs create temporary files. Such a file often contains partially processed data—the program has worked through the data concerned, but cannot finish the job until it has completed another pass through the data.

As an example, consider a program which collects a series of examination scores for a class of students. Among other things, its job is to print each student's performance compared with the class average. The program can't print the comparison at the time it receives each student's score—it can't know the average score until all the grades have been entered. One solution is to use a temporary file to store the scores as they come in.

Another classic data processing task that benefits from temporary files is assembling a machine language program. The assembler program can do part of its work as it reads the source code, but it can't finish the job until all the source code has been read. The assembler can create a partially processed temporary file. Then, on the next pass through the data, it can read back this file and fill in any missing information.

In cases like these, the use of a ramdisk can dramatically improve program performance. Files held in a ramdisk can be retrieved much

more quickly than files on a disk in a mechanical drive-even a highspeed hard disk drive. For a ramdisk, the computer need only read data from memory-something it can do with blinding speed. Reading data from disk, on the other hand, involves a number of mechanical tasks in addition to the electronic communications. Before the first byte can be read, the drive must start the disk spinning, determine the position of the file on the disk surface, move the read/write head to the proper track, and wait for the first sector of the file to spin by.

Since the ramdisk is so much faster, you may wonder why it isn't used exclusively for program storage. The answer is that ramdisks have one very significant shortcoming: Since all the information is stored in memory, everything in a ramdisk is lost whenever the computer is turned off, even if the power interruption is accidental or only momentary. For this reason, ramdisks are generally used only for temporary files containing information that needs to be retrieved quickly, but could be reconstructed easily, if lost. Physical drives are still the best choice for permanent file storage.

The sample programs at the end of this article illustrate the use of ramdisk files in a routine to calculate prime numbers. Type in the version for your computer and save it to disk. Program 1 is for the Commodore 64, and Program 2 is for the Amiga.

Prime Numbers

One definition of a prime number is one which is not evenly divisible by any lower prime number, assuming that the first prime number is 2. This kind of definition is known as *recursive*. The series of prime numbers begins like this: 2, 3, 5, 7, 11, 13, 17, and so on. A more technical definition of a prime number is a number that is divisible only by 1 and itself. The number 1 is included in the prime series when we use this definition.

The example programs use the recursive definition to generate prime numbers. We begin with 2. For all following integers, the program tries dividing all previous primes it has found into the current value. If none of them divide evenly, the new value is added to the list of primes. To speed up the routine, the range of trial divisors is restricted to those less than or equal to the square root of the number being tested.

As each prime number is found, it is placed in a temporary file called PRIMES. For the first prime, 2, the file must be opened for writing. Subsequent numbers are tacked onto the end of the file by opening it for appending.

The performance of the routine could be further enhanced by examining only odd numbers. All even numbers other than 2 are divisible by 2, and hence cannot be prime. (In the 64 version, add STEP 2 to the FOR-NEXT statement in line 200. In the Amiga version, change the statement p=p+1 to p=p+2, and insert p=3 just before the WHILE statement.)

Getting Started

With the Commodore 64 and the 1764 RAM Expansion Module, you must install a program to support the use of the module's memory as a ramdisk. The required program, *RAMDOS*, is supplied on a disk that comes with the module. As part of the *RAMDOS* installation process, you'll be asked which device number to assign to the ramdisk. The primary floppy disk drive is always

drive 8. Unless you already have a second floppy disk drive, device number 9 is a good choice for the ramdisk. Program 1 assumes the ramdisk has this device number. If you assign some other number, you'll need to change the 9 in line 120 to match the value you specified.

The Amiga includes/ built-in support for ramdisks; however, to conserve memory, the operating system does not normally set up a ramdisk when the system is booted. Instead, it waits until you first request access to a ramdisk, then allocates the memory at that time. In Amiga Basic, you can establish a ramdisk file simply by specifying the device name *ram:* along with the filename. Program 2, for example, uses the name *ram:primes* for the data file it creates.

Saving Your Work

The Commodore 64 has no built-in provision for copying files from ramdisk to a physical disk. If you want to transfer the data file created by the example program, PRIMES, to permanent disk storage, you must write a program to do the job. Here's one way to make the copy (as in Program 1, this example assumes that the ramdisk is set up as device 9):

```
100 OPEN 9,9,9,"PRIMES,S,R"
110 OPEN 8,8,8,"PRIMES,S,W"
120 GET#9,X$
130 S=ST
140 PRINT#8,X$;
150 IF S=0 GOTO 120
160 CLOSE 8
170 CLOSE 9
```

If you start BASIC from the Amiga Workbench, you'll find a *ramdisk* icon on the screen when you return there after running Program 2. Double click, and you'll see an icon for a file named *primes*. This is the temporary file containing the prime number values. If you wish to keep this file, you must copy the program to a physical disk. Drag the primes icon onto the icon of the disk or drawer where you want it to go.

If you're using the Amiga's CLI (Command Line Interpreter) instead of the Workbench, typing INFO will show you there's a ramdisk mounted. Use DIR RAM: or LIST RAM: to see its contents. To move the primes file to a more permanent place, use the COPY command. If you want the data file's icon to be visible on the Workbench, you must also copy the associated primes.info file.

On the Amiga, if you write a file with the same name as an existing file, the old file is scrapped and replaced by the new one. In the same situation, the 64 would refuse your request—you must scratch the old file before you can write a new one with the same name. Attempting to use an existing name will result in a FILE EXISTS error message (badly spelled in the current version of *RAMDOS*).

The syntax for scratching Commodore 64 ramdisk files is exactly the same as that used for physical disk files. To remove the PRIMES data file, type the following lines in direct mode:

OPEN 15,9,15 PRINT#15,"SØ:PRIMES" CLOSE 15

Without RAM

Programs 1 and 2 also work with a regular disk drive. For the sake of comparison, you might want to run the programs in this manner. For the 64 version (Program 1), change the 9 in the OPEN statement in line 120 to an 8. For the Amiga version (Program 2), change the device name in the OPEN statement from **ram:** to **df0:**. You'll see the brakes go on as your program slows to the speed of the mechanical disk unit.

That's why using a ramdisk is so easy. No new or special programming techniques are required—and it sure speeds things up.

For instructions on entering these programs, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

Program 1: Ramdisk Example—64 Version

- FM 70 REM COPYRIGHT 1987 COMPU TEI PUBLICATIONS, INC. [2 SPACES]ALL RIGHTS RES ERVED. XE 80 PRINT"COPYRIGHT 1987":PR INT"COMPUTE! PUBLICATION S, INC." GJ 90 PRINT"ALL RIGHTS RESERVE D." FM 100 P=2:OPEN 15,9,15 FP 110 INPUT "PRIMES TO WHAT V ALUE";V XX 120 OPEN 1,9,2,"PRIMES,S,W" :GOSUB 2000 QK 130 GOSUB 1000 BD 140 CLOSE 1 GA 200 FOR P=3 TO V MF 210 F=0 MG 22Ø Q=SQR(P)
- BR 230 OPEN 1,9,2, "PRIMES, S, R"

C-www.commodore.ca

DQ 24Ø INPUT#1,D QR 250 F=(P-D*INT(P/D)=0)MC 260 IF D<Q AND NOT F AND ST =Ø GOTO 24Ø MQ 27Ø CLOSE 1 PQ 28Ø IF F GOTO 32Ø AA 290 OPEN 1,9,2, "PRIMES, S, A" HC 300 GOSUB 1000 XS 310 CLOSE 1 XR 320 NEXT P CA 33Ø CLOSE 15 HP 340 END PF 1000 PRINT#1,P JS 1010 L=L+1 FR 1020 PRINT RIGHT\$(" {2 SPACES}"+STR\$(P),4) GG 1030 IF L>8 THEN L=0:PRINT DA 1040 RETURN FF 2000 INPUT#15, E, E\$, E1, E2 AD 2010 IF E THEN PRINT E\$:STO P BX 2020 RETURN

Program 2: Ramdisk Example—Amiga Version

Copyright 1987 COMPUTE! Public ations, Inc.4 All Rights Reserved.4 ' PRIMES PROGRAM4 DEMONSTRATES FILES TO RAM: 4 PRINT "Copyright 1987":PRINT "CO MPUTE! Publications, Inc."4 PRINT "All Rights Reserved.":FOR t=1 TO 10000:NEXT4 CLS4 p=24 INPUT "Primes to what value";v4 OPEN "ram:primes" FOR OUTPUT AS 14 GOSUB putprime4 CLOSE #14 WHILE p<v4 p=p+14 flag=Ø4 d=04 q = SQR(p) 4OPEN "ram:primes" FOR INPUT AS 1 WHILE NOT EOF(1) AND d<q AND NOT flag4 INPUT #1,d4 $flag=(p MOD d = \emptyset) 4$ WEND4 CLOSE #14 IF NOT flag THEN4 OPEN "ram:primes" FOR APPEND AS 14 GOSUB putprime CLOSE #14 END IF4 WEND 4 END4 putprime:4 PRINT #1,p4 LIN=LIN+14 PRINT USING " ######"; p; 4 IF LIN>9 THEN LIN=0:PRINT4 RETURN4 0

Applesoft Line Lister

Bruce E. Howell, D.D.S.

If you find yourself wading through a difficult-to-decipher BASIC program listing, take the time to type in this short and very useful utility which unravels even the most complex program lines. The program works with any Apple II-series computer.

It's understandable that programmers want to write programs that are as fast and compact as possible. In BASIC programming, it is common to place several statements on a single line, separating each with a colon. Unfortunately, this can lead to dense programs that can be difficult to debug. "Applesoft Line Lister" alleviates this problem. It's a short and simple machine language program that makes any Applesoft BASIC program listing easier to read and understand.

Instead of completely rewriting BASIC's LIST routine, Line Lister simply intercepts the output from the routine and reformats it. Programs are still stored in their most compact form, but, when they are listed, each statement is placed on its own line for maximum readability.

Typing It In

Applesoft Line Lister is a short machine language program. To create it, type in and save a copy of the BASIC listing found below. Since the BASIC program creates a machine language file named LISTER, do not use that name for the BASIC program itself. To create a copy of the Line Lister machine language program, load the BASIC program, insert the disk on which you want a copy of Line Lister, and type RUN. The machine language program, LISTER, is saved to the disk. Once the Line Lister program is created, you won't need the BASIC program again except to make additional copies of Line Lister.

When you're ready to use Line Lister, type one of the following lines, depending on the version of DOS that you are using. For DOS:

BRUN LISTER

For ProDOS:

-LISTER

This loads and installs—but does not activate—the machine language routine. To enable the new listing mode, type &.

Here's how a sample BASIC program line is listed by Applesoft's built-in routine:

100 PRINT : PRINT : FOR A = 100TO 1 STEP -1:B = B + 1: NEXT

Line Lister displays this instead: 100 PRINT

PRINT

:

:

:

```
FOR A = 100 TO 1 STEP -1
B = B +1
```

NEXT

Line Lister works best in 80column mode or on a printer. Long



Looking for Thermal Paper or Mailing Labels for your Okimates? Call Precision!

Precision Images now has available for your Okimate printers, GENUINE Okidata thermal transfer roll paper and mailing labels. We also carry a large supply of spare parts and supplies for all Okidata printers. Precision Images is "your direct connection to genuine Okidata parts and supplies."

New Microline 93 Printer-\$375

for Visa/MasterCard orders call: 1-800-524-8338



Precision images, inc. P.O. Box 563, Dept. C Chester, New York 10918

COMPUTE! Disk Information

All the programs in this issue are available on the ready-to-load COMPUTE! Disk. For more information or to order an individual issue of COMPUTE! Disk. call toll free 1-800-346-6767 (in NY 212-887-8525). To order a one-year (four-disk) subscription, call toll free 1-800-727-6937 Please specify which computer your are using.

display lengths insure that the entire statement fits on a single line. In the case of a very long statement, such as a long PRINT command or a complex formula, the output will wrap around to the next output line.

To turn off the enhanced listing mode, type PR#0 (or'PR#3 if you're using 80 columns) or press Ctrl-Reset. Be sure to turn off Line Lister before changing a line or entering a new one. ProDOS users should also turn off Line Lister before requesting a disk catalog. The program can be restarted simply by typing & again.

How It Works

When executed, Line Lister sets up the ampersand vector to point to the enhanced listing routine. That routine works by intercepting characters on their way to the output device (such as the video display or printer), deleting or inserting spaces and new lines as required. Since the output routine vector is in different locations for DOS 3.3 and ProDOS, it is necessary to determine which operating system is in effect.

If ProDOS was booted, a group of file-manipulating subroutines called the Machine Language Interface will be found in memory beginning at location \$BF00, so a machine language JMP instruction (\$4C) at that location indicates that ProDOS is being used. Within Pro-DOS, location \$BE30 (known as VECOUT) contains the address of the current output device. Line Lister first saves the current contents of the output vector so that it can send characters to the correct output device. Next, it stores the address of its own listing routine in the vector, rerouting all output through the new routine.

If no JMP instruction is found in the test location, Line Lister assumes that DOS 3.3 is being used. The output vector for DOS 3.3 is called CSW and is found at location \$36. Line Lister changes the vector address as for ProDOS, then jumps through the vector at \$3EA to update the DOS output routines.

In either case, control is then returned to Applesoft. Now, all characters sent to the current output device will be processed by Line Lister. One of the program's jobs is to keep track of whether or not characters being output are enclosed in quotation marks. When a quotation mark (") is detected, the program passes the characters through, unformatted, until the next quotation mark is found, or until the end of the line is reached. This prevents Line Lister's special formatting from affecting text within quotation marks, such as the text of PRINT statements.

The program's most important task is to scan the outgoing text for colons. If the character to be printed is a colon, and if it's now within quotation marks, the program sends a carriage return character followed by a colon and several blank spaces.

For other characters, the program checks to see if the current and previous characters are spaces. If both are spaces not enclosed in quotation marks, then the program moves on without sending the last space. This causes superfluous spaces outside of quotation marks to be discarded.

Applesoft Line Lister

For instructions on entering this program, please refer to "COMPUTEI's Guide to Typing In Programs" elsewhere in this issue.

- 73 5 REM COPYRIGHT 1987 COMPUTE! PUBLICATIONS, INC. ALL RIG HTS RESERVED.
- 60 6 HOME : PRINT "COPYRIGHT 198 7": PRINT "COMPUTE! PUBLICA TIONS, INC.": PRINT "ALL RI GHTS RESERVED."
- 42 7 FOR X = 1 TO 1500: NEXT D1 10 C = 0: FOR I = 768 TO 897
- DI 10 C = 0: FOR I = 768 TO 897 A5 20 READ A: POKE I,A:C = C + A
- A5 20 READ
 - 70 40 IF C < > 15288 THEN PRINT "BAD DATA": END
 - 15 50 PRINT CHR\$ (4) "BSAVE LISTE R, A\$300, L\$81"
- F1 60 END
- AF 100 DATA 169,76,141,245,3,169 ,16,141,246,3,169
- EE 11Ø DATA 3,141,247,3,96,173,0 ,191,201,76,240
- 86 120 DATA 23,173,83,170,141,12 5,3,173,84,170,141
- 27 130 DATA 126,3,169,69,133,54, 169,3,133,55,76
- 53 14Ø DATA 234,3,173,48,19Ø,141 ,125,3,173,49,19Ø
- A5 150 DATA 141, 126, 3, 169, 69, 141
- ,48,190,169,3,141 B8 160 DATA 49,190,96,201,162,20
- B, 10, 173, 127, 3, 73
- 60 170 DATA 255, 141, 127, 3, 169, 16 2,44, 127, 3, 48, 33 21 180 DATA 201, 186, 208, 20, 32, 14
- 2,253,167,186,32,124 58 190 DATA 3,162,3,167,160,32,1
- 24,3,202,208,248 10 200 DATA 240,9,201,160,208,5, 205,128,3,240,203
- DI 210 DATA 141,128,3,76,255,255 ,0,0,3