

SPECIAL HARDWARE AND UTILITIES ISSUE





THE PLUSES
AND MINUSES

WHAT'S DOS?

COMMANDING THE COMMODORE DISK OPERATING SYSTEM

ELIMINATE
BAD "NEWS"
WITH THE
OLD ROUTINE

FOR THE VIC AND 64



CUT KEYSTROKES
WITH
PROGRAMMABLE
FUNCTIONS
FOR THE 64

DON'T COUNT
ON YOUR
COMMODORE! USE
AUTOMATIC
LINE NUMBERING
FOR THE 64



GET HOOKED! PLAY
SALMON RUN
C-64 ACTION ON A
GRAND SCALE
HOME BUDGET
PENNY PINCHING
PROGRAM

REVIEWS OF

MUPPET

ARNING KEYS


OKIMATE 10

SPY VS. SPY

AND MORE 64/VIC
PRODUCTS...END



www.commodore



Cardco offers a new class ... of products



PS- NEW CARDCO PRINTER INTERFACE for the Commodore-64[™] and VIC-20[™] Personal Computers. Use with any standard parallel OR serial printer. Requires no special programming. Ready to hook-up; includes all necessary cables and plugs. CARD/?PS



AT- NEW CARDCO PRINTER INTERFACE for the ATARI COMPUTER. Use your Atari Computer with any standard parallel input printer .. impact dot matrix, thermal dot matrix, daisy wheel, letter quality, ink jet and laser printer, CARD/?AT includes all necessary cables and connectors.



MT/1 MONITOR TUNER with REMOTE CONTROL for any composite color monitor to TURN YOUR MONITOR into a TELEVISION SET. Receive sharper, clearer television pictures on your composite color monitor with a flick of the switch. Separate audio and video outputs; also for stereo sound systems.



MT/2-UHF/VHF MONITOR TUNER to turn any composite color monitor into a television set. For color or monochrome monitors; has separate audio and video outputs: receives vivid, bright television pictures that will amaze you.

CARDCO is constantly producing new products. A full line of Commodore hardware and software; letter quality printers for any computer; TV monitor tuners for any composite color monitors and a host of other quality computer products. WRITE for FREE illustrated literature and prices.



cardco, inc.

300 S. Topeka Wichita, Kansas 67202 (316) 267-3807

"The world's largest manufacturer of Commodore accessories."

Commodore™ is a registered trademark of Commodore Business Systems, Inc.

CONTENTS

TO A DENTE CO

DEPARTMENTS	
A View from the Bridge of the March issue of Ahoy!	4
Flotsama reader corrects Midprint for the VIC 20.	6
Scuttlebuttwhat's coming for the 64, VIC, Plus/4.	9
Reviewsexpert tire-kicking of current releases.*	33
S.O.Shelp for programmers lost at sea.	42
Book Review by Annette Hinshaw	62
Program Listingsmore pages than ever before!	63
Commodarespuzzlers for the stout of heart—and head.	92
*The Okimate 10 review mentioned on this issue's covered and the found on the same and the found on the same and the same	er

can be found on page 101

FEATURES

A Gameboard Bigger than the Screen by Orson Scott C	ard*14
What's Inside the Plus/4? by Morton Kevelson	29
Rupert ReportDale gets into Commodore DOS.	53
Printer Interfaces: Conclusion by Morton Kevelson	101
*Includes programs: Mansion Display Setup and Mansion Game for the C-64	

PROGRAMS

25
27
27
43
45
59
64
64

Cover illustration by James Regan Photos/art inside screens by Morton Kevelson, JoAnn Case

Publisher Michael Schneider

> Editor David Allikas

Managing Editor Robert J. Sodaro

Senior Editor Tim Moriarty

Technical Editor David Barron

Consulting Editors Ben Bova Morton Kevelson Dale Rupert

Art Director Raoul Tenazas

Creative Director JoAnn Case

Art Production Christopher Carter Eve Griffin Mark Kammerer

Technical Advisors **Bob Lloret**

Circulation Director W. Charles Squires

Advertising Director Lynne Dominick

Director of Promotion Joyce K. Fuchs

> Controller Dan Tunick

Managing Director Richard Stevens

Advertising Representative JE Publishers' Representative 6855 Santa Monica Blvd., Suite 200 Los Angeles, CA 90038 (213)467-2266 Boston (617)437-7628 Dallas (214)660-2253 New York (212)724-7767 Chicago (312)445-2489 Denver (303)595-4331 San Francisco (415)864-3252

AHOY! No. 15, March 1985. Published monthly by Ion International Inc., 45 W. 34th St., Suite 407, New York, NY, 10001. Subscription rate: 12 issues for \$19.95, 24 issues for \$37.95 (Canada \$26.95 and \$49.95 respectively). Application to mail at 2nd Class postage rates is pending at New York, NY and additional mailing offices. @ 1985 by Ion International Inc. All rights reserved. @ under Universal International and Pan American Copyright conventions. Reproduction of editorial or pictorial content in any manner is prohibited. No responsibility can be accepted for unsolicited material. Postmaster, send address changes to Ahoy!, 45 W. 34th Street, Suite 407, New York, NY 10001. Direct all address changes or matters concerning your subscriptions to Ahoy!, P.O. Box #341, Mt. Morris, IL 61054. All editorial inquiries and software and hardware to be reviewed should be sent to 45 W. 34th St., Suite 407, New York, NY 10001.

VIEW FROM TI-IE BRIDGE

s too much of a good thing not so good? We weren't sure, but we took a chance and packed this issue full of the two items that readers across the US and Canada have been writing and phoning to request more of: the high-quality utility programs and hardware analyses that *Ahoy!* has come to be known for. We'll stop blowing our own horns for a minute and let this issue's lineup of utility and entertainment programs speak for itself:

• A sure cure for the cobwebs that may have been gathering on your function keys since you bought your C-64 is provided by Dex T. Peterson's *Programmable Functions*. That enigmatic quartet may soon take on undreamed of value in your programming! (Turn to page 23.)

• Stream-of-consciousness programmers who don't like interrupting their creative flow to place line numbers at the start of each program line—and just plain lazy folks—Tim Midkiff's *Automatic Line Numbers* is the stroke-saver you've been praying for. (Turn to page 27.)

• If Old Routine sounds like a drag to you, pass it up ...until the next time you accidentally NEW a program in memory. Now that's a drag! And Robert Alonso's short ML program is the cure. (Turn to page 25.)

• You can put all these newfound programming pow-

ers to practical use as Brian Dobbs' *Home Budget* allows you to keep an eye (and a lid) on your family's monthly expenses. (Turn to page 43.)

• And you can put those programming powers to totally impractical use with Marilyn Sallee's *Numerology* for the VIC and 64. Forget the lampshade and try *this*

at your next party! (Turn to page 45.)

• Here in New York, a home electronics outfit called Crazy Eddie runs Christmas sales all year round. With that precedent cited, we offer no apologies for presenting *Elfred*, a C-64 game starring Santa Claus, in March. (If you insist on an explanation, David and Janet Arnold's children's game crossed our desks too late to publish at Christmas, and we loved it too much to hold till next December.) (Turn to page 59.)

 If you missed the debut of Flankspeed last issue, it's re-presented here. You'll need this ML entry program to utilize Old Routine and all future Ahoy! machine

language programs. (Turn to page 64.)

• But most incredible of all is Orson Scott Card's masterwork: a multiscreen mystery game presented as part of this month's edition of *Creating Your Own Games on the VIC and 64: A Gameboard Bigger than the Screen.* There's one catch: you'll have to read the article and learn how to finish programming the game yourself! (Turn to page 14.)

As we draw an exhausted breath, we can almost hear your reaction to our description of the most program-packed issue in *Ahoy!* history: "What about the hardware?" This issue features not one, but two of Morton Kevelson's popular vivisections.

• For openers—and especially non-openers—Morton the K winds up his '85 update on *Printer Interfaces* with a look inside the Okimate 10 with Plus 'n Print, Xetec GPI and SPI, Cardco Card?/+B, PS, and +G, and the Tymac Connection. (Turn to page 101.)

And at last, the answer to the question so many of you have asked us: do I want a Plus/4? Morton provides the definitive look at Commodore's applications computer in *What's Inside the Plus/4?* (Turn to page 29.)

This issue also finds Dale Rupert in an interrogative mood as he asks in his best German accent: *What's DOS?* This month's *Rupert Report* provides quite a different approach to the Commodore disk operating system than that presented by Donald H. Graham in our January '85 issue. (Turn to page 53.)

As excited as we are about this issue—containing more programs and total program pages than ever before—it's next issue's lineup that's really got us grinning. You'll see notices of some of the planned programs and features in various places around the magazine. Wish we could tell you more...but we're out of room! See for yourself next month.

—David Allikas



66... facts attest to its

EXCELLE


FAMILY COMPUTING

"Paper Clip is one of the easiest of the professional word processors to use, with a sensible manual and plenty of aids for the accident-prone."

-Computing Now

"So far as we are concerned, Paper Clip is the top word processor running on a micro computer."

-Home Applications For The C-64



 $\mathbf{r}_{ ext{ROM}}$ clay tablets, through parchment, gutenberg and beyond, man has SEARCHED FOR THE ULTIMATE METHOD TO STORE, SORT AND PRINT THE WRITTEN WORD. NOW, BATTERIES INCLUDED PROVIDES THAT METHOD, THE PAPER CLIP FAMILY. AN OUTSTANDING WORD PROCESSOR AND SPELLING CORRECTION SYSTEM FOR ALL COMMODORE COMPUTERS - AND COMING SOON FOR APPLE AND ATARI.

186 Oueen St. West Toronto, Ontario, M5V 1Z1 Canada (416) 596-1405

'The Energized Software Company!" WRITE FOR A FULL COLOR BROCHURE

17875 Sky Park North, Suite P, Irvine, California USA 92714

@1984 BATTERIES INCLUDED. ALL RIGHTS RESERVED ATARI APPLE, AND COMMOD REGISTERED TRADEMARKS RESPECTIVELY OF ATARI, INC., APPLE COMPUTERS, INC., AND COMMODORE BUSINESS MACH

ATTENTION COMMODORE 64 OWNERS

We'll pay for your mistake!

We know that it's difficult, especially since everyone trying to come out with one. Now that error track protection is going the way of the dinasaour, you probably purchased an ob-solete piece of software. Well we will give you \$25.00 creditive any original copy utility software disk that you would like to trade in for the "NEW REVISED CLONE MACHINE." Our program can now back up non-standard sectors with complete control, detect and reproduce density-frequency alterations, alter the number of sectors on a track, sync to par-ticular reference sectors (inding a single sync Bit copy)

PLUS reformat a single track.
Other back up programs have only recently caught up with our ability to reproduce errors. Included is fast clone as well as all of the other standard Clone features, we've even made it more friendly too! THE CLONE MACHINE was the first ut ility of its kind and others followed. Well, we still feel that it's time for the other to try to play catch up

STILL ONLY 54

OUR SPECIAL MSD VERSION NOW A VAILABLE TOO!



DISTRIBUTING, INC

1342 B Route 23 Butler, N.J. 07405

Call: (201) 838-9027 To Order

★NOTE Micro-W reserves the right to cance this offer at any time without notice

Reader Service No. 217

Nobody copies better!!

You deserve to protect your software investment. You can with the first (and only)

BIT-FOR-BIT DISK COPIER for the C-64. 1541 Disk Drive and now MSD!



methods is here today!

- No better disk copier at any price
- · Easy-to-use no complicated instructions
- · Totally automatic no knowledge of DOS required
- · You'll LOVE MR. NIBBLE™ if not. return within 10 days for full refund



FULL CIRCLE SOFTWARE, INC.

P.O. Box 1373 Dayton, Ohio 45401

Phone (513) 223-2102

\$49.95 includes shipping & handling (Ohio residents add 6% sales tax)



"When cloning and disecting fail, turn to MR. NIBBLE™"

Reader Service No. 271

IFI.CTSAM

We'd love to hear from you. Address your correspondence to Flotsam, c/o Ahoy!, Ion International Inc., 45 West 34th Street-Suite 407, New York, NY 10001.

Anton W. Dek of Gravenhage, Netherlands has pointed out that a statement in the August, 1984 Rupert Report, Computational Wizardry, was in error.

The *Time* magazine article (February 13, 1984, p. 47) which I used as a source for this information shows that "2 ^ 251 - 1" is the 69-digit number called Z\$ in my article, but Mr. Dek has clearly shown that that is not correct. In fact, "2 ^ 251 - 1" is a 76-digit number. The factors of Z\$ in my article are correct as shown. The only mystery is, what is the significance of Z\$?

Any reader's help would be appreciated.

-Dale Rupert

I'm writing to you for more information on the new disk drive from Indus. Are you going to test the drive and give your opinion of it? I'd like to purchase one, but before I do, I'd like to know what Ahoy! thinks.

> –Joe Colianni Ellwood City, PA

You'll be happy to know, Joe, that Morton Kevelson will not only be reviewing the Indus drive, but taking readers on the usual Fantastic Voyage through it and several other 1541 replacements and enhancements, in the April issue of Ahoy!

Concerning the *Midprint* program that appeared in the January '85 issue of Ahoy!, the modification listed to make the program suitable for VIC use will not in fact do the trick.

Here are the changes needed to make the program run on the VIC 20:

108 IF C\$="L" THEN POKE 36869,242:GOTO 1

109 IF C\$="U" THEN POKE 36869,240:GOTO 1

300 IF PEEK(36869)=242 THEN M=7


In line 330 you need to change the 20 to 11; in line 150, change the 40 to a 22.

I hope you'll be able to use this information to help other VIC 20 owners. -Earl Harvey Laramie, WY

A special note of apology to Ross M. Horowitz, whom we failed to credit as the photographer of the artwork appearing on the title spread of Telelink 64 (pages 14 and 15 in the February '85 Ahoy!).

Flight Simulator II

the Commodore 64.



Put yourself in the pilot's seat of a Piper 181 Cherokee Archer for an awe-inspiring flight over realistic scenery from New York to Los Angeles. High speed color-filled 3D graphics will give you a beautiful panoramic view as you practice takeoffs, landings, and aerobatics. Complete documentation will get you airborne quickly even if you've never flown before. When you think you're ready, you can play the World War I Ace aerial battle game. Flight Simulator II features include ■ animated color 3D graphics ■ day, dusk, and night flying modes ■ over 80 airports in four scenery areas: New York, Chicago, Los Angeles, Seattle, with additional scenery areas available ■ user-variable weather, from clear blue skies to grey cloudy conditions ■ complete flight instrumentation ■ VOR, ILS, ADF, and DME radio equipped ■ navigation facilities and course plotting ■ World War I Ace aerial battle game ■ complete information manual and flight handbook.

See your dealer

or for direct orders enclose \$49.95 plus \$2.00 for shipping and specify UPS or first class mail delivery. American Express, Diner's Club, MasterCard, and Visa accepted.

Order Line: 800 / 637-4983

713 Edgebrook Drive Champaign IL 61820 (217) 359-8482 Telex: 206995

Reader Service No. 232



ALL AIRLINES DEPART FROM THIS TERMINAL.

Presenting Travelshopper ... new from CompuServe and TWA.

Now you can save time and money by getting information and reservations on virtually any flight on any airlineworldwide-from one source. It's TWA's new Travelshopper, available now through CompuServe's Information Service.

With Travelshopper, you can scan flight availabilities, discover airfare bargains and order tickets...on your own personal computer...at home or in the

You also receive automatic membership in TWA's Frequent Flight Bonus[™] program. And you can build bonus points by staying at Marriott and Hilton hotels and by using Hertz Rent-A-Car.

Besides Travelshopper, CompuServe offers an ever-growing list of other traveloriented on-line services.

The Official Airline Guide Electronic Edition lists direct and connecting flight schedules for over 700 airlines worldwide plus over 500,000 North American fares.

Firstworld Travel offers worldwide travel advice and service.

Discover Orlando provides complete prices, hours and features on all of Central Florida's attractions and accommodations.

West Coast Travel offers travel information for the western states.

Pan Am's Travel Guide contains up-to-date information on immigration and health requirements for most foreign countries.

And TravelVision® provides complete automotive information, including road maps and an expert, personalized routing

Let your travel plans really take off. Use Travelshopper and lots, lots more from CompuServe.

To buy a CompuServe Starter Kit, see your nearest computer dealer. To receive our informative brochure, or to order direct, call or write:

1-800-848-8199

SCUTTLEBUTT

ROBOT PLOTTER • GRAPHICS CONTEST • MUSIC VIDEO MAKERS • TAX PREPARATION PROGRAMS • LASERDISK STORAGE • CARDCO MODEM, DISK DRIVE, SPREADSHEET • DISK-BASED MAGAZINE • GAMES FROM IMAGIC, SSI, ACTIVISION • EDUCATIONAL RELEASES • GRAPHICS PROGRAMS

CARDCO DISK DRIVE

Cardco's CSD-1 (short for Commodore Compatible Serial Disk Drive) will correct four fundamental flaws of the 1541: it will be more compact and slightly faster, and offer better heat dissipation and reliability. Designed to be as compatible as legally possible with Commodore's drive, the CSD-1 will obey all standard Commodore DOS commands.

Limited quantities of the unit will be available in the first quarter of 1985. Retail price will be \$299.95.

Cardco Inc., 300 S. Topeka, Wichita, KS 67202 (phone: 316-267-3807).

LASERDISK STORAGE

Floppy disk drives of all varieties have taken one step closer to obsolescence with Sony's announcement of the first laserdisk computer storage unit. The CDU-1 CD ROM Drive Unit uses the same technology found in home stereo CD players to pack 540M bytes—more than 500 times the capacity of a conventional floppy—onto a single 4.72 inch disk. Data may be read off the disk at a speed of 150K per second.

The only way to place your own information on the read-only disks is to mail the information on ½" tapes to Sony, who will punch out disks in quantity. Therefore the drive—while compatible with the Commodore and other home computers—is at this point practical only for industrial and institutional use. But the advent of the fully functional laserdisk storage unit looms closer than ever.

Sony Corporation of America, Corporate Communications Dept., Sony Drive, Park Ridge, NJ 07656 (phone: 201-930-6432).



CSD-1: faster and smaller than 1541. READER SERVICE NO. 276



Sony CDU-1 packs 540M-that's M, son. READER SERVICE NO. 277

NEW GAME RELEASES

New and forthcoming releases from Activision, all for the 64:

Rock and Bolt treats you to rock music and riveting graphics as you connect free-floating steppingstones into a path. Price: \$31.95.

Web Dimension tells the story of man's evolution through highly unusual graphics and music. No price yet for this, or for Activision's two newest: Master of the Lamp (a Zenji-type game) and The Great American Cross Country Race.

Activision, Inc., 2350 Bayshore Frontage Road, Mountain View, CA 94043 (phone: 415-960-0410).

As the *Gemstone Warrior*, you must develop strategies in order to score treasure points and slay a hoard of monsters en route to locating the gemstone in a network of underground roons. On C-64 disk; \$39.95.

Strategic Simulations Inc., 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043-1983 (phone: 415-964-1353).

Miner 2049er II puts Bounty Bob back in the midst of ten screens full of ricocheting ore lumps, time warp transporters, and other hazards common to radioactive mines. For the 64; \$35.00.

MicroLab, 2699 Skokie Valley Road, Highland Park, IL 60035 (phone: 312-433-7550).

Joining the sequels bandwagon is Access with *Beach-Head II (The Dictator Strikes Back)*, pitting the allied forces against the despot who escaped the destruction of his fortress and is now holed up in a tropical forest. For the 64; \$39.95.

Access Software Inc., 925 East 900 South, Salt Lake City, UT 84105 (phone: 801-532-1134).

Wait, one more: *The Serpent's Star*, followup adventure to *Mask of the Sun*, thrusts Mac Steele into dangerous Tibetan wilderness in search of a \$25 million jewel. For the C-64; \$39.95.

Broderbund Software, 17 Paul Drive, San Rafael, CA 94903-2101 (phone: 415-479-1170).

An octet of C-64 releases and adaptations from Imagic:

Tournament Tennis serves up 3D graphics and an overhead view of the court. Price: \$34.95.

Macbeth and The Time Machine, two entries in Imagic's Time Travelers series, provide interactive adven-

AHOY! 9

BETTER KEYBOARD UTILITY. A simply elegant solution—blank "Cheat Sheets" give you the keyboard commands you need, instantly, for any program. You's got the best personal computer in the world and lots of software to run on it. But unless you work with each of these programs every day, how do you keep the commands straight? The commands straight? The commands straight? The commands something else in another. Our solution? Simple. A pack of 12 cards die cut to it! your key. Of Fill. In Nave all of your program commands right where you want them, on your keyboard. Order a couple of packs today. \$12.95 set of 12 custom \$19.95 set of 24 cu BETTER DUST PROTECTION FOR VIC & COMMODORE Choose an attractive static-free cover for your keyboard, monitor or complete system. Don't confuse these attractive co-clear plastic covers. These deluxe to each element of your Commod \$7.95 . \$12.95 We Can Solve All Your Commodore Color Problems Unique Problem Solvers for Older Commodores (with 5 Pin Monitor Din Plug). The Interference Stopper — A new kit that in minutes with two simple solder connections when combined with items below. Absolutely the RF interference. S15.95 S18.95 The NEW Color Sharpener CABLE Use if your old 84 hooked up to a monitor. A new 2 prong cable, with a Col Sharpener built in for your monitor. S24.95 The Monitor "Improver" — M you have a Commodore 1701 monitor, this cable (3 prong) gives you a picture you won't believe. Better than the cable Commodore built. (Also hooks your "old 64" to the 1702) \$24.95 RESET SWITCHES At last, the "needed" switch for Vic-20 and Commodore A -100 SQ 95 Version 2—Use in buffered took thru version than project with amount of the version that provides your computer with amount of the port and a refer switch. The ultimate in versatility converges and simple installation. No soldering nuesce and simple installation. No soldering nuesce and simple installation introductory priced at \$19.95 Version 2 - Use in any Commodore Application. A Is Your Commodore Disk Drive

Hot and Bothered?

ir inexpensive multin fan sits on top of the disk drive and ows cooling air through it.

We went one step further. We built a surge protector into a

(Please des	se send me the follow cribe fully. Send U.S. guaranteed or your purcha	wing fund	s only.
		_ s	
		5	
		_ 5	
Total for Merch	andise	5	1
Shipping and H	dandling (foreign orders add \$500)	\$	200
5% State Tax (V	VI Residents only)	\$	
TOTAL ENCI	LOSED	S	
Please charge !	to MasterCard VISA	N.	
Number			
Expires			
SHIP TO:			
Name			
Address			

Reader Service No. 222

tures in the world of the two literary works. Suggested retail is \$34.95 each.

VIC owners saw Imagic's most famous arcade action games adapted for their system months ago (see the May Scuttlebutt); now 64 owners get their chance, at a price worth the wait: \$19.95 each. Available for the first time are Chopper Hunt (blast through tons of earth covering priceless objects), Demon Attack (destroy diving demons with laser cannon), Dragonfire (cross drawbridge against dragons' fireballs and archers' arrows), Moonsweeper (dodge meteors and asteroids to rescue trapped miners), and Nova Blast (protect underwater outposts from alien assault).

Imagic, 981 University Avenue, Los Gatos, CA 95030 (phone: 408-399-2200).

Mindscape has established a clue hotline for gamers who find themselves stumped by Indiana Jones in the Lost Kingdom (see last month's Scuttlebutt, and next month's review). Touch-tone phone owners can call 312-480-5010 24 hours a day, 365 days a year; callers with rotary phones must call between 9 a.m. and 4 p.m., central time.

Mindscape Inc., 3444 Dundee Road, Northbrook, IL 60062 (phone: 312-480-7667).

QuestBusters, a monthly newsletter on adventure and role-playing games, offers readers the opportunity to run free ads for trading clues and games. The winner of each month's contest receives a new adsample copy \$2.00.

The Addams Expedition, 202 Elgin Court, Wayne, PA 19087 (phone: (the deadline for submissions). 215-647-0552).

Synapse has announced the first two entries in its Electronic Novels series: Mindwheel (a journey into the minds of four deceased people of extraordinary power) and Essex (the story of an intergalactic search and rescue mission). Planned novels include Brimstone (medieval adventure), Breakers (sci-fi/fantasy), and Ronin (samurai epic). For the 64; \$39.95 each.

Synapse Software, 5221 Central Avenue, Richmond, CA 94804 (phone: 415-527-7751).

Four new C-64 releases from Swedish-based Handic Software:

Osiac requires you to destroy blockades on a trade route to the Orion empire. Price: \$19.95.

Stellar Conflict offers, in addition to the standard shoot-'em-up fare, the opportunity to design your own alien landscapes. Price is \$49.95.

Space Trap is named after the maze of tunnels on the planet Morgon from which you must escape. Price is \$19.95.

Along with the five adventure games and one arcade game included on its Eureka! disk, Handic offers -25,000 pounds. That's what the company proposes to pay the first player to solve the complete adventure and call the secret phone number in England which will be revealed by the solution.

Handic Software, Inc., 520 Fellowship Road, Suite B206, Mt. Laurel, NJ 08054 (phone: 609-866-1001).


GRAPHICS CONTEST

Activision is dangling a total of \$10,000 in cash and prizes before potential entrants in its Designer's Pencil contest. Participants must submit a design and/or music program created with the Designer's Pencil graphics software containing either 30 or fewer commands (Short Program Category) or an unlimited number of commands (Open Category). The 20 prizes (four grand prizes of \$1,000, eight second prizes of \$500, and eight third prizes of an Okidata printventure game. Subscription is \$15.00; er) will be further divided between contestants who are 16 or older and 15 or younger as of April 30, 1985

> Specific guidelines are packaged with each copy of Designer's Pencil; for further information contact Activision, Box #7286, Mountain View, CA 94042 (phone: 415-960-0410).

SPREADSHEET DATA

The Calc Now!/64 spreadsheet features 39K of free memory for data, 64 column by 254 row capacity, onscreen help windows, individually variable column widths, horizontal or vertical windowing, built-in scratch pad calculator, disk



What you get if you cross a Commodore 64 with a Ferrari.

ou get the incredible Indus GT™ disk drive.
You get brains. You get beauty.
But, that's not all you get.
You get a disk drive that can handle 100% of Commodore's software. Up to 400% faster.

You get the disk drive with the best service record around. With a one year warranty on parts and labor to prove it.


And, you get the only disk drive that comes with free software. Word processing. Spreadsheet. Database manager. Plus, a carrying case that doubles as an 80 disk storage file.

Most of all, you get luxury. From the sleek lines of its soundproofed chassis to the responsive AccuTouch™ controls at the Indus CommandPost.™ From the LED display that keeps you in control of your Commodore to the air-piston operated dust cover that protects your disks and drive.

So, you know what you really get if you cross a Commodore 64 with a Ferrari? You get the best.

©Indus Systems, 9304 Deering Avenue, Chatsworth, CA 91311 (818) 882-9600. The Indus GT is a product of Indus Systems. Commodore is a registered trademark of Commodore Business Machines, Inc. Ferrari is a registered trademark of Ferrari North America, Inc.

Reader Service No. 260



Calc Now! has 39K of memory for data and 64 column by 254 row capacity.

READER SERVICE NO. 272

functions, and column/row insertion and deletion. The program allows you to print an entire grid, any portion of a grid, or raw cell data. Retail price is \$39.95. (And there's no urgency, really. Calc whenever it's convenient for you.)

Cardco, Inc., 300 S. Topeka, Wichita, KS 67202 (phone: 316-267-6525).

64K GOLD

The Gold Disk is a monthly program potpourri consisting of feature and home finance programs with accompanying articles, games, educational programs, regular graphics, music, and programming features, puzzles, and reviews.

A six-month subscription is \$54.95 (US) or \$70.00 (Canada) plus \$6.00 shipping; a 12-month subscription, \$99.95 (US) or \$127.00 (Canada) plus \$12.00 shipping. (Orders outside North America, add \$3.00 per issue; Ontario residents add 7% sales tax.)

Gold Disk Inc., 2179 Dunwin Dr. #6, Mississauga, Ontario L5L 1X3 Canada (phone: 416-828-0913).

NEW INTERFACE

The Uniprint parallel printer interface for the C-64 and VIC 20 does its thing without dip switches, substituting software control through secondary addresses. It will allow most dot matrix printers to emulate

the 1525, as well as work with daisy wheel printers. Price: \$99.00.

Giga International Corp., 312A Auburn Street, San Rafael, CA 94901 (phone: 415-258-0901).

DRAW, PARDNER

Inkwell Systems has provided a partial response to the *Graphics Challenge* issued by Morton Kevelson in our October issue (page 4). *Flexidraw 4.0*, the latest update of the light pen graphics package covered in our November issue, is the first program that allows the user to link screens vertically and horizontally by displaying the left and right or top and bottom halves of two screens. Built-in printer utilities permit the dumping of the screens side by side.

Other enhancements include custom fonts, more than 500 pattern fills, and on oops feature for "fill spills." For the C-64; \$149.95.

Inkwell Systems, P.O. Box 85152, MB290, San Diego, CA 92138.

EDUCATIONAL SOFTWARE

Several educational releases from Imagic, longtime masters of video/computer entertainment, each for the C-64, each \$34.95.

In Crime and Punishment, players take the role of judge in criminal trials, examining evidence, testimony, and details of crimes, analyzing such factors as defendants' arrest and conviction records, and determining sentences for a variety of crimes.

Speak and Seek utilizes a 200 + word vocabulary and speech synthesis capability to teach two to seven year olds the alphabet.

Injured Engine depicts and explains the internal workings of a typical car engine, with detailed screens of the fuel, exhaust, combustion, electrical, cooling, and oil systems, and onscreen tutorials explaining their workings and interrelations.

Nov

that le

of peo

friends —trac

The

weekn

day ar

PlayN

DRIVI

Imagic, 981 University Avenue, Los Gatos, CA 95030 (phone: 408-399-2200).

Six ChallengeWare releases for the C-64 from Orbyte Software *Math Logic I* (word problems and greater than, less than, and equal to), *Early Numbers* (basic addition and subtraction enhanced by "motivational graphics"), and French, Italian, Spanish, and Latin tutorials, each covering nouns, verbs, and general terminology. All on disk; \$29.95 each.

Orbyte Software, P.O. Box 948, Waterbury, CT 06720 (phone: in CT 203-621-9361; rest of USA 1-800-253-2600).

Children can practice word recognition and spelling while moving the title character of *Boppie's Great Word Chase* around a network of ladders and obstacles, gathering letters and avoiding deadly "snappers." The C-64 program contains 256 built-in words on eight levels. Retail price is \$29.95; backup diskettes \$15.00.

DLM Inc., One DLM Park, Allen, TX 75002 (phone: in TX 800-442-4711; rest of USA 800-527-4747).

Mark the Monkey will guide children in grades 1-6 through two new C-64 programs: *Monkeynews* (reading and comprehension, incorporating multiple choice quizzes) and *Monkeybuilder* (spelling and vocabulary, grouping 256 wordsets into 17 different word skill areas). Each on disk; \$24.95.

Artworx Software, 150 North Main Street, Fairport, NY 14450 (phone: 716-425-2833 or 800-828-6573).

Two Muppet-based C-64 pro-Continued on page 60

PlayNET announces 19 exciting ways to bring people together.

Now there's a Home Computer Network that lets you communicate with all kinds of people-all over the country! Make new friends, play exciting games, barter-shop —trade, all from the comfort of your home.

The network operates 6PM-7AM every weeknight, and 24 hours on Saturday, Sunday and Holidays. All you need to access PlayNET™ is a COMMODORE 64* DISK DRIVE and MODEM.

TALK.

By typing on-line you can talk to anyone, or everyone, on the system. Meet fascinating people and

make new friends from coast to coast.



ELECTRONIC MAIL.

You can send private messages to people on the system, and the message will be waiting when they sign on!

BULLETIN BOARDS.

You can post announcements, or check the listings of other members. There are lots of boards for



hobbies and special interests! If you don't find the one you're looking forcreate your own!

FILE TRANSFER.

You can even transfer non-commercial programs to other members! There is a small extra fee for

this service.



GAMES! **GAMES!** GAMES! PlayNET lets you play exciting games with real people, not just a computer. All our games have full color graphics, and they're all interactive!

- · Plus the added feature of being able to talk with your opponent while you play. Discuss strategy, comment on moves, even try and psych your opponent out!
- New games are added all the time, and there are tournaments for every skill level.

CURRENT GAMES INCLUDE:







- Backgammon
- Boxes
- Capture the Flag
- Checkers
- Chess
- Chinese Checkers
- Contract Bridge
- Four-In-A-Row
- Go
- Hangman
- Quad 64TM
- Reversi
- Sea StrikeTM

MORE! MORE! MORE! There's on-line updating of your PlayNET Software as games and services are added. You have access to PlayNET's Shopping Center and Information Center, and every month you'll get our Newsletter.

YOUR SATISFACTION IS **GUARANTEED** for 30 days (or your full subscription price will be refunded upon receipt of the package).

This is all you pay:

- \$39.95 for the PlayNET Software Package (3 disks and a User Manual), Monthly Newsletter, and 90 MINUTES ON-LINE TIME FREE!
- \$6 monthly service charge.
- \$2 an hour online time (the \$2 includes the telecommunication

charges). That's much less than a long distance phone call.

Here's how you can become a member! It's easy to join, simply call PlayNET on the toll-free number, 1-800-PLAYNET, or send the coupon below and access all your Commodore 64 has to offer. The sooner you do, the sooner PlayNET can put the whole country at your fingertips!



The Network that has people talking

SEND TO PLAYN	ET, I	NC.
P.O. BOX 587		
WYNANTSKILL	N.Y.	12198


OR CALL 1-800-PLAYNET

YES! I WANT PlayNET TO PUT THE WHOLE COUNTRY AT MY FINGERTIPS. I UNDERSTAND THAT MY SATISFACTION IS GUARANTEED FOR 30 DAYS (or my full membership at any time by writing PlayNET.

subscription price will be refunded upon return of the package) I may cancel my Bill me on my charge card for \$39.95. (Plus sales tax for New York State residents). No checks, cash or money orders accepted. Please send me the PlayNET Software, User

Manual, and	90 minutes of free	on-line time.		"第个人
Please print.				
Name				
Address				
City	ALCOHOLD STATE	State	Zip	
Phone ()			
Check one:	☐ MasterCard	□ VISA		
Card #			Exp. Date	
Cianatura				

TM PlayNET, Quad 64 and Sea Strike are trademarks of PlayNET, Inc. *Commodore 64 is a trademark of Commodore Business Machines Inc. © 1985 PlayNET, Inc.



43

you're one of the ancient ones, like me, who reached maturity (or at least adult size) without ever having seen or heard of a videogame, then chances are you grew up with such classic board games as Monopoly, Careers, Life, and Clue.

My parents put up with endless hours of these games as my siblings and I made thousands of dollars with Monopoly, hundreds of thousands with Careers, and millions with Life. We managed to live through these games without concluding that life was just a matter of making moneyeven though the game of Life even pays you for your children!

After all, if the money games got too intense, we could always play Clue. Then all we had to worry about was whether the victim was bashed about with a wrench or a lead pipe. Greed or violence. (You might want to remind people of what those classic family games are like when they complain about too much violence in videogames.)

HOW TO DO BOARDS BETTER

All four of these board games are simulations. Monopoly is a real estate simulation, Careers and Life are self-explanatory, and Clue is a crimesolving simulation.

But they aren't simulations the way that war-game simulations are simulations. I mean, you practically have to have gone to West Point to play some of those-and it helps if you have a few clerks and aides-de-camp to help you play.

Instead, these games have simplified the real-life situation greatly. For instance, in Monopoly you don't haggle over the price of real estate. You can't do leveraging or leasing. The interest rates don't fluctuate. The property doesn't deteriorate.

Now, chances are that the average computer gamewright would look at Monopoly and say, "Hey! Let's do a Monopoly where you can haggle, where you can leverage and where you have to lease out the property, where the interest rates change and the property deteriorates."

I can guarantee you that with a few brilliant exceptions, the games that are created by such a gamewright will be garbage.

After all, if I wanted to spend hours and hours worrying about interest rates, property deterioration, and leasing, I would have gone into property management as a career. Too many computer games turn playing into as much work as the real

The idea of play is to keep it simple. The value of these board games is not that the player gets to become a property manager or a detective. The value is that the game creates a competitive world that can be purposefully explored.

There are jobs to do in all these games-get control of blocs of property, achieve career objectives, amass a fortune and a family, or solve a murder. But the actual tasks that the player performs are very simple. There's no great strategy involved. You don't have to be an expert at anything except counting dots on dice.

It isn't the challenge of the game that's fun. It's the world of the game, and the stories that the game tells.

I was playing Life with my kids on Thanksgiving Day. Emily was heartbroken when she got through the game with no kids. "I want to play again and have lots of kids," she said. Geoffrey was also caught up in the events of the fictitious life that the spinner created for him. As primitive and limited as the game world is, it still allowed us to "live" small vicar-

ious lives during an hour and a half on a holiday afternoon.

And Geoffrey and Emily, ages 6 and 4, could understand almost everything that was going on.

Unlike abstract strategy games and complex simulation games, these story games don't need the computer to make them more difficult and complex.

Instead, they need the computer to make the world of the game more varied and interesting. To make the story more compelling.

A DETECTIVE GAME IN A GREAT BIG HOUSE

As I promised last month, this month's game project is to make a super game board for a Clue-like game. We'll use the computer to make a mansion that is much bigger, with many more rooms and levels and secret passages, than is possible on a regular cardboard playing surface.

The limitation of the cardboard game world is that it has to be small enough to be folded up and put in a

The limitation of the computer game world is that it has to fit on a 25-by-40 computer screen. (Sorry, VIC owners—this month's game is only possible on the Commodore 64, though the principles apply to every computer.)

At first glance, this implies that the playing surface has to be smaller than the game board. However, by using the computer's memory to the maximum-and I mean maximum-we can create a game world twelve times the size of the screen, and far larger than anything you'd ever find in a cardboard box.

The programs included in this issue of Ahoy! create a four-story mansion (including the basement). Up to six players can take turns exploring. Starting in the Dining Room or Par-

BY ORSON SCOTT CARD

By playing games with memory, we can get a playing field 12 times the size of the screen.

outside and walk completely around the same way as the game before. go north into the Library, Study, and Ballroom; or go upstairs to the really nice bedrooms-like the Van Gogh Room, the Wyeth Room, the Vermeer Room, the Picasso Rom, or the Tapestry Room.

There are dozens of closets and as many water closets as you'd expect to find in such a mansion. The basement has a Billiard Room, a Den, the Garage, a Workshop, and rooms for the Maid, Butler, and Chauffeur, The attic is the children's domain: a Play Room, a Train Room, a School Room, and bedrooms for Cecil Freddy, and Amy. There's also a Studio, plenty of crawl space under the eaves, and a Secret Room that can only be reached by players who find the secret passages.

And here's an advantage of the computer over the cardboard playing surface. The secret passages really are secret. Their entrances look just like any other part of the house. But you can find them by pushing on walls here and there. Once you find one, you are whisked away to another part of the house, where the secret passage comes out. Most of the time (but not always!) the passage deposits you very near another secret entrance.

Some of the secret passages, like the one between the Greenhouse and the School Room, are the same every time you play-entering in one always leads you to the other. Most secret passages, though, can change from game to game. There's always a way to get to the crawl space and

lor on the main floor, players can go the Secret Room-but it isn't always the house; go west into the Kitchen, The entrances are in the same plac-Pantry, Laundry, and Family Parlor; es, but you can't be sure from game to game where they'll all come out.

> Players use the SHIFT and COM-MODORE keys to move left and right, and the f5 and f7 keys to move up and down on the screen. To go from one floor to another, you either use secret passages or stairways. When you reach the head of the stairs, you are placed on the next floor above or below. Likewise, when you try to move into a wall or window or floor space that is the entrance to a secret passage, you are automatically placed where that passage leads.

At the bottom of the screen you will see the number of the player whose turn it is and the name of the room that player is in.

I have deliberately not finished the game there's no system for handling clues or solving the crime. I have to leave something for you to do. But I have everything ready for you. Each player gets up to 75 movements in a single turn. At any time before that, the player can press the space bar to end his turn. Right now, at the end of a turn control passes immediately to the next player. But as you do your own programming, it will be relatively simple for you to insert routines that allow the player to examine the room he or she has stopped in, looking for clues or questioning suspects who happen to be in the same room.

As you develop your own game using this display, don't try to slavishly duplicate Clue. For one thing, you can be sued blind. For another thing, Clue depends on information being passed secretly from one player to another. This means Clue is impossible to play alone and pretty stupid with only two players. Your computer game should be as simple as Clue, but it cannot possibly tell one player something that another can't see. Secrecy just can't be part of the game.

Besides creating the actual play of the game-the win conditions, the clues, etc. - you can also modify the display. For instance, you could add custom characters among the non-inverse graphics characters to represent other furniture, like beds, a piano for the conservatory, a billiard table, bathtubs, etc. As long as you don't want the player to be able to move onto those objects, they can be added to the display after the display has been created using the present program, without any modifications at all to the play of the game.

Even if you don't plan to add anything to the program, I believe you'll have a lot of fun just exploring the place, looking for secret passages and seeing where they come out. It's a lot of typing, I assure you - but by the time we're through looking at the programming techniques, you'll understand why. And when you understand everything going on in this program, you will definitely be at least an intermediate BASIC programmer, even if you weren't one before.

GETTING THE MOST OUT OF MEMORY

The mansion takes twelve full screens - all 52 rooms of it (or pseudorooms-the program counts Lawn and Deck and Hot Tub as rooms), not to mention bathrooms and closets. Each screen held in memory takes a thousand bytes, and each must begin on a 1K boundary. Add to that a 2K custom character set, and you can see 14K of memory used up

OUESTRON Live the Fantasy and the Adventure.

APPLE®
ATARI® &
COMMODORE 64™
versions
versions
now showing
at a computer/
at a computer/
software or game
software near you.

STRATEGIC SIMULATIONS INC. PRESENTS A FANTASY ADVENTURE GAME: QUESTRON ONE OF THE FINEST CHAPTERS IN THE NEVER-ENDING SAGA OF THE BATTLE BETWEEN GOOD AND EVIL STARTING YOU as THE HERO • MESRON, THE GOOD WIZARD • MANTOR, THE EVIL SORCEROR AND HIS HORDES OF HERO-CRUNCHING MONSTERS • Written and directed by CHARLES DOUGHERTY

On 48K disk for your Apple® II with Applesoft ROM card, Apple II+, IIe, or Apple III. Also for Atari® home computers.





THIS GAME RATED POSITIVELY GREAT.

Ideal for Fantasy Adventurers of all ages.

APPLE 8 ATARI are trademarks of Apple Computer, inc. and Atari, inc. respectively.

STRATEGIC SIMULATIONS INC

COMMODORE 64 is a trademark of Commodore Electronics, Ltd.

If there are no convenient stores near you, VISA & Mastercard holders can order direct by calling 800-227-1617, ext. 335 (toll free). In California, call 800-772-3545, ext. 335. QUESTRON™ goes for \$49.95, plus \$2.00 for shipping and handling. (C-64 version is \$39.95.)

To order by mail, send your check to: STRATEGIC SIMULATIONS INC. 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. (California residents, please add 6.5% sales tax.) All our games carry a "14-day satisfaction or your money back" guarantee.

WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES.

Reader Service No. 241

🕒 www.commodore.ca

in a single video whack.

If you were with us when we did animation by flipping character sets, you already know that all video memory in the Commodore 64 has to be in a single 16K block, starting either at address 0, 16384, 32768, or 49152. Within that block, a custom character set can be placed at any 2K boundary, and screen memory at any 1K boundary.

When we were animating, we set up three or four character sets at different 2K boundaries within the video block. Then we flipped from one to another by POKEing a different 2K block number into the lower four bits of location 53272.

Now, to flip from one *screen* to another, we have only to POKE a different 1K block number into the *upper* four bits of location 53272. After allowing 2K for a character set, we have a total of 14 possible 1K blocks for screen memory.

There's another step, though. If we want BASIC to be able to PRINT on the screen, we also have to tell BASIC where the screen is. So in addition to POKEing the upper nybble of 53272 with the 1K block number (a number from 0 to 15, representing the 1K boundary where that screen memory block begins within the video block), we also have to POKE location 648 with the page number where screen memory begins. Otherwise the screen will show one section of memory, but BASIC will be PRINTing on a different one.

The page number and the 1K block number are very different, but they are both derived from the same address. Here's how you do it.

Let's say we're using the video block from 16384 to 32767. (Actually, we don't have much choice about the matter. As long as we're programming in BASIC, no other block has enough free RAM.) We'll put the character set in the highest 2K block, the one with the code 14. Then we'll put the twelve screens in the blocks with codes from 2 to 13.

The actual address of the first screen is 16384 (the video block address) plus 1024 times 2 (the block code number). That means that the

address of the first screen is 16384 + 1024*2, or 18432. Remember, the block code is 2. That's the number that you POKE into the upper four bits of 53272:

POKE 53272, (PEEK (53272) AND 15) OR 2*16

This tells the video chip where to find the screen.

To get the page number, we divide the address by 256, and POKE the result into location 648:

POKE 648, INT(18432/256)

Of course, in the actual program, we use variables for all these values. The video register address is contained in VR. The BASIC register address is contained in BR. The 2K block code number of character memory is contained in the variable CM.

The array DA(n) contains the actual address of each of the 12 screen blocks. These addresses are used when the program has to PEEK into screen memory to see what character the player's figure is going to move across.

The array DM(n) contains the 1K block code of the screens *combined* with the 2K block code of character memory. These codes are POKEd into VR, the video register, to switch from screen to screen. (Because the character block code is already combined with the screen block code, the program doesn't waste time combining high and low nybbles every time.)

The array DB(n) contains the page number of the screens, which can then be POKEd into BR (location 648).

The variable P contains the number of the player whose turn it is. If there are six players, then P will be a number from 0 to 5.

The array variable PW (n) contains the number of the wing of the house —the screen, in other words—that a particular player figure is in.

So let's say that Player 3 is taking his turn, and he moves from one wing of the house into another. Let's say he's entering the first screen, the one at screen block 2.

The variable P will contain a 3, for player 3. Then the variable PW(P) is given the value of the first wing — which is 0. (The wings are numbered from 0 to 11.) This number, in turn, is used to index all the other variables as each of these tasks is performed:

The video register is changed: POKE VR,DM(PW(P))

The BASIC register is changed: POKE BR,DB(PW(P))

And we can PEEK into that wing's screen memory by using PEEK(DA(PW(P))).

Because we have already set up all these variables, you'll notice that not a bit of calculation is necessary in order to perform the actual switch from one screen to another.

MEMORY PROBLEMS

Simple as this is, there are still memory problems. Even with the 40K of usable memory the Commodore 64 gives you, we are definitely pushing the limits of the machine.

After all, we have to create the screen display. That means PRINTing custom characters to fill up twelve screens. The blank spaces on the screen aren't all the same, either -the entire floor of each room is composed of a character unique to that room. That is, the floor of the Parlor is made up of inverse J, the floor of the Dining Room is inverse K, and the floor of the Conservatory is inverse L. They all look the same on the screen, but when we PEEK into screen memory to see where the player figure is, the character we find there tells us instantly which room the figure is in.

That means that if we didn't play some tricks, it would take 12K of DATA statements to contain all the information necessary for the 12K of screen memory. Since the DATA statements are in the BASIC program area and screen memory is in the video block, that means 24K is used up without any other programming! And this becomes all the more crucial when you realize that since the screens start at the 18K boundary and the BASIC program begins at the 2K boundary, we only have a total of

16K for the whole program!

Obviously, something has to give way. The solution is in three parts: data-packing, memory manipulation, and data files.

DATA FILES

The most obvious solution is to split the game into two programs. The first program, listed in this issue as *Mansion Display Setup*, does nothing but create the character set and the 12 screens in memory, and then SAVE a copy of that section of memory in a file named "DISPLAY DATA" on disk or cassette. This is done by changing a couple of pointers in low memory, issuing a SAVE command, and then restoring those pointers.

Then, because of the kind of SAVE command the program issued, the second program (listed in this issue as *Mansion Game*), issues a LOAD command that automatically brings the entire video block into memory straight from disk or cassette, at exactly the right memory locations.

What does this mean? Only that the entire video memory can be loaded straight from disk without a single DATA statement being used for that purpose. That gives us back 12K of program space.

It also means that you need to RUN Mansion Display Setup only once, to create the DISPLAY DATA file. From then on, Mansion Game is all you need to RUN in order to play the game. (However, if you plan to alter the display, you will need to make your changes in Mansion Display Setup and create new versions of DISPLAY DATA.)

A note to cassette users: The programs are designed for use with a 1541 disk drive. You will need to change three program lines to use a datasette. In the program *Mansion Display Setup*, change these lines:

100 [ELIMINATE THIS LINE] 120 POKE 43,0:POKE 44,72:P OKE 45,0:POKE 46,128:SAVE "DISPLAY DATA",1,1

In the program Mansion Game,

change line 50090 to:

50090 LOAD "DISPLAY DATA",

WARNING: It is absolutely vital that you always SAVE both programs as soon as you type them in, before you RUN them. That's because both programs manipulate BASIC pointers, and if something should happen—like a typing error—to cause the program to break, the pointers will be all wrong. You could end up SAVEing, for instance, a program fully 32K long—three-fourths of which would be meaningless. Or losing the whole program—and all your typing time.

ANOTHER WARNING: Before you RUN Mansion Display Setup, make sure you have another blank cassette or at least 53 free sectors on a diskette, since that program's whole purpose is to create a cassette or disk file of about that length. Cassette users will end up needing three cassettes: one for Mansion Display Setup; one for the data file that it creates, Display Data; and one for Mansion Game. For diskette users, Mansion Display Setup also SAVEs itself first, just in case you forgot, as the disk file DISPLAY SETUP.

DATA-PACKING

To save memory in *Mansion Display Setup*—and to save you typing time (I do try to do that, you know)—the program uses data-packing to store the screen displays. The large floor areas, after all, require many repetitions of the same character, row after row. An unpacked system might store three rows of the display like this:

In this scheme, A would be the lawn outside, D a vertical wall segment, B, M, and X corner wall segments, C horizontal walls, E hori-

zontal windows, and R the floor area.

But our program looks for floor characters and automatically expects to find them followed by another character whose ASCII value is a code for the number of repetitions of that floor character. For instance, line 52001 would look like this:

52001 DATA "A4DR@DR@DA1"

The program recognizes that A and R are floor characters. So it gets the next character in the string, calculates the ASCII value, and subtracts 48 to get the number of repetitions. (I used that system so that low repetitions would be shown by the ASCII characters 1 through 9, which have the ASCII values of 49 through 57. Then 10 is represented by a colon, 11 by the semicolon, and 16 by the "@" character.)

So the program reads the packed line this way: PRINT 4 repetitions of A, then PRINT D, then PRINT 16 repetitions of R, then D, then 16 R's, then D, and then 1 A.

Notice that when only one floor character is needed, it take two characters to say so: A1. But since most of the time many more than one or two floor characters are PRINTed in a row, this system saves endless problems in typing 40-character strings. After all, there are 288 DATA statements involved in creating the screen displays, and another 91 to create the character set.

This system requires that the character set be carefully planned. First, the game requires that the regular character set be available for PRINTing readable words—so all the custom characters are put in the second K of character memory, replacing the inverse characters. However, inverse characters can't be included in DATA statements, so the packed DATA statements include the regular characters, and the program converts them to inverse characters when they are PRINTed into screen memory.

Second, all the characters that a player can move onto are grouped together in character memory. The COMPUTER

JSER FRIENDLY PRICES!



& commodore

NEW 802 PRINTER



Ccommodore

VIC 1541 DISC DRIVE



Ecommodore 64

Q95

C-16 & C + 4 IN STOCK!



(I commodore 1702

MONITOR



(I commodore **SX64**

PORTABLE

ALL CARDCO PRODUCTS IN STOCK & ON SALE!



Monitors

NEC	199°
Pan 1300 RGB & Comp.	2899
EV 2114 14 Color to Green	1899
Amdal: III	1249
RMC Green	ั้ คี้จึง



+	layes-300			Ī					Cal
ıt	layes-1200) ,							Ca Ca
	Comm 1650								Ca
1	les II								Ua



Printers

Gemini 10X	23995
Gemini 15X	39995
Silver Reed 400	249
Silver Reed 500	379*
Silver Reed 550	40995
Brother 15X	37995
Brother 25X	514**
Juki 6100	39995
	04005

Dickettes

DISI	•	C	,	•	L	s	u		9	9						
BASF .																. 1395
Sentinel	C	0	10	r			×				,	7				1695
Scotch.					ì				ä		Ä	À	è			1495
Maxell			a.		ě.	s		ķ,					ż	d	6	.1495

Interfaces

IIIICI	. ~		
Star		1000	Call
Tally			Call
Microwork	d		9995
Cardco G -	+		Call



New! MSD Super Disc II Now On Sale 44995

Single Drive 249%



TO ORDER: CALL TOLL FREE—WE'RE PROUD OF OUR PRICES—SATISFACTION GUARANTEED



Check Money Order, MC or VISA accepted No additional charge for MasterCard and Visa

Call for shipping and handling information. NYS residents add applicable sales tax.

All poods are new and include taxtory warranty. Dealers Melcome! Can for snipping and nanding information NTS residents and applicable and include factory warranty (beaters Welcome) Prices and availability are subject to change without notice NYS residents must purchase service contracts on hardware in retail outlets Prices and availability are subject to change without notice NYS residents must purchase service contracts on nardware in retail outlets. Prices may vary in retail stores. Original ad must accompany purchase in retail outlets. Prices may vary in retail stores.



Computer Centers of America 31 East Mail Plainview NY 11803



We're Reliable! 18 years of service at these locations: Plainview, Syosset, New Hyde Park, West Hempstead, Huntington, Patchogue

TOUCH TABLETS la Touch Tablet-D ... 64.95

Koala Touch Tablet-Cart	69.95
Muppet Learning Keys	Call
ACCESS	20.95
Neutral Zone-D/T	20.95
Spriternaster-D/T	20.95
Beachhead-D/T	20.95
Master Composer-D	23.95

SPINNAKER

Adventure Creator-Cart	21.95
Aerobics-D	25.95
Aegean Voyage-Cart	21.95
Alf in the Color Caves-C	21.95
Alphabet Zoo-Cart	20.95
Bubble Burst-Cart	21.95

Cosmic Life-Cart	20.9
Delta Drawing-Cart	21.9
acemaker-Cart	20.9
raction Fever-Cart	20.9
Grandma's House-D	20.95
Jukebox-Cart	20.9
Kids on Keys-Cart	20.9
Kidwriter-D	20.95

Grandma's House-D	20.95
Jukebox-Cart	20.95
Kids on Keys-Cart	20.95
Kidwriter-D	20.95
Kindercomp-Cart	17.95
Ranch-Cart	20.95
Rhymes/Riddles-D	17.95
Search/	
Amazing Thing-D	24.95
Snooper #1-D	24.95
Snooper #2-D	24.95
Story Machine-Cart	20.95
Trains-D	24.95
Up For Grabs-Cart	20.95

22.95

	64 Forth-Cart	40.95
20.95	6502 Profess Dev Sys-T	
21.95	Coco-D/T	26.95
20.95	Factory-D	16.95
20.95	Finance Manager-D	
20.95		18.95
20.95	Graphics Basic-D	23.95
20.95		18.95
20.95	HES Font-Cart	15:95
17.95	HES Games '84-D	23.95
20.95	HES Kit-Cart	33.95
17.95	HES Mon-Cart	25.95
	HES Writer-Cart	
24.95	Microsoft Multiplan-D	
24.95	Minnesota Fats' Pool-Cart	
24.95	Missing Links-D	
20.95	Mr. TNT-Cart	19.95
24.95	Omniwriter/	

Omnispell-D Root n' Tootin-Cart Synthesound-D

Turtle Graphics II-Cart Turtle Toyland Jr -D/T Type n' Writer-D HES Modem I	40 22 19 49	4
COMMODORE		
Program Ref. Guide	19	ç
Assembler-D	17	4
Easy Finance I.II.III.IVD	19	5
Easy Calc-D	64	(
Easy Mail-D	17	(
Easy Script-D	39	(
Easy Spell-D	19	1
Logo-D	49	Ì
The Manager-D	37	j

Type n' Writer-D	22 19 49	95
COMMODORE Program Ref. Guide Assembler-D Easy Finance I, III, III, IV, -D Easy Calc-D Easy Script-D Logo-D The Manager-D Accts. RecD Accts. RecD Magic Desk-D Zork I, II or III-D Suspended-D	19 17 19 64 17 39 19 49 37 37 37 37 52 29 29	95 95 95 95 95 95 95 95 95 95 95 95 95 9
Deadinio D	23	20

	110.
CBS SOFTWARE	
Argos Expedition-D	29.95
Charles Goren's Bridge-D	49.95
Coco Notes-D	19.95
Ducks Ahoy-D	23.95
Ernie's Magic Shapes-D	23.95
Mastering the SAT-D	104.95
Movie Musical	
Madness-D	24.95
Murder by the Dozen-D	23.95
Peanut Butter Panic-D	24.95
Sea Horse Hide'n Seek	24.95
Success Decimals	
(Add/Subt)-D/T	14.95
Success Decimals	
(Mult/Div)-D/T	14.95
Success Fractions	
(Add/Subt)-D/T	14.95
Success Fractions	
(Mult/Div)-D/T	14.95
Timebound-D	24.95
Webster Word Game-D	24.95

ACCESSORIES WICO Joysticks	Ca
Wildo doyaliens	

Flip'n'File-D Flip'n'File Cart Joysensor WICO Trakball KRAFT Joystick	20.95 Call 37.95
D D O	24 95 24 95

Concorde Third Party Disk Drive for Commodore 64 parallel & serial models available 169*5

Price reductions may have been made since this ad was placed. Call us for our latest price quotes.

HESWARE

49.95 23.95 15.95 19.95

floor characters, which can be repeated, are "A" through "4". Then other characters that can be walked through but which are not repeateddoors, mostly-are grouped as characters "5" through "=". Then the stair-end characters, ">" and "?", are followed by the wall, window, counter, sink, toilet, rock, and midair characters, which are graphics characters from SHIFT-A through SHIFT-U. Finally, there are the secret passage entrances, which look like wall, window, or blank floor units, but which are really graphics characters from SHIFT-V through SHIFT-Z.

Because of this grouping, when the game program PEEKs into screen memory to see what character the player is trying to move onto, it can check the number and instantly decide how to handle the move. If it's an illegal move onto a wall, window, counter, sink, toilet, rock, or midair, the move is rejected and the player figure stays where it is. If it's a legitimate floor character, the program moves the figure - but also uses the number to help it PRINT the room name. If it's a stair-end character (or an attempt to move off the screen), the program prepares to flip to another screen. And if it's a move onto a secret passage entrance, the program jumps to another routine to see where to go next.

So you can see that the screen display isn't just a matter of making a pretty picture. By careful planning, you can use that picture to carry a lot of information that the program uses to make a playable game and a fascinating world to explore.

MEMORY MANIPULATION

This is a very tricky part of programming that involves fooling the computer into doing things it isn't really meant to do. I don't recommend you do a lot of this sort of thing, because strange things can happen. I do recommend that you not even dream of doing it unless you own a good memory map which contains lots of explanations about how to play tricks with memory. The book I use is Sheldon Leemon's

Mapping the Commodore 64 [COM-PUTE! Books, \$14.95]. You'll learn an awful lot about your computer just by browsing through it. Not exactly a mystery novel, but it gives you an idea of some of the stuff actually going on inside your machine.

I'm not going to try to give a whole course in BASIC memory use right now - just enough to let intermediate programmers know what I'm doing so they can fiddle with it. Mansion Display Setup temporarily changes the pointers at 43-44 and 45-46 so the computer will think the BASIC program starts at 18432 and ends at 32767. Then the statement SAVE "@0:DISPLAY DATA",8,1 (or SAVE "DISPLAY DATA",1,1) saves everything between those addresses, along with the address. The resulting file will automatically LOAD back into the right place in memory.

Mansion Game does something even trickier and potentially more dangerous to your sanity if something goes wrong. It changes the pointers at 45-46, 47-48, and 49-50 to point to 32768. This is done before a single variable is invoked by the program. This has the effect of moving all BASIC variable storage—everything that BASIC uses except for the program lines themselves—above the video control block, into the 8K just before BASIC ROM.

This means that the 16K below the video block and above 2048 is entirely free for BASIC program lines, while the 8K above the video block is used entirely for variables. This allows the maximum use of memory, but it also requires another warning.

WARNING: As you develop your own game using this display and movement program (Mansion Game), try not to add too many new variables, especially memory-eating arrays and strings. This is because all that stuff goes into an 8K section of memory, which can vanish pretty quickly. The FRE(n) function performs some garbage collection in there, and then measures the amount of memory between the top of string memory and the bottom of array memory. However, FRE(n) will be

misleading, because your program lines don't affect this section at all. Those are all kept starting at 2048 and building upward, and there's nothing at all to stop them from bumping right into the video block. If you add too many program lines, then when the program LOADs the display data from disk or cassette, it will plunk it right on top of your program lines and you can get a very nasty mess. However, the highest lines in the program right now are the ones that will be least damaged by being written over, so even then you have some flexibility.

and u

you in

glamo the B

306 E

Engla

bomb

France

To sui

achiev

Gener

surviv

ated I

award

such t

ficult

bomb

(Just

enem

get be

ing do

as tin

you g

toar

weari

Scree

and y

and a

holder

for \$3

T

As

If you want to see how much memory your BASIC program is using up, then without ever running the program since the last power-up, enter this command in direct mode:

PRINT 18432-(PEEK(45)+256* PEEK(46))

This tells you how much space is left between your program lines and the beginning of screen memory. If you get a negative number, even after switching the machine off, powering up, and reLOADing the program, then your program is too long and will be over-written by the display.

ANOTHER WARNING: If you enter and exit the program normally, the program automatically restores the BASIC pointers where they were at the beginning. If the program is interrupted, however, even pressing RUN/STOP-RESTORE won't set things back to rights. For that reason the program disables both RUN/ STOP and RESTORE during the game. The only way to stop the program is to press RETURN. However, if you have changed the program or made a typing error and the program breaks in the middle due to an error, you had better have a SAVEd copy of the program, including your changes, because even if you fix the error you cannot SAVE a good copy of the program with the pointers mixed up. You will have to (sorry about this) turn off the machine, reload the program, and then

Continued on page 98

CAN YOU SURVIVE ROLE-PLAYING GAME THAT PUTS YOU IN CHARGE OF A 8-17 BOMBER!

50 MISSION CRUSH™, SSI's exciting and unique role-playing wargame, puts you in the cockpit as pilot of the most glamorous bomber of World War II the B-17 Flying Fortress.

As part of the 8th Air Force 306 Bomber Group stationed in England, you will fly dangerous bombing raids over Nazi-occupied France and Germany. Your goal: To survive fifty missions and achieve the rank of Brigadier General.

After each raid (if you've survived!), you'll be evaluated by the computer and awarded points based on such factors as: How difficult was the mission? How accurate was your bombing? How many enemy fighters did you shoot down? (Just as in real life, enemy fighter pilots get better at shooting down B-17's as time goes by!)

The more points you get, the closer you'll be to a promotion, and ultimately to wearing the General's shiny star.

This game's designer was the flight

WHY CAN'

THIS EASY

EVERY MISSION

engineer on a B-29 bomber during the Korean War, and he's made sure everything about 50 MISSION CRUSH is historically accurate.

Surviving fifty missions and becoming General is no easy task. But if you do make it, send us a photo of the screen as proof, and we'll add to the celebration by awarding you a Certificate of Achievement. To get your hands on a B-17

bomber, fly on down to your local computer/software or game store today!

FOR THE APPLE® ATARI®, and COMMODORE

> On 48K disk for the Apple®II with Applesoft ROM, II+, IIe and IIc On 40K disk for Atari* home computers. On 64K disk for the C-64".



Screen display shows your base in England and your 22 targets in France and Germany all heavily protected by enemy fighters and anti-aircraft batteries.



Data display of your Flying Fortress.



If you survive fifty missions and reach the rank of Brigadier General, we'll mail you this Certificate of Achievement to celebrate your remarkable feat.



STRATEGIC SIMULATIONS INC


If there are no convenient stores near you, VISA & Mastercard holders can order direct by calling 800-227-1617, ext. 335 (toll free). In California, call 800-772-3545, ext. 335. 50 MISSION CRUSH™ goes for \$39.95, plus \$2.00 for shipping and handling.

To order by mail, send your check to: STRATEGIC SIMULATIONS INC, 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. (California residents, add 6.5% sales tax.) All our games carry a "14day satisfaction or your money back" guarantee.


WRITE FOR A FREE COLOR CATALOG OF ALL OUR GAMES.

APPLE, ATARI and COMMODORE 64 are trademarks of Apple Computer, Inc., Atari, Inc., and Commodore Electronics, Ltd., respectively.

Software that has the Edge.



The Data Manager II offers data management powers found only on larger, more expensive computer systems. Simple enough to be used in the home, yet powerful enough to be found in business, this versatile package allows you to do all your data management tasks quickly and easily. The Data Manager II system provides the tools to let you create files, store information, maintain and update files, search and select for specific information, do multiple sorts, define vertical or horizontal reports, print labels, merge with word processors, and more. To make all this simple, the Data Manager II is menu driven throughout. There are absolutely no complicated syntaxes, commands, or languages to learn with this system.



Accounting Software \$39.95 per module

MicroSpec offers a complete set of accounting software for the C-64 including General Ledger, Accounts Receivable, Accounts Payable, and Payroll Manager. Each may be used as a stand alone package or as part of an integrated system. These systems are designed to offer all the features of power and convenience that are needed in a business accounting application. Only a single disk drive is needed even with a completely integrated system, yet these systems still eliminate the cumbersome and confusing multiple disk swappings so common with many competitor's software. Like the Data Manager II and all other MicroSpec software, these packages are completely menu driven for simple operation.



Inventory



Point-Of-Sale



Property Manager



Mail List



Checkbook Manager



oth 49 BA

erl

no

Video Rental Manager

Order Direct & Save ... 1-800-752-7001 extension 905

Visa, Mastercard, and COD orders accepted. All packages priced at \$39.95 each except Rental Property Manager (\$149.95) and Video Rental Manager (\$175.00). All prices for Commodore 64 versions only. Add shipping and sales tax where applicable. All orders shipped within 24 hours.



MicroSpec, Inc. P.O. Box 863085 Plano, Texas 75086 (214) 867-1333 Call or write for FREE catalog. Ask about PC software. Dealer inquiries welcome.

PATERAMMABLE Junctions for the C-64 By Dex T. Peterson

ave you ever attempted to use one of the Commodore 64's programmable function keys from direct BASIC mode? If you do, it will appear to do nothing. That's the reason I wrote this program. Some programs allow you to use a function key from within the program, but until now using them from direct BASIC has been taboo.

I consider a programmable function key (PFK) to be a special type of key with its own characteristics:

• Transient to the operating system, each key is independent and is able to be used from a direct mode of operation.

2 When activated, performs a specified group of instructions or commands.

Can be displayed and/or reprogrammed; each key is not limited to only one preset definition.

This utility offers some outstanding characteristics, and is compatible with the DOS 5.1 wedge program and any other program that uses the 4K block of memory from 49152. I have chosen to reserve 4K from the top of BASIC to operate this routine. This allows me to save and replace the original BASIC environment. Considering the 38K Commodore gives the 64 for BASIC RAM, most applications will not even miss the storage required for this program. Furthermore, present programs that detect function keys will still operate properly in most instances. This utility also lowers BASIC and protects itself from being overwritten by an active BASIC program as well.

The ability to detect the function keys from direct mode comes from another routine I developed to do such testing. This routine is appended to the normal hardware interrupt vector at locations 788 and 789 (\$0314 - \$0315). Pressing RUN/STOP and RESTORE simultaneously will reset the computer and disable the programmable keys; to reactivate them simply type SYS38784 and press RETURN.

The utility maximizes use of the keyboard buffer, allowing up to ten keystrokes to be replaced with only one. When you redefine one of the keys' functions it is important to define it as a command that would normally be entered from the keyboard, and be ten or fewer keystrokes in length. I leave the entire block from 49152 to 52224 free for user routines, allowing better compatibility with other ML programs. If you do not use the DOS 5.1 wedge program, then even more user space becomes available, from 49152 to 53242. I designed this utility to complement the BASIC environment; it will not harm any program in memory, and no program in memory can affect the keys when they are operational. BASIC keywords and SYS calls to a trace or proofreader routine are only two of the many uses for this utility program. Direct BASIC commands to change the internal operation of the system are perhaps my favorite use of this utility; an example of such use would be to turn on or off the repeating keys (with a single keystroke). If you should ever experience problems with another program that tests the function keys as well, simply redefine the key(s) causing the problem to five spaces and five deletes; this will make the key respond as if it were never programmed. Do not think that redefining a key with no command will do the same thing. By not entering anything, the key will default to a definition of ten spaces. For ease of use I suggest that commands which don't require the carriage return and are fewer than ten keystrokes be padded with cursor controls, or spaces and deletes to leave the cursor in the most convenient location following the key.

This program is entirely machine language; I have provided the listing in BASIC loader format for simplicity in entering the utility. Once you have entered the listing, SAVE it before running; once you have it running you will find out how easy and friendly the program is. When the program is RUN, the definition of each function can be viewed with a SYS36864, but don't enter that yet. I have preprogrammed F8 (SHIFT F7) to perform the SYS for you; press F8. You are now looking at screen #1, the definitions. They are:

F1: LIST	+CHR\$(13)	F2: RUN	+CHR\$(13)
F3: POKE650,128	+CHR\$(13)	F4: POKE 650,0	+CHR\$(13)
F5: LOAD"		F6: SAVE"@0:	
F7: SYS 49152	+CHR\$(13)	F8: SYS 36864	+CHR\$(13)


F1 and F2 are self-explanatory; F3 and F4 required me to abbreviate the POKE to P-SHIFT-0 to keep within the ten keystroke limit. They turn the repeating key function on and off respectively. F5 and F6 are examples that do not require a carriage return, F7 executes any ML program located at 49152, F8 initializes the display and define ML control program. You may also choose your own definitions. Disk wedge commands are valid.

To change a definition enter the corresponding number of the key you wish to change; the former definition is changed to spaces, and you are prompted to enter the new definition. If the new definition uses the entire ten allowed keystrokes, the program returns to the first screen. Should the new definition be fewer than ten keystrokes, press the RETURN key and you will be given the opportunity to add a carriage return to the new command. After answering this prompt you will return to the first screen reflecting the changes made. Returning to the BASIC environment is as easy as pressing the zero from screen one. This is also the most dramatic portion of my utility, as I restore the user's original BASIC environment exactly as it was when the display and define routine was initialized.

I encourage you to send me your comments concerning this program. I will answer all responses that include a stamped and self-addressed envelope.

Integrated Systems
Dex T. Peterson
P.O. Box 28
LeRoy, Michigan 49655
SEE PROGRAM LISTING ON PAGE 76

Software Beyond Compare



Introducing The New 64-ACCOUNTING SYSTEM.

If you can't put your finger on your total financial picture, we've got the answer. Software Design, Inc. has a personal software accounting package designed for your Commodore 64®.

Even if you're all thumbs, we offer a support line and an easy-to-follow manual written in plain English. Created for home and small business demands, the 64-ACCOUNTING SYSTEM puts financial management at your fingertips.

FLEXIBILITY

Design your own financial statement with no rigid account number system, and with flexible subtotal possibilities. Take the guesswork out of checkbook balancing. Distribute checks and receipts to 20 separate accounts. Establish monthly, quarterly, or yearly accounting periods. 64-ACCOUNTING expands with your financial management needs.

For use with Commodore 64® and disk drive. Copyright 1983 — Software Design, Inc.

Commodore 64 is a registered trademark of Commodore Business Machines, Inc.

Organizing your tax return has never been easier. 64-ACCOUNTING offers up to 10 checking ledgers for those special home and business accounts. Teams with your printer to write checks, print statements, profit and loss and trial balance sheets. Even offers mini accounts receivable and accounts payable ledgers.

PRACTICAL BUDGETING

Control your expenses with the 64-ACCOUNTING SYSTEM'S budgeting ledgers. Monitor your past expenses against projected costs. It's so versatile you can select year-to-date totals or any span of months for comparison budgeting.

Plan your financial future around the 64-ACCOUNTING SYSTEM. There may never be a better time than now. \$69.95. To order call 1-800-553-0002. In Iowa call 1-800-772-5771.

Dealer and distributor inquiries welcome



P.O. Box 570, Waterloo, Iowa 50704



Old Routine

for the C-64



ost BASIC programmers have at one time or another NEWed a program by mistake. If this happened while typing in a very long program listing, it was probably even more frustrating. Commodore BASIC needs an OLD command to undo the damage done by haphazard NEWs. Unfortunately, Commodore chose not to implement an OLD command on the 64. Adding such a command to the 64, though, can be very easy.

HOW OLD WORKS

The NEW command zeroes out the first three bytes of the BASIC programming area and resets some pointers that tell the computer where your BASIC program ends. NEW, however, does not destroy your BASIC program—the program remains intact in memory. The only thing that will destroy your BASIC program is typing NEW and then assigning some values to variables. After a NEW, variables will overwrite your program. The OLD command first resets the second and third byte of the BASIC programming area. These two bytes are pointers to the next BASIC line. The machine language program scans the beginning of the BASIC area for the next line. This is easy to pick out because the end of a BASIC line will always hold a zero byte. When you type OLD, the program searches for this zero byte and then sets the two bytes to point to the memory location following the zero. The two memory locations following that zero are the pointers to the third BASIC program line. This kind of linking continues until the end of the program.

THREE ZEROES

The end of the program always holds three zeroes. The first zero signals the end of a BASIC line and the next two zeroes are where the pointer to the next BASIC line would normally be. Since there is no other BASIC line, the two zeroes are there to indicate that the end of the program has been reached. The newly implemented OLD command searches for these three consecutive zeroes and sets the end of program pointers (45 and 46) to the location just past the last zero. These two pointers are used during SAVEs and are also used to signal the operating system where it can begin storing variables.

By Robert Alonso

No.

USING THE PROGRAM

Keep in mind that you should not assign variables after a NEW, because then the OLD command will have no effect. Another thing to remember is that the OLD command replaces the LET command. The LET command was chosen because it is almost never used. If you do use the LET command, you will have problems. Any LET will cause a SYNTAX ERROR to occur.

As an added feature, the OLD command gives you the end address of your program. If you would like to know where your program ends, just LOAD it with OLD in place and type OLD. The OLD command will print the end address on the screen. Doing this will not damage your programs. If you have accidentally NEWed your program, the OLD command will both restore it and print its end address on the screen.

SEE PROGRAM LISTING ON PAGE 78

PLOTVIC™ for VIC-20 Hi-Res Graphics Kit	
☐ Easily transferable to d ☐ Functions stand alone personal programming User's guide with illust tutorial and technical e ☐ Specify: PLOTVIC (une PLOTVIC3 (VIC with 3+ PLOTVIC8 (VIC with 8-	for use with g (BASIC) rated graphics explanations expanded VIC)
	\$19.95
	MMODORE lisk rated beginning- planations
573. Ann Arbor MI 48106. Send	d check or money 5 Disks) for two
Specify	PLOTVIC
	PLOTVIC3
	PLOTVICS
	TexED
□AMEX	TexED20
Signature:	
	□ Easily transferable to d □ Functions stand alone personal programming User's guide with illust tutorial and technical e □ Specify: PLOTVIC (une PLOTVIC3 (VIC with 8 TexED™ for C-64 and VIC-20 tessing and program des □ Print command with in margins supports CON printers □ Easily transferable to d User's guide with illust level and technical exp □ Specify: TexED for C-6 VIC with 16+K COD Box 2673 DOX MI 48106 Sen or each Disk), or \$34.95 (\$39.99 Specify: □ AMEX

CORRECTION TO TELELINK 64

(February '85 Ahoy!)

In what certainly ranks as the most embarrassing mistake in our 15-issue history, the BASIC portion of last issue's Telelink 64 was omitted. It is listed below. Refer to the article for further instructions.

article for further instructions.	
·10 POKE45,0:POKE46,19:POKE56,21:POKE52,2)
1:CLR	PA
·20 S=54272:POKES+5,12:POKES+6,0:POKES+24	100,000
,15:POKES+1,25:POKES,177:POKE808,239	NO
•30 SYS6390	HE
•40 OPEN2,2,3,CHR\$(6)	CD
·50 POKE251, PEEK (6154): POKE252, PEEK (6155)	AA
•100 POKE54276,0:PRINT"[CLEAR]":PRINT"[15	5
" "]MAIN MENU":PRINT:PRINT	IC
·110 PRINT"1 TERMINAL":PRINT	EL
•120 PRINT"2 SEARCH TEXT":PRINT	OP
·130 PRINT"3 SAVE":PRINT	EG
·140 PRINT"4 LOAD":PRINT	DA
•150 PRINT"5 SAVE TO PRINTER":PRINT	DI
•155 PRINT"6 BUFFER": PRINT	NF
•160 PRINT"KEY DIGIT"	HJ
•170 GETA\$:IFA\$<"0"ORA\$>"6"THEN170	PG
•190 ONVAL(A\$)GOSUB300,800,400,500,600,70	
n occupance	KA
•200 GOTO100	CF
*300 PRINT"[CLEAR]":POKE53272,23:SYS6528	JD
·310 PRINT"[CLEAR]":POKE53272,21:PRINT"HA	
	GE
·320 FORA=1T03000:NEXT:RETURN ·400 PRINT"[CLEAR]":PRINT:PRINT"[14" "ISA	IC
·400 PRINT"[CLEAR]":PRINT:PRINT"[14" "]SA VE MENU":PRINT:PRINT	
·410 PRINT"1 SAVE SELECTED TEXT":PRINT:PR	GH
INT"2 SAVE ALL TEXT":PRINT	AP
·415 PRINT"3 ABORT THIS FUNCTION":PRINT	
·420 PRINT"KEY DIGIT":PRINT	OG DN
•430 GETAA\$: IFAA\$<"1"ORAA\$>"3"THEN430	LI
·440 IFAA\$="3"THENRETURN	LJ
•450 GOSUB590:OPEN1,A,1,F\$	JH
•460 SYS-(6240*(AA\$="1"))-(5824*(AA\$="2")	011
)	CP
•470 CLOSE1:RETURN	JG
·500 PRINT"[CLEAR]":PRINT:PRINT"[14" "]LO	
AD MENU":PRINT:PRINT	KO
·510 PRINT"1 LOAD": PRINT: PRINT"2 ABORT TH	
IS FUNCTION":PRINT	PN
•520 PRINT"KEY DIGIT":PRINT	DN
·530 GETA\$:IFA\$="2"THENRETURN	JB
•540 IFA\$<>"1"THEN530	BN
•550 GOSUB590: OPEN1, A, O, F\$	JE
·560 POKE6151, A:SYS6291:CLOSE1:RETURN	HC
·590 F\$="":INPUT"FILENAME";F\$	FC
•591 IFF\$=""THENPRINT:GOTO590	JA
•592 PRINT:PRINT"TAPE OR DISK?"	FN
•594 GETA\$:A=1:IFA\$="D"THENA=8:F\$="@O:"+F	
\$:RETURN	MO
•596 IFA\$<>"T"THEN594	FG
•598 RETURN	IM

	.600 PRINT"[CLEAR]":PRINT:PRINT"[13" "]PR	
	INTER MENU":PRINT:PRINT	LA
	·610 PRINT"1 PRINT ALL TEXT":PRINT:PRINT"	
	2 PRINT SELECTED TEXT":PRINT	KM
	·615 PRINT"3 ABORT THIS FUNCTION":PRINT:P	
	RINT"KEY DIGIT":PRINT	LH
	·620 GETA\$: IFA\$<"1"ORA\$>"3"THEN620	NG
	•630 PRINT"OK": OPEN4, 4: ONVAL(A\$) GOTO 650, 6	
A	60,690	EB
	•650 FORA=6656TOPEEK(251)+PEEK(252)*256:G OTO680	0.7
)		OI
3	•660 FORA=PEEK(6152)+PEEK(6153)*256TOPEEK (6154)+PEEK(6155)*256	00
)	•680 PRINT#4, CHR\$(PEEK(A)AND127);:NEXT:PR	00
1	INT#4	ND
,	·690 CLOSE4: RETURN	KB
	·700 PRINT"[CLEAR]":PRINT:PRINT"[13" "]BU	KD
,	FER MENU": PRINT: PRINT	FP
7	•710 PRINT"O RESET BUFFER":PRINT:PRINT"1	
1	BUFFER ON":PRINT:PRINT"2 BUFFER OFF"	PM
	•720 PRINT: PRINT"3 ABORT THIS FUNCTION": P	
7	RINT:PRINT"KEY DIGIT":PRINT	BP
J	•730 GETA\$:IFA\$<"0"ORA\$>"3"THEN730	AN
,	•740 IFA\$="0"THEN780	EF
	•750 IFA\$="1"THENPOKE6150,0:PRINT"BUFFER	
1	ON":FORA=1TO2000:NEXT	AM
2	•760 IFA\$="2"THENPOKE6150,1:PRINT"BUFFER	
)	OFF": FORA=1TO2000: NEXT	KN
	•770 RETURN	IM
	•780 POKE251,1:POKE252,26:POKE6152,1:POKE	0.17
,	6153,26:POKE6154,1:POKE6155,26 •790 PRINT"BUFFER RESET":FORA=1TO2000:NEX	CF
	T:RETURN	AG
	-800 PRINT"[CLEAR]":PRINT"DISPLAY BUFFER"	AG
,	:PRINT	GG
		00



·810 SYS5377

·820 RETURN



NEW **COMMODORE COMPUTERS**

HO

IM

the Tu of ing lo to

in

ap

pr

The just-announced Commodore 128 Personal Computer (top) and LCD Portable Computer are the most exciting releases to come out of Commodore since the 64 itself. See next month's Ahoy! for a look at these new machines.

Automatic Line Numbers for the C-64 By Tim Midkiff

his handy utility will automatically print program line numbers. When the program is in operation, a line number will be displayed after every RETURN, with each successive

number higher by a given increment.

VG

The program options are controlled by the function keys. The F1 key toggles the program on and off. When the program is off, the computer operates as normal. Turning the program on and off does not change any of the program values. The F3 key toggles between typing the line number alone or typing the line number followed by the DATA statement. The F5 key allows you to change the line number increment (0-255). The F7 key allows you to change the line number. When changing the line number or the increment, enter the desired number and press RETURN; when the READY prompt appears, press RETURN again. When the program is first run, nothing happens, because the program is off; press F1 to start it. The line number at the start is zero; the increment is ten, and the DATA statement is not

Save this program before running it, because it erases itself. Pressing the RUN STOP/RESTORE keys disables this program; to reactivate, use the command SYS SEE PROGRAM LISTING ON PAGE 81

Salmon Run For the C-64 By Mike Wacker

almon Run is a game for two players (both playing at the same time) that lasts for three minutes. Use control port 1 to manipulate the black bird and control port 2 for the blue bird.

The object of the game is to catch the most fish and place them in your nest. The large fish are worth 2 points each and the small fish 1 point each. The black fish have been contaminated by mercury; if you catch one, you'll be slowed down.

It is possible to catch more than one fish at a time, which can be a useful tactic. Also, you can steal fish out of your opponent's claws.

The only way you can catch a fish is to fly above your nest level and press the fire button. You will then dive in an attempt to catch a jumping salmon.

Scoring is kept at the top left and right corners of the screen. The high score is also kept.

SEE PROGRAM LISTING ON PAGE 79

BridgePro®



- · One and two player games
- · Random hands millions possible
- · HELP features for beginners
- "Duplicate" Bridge option
- · DEMONSTRATION and **BEST HAND modes**
- · QUIT, AUTO FINISH, and REPLAY options

Ever wonder why millions around the world enjoy the card game of Bridge? Why so many play year after year? Bridge is that kind of game: uniquely challenging and exciting. BridgePro™ makes it easy and fun to learn or improve Bridge skills. If you already know how to play, BridgePro™ lets you enjoy Bridge by yourself. And the cards are randomly dealt - you'll never have to repeat a hand. For many, BridgePro™ will be a game that never grows old.

Diskette \$35 (COD's add \$2)

Visa/MC accepted. California residents add 6.5% tax.

Commodore 64 • APPLE II+, IIc, or IIe ATARI 800 XL, 1200 XL, or min. 40K

Computer Management Corporation

2424 Exbourne Court, Walnut Creek, CA 94596 • (415) 930-8075

Dealer/Distributor inquiries welcome

Reader Service No. 220



for the Commodore

kyan pascal is a full implementation. With a single disk drive and C64, you can learn Pascal and develop sophisticated programs.

kyan pascal is perfect for classroom or home use. It's Menu-Driven. User-Friendly operating environment helps students learn quickly and lets advanced programmers develop programs 4 to 40 times faster than Commodore Basic.

kyan pascal features:

- Full Screen Editor with Powerful Text Editing Functions.
- MERGE and Other Convenient File Management
- · Fully Resident Software to Eliminate Disk Swapping.
- · HELP Screens to Speed Learning.
- Stand-Alone Runtime Environment.
- AND, A Comprehensive Tutorial Manual with Sample Programs.

15 DAY TRIAL

Try kyan pascal. If you are not completely satisfied, return diskette and manual in 15 days for a full refund.

kyan pascal with tutorial manual \$49.95 (Add \$450/copy for postage and handling; \$950 outside North America California residents add 65% sales tax)

Call: (415) 775-2923

Send Check/Money Order to: kyan software, Dept. C 1850 Union St., Ste. 183 San Francisco, CA 94123

Accepted.

Reader Service No. 221

Www.commodore*

WE'LL BEAT IT OR EAT IT

In the unlikely event anybody has a lower price than our's on the software and peripherals advertised below, we'll beat it by at least one dollar or eat the product. It's much easier to beat their prices than eat a disk, so guess what we're going to do! *



TUSSEY MOUNTAIN SOFTWARE

- NEXT DAY SHIPPING on in stock items
- ORDER WITH CONFIDENCE we honor manufacturer's warranties
- VISA and MASTERCARD ACCEPTED
- FREE 20 PAGE CATALOG

800-468-9044 Toll Free Order Line:

Information and PA Orders: 814-234-2236 Phone lines open 10-8 Mon-Fri, 10-5 Sat

THE PANASONIC KXP 1091 PRINTER Near letter quality at the flick of a switch

The 1091 rips along at 120 cps and has a 1k buffer. It also has all the print modes of the Gemini 10X and Epson RX-80, plus a BIG difference. The 1091 has a new letter quality switch Flip it and you get a super tight 12 by 18 matrix with characters that rival a daisy wheel! The 1091 has both friction and tractor leed.

Our price\$299.00!

Panasonic KXP 1090 \$239.00



PRINTERS

Gemini 10X Gemini 15X Delta 10, 160 cps, 8k buffer Delta 15	. \$377.00° . \$389.00°
PRINTER INTERFACES Xetec GPI	

	DATABASES	
Cardco	PS Interface	Call
Cardon	7/B	\$ 44.00
	2/+G	
	PI	
	PI/8	
	iPI paratraparatraparatra	

DATABASES	п	
The Consultant	s	63.99
Mirage Database Manager/		
Report Generator	\$	69.99
Superbase 64(d)	\$	64 99
Data Manager II by Timeworks	5	37.00
Practifile by MS(d)	\$	37.00

MUDEMS	
Total Telecom (1650 compatible)	\$ 76 95
Commodore 1660 New!	Call
Hesmodem I	\$ 49.00
Hesmodem II	\$ 85.00
Compuserve starter kit	
Westridge modein	\$ 76.95
Mighty Ma, new modern from USI	\$ 78.99
VIP terminal package by Softlaw	\$ 39 95
Vidtax Terminal	20.00

WORD PROCESSORS	П		
Word Processor by Proline(d)	ŝ	39.99	
Wordpro 3+/64 w/Spellright(d)	\$	59.00	
Paperclip(d)	\$	59 00	
Paperclip w/spellpack(d)	\$	76.99	
Cardco Write Now/64 (cart)	\$	37.00	
Mirage Professional W P (d)	\$	59 00	
Mirage Personal W P (d)	\$	29.00	
Dinn: Writer/Speller(d)	\$	45.00	
Word Writer(d) by Timeworks	\$	37.00	
Script 64	\$	55.00	
Heswriter	5	14.00	

CARDCO		
Light pen	R	\$ 29.00
Numeric keypad		\$ 35.00
5 slot exp interface CB/5		\$ 58.00
Mail Now 64		\$ 32.00
Spell Now		Call
File Now		Call
Graph Now		Call

To Order By Mail Send personal check, money order

Shipping Software and accessories add \$2.50 per order—COO order add \$6.00 (cod sinot accepted on printers monitors, and disk drives)—Printers add \$10.00—Disk Orives and Monitors add \$8.00

Terms. Orders shipped UPS unless noted otherwise. All prices reflect cash discount. Add 3 % for Visa and Mastercard. Manufacturer's warranty honored with our invoice and original packaging. PA residents add 6 % sales tax. Prices subject to change.

Radix 10, Radix 15 from Star Micronics		
Cardco LOI letter quality printer		
Riteman LO	4/4	. \$279.00
Cardco LQIII	223	. \$349.00
Epson RX-80		. \$244.00
Epson Printers		Call
Okidata Printers		Call
Hush 80		\$109.00

HANDWANE	
1541 Express by RTC	
Smart Cable	
BI-80 Batteries Included 80 column c	ard with
Basic 4.0 built m	\$137.99
BusCard II by Batteries Included	Call
	The state of the s

SPREADSHEETS Calc Result Adv.(d. cart) ... Calc Result Easy (cart) ... Hesware Multiplan(d) P.S. (Prog. Spreadsheet)(d) Practicalc 64(d) Practicalc 64(t) \$ 49.99

MUNITURS	
Zenith 12" Amber	\$ 97.00
Zenith 12" Green	
Sakata SC 100 Color Monitor	
Amdek Color 1 Plus	\$259.00
	\$ 9.95
1702	\$239.00
UTILITIES	

The Last One(d), a Basic program generator		
Pal 64 assembler by Proline(d)	\$	39.99
Power 64 Basic by Proline(d)	\$	39.99
Toolbox 64, both Pal 64 and Power 64(d)	\$	69.99
Supercopy 64 by Blue Sky(d)	\$	29.00
Superbasic 64 by Blue Sky(d)	\$	29.00
	5	29 00
Canada A/M backup program	\$	39.95
Simon's Basic	\$	39.95
CSM 1541 Alignment	\$	32.99

MISCELLANEOUS

Koalpad w/painter(d)	5	65.00
Spellpro 64(d) by Proline	\$	39.99
Mailpro 64		39.99
Complete Personal Accountant(d)	\$	54.00
Vertatim Datalife ss/dd disks (10)	5	21 99
Maxell MDI ss/dd disks (10)	5	21.99
Musicalc I, II, III	46	- Call
pyx Fast Load		
Print Shop		
SAM, Software Automatic Mouth		
The Home Accountant		
Inneworks Inventory, A/P, A/R, Cash Flow		
Management, General Ledger, Payroll		
Management	95	each
		24 05

					ı)I	5	ŝ	K		0	I	1	۱۱	I	Ε	S	;						Г	Ī	Ī		Ī
MSD	SD	١.	ķ	ē		ğ	ş	,	,			į		v	ē		•		•	ē	ē	•	ā	,	2	9	7.0	0
MSD	SDI	1.	ĸ.	9	9/9	74					è	Á	i e	٠	ķ	4						•)	. ,				Ca	ill
Indus	GT	Dis	k	0	riv	e	'n					ė	19	Š	,	ij	9		74		w	å	Δ	ė)		Ġ	C	all
1541																												
MSD	IEE	In	te	rta	C	e				٠			٠	k		Á	Á	k)	k	¥	N.	ò	6,6	è	×	¥.	Ca	П

FCM. First Class Mail

Terms of Offer: Offer valid only against prices advertised in this magazine, this issue, under the same terms. We are not responsible for typographical errors or manufacturer's price changes. Have the following information ready for our operators: (1) magazine name: (2) month of issue, (3) advertiser with lower price. (4) price to beat

"DEALER INQUIRIES INVITED" Other product lines available! Call for prices

BUY A BUNDLE— **\$AVE A BUNDLE**

Order one of these popular packages of products by number for super savings!

GEMINI 10X and XETEC GPI

Popular printer and a graphic printer interface with 2k buffers

\$313.00

GEMINI 10X and CARDCO GRAPHIC PRINTER INTERFACE

POWERTYPE and XETEC SPI/B

An 18 cps daisy wheel printer from Star Micronics and with the Xetec SPI/B. a serial printer interface with a 2k buffer

POWERTYPE and the CARDCO ?/B PRINTER INTERFACE

WORD PROCESSOR 64 and SPELLPRO 64

The word processor and spelling checker from Proline Soft

\$73.99

1541 EXPRESS and the FAST CABLE

\$119.99

CONSULTANT and PAPERCLIP W/SPELLPACK

the popular Database and Word Processor from Batteries included

Package #8

PRACTICALC 64(d) and PRACTIFILE(d)

You get real power from this Spreadsheet and Database from Practicorp.

These two integrate together.

MIRAGE DATABASE/ADVANCED REPORT GENERATOR and

MIRAGE PROFESSIONAL WORD PROCESSOR

A powerful package that integrates together

BI-80 and PAPERCLIP W/SPELLPACK

The 80-column card with the Basic 4.0 built in, and the Papercip w/spellpack both from Batteries included Papercip works with the 80-column card to give you a powerful word processor

Package #11

DATA MANAGER II and WORD WRITER

A Word Processor and Database that integrate together for real power, at an unbelievable price! Both by Timeworks

COMMODORE PRODUCTS NOW IN STOCK! CALL FOR PRICE ON +4, C16, others

TUSSEY MT. SOFTWARE

and Peripherals

BOX 1006 STATE COLLEGE, PA 16804

What's Inside the Plus/4?


By Morton Kevelson

ommodore has packed a lot of new material into the Plus/4. In addition to the bevy of built-in applications software, there is BASIC 3.5. This in many ways includes all of the commands left out of BASIC 2.0. As is our custom with new hardware, we will present an inside look at just what you will get for your money.

THE HARDWARE

The Plus/4 comes in a sleeker package than the Commodore 64. However, its overall height and depth (front to back) is, within a fraction of an inch, the same as for the C-64. Nearly three inches have been lopped off the width by relocating the function keys above the top row of the keyboard. The front of the machine has been slimmed considerably, bringing the user's wrists nearly to the desk surface. The result is a trimmer package than either the C-64 or its sibling, the Commodore 16.

The circuit board of photo 1 reveals that the entire computing power of the Plus/4 is managed by a complement of only 26 integrated circuits, of which many are devoted to memory. The 64 kilobytes of built-in RAM is housed in the eight chips at the lower right hand corner. The operating system, BASIC 3.5, the character generator, and the builtin applications software are housed in six ROM chips which total over 64 kilobytes of permanent storage. The heart of the system is a 7501 microprocessor, functionally equivalent to the 6510 used in the C-64. The TED chip, which gives the machine its unique character, is housed in the



(1) Video monitor connector; (2) joystick; (3) RF modulator for TV display; (4) keyboard connector; (5) cartridge connector shield; (6) TED chip under metal shield; (7) 68 kilobytes of ROM; (8) user port connector; (9) 7501 microprocessor; (10) cassette port; serial port (disk drive); power connector (left to right); (11) on/off switch and reset button; (12) 64 kilobytes of dynamic RAM. READER SERVICE NO. 208

large shielded enclosure near the center.


Commodore's previous experience with the VIC 20 and the C-64 is evident. Metal and foil covers keep radio frequency radiation from the keyboard and main circuit board to a minimum. All I/O lines are passed through ferrite beads for additional shielding. As a result, the Plus/4's television image is one of the cleanest we have seen. Interference on the sample we tried was virtually nonexistent.

The Plus/4 sports a new largescale integrated circuit for handling the screen graphics and display. The TED chip replaces the versions of the VIC chip used in the VIC 20 and the C-64. TED is an acronym for "Text Editing Device," an early Commodore designation for this video display processor chip. This large scale integrated circuit is responsible for generating the video image produced by the Plus/4. It also handles game controller interfacing and sound generation.

HARDWARE COMPATIBILITY


All peripheral connectors are located at the back (see photo 2), with the exception of the television connector, which is on the left side (see photo 3). This includes the joystick ports and the power supply connector.

With regard to the major peripherals, in particular the disk drive, printer, and color monitor, the Plus/4 is very compatible. All of these can just be plugged right in without any problems. This is good news indeed. New users will have immediate access to




РНОТО 2

BACK: • power connector; • serial port for disk drive, printer; • new miniature cassette port; • user port (modem); • cartridge port; • new miniature joystick ports; • video monitor port.



LEFT: 0 TV connector; 2 3/4 switch.



RIGHT: 0 reset button; @ on/off.



The Plus/4 keyboard has relocated the function keys to the top row and grouped the cursor keys into a diamond pattern.

a full line of low cost, tried and proven major peripherals. Existing users of the C-64 can add the Plus/4 to their system for a minimum of additional expense.

Minor peripherals, namely the cassette deck and the game controllers, do not fare nearly as well. Although these appear to be the same electrically, their associated connectors have been radically changed. The new connectors for these accessories are miniature, circular, eight-pin affairs, about three eighths of an inch in diameter. The official reason for this change is improved electrical shielding. We will withhold comment on this matter. However, we will expect to see a thriving aftermarket of low cost third party adapters to allow the use of existing peripherals.

THE KEYBOARD AND OTHER LITTLE BUTTONS

On examining the Plus/4's keyboard (see photo 5), two drastic changes are apparent. First, the function keys have been displaced from their traditional right hand resting place to a left hand location above the keyboard. Second, there are now four arrow-shaped cursor keys in a diamond pattern. Several other subtle keyboard changes will afflict veteran C-64 users at inopportune moments.

The Plus/4 sports a true Escape key as well as two Control keys. One of the latter has displaced the RESTORE key. Several other symbols, namely pi, the British pound, and the left and up arrows have been shifted around as well. Observant readers may have noted Flash On and Flash Off markings as well as subtle variations in the available colors. More on this later.

The most notable omission is the lack of a RESTORE key, that first line of attack against an otherwise recalcitrant program. Have no fear, we still have an out. Actually, the Plus/4

has what appears to be a true reset button. Tucked away next to the power switch, on the right side of the machine (see photo 4) is a small grey square which resets the computer to the power on state. If you hold down the Run/Stop key while simultaneously depressing the aforementioned Reset button, the computer will jump to the built-in machine language monitor. It now remains for you to type "X" for exit and you will be back in BASIC with the original program intact.

ON COLOR AND SOUND AND OTHER SUCH FRILLS

With the exception of the lack of sprites, the Plus/4's graphic capabilities are actually superior to those of the C-64. The TED chip gives the Plus/4 several display features which are new to Commodore computers. Careful scrutinization of the color labels on the top row of the keyboard reveals several new hues. The computer can generate such exotic shades as yellow green, blue green, and pink. As with the C-64, a total of 16 colors, counting white and black, are available. Each of these colors, except for black, can be displayed in eight intensity levels. The result is 121 possible hues. For example, white can actually be displayed in eight shades of gray. Photo 6 shows all the possible variations (within the limits of magazine reproduction).

The sound capabilities of the Plus/4 are rather limited when compared to the C-64 and the SID chip. The computer is equipped with two independent voices with a common volume control. The first voice is a pure tone generator. The second voice can be set for either a tone or noise. The frequency range is from a bit over 100 Hertz to beyond audibility. While this is a far cry from the SID chip's programmable ADSR, it is still capable of generating a respectable cacophony of music, nois-

Continued on page 110





THE MAIL BOX BBS

An electronic magazine providing:

- * Monthly Hardware reviews
- * Editorials
- * Froduct tips
- * Tips on making money with your C-64
- * Monthly Software reviews
- * Question & answer board
- * HOT LINE for problem solving
- * Programming tips

Online 24 hours a day bringing you the most up-to-date information on the Commodore available. News on products like the NEW 10 Megabyte Hard Drive and the 256K Superchip. Over 150K of reviews available.

Our Editor (Sysop) is Don Vandeventer, nationally known for reviews on Commodore related products in books and magazines.

For one year membership and password send \$20.00 (check. Mastercard) to: The MAIL BOX BBS, P.O. Box 5520, Ocala, FL 32678

MAKE YOUR \$\$\$\$ COUNT-WHEN YOU BUY

SOFTWARE - HARDWARE

Software and hardware are expensive - too expensive to buy the wrong thing.

WE HAVE THE SOLUTION!

To help save you money and time in buying software and hardware.

THE SMALL BUSINESS GUIDE TO THE COMMODORE 64

by Don Vandeventer


- IN DEPTH EVALUATIONS
- HOME MANAGEMENT SOFTWARE
- MORE THAN 100 PROGRAMS
- OVER 250 PAGES
- SCREEN PHOTOS OF EVERY PROGRAM
 100% MONEY BACK GUARANTEE
- HARDWARE AND SOFTWARE
- SMALL BUSINESS SOFTWARE
- OVER 50 HARDWARE ITEMS
- FULL 8½ x 11 INCH FORMAT

Comprehensive reviews from accounting and data base managers to spread sheets and word processors. Plus printers, disk drives, telecommunication services, modems and more, in the only truly complete guide for the Commodore 64.

Available at fine book and computer stores or direct from the publisher for only \$19.95. (to order direct include \$2.00 for shipping. FL residents add 5% sales tax)

> W.A.H. Press • P.O. Box 5278 • Ocala, FL 32678 (904) 629-1220

> > Visa — MasterCard Accepted



REVIEWS

MUPPET LEARNING KEYS

Koala Technologies Corporation Commodore 64

Hardware and disk; \$79.95.

The Muppet Learning Keys Kids' Computer Keyboard rates a mixed review—but mixed in only one respect. The keyboard itself is an exceptional educational tool, a sterling piece of work that no small child can help but love. The accompanying software, however, is such a sad joke that only Fozzie Bear could be responsible.

Let's dwell on the positive first. The 14 x 15" keyboard (the work area measures 91/2 x 121/2") should provide young children with a highly enjoyable introduction into the world of computers. Included are letter, number, and cursor keys, along with helo, "oops," and color change features, all of it colorful as all getout and very young-user-friendly. The number keys, for example, appear on a ruler, and the cursor keys on a compass—backgrounds easily identifiable with the keys' functions. Additionally, the keys that are potentially the most puzzling to a child are accompanied by pictures of Muppets in helpful poses: Gonzo flying into a brick wall for the "oops" key, Miss Piggy tied to the railroad tracks for the help key.


The hated membrane is actually a plus here. The surface of the keyboard has no protruding pieces, nothing to break off or stick in little eyes or mouths. If you can convince your child that touching daddy's disk drive or 64 will make the bogeyman spring from the closet, you can leave your child to play with the Muppet Learning keys unattended.

The software (produced for Koala by Sunburst Communications) consists of three programs, called "stages." They're really three versions of the same program.

In the Discovery stage, pressing any letter key will cause an object beginning with that letter to appear on



Muppet Keys, Yea; software, nay. READER SERVICE NO. 279



Spy Vs. Spy; avian espionage. READER SERVICE NO. 280

the screen: "a" gives you alligator, "h" hamburger, etc. Each letter always produces the same object. Press a number on the ruler and the object will multiply by that amount; press any color on the palette, and everything on the screen will turn that color.

In the Letters stage, objects materialize onstage and the child must press the correct initial letter to cause music to play and the object to move: ink spills, rocket blasts off, etc.

In the Numbers stage an object will appear in a random quantity, from 1 to 9. By pressing the corresponding number key on the ruler, the child can animate the entire crew.

If you brought a \$19.95 software package home to find that it did all the above and nothing more, you'd probably make a mental note never to buy any of that company's products again. But, believe it or not, the above is about all your child can do with this \$79.95 product. We can imagine that very young children could

sit with the keyboard for some time, punching keys at random and being delighted by the results. But the majority will quickly shelve it and break out the Transformers.

A call to Koala relieved our minds somewhat. More software is due for release with the Muppet Learning Keys, probably by the time you read this review. We hope the coming software makes possible some of the learning scenarios that spring to mind when we first laid eyes on the wonderful keyboard with its complete sets of letters, numbers, and numerical operands. We hope the coming software is not produced under the influence of whatever philosophy motivated Koala to punch out a bad demo disk and call it educational software-be it unbridled sloth on the part of the programming team, or (shudders) a desire on the manufacturer's part to produce a toy which parents would have to support by buying many inadequate disks, rather than one or a few adequate ones. Either philosophy will make this laudable creation die on the vine.

Koala Technologies Corporation, 3100 Patrick Henry Drive, Santa Clara, CA 95052-8100 (phone: 408-986-8866). — Martin Foster

SPY VS. SPY First Star Software Commodore 64 Disk; \$29.95

Any computer game is boring 50% of the time—the time you spend waiting for your opponent to finish his turn so you can take yours. If the game is particularly good, that boredom can take on overtones of agony.

First Star's *Spy. Vs. Spy* is one of the relatively (and mysteriously) few games to redress that problem. Thanks to a split screen, two players may simultaneously skulk around in the guise of the black- and whitegarbed birds who for the past 20 years have been shooting each other with cannons, flattening each other

with steamrollers, and tying each other to moonbound rockets in the pages of Mad magazine.

You must comb an embassy building in search of four items—passport, key, money, and secret plans—which must be in hand before you can board the waiting plane and take off, winning the game. Not as easy as it sounds, 007. The items are hidden – in bureau drawers, under TV's, behind pictures. You can carry only one item at a time, unless you have your briefcase-also required for your escape, and also hidden. And only one of each of the four items exists. That means that if your opponent has one of the items, you cannot win unless you get it from him.

Most such turnovers occur as a result of hand-to-hand combat. Should you enter a room already occupied by your opponent, you and he may

slug it out with the clubs that a touch of the joystick button will place in your hands. Your alternative is to leave the room. But if you can strike enough solid blows to best your opponent (he'll float up offscreen on angel wings if you do), whatever he was carrying will be hidden in the

Much of the essence of the Mad series has been incorporated into the game, in particular the strip's running gag: that of the Spy's own painstakingly laid trap backfiring on him. The Spies in this game can set traps for each other: a bomb, a gun on a string, a bucket of water above a door, etc. And true to the spirit of the original, should you forget which drawer you wired in which room, your own Spy can buy the farm in the Ukraine as easily as your opponent's. Remedies to the traps – a wa-

(commodore

ter bucket for a bomb, scissors for a gun tied to a string, etc. -can be found throughout the embassy, and carried along.

If you haven't guessed by now, keen joystick control is just not the name of this game. During hand-tohand combat, yes-you'll be thankful for every quarter spent on Pac-Man. But the key to Spy Vs. Spy is concentration: remembering where you and your opponent have set traps and hidden remedies and items, requiring you to watch your opponent's game almost as carefully as your own. Just remembering your location becomes a challenge at the higher levels, where the embassies turn into sprawling multilevel structures. All of which is cake compared to keeping track of your score. The program does it for you, but following along with the fluctuations will prove a job in itself as you lose or gain points for almost everything you do, from calling up the help map (-70) to using a remedy to escape a trap (+40).

I especially enjoyed the one-player mode. It's a rare treat to have a computer assume a role identical to yours, with exactly the same goal. In this situation as in no other you get to see how your skills stack up against the machine's/program's. And let me tell you, my beak is still smarting from hand-to-hand combat on Level 5.

First Star Software, 22 East 41st Street, New York, NY 10017 (phone: 212-532-4666).

-Greg Fried

TIV

HO

acc

EX

nea

pie

ince



Ahoy! is always looking for the finest programs from its readers. If you have written a program that you feel we would be interested in, send it on tape or disk with a stamped and self-addressed return envelope to:

Ahoy! Magazine-Program Submissions 45 W. 34th Street-Suite 407 New York, NY 10001

Software Shack

450	
Trivia Fever	\$28.57
StandingStns (D)	\$29.57
Imp. Mission (D;	\$25.57
TRILLIUM (D)	.\$23.57
Archon (D)	\$31.57
One on One (D)	.\$29.57
Realm of Imp. (D)	\$27.57
Zaxxon (D-T)	\$28.57
Flight Sim. II (D)	\$38.57
Lode Runner (R)	\$26.57
Boulder Dash (D)	.\$27.57
Suspect (D)	\$30.57
Beachhead (D-T) Congo Bongo (D)	\$24.07 \$22.57
Cstl Wolfstn (D)	\$32.37 \$24.57
Pro Tour Golf (D)	\$26.57
Spelunker (D)	\$25.57
Serpent Star (D)	\$27.57
Superbase 64 (D)	\$68.57
Practifile (D)	\$38 57

Summer Games (D)	. \$27.57	Grtst Baseball (D)	\$25.57
Word Challenge (D)	\$27.57	F-15 StrikeEag (D)	\$25.57
Pitstop II. (R)	\$27.57	Questron (D)	
Bungeling Bay (D)	\$22.57	Castle Dr. Creep (D)	\$22.57
Music Const. (D)	.\$31.57	M.U.L.E. (D)	\$31.57
DeBug (D)	\$26.57	ARCHON II (D)	\$31.57
Pitfall II (D)	\$24.57	Zeppelin (D-T)	\$24.57
Space Shuttle (D)	\$24.57	Zeppelin (D-T)	\$28.57
Solo Flight (D)	\$27.57	Wizard (D)	\$20.57
Op. Whirlwind (D)	\$28.57	Spy vs Spy (D)	\$23.57
Flip Flop (D)	\$17.57	Rails West (D)	\$28.57
Witness (D)	\$27.57	Seastalker (D)	
Raid on Moscow (D)	\$24.57	Miner 2049r (R)	\$26.57
Tapper (D)	\$32.57	Spy Hunter (D)	
Beynd Wolfstn (D)	\$24.57	Carrier Force (D)	\$45.57
Ringside Seat (D)	\$26.57	Tigers in Snow (D)	
Ultima III (D)	\$39.57	MusiCalc 1 (D)	
Pro Blackjack (D)	\$48.57	Dallas Quest (D)	\$23.57
BUSINESS			. 420.01
		MultiPlan (D)	000 57
Practicalc (D)	030.37	MultiPlan (D)	\$68.57
Cut & Paste WP (D)	, \$30.37 eac 57	Abacus PASCAL (D)	\$29.57
WriteNow WP (R)		PaperClip WP (D)	\$66.57
Chartpac (D)		PhiBetaFiler (D)	
Super Text (D)		Exec.Script64 (D)	\$65.57
EDUCATIONA	AL.		
Basic Tutor. (D)	.\$36.57	Rocky's Boots (D)	\$38.57
Mastertype (D)		SAT English (D) SampleSATtest (D)	\$28.57
SAT Math (D)	\$28.57	SampleSATtest (D)	\$28.57

Step by Step (D)
Wiztype (D)
Word Wizard (D)
Evelyn Wood (D)
TechSketch LP (D) Anim. Station (D) Total Health (D) The Ranch (R) If it's for the C-64 we have it!!

If you don't see what you want-Call and ask for it! You Will Be Glad You Did!!!

GAMES

449 EAST 146th STREET CLEVELAND, OHIO 44110

\$48.57 \$25.57

216/953-9141

SHIPPING AND TERMS: Add \$3.00 per order. No COD. Cash, certified check or money order (personal checks allow 3 wks. to clear). Ohio residents add 5.5% sales tax. Visa or MasterCard phone orders only.


Easy Script (D) Net Worth (D)

Micro Cookbk (D)

INNOVATIVE ORGANIZERS, INC.

For Commodore 64[™] & VIC-20[™]





WELCOME, to the family of INNOVATIVE ORGANIZERS. These ATTRACTIVE power organizer stands, made of ABS PLASTICS, U.L. RATED, provide an opportunity for a more PROFESSIONAL looking computer installation, both at HOME and in the WORK PLACE.

There is AMPLE room under the organizer to place all the computer accessories: POWER SUPPLY, MODEM, GAME CARTRIDGES, MEMORY EXPANSION, and MUCH MORE.

Now, let's examine how these organizers work. There are 3 CRT-Models.

CRT-1 holds a Monitor or T.V. Set and a VIC 20 or 64. All wires & cartridges fit neatly under the organizer.

CRT-2 same as CRT-1, but also has: **ONE-STEP MASTER SWITCH** (permits 4 pieces of hardware to be turned on and off from one switch, plus circuit protection, incoming power fused with 6 AMP Fuse).

CRT-3 same as CRT-2, but also has: SURGE & SPIKE PROTECTION built in.

P-D-1: **HOLDS 1525 PRINTER & 1541 DISK DRIVE.**All wires & cartridges fit neatly under the organizer.

Ask about our Power Lock Switch & Power Portable

All wires & cartridges fit neatly under the organizer.

Ask about our Power Lock Switch & Power Portable

Computer Fan & 2 Outlet Surge & Spike Protection.



VIC 20 and Commodore 64 are trademarks of Commodore Electronics, L.T.D.

P.O. Box 108, Markleville, IN 46056

Reader Service No. 250

CRT-1 \$17.98

CRT-2 \$29.97

CRT-3 \$37.97

P-D-1 \$19.48


Optional Accessories

SS-1 Surge & Spike Suppressor \$29.95

CF-1 Computer Fan \$29.95

Plus Shipping

CALL TOLL FREE 1-800-233-3645 Ext. 15



SPEED HANDICAPPER High Desert Publishing Company Commodore 64 Disk; \$29.95

Being a past participant in the Sport of Kings, I was elated to be given the assignment of reviewing this program. After reading the accompanying booklet, though, I was confused as to what this program can actually do for the millions of people who are not Kings but go and put their hard-earned money down on the nose of a horse and wind up looking like a different part of its anatomy. I'll share my conclusions at the end of this review: first let's quickly run through the program.

Once you've run the program and read the onscreen instructions you'll be asked the date of the race, the race number, and whether you wish to rate quarter horses or thoroughbreds. Then comes the nitty gritty. You'll be asked to provide the following information:

- 1) Horse number
- 2) Distance of his last race
- 3) Time he ran in his last race
- 4) Position he finished in his last race.

One quick note: if you don't have a copy of the daily racing form or its equivalent, buy one or don't bother using this program. Only in these type of papers can you obtain this information.

Upon receiving the answers to these questions, the program proceeds to the next screen which will calculate, sort, and display each horse's statistics for a given race. This is the information that all you handicappers were dying to get your hands on to make your millions. If you want, you can even get a hard copy to your printer. From here on, the program repeats for as many races as you require.

As the author states in the manual, "In order for speed to be of value, it must be comparable, at least at the grossest level of past performance." What I think he's trying to say, and what I would certainly say, is don't take the information supplied by this program to the bank. It's just another variable to add to the already confusing list of variables for each horse in each race. When it comes to gambling of any sort, I still believe if you can't afford to lose the money you bet, don't bet it.

High Desert Publishing Company, P.O. Box 36556, Albuquerque, NM 87176. —*Bob Lloret*

BMC COLOR CRT BMC International Commodore 64, VIC 20

Does the flicker of the TV screen become an irritation when you use your computer? Have you looked at high quality color monitors and decided your pocketbook couldn't handle prices often greater than that of a color TV? Do you want something with sound that can double as a display for your VCR? The BMC Color CRT Display (Model AU9191U) may be just what you need.

Resolution and color quality compare favorably with displays which cost nearly twice as much and don't have sound capability. I tried it with a music demo that shows off the 64's SID, and the fidelity is remarkable for the size of the speaker. The package comes with two hookup cables. Both cables have two color-coded phono plugs on one end for the studio and composite video signals. On the computer end, one is a 5-pin DIN which fits the Commodore, and the other has two more phono plugs. The cables do not cost extra.

The owner's manual is only five pages, but two of those show the wiring schematic for the machine. The chips appear to be standard rather than house chips, and voltages and color bar signals are noted. Even if you're not brave enough to try to fix it yourself, you can take this schematic to any electronic repair shop and get it fixed in minimal time. The in-

structions are clear and well-illustrated. (They do not include the information that the red phono plug is for video.)

All the controls are on the front just under the screen, and feature easy-to-use thumbwheel knobs. Available controls are vertical and horizontal hold, brightness, contrast, tint, color, and volume. A red LED indicates whether or not power is on. (This is not necessary because the screen is dark when the computer is on.)

One negative point is that the 13-inch screen is not anti-glare. The case is an attractive beige and weighs about 25 pounds.

If you are choosing between the BMC and Commodore's 1702, I think it's a tossup. If both monitors are the same price, I would prefer the 1702 only if I had a newer Commodore computer which has an 8-pin DIN plug and permits separate signals for chroma and luminance. Separating these signals does give greater clarity. The 1702 does have a composite signal input for older computers or VCRs.

The 1702 has deeper, richer colors, but also less brightness. The controls are behind a flip-up panel and therefore harder to use than the BMC's. My ear isn't good enough to tell which has better sound. The user's manual for the 1702 is much better than BMC's, but it does not include a schematic.

When I went looking for a monitor, two factors made me choose the BMC over the 1702. First, the Commodore monitors are hard to find locally. Most stores seem to have trouble keeping them in stock. Secondly, the 1702s that I could special order were all \$30 to \$50 more than the price on my BMC. I don't see a significant difference in quality between the two monitors, so I took the one that cost less and was available, and I'm happy with my choice.

-Annette Hinshaw

An open letter to the readers of Ahoy Magazine Vincent Kurek President: The Ennon Corporation

you to join me in shaping the future of the new and most unusual field in computer technology today:

Artificial Intelligence.

This incredible power and spectacular creative potential are available to you, for your computer right now. However, there is an alarming possibility that such amazing technology which you have every right to, may not be available to you other that through

This is unfortunate but somewhat understandable due to the way technology is created. You see, only the business oriented corporation can finance research. It therefore is in a position to dictate immediate research goals. These goals are increasing profits through more efficient production. While valid, they are merely creative and do absolutely nothing to foster exploration in new applications. The result: technology is never used to its fullest potential. But what's worst of all is that these competitve corporations have absolutely no desire to share technology with each other, let alone with you. So, they don't. As a result, the infinitesimal amount of technology that finally trickles down to you is:

- A. So expensive you are prohibited from procurring it
- B. Shamefully inferior to the real thing

remember...you can buy high-tech consumer goods, but never the technology that creates it.

This same situation confronts you in the new Artificial Intelligence field, but with a difference: There is no true Artificial Intelligence for the home computer user! The few programs claiming to be Artificial Intelligence are really simulators. They are not the real thing. Possessing a mere token of the power and versatility, simulators are clearly not worth their expensive price.

I have tried repeatedly to convince my colleagues that it is in their best interest to release genuine Artificial Intelligence to the general public. The refinement, modification and adaptation as individuals create new applications would improve Artificial Intelligence tremendously.

This would benefit everyone in the long run.

I have met with little success. Apparently, it seems that immediate corporate profit is more important than sharing technology with the public. Therefore, the Ennon Corporation stands alone in offering superior Artificial Intelligence programming directly to the home computer enthusiast.

Announcing AN-83: The "Thinking" Program

Believe me when I say AN-83 is the real thing. It is a true "thinking" program that receives an initial "knowledge base" from a data file read when AN-83 is started. Using inductive and deductive logical analysis, this amazing program deduces everything from that data and adds it to its memory Conversing with you, AN-83 adds and combines with facts already known. It generates new conclusions not explicitly contained in its original knowledge base-just like your own thinking process! The result: it knows considerably more than the specific facts given to it. AN-83 can also think about

anything. It is virtually unlimited in its application. Think of your possibilities. The potential is limitless. In the right hands, AN-83 would revolutionize the adventure, strategy and other smart gameplaying programs to say nothing of classic arcade games. On the other hand, AN-83 could be one of the most powerful business analysts available to the home computer.

FREE SOFTWARE

In addition, you will be receiving free, Eliza-the most amazing conversational A.I. program to date. Run this for your friends and jaws will drop with amazement. Eliza's responses are so human, it's uncanny. An entertaining program, Eliza will answer once and for all the question: What can your computer do?

How to Learn Artificial Intelligence

You can be creative. Experiment and modify to fit your personal use because AN-83 and Eliza both possess source code in basic, the most popular easy to use language for the micro. Their extensive, easy to understand commands walk you through the source code

step by step. It's surprisingly simple. Even the beginner can understand the "How and Why of A.I."

A Fantastic Savings

The real profit to Ennon Corporation will be your participation in the future of Artificial Intelligence. Therefore, I am pleased to say nobody will miss this chance because they could not afford it. AN-83 is priced to cover just a fraction of its research and developmental costs.

The "Thinking" Program AN-83 is just \$21.57. What's more, the astounding Eliza is yours absolutely

I guess it's obvious that I want you to participate in the future of Artificial Intelligence, Forgive my excitement and enthusiasm but I just know you are going to be very happy and impressed that such things could be done with your computer. You just won't believe it. Please take this opportunity now. Simply fill out your coupon below and mail today. Don't miss out. It's such a wonderful future of discovery and excitement that awaits you.

With very best of wishes,

Vencer Kund

Vincent Kurek

Please send me the "Thinking" Program AN-83 for only \$21.57 In addition, I will receive absolutely FREE Eliza-the most impressive conversational Artificial Intelligence program to date.

Available in disk only. For use with the Commodore 64. Name _

Address _

City _ Zip Code _

THE ENNON CORPORATION

1817 W. Call St., Suite B-8 Tallahassee, FL 32304

Canadian orders must be in U.S. dollars. We export to other countries. Commodore is a registered trademark.

The Master Handicapper™ 1



Series by Professor Jones

EVALUATES FROM RACING FORM!

Speed Trainer

And gives you GRAPHIC REPRESENTATION of finish

PROGRAM
GLD. Thoroughbred "Gold" EditionTM A "Full" featured thoroughbred analysis designed to sional and serious novice. \$159

EGLD. Enhanced "Gold" EditionTM

"Gold" Edition with complete Master BettorTM system integrated onto the same disk. This powerful program will transfer all horses and scores to the bet analysis with a "single keystroke."

(Master BettorTM included) \$199.95 complete

GLTD. Limited "Gold"TM

Enables Professional Handicappers to assign specific values to the racing variables "they" feel are important.

PROFESSIONAL HANDICAPPING SYSTEMS

Consistency 15 Age 5 Class 15 Condition 10 Jockey 15 Trainer 5 Post 10 Con Is Everything OK (Y/N) Earnings 5

Speed 10

Create program weight based on a particular track and fine tune it for maximum win percentage. This program is designed for "ease of use". The user needs no programming experience.

(contains Integrated BettorTM) \$299.95 complete

GD. Gold Dog AnalysisTM

The only professional dog handicapper on the market, includes 6) Condition 7) Running Style 8) Weight 2) Post Today

9) All new internal weighting

5) Distance 10) NEW class indicator If you are near a greyhound track, you can't afford not to use this program.

\$149.95 complete (with integrated Master BettorTM) \$199.95

MHH. Master Harness HandicapperTM

Professional software designed to provide a thorough analysis of all trotter and pacer races in North America and Canada. Features: Class Post Positions Days Since Last Track Rating Time 1/4

\$159.95 complete w/integrated Master BettorTM \$199.95 PPX. Professor Jones' Football Predictor, Prof. PixTM

Complete Football Analysis with Data-Base.

1) Overlays
4) "OverfUnder" bets
2) Point Spreads
5) Data Base Stats
3) "Super Plays"
6) Holds "100" teams 3 3) "Super Plays" 6) Holds "100 Highest percentage of winners 1983

\$39.95 complete \$99.95 with Data Base Management

\$\$ MB. Master BettorTM

A compliment to ALL Master Handicapper programs, includes:
1) Wint/Place/Show 4) Trifecta 7) Money Manageme
2) Quinella 5) Pik Six 8) Odds Analysis
3) Exacta 6) Daily Double 9) and Much More perfect program designed to use results from all Master Programs to generate "best bet \$59.95 complete

Model 100 Portable Systems

TP1-Thoroughbred/PaceTM (24K) \$99.95 complete DG1-Master Dog AnalysisTM (24K)

LNW Computers Call for Lowest Prices

Send check / money order / VISA / MasterCard (Include expiration date) to: Prof. Jones



1114 N. 24th St. Boise, ID 83702

TELEPHONE (208) 342-6939 VISA

TERMS: FREE SHIPPING ALL SOFTWARE.
Add \$6.00 hardware / C.O.D. Add \$6.00 / Add 3
weeks personal checks / Add 4.5% ID residents /
Add \$6.00 outside U.S.A. / Prices subject to change.

BROCHURE AVAILABLE

Reader Service No. 243

COMPUTER CALCULATOR

Pioneer Software Commodore 64 Disk: \$29.95

A friend of mine who does accounting and property management for a living has given up trying to use his computer as a calculator. Taped to his computer, just above the keyboard, is his trusty old scientific calculator, ready at a moment's notice to perform math functions which the computer, but not its software, is readily capable of.

My friend's problem would be solved, in part, by Computer Calculator. This program gives you many of the functions of a scientific calculator; it cannot let you perform those functions while you are running another program.

Computer Calculator displays a calculator keyboard on the screen. Along with the numbers and standard arithmetic functions (addition, subtraction, multiplication, division, and exponentiation) are fifteen other keys. Math functions including sine, cosine, tangent, arctangent, logarithm, square root, integer value, absolute value, and pi are all available.

The remaining keys are used to store, exchange, or recall numbers from memory locations (up to ten) and to define or store functions (up to ten). Both memory locations and functions are accessed with the 0 through 9 keys. A feature that would be awfully nice, but is missing, would be to let the user refer to memory locations or functions by name. Long before the time I have twenty numbers and functions stored. I will have to break out pencil and paper to keep them straight.

The I/O section of this program is weak. You can save individual functions to disk and load them back in whenever you want. Here, you do get to label each function with a file name. Unfortunately, there is no way to get a directory of the saved func-

tions and when I guessed incorrectly, the program crashed. Saved functions are not automatically loaded with the program; each function must be individually loaded once Computer Calculator is running.

An output feature that most scientific calculators do not provide is a printed tape. Computer Calculator follows the model by not providing any way to get a printed record of your calculations.

On the display line of your "onscreen" calculator, you decide what format you want. You can set the number of decimal places to be shown and determine whether extra digits should be rounded or truncated. As you punch numbers or commands on the keyboard, the corresponding keys of the screen's calculator will light up. Everything you type shows on the calculator's display line except functions you are defining and memory locations which appear at the bottom of the screen.

Computer Calculator is a programmed model of a hand-held scientific calculator. Within the limits of Commodore BASIC, calculations are performed easily and accurately. The program does not use the computer's strengths to give you extra features not found in calculators. By shopping around, you may find a calculator with features similar to this program's for about the same price. The question is, do you want to glue it to your computer?

Pioneer Software, #217-620 View Street, Victoria, B.C., Canada V8W 1J6 (phone: 604-381-3211).

-Richard Herring

INOUIRE PAC Pacific Coast Software Commodore 64

If very technical programs frazzle your nerves, the limited-function, easy-to-learn Inquire Pac may be your cup of database management. Exclusively prompt- and menu-driv-





VINYL CARRIERS

For Adjustable Tractor-Type Printers
The CHF Computer Check Carrier T.M.
Allows You to Use Regular Bank Checks
for Fast Computer Processing . . .

ELIMINATES NEED FOR COSTLY SPECIAL COMPUTER CHECKS... Designed for adjustable, tractor-type printers, this slotted, translucent, vinyl sheeting accessory uses inexpensive personal or company checks as supplied by your bank. Checks with carbons are easily accommodated, tool

PRODUCES PROFESSIONAL-LOOKING CHECKS — TWICE AS FAST! And it helps you to enjoy the full capability of your system. Included is a BASIC program to format checks for your system. It may also be used as a sub-routine in an existing BASIC program. Check printing and entry into check register are

CARRIERS ARE ALSO AVAILABLE FOR OTHER TYPES OF STATIONERY, TOO!

Select other carriers listed below for your stationery needs. CHF makes
carriers for most other forms of stationery. Check with your local computer
store or fill in the order blank below and return for fast shipment of your order.

NEW "E" MODELS DOUBLE THE LENGTH OF OUR STANDARD CARRIERS.
The new S100E model gives you twice the carrying capacity, sixteen checks versus the standard eight. The "E" model is also available for all other Carriers except the S824 — double the holding capacity stated below for the "E" model of any Carrier. Suggested retail price for all "E" models is \$19.95.

SPECIALIZING IN CHECK AND STATIONERY CARRIERS FOR COMPUTER USE

Indicate carrier you wish to order: (Place an "E" in the box to indicate extended version.)*	S707 Letterhead 8 ½ x 11. Holds three Let- terheads. Carrier is 10" wide.			
S100 Holds eight standard (2% x 6) size personal checks. Carrier is 8" wide.	S714 Memo size 5½ x 8½. Holds three Memo size sheets. Carrier is 8" wide.	THE CHF COMPANY		
S101 Same as the S100 except that this carrier is 9½" wide for printers that are not adjustable	S721 Legal Letterhead 8½ x 14. Holds two Legal Letterheads. Carrier is 10" wide.	P.O. BOX 185 • OBERLIN, OH 44074 216/775-7338		
(\$1.00 extra). S103 Holds eight 2¾ x 6¼ Canadian Size Per-	S728 Ditto or Forms 8½ x 11½. Holds two. Carrier is 10" wide.	"CompuServe ^{T.M.} — EMAIL ^{T.M.} 74266.601" Dealer Inquiries Invited!		
sonal Checks. 9 ½ " wide Carrier.	S735 Forms 8½ x 11¾. Holds two. Carrier is			
L S200 Holds six business (3½ x 8½) size checks. Carrier is 9½" wide.	S808 Voucher Checks, Quick Letters, Quick			
S303 Holds five 3% x 6½ envelopes. Carrier is 8" wide.	Reply, invoices, Purchase Orders 8½ x 7½. Holds three 8½ x 7½ Forms. Carrier is 10"			
S306 Holds five 3% x 8% envelopes. Carrier is	wide. S816 Blank Carrier, Carrier is 9½" wide. This			
10 ½ " wide (requires your printer to expand to 10 ½ ").	Carrier allows you to make your own holders for	Name		
S309 Holds five 4% x 9½ envelopes. Carrier is 10½" wide (requires your printer to expand to	non-standard size stationery. Includes instruc- tions on "How To."	Address		
101/2").	☐ S824 Label Carrier. Carrier is 9½" wide. Allows	CityStateZip		
S404 Rolodex Petite. Carrier is 8" wide. Holds eight Rolodex Petite cards.	you to purchase regular pressure-sensitive labels, place the labels on The Label Carrier and you are all ready to go. (Name tags, address	☐ Check or money order enclosed. (U.S. currency only.)		
S408 Rolodex 2% x 4. Carrier is 8" wide. Holds	labels, etc.)	Make payable to The CHF Company. Please do not send cash.		
eight cards.		MasterCard No		
S412 Rolodex 3 x 5. Carrier is 8" wide. Holds seven cards.	ONLY Sand charts or manage order Dhin			
S505 31/2 x 51/2 Index and Post Cards. Holds	Send check or money order. Ohio residents add 51/5 % sales tax.	Bank No. (if M.C.)		
five cards. Carrier is 8" wide.	Allow two weeks for delivery. Be	VISA No.		
S510 4x6 Index Cards. Holds four Index Cards. Carrier is 91/2" wide.	includes Postage & MasterCard accepted. VISA &			
S515 3x5 Index Cards. Holds five Index Cards. Carrier is 8" wide.	Handling *"E" Model \$19.95.	Expiration Date		
S520 5x8 Index Cards. Holds four Index Cards.		Signature		
Carrier is 10" wide.		VISA and MasterCard orders may be placed by phone — 216/775-733		

SUPER PRINTER PACKAGES

Gemini 10X and
Cardco + G 323
Prowriter and
Cardco + G 389
Panasonic 109 and
Cardco G + 364
Panasonic 1090 and
Cardco G + 295
Legend 880 and
Cardoo G + 309

No additional shipping charges on Printer Packages in Continental USA

Epson	Cal
Silver Reed	Cal
Prowriter 8510	
Riteman	289
Toshiba 1351	Call
Toshiba 1340	
Axiom-CM-550.	279
Legend 880	239
Panasonic 1090.	.219
Panaconio 1001	

Quiz Game for the Atari and the CBM 64 . 49.95 | Powertype 329

PRINTERS

Epson Call
Silver ReedCall
Prowriter 8510 309
Riteman 289
Toshiba 1351 Call
Toshiba 1340 Call
Axiom-CM-550 . 279
egend 880 239
Panasonic 1090 219
Ognaconio 1001 20E

Epson	Cal
Lp3011	Cui
Silver Reed	Cal
Prowriter 8510	
Riteman	289
Toshiba 1351	Call
Toshiba 1340	Call
Axiom-CM-550.	279
Legend 880	
Panasonic 1090.	219

Bring the trivia craze home with P.Q. The Party

COMMODORE

n	ı
r ReedCall	ı
riter 8510 309	ı
nan 289	ŀ
iba 1351 Call	
iba 1340 Call	
n-CM-550 . 279	
nd 880 239	
sonic 1090 219	
sonic 1091285	

Decili.	
THE POWER BEHIND THE PRINTED	
Gemini 10X	245
Gemini 15X	
Delta 10X	
Delta 15X	499
Radix 10X	
Radix 15X	629

SCOIF PRINTER INTERFACES

339	Indus GT Disk Drive . Call
245	Turboprint GT
n c	Axiom Call U-Print-C 64.95 Cardco G + 69.95

Call for Special Package

. . Call 1541 Disk Drive . Call 1530 Datasette . . 66 1702 Monitor . . Call

MODEMS
Hayes Smart Modern 300 Call
Mark VII / Auto Ans /
Auto Dial Call
Mark XII / 1200 Baud Call
Westridge AA / AD 74.95
Total Tele Modem 69.95
Mighty Mo 74 95

COMMODORE **MODEM SPECIAL**

III O D BIIII O I HOUTE	
Westridge Modem +	
VIP Terminal 119)
Total Modem +	
VIP Terminal 115	5
Mighty Mo +	
VIP Terminal 119)

en, th

tions

chan

own:

Some new

quire

forw

V1S10 and t

text v

back

catio mit c acter any Di

ited

reco

be pe func

linke

limit the f

ited

sear divid field num cord

an c

mo

Hig tere

reco

file

with

ord

ple. ted tain

reas the tera

#3. inci

qua

suf

phi

not

T

Ev

Animation	Station	
Touch To	blet	. 59.95

22.95 22.95 22.95 22.95 22.95 19.95

SPINNAKER (cont.) Kldwriter - D . . . Snooper *1 - D . Snooper *2 - D .

			3
C	0	M	
ACCESS			C
Neutral Zone Spritemaster - Beachhead - [Master Comp Raid Over Mos Scrolls Of Abo	D/T	23.95	C/ Pr
Spritemaster -	D/T	. 23.95	W
Beachhead - E)/T	. 23.95	Mo
Master Comp	oser-D	.27.95	File
Raid Over Mos	scow-D/	T 27.95	Gr
Scrolls Of Abo	idon - D /	723.95	Gr Sp Co
ACCESSOR	IES		Su
WICO Joystic Flip 'n' File -D Flip 'n' File Cu Joysensor WICO Trakbal EIS Compuse VIDTEX	K	Call	Su
Flip 'n' Flie-D		. 20.95	0.0
FIID II FIIE CI	ап	20.95	Ca
WICO Trakhal	1	27.95	
FIS Compuse	rve Kit	64.95	CC
VIDTEX		29.95	Ass
O	14 . 1 1		Eas
Monitors Compuserve STAC III Joystic U-Print Printer 16K, 32K or Dust Covers . Competition P Giff Certificate		Call	Eas
Compuserve S	Starter	. 27.95	Eas
TAC III Joystic	k	. 14.95	Eas
U-Print Printer	Buffer	0-11	Eas
Dust Course	64K	Call	Log
Competition P	ro loveth	ok Call	The
Gift Certificate	io Juysiii	Call	Ger
ACTIVISION		····ouii	Acc
Ctor Longitto			Acc
Roseholl - D	/T	23.05	Int.
On - Field Tenr	Is-D/T	23.95	Ma
Space Shuttle	-D	24.95	Sus
On-Field Foot	ball-D	.23.95	Cut
Designer's Per	ncli-D	. 24.95	Sim
Baseball - D On - Field Tenr Space Shuttle On - Field Foot Designer's Pe Ghostbusters -	D	29.95	Inv
AVALON HII	LL		Sup
Call for Items			Jus
BATTERIES !	NCLUDI	ED	Mic
Super Bussca Home Invento Recipe - D Audio / Video Mall List - D Stamps - D B.I. 80 Card. Home Pak - D Cal - Kit	rd II	Call	Che
Home Inventor	ry-D	23.95	Ral
Recipe - D		.23.95	Hul
Audio / Video	Cat-D	23.95	Spl
Mail List-D , .		23.95	DA
B I BO Cord	*****	Call	Cor
Home Pak - D		37.05	Bru
Cal-Kit		Call	Los
PROPERTUR	ID.		Mr.
Bank Street W	riter - D	34.95	Dig
Bank Street W Operation Whi Mask of the S Dr. Creep - D. Gumball - D. Bungeling Bay Spelunker - D. Steatth - D. Whistler's Brot Championship	rlwind - D	27.95	Pole
Mask of the S	un-D	27.95	Pac
Dr. Creep - D .		20.95	DIS
Gumball-D		20.95	Dys
Bungeling Bay	-D	20.95	Ver
Spelunker-D.		20.95	Elep
Whietler's Prot	hor D	20.95	Max
Championship	ner-D	20.95	Mer
Loderunner -	D	23.95	Ultr
Print Shop - D		34.95	BAS
Serpent's Star	-D	27.95	Wa
Loderunner - Print Shop - D Serpent's Star Karetka - D		20.95	- 1
CADDCO			
Cardprint / B.		47.95	-
Cardco + G.		69.95	
Cardboard/5		59.95	
Cardprint/B Cardco + G. Cardboard / 5 Cardkey Cassette Reco		39.95	
Cussene Reco	raer	37.95	

M	0	D	0	R	E	
ARD	CO (conf	2) 7T . 19.95 11 . 34.95 29.95 29.95 29.95 29.95 29.95 1ty - D		DYNATE	CH	
rinter	Utility - D	/T . 19.95		Adventure	Writer - I	D41.95
Vrite I	Now-'Car	134.95		Codewrite	r-D	69.95
all N	ow-D	29.95		Dialog - D		41.95
ile No	w-D	29.95		Elf System	1-D	41.95
raph	Now-D	29.95		Home File	Writer-	41.95 41.95 D41.95
pell I	NOW-D.	29.95		Reportwrlt	er-D	41.95 34.95 49.95
alc N	low-D	29.95		Menuwrite	r-D	34.95
uper	DISK UTII	69.95		Speedwrit	er-D	49.95
				ELECTRO	NIC AR	RTS
BS S	OFTWAR	E		Archon-D		, 29.95
all for	Items and	Prices		Pinball Co	nstructio	29.95 n-D.29.95
	ODORE			M.U.L.E D)	29.95 If - D 29.95
ssemb	ler-D	39.95		Murder / Z	Inderneu	If-D 29.95
sy Fir	nance I, II,	19.95		One On O	ne-D	29.95 29.95 k-D.37.95 i-D.29.95
III, IV-	D	19.95		Archon II -	D	29.95
isy Co	ilc-D	34.95		Financial	Cookboo	K-D.37.95
asy Mo	oil-D	19.95		MUSIC COL	istruction	-D . 29.95
isy Sc	ript-D	44.95		/ Umes U	GOID - D	29.95 29.95 29.95 29.95
isy Sp	ell-D	19.95		Standing :	Stones - L	29.95
go-D	******	49.95		Adventure	Monsier	-U . 29.95
e Mai	nager-D .	34.95	4	WAAAIIIIIA	Constitut	27.05
eneral	readet-r	34.95		Pacina De	etruction	37.83
CCIS. N	(ec D	44.95 19.95 49.95 34.95 34.95		Kit-D	Siluciloti	37.95
cols. P	uyD	34.95		EPYX		20.00
t Soci	cor-Cort	22.05		Dragono /	Dom D /	T 2705
agic V	loice	54.05		Diagons/	Pein-D/	27.95
ispect	-D	34.95 34.95 39.95 22.95 54.95 24.95	- 1	Pohote of	Dawn - D	T27.95 27.95 27.95
itthroc	rts-D	24.95		Summer (Duwii-D	27.95
mon's	Basic - Co	24.95 ort	- 1	imnossible	Mission	27.95 -D . 23.95
ventor	v Man-D	34.95	- 6	World's G	regtest	23.95 27.95 27.95
per E	xpander .	Cart . 29.95		Baseball	-D	23.95
ist Imo	agine-D.	24.95	- 1	Fast Load	-Cart	27.95
cro-II	lustrator - [21.95		Scrabble -	D	27.95
icro-A	strologer -	D21.95		FIRST ST	AP	
1855 - [)	21.95		Call for Ite		Prices
illy Sp	eedway - [21.95 21.95 21.95		HANDIC		,,,,,,
JIK - D		21.95			Cort	20.05
		21.95		64 Grof - C	ort	29.95
ATAS		and the second second		Stat 64 - C	art	23.95
onan/	Barbarlan	-D/T 27.95	- 3	Calc Resu	It Easy - C	23.95 Cart . 34.95 Cart . 69.95
uce Le	90-D/I	27.95 23.95 27.95 20.95 20.95 20.95		Calc Resu	If Adv C	art 69.95
SI TON	D/T	23.95		The Diary -	Cart	23.95
a Dua	-D	20.05		The Tool-	Cart	23.95 29.95 29.95
de Pos	eltion - D	20.95	- 3	Bridge Ca	1	29.95
cman	-D	20.95		HESWAR	E	
SKET	TEC			Hesware .		Call
				META (UMMAD	OM
rhatin		Call	- 1	nsta - Writi	er - Cart .	34.95 27.95 44.95 0069.95
ertron .	*******	For	-1	nsta-Mall	-D	27.95
phant		For	- 1	nsta-File-	D	44.95
. llex		And	_!	Manageme	ent Comb	0069.95
more	X	Quantity		neta - Calc	- Cort / D	34.05
та-Ма	gnetics	Pricing	4	nsta - Grap	n-D	24.95
SF		And Quantity Pricing		nsta - Vest	or-D	29.95
abasn	*******		-	nuget Con	nho	24.95 29.95 64.95 64.95
D-Dis	k T-C	assette	1	Word Craf	1-D	44.95
C	art-Cartri	assette dge	1	nsta - Ledo	ner-D	44.95

	64 Sys	tem	Price
6	4		S
IMI	FOCOM		20.05
Enc	chanter - D	*****	23.95
Pla	netfall-D		24.95
Sor	rcross - D		29.95
Sus	adline - D . chanter - D del - D netfall - D . rcerer - D . rcross - D spended - mess - D a Stalker - k I . II. or	D	29.95
	A STATE OF THE REAL PROPERTY.	D	24.95
Glb	ALA son Light	Pen	69.95
Koo	ison Light ala Touch ala Touch ppet Lear	Tablet-	D . 69.95 C . 74.95
MIG	CROFUN		
9.814	I for Items CROPRO	C.F.	
Floy	yd / Jungle icat Ace - TO Comm o Flight - D ffire Ace - Rescue - E allenger - E 5 Strike E	D/T	23.95
Solo	O Commo Flight-D	dnder-[23.95
Air	Rescue - D	D/T	23.95
F-1	5 Strike E	agle - D	23.95
Cal	for Items	and Pr	
0.4	CK Brown	CONTRACTOR OF STREET	awas.
Ultir	ox - D / Car ma III - D . ht Simula	T	41.95
Hon	nball-D/ ne Accour ron's Sat. estar 64-(stertype-D	ntant - D	49.95
Tele	estar 64 - (Cart	37.95
Mas	stertype - D		27 95
Min	er 2049er	-Cart	27.95
Astr	stertype - D ec - D er 2049er p Poker - D to Chase - Flop - D / ond Wolfe	D/T	20.95
Bey	ond Wolfe	nstein -	D . 23.95 41.95
Mae	Assemble Ass	er-D	49.95
Barr	ron-D		37.95
Milli	onaire - D k - Load - D		27.95
Sarg	k - Load - E gon III - D ce Lee - D copter - D	/T	34.95
Man	copter-D		27.95

0	F	T	W
MISC	ELLAP	EOUS	(cont.)
Pogo	Joe-D	/T	20.95
Movie	Maker	-D	32.95
Typin	g Tutor e Taxi-	III-D	34.95
Space	erminal	20.95	41.05
Dood	e-D	*****	27.05
Super	base-6	34D	69.95
Indiar	na Jone	s-D	41.95 27.95 69.95 23.95 41.95
Ultimo	D-VI		41.95
Adver	iture M	aster - D	34.95
Code	urtter - [mer-D	23.95 41.95 34.95 41.95 69.95 23.95 27.95 27.95 23.95
Sny v	S Snv-	D	23.95
Death	/ Carlb	bean - D	27.95
Bould	er Dast	1-D	27.95
The H	elst-D		23.95
Monte	zuma's	Revenge	34.95 29.95
Gyrus	s-Can		34.95
Toppe	r-D	D	
umme	1 II - IJ		41.95 23.95 79.95
Divin I	Jan D	/T	23.95
Relax	-D		79.95
Zaxxo	n-D/T		27.95
Koala	-Printe	r-D	
Cat D	ich Sor	oe D	34.05
Strip I	Poker - [)	23.95
MICTO	-Leaau	8	
Base	aball - D		29.95 37.95 37.95
Home	Pak-D		37.95
Movie	макег	-D	37.95
		OTHE	
	RBORO		lices
		Cart.	27.95
Net W	orth D		54 05
Songv	vrtter - D		27.95 D27.95 -D 20.95 49.95
Run fo	or the N	Noney - I	27.95
Figure	s and F	ormulas	-D 20.95
	9		49.95
	DLAST		
		and P	rices
	ENPL		
		and P	rices
SEGA		and P	riane
	RA ON		11000
		and P	rione
			11000
	NAKER		ort . 22.95
Aarnh	ce - D		27.05
A M In 4	to Cala	r Caves	0 22 05
Alphal	pet Zoo	-Cart.	22.95
Delta	Drawin	g-Cart	22.95
Fraction	IUKBI - (r-Cort	
Klds o	n Kevs	-Cart	22.95
1100		Juil	

SSI
50 Million Crush - D 27.95 Battle / Normandy - D / T 27.95
Combat Leader - D / T 27.95 Computer Baseball - D . 27.95
Computer Baseball - D . 27.95
Cosmic Balance - D 27.95
Eggles - D 27.95
Fortress - D
Fortress - D. 23.95 Germany 1985 - D. 41.95 Knight / Desert - D / T. 27.95
Knight / Desert - D / T 27.95
Professional Golf - D 27.95
RFD 1985 - D 23.95
Ringside Seat-D27.95
Professional Golf - D
Bamc 85 - D
Broadsides - D 27.95
Questron - D 27.95
Questron - D
Field of Fire - D 27.95
Carrier Force - D 41.95
Breakthrough / Ardennes - D 41.95
President - Elect - D 27.95
SYNAPSE
Call for Items and Prices
TIMEWORKS
Accounts Payable /
Checkwriter - D 4195
Checkwriter - D 41.95 Accounts Receivable /
Invoice - D 41.95
Crish Flow
Management - D 41.95 Data Manager 2 - D 34.95 Data Manager - D / T 19.95
Data Manager 2-D 34.95
Data Manager - D/T 19.95
Dietron - D / T 19.95 Dungeon Algebra
Dungeon Algebra
Dragon - D / T 19.95
Electronic
Checkbook - D / T 19.95
General Ledger - D 41.95
General Ledger - D 41.95 Inventory Management - D 41.95 Money Manager - D / T 19.95 Payroll Management - D 41.95
Money Manager - D / T 19.95
Payroll Management - D 41.95
EVERYT WOODS - D 49.95
TRILLIUM
Amazon - D 22.95
Amazon - D
Farenhelt 451-D 22.95
Farenhelt 451-D 22.95 Rendezvouz w/Rama . 22.95 Shadowkeep-D
WAVEFORM
Call for Items and Prices

Klds on Keys-Cart For Technical Info, Order Inquiries, or for Wisc. Orders -

414-351-2007

WINDHAM CLASSICS **Hundreds of items** available for the

CBM 64, please call

To Order Call Toll Free 800-558-0003

ompute Ability.

no surcharge for mastercard 🔵 or visa 🚾





ORDERING INFORMATION. Please specify system. For fast delivery send cashier's check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Include 3% shipping on all Hardware orders, minimum \$3.00. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders — add 5% shipping, minimum \$5.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain an RA# or your return will NOT be accepted for replacement or repair. Prices and availability are subject to change without notice.

COMPUTABILITY P.O. Box 17882 Milwaukee, WI 53217

ORDER LINES OPEN 11 AM - 7 PM CST 12 PM - 5 PM CST en, the program provides eight functions (among them the standard change disk, directory, and quit).

Every database program has its own method of formatting new files. Some are quite bizarre. The "start new file" formatting command in *Inquire Pac* is one of the more straightforward procedures. However, provisions for different types of fields and the ability to include descriptive text were omitted. Additional drawbacks stem from the system specifications of *Inquire Pac*, which permit only 15 fields to a file, 252 characters in a file, and 30 characters in any field that will be sorted.

Directory access, data entry, limited searches, multiple deletion of records, and record renumbering can be performed through the main menu function "maintain file" which is linked to a submenu. Data entry is limited to 200 records, at which point the file is considered "full." The limited searches are single record searches, permitting the recall of individual records either by the first field or record number (records are numbered sequentially as they are recorded). When the record is found, an option to delete it is offered.

The multiple delete function removes groups of sequential records. High and low record numbers are entered to define the range in which records will be deleted. The collect files function operates hand-in-hand with delete records, reassigning record numbers sequentially. For example, if records 2, 3, and 5 are deleted from a file that originally contained six records, collect files would reassign the record numbers so that the last record entered before the alteration (originally #6) would now be #3. In this way, a file space may be increased within the 200-record limit.

The printer format options are adequate; however, they do not allow sufficient flexibility for printing sophisticated reports (or even not-so-sophisticated reports with de-

scriptive text and titles). The printer format function is prompt-driven after selection from the main menu.

Inquire Pac sort and search routines have the same weaknesses as the rest of the program: you can't do much with them. Sorts can only be performed to organize records into alphabetic or numeric order. Searches may be specific or threshold, allowing selection of records with identical fields or the identification of records whose fields fall within a predetermined range. However, it's only possible to sort by one "factor" at a time under Inquire Pac.

Inquire Pac's beginner-friendliness is good. Its crippling limitations are bad, and must be remembered before you select this program to fill your database needs.

Pacific Coast Software, 3220 S. Brea Canyon Road, Diamond Bar, CA 91765 (phone: 714-594-8210).

-Rachel Schleimer

JANCE HARD WIRE SECURITY SYSTEM

Jance Associates, Inc. C-64, VIC 20; \$195.00

We've seen peripherals that will protect your Commodore system from overheating, from power surges, from static buildup. Why not one to protect the whole expensive shtick from being ripped off—along with the rest of your house or apartment?

Jance Associates manufactures two alarm systems that will enable your VIC or 64 to stand vigil over your home. We tested the Jance Hard Wire Alarm System, which required us to run wires from the computer to each door or window to be protected. Also available is a wireless setup which utilizes your home's electrical system.

The Hard Wire system includes a cartridge for interfacing with the computer, 13 magnetic switches for mounting on doors and windows, 2 deactivate buttons, 1 panic button (for remote activation of alarms), 2

alarm bells (one for inside, one for outside), a 12-volt DC power supply, 5 window warning decals, and 200 feet of 22 gauge, twin-conductor stranded wire.

The instructions anticipated, and offered solutions to, nearly all our installation problems. In addition to the printed instructions, there's a program complete with troubleshooting hints, as well as documentation for help in modifying the program to suit your own needs.

The system allows for multiple options on the user's part. Windows can be rigged in parallel wiring (as opposed to serial, like the rest of the system) so they can be left open without setting off the alarm. You may also turn the system on and go out. Upon reentry, a 10-second "warning" beeper will sound prior to the unleashing of both the inner and outer

Continued on page 62



Stop playing "Hide-and-Seek" with your Disk software! Let your commodore 64" do all the work for you, with MASTERDISK. Easy Menu-Guides make everyone a "pro" in 1 day!

Here's a small "PEEK" at SOME of the POWER of PRODUCTIVITY at your fingertips . . .

- a SORTED Master Catalog of ALL your Disks. Names, ID's, File info, etc.
- Search + List any File/Disk/ID in seconds, automatically, in any of FIVE WAYS
 Transfer ML-Programs or Files from Disk
- to Disk (CATEGORIZE your software)

 Stop disaster before it strikes: change
- duplicate ID's fast, without total re-copy
 Restore accidentally-scratched files in a flash, with VERIFICATION that they're
- Works with 1 or 2 Drives (1541-type), with or without Printer (Commodore or
- All this + MUCH MORE, for just \$29.95
- SPECIAL: Handy-Reference Card for HEX/ASCII/Binary-to-Decimal Values, + FORMULAS- only \$2 with order (\$1 for all phone orders).
- PLUS: Everybody wants a FAST backupcopy program. How's 4 MINUTES, including. Formatting?!—and it's FREE with MASTERDISK!!!!

send Check or Money Order to: INTEGRATED-SOFTWARE SYSTEMS P.O. Box 1801

Ames, IA 50010 VISA/M.C./C.O.D., call (515) 233-2992 HOURS: 9-9 M-F, 9-1 S+5, (Central Time Add \$3 Shipping/plus \$2 Foreign, COD. IA Residents add 4% Sales Tax

Reader Service No. 226

By David Barron

I am currently working on a program that uses the SID chip to make sounds and music in my program. I am experiencing a most annoying problem. When all of the oscillators should be quiet (the envelopes are finished), there is substantial noise coming from the speaker. It is lower than the volume that the sounds I want come through at, but it still very disturbing. Is there anything that can be done to remedy this situation?

> -Roberto Velez Hoboken, NJ

The SID chip has a reputation for being very noisy. Some 64's have what seem to be "supercharged" SID chips that are even noisier than usual. Even when all gates are off and

Applications Software for Commodore-64's with CP/M cartridges of

ACE Wordprocessing package with Wordstar-like command structure and print formatting capabilities \$35.00. Terminal program with full upload download capability \$45.00. Soon to be available, a personal filer program \$25.00.

Commodore manufacture.

ORDER BY MAIL! Add \$2.00 per order for postage and handling. MN residents add 6% sales



Reader Service No. 225


envelope levels should be at zero, sound does leak through. There is one simple way to eliminate this problem. After each oscillator is done producing its desired sound, load its frequency registers with zeroes. This will stop that particular voice from producing any sound, decreasing the amount of background noise. Additionally, when none of the voices are producing any sounds, set the master volume to zero.

A problem I've been having pertains to the drive-certain programs I have work fine for a while, but then problems start. In some instances, my disk drive will simply lock up while accessing the disk, and spin forever. Other times while performing an operation, the disk drive will make noises as though it is initializing a disk. I hear the head banging around inside the drive. I have lost many disks because of this and would like some help. Thank you for your S.O.S. section.

> -Norman L. Thomas Yellow Springs, OH

From your description of your problem, I can draw two possible conclusions. Either your drive is in some way defective, or you are experiencing heat-related difficulties. To remedy an overheating problem I recommend that you install a fan on your disk drive. I recommend the same to anyone who uses his or her drive for many continuous hours. A number of companies manufacture fans for the 1541; see the December '84, January '85, and February '85 installments of Scuttlebutt.

No problem is too trivial, none too difficult-almost-to be included in S.O.S. Send your thorniest to S.O.S., c/o Ahoy!, Ion International Inc., 45 West 34th St. - Suite 407, New York, NY 10001. Please type if possible.



print

up is

perio

Th

choo

paid

user

ate a

mon

date

you

be en

Up

Play this fast-paced computer video game that's so true-to-life that a major railroad indicated they use it in dispatcher training.

TRAIN DISPATCHER's 24 displays help you make crucial decisions, RAPIDLY. You're under pressure, but in control - throwing switches, clearing and cancelling signals, constantly maneuvering both east and westbound trains. Keep the tracks clear ahead of all your trains and watch your score go up!

Action packed, yet non-violent, TRAIN DIS-PATCHER's 5 levels of play challenge players from age 8 to 80. Work your way up from "Cub Dispatcher" to Chief Dispatcher" or even "Train-

Created by designers of computerized traffic control systems for operating railroads, TRAIN DISPATCHER will increase your appreciation for actual railroad operations.

TRAIN DISPATCHER comes complete with

CHECK ONE:			6B
Vic 20" Tape	□ or Disk		
(Requires 16 Atari* 800 Tap	e D or Di	sk 🗆	
(Requires Bas Atari* 400 Tap	oe 🗆		
(Requires Basi	ic)		(\$24.95)
Commodore 64			
Apple II*, II+ a	nd lle D	isk 🗆	(\$29.95)
Name Street			
City	Sta	te Z	ip
USA & CANADA (\$4.00 foreign) for must be in USA f against USA bank tax. Or charge to	or each gan unds, all fo ks. PA resi	ne ordered. oreign paym	All payments ents must be
tax. Or charge to	D VISA	Exp. Date	
☐ Master Card	L VISA		
	L VISA		

SEND TO:

SIGNAL COMPUTER CONSULTANTS, LTD. P.O. Box 18222 • Pittsburgh, PA 15236 (412) 655-7727

Reader Service No. 211

THE C-64

H printer.

ome Budget is a menu-driven program that enables the user to keep records of monthly spending within a household. It is designed to work in conjunction with a disk drive and

Upon running the program, the first thing that comes up is the menu. It lets 'you choose to:

• Write and view data for monthly bills.

2 View barchart trends of bills for a one-year period.

Receive a printout of all 12 bills for a one-year period.

4 Load and Save data of bills as a file on disk.

G Create an initial file.

The first thing to do is create an initial file. Upon choosing #5, you are asked to fill in 12 bills that are paid on a monthly basis (mortgage, water, etc.). The user will then enter a filename and the program will create a file with the 12 bills and 144 0's (12 bills for 12 months). You now have a file to work with and can update it every month as the bills come in. At this point, you no longer need to create a new file for the data to be entered. You can now simply select "Write monthly

bills" for each month that arises. Once you have started filling in data, you can "View monthly bills." When selecting this, all the data for a particular month as well as the monthly total spent will be displayed.


Also, a barchart trend of each bill can be viewed. The chart will cover the entire one-year period. It enables the money-conscious person to view spending trends for each bill. The only requirement is that the user select a maximum scale for the chart. As this can vary from bill to bill, it is left up to the user to enter.

An added feature is the ability to get a printout consisting of the 12 bills for the 12 months. At the bottom, a monthly spending total is supplied. This is handy if a permanent record of the year's spending is required.

As long as an initial file is created, the user has access to a limitless amount of files which can be viewed, written to, and followed by trends.

In these difficult economic times, I've become very conscious of how I spend my money. *Home Budget* has enabled me to monitor my spending and cut down on wastefulness.

SEE PROGRAM LISTING ON PAGE 82



C.S., Inc.) ain buy useless software for al computer. FFERS BIG SAVINGS ATIONS Be eligible for our Bonus Point Planadditional discounts applied towar purchases.
FFERS BIG SAVINGS ATIONS Be eligible for our Bonus Point Plan- additional discounts applied towar
Be eligible for our Bonus Point Plan- additional discounts applied towar
additional discounts applied towar
 Receive our informative monthly new letter full of helpful tips for getting th most from your Commodore-64. Receive notice of Special Sales wher you'll save as much as 50% off ils
free Public Domain Software.
w in the Software-of-the-Month Club. ed is my \$10 membership fee. rder
Expiration date
- Aprilation soll
- April dittori

Reader Service No. 229 Reader Service No. 247

Cwww.commodore

Turn your own Commodore 64 into a graphic workstation:



and affordable Light Pen/Software System for people who need drawings, schematics, plans, layouts or graphics in their work.

A REAL WORKING TOOL THAT'S FUN TO USE. Be more productive right away. Draw and fine-tune design ideas right on your CRT . . . with your Light Pen. Then generate drawings or hard copies in black and white or color quickly and effortlessly.

And because you're unconcerned with computer commands you can focus on what you're working on. Fact is, work becomes a lot more fun.

FEATURE-RICH GRAPHICS AT YOUR LIGHT PEN TIP. Select from a wealth of drawing modes listed on the screen. Move fluidly from freehand drawing to lines, boxes, arcs, circles, ellipses, zooms, cross hairs, grids. Plus, flips, rotations and split screens . . . virtually all the functions you'll ever need.

FLEXIDRAW gives you the freedom to manipulate and handle images as you work. Create your own templates and patterns to go with the standard Flexidraw templates and 512 pattern fills. There's seven different type styles for text. And 16 hi-res colors may be added. There's also a Sprite Editor and Animator. An exclusive Transgraph feature even lets you send graphics to distant locations via modem.

EXCLUSIVELY ENDORSED BY THE U.S. COMMO-DORE USERS GROUP. Test draw FLEXIDRAW yourself at your nearest Commodore Software dealer now.

P.O. Box 85152 MB 290, 7677 Ronson Road, San Diego, CA 92138, (619) 268-8792



©INKWELL SYSTEMS, 1984



Reader Service No. 252

"A Pen for Your Thoughts"



By

it vib

And t


date.

space

mem whole

there

in the


















r e

By Marilyn Sallee

umerology is the ancient science of numbers. Since numbers and their handling are at the core of your Commodore (and all computers), it follows that the art of numerology fits right in. Let your Commodore analyze your name and birth date and tell you what attributes these numbers vibrate to. Are you an ambitious number one, or a sensitive number two? What attributes does your nickname have? Does it reinforce your given name, or add other qualities to your image? For serious believers in numerology, each day has its special vibrations. This program will tell you if the date is supposed to be good for financial investments, or better left to a picnic.

Each letter of the alphabet has a corresponding number that it vibrates to. The key number of a name is the vibrating numbers of that name added up and reduced to a single digit. A number larger than nine is similarly reduced to a single digit. And that single digit determines the attributes of the name or date.

Here is the way the program works for the VIC 20:

This program uses up just about all the available memory in the unexpanded VIC. Do not add any extra characters or spaces other than what is indicated or you will get an out of memory message. The data lines, which are the key to the whole program, use up a lot of the memory. Because of this, there are no REM statements to explain what each section does in the program.

Lines 10-20: set up the screen colors and prints the title page, then wait for you to hit a key.

Lines 20-28: act on the choice of name or date.

Lines 30-34: accept a date and check to see if only numbers were typed in.

Line 36: defaults if something other than a number or space was typed.

Lines 38-42: ignore a space, add up the values of the numbers, and then jump to the reducing subroutine.

Lines 44-54: do the same as 30-42 for a name.

Lines 56-62: reducing subroutine to get values to one digit. Line 64: the default message if an invalid character was encountered.

Lines 66-70: wait for a key subroutine.

Line 72: prints the "vibrates to" message.

Line 74: reads through the data statements to find the set for the proper digit, then displays that set.

Lines 76-80: display the "hit a key" message, wait, and then restore the data and go back to the start.

Lines 82-154: data statements for the outcome.

The C-64 version is very similar, but since there is much more memory, it is amply remarked throughout the program. In addition, the data statements contain much more information about the numbers, and as an added feature, 34-38 were added to make the title page more interesting.

SEE PROGRAM LISTING ON PAGE 87

C-64 UTILITIES

COPY CLONE with Utilities Copy protected disks in 5 minutes or less. Works with over 80% of software. Will not damage disk drive. Over 20 utilities, including professional disk drive analysis

• 30 second formatting • sophisticated \$ disk editor . and much, much more.

Make your C-64 Grow!



"Who Needs IBM?"

POWER PLUS

Utility adds 40+ commands, doesn't use BASIC memory 100% machine.
 SCREEN DUMP to printer • UN-NEW MACHINE LANG. MONI-TOR . Adds BASIC commands AUTO LINE NO., RE-NUMBER, FIND,

CHANGE, DELETE, more.

14 ACTION GAMES

When you order both programs

MSD DUAL DRIVE ONLY \$550 plus \$10 p/h

Send check or money order (include \$2.00 postage & handling) CA residents add 6% sales tax to:

VISA MASTERCARD

EDUCOMP

2139 Newcastle Ave., Ste. A Cardiff, CA 92007

(619) 942-3838

HOT ACCOUNTS™

The most highly acclaimed bookkeeping system for the Commodore 64®



Superb!

An exceptional program that outshines all others.

RUN Magazine, Nov. 1984

HOT ACCOUNTS™ teaches you bookkeeping as it automatically performs dozens of full-service accounting functions. It is a complete system that will instantly organize your records and receipts and supply charts, formal statements, and budget information. Now your records can be accurate, up to date and confidential. . Tracks charge cards, checkbooks, all transactions . Requires no prior knowledge of accounting . Home or small business . Improves your financial image Cost less than 1 hour with a C.P.A.

HOT ACCOUNTS™ Bookkeeping System on Diskette

For RUSH delivery, send check or money order for \$64.95 to:

Computer Ed. Software 1002 Brookes Ave. W., Ste 100 San Diego, CA 92103


Credit card orders, call toll-free 1-800-621-0852 ext. 238

MASTERCARD

P.S. Use HOT ACCOUNTS™ to do your taxes and the price is tax deductible!

BONUS OFFER! Order before Apr 15th and receive a full featured, 60 function word processing & 3-D business graphics package as our FREE gift to you

FANTASTIC COMPUTER PRINTER SALE!!!



COM-STAR T/F

Tractor **Friction Printer**

- Lowest Priced, Best Quality, Tractor-Friction Printers in the U.S.A.
- Fast 80-120-160 Characters Per Second
 40, 46, 66, 80, 96, 132 Characters Per Line Spacing
 - Word Processing
 Print Labels, Letters, Graphs and Tables
 List Your Programs
- Print Out Data from Modem Services
 "The Most Important Accessory for Your Computer"

** DELUXE COMSTAR T/F 80 CPS Printer - \$169.00

This COMSTAR T/F (Tractor Friction) PRINTER is exceptionally versatile. It prints 8 11" standard size single sheet stationary or continuous feed computer paper. Bi-directional. impact dot matrix. 80 CPS, 224 characters (Centronics Parellel Interface).

Premium Quality 120-140 CPS 10X COM-STAR PLUS+ Printer \$234.00

The COM-STAR PLUS+ gives you all the features of the COMSTAR T/F PRINTER plus a 10" carriage, 120-140 CPS, 9 x 9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin settings, true lower decenders with super and subscripts. prints standard, italic, block graphics and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) (Better than Epson FX80). List \$499.00 SALE \$234.00

Premium Quality 120-140 CPS 151/2X COM-STAR PLUS+ Business Printer \$339.00

Has all the features of the 10" COM-STAR PLUS +PRINTER plus 151/2" carriage and more powerful electronics components to handle large ledger business forms! (Better than Epson FX 100). List \$599

SALE \$339.00

Superior Quality 10" COM-STAR+ H.S. HIGH SPEED 160-180 CPS **Business Printer \$359.00**

This Super High Speed Com-Star+ Business Printer has all the features of the 10" COM-STAR+ PRINTER with HIGH SPEED BUSINESS PRINTING 160-180 CPS, 100% duty cycle, 8K Buffer, diverse character fonts, special symbols and true decenders. vertical and horizontal tabs. A RED HOT BUSINESS PRINTER at an unbelievable low price (Serial or Centronics Parallel Interface) List \$699.00 Sale \$359.00

Superior Quality 151/2" COM-STAR PLUS+ H.S. High Speed 160 - 180 CPS **Business Printer \$459.00**

15 " Carriage and more powerful electronic components to handle larger ledger business forms! (Serial Centronics Parallel Interface) List \$799 SALE \$459

13" DAISY WHEEL PRINTER \$249.00

"JUKI" Superb letter quality daisy wheel printer, 13" extra large carriage, up to 12CPS bi-directional printing, drop-in cassette ribbon, (90 day warranty) centronics parallel or RS232 serial port built in! (Specify) List \$399.00 SALE \$249.00

Printer/Typewriter Combination \$299.00

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. machines in one-just a flick or the switch. extra large carriage, typewriter keyboard, automatic margin control and relocate key drop in cassette ribbon! (90 day warranty) centronics parallel and RS232 serial port built in (Specify) List \$\$499.00 SALE \$299.00

15 Day Free Trial - 1 Year Immediate Replacement Warranty

PARALLEL INTERFACES -

For VIC-20 and COM-64 - \$49.00 For Apple computers - \$79.00 Atari Interface - \$79.00

Add \$14.50 for shipping, handling and insurance. Illinois residents pleaseadd 6% tax. Add \$29.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders, Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA-MASTER CARD-We Ship COD to US Addresses Only

RPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order

Print Example:

COM-STAR PLUS+ ABCDEFGHIJKLMNOPORSTUVWXYZ ABCDEFGHIJKLMNOPGRSTUWIXYZ 1234567890

Pro

WE

NEW 128K - MEGA BYTE DUAL DISK DRIVE-80 COLUMN

COMPUTER SYSTEM SALE!

HOME • BUSINESS • WORD PROCESSING



LOOK AT ALL YOU GET FOR ONLY \$ 795.	LIST PRICE
1) B128 COMMODORE 128K 80 COLUMN COMPUTER	\$ 995.00
2) 4023 - 100 CPS - 80 COLUMN BIDIRECTIONAL PRINTER	499.00
3) 8050 DUAL DISK DRIVE (over 1 million bytes)	1795.00
12" HI RESOLUTION 80 COLUMN MONITOR	249.00
BOX OF 10 LORAN LIFETIME GUARANTEED DISKS	49.95
1100 SHEETS FANFOLD PAPER	19.95
ALL CABLES NEEDED FOR INTERFACING	102.05

TOTAL LIST PRICE \$3717.95

PLUS YOU CAN ORDER THESE BUSINESS PROGRAMS AT SALE PRICES

		LIST	SALE	SYSTEM		LIST	SALE
Programmers	Professional 80 Column			PRICE	Pavroll	\$149.95	\$99.00
Reference	Word Processor		\$99.00	\$49.00	Inventory	\$149.95	\$99.00
Guide	Professional Data Base			\$49.00	General Ledger	\$149.95	\$99.00
List \$29.95	Accounts Receivable	\$149.95			Financial Spread Sheet	\$149.95	\$99.00
Sale \$24.95	Accounts Payable	\$149.95			Order Entry	\$149.95	\$99.00

PRINTER REPLACEMENT OPTIONS

(replace the 4023 with the following at these sale prices)

		rio i	SMLE
1/2	Olympia Executive Letter Quality Printer	\$699.00	\$379.00
14	Comstar Hi-Speed 160 CPS 151/2" Business Printer	\$779.00	\$469.00
1	Telecommunications Deluxe Modem Package	\$199.00	\$139.00
ŵ	IEEE to Centronics Parallel Printer Interface	\$179.00	\$139.00

15 DAY FREE TRIAL. We give you 15 days to try out this SUPER SYSTEM PACKAGE!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!!
90 DAY IMMEDIATE REPLACEMENT WARRANTY. If any of the SUPER SYSTEM PACKAGE equipment or programs fail due to faulty workmanship or material we will replace it IMMEDIATELY at no charge!!

Add \$50.00 for shipping and handling!!

WE DO NOT EXPORT TO OTHER COUNTRIES


Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only.

Commodore

Tractor/Friction PRINTER

- Includes interface for Com 64 and VIC 20
- 80 columns
- 100 characters per second
- Friction and Tractor feed
- **Bi-directional**
- **Prints reverse characters**
- Intelligent (Internal ROM and RAM)
- **Programmable characters**
- Enhanced Formatting included (automatic \$ signs, tabbing, columns, etc.)

(FREE: Script 64 Word Processor List \$99.00)



ABCDEFGHIJKLMNOPQRSTUVWXYZ 1234567890-= abcdefghijklmnopqrstuvwxyz 1234567890-=

+!@#\$%f&*()-+@|---| | \ __|@_@| \XO@ |

The 4023 is a highly advanced 80 column professional tractor/friction printer with full graphics capabilities for custom reports, and program listings. You have 64 programmable characters to define as well as full column and formatting controls. The characters are beautifully created in an 8 X 8 dot matrix. The paper feed is smooth and error free and even includes a paper rack for easier paper storage. The ribbon can be replaced with ease (no mess, easily available cartridge) and will last through 1.2 million characters. You can use single sheet standard paper or continuous forms to make up to 3 copies at one time (3 part forms). This is the best printer value in the U.S.A. For Commodore Computers!

SPECIFICATIONS

PRINTING METHOD Serial Impact Dot Matrix PRINT RATE 100 characters per second (CPS) PRINT STYLE Correspondence Quality PRINT DIRECTION Bi-directional **COLUMN CAPACITY**

CHARACTER FONT

LINE SPACING Programmable

CHARACTER SIZE 0.094" high, 0.08" wide

3, including original

RIBBON TYPE Cartridge

RIBBON LIFE 1.2 million characters

RIBBON CARTRIDGE Commodore P N613160550

PAPER WIDTH 3" to 10" tractor or single sheet friction

FORMS

7.5 plus (0.5 X 2 sprocket margins) Pin-to-pin distance: .5" longitudinally 9.5" laterally 5 32" diameter

INTERFACE IEEE protocol

GRAPHICS 64 Programmable graphics

15 Day Free Trial - 90 Day Immediate Replacement Warranty

Add \$14.50 for shipping, handling, and insurance. Illinois residents please add 6% tax. Add \$29.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery. 2 to 7 days for phone orders, 1 day express mail! VISA-MASTER CARD-We Ship C.O.D. to U.S. Addresses Only

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

BOX 550, BARRINGTON, ILLINOIS 60010 Phone 312/382-5244 to order


End

14 (

DAISY WHEEL PRINTER SALE!

(Japanese Highest Quality Award Winner)





DELUXE LETTER QUALITY "DAISY WHEEL PRINTERS"

DELUXE COMPUTER PRINTER

List Price \$399 SALE \$249

- Superb "Daisy Wheel" Computer
- 100 Characters
- Bi-directional with special print enhancements-many type styles-
- Pitch 10, 12, 15 CPI Print Speed up to 12 CPS
- Print line width: 115, 138, 172 characters
- 13" Extra large carriage
- Drop in cassette ribbon
- (replacement \$8.95)
- Centronics parallel RS 232 Serial interface built in (specify)



DELUXE "COMBINATION" PRINTER/TYPEWRITER

List Price \$499 SALE \$299

- Superb Computer Business printer combined with world's finest electronic typewriter!
- Two machines in one-just a flick of the switch!
- Superb letter quality correspondence—home, office, word processing!
- 13" Extra large carriage
- Drop in cassette ribbonreplacement \$8.95
- Precision daisy wheel printing—many type styles! \$18.95 Pitch selector-10, 12, 15 CPS,
- Automatic relocate key!
- Automatic margin control and setting! Key in buffer!
- Centronics parallel or RS 232 Serial interface built-in (specify)

15 Day Free Trial - 90 Day Immediate Replacement Warranty

COMMODORE 64 COMPUTER INTERFACE ONLY \$49.00

- ATARIINTERFACE \$79.00

ADD \$10.00 for shipping and handling!!

ull

ole

ire nd se

an

(3

15

nally

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. VISA - MASTER CARD ACCEPTED. We ship C.O.D.

ERPRIZES (WELOVE OUR CUSTOMERS)

COMMODORE 64

(with \$12.95 Bonus Pack Purchase)

\$175⁰⁰*

- 170K Disk Drive \$199.00
- Tractor Friction Printer \$169.00 *
- 13" Hi-Res Color Monitor \$199.00 *

*less coupon discount

* COMMODORE 64 COMPUTER \$ 175.00

ou pay only \$175.00 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices! With only \$100 of savings applied your net computer cost is \$75.00!!

* 170K DISK DRIVE \$199.00

You pay only \$199.00 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE COUPON we pack with your disk drive that allows you to SAVE OVER \$100 off software sale prices!! With only \$500 of savings applied, your net disk drive cost is

* 80 COLUMN 80CPS **TRACTION FRICTION PRINTER \$169.00**

You pay only \$169.00 when you order the Comstar T/F deluxe line printer that prints 8½x11 full size, single sheet, roll or fan fold paper, labels etc. Impact dot matrix, bidirectional, LESS the value of the SPECIAL SOFTWARE COUPON we pack with your printer that allows you to SAVE OVER \$100 off software sale prices!! With only \$500 of saving applied your net printer cost is only \$69.00

★ 13" HI-RES COLOR MONITOR \$199.00

You pay only \$199 when your order this 13" COLOR MONITOR with sharper and clearer resolution than any monitors we have tested! LESS value of the SPECIAL DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices With only \$100 of savings applied, your net color monitor cost is only \$99.00. (16 colors).

80 COLUMN BOARD \$99.00

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander! Can use with most existing

80 COLUMNS IN COLOR

EXECUTIVE WORD PROCESSOR \$39.00

EXECUTIVE WORD PROCESSOR is the finest available for the COMMODORE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing DISPLAYS 40 or 80 COLUMNS IN COLOR or Black and White! Simple to operate, powerful text editing with 250 WORD DICTIONARY, complete cursor and insert/delete controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! Includes a powerful mail merge

List 99.00 SALE \$39.00 Coupon \$29.95

COMPUTER AND SOFTWARE SALE

WE HAVE THE BEST SERVICE

WE HAVE THE LOWEST **PRICES**

SUPER AUTO DIAL MODEM

(Best communications package in USA)

- Computer Learning Pad \$39.95
- New Voice Synthesizer \$59.00
- 12" Green or Amber Monitor \$79.00

(1

•B

· A

A

12

12

Add

pleas order

Encl

days

Cana

а

• 13" Daisy Wheel Printer \$249.00

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER DISK DRIVE-PRINTER-MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples) PROFESSIONAL SOFTWARE **COMMODORE 64**

Name	List	Sale	Coupon
Executive Word Processor	\$99.00	\$39.00	\$29.95
Executive Data Base	\$69.00	\$24.95	\$19.95
20,000 Word Dictionary	\$24.95	\$14.95	\$10.00
Electronic Spread Sheet	\$59.95	\$49.00	\$39.00
Accounting Pack	\$49.00	\$39.00	\$29.00
Practicalc	\$59.95	\$34.95	\$29.95
Programmers Reference			
Guide	\$20.95	\$16.95	\$12.50
Programmers Helper			
(Disk)	\$59.95	\$39.95	\$29.95
80 Column Screen (Disk)	\$59.95	\$39.95	\$29.95
Flip & File Disc Filer	\$39.95	\$16.95	\$14.95
Deluxe Tape Cassette	\$89.00	\$39.00	\$29.95
Pro Joy Stick	\$24.95	\$15.95	\$12.00
Light Pen	\$39.95	\$14.95	\$9.95
Dust cover	\$8.95	\$6.95	\$4.60
Pogo Joe	\$29.95	\$19.95	\$16.95
Pitstop II - Epyx	\$39.95	\$29.95	\$26.00
		'Plus	One FREE
Music Calc	\$59.95	\$39.95	\$34.95
Filewriter	\$59.95	\$39.95	\$34.95

(See over 100 coupon items in our catalog)

Write or call for Sample SPECIAL SOFTWARE COUPON!

SUPER AUTO DIAL MODEM \$79.00

and you're ready to transmit and receive messages Easier to use than dialing your telephone just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. List \$129.00 SALE \$79.00.

NEW COMPUTER LEARNING PAD \$39.95

graphics tablet obsolete. This new TECH SCETCH LEARNING PAD allows you to draw on your T V or Monitor and then you can print whatever you draw on the screen on your printers. FANTASTIC!!! List \$79.95 SALE \$39.95

NEW VOICE SYNTHESIZER \$59.00

For Com-64 or VIC-20 computers. Just plug it in and your can program words and sentences, adjust volume and pitch, make talking adventure games games and customized talkies!" FOR ONLY \$19.95 you can add TEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND AARDVARK ADVENTURE GAMES!! (Disk or tape).

12" GREEN OR AMBER MONITOR \$79.00

Your choice of green or amber monitor, top quality, 80 columns x 24 lines, easy to read anti glare, PLUS \$9.95 for connecting cable commodore 64 or Vic 20

13" DAISY WHEEL PRINTER \$249.00

"JUKI" Superb letter quality daisy wheel printer, 13" extra large carriage, up to 12 CPS bi-directional printing. drop in cassette ribbon, centronics parallel or R232 serial port built in! (specify)

List \$399.00 SALE \$249.00

COM-64 4 SLOT EXPANSION BOARD \$29.95

Easy to use, switch selectable, reset button and LED saves your computer and cartridges. List \$79.00 Sale \$29.95

FLOPPY DISK SALE 98¢

Lowest prices in the U.S.A.!! Single sided single density, with hub rings, quality guaranteed! (100 bulkpack 98¢ ea.) (Box of 10 \$12.00)

PHONE ORDERS

8AM - 8PM Weekdays 9AM - 12N Saturdays

EXECUTIVE QUALITY PROFESSIONAL BUSINESS SOFTWARE

The Cadillac of Business Programs for Commodore 64 Computers

SALE Inventory Management Accounts Receivable Accounts Payable \$99.00 \$99.00 \$99.00 \$29.00 Payroll \$29.95 General Ledger

 LOWEST PRICES
 15 DAY FREE TRIAL
 90 DAY FREE REPLACEMENT WARRANTY • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check, Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! VISA - MASTER CARD - C.O.D.

PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

COLOR MONITOR SALE!!!

(Lowest price in USA)

SA)

.00

- Built in speaker and audio
- Front Panel Controls
- For Video Recorders
- For Small Business/ Computers
- Apple-Commodore Atari-Franklin-etc.



13" Color Computer Monitor



- Beautiful Color Contrast
- High Resolution
- Separated Video
- Sharp Clear Text
- Anti Glare Screen
- 40 Columns x 24 lines
- Supports 80 Columns
- •List \$399

SALE \$199

15 Day Free Trial - 90 Day Immediate Replacement Warranty

12" XTRON SUPER HI-RESOLUTION "SWIVEL BASE" MONITOR List \$249 SALE \$119

80 Columns x 24 lines, Super Hi-Resolution 1000 lines Green or Amber super-clear "Easy to Read" text with special anti-glare screen!

12" JENITH HI-RESOLUTION GREEN OR AMBER TEXT DISPLAY

MONITOR

List \$199

SALE \$99

80 Columns x 24 lines, Hi-Resolution-crisp clear easy to read text with anti-glare screen! A MUST for word processing.

12" MONITOR GREEN OR AMBER TEXT

80 Columns x 24 lines, easy to read up front controls

List \$159

SALE \$79.95

• LOWEST PRICES • 15 DAY FREE TRIAL • 90 DAY FREE REPLACEMENT WARRANTY
• BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL • OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII orders. WE DO NOT EXPORT TO OTHER COUNTRIES.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail! Canada orders must be in U.S. dollars. Visa - MasterCard - C.O.D.

PROTECTO

ENTERPRIZES (WE LOVE OUR CUSTOMERS)

from ztec

axxon

February Specials from Universal

COMMODORE 64 TITLE ACCESS	COST
The Scrolls of Abadon (D)	\$27.95
Beach Head (D or T)	27.95
Raid Over Moscow (D) ARTIFICIAL INTELLIGENCE	28.95
Eliza (D) BARRONS	35.95
Computer SAT (D) BATTERIES INCLUDED	63.95
The Consultant (D)	73.95
Paper Clip Spell Pack (D)	85.95
Buscard II (D)	149.95
Buscard II (D) Buscard 80 Column Display BLUE CHIP	
Barron (D)	37.95
Millionaire (D) BLUE SKY	37.95
The Last One (D) BRODERBUND	73.95
Operation Whirlwind (D)	27.95
Raid on Bungeling Bay (D) CBS	23.95
Coast-to-Coast America (D)	39.95
Movie Musical Madness (D)	23.95
Murder by the Dozen (D) CITY SOFTWARE	27.95
Doodle (D) CONTINENTAL SOFTWARE	29.95
The Home Accountant (D) CREATIVE SOFTWARE	49.95
Dragon Hawk (D)	21.95
Easy Disk (D) I AM the 64 Vol. 1-3 (D)	21.95
I AM the 64 Vol. 4-6 (D)	
Both for CSM	23.95
Disk Drive Alignment Kit (D)	30.95
Mathematics (D)	39.95
English/Spanish (D)	39.95
Science (D) DATAMOST	39.95
Aztec (D)	29.95
Aztec (D) Kwick Load (D) NEW! DATASOFT	15.95
Bruce Lee (D)	27.95
Dallas Quest (D) ELECTRONIC ARTS	27.95
Archon II (D)	29.95
Seven Cities of Gold (D) Relms of the Impossible (D)	29.95 29.95
EPYX	00.05
Robots of Dawn (D)	29.95
Temple of Apshai (D)	27.95 27.95
Dragon Riders of Pern (D)	27.95
Summer Games (D) (Great)	27.95
World's Greatest Baseball Games	27.95

TITLE	COST
	0001
FISHER PRICE Number Tumbler (C)	\$19.95
Sea Speller (C)	19.95
FUTUREHOUSE	15,50
Complete Personal	
Accountant (D)	51.95
HAYDEN	000
Sargon II (D) (Chess)	15.95
Sargon III (D) (Chess)	39.95
HES	
Multiplan (D)	63.95
Omni Writer & Speller (D)	47.95
Minnesota Fats' Pool	00.05
Challenge (C)	23.95 27.95
HES Games (D) INFOCOM	27.95
Infidel (D)	35.95
Enchanter (D)	35.95
Witness (D)	35.95
Planetfall (D)	35 95
Sea Stalker (D)	35.95 29.95
Sorcerer (D)	35 95
INFODESIGNS	00.00
	59.95
Accts Rec / Billing (D) Accts Pay / Checkwriting (D)	59.95
General Ledger (D)	59.95
Inventory Management (D)	59.95
Payroll (D)	59 95
KOALA	199 90
Koala Pad w/Micro Illus (D)	69.95
Koala Pad w/Micro Illus (C)	77.95
MICRO LABS	27.05
Death in the Caribean (D) The Heist (D)	27 95 27 95
MICROPROSE	27.90
Spitfire Ace (D)	23.95
F-15 Strike Eagle (T)	27.95
ODESTA	21.00
Chess 7 0 (D)	49.95
How About A Nice Game of	
Chess? (D)	23.95
ORBYTE	
Stock Analizer (D)	47 95
ORIGIN	
Ultima III (D)	41.95
PRACTICORP	40.00
PractiCalc 64 (D) PRECISION SOFTWARE	43.95
Superbase 64 (D)	69.95
PROFESSIONAL SOFTWARE	03.33
Trivia Fever (D)	29.95
Trivia Fever (D) Word Pro 3 Plus Spell (D)	63.95
QUINSEPT	
Family Roots (D)	148 00
SCARBOURGH	
Net Worth (D)	63.95
Master Type (D)	27.95
SCREENPLAY	
Pogo Joe (D)	19.95
Ken Uston's Prof.	10.00
Blackjack (D)	49.95
	ALTERNATION OF THE PARTY OF THE

SIMON & SCHUSTER yping Tutor III (D) OFTLAW (J. P. Terminal Library (D) PINNAKER In Search of The Most Amazing Thing (D) rains (D) TRATEGIC SIMULATIONS Stattle for Normandy (D)	41 95 39 95 47 95 27 95 1NC. 27 95	TOTL Home Accounting (D) Totl Text 2.6 (D) Totl Label (D) Time Manager (D) Research Assistant (D) Totl Business (D) Totl Speller (D) InfoMaster (D) TRILLIUM Amazon (D) Dragonworld (D) Fahrenheit 451 Rendezvous with Rama (D)	38.95 21.95 33.95 33.95 79.95 27.95 37.95 25.95 25.95 25.95
Ultima II (D) IMON & SCHUSTER LYPING Tutor III (D) OFTLAW LIP. Terminal Library (D) PINNAKER IN Search of The Most Amazing Thing (D) Trains (D) STRATEGIC SIMULATIONS	41 95 39 95 47 95 27 95 1NC. 27 95	Research Assistant (D) Totl Business (D) Totl Speller (D) InfoMaster (D) TRILLIUM Amazon (D) Dragonworld (D) Fahrenheit 451	38.95 21.95 33.95 33.95 79.95 27.95 37.95 25.95 25.95 25.95
Ultima II (D) IMON & SCHUSTER LYPING Tutor III (D) OFTLAW LIP. Terminal Library (D) PINNAKER IN Search of The Most Amazing Thing (D) Trains (D) STRATEGIC SIMULATIONS	41 95 39 95 47 95 27 95 1NC. 27 95	Research Assistant (D) Totl Business (D) Totl Speller (D) InfoMaster (D) TRILLIUM Amazon (D) Dragonworld (D) Fahrenheit 451	21.95 33.95 33.95 79.95 27.95 37.95 25.95 25.95 25.95
yping Tutor III (D) OFTLAW (I. P. Terminal Library (D) PINNAKER In Search of The Most Amazing Thing (D) rains (D) TRATEGIC SIMULATIONS Stattle for Normandy (D)	47.95 27.95 27.95 INC.	Research Assistant (D) Totl Business (D) Totl Speller (D) InfoMaster (D) TRILLIUM Amazon (D) Dragonworld (D) Fahrenheit 451	33.95 33.95 79.95 27.95 37.95 25.95 25.95 25.95
OFTLAW (1. P. Terminal Library (D) SPINNAKER IN Search of The Most Amazing Thing (D) Trains (D) TRATEGIC SIMULATIONS Stattle for Normandy (D)	47.95 27.95 27.95 INC.	Research Assistant (D) Totl Business (D) Totl Speller (D) InfoMaster (D) TRILLIUM Amazon (D) Dragonworld (D) Fahrenheit 451	33.95 79.95 27.95 37.95 25.95 25.95 25.95
P. Terminal Library (D) PINNAKER In Search of The Most Amazing Thing (D) Frains (D) FRATEGIC SIMULATIONS Stattle for Normandy (D)	27.95 27.95 INC.	Amazon (D) Dragonworld (D) Fahrenheit 451	25.95 25.95 25.95
PINNAKER n Search of The Most Amazing Thing (D) rains (D) STRATEGIC SIMULATIONS Stattle for Normandy (D)	27.95 27.95 INC.	Amazon (D) Dragonworld (D) Fahrenheit 451	25.95 25.95 25.95
n Search of The Most Amazing Thing (D) rains (D) STRATEGIC SIMULATIONS	27.95 INC. 27.95	Amazon (D) Dragonworld (D) Fahrenheit 451	25.95 25.95 25.95
Amazing Thing (D) rains (D) TRATEGIC SIMULATIONS sattle for Normandy (D)	27.95 INC. 27.95	Amazon (D) Dragonworld (D) Fahrenheit 451	25.95 25.95 25.95
rains (D) TRATEGIC SIMULATIONS Battle for Normandy (D)	27.95 INC. 27.95	Amazon (D) Dragonworld (D) Fahrenheit 451	25.95 25.95 25.95
rains (D) TRATEGIC SIMULATIONS Battle for Normandy (D)	INC. 27 95	Amazon (D) Dragonworld (D) Fahrenheit 451	25.95 25.95 25.95
Sattle for Normandy (D)	INC. 27 95	Dragonworld (D) Fahrenheit 451 Rendezyous with Rama (D)	25.95 25.95
attle for Normandy (D)	27.95 27.95 43.95	Fahrenheit 451 Rendezvous with Rama (D)	25.95
	27.95 43.95	Rendezvous with Rama (D)	
O Mission Crush (D)	43.95		25.95
arrier Force (D)		Shadowkeep (D)	25.95
ro TourGolf (D)	29.95		
O Mission Crush (D) Carrier Force (D) Pro TourGolf (D) Duestron (D)	27.95	Music Calc I (D)	39.95
igers in the Snow (D)	27.95	Music Calc II (D)	27.95
ÜBLOGIC		Music Calc III (D)	27.95
light Mission Pinball (T/D)	23.95	Music Calc I (D) Music Calc II (D) Music Calc II (D) Music Calc III (D) Music Calc Template I (D) Music Calc Template II (D)	19.95
light Simulator II (D)	37.95	Music Calc Template II (D)	19 95
		Music Calc Template Pro (D)	120.00
llue Max (T/D)	27.95	WINDHAM CLASSICS	120100
haroah's Curse (T)	27.95	Below the Root (D)	21.00
ecromancer (D)	27.95	Below the Root (D) Gulliver's Travels (D)	21.00
hamus (T/D)	27.95	Swiss Family Robinson (D)	21.00
Sentinal (D)	27.95	The Wizard of Oz (D)	21.00
axxon (D/T)	27.95	The Wildia of GE (D)	21,00
SYNAPSE Blue Max (T/D) Pharoah's Curse (T) Recromancer (D) Rhamus (T/D) Rentinal (D) Raxxon (D/T) RMEWORKS	21,00		
Cave of the Word Wizard		HARDWARE	
(D) (Talks!)	27.95	Condeniat C	68.95
	18.95	Cardboard 5 Slot Write Now (C) Westridge Modem	56.95
velyn Wood's Dynamic		Write Now (C)	39 95
	55.95	Westridge Modem	79.95
Reader (D) Data Manager II (D) Vord Writer (D)	39.95	Mitey Mo Modem	79.95
Vord Writer (D)	39.95	Mitey Mo Modem Cardprint B	47.95
)=Disk T=Tape (or o	cassette)	C = Cartridge	
as the other life and a second		ey orders, or use your Master or	Vina Corr

Personal or company checks require two to three weeks to clear. All prices are subject to change without notice. SHIPPING CHARGES...U.S. orders please add \$2.00 (for 1-100 pcs.) For C.O.D. add \$4.00 CANADIAN ORDERS: \$5.00. ALL OTHER COUNTRIES: 15% of total sale, Air Mail only. ALL ORDERS OVER \$100.00 MUST BE INSURED @ .85° per \$100.00. Customer must pay all duty taxes.

Hours: Monday thru Saturday 8:00 to 10:00 Eastern Time.





usii esp

for

sel

ted

Co loo

you

sho rea

wil

dri ter

Us Blo wit cep

put rea I sh The

eri

mo

the

pui

Ma

bas a d



SOFTWARE

The Best Software for Less P.O. Box 955 Claremont, N.H. 03743

Reader Service No. 236

TSICCEISI TSEERLISI

Whats DOS?

USING AND UNDERSTANDING THE COMMODORE DISK OPERATING SYSTEM By Dale Rupert

here was a sense of excitement and, no doubt, some apprehension as you connected your Commodore 1541 disk drive for the first time. Plugging in the cable and the power cord was easy enough. No problems turning it on. Maybe even using it for the first time was not much of a challenge, especially if you had a store-bought software package with step-by-step instructions on the cover.

But how about the first time you tried (and repeatedly failed) to save one of your own programs on that unformatted diskette fresh out of the box? Has your heart fully recovered from the time you heard the raucous, self-destruct sounds from the disk drive as you formatted your first disk?

This month we will investigate the capabilities of the Commodore 1541 Disk Operating System. We will also look at the DOS Support Program ("The Wedge"). If you have just begun using the disk drive, this article should help you get off to a good start. If you are already successfully using your disk system, perhaps you will learn a trick or two that you hadn't considered.

The most difficult aspect of learning to use the disk drive is certainly the Commodore P/N 1540031-02, better known as the VIC-1541 Single Drive Floppy Disk User's Manual. It is incredible that a discussion of the Block Availability Map (BAM) and pattern matching with Wild Cards should precede even a hint of the concept of formatting a blank disk before attempting to store a program.

Even though I had used floppy disks on other computers for years, I wasn't sure after several moments of reading, rereading, and contemplation whether or not I should remove my first disk from the Commodore drive. The *User's Manual* clearly warned me on page 8 to "Never remove the diskette when the green drive light is on! Data can be destroyed by the drive at this time!" Common sense got the better of me, and I did eventually remove the diskette. Certainly the manual is referring to the red light, not the green one.

Those are enough complaints about the manual. One purpose of this article is to help remedy the *Disk User Manual's* shortcomings. First let's look at some of the basics of disk usage. Then we'll delve further into what a disk operating system is.

GETTING STARTED

Commercially produced software on disks usually has instructions for loading and running the programs. Let's see what it takes to use the disk drive for your own programs. A new disk fresh out of the box must first be "formatted" before it can be used to store information. Some computers require that only special factory-formatted disks be used. Fortunately for our pocketbooks, the Commodore uses "soft-sectored" mini-floppies which we format ourselves. They are readily available from many sources and are much more affordable than pre-formatted disks.

Formatting divides the disk into various regions by putting magnetic markers onto it. These markers allow the computer to keep a record of where the various programs on the disk may be stored so that it can easily locate them later. To format a blank disk, simply insert it into the drive. Then type the following sequence which tells the drive what to do:

OPEN 15,8,15,"NEWO:diskname,ID"

"Diskname" is an arbitrary name up to 16 characters in length. It is displayed whenever you request a directory listing of the disk. The "ID" is a two-character sequence which is written to each sector on the disk. The sectors are the partitions into which the disk is divided during this formatting process. The computer knows whether or not you have swapped disks since the last disk access only by reading the sector ID bytes. You should use different ID's on each of your disks for that reason.

Keep in mind that executing this NEW disk command will format a blank disk. It will also erase and reformat any other disk. Any information on the disk before formatting is lost. So be certain the disk in the drive is the correct one.

Once a disk is formatted, programs may be stored and retrieved using the following commands:

SAVE "progname", 8

and

LOAD "progname",8

The "progname" is the name you assign to the program when you save it. It may be up to 16 characters in length. The "8" is the standard device number for the 1541 disk drive. The computer would attempt to access the cassette port if the "8" were not included.

So far, except for the formatting procedure, using the disk drive is not significantly different from using a cassette. Of course, the speed and flexibility of the disk system provide significant advantages over tapes.

Before we go any further, let's look at the biggest help in using the Disk Operating System. It is a program contained on the 1541 Test/Demo disk. Officially it is called the *DOS Manager V5.1*, but it is usually referred to as "The Wedge."

THE WEDGE

The Wedge is a machine language program which is loaded into the computer's memory from the disk. It provides a set of shorthand commands to replace the unwieldy sequence of keystrokes otherwise needed to communicate with the disk drive. For example, the formatting command sequence discussed above is reduced to this once the Wedge has been installed:

@N:diskname,ID

To save a program to the disk, we need only enter:

[left arrow] progname

where [left arrow] is the key in the upper left corner of the keyboard. Loading a program is equally easy using this sequence:

/ progname

Notice that neither quotation marks nor the device number (8) are needed.

Installing the Wedge is quite straightforward. The 1541 Test/Demo disk includes two BASIC programs, "C-64 Wedge" and "VIC 20 Wedge," which do all that's necessary. The most obvious way to load the Wedge is this:

LOAD "C-64 WEDGE",8 : RUN

or

LOAD "VIC 20 WEDGE",8 : RUN

These BASIC programs put the Wedge into memory. If you list the C-64 version before you run it, you will see that it includes the instruction:

LOAD "DOS 5.1" , 8 , 1

DOS 5.1 is the name of the Wedge, not the name of the disk operating system. (We will see later that the disk operating system is permanently stored in ROM in

the disk drive.) The "1" following the "8" in the instruction above tells the computer that the program to be loaded is a machine language routine, not a BASIC program. The computer then puts this routine into its original location in memory rather than into the normal BASIC program storage area.

Because *DOS 5.1* is loaded with the "1" option, the computer jumps back to the first statement in the loading program. Try this little program on the C-64 with the *1541 Test/Demo* in the drive:

10 PRINT A: A = A + 1 20 LOAD "DOS 5.1", 8, 1

The program loads the Wedge into memory, then returns to the start of the program. This sequence is repeated until you press the RUN/STOP key. You should be able to figure out the reason for the IF-THEN statements in the original Wedge loader program.

Line 10 of the original *C-64 Wedge* program sets A to 1 and loads the Wedge. Program execution returns to line 10 which is now skipped, since A equals 1. Line 20 executes a SYS 52224 which is the starting location of the Wedge.

From this you should see that you can easily create your own *Wedge Loader* program. The first program I load after powering up the C-64 starts with the first two lines of the original *C-64 Wedge* program. Then I include statements which set up the colors on the display, define the printer parameters, and enable repeating keys. This program is saved with the program name "W" so that all I have to do to run it is type:

LOAD "W",8 : RUN

The program is listed below. You may easily change any of the statements to suit your needs. You may add any other statements as well.

5 REM >>> FILENAME = W <<<

6 REM MODIFIED WEDGE AND INITIALIZATION

9 REM --- NORMAL WEDGE ---

10 IFA=0 THEN A=1:LOAD"DOS 5.1",8,1

20 IFA=1 THEN SYS12*4096+12*256

30 REM --- INITIALIZATION ---

40 POKE53280,11:POKE53281,12

:REM BORDER AND BACKGROUND COLORS

50 PRINT CHR\$(151):REM GRAY1 LETTERS

60 POKE 650,128 : REM REPEATING KEYS

100 REM - SET UP MX-80 PRINTER -

110 OPEN 222,4

120 PRINT#222, CHR\$(27)"Q"CHR\$(40):

CLOSE 222 : REM 40 CHARACTERS PER LINE

200 NEW

The POKE value and address to create a repeat function on all keys are listed in the *C-64 Programmer's Reference Guide* on page 317. Evidently the speed and initial

UNIQUE HARDWARE For Your Commodore or Vic

Commodore or Vic Color Problems?

We Can Solve Them All. You're not alone. Thousands of Commodore 64 owners have "fuzzy" color on their TVs. Most have interference lines crowding out their great graphics. Many have bought expensive monitors or new TVs, and often even that hasn't helped. But most of us just lived with the problem. Now the engineers at Bytes & Pieces have four simple, inexpensive solutions.

If you have an "old 64" (with the 5 pin Monitor Din Plug), you've probably had color, resolution and interference problems. We can solve them!

The Interference Stopper...For Vic 20 and Commodore 64 A new kit that installs in minutes with two simple solder connections. Best results when combined with #2. 3, or 4 below. Absolutely stops 90% of the RF interference on your screen.

The NEW Color Sharpener CABLE... Use if your "old 64" is hooked up to a monitor. A new 2 prong cable, with the Color Sharpener built in. All the benefits of #2, on your monitor. **\$24.95** The Color Sharpener...Use if your "old 64" is hooked up to a TV. Just plug into the monitor plug, and the color and contrast immediately improve. Dramatically, Crisp letters. S18.95 Great graphics

The Monitor "Improver"...li you have a Commodore 1701 monitor, this cable (3 prong) gives you a picture you won't believe. Better than the cab Commodore built by a lot. Try it, you won't be disappointed (Also hooks your "Old 64" to the 1702) \$24.95

Reset Switches

At last, the "needed" switch for all Vic-20's and Commodore 64's. Commodore left out something that's really important . . . a simple reset switch. How many times have you been programming and gotten "hung-up" in your software? The only way to get back in control is to turn off the computer and lose your program and everything you had entered so far. Well, the engineers at Bytes & Pieces have solved that one too...with your choice of 3 reset switches. They are time savers and guaranteed to return control to you every time. Of course, you're guaranteed to be satisfied.

Version 1—Install it Yourself. Now installing

Dust problems? We've got the answer! There are a lot of cheap dust covers on the market most of them made from static-filled plastic But there are some of us who think a lot of our Commodores. We want to protect them and have them look nice at the same time! That's why Bytes & Pieces built the best looking dust covers on the market. They're hand-sewn from leather-like naugahyde in a brown leather-grain pattern. They're custom built to tit your

this does require you to open your computer, make two simple solder connections and drill a small hole in the case (to mount the switch). Obviously, this connection will void your warranty, so don't proceed until your computer is out of warranty. But the day that happens, install

A steal at \$9.95 the reset switch. Version 2. A special buffered flow-thru ver-

sion, that plugs into your serial port, but gives a "Y" connection that provides your computer with another serial port and the reset switch. The ultimate in versatility, convenience and simple installation. No soldering, of course

Introductory Priced at \$19.95

Commodore 64 and here's the best news of all You can get matching covers for your disk drives and your cassette unit as well You made a big investment in your Commodore, spend a few more dollars and protect it from damaging dust for life. Your satisfaction is guaranteed

Computer dust dust dust covers covers

\$9.95

\$8.95

Dataset dust \$7.95

Why Blank "Cheat" Sheets?



Because They're Better Blank

O.K. So now you've got the best computer in the world and lots of complex software to run on it. One problem. Unless you work with some of these programs everyday or are a computer genius, who can keep all those commands straight? "F5" in one program means one thing, and "F5" in another program means something else

2 Packs (24 Sheets) @ \$24.95

A few companies do offer a solution a die cut "cheat" sheet that attaches to your keyboard with all the commands of one program printed on it. Great idea, unless you need them for 10 or 20 programs. You could purchase another disk drive for the same investment Our solution? Simple. A pack of 12 lined cards, die cut to fit your keyboard and just waiting to be filled with those problem commands **you** forget most often. Simple? Yes, but effective. Now you can have all your program commands right at your tinger tips on YOUR VERY OWN, custom designed "cheat" sheets Order a couple packs today!

12 for \$15.95

Is Your Commodore



Most of them are, you know. Com-modore makes a great disk drive. Only trouble is, they suffer from read and write trouble is, they suiter from read and while problems frequently. And almost always, it means a trip to the shop for a head alignment. Maybe you can afford to have your drive out of commission for a while. And to pay to have your drive repaired. But we've been told that most of these problems occur because the drive has overheaded, throwing the head out of alignment because of parts. head out of alignment because of parts expansion.

The engineers of Bytes & Pieces pondered this problem, and came up with a simple solution. An inexpensive muffin fan that sits on top of the disk drive and blows cooling air through it. No more hot and bothered drives. No more heat-caused read/write problems. A simple, inexpensive solution. And best of all, the fan will work on other computer items as well, as long as they have vent holes in the top. Just set the padded fan on top and your problems with overheating are over.

And we went one step further. We built a surge protector into a second fan model. Most double-outlet surge protec-tors sell for more than the cost of our fan and surge protectors put together.

So order today. You won't be sorry. Satisfaction guaranteed or your money back.

Muttin fan \$54.95

surge protector \$79.95

Special! **6 Outlet Surge Protector**

Protect your computer, monitor, TV, VCR, etc. with the 6 protected outlet surge protector. On/off switch, reset fuse, and more

> \$39.95 A Special Value!

Order Today!---

	Rush me the following:		-010
Qty.	Item	Amount	Qty. Item
_	Commodore 64 Interference Stopper @\$15.95	5	Muffin Fons
	Vic-2O Interference Stopper @ \$15.95	\$	Muttin Fan
_	Surge Protector @ \$39.95	\$	Muttin Fan
_	Color Sharpener @\$18.95	\$	
_	NEW Color Sharpener Cable @\$24.95	5	
_	The Monitor Improver \$24.95	\$	Shipping & Handlin
_	The Reset Switch @ \$9.95	\$	Sub Total 5% State Tax (Wisco
	Reset Switch @ \$19.95	\$	
Dust C	OVEIS		
_	Commodore Dust Cover @ \$9.95	\$	
_	Vic-2O Dust Cover @ \$9.95	\$	Rizios
_	1541 Disk Dust Cover @\$8.95	\$	Bytes 550
	Dataset Dust Cover @ \$795	\$	
Cheat :	Sheets		Wan
_	Sets of 12 Keyboard Cheat Sheets @ \$15.95	\$	

QIY.	Item		Amour
Muttin	Forus		
	Muttin Fans @ \$54.95		\$
_	Muttin Fans with Surge Protector @	\$79.95	\$
Shippu	ng & Handling		5 200
Sub To	tal		5
5% Stat	e Tax (Wisconsin Residents only)		5
		TOTAL	\$

Bytes & Pieces,	Inc
Dyles of Fleces,	TIC.
550 N. 68th Street,	

uwatosa, WI 53213

(414) 257-1214

Dealer Inquiries Invited

	_
Charge to my VISA or MasterCard	
VISA #	_
MasterCard *	
Inner Bank #	_
Expiration Date	_
Signature	
SHIP TO	
Name	_
Address	
City	_

State/Zip

delay of the repeat is controllable with the values in locations 651 and 652. The default values are satisfactory for my purposes. You might experiment with others.

The following table summarizes the commands provided by the Wedge:

Wedge Command	Direct Mode BASIC Equivalent
/ filename % filename [up arrow] filename [left arrow] filename	LOAD "filename".8 (normal prgm LOAD "filename".8.1 (M.L. prgm LOAD "filename".8 : RUN SAVE "filename".8
[left arrow] @0:filename @ or > @\$ or > \$ @C:newfile = oldfile @1 @N:diskname,ID	SAVE "@0:filename".8 (resave, same name -none- (display error channel -none- (display directory "PRINT#15,"C:newfile = oldfile" (Copy "PRINT#15."I" (Initialize "PRINT#15."N:diskname.ID" (format
@QQ @R:newname = oldname @S:filename @Ul @V	*PRINT#15,"0" (Quit Wedge *PRINT#15,"R:newname = oldname" (Rename *PRINT#15."S:filename" (Scratch *PRINT#15."U" (reset DOS *PRINT#15."U" (Validate

Notice for the commands in this table that the "@" and ">" may be used interchangeably.

ment such as OPEN 15.8,15 and that it will be followed by the statement CLOSE 15.

There are probably only two reasons not to use the Wedge. One is that it may interfere with another program which must be loaded into the same memory locations. (The Wedge resides from locations 52224 to 53082; hexadecimal \$C0C0 to \$CF5A.) The other reason is that the cassette system does not work properly when the Wedge is in operation. If another program is loaded over the Wedge, the only way to reinstall the Wedge is to reload it.

If you wish to temporarily disable the Wedge so that you may use the cassette system, simply execute the "@Q" or ">Q" command. As long as the program doesn't get overwritten, you may restart the Wedge by typing SYS 52224. Pressing RUN/STOP-RESTORE does not affect the Wedge.

Since the Wedge is a machine language program, it may not be loaded and saved the same way a BASIC program is. One way to transfer the Wedge to other diskettes is to use a monitor program. First load the monitor, then use it to load the Wedge. Finally, put the new disk in the drive and save the Wedge. Generally the monitor requires that you specify a filename and a range of memory which is to be saved onto the new disk. We will see another way to copy the Wedge or any other machine language program in a future column.

The Wedge commands @C, @UI, and @V are probably the least-used. @C allows you to join several files into one, but that is generally not of value. @V must be used with caution. It attempts to reconstruct the pieces of a disk which have been corrupted. A runaway program or a failure to properly close a file are two ways that a disk might become corrupted.

Rather than use @V to fix up a messed-up disk, a safer procedure would be to first copy as many of the important files as possible to another disk, one at a time. Then use @V. It may not save the files which were dam-

aged, but you won't lose any others either. The 1541 User's Manual warns never to use @V on disks containing random files. Heed the advice.

A possible use for the @UI command is to try to reset the disk drive. Normally if a disk error occurs, the red light on the drive flashes. To turn it off, the best procedure is to simply type @, thereby displaying the error number, error message, and the track and sector where the error occurred. If the @ command failed to work (it never has for me), perhaps the @UI could be tried. This command causes a jump to the Non-Maskable Interrupt vector in the 1541.

One use of the @UI command is to see the version of the Disk Operating System which is contained in the 1541 drive. Enter @UI and then enter @. The screen displays a power up message including "CBM DOS V2.6 1541."

Most of the other Wedge commands should be self-explanatory or at least understandable with the help of the 1541 User's Manual. Now that we have seen the Wedge commands associated with the Disk Operating System, we have a reasonable idea of the types of things the DOS does.

THE DOS

A disk operating system is a powerful piece of software which allows the user to easily access a floppy disk drive. On the Commodore computers, the disk operating system is more properly called "firmware," since it is stored in ROM rather than on the disk. The Disk Operating System is usually called by its acronym, DOS. Various pronunciations of "DOS" exist, ranging from "doss" to "dawz" to "dose." The first example which rhymes with "boss" is the most common.

The DOS takes care of the details when the computer user wishes to SAVE or LOAD or modify disk files. There are quite a few details. To LOAD a program from disk, the DOS must first check the directory on the disk to find where the program resides. The DOS must generate the sequence of commands for pulsing the stepper motor properly to move the head into position for reading the program. The DOS must interpret the data being read from the disk in order to step its way from sector to sector as it follows the program's trail on the disk. Also, the program must be transferred back to the RAM inside the main computer. Fortunately we merely type LOAD "PRGM",8 (or simply /PRGM) and DOS does the rest.

The hardware in the 1541 disk drive is a computer system in itself. It consists of a 6502 microprocessor, RAM, ROM, and I/O (input/output) devices as well as the drivers, motors, and drive mechanism itself. The microcomputer in the C-64 or the VIC sends the user's commands to the microcomputer in the 1541. The DOS (stored in the ROMs in the 1541) interprets the commands, controls the circuitry to carry them out, and sends the results back to the main microcomputer.

The link between the 1541 disk drive and the main

ALS

HO

VIC

Wirel

COMMODORE 44 COLLICTION #1

3D Tic. Tar. Too #6 A Memory. Chun #6 A Renumber # Basebail *14 ** Black Bo-Chesianis**

Commission #1 Commission Mechanics • Powers & Roots • Straight Live & Whole Numbers • Wood

COMMODORE 64 COLLECTION #5

GAMES — Aleip Capture • Auto Raily • Dominoss • Explore
Lost Gold Air. • Niche • Owan • superman • Zone X

UTILITIES Auto-Counting Fast • Annuh • Average Growth
Bulding Counting Fast • Annuh • Average Growth
Cross Word • Data Search • Ele • Change Dask Name

Cross Word • Data Search • Ele • Fearce • Growth
I'r CashFigor • Losd Capture • Fearce • Growth
I'r CashFigor • Losd Capture • Bright
EDUCATIONAL - A or An • Anow Facts • Big Math • Ele

Elez • Europe • Hang Math • Linear Pring • Liosus

Marblestar • Math Facts • Number Match • World Quit u 12 Disk COMMODORE 64 COLLECTION #6 COMMODORE 64 COLLECTION # 6
GAMES—Action Hockey & Backgammen © Civil War © Dive
64 © Have a Nice Dive Mission to Mars © Cotipus 1. © Race
Saucer Invasion © UTILITIES—64 Label © Alpha Index
Dates © Decision Maker © Disassembler © Event Calendar
Find Nom Int © Income Tall Ad © Investment F.V.
Music Driver IN © Music Driver P1 © Paretio © Roman
Numerals © Seq. Appared Torm 64 © Voice 3 Music
EDUCATIONAL—A Fable © Curve F1 © Finance Calc © Foil
Inst © Foil Place Meal Solice © Integration © Percent Drill
Projectile © Titrator 64 © Weigh or D VIC 20"
collections #1 th 20 per

P.D.I. PROGRAM MANUAL - \$10.00

The P.D.I. PROGRAM MANUAL - \$10.00

The P.D.I. Program Manual will be the same size as the Commodate manuals, and each program an volumes 1 thru 12 of our Commodate of ar Vic-20 Seftware Collections is given a review. If a program requires additional hardware, such as memory, joystick, disk or printers, we make note of it. If a program requires additional instructions, other than those in the program you will find them here.

Plus *
Plus *
Helping Hints' (disk chatter and seq. file Dynamic Loaders) and mere funs (The new Pet Rock and Computer Widow).

COMMODORE

-USER WRITTEN SOFTWARESupporting all COMMODORE computers
Written by users, for users
★ GAMES ★ UTILITIES ★ EDUCATIONAL ★

COMMODORE 64™

ACCULATION ★ ACCULATION A

64 collections # 1 thru 12 25 + programs per collection-Tape or Disk \$10.00 each

P.D.I. PROGRAM MANUAL - \$10.00 ----

GA Now Available For Vic Owners, Too

Disk Only \$10.00

Now GA available for the Vic, Pet & 64 owners. The original Cavern Adventure on GA has been modified for those Vic 20 owners that are Disk Based and have 16K+memory.

AND NAVE 15 ATTMEMORY.

HAMFEST COLLECTION HS
Tape or Disk Only \$10,00

COMMODOR 64—Air Inductor® DB Cale, 64 ® Due 64 ® E. Br. 64
Bect. Formulas ® Ham Formulas 54 ® Intermode J/20 Morse R/T
L Pass Filter 64 ® Ohms Law® F1 Network® Desig ® Guad Antenna 64
Rej of Supply ® Res. Fred 64 ® Rth; C64 Intel® Rth; C64
T.V. Satellites ® Voltage Div. 64 ® Yagi 64
VIC 20—Air Inductor® 80 05 * Beam ® Call Search ® Code Practice
Coverage Predict® CW Keyboard® Decibel Cale, ® Dupe ® E-Brg
Stectionics 1 ® Ham Context Loge Ham Formulas Ø J/20 Nex Pe
J/20 Hav Tel J/20 RecV Tris® Lo Pass Filter® GSD Directory® GSD Vic
Closed Manuae Reson Fred, Formul 8 Tryl* 20 8 Rthy 16k Inst
Rth; 16k Frog ® Suniter/Sunsat ® Voltage Div. ® Yagi

LOC-LITE™ Operation Status Indicator
Assembled and Tested \$20.00
Kit w/inst. \$15.00 Board w/inst. \$7.50

Prices include U.S. shipping and handling only.
CHECK, MONEY ORDERS, VISA and MASTERCARD
accepted. NO C.O.D.'s
Write For A Free Flyer Or Send 60C in Coin Or Stamps
For A Complete Catalog.

'PUBLIC DOMAIN™, INC.

5025 S. Rangeline Rd., West Milton, OH 45383 10:00 a.m.-5:00 p.m. EST—Mon. thru Fri. Dept. Ahoy!

(513) 698-5638 or (513) 339-1725

COMMODORE 64 COLLECTION #7

GAMES—Alpha Base 64 ● Black, lack/21 ● Diffuser
Doctor ● Las Vegas Slots ● Per Bomber ● Pictures
Randomizer® Speed Racce ● UTILITES—Astro-bioprinter
C/S Retirement ● Days Between Dat ● Disk Ease ● Disk
Utility ● Elect Formulas ● Home ACG input ● Home ACG
Sum ro Lister V64 ● Load Address ● Mortgage ● Ohms Law
Quadrate Equ ● Sound Master
EDUCATIONAL—A1 Arrows ● Capitals ● Factor Race
Flash Words ● Histograms ● Capitals ● Factor Race
Words ● Population ● Reading Comp ● States Quiz
Statistics ● Thangle Solve
COMMODORE ACCULE FOR COMP

Satistics Trangle Solve

COMMODORE 64 COLLECTION #8

GAMES—Card Guess © Chain-Reaction ® Doors © Football
Obstacle Card Guess © Chain-Reaction ® Doors © Football
Obstacle Card Fyramid ® Roulette © Starwar © Tiles

UTILITIES—Ourse Pyramid ® Roulette © Starwar © Tiles

UTILITIES—Card © Marks—Disk ® Merger ® Metric
Convers64 © Sort Demo © Tirry Forth 64 © Tirry Forth first
Typewrite 3 © Typewriter Tape © Ublity Menu
EDUCATIONAL

Factors © FN Markina Caps © Alaina Caps © Chemists
Factors © FN Markina Caps © Stare Caps © Chemists

Multiplot © Pizza © Prime Numbers © Signed Numbers

Tax Collector © Vector Solve

COMMODORE 84 COLLECTION #9

Menu Loader® City Manager® Gladiator® HS of 7 Gables® King Tut
Sorcerers Cestle® The Valley®Trip to Atlantia

Wizard's Calatie® Westward Hol

COMMODORE 64 COLLECTION # 10

64 Yahtzee # Address List # Africa Safari # Animal Math 1

Animal Math 2 # Address List # Africa Safari # Animal Math 1

Animal Math 2 # Address List # Africa Safari # Animal Math 1

64 Color Test # O. G. Conitest Liog # Castiemaze Adv # & computer Sketch

Converge # Creape # Dancing Idiot # Dial 3.2 # Diak of Fortune # Diak Usi.

Dial # Doctor Dementia # Dip 1.3 # End Subroutine # Flash Cerds

Hangperson # Has 5.0 # Investment Flie # Mod Indax # One Liners

Guiz-Jeau # Elwa # Guiz-Jeau Said # Recipes # Russian Roulette

Oximalia # Wordscramble

COMMODORE 64 COLLECTION #11

A Sequence Alphie ® Bridge ® CGC of Art.64 ® Carnel II ® Christm Card ® Color Combos 64 ® Dungon Master Ø Flight Smuldtor Guadish Eye ® Graph III ® Hamurabbi Invest File/Ptt ® Kiddle Code ® Lemonsde Stand® Line/Pog Linker Marquese ØM. Loader ® MIL Sever Ø Multir Tables ® Music Lesson Psckadot ® Receipt Master ® Rotate ® Ratate 90 ® Thirsty Nellan Wheel of Gold ® Word Order

COMMODORE 84 COLLECTION #12

Add.Load

Add.L

VIC 20". CBM* and Commodore 64" are Tradements of Commodore Electronics Ltd. FET* is a Registered Tradement of Commodore Electronics Ltd.

Reader Service No. 215

SPECIAL \$99.95 W/EXTERNAL SPEAKER \$139.95



ALSO ASK ABOUT OUR

HOME SECURITY AND ENERGY MANAGEMENT PRODUCTS VIController COMsense COMclock/AUTOboot Wireless remote control system

for the VIC-20 and CBM-64. Use with BSR and Leviton remote receiver modules. \$69.95 Input device for the VIC-20 and CBM-64. Provides 4 open/close and 2 analog inputs.

Clock/calendar cartridge for CBM-64 with battery backup and auto-start software in ROM.

\$69.95



P.O. Box 152 Hellertown, PA 18055 (215) 861-0850

DEALER INQUIRIES INVITED

VIC-20 and CMB-64 are trademarks of Commodore Business Machines Inc.

Reader Service No. 209



Reader Service No. 218

DEALER INQUIRIES WELCOME.

Flexidraw \$129.9
An exciting lightpen and software package that allows
the user to draw free-hand or use the menu to draw
circles, arcs, elipses, boxes, and lines along with
doing flips and rotations. Outputs to most dot matrix printers.
Saucer Attack \$29.50
Dazzling high resolution color graphics and rich
sound effects enhance the action as you defend the nation's capital against an alien invasion.
Leroy's Cheatsheets \$3.95

Laminated keyboard overlay with commands for various Commodore 64 programs and printers. Titles include Paper Clip, Word Pro, Speed Script, Superbase, Logo Consultant, 1526 Printer, Flight Simulator II and many others. Approximately 40 titles in all.

Assembly Langauge Book .. \$14.95

Explains how to use popular assemblers and how to

SEND FOR FR	REE CATALOG.
SEMD ORDERS TO: Razorback Software	Name
P.O. Box 1717 Springdale, AR 72765	Address
VISAD M/CD CK/M.O.D	CityStateZip
Card No	No Cash Please. No C.O.D.'s. AR Residents add 4% Sales Tax.

computer is called a serial channel. Just as you OPEN a file before accessing it, a serial channel must be OPENed before the main computer can communicate with the disk drive. The channels are numbered 0 through 15. Channel numbers 0 and 1 are reserved for the computer to execute the LOAD, SAVE, and VERIFY commands in BASIC. Channel number 15 is the Command Channel. We saw above that many of the Wedge commands are equivalent to accesses to channel 15.

ca

SC

pa

pe

of

ch

pla

wh

of

es

ext

PC

thr

PC

Th

bec

cec

put

gif

ory

and

to

car

bef

wit

the

wh

red

ver

old

it e

(lin

loop

GE

tally

mei

The other channels are available for the programmer to communicate with data files stored on the disk, such as the sequential files we have discussed in previous columns. The channel number is the third argument in the OPEN statement. The statement OPEN 2,8,10, "FILEX. S,W" allocates communications channel 10 to handle data which will be written (W) to a sequential (S) data file named "FILEX" that is to be created on the disk drive (device number 8). The filenumber is 2, so a PRINT#2 statement would be used to write to the file. Notice that the CLOSE 2 statement refers to the filenumber and not the channel number. The channel number is sometimes referred to as the "address" or the "secondary address."

In addition to all of the commands which we have discussed, the DOS provides the capabilities for the programmer to create and manipulate other types of files. Commands may be sent through the command channel to directly access specific sectors on the diskette. The DOS also makes it possible to program your own commands into the RAM of the 1541. If you really want to get into the depths of DOS, you will find the book Inside Commodore DOS by Richard Immers and Gerald Neufeld (Datamost) most informative, all 508 pages of it! Obviously we have just scratched the surface here.

We have covered the most frequently used capabilities of the Disk Operating System. Hopefully the distinction between the DOS, the Wedge, and the Wedge loader is clear. If you were already familiar with the Commodore DOS, perhaps this was simply some easy reading. If you are just entering the world of disk-based computing, maybe you will now have an easier initiation than some of us did.

CORRECTION

In the days when men were men and pounded away on hulking Remingtons and Olivettis, this couldn't have happened. But in the course of word processing last issue's Getting the Words Across: Printer Interfaces for the Commodore Computers, Morton Kevelson accidentally deleted the paragraph detailing the operating characteristics of the Gemini 10X printer. The following information should have appeared under heading 4, on page 105, directly before the similar information for the C Itoh 8510:

The Star Micronics Gemini 10X also prints 480 dots on an eight inch line. It can also print 960 and 1920 dots per line in its high density modes. A Gemini 10X standard Pica character is printed using nine by nine dot matrix. The resulting character only occupies six of the line's 480 dot positions due to use of the printer's high density capabilities. To produce proper 1525 emulation with the Gemini 10X, the interface must generate the Commodore graphics characters in a six dot wide pattern.

ELFRED

by David and Janet Arnold

This program for the Commodore 64 will be pressed. If PEEK(197)=60, it is the space bar. especially fun to play during the holidays, but its theme and the colorful sprite graphics appealing. Because of its variable speeds, Elfred is suitable for preschoolers as well as for older children.

Elfred takes advantage of the 64's multicolor sprite capabilities. All eight sprites—the maximum allowed at one time – are on the screen, although those eight sprites appear in various forms by drawing from 12 different areas of data.

The child chooses five gifts that he would like to pack into Santa's bag. By hitting the space bar as one of his choices travels down the conveyor belt, he can cause the toy to drop into the bag-or to the ground.

HOW IT PLAYS

After the title screen appears and a Christmas tune plays, the computer begins READing the sprite data which starts at line 460. We included a zero at the end of each data block because although a sprite uses 63 pieces of data, it occupies a memory area of 64 bytes. The extra zero fills in the gap, enabling the computer to POKE continuous blocks of memory without a new loop.

Line 20 READs the data for a tree overlay and for three elf positions. All four of these sprite pictures are POKEd into some empty space in the cassette buffer. The toys will pass behind the piece of Christmas tree because the tree overlay sprite is sprite 0, which has precedence over the other sprites.

Once the elf data is read, Elfred appears and the computer READs the remaining data, which is for the eight gifts. This data is POKEd into some unused screen memory. We have Elfred appear here to surprise the children 430 sets the duration of each note with the variable D. and to break up the wait.

Elfred next asks the child to decide how many bags to pack and to assign a name to each. This way, the child can pack bags for his friends as well as for himself. Just before this, in line 40, the keyboard buffer is cleared with POKE 198,0. This eliminates anything stored in the buffer by impatient children tapping on the keyboard while the data is loaded. The names must be no more than nine letters long to fit on Santa's bag, so line 60 reduces the INPUT to nine characters if necessary.

A range of 0-9 is available for speed. A zero is for very tiny tots. Our five-year-old uses 4; our seven-yearold does very well with 6. We use a GET here to make it easier for the kids, then add a one to give SP a value (lines 70-80). This is used in line 245 as a STEP in the loop that moves the toys across the conveyor belt. We GET SP\$, rather than SP, so that if a letter is accidentally hit, it will not result in a "type mismatch" error statement appearing on the screen.

For the rest of the game, the only key the child has

our child will love helping Elfred the Elf pack to hit is the space bar. At appropriate times, the com-Santa's bag-one with his own name on it! puter PEEKs location 197 to see the current key being

The child will view a rotating display of eight gifts. children will enjoy it at other times, too. They will find He will hit the space bar if he wants the gift appearing on the conveyor belt, which will then be displayed in one of the five boxes printed across the top of the screen. These boxes will remain throughout the game to tell the child what gifts must be packed. The toys are assigned the variables G(1) to G(5).

> The screen display is PRINTed in lines 85-190. By having the conveyor belt pass behind the Christmas tree, we avoided worrying about the MSB-Most Significant Bit—and added considerable visual interest as well. The five chosen gifts displayed across the top of the screen are also to the left of that point, leaving room for the speed and the score.

> The game actually begins at line 200 as the toys randomly move down the conveyor belt. Lines 270-280 turn the elf's head by POKEing sprite 1 (location 2041) with 13, 14, or 15, the three spots in the unused cassette buffer area where we POKEd elf data.

> Line 295 changes M to M+1. M is a variable that serves as a flag to the computer to send one of the five chosen toys down the belt (lines 305-310). Otherwise, there would sometimes be seemingly interminable waits.

> When the space bar is hit, the toy falls down from the conveyor belt. Lines 315-360 check if the gift is positioned over the bag and, if it is, determine if it was chosen but not yet packed. A perfect score is 0 misses. A gift is counted as a miss if it is a chosen toy that is allowed to pass behind the tree, a chosen toy that has already been packed once, any toy dropped at the wrong time, or an unpicked gift that is dropped into the bag.

> When each bag is packed the tune plays again. Line We sped up the tempo by multiplying D by 1.5.

Following is a program description:


10- 35	Setup	400-415	Reward for correct
	Choose number of		drop
	bags, names, and	420-430	Play tune
	speed	435-455	Music data
80	Begin loop for	460-470	Tree overlay
	each bag	475-490	Elf (looking left)
85- 95	Print gift boxes		data
100-125	Print window and	495-510	Elf (looking front)
	word balloon		data
130-170	Print conveyor belt	515-530	Elf (looking right)
	and tree		data
175-185	Print bag	535-545	Giraffe data
190	Print speed and	550-560	Doll data
	misses	565-575	Soccer ball data
195-305	Move toys on belt	580-590	Spaceship data
310-360	Drop toys	595-605	Sailboat data
365-375	Play again option	610-620	Rubber ducky data
380-395	Sprite colors	625-640	Book data
		645-655	Octopus data

SEE PROGRAM LISTING ON PAGE 84 AHOY! 59

SCUTTLEBUTT

Continued from page 12

grams from Simon & Schuster scheduled for spring '85 release (each \$39.95):



Boppie's Great Word Chase by DLM. READER SERVICE NO. 273


The Great Gonzo in Wordrider requires children aged five and up to combine adjectives and nouns into vehicles that will help Gonzo rescue his beloved Camilla the Chicken from the Swedish Chef.

Kermit's Electronic Storymaker has the Muppets acting out sentences which children aged 4 and up create by filling in blanks that change the subject, action, and place.

Simon & Schuster Electronic Publishing Group, Simon & Schuster Building, 1230 Avenue of the Americas, New York, NY 10020 (phone: 212-245-6400).

Our predilection for nautical titles makes it a must that we report on three new releases from Schooner Software: *Sounds Ahoy* (phonics skills), *Captain Bub-Dub* (letter recognition), and *Math Splash* (basic multiplication).

Schooner Software, Dept. P, Box 2145, New Westminster, B.C. V3L 5A3 Canada.



Kermit's Electronic Storymaker. READER SERVICE NO. 274



The Penman robot plotter produces text and graphics in three colors.

READER SERVICE NO. 275

ROBOT PLOTTER

The Penman robot plotter will align itself with the edges of any piece of paper up to 3' by 3' in size, then wheel around the surface producing multicolor graphics and text as small as 1 millimeter in height. Color is provided by three pens, available in various colors and weights. The unit, which plugs into any RS232 port, retails for \$399.00.

Axiom, 1014 Griswold Avenue, San Fernando, CA 91340 (phone: 818-365-9521).

START SMART

Smart Start automatically generates BASIC code to allow the beginning C-64 user to design and save programs consisting of pictures, music, and sound effects. Price is \$39.95, which includes (for a limited time) a free BASF floppy disk.

Muse Software, 347 N. Charles St., Baltimore, MD 21201 (phone: 301-659-7212).

INCREASED SPEED, STORAGE

The Mach 4 disk for the C-64 consists of three enhancement utilities: Fast Loader (load files 4 times faster than under normal 1541 operation), BASIC + 4K (increases programming workspace from 39 to 43K), and Directory Manager (creates a data disk containing directory information from the user's entire disk library). Retail price: \$24.95.

Access Software, 925 East 900 South, Salt Lake City, UT 84105 (phone: 801-532-1134).

VIC

keep

to s

to d

year

210 E, (

asse nate prog dire form A

Ang

410-M

Tax

able

of \$

Roa

(pho

able

relea

which

form

ated

and

vers

for u

avail

Ave

5561

3600

MO

PR

sign

1650

disk

text

ber a

onli

Alsc

ing

CBN

and

tures

Now

Wie

C

C

Ta

Pl

To

M

T

GRAPHICS PROGRAMS

Three new graphics packages for the C-64:

The *Perspectives* animation program allows you to draw and manipulate 3D objects. In Film Studio mode you can save a screen, change it slightly, save the change, and so on, until you have a sequence of files that will simulate a movie when run.

Perspectives, Pioneer Software Inc., 1112 Fort Street, Victoria, B.C., Canada VBV 4V2 (phone: 604-381-3211).

Spritemaster II, an enhancement of Access Software's sprite animation utility, includes color change and interchange, vertical and horizontal translation, eight simultaneous animations, data statement generation, and auto append. Price: \$24.95.

Access Software, 925 East 900 South, Salt Lake City, UT 84105 (phone: 801-532-1134).

Imagination will let the user create backgrounds, graphics, and sprites without prior programming knowledge. Retail price: \$49.95.

Handic Software, Inc., 520 Fellowship Road, Suite B206, Mount Laurel, NJ 08054 (phone: 609-866-1001).

TAX PREPARATION

It's that time of year when your 64,

VIC, or Plus/4 can really earn its 267-3807). keep, giving you the money required to send your taxes to an accountant NUTRITION AND DIETING or the time and aggravation required to do them yourselves.

year) of The Tax Advantage, for use with a C-64 and forms 1040, 6251, 2106, 2441, 4562, and schedules A-E, G, SE, and W, will income average, itemize wages, deductions, and assets, and compute the new alternate "minimum tax." The \$69.95 program also enables the user to print directly on any of the above-named forms (except the 1040).

Arrays, Inc./Continental Software, 11223 South Hindry Avenue, Los Angeles, CA 90045 (phone: 213-410-3977).

MicroLab annouunces that their Tax Manager 1985 will come available for the C-64 this year, at a price of \$75.00.

MicroLab, 2699 Skokie Valley Road, Highland Park, IL 60035 (phone: 312-433-7550).

Taxaid, previously (and still) available for the 64 and VIC, has been released in a Plus/4 incarnation which, in addition to preparing IRS form 1040, features computer-generated forms for schedules A, B, C, G, and W, and form 2441.

Plus/4, C-64, or VIC 20 (+16K) version, \$29.95; simplified version for unexpanded VIC 20, \$24.95. (All available on disk or tape.)

Taxaid Software, Inc., 606 Second Avenue SE, Two Harbors, MN 55616 (phone: 218-834-5012 or 3600).

MODEM WITH TERMINAL **PROGRAM**

Cardeo's MOD-1 modem, designed to emulate the Commodore 1650, adds a terminal program on disk that includes up/downloading of text and program files, phone number and security/access code storage, online printing, and a 30K buffer. Also on the disk are utilities allowing conversion from or to ASCII, CBM ASCII, and Write Now! files, and sending and receiving hi-res pictures created with Cardco's Paint Now!/Graph Now! or Video Digitizer. Cardco, Inc., 300 S. Topeka,

Wichita, KS 67202 (phone: 316-

Two C-64 programs for eaters: 28 Day Dieter provides you with The 1985 version (for the 1984 tax a choice of calorie level, 28 days of menus, 65 recipes (adjustable for number of servings), and ingredient lists for shopping convenience. 28 Day Diabetic Dieter offers the same features, with the addition of three distribution levels for each calorie level. Each program retails for \$49.95.

> Festive Fare, P.O. Box 6447, Grand Rapids, MI 49506.

Food Facts offers five educational programs for junior high through adult level: Cereals, Food Graphs, Fast Foods, Chemicals in Foods, and Vitamins. Included is a 58-page support manual with handouts for each program.

MECC, 3490 Lexington Avenue North, St. Paul, MN 55112 (phone: 612-481-3500).

MUSIC VIDEO MAKERS

Sight & Sound's Music Video Kit lets the user create characters, colors, and patterns, and animate them against backgrounds also of his own



The Ultimate Bit by Bit Disk Duplicator For The Commodore 64 and 1541 Disk Drive

ULTRABYTE DISK NIBBLER COPIES ALL SOFTWARE EXCEPT ITSELF

SATISFACTION GUARANTEED

Return for refund within 10 days if not completely satisfied

Introductory Price

plus \$ 3.00 Shipping and Handling MASTERCARD, VISA, CHECK, or M.O., Foreign Orders or COD Add \$ 2.00 Calif. Add 6.5 % (\$ 2.60) Sales Tax BACKUP COPIES \$ 20.00 PLUS \$ 3.00 SHIPPING

Based on new proprietary Disk Operating System (DOS) that reads and writes bits on the disk independent of format. This process, called nibbling, treats disk errors, extra sectors, renumbered tracks and other protection schemes exactly the same as ordinary data.

- Simple to use. Just load and run
- Fast. Copies entire disk on single 1541 in 8 minutes
- One easy step. No separate analysis or error production
- Uses revolutionary Track Scan Technology to make an exact replica of the original disk.

Write or Call 24 Hour Order Line

ULTRABYTE (818) 796 - 0576 P.O. Box 789 La Canada, CA 91011

SOFTWARE AUTHORS PLEASE WRITE

Reader Service No. 212

creation; or, if he wishes, manipulate a range of preprogrammed musicians, break dancers, and other characters against a dozen different backgrounds. Soundtrack can be created with the polyphonic synthesizer included in the program, or one of a number of included songs.



Create videos with Computer Hitware. READER SERVICE NO. 278

Also from Sight & Sound comes 3001 Sound Odyssey, a 150-screen tutorial on music synthesis covering such topics as ADSR, waveforms, filters, and ring modulation. Included is the Microsynth synthesizer which can record and play back songs and rhythm patterns. Price: \$39.95.

Sight & Sound Music Software, Inc., 3200 South 166th St., New Berlin, WI 53151 (phone: 414-784-5850).

Three from Passport Music Software: *Macmusic* (\$49.95), a composing program that uses a visually oriented user interface; *Computer Hitware*, a computerized rock video program that lets you add your own graphics to a variety of popsongs (\$19.95); and *Soundchaser 64* (\$199.00), a keyboard for use with the above software, as well as the included software that lets the user create a variety of instrumental sounds.

Passport Music Software, 625 Miramontes Street, Suite 103, Half Moon Bay, CA 94019 (phone: 415-726-0280).

BOCK ISIEM

THE COMMODORE 64 IDEA BOOK by David Ahl (Creative Computing Press, 1983; \$8.95). 140 pages, softbound.

An excellent sourcebook for using computer math to solve problems. The Commodore 64 Idea Book includes 50 programs that exemplify such ideas as math drill, problem solving, convergence, recursion, and probability. The author says the book is meant to be read with a working computer at hand, and the programs are short enough to enter in a few minutes. Although the title specifies the Commodore 64, most of the programs will work without modification on the other Commodore computers. Those which do not use random numbers will work on many other computers as well.

The book is targeted for educational use, with each program including a discussion of the problem addressed, a program listing, and a sample run of the program. The author seems to assume the presence of a teacher, because he does not include instructions on keying in programs or detailed explanations of either the math or the program code. A person with little math background or a beginning programmer might have trouble with the book unless he had help. For classroom use, how-

ever, the book provides a good range of computer problem solving in a form that students are likely to enjoy.

The lone user needs a good math background to understand what is going on in the program. This may be intimidating to some readers. However, anyone with aspirations to being an expert programmer needs to learn the mechanisms Ahl illustrates. Simulations and problem solving software require these ideas. Ahl breaks them into short programs which are as easy to understand as these ideas get.

listi

cap

acte

ther

brac

con

The

cha

ter

SHI

sym

pres

DO

that

MO

our

the

Whe

[CI

[H(

[UI

[D(

[LI

[R]

SS

[IN

[DE

[RV

[RV

[UP

[BA

[PI

[EP

The program lists are reduced from a dot-matrix printout. The author chose to use lower case, which is hard to read in the tiny letters. The printer does not have true descenders, so g's and 9's look a lot alike. More readable program listings would improve the book.

Illustrations include flow charts, diagrams of problems, and cartoons. All are excellent.

If you are mathematical, this book will be a joy for you. If you want to do application programming, this book is a good source for major programming ideas. If you teach computer math, this book outshines many duller textbooks both in fun and effectiveness.

-Annette Hinshaw

REVIEWS

Continued from page 41

alarms, allowing you time to reach one of the deactivate buttons (assuming that you positioned the button near the door). Function switches on the VIC and 64 can also be used for activating, deactivating, and testing the alarm, which could be heard quite well a block away.

Numerous options are available, including additional window and door switches, a program that automatically dials up to 100 phone numbers and rings an alarm over the phone, and motion and vibration detectors, as well as programs that will

turn lights on and off and raise and lower your heat and hot water temperature.

The one drawback of the Jance system is that you can't use your computer for any other purpose while it's on. But considering the price of a full-fledged security system, you'll come out ahead even if you have to purchase a VIC and datasette specifically for this purpose.

Jance Associates, Inc., P.O. Box 234, East Texas, PA 28046 (phone: 215-398-0434).

-Jon Donovan and Ben Vecchio

PROGRAM LISTINGS

Attention new Ahoy! readers! You must read the following information very carefully prior to typing in programs listed in Ahoy! Certain Commodore characters, commands, and strings of characters and commands will appear in a special format. Follow the instructions and listing guide on this page.

n the following pages you'll find several programs that you can enter on your Commodore computer. But before doing so, read this entire page carefully.

To insure clear reproductions, Ahoy!'s program listings are generated on a daisy wheel printer, incapable of printing the commands and graphic characters used in Commodore programs. These are therefore represented by various codes enclosed in brackets []. For example: the SHIFT CLR/HOME command is represented onscreen by a heart. The code we use in our listings is [CLEAR]. The chart below lists all such codes which you'll encounter in our listings, except for one other special case.

The other special case is the COMMODORE and SHIFT characters. On the front of most keys are two symbols. The symbol on the left is obtained by pressing that key while holding down the COMMODORE key; the symbol on the right, by pressing that key while holding down the SHIFT key. COMMODORE and SHIFT characters are represented in our listings by a lower-case "s" or "c" followed by the symbol of the key you must hit. COMMODORE

J, for example, is represented by [c J], and SHIFT J by [s J].

Additionally, any character that occurs more than two times in a row will be displayed by a coded listing. For example, [3 "[LEFT]"] would be 3 CuRSoR left commands in a row, [5 "[s EP]"] would be 5 SHIFTed English Pounds, and so on. Multiple blank spaces will be noted in similar fashion: 22 spaces, for example, as [22 ""].

Sometimes you'll find a program line that's too long for the computer to accept (C-64 lines are a maximum of 80 characters, or 2 screen lines, long; VIC 20 lines, a maximum of 88 characters, or 4 screen lines). To enter these lines, refer to the BASIC Command Abbreviations Appendix in your User Manual.

On the next page you'll find our *Bug Repellent* programs for the VIC 20 and C-64. The version appropriate for your machine will help you proofread our programs after you type them. (Please note: the *Bug Repellent* line codes that follow each program line, in the whited-out area, should *not* be typed in. See the instructions preceding each program.)

When You See	It Means	You Typ	<u>e</u> <u>w</u>	You ill See	When You See	It Means	You Type	You Will See
[CLEAR] [HOME] [UP] [DOWN] [LEFT] [RIGHT] [SS] [INSERT] [DEL] [RVSON] [RVSOFF] [UPARROW] [BACKARROW]	Screen Clear Home Cursor Up Cursor Down Cursor Left Cursor Right Shifted Space Insert Delete Reverse On Reverse Off Up Arrow Back Arrow PI	SHIFT SHIFT SHIFT CNTRL CNTRL			[BLACK] [WHITE] [RED] [CYAN] [PURPLE] [GREEN] [BLUE] [YELLOW] [F1] [F2] [F3] [F4] [F5]	Black White Red Cyan Purple Green Blue Yellow Function 1 Function 2 Function 3 Function 4 Function 5	CNTRL	1 2 E 3 Æ 4 T 5 8 T F 1 F 1 F 3 F 5 F 5 T 5 T 5 T 5 T 5 T 5 T 5 T 5 T 5
[EP]	English Pound		£		[F6] [F7] [F8]	Function 6 Function 7 Function 8	SHIFT	F5 F7 F7

IMPORTANT!

Letters on white background are Bug Repellent line codes. Do not enter them! This and the preceding explain these codes and provide other essential information on entering Ahoy! programs. Read these pages before entering programs.

BUG REPELLENT

This program will let you debug any Ahoy! program. Follow instructions for VIC 20 (cassette or disk) or C-64.

VIC 20 VERSION

By Michael Kleinert and David Barron

For cassette: type in and save the Bug Repellent program, then type RUN 63000[RETURN]SYS 828[RETURN]. If you typed the program properly, it will generate a set of two-letter line codes that will match those listed to the right of the respective program lines.

Once you've got a working Bug Repellent, type in the program you wish to check. Save it and type the RUN and SYS commands listed above once again, then compare the line codes generated to those listed in the magazine. If you spot a discrepancy, a typing error exists in that line. Important: you must use exactly the same spacing as the program in the magazine. Due to memory limitations on the VIC, the VIC Bug Repellent will register an error if your spacing varies from what's printed.

You may type SYS 828 as many times as you wish, but if you use the cassette for anything, type RUN 63000 to restore the

When your program has been disinfected you may delete all lines from 63000 on. (Be sure the program you type doesn't include lines above 63000!)

For disk: enter Bug Repellent, save it, and type RUN:NEW [RETURN]. Type in the program you wish to check, then SYS 828.

To pause the line codes listing, press SHIFT.

To send the list to the printer type OPEN 4,4:CMD 4:SYS 828[RETURN]. When the cursor comes back, type PRINT#4-CLOSE 4IRETURNI

PRINT#4	CLUSE 4[KETUKN].		
·63000	FORX=828T01023: READY: POKEX, Y: NEXT: END	AC	
	DATA169,0,133,63,133,64,165,43,133,251	JL	
	DIMITE !! 100 000 111 1 100	DF	
	DATA3,234,177,251,208,3,76,208,3,230	OE	
·63004	DATA251,208,2,230,252,169,244,160,3,32	OH	
•63005	DATA30, 203, 160, 0, 177, 251, 170, 230, 251, 20		
8		KO	
•63006	DATA2,230,252,177,251,32,205,221,169,58	JJ	
·63007	DATA32,210,255,169,0,133,253,230,254,32	OK	
•63008	DATA228, 3, 234, 165, 253, 160, 0, 170, 177, 251	LG	
•63009	DATA201,32,240,6,138,113,251,69,254,170	BP	
•63010	DATA138, 133, 253, 177, 251, 208, 226, 165, 253		
,41		DD	
(00.11	DIMINO/C 7/ 7/ 7/ 7/ 0/ 1/2 /2 00 01/	STERNE	

•63011 DATA240,74,74,74,74,24,105,65,32,210 ·63012 DATA255,165,253,41,15,24,105,65,32,210 FO ·63013 DATA255,169,13,32,210,255,173,141,2,41 PK ·63014 DATA1, 208, 249, 230, 63, 208, 2, 230, 64, 230 CB ·63015 DATA251,208,2,230,252,76,74,3,169,236 KH ·63016 DATA160, 3, 32, 30, 203, 166, 63, 165, 64, 32 ·63017 DATA205, 221, 169, 13, 32, 210, 255, 96, 230, 25 EL

·63018 DATA208, 2, 230, 252, 96, 0, 76, 73, 78, 69

·63019 DATA83,58,32,0,76,73,78,69,32,35

·63020 DATA32,0,0,0,0,0

C-64 VERSION By Michael Kleinert and David Barron

Type in, SAVE, and RUN the Bug Repellent. Type NEW, then type in or LOAD the Ahoy! program you wish to check. When that's done. SAVE your program (don't RUN it!) and type SYS 49152 [RETURN].

To pause the listing depress and hold the SHIFT key.

Compare the codes your machine generates to the codes listed to the right of the respective program lines. If you spot a difference. an error exists in that line. Jot down the number of lines where

contradictions occur. LIST each line, spot the errors, and correct them.

TIONA

· 30 FO

· 40 PO

4278,

· 70 FO

•75 DA

.76 DA

·80 B\$

B:SR=

·85 GO

·86 PO

· 90 B\$

· 95 GO

· 96 PO

•97 IF

.98 PO

• 100 R

•110 G

-120 F

· 125 N

. 130 A

·135 P

· 140 N

· 150 F

· 160 N

·170 I

·180 F

0110

· 200 R

· 210 G

·211 I

·212 I

·213 I

·214 I

·215 II

·220 II

·230 II

250 · 240 G

· 250 PI · 260 G

·270 II

· 272 A:

· 274 G

·280 II

· 285 A:

· 290 PI

· 300 RI

·310 PI

·320 F0

·330 NI

·340 II

·350 F(

· 360 PI

· 1000 I

· 1010 I

INT:GO

· 1020 1

GOTO11

· 1030 1

!": B=

· 1040 1

· 1050 1

OT0110

RANGI

250

•5000 FORX=49152T049488: READY: POKEX, Y: NEXT: END GJ ·5001 DATA32,161,192,165,43,133,251,165,44,133 DL •5002 DATA252,160,0,132,254,32,37,193,234,177 •5003 DATA251,208,3,76,138,192,230,251,208,2 OF •5004 DATA230, 252, 76, 43, 192, 76, 73, 78, 69, 32 KN •5005 DATA35,32,0,169,35,160,192,32,30,171 CA •5006 DATA160,0,177,251,170,230,251,208,2,230 CE ·5007 DATA252,177,251,32,205,189,169,58,32,210 JE •5008 DATA255,169,0,133,253,230,254,32,37,193 •5009 DATA234,165,253,160,0,76,13,193,133,253 ·5010 DATA177,251,208,237,165,253,41,240,74,74 MB ·5011 DATA74,74,24,105,65,32,210,255,165,253 EP •5012 DATA41,15,24,105,65,32,210,255,169,13 ·5013 DATA32,220,192,230,63,208,2,230,64,230 AN •5014 DATA251,208,2,230,252,76,11,192,169,153 NG ·5015 DATA160,192,32,30,171,166,63,165,64,76 BF •5016 DATA231,192,96,76,73,78,69,83,58,32 EP ·5017 DATAO, 169, 247, 160, 192, 32, 30, 171, 169, 3 PJ ·5018 DATA133,254,32,228,255,201,83,240,6,201 FK •5019 DATA80, 208, 245, 230, 254, 32, 210, 255, 169, 4 FL •5020 DATA166, 254, 160, 255, 32, 186, 255, 169, 0, 133 CL ·5021 DATA63,133,64,133,2,32,189,255,32,192 GC ·5022 DATA255, 166, 254, 32, 201, 255, 76, 73, 193, 96 NN ·5023 DATA32,210,255,173,141,2,41,1,208,249 NH -5024 DATA96,32,205,189,169,13,32,210,255,32 IM ·5025 DATA204,255,169,4,76,195,255,147,83,67 KC •5026 DATA82,69,69,78,32,79,82,32,80,82 DC •5027 DATA73,78,84,69,82,32,63,32,0,76 ML •5028 DATA44,193,234,177,251,201,32,240,6,138 GN •5029 DATA113,251,69,254,170,138,76,88,192,0 JK •5030 DATAO, 0, 0, 230, 251, 208, 2, 230, 252, 96 NA ·5031 DATA170,177,251,201,34,208,6,165,2,73 DM -5032 DATA255,133,2,165,2,208,218,177,251,201 JA •5033 DATA32,208,212,198,254,76,29,193,0,169 FM •5034 DATA13,76,210,255,0,0,0 PA

FLANKSPEED FORTHEC-64

Flankspeed will allow you to enter machine language Ahoy! programs without any mistakes. Once you have typed the program in. save it for future use. While entering an ML program with Flankspeed there is no need to enter spaces or hit the carriage return. This is all done automatically. If you make an error in a line a bell will ring and you will be asked to enter it again. To LOAD in a program Saved with Flankspeed use LOAD "name".1.1 for tape. or LOAD "name", 8.1 for disk. The function keys may be used after the starting and ending addresses have been entered.

fl-SAVEs what you have entered so far.

OI

FG

f3-LOADs in a program worked on previously.

f5-To continue on a line you stopped on after LOADing in the previously saved work.

f7 - Scans through the program to locate a particular line, or to find out where you stopped the last time you entered the program. 17

·5 POKE53280,12:POKE53281,11 · 6 PRINT"[CLEAR][c 8][RVSON][15" "]FLANKSPEED[15" "]":

By Gordon F. Wheat

temporarily freezes the output as well. LL ·10 PRINT"[RVSON][5" "]MISTAKEPROOF ML ENTRY P ED ·15 PRINT"[RVSON][9" "]CREATED BY G. F. WHEAT[9" "]" ·20 PRINT"[RVSON][3" "]COPR. 1984, ION INTERNA

64 AHOY!

TIONAL THO FOR HAR	37		
TIONAL INC.[3" "]"	DH	·1060 PRINT"?ERROR IN SAVE":GOTO1100	EI
•30 FORA=54272T054296:POKEA, 0:NEXT	IM	·1070 PRINT"?ERROR IN LOAD":GOTO1100	GL
•40 POKE54272,4:POKE54273,48:POKE54277,0:POKE5 4278,249:POKE54296,15		• · 1080 PRINT: PRINT: PRINT" END OF ML AREA": PRINT	PG
•70 FORA=680TO699:READB:POKEA, B:NEXT	NH	·1100 POKE54276,17:POKE54276,16:RETURN	BH
•75 DATA169,251,166,253,164,254,32,216,255,96	KO HJ	1200 OPEN15,8,15:INPUT#15,A,A\$:CLOSE15:PRINTA	
·76 DATA169,0,166,251,164,252,32,213,255,96	JB	\$: RETURN	IM
·80 B\$="STARTING ADDRESS IN HEX":GOSUB2010:AD=	JD	· 2000 REM GET FOUR DIGIT HEX · 2010 PRINT:PRINTB\$;:INPUTT\$	PC
B:SR=B	НС	•2020 IFLEN(T\$)<>4THENGOSUB1020:GOT02010	GM
·85 GOSUB2520:IFB=0THEN80	FO	•2040 FORA=1T04:A\$=MID\$(T\$,A,1):GOSUB2060:IFT(II
·86 POKE251, T(4)+T(3)*16:POKE252, T(2)+T(1)*16	KE	A)=16THENGOSUB1020;GOTO2010	AD
•90 B\$="ENDING ADDRESS IN HEX":GOSUB2010:EN=B	IF	•2050 NEXT:B=(T(1)*4096)+(T(2)*256)+(T(3)*16)+	
•95 GOSUB2510:IFB=OTHEN80	FP	T(4):RETURN	GF
•96 POKE254,T(2)+T(1)*16:B=T(4)+1+T(3)*16	MN	·2060 IFA\$>"@"ANDA\$<"G"THENT(A)=ASC(A\$)-55:RET	,
•97 IFB>255THENB=B-255:POKE254,PEEK(254)+1	GE	URN	EH
•98 POKE253, B:PRINT	HN	·2070 IFA\$>"/"ANDA\$<":"THENT(A)=ASC(A\$)-48:RET	
· 100 REM GET HEX LINE	IL	URN	KP
·110 GOSUB3010:PRINT": [c P][LEFT]";:FORA=0T08 ·120 FORB=0T01:GOT0210		•2080 T(A)=16:RETURN	NP
•125 NEXTB	MD	• 2500 REM ADRESS CHECK	LI
·130 A%(A)=T(1)+T(0)*16:IFAD+A-1=ENTHEN310	ME	·2510 IFAD>ENTHEN1030	MI
·135 PRINT" [c P][LEFT]";	LH	•2515 IFB <srorb>ENTHEN1040</srorb>	MG
·140 NEXTA:T=AD-(INT(AD/256)*256):PRINT" "	IK PD	 2520 IFB<2560R(B>40960ANDB<49152)ORB>53247THE N1050 	
·150 FORA=0T07:T=T+A%(A):IFT>255THENT=T-255	LK	•2530 RETURN	MI
·160 NEXT	IA	· 3000 REM ADDRESS TO HEX	IM EB
·170 IFA%(8)<>TTHENGOSUB1010:GOTO110	FK	•3010 AC=AD:A=4096:GOSUB3070	HG
·180 FORA=OTO7: POKEAD+A, A%(A): NEXT: AD=AD+8: GOT		•3020 A=256:GOSUB3070	CE
0110	MN	•3030 A=16:GOSUB3070	PN
•200 REM GET HEX INPUT	AB	•3040 A=1:GOSUB3070	MJ
•210 GETA\$:IFA\$=""THEN210	НО	•3060 RETURN	IM
	GC	·3070 T=INT(AC/A):IFT>9THENA\$=CHR\$(T+55):GOTO3	
	MD	090	CJ
	KF	•3080 A\$=CHR\$(T+48)	JP
	GE	·3090 PRINTA\$;:AC=AC-A*T:RETURN	AC
•215 IFA\$=CHR\$(136)THENPRINT" ":GOTO4700 •220 IFA\$>"@"ANDA\$<"G"THENT(B)=ASC(A\$)-55:GOTO	BJ	•4000 A\$="**SAVE**":GOSUB4200	AI
	GM	•4050 OPEN1,T,1,A\$:SYS680:CLOSE1 •4060 IFST=0THENEND	LH
·230 IFA\$>"/"ANDA\$<":"THENT(B)=ASC(A\$)-48:GOTO	Gri	•4070 GOSUB1060: IFT=8THENGOSUB1200	EO
250	LE	•4080 GOT04000	FJ FF.
•240 GOSUB1100:GOTO210	LL	·4100 A\$="**LOAD**":GOSUB4200	AB
	OA	·4150 OPEN1,T,O,A\$:SYS690:CLOSE1	MF
•260 GOTO125	CG	•4160 IFST=64THEN110	JH
	OP	·4170 GOSUB1070: IFT=8THENGOSUB1200	CM
071 0070116	OB	•4180 GOTO4100	FO
	CJ	•4200 PRINT" ":PRINTTAB(14)A\$	FG
	HG	·4210 PRINT:A\$="":INPUT"FILENAME";A\$	OM
OOK PRINTERNAL COOK PRINTERNAL COOK	BE	•4215 IFA\$=""THEN4210	GF
OCC DELL FLOW FROM	KH AD	·4220 PRINT:PRINT"TAPE OR DISK?":PRINT ·4230 GETB\$:T=1:IFB\$="D"THENT=8:A\$="@0:"+A\$:RE	DF
are annual II was a second	GJ	TURN	
AAC BARR CMALL BUR WILLIAM	PL	•4240 IFB\$<>"T"THEN4230	IG FN
•330 NEXT	IA	•4250 RETURN	IM
·340 IFA%(A)<>TTHENGOSUB1010:GOT0110	KF	.4500 B\$="CONTINUE FROM ADDRESS":GOSUB2010:AD=	
·350 FORB=OTOA-1:POKEAD+B, A%(B):NEXT	HN	В	DK
	ON	•4510 GOSUB2515:IFB=OTHEN4500	MA
· 1000 REM BELL AND ERROR MESSAGES	FL	•4520 PRINT:GOTO110	OI
·1010 PRINT:PRINT"LINE ENTERED INCORRECTLY":PR	DII	·4700 B\$="BEGIN SCAN AT ADDRESS":GOSUB2010:AD=	
·1020 PRINT:PRINT"INPUT A 4 DIGIT HEX VALUE!":	DH	B	FH
COMOLICA	JA	•4705 GOSUB2515:IFB=0THEN4700 •4706 PRINT:GOTO4740	NK
·1030 PRINT:PRINT"ENDING IS LESS THAN STARTING	JA	•4710 FORB=0T07:AC=PEEK(AD+B):GOSUB3030:IFAD+B	DI
III D 6 00001166	HD	=ENTHENAD=SR:GOSUB1080:GOT0110	BK
·1040 PRINT: PRINT" ADDRESS NOT WITHIN SPECIFIED		•4715 PRINT" ";:NEXTB	EC
RANGE!":B=0:GOTO1100	AG	I TOC PRILIM IN IN I	GN
1050 PRINT:PRINT"NOT ZERO PAGE OR ROM!":B=0:G		•4730 GETB\$:IFB\$=CHR\$(136)THEN110	MN
OTO1100	KN	•4740 GOSUB3010:PRINT": ";:GOTO4710	JD
		ITOW	15

GJ DDB OF KNA CCE JCL NB BEP HANG BEP H

1

L D

IMPORTANT! Letters on white background are Bug Re and provide other essential information on	peller enter	nt line codes. Do not enter them! Pages 63 and 64 explain these codes ing <i>Ahoy!</i> programs. Refer to these pages before entering any programs!	
U CUMEDUUDD DICCE	n	R,DB(I):PRINT "[CLEAR]";	CK
H 11H111+H11HH11 H1111+	H	•51001 REM BEGINWITH FOR I=0 TO 11:	HK
THOO THE CORE	n	•51007 REM	JD
1		•51008 REM READ ONE LINE AT A TIME	BJ
	11	•51009 REM	JD
FROM PAGE 98		•51010 FOR X=0 TO 23:READ A\$	PN
MANSION DISPLAY SET		•51015 PRINT "[HOME]";:IF X>0 THEN FOR J=	
WARNING: Do not run this program without SAVEing it,	pref-		PL
erably twice, because if there is any error in your typing that es it to crash while RUNning, the only copy you'll ever get	caus- is the		AN
copy you already SAVEd—or the one you type all over again.	Cas-	F1600 DEM LOOP MO DELE DIOVED DIE	JD
sette users, see the article for line changes. And be careful			FE
you type in graphics characters in DATA lines 52000 to 53 All graphics characters in those lines are produced by press	123.		JD EB
key from A to Z while holding down SHIFT. See article for			CD
information.		OR T=213 THEN 51060	HK
·10 DIM DM(11), DB(11)	FH	•51040 IF T>96 OR (T>52 AND T<64) THEN PR	1110
•20 GOSUB 50000: GOSUB 60000	DF	INT "[RVSON]"B\$;:GOTO 51070	OJ
•27 REM	JD	•51047 REM	JD
•28 REM SWITCH TO MANSION ENTRANCE	EI	•51048 REM LOOP TO PRINT UNPACKED DATA	EL
•29 REM	JD	•51049 REM	JD
·100 SAVE "@O:DISPLAY SETUP",8	KK	•51060 Z=Z+1:B=ASC(MID\$(A\$,Z,1)):PRINT "[
*110 FOR I=0 TO 3:POKE 1024+I, PEEK(43+I):		RVSON]";:FOR J=1 TO B-48:PRINT B\$;:NEXT	
NEXT	KI	J	PE
•120 POKE 43,0:POKE 44,72:POKE 45,0:POKE	0.1	•51070 IF Z <y 51030<="" td="" then=""><td>KL</td></y>	KL
46,128:SAVE "@0:DISPLAY DATA",8,1	OA	•51080 NEXT X	NK
•130 POKE 43, PEEK(1024): POKE 44, PEEK(1025): POKE 45, PEEK(1026): POKE 46, PEEK(1027)	4 121	•51090 NEXT I:RETURN	JI
•140 PRINT "[RVSOFF]PRESS RUN/STOP-RESTOR	AJ	•52000 DATA "[s M][5"[s B]"]9==:[3"[s B]"	
E";:POKE BR, YQ:PRINT "[HOME]";:END	LG][s F][4"[s B]"][s F][4"[s B]"]9==:[5"[s B]"][s L]G7"	MA
•49995 REM	JD	•52001 DATA "[s A]K<[s A]C4[s A]L=[s A]G7	TIA
·49996 REM ARRANGE VIDEO MEMORY	AO		MJ
•49997 REM	JD	•52002 DATA "[s A]K<[s A]C4[s A]L=[s C]G7	110
•49998 REM SET VIDEO BANK	CI		ML
•49999 REM	JD	•52003 DATA "[s A]K<5C4[s A]L=[s C]G7"	HP
.50000 VM=2:VB=16384:POKE56578,PEEK(56578		•52004 DATA "[s A]K<=C4[s A]L=[s C]G7"	EH
)OR3:POKE56576, (PEEK(56576) AND 252) OR VM	LN	•52005 DATA "[s A]K<=C4[s A]L=[s C]G7"	EH
•50007 REM	JD		IO
•50008 REM SET CHAR & SCREEN MEM VALUES	GN	•52007 DATA "[s A]K<[s N][4">"][s O]L=[s	
•50000 REM	JD		GI
•50010 CM=14:CB=VB+CM*1024:FOR I=0 TO 11: DM(I)=CM+16*(I+2):NEXT	PK		EG
•50020 VR=53272:ZQ=PEEK(VR)	JH	fette pattar vacett	TO
•50027 REM	JD		JO HG
•50028 REM TELL BASIC WHERE SCREEN IS	AI		CF
•50029 REM	JD	•52012 DATA "[s A]K<[s N]A4[s O]J=[s C]G7	Cr
•50030 FOR I=0 TO 11:DB(I)=INT((VB+1024*(O.D	יוו פון פון און און און און און און און און און א	OM
I+2))/256):NEXT	CK	•52013 DATA "[s A]K<[s N]A4[s O]J=[s C]G7	
•50040 BR=648:YQ=PEEK(BR)	FO	11	OM
•50050 POKE 53281,7:POKE 53280,11:PRINT "			PI
[c 2]";	EO	•52015 DATA "[s A]K?J@[s C]G7"	PI
•50095 REM	JD	•52016 DATA "[s A]K?J@[s A]F5G2"	HH
•50096 REM SET UP DISPLAYS	KD	•52017 DATA "[s A]K?J@[s A]F5G2"	HH
•50097 REM •50098 REM MOVE TO PROPER SCREEN	JD	•52018 DATA "[s E][3"[s B]"][6"[s D]"][4"	
•50099 REM	BO	[s B]"];==<[4"[s B]"][6"[s D]"][4"[s B]"	D.D.
•51000 FOR I=0 TO 11:POKE VR, DM(I):POKE B	JD		BD
		JAMIA FVGZ	OH
66 AHOY!			

•5202 •5202 •5202 •5202 •5210 B][s [s B

•5210 •5210 [s A • 5210 [s R •5210 [s R • 5210 [s R •5210 [s B •52108]M75' •52109]M7=' •52110]M7=' •52111 s A][•52112 [s R] •52113 [s R] • 52114 [s R] I]M7 •52116 •52117

•52118 5"[s][s E •52119 •52120 •52121 •52122 •52123 •52200 •52201 •52202 •52203 •52204 • 52205 "][s <;==< • 52206 A] E4 •52207

•52020 DATA "FVG2"	ОН]QB[s A]E4G3"	ВВ
•52021 DATA "FVG2"	OH	•52208 DATA "[s A]R7[s A][s R]B3[s A]QB[s	DD
•52022 DATA "FVG2"	ОН	CJG7"	ND
•52023 DATA "FVG2"	OH	•52209 DATA "7R7[s A][s S]B3[s A]QB[s A]G	;
•52100 DATA "G7[s G][5"[s D]"][s B]9==:[s B][s B][s E][s B][s B]9=[6"[s B]"][s E]		7" - 52016 PATHA II PATA - 135 - 23705	AI
[s B][s B]=:[3"[s B]"][s M]"	HJ	•52210 DATA "=R7[s A][s S]B3[s A]QB[s C]G	
•52101 DATA "G7[s A]PBN4M6[3"[s R]"][s A]	110	•52211 DATA "[s A]R7[s A][s R]B3[s A]QB[s	DE
	OH	A]G7"	NB
•52102 DATA "G7[s A]PBN4M8[s R][s A]"	FO		
•52103 DATA "G7[s C]PA[s G]N4[s H]M7[s R] [s A]"		$s B][s B]=\langle [s L]QB[s C]G7"$	BL
•52104 DATA "G7[s C]P=[s N]A3[s O]N4[s A]	MC		KJ
[s R]M6[s R][s A]"	KE	•52214 DATA "[s C]S<[s A]QB[s C]G7" •52215 DATA "[s A]S<[s A]QB[s A]G7"	OB
•52105 DATA "G7[s C]P=[s N]A3[s O]N4[s A]		•52216 DATA "7S<5QB[s C]G7"	KJ JJ
[s R]M6[s R][s A]"	KE	•52217 DATA "=S<=QB[s A]G7"	MB
•52106 DATA "G7[s C]P=[s N]A3[s O]N4[s A]		•52218 DATA "=S<=QB[s C]G7"	MD
[s R]M6[s R][s A]" •52107 DATA "G7[s A]P=[s N][3"?"][s K][4"	KE	•52219 DATA "8S7[s N]>[s 0]S26Q5[4"[s R]"	249-2043
[s B]"][s L][s S]M6[s R][s A]"	ID]Q9[s A]G7" •52220 DATA "[c A]S7[c N]A1[c O]S2[c A]O5	IH
.52108 DATA "G7[s A]P=5C3[s A]04[s V][s S		•52220 DATA "[s A]S7[s N]A1[s 0]S2[s A]Q5 [s R]Q2[s R]Q9[s C]G7"	NM
JM75"	ND	.52221 DATA "[s C]S<[s N]A4[s 0][s S]Q<[s	1411
•52109 DATA "G7[s A]P==C3[s A]04[s A][s R		AJG/"	OP
]M7=" •52110 DATA "C7[c A]D-6C2[c A]O4[- A][- B	BB	•52222 DATA "[s A]S<[s N]A4[s O][4"[s R]"	
•52110 DATA "G7[s A]P=6C3[s A]04[s A][s R]M7="	OK]Q9[s A]G7"	HP
•52111 DATA "G7[s A]P=[s N][3">"][s 0]04[OR	•52223 DATA "[s M][5"[s B]"]9==:[3"[s B]"][s M][4"?"][s M][4"[s B]"]9==:[5"[s B]"	
s A][s R]M76"	LP][s L]G7"	JO
•52112 DATA "G7[s C]P=[s N]A3[s 0]04[s A]		•52300 DATA "V?EI"	PH
[s R]M6[s R][s A]"	AD		PH
•52113 DATA "G7[s C]P=[s N]A3[s 0]04[s A] [s R]M6[s R][s A]"	AD	•52302 DATA "V6W3V6EI" •52303 DATA "V6W3V6EI"	CG
•52114 DATA "G7[s C]P=[s N]A3[s 0]04[s A]	Aυ	FOOCA DIES HOLDEN	CG BG
[s R]M6[s R][s A]"	AD	FOOGE Dime Heritames made and	NB
•52115 DATA "G7[s C]PA[s J][s B];=[s B][s		•52306 DATA "V4W7V:TB[s C]"	MN
I]M7[s S][s A]"	EI		NN
•52116 DATA "G2F5[s A]PBM<[s S][s A]" •52117 DATA "G2F5[s A]PBM8[5"[s R]"][s A]	CP	EDDGO DAMA HITTOTOTI	NP
	IG	FOOTS DIME Hypman II	EA
•52118 DATA "G2F5[s J][4"[s B]"[7"[s D]"[10	FOOTI DIM: Hammer	DK MG
5"[s B]"];==<[4"[s B]"[7"[s D]"[4"[s B]"		•52312 DATA "VETB[s K]"	MM
FOLLO DAMA HOOMIN	BK	•52313 DATA "G7V>TB[s A]"	DC
FOICE DIM: Heament	ON ON	•52314 DATA "G7V=[s G][10"[s D]"][s H]T7[s C]"	
FO101 PARK HOOMEN	ON	F0015 P.M. Home 5 -32- 5 -3	FH
•52122 DATA "G2FV"	ON		DJ KH
•52123 DATA "G2FV"	ON	•52317 DATA "G7V=[s C]U:[s C]T7="	LN
	OK	•52318 DATA "G7V=[s C]U:[s C]T7="	LN
•52201 DATA "EUG3" •52202 DATA "EUG3"	OK	•52319 DATA "G7V=[s C]U:[s C]T78"	KE
	OK	•52320 DATA "G7V=[s C]U:[s C]T7[s A]"	DJ
•52204 DATA "EUG3"	OK	FOOOD DIM! Hammer F - T T	DL GA
-32203 DATA [S G][3"[S D]"[[S B][3"[S D]		•52323 DATA "G7[s G][5"[s D]"][s B]9==:[s	JA
"][s F][s B][s D][s D][s B][s F][s B];==		$B_{s} = B_{s} = B_{s$	
<pre><;==<;==<[s B][s H]E4G3" •52206 DATA "[s C]P7[s A][s O]P3[s A]OP[s</pre>	LA	[s B][s B]=:[3"[s B]"][s M]"	IJ
•52206 DATA "[s C]R7[s A][s Q]B3[s A]QB[s A]E4G3"	cc		AL
•52207 DATA "[s C]R7[s K][s B][s B]B2[s A	00	FOLCO DIMI UF . 3	AL AL
1 -1(1(122(0 !!		io njaota njia 1ji	717

•52403 DATA "[s K][7"[s B]"]9==:[s B][s F	•52512 DATA "[s T]7[s A][UPARROW]A5[EP]2[
[4''[s B]''][s H]X=[s A][s T]7'' EB	s A][s Q]B4[s A]]4[s A]" PI
•52404 DATA "[s L][<[s N][4">"][s O]X=[s	•52513 DATA "[s T]7[s A][UPARROW]A=[EP]2[
A][s T]7" DO	s A][s S]B4[s A]]4[s A]" EN
•52405 DATA "[s A][<[s N]A4[s O]X=[s A][s	•52514 DATA "[s T]7[s A][UPARROW]A[s K]9=
T]7" MN	[s L][s R]B4[s A]]4[s A]" LF
•52406 DATA "[s A][<[s N]A4[s O]X=[s A][s	•52515 DATA "[s T]7[s A][UPARROW]A[s A]]2
T]7" MN	$[s \ J][s \ B] = < [s \ B][s \ B][s \ I]] + [s \ A]$ AE
•52407 DATA "[s A][<[s N]A4[s O]X=[s A][s T]7" MN	•52516 DATA "[s T]7[s A][UPARROW]A[s A]]= [s A]" FF
•52408 DATA "[s V][<[s N]A4[s 0]X=[s A][s	•52517 DATA "[s T]7[s A][UPARROW]A[s A]]=
T]7"	[s A]" FF
•52409 DATA "[s K][7"[s B]"];==<[s B][s I	•52518 DATA "[s T]7[s J][17"[s B]"][s E][
]Z4[s K][7"[s B]"]=:[4"[s B]"][s L][s T]	13"[s B]"][s E]" IM
7" IG	•52519 DATA "[s T]X" PH
•52410 DATA "[s A]ZA[s A]Y=[s A][s T]7" GP	•52520 DATA "[s T]X" PH
•52411 DATA "=ZA[s A]Y=[s A][s T]7" ML	•52521 DATA "[s T]X" PH
•52412 DATA "6ZA[s A]Y=[s A][s T]7" ME	•52522 DATA "[s T]X" PH
•52413 DATA "[s A]ZA7Y=[s A][s T]7" MF	•52523 DATA "[s T]X" PH
•52414 DATA "[s A]ZA=Y=[s A][s T]7" NL	•52600 DATA "[s M][12"[s B]"][s M][s W][s
•52415 DATA "[s A]ZA=Y=[s A][s T]7" NL	L]>>[s 0]I3[s K][9"[s B]"][s L]H4[s U]3
•52416 DATA "[s A]ZA8Y=[s A][s T]7" MC	" FD
•52417 DATA "[s A]ZA[s A]Y=[s A][s T]7" GP	•52601 DATA "[s A] <[s A]C1[s N]A2[s 0]I3
•52418 DATA "[s A]ZA[s A]Y=[s A][s T]7" GP	[s A]#9[s A]H4[s U]3" DB
•52419 DATA "[s A]ZA[s A]Y=[s A][s T]7" GP	•52602 DATA "[s A] <5C1[s N]A2[s O]I3[s A
•52420 DATA "[s A]ZA[s A]Y=[s A][s T]7" GP]#97H4[s U]3" FL
•52421 DATA "[s A]ZA[s A]Y=[s A][s T]7" GP	•52603 DATA "[s A] <=C1[s N]A2[s O]I37#9=
•52422 DATA "[s A]ZA[s A]Y=[s A][s T]7" GP •52423 DATA "[s E][17"[s B]"][s E][13"[s	H4[s U]3" ED •52604 DATA "[s A] <6C1[s N]A2[s O]I3=#9=
B]"][s I][s T]7" LJ	•52604 DATA "[s A] <6C1[s N]A2[s O]I3=#9= H4[s U]3" KI
•52500 DATA "[s T]7[s G][13"[s B]"][s F][•52605 DATA "[s A] <[s A]C1[s N]A2[s O]I3
17"[s B]"][s L]" DP	[s A]#98H4[s U]3" HK
•52501 DATA "[s T]7[s A][BACKARROW]=5[EP]	•52606 DATA "[s E][9"[s B]"]9=:[s E][s B]
@[s Z][s A]" IL	[s E]=:[s I]I3[s A]#97H4[s U]3" PD
•52502 DATA "[s T]7[s A][BACKARROW]==[EP]	•52607 DATA "IF[s A]#9=H4[s U]3" DK
A[s A]"	•52608 DATA "IF[s A]#9=H4[s U]3" DK
•52503 DATA "[s T]7[s A][BACKARROW]7[s G]	•52609 DATA "IF[s A]#98H4[s U]3" DD
	•52610 DATA "[s F][s B][s B][s F][10"[s B
•52504 DATA "[s T]7[s A][BACKARROW]7[s A]]"]=:[s F][3"[s B]"][s F][s B][s L]#9[s
[s Q]B4[s N]A3[s O][EP]=[s A]" LF	A]H4[s U]3" EN
•52505 DATA "[s T]7[s A][BACKARROW]7[s A]	•52611 DATA "[s A]C2[s A]!<[s A][s R][s S
[s S]B4[s N]A3[s O][EP]=[s A]" LP][s R][s A][s P][s A]#9[s A]H4[s U]3" II
•52506 DATA "[s T]7[s A][BACKARROW]7[s A] [s R]B4[s N]A3[s O][EP]==" CO	•52612 DATA "[s A]C2[s A]!<[s A]B5[s A]#9 [s C]H4[s U]3" LF
•52507 DATA "[s T]7[s A][BACKARROW]7[s K]	•52613 DATA "[s A]C27!<=B5=#9[s C]H4[s U]
[5"[s B]"][s N]A3[s O][EP]=6" GE	3" GL
•52508 DATA "[s T]7[s A][BACKARROW]7[s A]	•52614 DATA "[s A]C2=!<8B56#9[s C]H4[s U]
[s R]B4[s N]A3[s O][EP]2[s G][s B][s F]9	3" DJ
=[s B][s F][4"[s B]"][s L]" 00	•52615 DATA "[s A]C28!<[s A]B5[s K][3"[s
•52509 DATA "[s T]7[s K][s B][s B];=<[s B	B]"];=<[3"[s B]"][s L]H4[s U]3" AB
][s B][s L][s S]B4[s N][3"?"][s O][EP]2[•52616 DATA "[s A]C2[s A]!<[s A]B5[s A]C9
s A][s P][s A]B2[s S][s V]C4[s A]" NH	[s A]H4[s U]3" NH
•52510 DATA "[s T]7[s A]C7[s A][s Q]B4[s	•52617 DATA "[s A]C2[s A]!<[s A]B5[s A]C9
V]C3[s A][EP]2[s A]B4[s S][s K]9==:[s L]	[s A]H4[s U]3" NH
JB	•52618 DATA "[s E][s B][s B][s E][3"[s D]
•52511 DATA "[s T]7[s K][7"[s B]"][s E][s	"][s B]9==:9==:[s E][s B][3"[s D]"][s B]
B]=<[s B][s B][s E]9=:[s L][EP]2[s K][5	[s E][9"[s B]"][s I]H4[s U]3" DD
"[s B]"][s L]]4[s A]" LA	•52619 DATA "HU[s U]3" HF
68 AHOY!	

• 5262 • 5262 • 5262 • 5262 • 5270 D]" B]" [s D •5270 R][s 5[s • 5270 :[s] • 52703 R]B5 • 5270 S]B5 '5[s •52706 s K][][s H •52707]'550 • 52708 •52709 •52710

2[s 0 •52711

A]%85 •52712 A]%8= •52713

A]%8[
•52714
A]%8[
•52715
[s A]
•52716
[s A]
•52717
[s A]

•52718 D]"] [s B] E]"

•52719 •52720 •52721 •52722 •52800 •52801 •52802 •52804 •52805 D][s is B][s

•52620 DATA "HU[s U]3"	HF	שנון בואוון בואון
•52621 DATA "HU[s U]3"	HF	
•52622 DATA "[s U]X"	PI	
•52623 DATA "[s U]X"	DT	•52807 DATA "[s A]*:5C1[s A]B8=(9[s A]H4[
•52700 DATA "[s U]3H4[s G][s B][s B][3"[s	3	s 0]3
D]"][s B][s B][s F][5"[s B]"][s F][3"[s B]"][4"[s D]"][3"[s B]"][s F][s B][s B]	3	•52808 DATA "[s A]*:=C1[s A]B86(9[s A]H4[
[s D][s D][s B][s B][s M]"	NI	S U J 3" MP
•52701 DATA "[s U]3H4[s A]B6[s P][s A][s		Rice Bile 11/01 City How
KILS SILS KILS SILS KILS A S: S A S O	В	•52810 DATA "[s A]*:6C1[s A]B1W3B1[s A][s
J[S A]"	BK	Q]B15(9[s C]H4[s U]3" GG
•52702 DATA "[s U]3H4[s A]B7[s A]'5[s A]	\$	•52811 DATA "[s A]*:[s A]C1[s A]B1W3B1[s
:[s K][s B]B5[s A]"	LC	A] S S BI=(9 S A H4 S 3"
•52703 DATA "[s U]3H4[s A]B7='5=\$:[s A][s R]B5[s A]"	I.M	•52812 DATA "[s K][3"[s B]"];=[5"[s B]"][
·52704 DATA "[s U]3H4[s A]B76'58\$:[s A][s	THI	s E][s B][s M][5"[s B]"][s E][s B][s B][s L](9[s A]H4[s U]3"
SJB5[s A]"	T.B	
•52705 DATA "[s U]3H4[s K][7"[s B]"][s L]		[s U]3" NA
'5[s K];=<[s H]\$6[s A][s R]B5[s A]"	DI	•52814 DATA "[s C])<[s A]C8[s A](9[s A]H4
'52706 DATA "[s U]3H4[s A]C6[s Z][s A]'5[[s 0]3 I.C.
s K][s B][s F][s B][s M][s B][s B]= $<$ [s B][s B][s E][s B]= $<$ [3"[s B]"][s E]"		•52815 DATA "[s A])2[s U]8)2[s K]9==:9==:
.52707 DATA "[s U]3H4[s K]9=:[s B]9=:[s I	PA	
] DDC1[s A[C1/1>"	GC	•52816 DATA "[s A])2[s U]8)2[s A]I8[s A](9[s C]H4[s U]3"
•52708 DATA "[s U]3H45&==C1[s A]C1=I>"	LA	•52817 DATA "[s C])2[s U]8)2=I8=(9[s C]H4
'32/'J9 DATA "IS U 3H4=&=6C1 S A C18T\"	IG	[z n]2 CC
*52710 DATA "[s U]3H4=&=[s N][3">"][s 0]I 2[s G][6"[s B]"]=:[s F][s B][s F]"		•52818 DATA "[s C])2[s U]8)26188(9[s A]H4
•52711 DATA "[s U]3H46&=[s N]A3[s O]I2[s	LF	[s 0]3" KO
A]%SOCI[S A]"	PB	•52819 DATA "[s A])2[s U]3[s N]>[s O][s U]2)2[s A]I8[s A](9[s A]H4[s U]3" MH
•52712 DATA "[s U]3H45&=[s N]A3[s 0]I2[s		•52820 DATA "[s A])2[s U]3[s N]A1[s 0][s
AJ/60=CI[S A]"	NC	$0]2)2[s A]18[s K][s B] := \langle [s B] := \langle [s B] s A]18[s B] = \langle [s B] s A]1$
•52713 DATA "[s U]3H4=&=[s N]A3[s O]I2[s A]%8[s A]C1[s A]"	70	LJn4[S UJ3" FF
•52714 DATA "[s U]3H4=&=[s N]A3[s O]I2[s	JO	•52821 DATA "[s C])<[s N]A4[s O]I3[s A]C9
A]68 S A CI S A "	JO	[s A]H4[s U]3" •52822 DATA "[c V]) [c N]A4[- 0]T25 A]60
•52715 DATA "[s U]3H46&=5I6[s A]%8[s A]C1		•52822 DATA "[s V])<[s N]A4[s O]I3[s A]C9 [s A]H4[s U]3" BB
[S A]	MJ	•52823 DATA "[s M][10"[s B]"][s F][s B][s
[6 V] [1 [6 0] 211+[8 V] 47-10[8 V] 40=01		L][4"][S U][3[S K][9" S B]" [S L]H4[S
•52717 DATA "[s U]3H4[s A]&=6I6[s A]%86C1	NA	0 J3" BD
I C A I	JM	*52900 DATA "[s I]D5[s K][4"[s B]"][s L]I 3[s K][s B][s B][s M][7"[s B]"][s L]D5[s
•52718 DATA "[s U]3H4[s J][s B][s B][3"[s		A][s U]7" FJ
D]"][3"[s B]"][3"[s D]"][s B][s B][s E]		•52901 DATA "D6[s A]B3[s P][s A]I3[s A]C2
[s B]9==:[s B][s E]9==:9==:[s E][s B][s E]"	. 1	LS A]+/LS A]D5 S A S U 7" ND
-52710 DATE UF WARMING	KL	•52902 DATA "D6[s A]B45I3[s A]C27+7[s A]D
•52726 DATA HE HIZOMIN	GD GD	5[s A][s U]7" PG
•52721 DATA "[s U]3HU"	GD	•52903 DATA "D6[s A]B4=I3[s A]C2=+7[s A]D 5[s A][s U]7"
•52/22 DATA "[s U]X"	PI	•52904 DATA "[s F][5"[s B]"][s L]B3[s S][
-570(1) DAMA III TT TT TT II	PI	S AJIJES AJCZ8+/IS ADDIS AIIS IJI7" KG
-52002 DATA HITTE TIZOT	PI	•52905 DATA "[s A]-5[s K][4"[s B]"][s L]T
•52803 DATA "HU[s U]3"	HF HF	5[S K][S B][S B][S I]+5[S G][S B][S E][5
•52804 DATA "HU[s U]3"		•52906 DATA "[s A]-5[s A]B4[s A]I37+8[s A
*52805 DATA "[s G][s B][s B][s D][s Y][s		J,/[S A][S U]/"
D][s B][s B]=:[s B][s F][s B][s F][s B][s B][s B][s B][s D][s D][4"[s B]"][s F];==<;==<[s		•52907 DATA "[s A]-5[s A]B4[s A]I3=+8[s A
1to 2][4 [5 b]][8 f];==<;==<[8],7[s C][s U]7" AD
		AHOV! (0

			PD
•52908 DATA "[s K];=[s H]-2[s A]B4[s A]I3			PI
	EH		PI
•52909 DATA "[s A]C2[s A]-2[s A][s Q]B2[s			PI
	MK		PI
•52910 DATA "[s E][s B][s B][s E]=<[s E][PI
s B]=<[s B][s I]I3[s J][8"[s B]"][s I],7			PI
	CL		PI
	IF		GM
	IF		GM
	IH		GM
•52914 DATA "[5"[s B]"][s H]I2[s G][5"[s		•53105 DATA "[s G][5"[s B]"][s F][s B][s	
B]"][s H]I2[s G][5"[s B]"][s H],2[s G][5		B][4"[s D]"][s B][s B]9=:[s B][s B][4"[s	
	AA	D]"][s B][s B][s F][5"[s B]"][s H][s U]	
•52915 DATA "D5[s J][s D][s D][s I]D5[s J		7"	AA
][s D][s D][s I]D5[s J][s D][s Y][s I]D5		•53106 DATA "[s A]D5[s A]2C[s A]D5[s A][s	
	AI		DJ
	DB	•53107 DATA "[s A]D5[s A]2C[s A]D5[s A][s	
	DB		DJ
	OG	•53108 DATA "[s A]D5[s A]2C[s A]D5[s A][s	
Control of	PI		DJ
	PI	•53109 DATA "[s A]D5[s A]2C[s A]D5[s A][s	
	PI		DJ
	PI	•53110 DATA "[s A]D3[s G][s B][s I]2C[s J	MIT
	PI	111111	MH
•53000 DATA "[s U]7[s G][31"[s B]"][s I]"		•53111 DATA "[s A]D3[s C]2G[s C]D3[s A][s	
	EL	U]7"	EB
	EL	•53112 DATA "[s A]D3[s C]2G[s C]D3[s A][s	
•53003 DATA "[s U]7[s A]D5[s G][s D][s D]		U]7"	EB
[s H]D5[s G][s D][s D][s H]D5[s G][s D][MD	•53113 DATA "[s A]D3[s J][s B][s H]2C[s G	FH
Control of the Contro	NB	7171717	
•53004 DATA "[s U]7[s K][5"[s B]"][s I][s		•53114 DATA "[s A]D5[s A]2C[s A]D5[s A][s U]7"	DJ
Z]11[s J][3"[s B]"][s F][s B][s I].2[s			טע
J][s B][s F][s B][s F][s B][s I]/2[s J][s B][s F][s B][s F]"	co	•53115 DATA "[s A]D5[s A]2C[s A]D5[s A][s U]7"	DJ
	GO		
•53005 DATA "[s U]7[s A]1<[s A].6[s A]C17 /6[s A]02[s A]"	ОВ	•53116 DATA "[s A]D5[s A]2C[s A]D5[s A][s U]7"	DJ
•53006 DATA "[s U]7[s A]1<[s A].6[s A]C1=		•53117 DATA "[s A]D3[s G][s B][s I]2C[s J	
	ML		МН
•53007 DATA "[s U]7[s A]1<[s A].6[s K][s	1111	•53118 DATA "[s A]D3[s C]2G[s C]D3[s A][s	1111
	KH	U]7"	EB
•53008 DATA "[s U]7[s C]1<[s A].6=C1[s A]	KII	•53119 DATA "[s A]D3[s C]2G[s C]D3[s A][s	LD
	AJ	U]7"	EB
•53009 DATA "[s U]7[s C]1<[s A].66C1[s A]	110	•53120 DATA "[s A]D3[s J][s B][s H]28[s N	
	PG]A2[s K][7"[s B]"][s F][s B][s I]D3[s A]	
•53010 DATA "[s U]7[s C]1<[s J][4"[s B]"]	10	[s U]7"	JM
=<[s E][s B][s E];=[4"[s B]"][s E];=[s E		•53121 DATA "[s A]D5[s A]28[s N]A2[s 0]47	
	DD		OC
	KK	•53122 DATA "[s A]D5[s A]28[s N]A2[s 0]47	0.0
	KK		NP
	KK	•53123 DATA "[s I]D5[s K][4"[s B]"][s H]I	
•53014 DATA "[s U]7[s K][5"[s B]"][s H]12	100710101	3[s N]??[s K][7"[s B]"][s L]D5[s A][s U]	
[s G][5"[s B]"][s H]I2[s G][5"[s B]"][s			KA
	BA		JD
•53015 DATA "[s U]7[s A]D5[s J][s D][s D]			ML
[s I]D5[s J][s D][s D][s I]D5[s J][s D][JD
	LD		NG
•53016 DATA "[s U]7[s A]DP"	EL	•59999 REM -	JD
	EL	•60000 FOR I=0 TO 90:READ A:A=A*8+CB:FOR	

J=1) •6001 1,P •6002 48+I •6002 K(53 •6003 5324 · 6004 O:NE · 6005 (563) · 6009 •6299 •62998 •62999 ·63000 ·6300 •63002 4 •63003 •63004 •63005 •63006 6,136 • 63007 •63008 6 •63009 •63010 •63011 •63012 •63013 •63014 •63015 •63016 •63017 •63018 •63019 •63020 •63021 •63022 •63023 •63024 •63025 •63026 •63027 •63028 •63029 •63030 •63031 •63032 8,148 •63033 3 •63034 •63035

TO TO TO	D T 1 DD										
J=1) 10 /:	B=J+A:READ X:	POKE B, X: NEXT: NI	EXT	10 .630	36	DATA 164	000	00 62	28,8,0,0		Parties of
LANA CITCICIO	E 50334, PEEK(56334) AND 254:P(OKE		137	DATA 165	1. 10	66 66	,177,72,	, .	MH
T , TEEK (I) AND 251		7	BE •630	138	DATA166	2 0%	160 1	,1//,/2,	,4,4	JC
• 6000ZO FOR	1=8 TO 26*8:	POKE CB+I, PEEK (5	532	•630	130	DATA160	2,04,	100,1,	,42,84,1	128,1	HN
TOTI) . NEA!	L		T	G •630	1/1/0 1	DATA10/	, 4, 84,	168,1,	,42,84,1	.28,1	KO
•60025 FOR	I=36*8 TO 42*	*8+7:POKE CB+I,F	EE	00,	1/. 1 T	DATATOO	,00,80	, 20, 5,	65,80,2	10,5	GM
1 (33240+1)):NEXT		D	F •630	141 I	DATALOS	,192,7	,24,7,	224,24,	7,56	OG
•60030 FOR	I=44*8 TO 58*	8: POKE CB+I, PEE	K/	03.7	42 I	DATA170	,0,0,0	,0,0,0	1,0,0		ВО
JJ24071):N	CAL		D	N 4	45 [JATAI/I	,40,12	4,40,1	24,40,1	24,40,1	12
•60040 FOR	I=CB+32*8 TO	CB+32*8+7:POKE	т 1								CF
J.MEAI			D	• 030)	44 L	DATA172	,0,0,0	,0,0,0	1,0,0		PA
•60050 POKE	1.PEEK(1)OR	4:POKE 56334,PE	DI F	E .0317	40 L	DATAL/3	0.0.0	.0.0.0	1.0.0		ED
(56334)OR	1	4.10KL 30334, FE		•631)4	46 L	DATA174	,0,0,0	,0,0,0	,0,0		GC
•60090 RETU	RN		I	E •631)2	4/ D	ATA175	0,0,0	,0,0,0	,0,0		EF
•62997 REM			I	M .03172	48 D	ATA176,	0.0.0	.0.0.0	0.0		NE
	CHARACTER DAT	٨	J.	03174	49 D	ATA177.	0.0.0	0.0.0	0.0		1711
•62999 REM	OMINIOIDI DAI	Λ	E	3 .03172	מ נוכ	ATA178,	148.47	7.82.1	64 79 1/	46.37.7	4 T.T
	128 26 26 38	88,152,36,36,36	J	0.000	ע דע	A1A1/9,	09.124	+.69.8	4.69.84	.71.84	EE
•63001 DATA	129 (1 255 255	,0,0,255,255,0	A(בניכטי ב	ע אכ	ATATAD,	1,0,0,0	0.0.0	.0.0		PD
•63002 DATA	130 51 51 204	201, 17, 255, 255, 17	DN	1 .03175	03 D	ATA181.	24.24.	48.48	96 96 1	192 192	' EII
4	15,0,01,01,204	,204,51,51,204,2		-03113	04 D	A1A182,	192,19	92.96.	96.48.48	3 24 24	KI
.63003 DATA	131 0 0 0 0 0		KC	2 2030	ע כנ	AIAI83,	24,24.	12.12.	.6.6.3	3	AI
•63004 DATA	131,0,0,0,0,0,0	,0,0,0	NN	.03172	00 D	ATA184.	3.3.6.	6.12.1	12 24 2/	4	OL
•63005 DATA	132,1,2,4,8,16	0,32,64,128	OF	•6305	7 D	ATA185.	0.0.0.	192.24	40,60,15	3	
.63006 DATAI	36,110,136,12	28,8,128,8,128	AF	•6305	8 D	ATA186.	0.0.0.	3.15 6	50,240,1	02	EA
6,136	.34,119,136,13	86,136,119,136,1	3	•6305	9 DA	ATA187.	3.15.6	0.240	192,0,0	.94	NB
	25 10 100		JA	•6306	O DA	ATA188.	192 24	0 60 1	15,3,0,0	, ()	JM
•63CICIO DATAI	35, 18, 130, 164	,52,16,66,75,25	CD	•6306	1 DA	ATA189,	000	(((را ورا و دو	, 0	KJ
6	36, 34, 136, 34,	136,34,136,34,1	3	•6306	2 DA	TA190	1 8 29	2/ 65	,255,25		EG
	27 6 6 6 6 6		FI	•6306	3 DA	TA191	255	255 65	,34,28,	5,0	OI
-62016 DATAL	37,0,0,0,0,0,0,	0,0,0	ED	•63064	4 DA	TA192,	1 (1 (1)	(0.000)	0,34,28,	8,1)	OP
63011) DATAI	38,0,0,0,0,0,	0,0,0	GC	•6306	5 DA	TA103 6	50, 60	60, 60	(),()()		DP
•63011 DATA1	39,0,0,0,0,0,	0,0,0	EF	•63066	6 DA	TA104	1 (1 25	, סוי,	60,60,6	1,60	AB
.03017 DALA1	40,0,0,0,0,0	0.0.0	NL	•63067	7 DA	TA105	1,11,20	3, 433,	255, 255	,0,0	AA
.03013 DATAI	41,5,2,5,0.80	.32.80.0	KL	•63068	R DA	TA106 C	0,50,	50,50,	36,36,36	6,36	ML
.03014 DATA1	42,5,2,5,0,80	.32.80 0	CA	•63060	DA C	TA107 6	0, 60	0,0,0,	255,0,0		HC
. 03012 DALVI	43,0,0,0,0,0,0	0.0.0	MM	•63070	i DA	TA100 6	, נוס, נו	255,25	5,255,25	55,0,0	FA
.03016 DATA14	44.0.0.0.0.0.0.	0.0.0	BP	00.71.	JUH	1 A 1 40 - 1	111 /5	1 155	755 755	11. 11.	NF
.03011 DATATA	45.0.0.0.0.0.0.0	100	BO	00 11 1	ם ש	エロエフフ・リ	-11-03	ni ni	h 2 6/1 6	261	FC
•03018 DATA14	46.0.0.0.0.0.0.0	100	AB	03.112	L DA	THZIJIJ	. 1. 25/	1.757	757 757	65, 65,	JN
.03019 DATA12	+7.192.7.24 7	22/ 2/ 7 56	AO	03773	DA.	TAZUI.0	11.60	157 759	7 757 75	50 6 6	KC
DATATA	18,40,84,40,16	214 56 16 0	JN	03.774	DA.	THZIJZ.O	1) . 61) . 6	13.63 6	33 63 (1	(1	EL
OSOJZI DATATA	19.0.0.0.0.0	1 (1 (1	GC	03013	DA.	IAZIJJ. b	1.611.6	3.63 F	53 63 60	1 60	NJ
OSUZZ DATAIS	00.255.1.255	12 255 2 255 /	CL	()	DA	ra21)4,6	0,60,2	52,252	2,252,25	2,60.6	
USIJES DATATS	1.90.96.6.6.1	92 102 12 12	DL	.,							BI
OSUZ4 DATAIS	2.0.0.0.0.0.0	1 (1 (1		•031)//	DAT	(A205,6)	0,60,2	55,255	,255,25	5,60.6	
OSIJZS DATAIS	3.0.0.0.0.0.0	1 (1 (1	NK	.,							IL
*03026 DATA15	4.0.0.0.0.0	0.0	NN	•63078	DAT	(A206,60	0,63,6	3,60,6	0,63,63	60	AO
. 03177 DATAT2	5.0.0.0.0.0.0	0.0	MM	-031119	DAT	A207,60	1,252,	252,60	,60,252	.252.6	
63028 DATA15	6,0,0,0,0,0,0	0.0	BP	.,							KB
63029 DATA15	7,0,0,0,0,0,0	0.0	ВО	•63080	DAT	'A208,12	26,126	,24,36	,36,24,	(1 (1	OE
63030 DATA15	8,0,0,0,0,0	0.0	AB	100,001	DAT	'A209,0,	192,2	20,226	,226,220	0.192	OL .
63031 DATA15	9,0,0,0,0,0,0	0.0	PA	,						1	ОН
63032 DATA16	0.148 244 149	,156,148,151,14	ED	•63082	DAT	A210,25	5,171.	213.1	71,213,	171 21	J11
8,148	,110,244,140		0.5	3,433						T	DC
	1 136 72 100	18,137,140,66,5	OF	•63083	DAT	A211,21	3,255.	195.10	95,195,	195 25	
3	., 100, 72, 1111),			J, T/T						N.	MP
63034 DATA16	2,0,0,0,0,0,0,	0.0	FB	•63084	DAT	A212,22	5,179.	31.206	5,92,126	5 247	11
63035 DATA163	3 0 0 4 251 6	0,00	Цυ	7)							C
DAINIO	3,0,0,4,251,0,	,0,32,223	MF	•63085	DATA	A213,0.	0,0.0.	0.0.0	0		GC GC
							,	, -, -,		G	

-63096 DATA214, 60, 60, 60, 60, 60, 60, 60, 60 -63097 DATA215, 00, 625, 525, 255, 255, 55 -63099 DATA218, 00, 00, 00, 00, 00, 00 -63099 DATA218, 00, 00, 00, 00 -63099 DATA218, 00, 00, 00, 00 -63090 DATA218, 00 -63099 DATA218, 00, 00, 00 -63099 DATA218, 00 -6309				
-63089 DATA215, 36, 36, 36, 36, 36, 36, 36, 36, 36, 36		Marie Co.		
-63096 DATA217,6,2,55,6,6,255,6,6 -63096 DATA218,6,6,6,6,6,6,6,6 -63096 DATA218,6,6,6,6,6,6,6,6 -63096 DATA218,6,6,6,6,6,6,6,6,6 -63096 DATA218,6,6,6,6,6,6,6,6 -63096 DATA218,6,6,6,6,6,6,6,6,6 -128 REM CLORE TRE MANSION GAME -128 REM SECURE TRE MANSION MANDER—DISPLAY -128 REM SOLVE THE MANSION MURDER—DISPLAY -128 REM SER RELOCATE BASIC VARIABLE STORAGE -138 REM RELOCATE BASIC VARIABLE STORAGE -140 POKE 32766, PEEK(45):POKE 32767,PEEK(4-6):POKE 45,0:POKE 46,128 -141 REM JUL-128 REM JUL-128 REM MOVING OFF THE EDGE? -130 IF H(P)>38 OR H(P)<1 THEN 250 -131 IF V(P)>22 OR V(P)<1 THEN 250 -130 IF H(P)>38 OR H(P)<1 THEN 250 -131 IF V(P)>22 OR V(P)<1 THEN 250 -130 IF H(P)>38 OR H(P)<1 THEN 250 -131 IF V(P)>22 OR V(P)<1 THEN 250 -132 REM JUL-128 REM MOVING OFF THE EDGE? -132 REM MOVING OFF THE EDGE? -133 REM HE DASIC VARIABLE STORAGE -130 IF H(P)>38 OR H(P)<1 THEN 250 -131 IF V(P)>22 OR V(P)<1 THEN 250 -131 IF V(P)>22 OR V(P)<1 THEN 250 -131 IF V(P)>22 OR V(P)<1 THEN 250 -132 REM JUL-128 REM MOVING OFF THE EDGE? -133 REM HE DASIC VARIABLE STORAGE -134 REM MOVING OFF THE EDGE? -136 REM MOVING OFF THE EDGE? -137 REM JUL-128 REM MOVING OFF THE EDGE? -138 REM MOVING OFF THE EDGE? -139 REM MOVING OFF THE EDGE? -130 IF H(P)>38 OR H(P)<1 THEN 250 -131 IF V(P)>22 OR V(P)<1 THEN 250 -133 REM SEC IT V(V) -131 IF V(P)>22 OR V(P)<1 THEN 250 -133 REM SEC IT V(V) -131 IF V(P)>22 OR V(P)<-1 THEN 250 -133 REM SEC IT V(V) -132 REM -133 REM HAS SCREEN BEEN LOADED? -134 REM PUT FIGURE IN NEW SPOT -135 REM HAS SCREEN BEEN LOADED? -136 REM IS PLAYER'S TURN OVER? -137 REM -138 REM TUT BASCREEN BEN SPOT -138 REM TUT BASCREEN SPOT -139 REM -139 REM STORAGE -140 ARD VP-O*THEN 160 -150 ARD VP-O*THEN 160 -150 ARD VP-O*THEN				
## 12				
MANSION GAME WARNING: Do not run this program without SAVEing it, preferobly twice, because if there is not were or in your typing into cause it in the congest of the real state of of the real				
MANSION GAME P;H(P)=R(P);COTO 160 JI WARNING: Do not run this program without xNeTing it, pref = -126 If Y(P)>22 OR Y(P)<1 THEN 250 LB roby you diready SAYEd or the one you type all over again. Castel users, see the article for line changes. 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 2 REM 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 3 REM SOLVE THE MANSION MURDER—DISPLAY EC. 4 REM 8 REM RELOCATE BASIC VARIABLE STORAGE M9 P RPM 10 POKE 32766, PEEK(45):POKE 32767, PEEK(4 C):POKE 45,0;POKE 46,128 113 REM GASIC VARIABLE STORAGE M10:POKE 32766, PEEK(45):POKE 32767, PEEK(4 C):POKE 45,0;POKE 46,128 114 REM 115 IF PEEK(31744)=26 AND PEEK(31748)=152 THEN 20 116 POKE 47,0;POKE 48,128:POKE 49,0;POKE 50,128:GOSUB 506969 127 REM 138 REM MOVE VIDEO MEMORY TO MANSION M10:POKE 47,0;POKE 48,128:POKE 49,0;POKE 50,128:GOSUB 506969 107 REM 108 REM MOVE VIDEO MEMORY TO MANSION M10:POKE 578, WQ OR 3:POKE 56576, XQ AND 272 OR VW W 135 POKE VK, DM(0):POKE BR,DB(0):P=0;T=0 44 GOSUB 469:1=FRE(9) 157 REM 157 REM 158 REM MOVE VIDEO MEMORY TO MANSION M17 IF PR(P)=XF(P)=XF(P)=Y(P)C) CTO 169 PG 77 REM 159 REM 150 VN=VM(PEEK(197)):HD=HM(PEEK(653):IFF 160 FOKE VR,DM(0):POKE BR,DB(0):P=0;T=0 161 F VN= THEN 169 162 FOKE VR,DM(0):POKE BR,DB(0):P=0;T=0 163 REM FOKE VR,DM(0):POKE BR,DB(0):P=0;T=0 164 GOSUB 469:1=FRE(9) 179 REM 170 NP PS REM 170 NP	**O3090 DATA210,0,0,0,0,0,0,0,0	10		OD
WARNING: Do not run his program without SAVEing it, preficibly lovice, because if there is not yerror in your typing that cause is the crash while RUNning, the only copy you'll ever get is the capty out offered SAVEd or the one you type all over again. Cass settle users, see the article for line changes. 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 2 REM 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 2 REM 2 REM RELOCATE BASIC VARIABLE STORAGE M. 9 REM 1 POPOKE 45,0: POKE 46,128 1 J. 137 REM 138 REM PUT BACK OLD FLOOR, GET NEW JD. 139 REM 1 REM SCREEN BEEN LOADED? 1 REM SCREEN BEEN LOADED? 1 REM LOCATE BASIC VARIABLE STORAGE M. 1 J. 142 REM 1 J. 143 REM PUT FIGURE IN NEW SPOT EL. 1 J. 142 REM 1 J. 144 REM JD. 145 PEINT V\$(V(P))TAB(H(P))V\$(P); XCS (P)=(H\$(XC(P)) TAB(H(P))PF\$(P); XCS (P)=(H\$(Y(P))PF\$(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P); XCS (P)=(H\$(Y(P))PS*(P)=(H\$(Y(P))PS*(P)=(H\$(Y(P))PS*(P)=(H\$(Y(P))PS*(P)=(H	MANSION GA	ME		JI
erobly twice, because if there is any error in your typing that causes it to crash while RUNning, the only copy you'll ever get is the crash while RUNning, the only copy you'll ever get is the crash while RUNning, the only copy you'll ever get is the crash while RUNning, the only copy you'll ever get is the copy you already SAVEd or the one you type all over again. Castel users, see the arricle for ine changes. 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 2 REM. 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 3 THE PROPERTY of the copy you already SAVEd or the one you type all over again. Castel users, see the arricle for ine changes. 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 3 THE PROPERTY of the copy you already SAVEd or the one you type all over again. Castel users, see the arricle for ine changes. 1 REM SOLVE THE MANSION MURDER—DISPLAY EC. 3 THE PROPERTY of the copy you already SAVED AND SAV	WARNING: Do not run this program without SAVEing it,	pref-		KD
Copy you diready SAVEd or the one you type all over again. Castel users, see the article for line changes.	erably twice, because if there is any error in your typing that	caus-	•127 REM	
Sethe warride for line changes. 1 REM SOLVE THE MANSION MURDER—DISPLAY PART OF THE MANSION PART OF TH	es it to crash while RUNning, the only copy you'll ever get	is the		
-1 REM SOLVE THE MANSION MURDER—DISPLAY 2 REM -2 REM -1 131 F H(P)>20 KP(P) -2 REM -3 REM -3 REM RELOCATE BASIC VARIABLE STORAGE -9 REM -10 POKE 32766, PEEK(45): POKE 32767, PEEK(46): POKE 45, 61: POKE 47, 61: POKE 47, 61: POKE 47, 61: POKE 47, 61: POKE 48, 128: POKE 49, 61: POKE 47, 61: POKE 48, 128: POKE 49, 61: POKE 47,	sette users, see the article for line changes.	. Cus-		
- 2 REM				
-7 REM -8 REM RELOCATE BASIC VARIABLE STORAGE -8 REM RELOCATE BASIC VARIABLE STORAGE -8 REM RELOCATE BASIC VARIABLE STORAGE -10 POKE 32766, PEEK(45): POKE 32767, PEEK(4 -110 POKE 32766, PEEK(45): POKE 32767, PEEK(4 -1110 REM HAS SCREEN BEEN LOADED? -12 REM -13 REM HAS SCREEN BEEN LOADED? -14 REM -15 IF PEEK(31744)=26 AND PEEK(31748)=152 -16 POKE 47,0: POKE 48,128: POKE 49,0: POKE -50,128: GOSUB 50000 -20 GOSUB 1000 -27 REM -28 REM MOVE VIDEO MEMORY TO MANSION -29 REM -20 GOSUB 1000 -29 REM -20 GOSUB 50000 -29 REM -20 FOCATION OF PEEK(56576): POKE 56 -100 REM -20 FOCATION OF PEEK(56578): XQ=PEEK(56576): POKE 56 -100 REM -20 FOCATION OF PEEK(56578): XQ=PEEK(56576): POKE 56 -100 REM -100 FOCATION OF PEEK(56576): POKE 56 -100 FOCATION OF PEEK(565				
*** REM RELOCATE BASIC VARIABLE STORAGE				
-9 REM -10 POKE 32766, PEEK(45): POKE 32767, PEEK(4 -10 POKE 32766, PEEK(45): POKE 32767, PEEK(4 -110 POKE 45,0: POKE 46,128 -12 REM -13 REM HAS SCREEN BEEN LOADED? -14 REM -15 IF PEEK(31744)=26 AND PEEK(31748)=152 -16 POKE 47,0: POKE 48,128: POKE 49,0: POKE 50,128: GOSUB 50906 -20 GOSUB 10906 -27 REM -28 REM MOVE VIDEO MEMORY TO MANSION -29 REM -29 REM -20 GOSUB 10906 -29 REM -20 GOSUB 50906 -20 GOSUB 50906 -20 GOSUB 50906 -21 REM -22 REM -23 REM MOVE VIDEO MEMORY TO MANSION -29 REM -20 REM -20 REM -20 GOSUB 450 -20 REM -				
10 POKE 32766, PEEK(45): POKE 32767, PEEK(4 P)=CH\$ (XC(P))				
6):POKE 45,0:POKE 46,128 1J 142 REM 13 REM HAS SCREEN BEEN LOADED? 114 REM 15 IF PEEK(31744)=26 AND PEEK(31748)=152 THEN 20 16 POKE 47,0:POKE 48,128:POKE 49,0:POKE 50,128:GOSUB 50000 70 FO 177 REM 227 REM 228 REM MOVE VIDEO MEMORY TO MANSION 30 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56 578,WQ OR 3:POKE 56576,XQ AND 272 CQ VM KF 35 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 40 GOSUB 450 178 REM SEM MOVE MEMORY TO MANSION 189 REM MOVEMENT LOOP 199 REM 198 REM MOVEMENT LOOP 199 REM 100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF HD=0 AND VD=0 THEN 190 110 REM 110 REM 110 REM 111 XC(P)=PEEK(DA(PW(P))+H(P)+HD 110 KP)=TEEN BE MASSERET PASSAGE? 111 REM 111 XC(P)=PEEK(DA(PW(P))+H(P)+HD 111 XC(P)=PEEK(DA(PW(P))+H(P)+HD 111 XC(P)=PEEK(DA(PW(P))+H(P)+HD 111 XC(P)=PEEK(DA(PW(P))+H(P)+HD 111 XC(P)=PEEK(DA(PW(P))+H(P)+HD 112 REM 113 REM IS IT A STAIR-END? 114 REM 115 IF XC(P)>85 THEN 600 116 REM 117 REM 117 REM 118 REM IS IT A STAIR-END? 118 REM IS IT A STAIR-END? 119 REM 110 VP) = VEM 110 VP) = VEM 111 REM 110 VP) = VEM 111 REM IS IT A STAIR-END? 110 REM 111 REM IS IT A STAIR-END? 111 REM 111 REM IS IT A STAIR-END? 112 REM 114 REM 115 IF REM SCREEN BEEN LOADED? 116 CARM 117 REM 117 L42 REM 118 REM IS IT A STAIR-END? 117 REM 118 REM IS IT A STAIR-END? 110 L44 REM 111 REM 110 L44 REM 111 REM 111 REM 111 REM 112 REM 113 REM IS IT A STAIR-END? 114 REM 115 REM IS IT A STAIR-END? 115 REM IS IT A STAIR-END? 116 REM 117 REM 118 REM IS IT A STAIR-END? 117 REM 118 REM IS IT A STAIR-END? 118 REM IS IT A STAIR-END? 119 L240 GOTO 190 1D L44 REM 1D L45 REM UF FIGURE IN NEW SCREEN NUMBER 1D L14 REM 1D L44 REM 1D L45 REM UF FIGURE IN NEW SCREEN NUMBER 1D L44 REM 1D L45 REM UF FIGURE IN NEW SCREEN NEM 1D L45 REM UF FIGURE IN NEW SCREEN NEM 1D L44 REM 1D L44 REM 1D L45 REM UF RICH REM CHOON, PICH THEN PQ-1 1D L45 REM VER				ED
-13 REM HAS SCREEN BEEN LOADED? -14 REM -15 IF PEEK(31744)=26 AND PEEK(31748)=152 THEN 20 -16 POKE 47,0;POKE 48,128;POKE 49,0;POKE -16 POKE 47,0;POKE 48,128;POKE 49,0;POKE -20 GOSUB 1000 -20 GOSUB 1000 -20 REM -28 REM MOVE VIDEO MEMORY TO MANSION -29 REM -29 REM -29 REM -20 GOSUB 5576, XQ AND 272 OR VM -29 REM -30 WQ=PEEK(56578);XQ=PEEK(56576);POKE 56 -578, WQ OR 3:FOKE 56576, XQ AND 272 OR VM -40 GOSUB 450 -45 GOSUB 400;1=FRE(9) -40 GOSUB 450 -45 GOSUB 400;1=FRE(9) -47 REM -49 REM MOVEMENT LOOP -99 REM -100 VD=VM(PEEK(197));HD=HM(PEEK(653));IF -102 REM -103 REM SPECIAL COMMAND HANDLER -104 REM -105 IF VD=2 THEN 100 -105 IF VD=2 THEN 100 -106 IF VD=3 THEN 800 -107 REM -108 REM CHECK WHERE FIGURE WILL BE -110 REM -111 XC(P)=PEEK(DA(PW(P))+H(P)+HD -108 REM CHECK WHERE FIGURE WILL BE -111 REM -112 REM -113 REM IS IT A SECRET PASSAGE? -146 REM -157 REM -158 REM GEN LOVEN(P), PQ) -169 REM -170 R				JD
-14 RPM -15 IF PEEK(31744)=26 AND PEEK(31748)=152 THEN 20 -16 POKE 47,0; POKE 48,128:POKE 49,0; POKE 50,128:GOSUB 50000 -27 RPM -28 RPM MOVE VIDEO MEMORY TO MANSION -29 RPM -30 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56 578,WQ OR 3:POKE 56576,XQ AND 272 OR VM -35 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 -46 GOSUB 450 -97 RPM -40 GOSUB 450 -98 RPM MOVEMENT LOOP -99 RPM -100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF -102 RPM -105 IF VD=2 THEN T=75:GOTO 180 -106 IF VD=3 THEN 800 -20 (GSUB 1000) -20 (GSUB 1000) -21 (FRM -22 (GSUB 1000) -23 (GSUB 1000) -24 (GSUB 1000) -25 (GSUB 1000) -26 (GSUB 1000) -27 RPM -28 (GSUB 1000) -29 RPM -30 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56 -190 XH(P)=H(P):XV(P)=V(P):GOTO 100 -190 RPM -35 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 -40 (GOSUB 450) -35 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 -40 (GSUB 450)	•12 REM	JD	•143 REM PUT FIGURE IN NEW SPOT	
*15 IF PEEK(31744)=26 AND PEEK(31748)=152 THEN 20 *16 POKE 47,0; POKE 48,128; POKE 49,0; POKE 50,128; GOSUB 50000 FO 177 REM JD 178 REM IS PLAYER'S TURN OVER? CF 177 REM JD 178 REM IS PLAYER'S TURN OVER? CF 178 REM JD 179 REM JD 1	·13 REM HAS SCREEN BEEN LOADED?			
THEN 20 -16 POKE 47,0; POKE 48,128; POKE 49,6; POKE 50,128; GOSUB 50000 -27 REM -29 GOSUB 1000 -27 REM -29 REM MOVE VIDEO MEMORY TO MANSION -29 REM -30 WQ=PEEK(56578); XQ=PEEK(56576); POKE 56 578, WQ OR 3; POKE 56576, XQ AND 272 OR VM -35 POKE VR, DM(0); POKE BR, DB(0); P=0; T=0 -40 GOSUB 450 -45 GOSUB 400; I=FRE(9) -47 REM -198 REM MOVEMENT LOOP -98 REM -100 VD=VM(PEEK(197)); HD=HM(PEEK(653)); IF -102 REM -104 REM -105 IF VD=2 THEN T=75; GOTO 180 -105 IF VD=2 THEN 800 -106 IF VD=3 THEN 800 -107 REM -108 REM CHECK WHERE FIGURE WILL BE -109 REM -110 V(P)=V(P)+VD; H(P)=H(P)+HD -109 REM -111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 -28 -112 REM -113 REM IS IT A SECRET PASSAGE? -115 IF XC(P)>85 THEN 600 -127 REM -128 -116 REM IS IT A STAIR-END? -129 REM JD -220 GOSUB 900 -220 GOSUB 1000 -120 REM JD -221 IF M(P)=W(PM(P), PQ) -222 GOTO 190 -223 REM GOSUB 450 -124 REM JD -224 REM JD -225 IF PW(P)=W(PV, PQ) -226 THEN V(P)=XP(P) -227 OF W(P)=XP(P)=XP(P) -228 REM VERTICAL MOVE TO NEW SCREEN -226 REM JD -226 REM JD -227 REM JD -228 REM CHECK WHERE FIGURE WILL BE -226 V(P)=XV(P)=XV(P), PQ) -227 THEN H(P)=XH(P) -228 -229 REM -220 PQ=2:IF V(P)<1 THEN PQ=1 -221 GM -223 REM VERTICAL MOVE TO NEW SCREEN -224 REM -225 IF PW(P)=W(PV, PQ) -225 IF PW(P)=W(PV, PQ) -226 REM -227 REM -227 REM -228 REM GET NEW SCREEN NUMBER -228 REM GET NEW SCREEN NUMBER -229 REM -220 PQ=2:IF V(P)<1 THEN V(P)=22:GOTO 270 -228 REM -228 REM GET NEW SCREEN NUMBER -229 REM -220 PQ=2:IF V(P)<1 THEN V(P)=22:GOTO 270 -226 REM -227 REM -228 REM GET NEW SCREEN NUMBER -228 REM GET NEW SCREEN NUMBER -229 REM				
-16 POKE 47,0:POKE 48,128:POKE 49,6:POKE 50,128:GOSUB 50600 -27 REM -28 REM MOVE VIDEO MEMORY TO MANSION -29 REM -30 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56 578,WQ OR 3:POKE 56576,XQ AND 272 OR VM -35 POKE VR,DM(0):POKE BR,DB(0):P=6:T=6 -40 GOSUB 450 -45 GOSUB 450 -45 GOSUB 450 -47 REM -48 REM MOVEMENT LOOP -99 REM -98 REM MOVEMENT LOOP -99 REM -100 VD=W(PEEK(197)):HD=HM(PEEK(653)):IF -101 REM -102 REM -103 REM SPECIAL COMMAND HANDLER -104 REM -105 IF VD=2 THEN T=75:GOTO 180 -107 REM -108 REM CHECK WHERE FIGURE WILL BE -109 REM -100 VP)=VP(P)=V(P)+VP)+HD+HD -109 REM -109 RE				
50,128:GOSUB 50000 CN -170 IF PR(P)<>XC(P) THEN GOSUB 460 BK -20 GOSUB 1000 FO -177 REM JD -178 REM IS PLAYER'S TURN OVER? CF -28 REM MOVE VIDEO MEMORY TO MANSION -29 REM -30 WQ-PEEK(56578):XQ-PEEK(56576):POKE 56 578,WQ OR 3:POKE 56576,XQ AND 272 OR VM -35 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 -40 GOSUB 450 -45 GOSUB 450:I=FRE(9) -47 REM JD -205 IF PW(P)=W(PW(P),PQ) THEN H(P)=XH(P) -98 REM MOVEMENT LOOP -99 REM -100 VD=W(PEEK(197)):HD=HM(PEEK(653)):IF -102 REM -103 REM SPECIAL COMMAND HANDLER -104 REM -105 IF VD=2 THEN T=75:GOTO 180 -106 REM -107 REM -107 REM -108 REM CHECK WHERE FIGURE WILL BE -109 REM -110 V(P)=V(P)+VD:H(P)+HD -109 REM -110 V(P)=V(P)+VD:H(P)+HP) -128 -111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 -28 -112 REM -113 REM IS IT A SECRET PASSAGE? -114 REM -115 IF XC(P)>85 THEN 600 -126 GOSUB 900 -127 REM -128 -128 GOSUB 900 -129 GOTO 190 -120 IF H(P)-XV(P)=V(P)+PQ -120 IF PK(P)-XV(P) = V(P) = V(P)=XV(P) = V(P) =				
177 REM				
-27 REM -28 REM MOVE VIDEO MEMORY TO MANSION -29 REM -30 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56 -578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF -35 POKE VR,DM(9):POKE BR,DB(9):P=0:T=0 -45 GOSUB 450 -45 GOSUB 450 -47 REM -30 WQ=PEEK(197):HD=HM(PEEK(653)):IF -37 REM -38 REM MOVEMENT LOOP -38 REM MOVEMENT LOOP -39 REM -100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF -30 RD VD=0 THEN 100 -31 RD VD=0 THEN 100 -31 RD VD=0 THEN 100 -32 REM -34 REM -35 POKE VR,DM(9):POKE BR,DB(9):P=0:T=0 -36 REM -37 REM -38 REM MOVEMENT LOOP -39 REM -30 VQ=P3:IF H(P)<1 THEN PQ=4 -30 PQ=3:IF H(P)<1 THEN PQ=1 -30 PQ=3:IF H(P)<1 PQ=1 -30 P				
*28 REM MOVE VIDEO MEMORY TO MANSION				
-29 REM -30 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56 -578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF -190 XH(P)=H(P):XV(P)=V(P):GOTO 100 -78 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 -40 GOSUB 450 -45 GOSUB 450 -45 GOSUB 450 -47 REM -200 PQ=3:IF H(P)<1 THEN PQ=4 -201 IF H(P)<-1 THEN PQ=4 -202 IF PW(P)=W(PW(P),PQ) THEN H(P)=XH(P) -98 REM MOVEMENT LOOP -98 REM MOVEMENT LOOP -99 REM -100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF -110 REM -121 IF H(P)<-1 AND PW(P)=4 THEN V(P)=6 -121 IF H(P)<-1 THEN H(P)=38:GOTO 270 -210 IF H(P)<-1 THEN H(P)=38:GOTO 270 -211 IF H(P)<-1 THEN H(P)=38:GOTO 270 -212 REM -213 REM SPECIAL COMMAND HANDLER -142 REM -155 IF VD=2 THEN T=75:GOTO 180 -156 IF VD=2 THEN T=75:GOTO 180 -157 REM -158 REM CHECK WHERE FIGURE WILL BE -159 REM -159 REM -150 VP)=V(P)+VD:H(P)=H(P)+HD -150 REM -150 SEM CHECK WHERE FIGURE WILL BE -151 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 -28 -151 REM -151 IT A SECRET PASSAGE? -152 REM -153 IF XC(P)>85 THEN 600 -154 REM -155 IF VC(P)>85 THEN 600 -156 CR -256 GOSUB 900 -259 REM -250 REM -25				
*30 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56 578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF -197 REM -35 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 -40 GOSUB 450 -45 GOSUB 450 -47 REM -98 REM MOVEMENT LOOP -98 REM MOVEMENT LOOP -99 REM -100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF -102 REM -103 REM SPECIAL COMMAND HANDLER -104 REM -105 IF VD=2 THEN T=75:GOTO 180 -105 REM -106 IF VD=3 THEN 800 -106 REM CHECK WHERE FIGURE WILL BE -107 REM -108 REM CHECK WHERE FIGURE WILL BE -109 REM -110 VP)=V(P)+VD:H(P)=H(P)+HD -111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 -28 -112 REM -113 REM IS IT A SECRET PASSAGE? -114 REM -115 IF X(P)>85 THEN 600 -116 REM -117 REM -117 REM -118 REM IS IT A STAIR-END? -118 REM IS IT A STAIR-END? -119 REM -110 VP PEX(P)>85 GOSUB 900 -110 REM -111 REM -111 REM -112 REM -113 REM IS IT A STAIR-END? -114 REM -115 REM IS IT A STAIR-END? -116 REM CIRC KREE -117 REM -118 REM IS IT A STAIR-END? -119 REM -110 VP)=V(P)+V(P)+STHEN 100 -111 REM -111 REM -111 REM -111 REM -112 REM -113 REM IS IT A STAIR-END? -114 REM -115 REM IS IT A STAIR-END? -116 REM IS IT A STAIR-END? -117 REM -118 REM IS IT A STAIR-END? -119 REM -110 V(P)=W(P)+STHEN H(P)=XH(P) -110 X(P)=V(P)+STHEN H(P)=XH(P) -111 REM -111 REM -112 REM -113 REM IS IT A STAIR-END? -114 REM -115 REM IS IT A STAIR-END? -116 REM IS IT A STAIR-END? -117 REM -118 REM IS IT A STAIR-END? -119 REM -119 REM -110 V(P)=V(P)+V(P)+V(P)+V(P)+V(P)+V(P)-V(P)-V(P)-V(P)+V(P)+V(P)-V(P)-V(P)-V(P)-V(P)-V(P)-V(P)-V(P)-				
*35 POKE VR,DM(0):POKE BR,DB(0):P=0:T=0 *40 GOSUB 450 *198 REM HORIZONTAL MOVE TO NEW SCREEN *198 REM *198 REM HORIZONTAL MOVE TO NEW SCREEN *198 REM *199 REM *109 REM *109 PEM *110 V(P)=V(P)+VD:H(P)=H(P)+HD *111 PEM *112 PEM *113 REM IS IT A SECRET PASSAGE? *114 PEM *115 IF XC(P)>85 THEN 600 *10 PEM *116 PEM *117 PEM *118 REM IS IT A STAIR-END? *118 REM IS IT A STAIR-END? *119 PEM *119 PEM *119 PEM *119 PEM *119 PEM *119 PEM *110 POSSER PEM *100 PESTIFE NOV(P)=D *100 PESTIFE NOV(P)=W(PV,P),PQ) *100 PEM *110 POM *111 PEM *111 PEM *112 PEM *113 PEM *114 PEM *115 PEM *116 POM *117 PEM *117 PEM *118 PEM *119 PEM *119 PEM *119 PEM *119 PEM *110 POM *111 PO		6	•190 XH(P)=H(P):XV(P)=V(P):GOTO 100	PG
-40 GOSUB 450 -45 GOSUB 460:I=FRE(9) -47 REM -48 JD -49 REM MOVEMENT LOOP -98 REM MOVEMENT LOOP -99 REM -100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF -102 REM -103 REM SPECIAL COMMAND HANDLER -1103 REM SPECIAL COMMAND HANDLER -1104 REM -105 IF VD=2 THEN T=75:GOTO 180 -106 IF VD=3 THEN 800 -107 REM -108 REM CHECK WHERE FIGURE WILL BE -109 REM -110 V(P)=V(P)+VD:H(P)=H(P)+HD -128 REM -138 REM SPECIAL COMP(P)+H(P)+HD -148 REM CHECK WHERE FIGURE WILL BE -111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 -128 -112 REM -113 REM IS IT A SECRET PASSAGE? -115 REM JD -116 REM -117 REM -118 REM IS IT A STAIR-END? -119 REM -110 REM JD -290 GOTO 190 -		KF		
*45 GOSUB 400:I=FRE(9) *47 REM *48 REM MOVEMENT LOOP *49 REM *40 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF *40 HD=0 AND VD=0 THEN 100 *410 IF H(P)<1 THEN PQ=4 *410 IF H(P)=W(PW(P),PQ) THEN H(P)=XH(P) *411 IF H(P)>38 AND PW(P)=4 THEN V(P)=6 NB *410 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF *411 IF H(P)>38 AND PW(P)=5 THEN V(P)=16 KK *410 IF H(P)<1 THEN H(P)=38:GOTO 270 *410 IF H(P)<1 AND PW(P)=3 THEN V(P)=16 *410 IF H(P)<1 AND PW(P)=3 THEN V(P)=16 *410 IF H(P)<1 AND PW(P)=3 THEN V(P)=16 *411 IF H(P)<1 AND PW(P)=3 THEN V(P)=16 *411 IF H(P)<1 AND PW(P)=4 THEN V(P)=38:GOTO 270 *411 IF H(P)<1 AND PW(P)=4 THEN H(P)=46 *411 IF H(P)<1 AND PW(P)=4 THEN V(P)=38:GOTO 270 *410 IF H(P)<1 AND PW(P)=4 THEN H(P)=46 *410 IF H(P)<1 AND PW(P)=4 THEN H(P)=46 *411 IF H(P)<1 THEN H(P)=46 *411 IF H(P)<1 THEN H(P)=46 *410 IF H(P)<1 THEN H(P)=46 *410 IF H(P)<1 THEN H(P)=46 *411				
97 REM 98 REM MOVEMENT LOOP 98 REM MOVEMENT LOOP 99 REM 100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF HD=0 AND VD=0 THEN 100 103 REM SPECIAL COMMAND HANDLER 104 REM 105 IF VD=2 THEN T=75:GOTO 180 106 IF VD=2 THEN 800 107 REM 108 REM CHECK WHERE FIGURE WILL BE 109 REM 1100 V(P)=V(P)+VD:H(P)=H(P)+HD 1108 REM CHECK WHERE FIGURE WILL BE 1110 V(P)=V(P)+VD:H(P)=H(P)+HD 112 REM 113 REM IS IT A SECRET PASSAGE? 114 REM 115 IF XC(P)>85 THEN 600 116 IF VD=3 THEN 600 117 REM 118 REM IS IT A STAIR-END? 119 REM 110 V(P) = V(P) + VD + V				
-98 REM MOVEMENT LOOP -99 REM -100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF HD=0 AND VD=0 THEN 100 AH -1113 REM SPECIAL COMMAND HANDLER -104 REM -105 IF VD=2 THEN T=75:GOTO 180 -106 IF VD=3 THEN 800 -107 REM -108 REM CHECK WHERE FIGURE WILL BE -109 REM -110 V(P)=V(P)+VD:H(P)=H(P)+HD -110 V(P)=V(P)+VD:H(P)=H(P)+HD -1113 REM IS IT A SECRET PASSAGE? -1114 REM -115 IF XC(P)>85 THEN 600 -116 REM IS IT A STAIR-END? -117 REM -118 REM IS IT A STAIR-END? -119 REM -110 V(P) REM -110 V(P) REM -110 V(P) REM -111 REM -111 REM -112 REM -113 REM IS IT A STAIR-END? -114 REM -115 REM -116 REM IS IT A STAIR-END? -117 REM -118 REM IS IT A STAIR-END? -119 REM -110 V(P) REM -110 V(P) REM -111 REM -112 REM -113 REM IS IT A STAIR-END? -114 REM -115 IF XC(P)>85 GOTO 190 -116 REM IS IT A STAIR-END? -117 REM -118 REM IS IT A STAIR-END? -119 REM -110 V(P) REM -111 REM -112 REM -113 REM IS IT A STAIR-END? -114 REM -115 IF XC(P)>85 THEN 600 -116 REM IS IT A STAIR-END? -117 REM -118 REM IS IT A STAIR-END? -119 REM -110 V(P)=V(P)+V(P)+V(P)+V(P)+V(P)+V(P)-V(P)-V(P)-V(P)+V(P)-V(P)-V(P)-V(P)-V(P)-V(P)-V(P)-V(P)-				טע
*99 REM *100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF HD=0 AND VD=0 THEN 100 *101 REM *102 REM *103 REM SPECIAL COMMAND HANDLER *104 REM *105 IF VD=2 THEN T=75:GOTO 180 *106 IF VD=3 THEN 800 *107 REM *108 REM CHECK WHERE FIGURE WILL BE *110 V(P)=V(P)+VD:H(P)=H(P)+HD *111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 *28 *111 REM *112 REM *113 REM IS IT A SECRET PASSAGE? *114 REM *115 IF XC(P)>85 THEN 600 *107 REM *107 REM *108 REM CHECK WHERE FIGURE WILL BE *110 V(P)=V(P)+SOTO 160 *111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 *28 *111 REM *112 REM *113 REM IS IT A SECRET PASSAGE? *114 REM *115 IF XC(P)>85 THEN 600 *116 CK *117 REM *117 REM *118 REM IS IT A STAIR-END? *119 REM *110 V(P)=V(P)+SOTO 190 *111 REM *111 REM *112 REM *113 REM IS IT A STAIR-END? *114 REM *115 IF XC(P)>85 THEN 600 *116 CK *117 REM *118 REM IS IT A STAIR-END? *119 REM *119 REM *110 V(P)=V(P)+SOTO 190 *110 CK *111 REM *112 REM *113 REM IS IT A STAIR-END? *114 REM *115 IF XC(P)>85 THEN 600 *116 CK *117 REM *118 REM IS IT A STAIR-END? *119 REM *119 REM *110 CK *111 IF H(P)<1 AND PW(P)=4 THEN V(P)=5 THEN V(P)=16 KK *121 IF H(P)>38 AND PW(P)=5 THEN V(P)=16 KK *11F H(P)>38 AND PW(P)=5 THEN V(P)=16 KK *121 IF H(P)>38 AND PW(P)=5 THEN V(P)=16 KX *115 IF H(P)<1 THEN H(P)=3 THEN V(P)=16 KX *10				TP
*100 VD=VM(PEEK(197)):HD=HM(PEEK(653)):IF HD=0 AND VD=0 THEN 100 AH *215 IF H(P)<1 THEN H(P)=38:GOTO 270 EE *102 REM *103 REM SPECIAL COMMAND HANDLER HD *220 H(P)=1:GOTO 270 LD *220 H(P)=1:GOTO 270 CD *220 H(P)=1:GOTO 270				
HD=0 AND VD=0 THEN 100 AH				
102 REM JD 220 H(P)=1:GOTO 270 CD 103 REM SPECIAL COMMAND HANDLER LH 247 REM JD 104 REM JD 248 REM VERTICAL MOVE TO NEW SCREEN NM 105 IF VD=2 THEN T=75:GOTO 180 HJ 249 REM JD 106 IF VD=3 THEN 800 GD 250 PQ=2:IF V(P)<1 THEN PQ=1 GM 107 REM JD 225 IF PW(P)=W(PW(P), PQ) THEN H(P)=XH(P) 108 REM CHECK WHERE FIGURE WILL BE NO :V(P)=XV(P):GOTO 100 IP 109 REM JD 260 IF V(P)<1 THEN V(P)=22:GOTO 270 PB 110 V(P)=V(P)+VD:H(P)=H(P)+HD EA 265 V(P)=1:GOTO 270 CB 111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 267 REM JD 28 PG 268 REM GET NEW SCREEN NUMBER BD 112 REM JD 269 REM JD 113 REM IS IT A SECRET PASSAGE? AF 270 PW(P)=W(PW(P), PQ) KJ 114 REM JD 277 REM JD 115 IF XC(P)>85 THEN 600 EA 278 REM GO INITIALIZE SCREEN NM 117 REM JD 229 GOSUB 900 DB 118 REM IS IT A STAIR-END? PE 280 GOSUB 900 DB 119 REM JD 2290 GOTO 190 CK 100 CCK CCB CCB CCK				
-103 REM SPECIAL COMMAND HANDLER -104 REM -105 IF VD=2 THEN T=75:GOTO 180 -106 IF VD=3 THEN 800 -107 REM -108 REM CHECK WHERE FIGURE WILL BE -109 REM -110 V(P)=V(P)+VD:H(P)=H(P)+HD -28 -111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 -28 -112 REM -113 REM IS IT A SECRET PASSAGE? -114 REM -115 IF XC(P)>85 THEN 600 -116 YEM -117 REM -117 REM -118 REM IS IT A STAIR-END? -119 REM -119 REM -110 REM -110 REM -111 XC(P)=REM(DA(PW(P))+HEN(P)+40*V(P))-1 -111 XC(P)=REM(DA(PW(P))+H(P)+40*V(P))-1 -112 REM -113 REM IS IT A SECRET PASSAGE? -114 REM -115 IF XC(P)>85 THEN 600 -116 YEM -117 REM -117 REM -118 REM IS IT A STAIR-END? -119 REM -119 REM -110 YEM -110 YEM -110 YEM -111 YEM -111 YEM -112 YEM -113 REM IS IT A STAIR-END? -114 REM -115 IF XC(P)>85 THEN 600 -116 YEM -117 REM -117 REM -118 REM IS IT A STAIR-END? -119 REM -119 REM -110 YEAT REM -110 YEN V(P)=V(P)(P) YEM YEM -111 YEM -111 YEM -112 YEM -113 YEM -114 YEM -115 YEM -116 YEM -117 YEM -117 YEM -118 YEM -119 YEM -119 YEM -110 YEAT REM -110 YEM -110 YEM -111 YEM -111 YEM -111 YEM -112 YEM -113 YEM -114 YEM -115 YEM -115 YEM -116 YEM -117 YEM -117 YEM -118 YEM -119 YEM -119 YEM -119 YEM -110 YEM -110 YEM -110 YEM -111 YEM -111 YEM -111 YEM -112 YEM -112 YEM -113 YEM -114 YEM -115 YEM -115 YEM -116 YEM -117 YEM -117 YEM -118 YEM -119 YEM -119 YEM -110 YEM -110 YEM -110 YEM -111 YEM -111 YEM -111 YEM -112 YEM -112 YEM -113 YEM -114 YEM -115 YEM -115 YEM -116 YEM -117 YEM -117 YEM -118 YEM -119 YEM -119 YEM -119 YEM -110 YEM -110 YEM -110 YEM -110 YEM -111 YEM -111 YEM -111 YEM -112 YEM -112 YEM -113 YEM -114 YEM -115 YEM -115 YEM -116 YEM -117 YEM -117 YEM -118 YEM -118 YEM -119 YEM -119 YEM -119 YEM -110				
105 IF VD=2 THEN T=75:GOTO 180 HJ **249 REM **106 IF VD=3 THEN 800** GD **250 PQ=2:IF V(P)<1 THEN PQ=1 GM **107 REM JD **255 IF PW(P)=W(PW(P), PQ) THEN H(P)=XH(P) **108 REM CHECK WHERE FIGURE WILL BE NO :V(P)=XV(P):GOTO 100** IP **109 REM JD **260 IF V(P)<1 THEN V(P)=22:GOTO 270** PB **110 V(P)=V(P)+VD:H(P)=H(P)+HD EA **265 V(P)=1:GOTO 270** CB **111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 28** PG **268 REM GET NEW SCREEN NUMBER JD **12 REM JD **269 REM JD **113 REM IS IT A SECRET PASSAGE? AF **270 PW(P)=W(PW(P),PQ) **114 REM JD **277 REM JD **115 IF XC(P)>85 THEN 600** EA **278 REM GO INITIALIZE SCREEN NM **117 REM JD **279 REM JD **118 REM IS IT A STAIR-END? PE **280 GOSUB 900** CK				
**106 IF VD=3 THEN 800 GD **250 PQ=2:IF V(P)<1 THEN PQ=1 GM **107 REM JD **255 IF PW(P)=W(PW(P),PQ) THEN H(P)=XH(P) **108 REM CHECK WHERE FIGURE WILL BE NO :V(P)=XV(P):GOTO 100 IP **109 REM JD **260 IF V(P)<1 THEN V(P)=22:GOTO 270 PB **110 V(P)=V(P)+VD:H(P)=H(P)+HD EA **265 V(P)=1:GOTO 270 CB **111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 28 PG **268 REM GET NEW SCREEN NUMBER BD **112 REM JD **269 REM JD **113 REM IS IT A SECRET PASSAGE? AF **270 PW(P)=W(PW(P),PQ) KJ **114 REM JD **277 REM JD **277 REM JD **277 REM JD **277 REM JD **279 REM JD **290 GOTO 190 CK				
*107 REM				
**108 REM CHECK WHERE FIGURE WILL BE NO :V(P)=XV(P):GOTO 100 IP **109 REM JD **260 IF V(P)<1 THEN V(P)=22:GOTO 270 PB **110 V(P)=V(P)+VD:H(P)=H(P)+HD EA **265 V(P)=1:GOTO 270 CB **111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 **267 REM JD **28 PG **268 REM GET NEW SCREEN NUMBER BD **112 REM JD **269 REM JD **113 REM IS IT A SECRET PASSAGE? AF **270 PW(P)=W(PW(P),PQ) KJ **114 REM JD **277 REM JD **115 IF XC(P)>85 THEN 600 EA **278 REM GO INITIALIZE SCREEN NM **117 REM JD **279 REM JD **118 REM IS IT A STAIR-END? PE **280 GOSUB 900 DB **119 REM JD **290 GOTO 190 CK				
•109 REM •110 V(P)=V(P)+VD:H(P)=H(P)+HD •111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 28 •112 REM •113 REM IS IT A SECRET PASSAGE? •114 REM •115 IF XC(P)>85 THEN 600 •117 REM •118 REM IS IT A STAIR-END? •119 REM •119 REM •119 REM •110 V(P)=V(P)+VD:H(P)=H(P)+HD EA •260 IF V(P)<1 THEN V(P)=22:GOTO 270 EA •265 V(P)=1:GOTO 270 •267 REM JD •267 REM JD •268 REM GET NEW SCREEN NUMBER BD •10 •269 REM JD •270 PW(P)=W(PW(P),PQ) KJ JD •277 REM JD •277 REM JD •279 GOTO 190 CK				
•110 V(P)=V(P)+VD:H(P)=H(P)+HD				
•111 XC(P)=PEEK(DA(PW(P))+H(P)+40*V(P))-1 28 PG •268 REM GET NEW SCREEN NUMBER BD •112 REM •113 REM IS IT A SECRET PASSAGE? AF •270 PW(P)=W(PW(P), PQ) •114 REM JD •277 REM JD •115 IF XC(P)>85 THEN 600 EA •278 REM GO INITIALIZE SCREEN NM •117 REM JD •279 REM JD •118 REM IS IT A STAIR-END? PE •280 GOSUB 900 DB •119 REM JD •290 GOTO 190				
28 PG • 268 REM GET NEW SCREEN NUMBER BD •112 REM JD • 269 REM JD •113 REM IS IT A SECRET PASSAGE? AF • 270 PW(P)=W(PW(P), PQ) KJ •114 REM JD • 277 REM JD •115 IF XC(P)>85 THEN 600 EA • 278 REM GO INITIALIZE SCREEN NM •117 REM JD • 279 REM JD •118 REM IS IT A STAIR-END? PE • 280 GOSUB 900 DB •119 REM JD • 290 GOTO 190 CK				
•112 REM JD •269 REM JD •113 REM IS IT A SECRET PASSAGE? AF •270 PW(P)=W(PW(P), PQ) KJ •114 REM JD •277 REM JD •115 IF XC(P)>85 THEN 600 EA •278 REM GO INITIALIZE SCREEN NM •117 REM JD •279 REM JD •118 REM IS IT A STAIR-END? PE •280 GOSUB 900 DB •119 REM JD •290 GOTO 190 CK				
•113 REM IS IT A SECRET PASSAGE? •114 REM •115 IF XC(P)>85 THEN 600 •117 REM •118 REM IS IT A STAIR-END? •119 REM •118 REM •119 REM •110 A STAIR-END? •110 A STAIR-END? •1110 A STAIR-END?				
•115 IF XC(P)>85 THEN 600 EA •278 REM GO INITIALIZE SCREEN NM •117 REM JD •279 REM JD •118 REM IS IT A STAIR-END? PE •280 GOSUB 900 DB •119 REM JD •290 GOTO 190 CK		AF	•270 PW(P)=W(PW(P),PQ)	
•117 REM •118 REM IS IT A STAIR-END? •119 REM JD •279 REM PE •280 GOSUB 900 DB JD •290 GOTO 190 CK				
•118 REM IS IT A STAIR-END? PE •280 GOSUB 900 DB •119 REM JD •290 GOTO 190 CK				
•119 REM JD •290 GOTO 190 CK				
		JD	257 0010 157	OK

·297 I · 298 I ·299 I ·300 I =17:0 ·310 I :V(P) ·315 I =9:GO •320 I 23:G0 •330 I)=16: •340 I =23:G·350 I =16:G ·360 I :V(P) ·365 I =7:G0·370 I V(P)= ·375 I =23:G ·380 I =16:G · 390 H •397 RI •398 RI •399 RF • 400 FC 8:NEXT •447 RE •448 RE •449 RE •450 FO •455 NE •460 PR \$V\$(24 +1"[RV ·465 RE •497 RE •498 RE ·499 RE •500 T= · 505 PO •510 PO PRINT · 520 PR 4) TAB(•530 FO E 653, · 540 GO ·597 RE · 598 RE · 599 RE

	•297 REM	JD •600 TF PW(P)=3 THEN DU(D) 16 W(D) 5
MB	290 REM STALKWAY HANDI.ER	
JD	•299 REM	2 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
GO	•300 IF PW(P)=11 THEN PW(P)-6.V(D)-7.U(D)	2 T T T T T T T T T T T T T T T T T T T
JD	-17.6030B 900:G010 190	:V(P)=22:H(P)=29:GOSUB 900:GOTO 190 MP
	*310 IF PW(P)=8 AND XH(P)>12 THEN DU(D) (FI •602 IF PW(P)=6 THEN PW(P)=5:V(P)=10:H(P) =20:GOSUB 900:GOTO 190
JI	• * (1)-14.11(1)=10:(7)SHB 90(1.COTO 100	CC •603 TF PW(P)-5 AND VI(P) (02 TITEL)
(D)	*313 IF PW(P)=8 THEN PW(P)-2.V(P)-21.U(P)	CC •603 IF PW(P)=5 AND XH(P)<22 THEN PW(P)=6 :V(P)=3:H(P)=14:GOSUB 900:GOTO 190 PD
JD	-7.0000D 91/11:(7()[() [()]	4J •604 IF PW(P)=5 AND V(P)<4 THEN PW(P)=8:V
JB JD	*320 IF PW(P)=7 THEN PW(P)=1:V(P)=3:H(P)=	
(B	25.00000 9000 (70) [9]	3J •605 IF PW(P)=8 AND XV(P)=6 THEN PW(P)=5:
(D	*330 IF PW(P)=6 THEN PW(P)=11:V(P)=19:H(P)=16:GOSUB 900:GOTO 190	1 1 1-4 : III F I= 3 / *I-IISIIR ()(III COMO 100
JD	•340 TF PW(P)=5 TUEN DU(P) 1 W(P)	•610 ON SP GOTO 620, 670, 720
EN	*340 IF PW(P)=5 THEN PW(P)=1:V(P)=15:H(P) =23:GOSUB 900:GOTO 190	•015 V(P)=XV(P):H(P)=YH(P)•COTO 100
JD	*350 IF PW(P)=4 THEN PW(P)=2:V(P)=20:H(P)	OZI IF PW(P)=11 ANI) PR(P)=52 TUEN DU(D)
	-10.000UD 900-C1000	0. (1)=22:f(F)=3:(7)SHB QUU:COTO 100
ED	•360 IF PW(P)=2 AND VH(P)\12 TURN DU(D)	021 IF PW(P)=11 THEN PW(P)-11.4(P) 21.00
ID	• • • • • • • • • • • • • • • • • • •	505 7.77.6010 191)
II	303 If 9 PW(P)=2 THEN PW(P)=8. 9 V(P)=21. 9 U(P)	* 022 IF PW(P)=9 AND PR(P)-/ THEN DIVEN
ID	-7.6030B 91/11;G010-1911	, (1) -0.11(1) =Z:(1) > 1 R GOO:(1)(1) 100
IC	•370 IF PW(P)=1 AND XV(P)>0 THEN DU(D) 5	OZO II IW(I)=II) ANI) PR(P)-/ TUEN DU/D) 1
D	V(1)=3:11(F)=23:GOSUB GOO:GOTO 100	• • • • • • • • • • • • • • • • • • •
C	*3/3 If PW(P)=1 THEN PW(P)-7.0(D) 16 0(D)	•624 IF PW(P)=4 THEN PW(P)=11:V(P)=8:H(P) =3:GOSUB 900:GOTO 190
D	-23.0000D 91/11:(1(1) 1(I)	•625 IF PW(P)=9 THEN PW(P)=5:V(P)=9:H(P)=
K	*380 IF PW(P)=0 THEN PW(P)=8:V(P)=20:H(P) =16:GOSUB 900:GOTO 190	
F	• 39() H(P)-YH(P) • YU(P) • COTTO • M	1 •626 IF PW(P)=7 THEN PW(P)=10:V(P)=6:H(P)
D	*390 H(P)=XH(P):V(P)=XV(P):GOTO 100 JN -397 REM	-50.00000 91)1:(1()1() [9]1
N	•398 REM LIN_LINE COREDA LINES	•627 IF PW(P)=10 THEN PW(P)-11.V(P)-6.U(P)
G	•399 REM)-31.0000D 91/1):(7() () ()
D	*400 FOR I=217 TO 242:POKE I, PEEK(I)OR 12	*028 IF PW(P)=5 AND XH(P)>32 THEN DU(D) 7
B D	O.HEAT. RETURN	• * (1)=0:11(F)=8:(70)SHB 900.00000 1000 Tr
8025 YH	*44/ KEM	020 II IW(I)=I IUCN PW(P)=0.V(D)-16.U(D)
0	1440 KEM KE-PRINT FIGURES ON SCREEN	-25.6030B 900; GOTO 190
D	*449 KEM	$\cdot V(P) = 5 \cdot V(P) = 3$
P	450 FOR 1=0 TO NP: IF PW(T)=PW(P) THEN DD	*D) V(P)= V(D) *U(D) VII/D) COMO 155
B K	INT V\$(V(I))TAB(H(I))PF\$(I); EJ •455 NEXT	•670 IF $PW(P)=11$ AND $PR(P)=52$ THEN $PW(P)=9$
10.0	•460 PR(P)-YC(P) • PRINTE #5 PRINCE #5	2. V(F)=2:H(P)=2:G()SHB 900:COTO 100
E D	•460 PR(P)=XC(P):PRINT "[RVSOFF]"V\$(24)BL	0/1 IF PW(P)=11 THEN PW(P)-11.4(P)-21.60
D	\$V\$(24)NM\$(PR(P))V\$(24)TAB(27)"PLAYER "P +1"[RVSON]";	555 777.6010 191)
M	•465 RETURN	•672 IF PW(P)=9 AND PR(P)=4 THEN V(P) 12
D	•497 REM	3000D 3171; G()[() [9])
М	•498 REM CHANGE PLAYERS	*0/3 If PW(P)=10 AND PR(P)-/ THEN DU(D) F
	•499 REM	• * (1)-2•11(F)=3/:(d)SHB QUU•COTO 100
P	THE POND THEN DOG	*0/4 IF PW(P)=4 THEN PW(P)-1(1.1/D)-17.11/D
В	*505 POKE BR. YO: PRINT "[CLEAP 1" COCUP AGE PR	7-14.0000D 91/1:(1()) [q()
В	DE TOKE DK DB(PW(P)) POKE VP DM(DU(D))	•675 IF PW(P)=9 THEN PW(P)=0:V(P)=5:H(P)= 16:GOSUB 900:GOTO 190
0	THE VOL 24 DIVE	10.00000 91717:17(11(1) 19(1)
0	*329 PKINT VS(24)"[RVSOFF]"IMM#(DD(D))W#(0	•676 IF PW(P)=7 THEN PW(P)=1:V(P)=12:H(P) =27:GOSUB 900:GOTO 190
	TIAD(20) PLAIER "P+1" RVCONT".	•677 IF PW(P)=10 THEN PW(P)=8:V(P)=17:H(P)
	•530 FOR I=0 TO 2000: NEXT: POKE 197,64: POK	7-2.0030B 91717:G010 1911
1	• 540 GOSIIR 450 PETIDA	•678 IF PW(P)=5 AND XH(P)>32 THEN DU(D) 1
5	•597 REM	1. V(1)=22:11(P)=2/:(d)SHR 900:COTO 100
3	• 598 REM MOVE TUPOLICIL GEORGE PAGE	*0/9 IF PW(P)=1 THEN PW(P)=7.V(P)-6.U(D)
	• 199 KHM	12.0000 999:6010 190
	JD	•680 IF PW(P)=8 AND PR(P)=41 THEN PW(P)=7
1		AHOVI. 73

1.			000 NW	TD
7-709 IF PW(F)=311 AND PW(F)=52 THEN PW(P)= 5+V(P)=9+(P)=37:COSUB 960:COTO 190 7-721 IF PW(P)=11 THEN PW(P)=11+(P)=21:COSUB 960:COTO 190 7-722 IF PW(P)=6 AND PR(P)=4 THEN PW(P)=11-(P)=5-21:COSUB 960:COTO 190 7-723 IF PW(P)=6 AND PR(P)=4 THEN PW(P)=6-1-21:COSUB 960:COTO 190 7-724 IF PW(P)=6 AND PW(P)=4-1+1N V(P)=6-1-21:COSUB 960:COTO 190 7-724 IF PW(P)=6 THEN PW(P)=9+V(P)=2+H(P)= 7-725 IF PW(P)=6 THEN PW(P)=9+V(P)=1-1+H(P)=1-1-21:COSUB 960:COTO 190 7-726 IF PW(P)=7 THEN PW(P)=0+1V(P)=1-1+1+0-1-21:COSUB 960:COTO 190 7-726 IF PW(P)=1 THEN PW(P)=9+V(P)=1-1+H(P)=1-1-21:COSUB 960:COTO 190 7-726 IF PW(P)=1 THEN PW(P)=1-V(P)=7-H(P)=1-1-21:COSUB 960:COTO 190 7-726 IF PW(P)=1 THEN PW(P)=1-V(P)=1-1+H(P)=1-1-21:COSUB 960:COTO 190 7-726 IF PW(P)=1 THEN PW(P)=4-V(P)=7-H(P)=1-1-21:COSUB 960:COTO 190 7-726 IF PW(P)=1 THEN PW(P)=4-V(P)=1-H(P)=1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	· V(1)=2.11(1)=27.0000B		O) ILLI	JD MC
7-22 IF PW(P)=1 THEN PW(P)=17:GOSUB 909:GOTO 190 7-23 IF PW(P)=1090:GOTO 190 7-24 IF PW(P)=1090:GOTO 190 7-25 IF PW(P)=1090:GOTO 190 7-26 IF PW(P)=1090:GOTO 190 7-27 IF PW(P)=1090:GOTO 190 7-28 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=1090:GOTO 190 7-21 IF PW(P)=1090:GOTO 190 7-22 IF PW(P)=1090:GOTO 190 7-23 IF PW(P)=1090:GOTO 190 7-24 IF PW(P)=1090:GOTO 190 7-25 IF PW(P)=1090:GOTO 190 7-26 IF PW(P)=1090:GOTO 190 7-27 IF PW(P)=1090:GOTO 190 7-28 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=1090:GOTO 190 7-21 IN(P)=1090:GOTO 190 7-22 IF PW(P)=1090:GOTO 190 7-23 IF PW(P)=1090:GOTO 190 7-24 IF PW(P)=1090:GOTO 190 7-25 IF PW(P)=1090:GOTO 190 7-26 IF PW(P)=1090:GOTO 190 7-27 IF PW(P)=1090:GOTO 190 7-28 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=1090:GOTO 190 7-21 IN(P)=200:GOTO 190 7-22 IF PW(P)=1090:GOTO 190 7-22 IF PW(P)=1090:GOTO 190 7-23 IF PW(P)=1090:GOTO 190 7-24 IF PW(P)=1090:GOTO 190 7-25 IF PW(P)=1090:GOTO 190 7-26 IF PW(P)=1090:GOTO 190 7-27 IF PW(P)=1090:GOTO 190 7-28 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-29 IF PW(P)=1090:GOTO 190 7-20 IF PW(P)=10	11), 1(1)-11(1),111(1),111(1)	דת	222 INTHE 14(TILL)	
-721 IF PW(P)=1 THEN PW(P)=11:H(P)=21:CD LT PW(P)=60:GOTO 190 -722 IF PW(P)=9 AND PR(P)=4 THEN PW(P)=7: W(P)=6-6H(P)=12:GOSUB 900:GOTO 190 -723 IF PW(P)=1 AND PR(P)=4 THEN PW(P)=2:H(P)=27:GOSUB 900:GOTO 190 -724 IF PW(P)=4 THEN PW(P)=9:V(P)=2:H(P)=27:GOSUB 900:GOTO 190 -725 IF PW(P)=5 THEN PW(P)=8:V(P)=10:H(P)=15:GOSUB 900:GOTO 190 -725 IF PW(P)=7 THEN PW(P)=10:V(P)=2:H(P)=12:GOSUB 900:GOTO 190 -726 IF PW(P)=7 THEN PW(P)=0:V(P)=2:H(P)=12:GOSUB 900:GOTO 190 -726 IF PW(P)=10 THEN PW(P)=0:V(P)=17:H(P)=12:GOSUB 900:GOTO 190 -727 IF PW(P)=10 THEN PW(P)=0:V(P)=7:H(P)=12:GOSUB 900:GOTO 190 -728 IF PW(P)=10 THEN PW(P)=0:V(P)=7:H(P)=12:GOSUB 900:GOTO 190 -729 IF PW(P)=5 AND XH(P)>32 THEN PW(P)=8 -729 IF PW(P)=5 AND PR(P)=4 THEN PW(P)=8 -729 IF PW(P)=5 AND PR(P)=4 THEN PW(P)=8 -729 IF PW(P)=10 THEN PW(P)=4:V(P)=7:H(P)=10:GOSUB 900:GOTO 190 -729 IF PW(P)=10 THEN PW(P)=4:V(P)=7:H(P)=10:GOSUB 900:GOTO 190 -729 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=8 -729 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=8 -720 IF PW(P)=8 AND PR(P)=8 AND PR(P)=8 -720 IF PW(P)=8 AND PR(P)=8	\bullet /2) If $PW(P)=11$ AND $PK(P)=32$ Inch $PW(P)=$ \bullet /2) If $PW(P)=37 \cdot COSIR$ $OCC \cdot COTO$ 190	GP	/ / M A A A A A A A A A A A A A A A A A	
SUB 999; COTTO 199	J. ((1) - J. II(1) - J. (0000 D) / / / O C C C C C C C C C C C C C C C C		•904 REM	
9-722 IF PW(P)=4 AND PR(P)=4 THEN PW(P)=6: Py09 FEM SUCTION 190 PY09 PY09 PY09 PY09 PY09 PY09 PY09 PY		LI	•905 POKE BR, YQ: PRINT "[CLEAR]": GOSUB 400	BD
7(P)=6:H(P)=10:COSUB 906:GOTO 190 723 IF PW(P)=4 THEN PW(P)=9:V(P)=2:H(P)= 27:GOSUB 906:GOTO 190 724 IF PW(P)=4 THEN PW(P)=9:V(P)=2:H(P)= 27:GOSUB 906:GOTO 190 725 IF PW(P)=6 THEN PW(P)=9:V(P)=17:H(P)= 21:GOSUB 906:GOTO 190 726 IF PW(P)=7 THEN PW(P)=10:V(P)=2:H(P)= 21:COSUB 906:GOTO 190 727 IF PW(P)=1 THEN PW(P)=10:V(P)=2:H(P)= 21:COSUB 906:GOTO 190 728 IF PW(P)=5 AND XH(P)>32 THEN PW(P)=10:V(P)=17:H(P)= 21:GOSUB 906:GOTO 190 728 IF PW(P)=1 THEN PW(P)=1 THEN PW(P)=10:V(P)=17:H(P)= 22:GOSUB 906:GOTO 190 729 IF PW(P)=1 THEN PW(P)=10:V(P)=18:H(P)=3:GOSUB 906:GOTO 190 729 IF PW(P)=1 THEN PW(P)=10:V(P)=2:H(P)=3:GOSUB 906:GOTO 190 729 IF PW(P)=1 THEN PW	•722 IF PW(P)=9 AND PR(P)=4 THEN PW(P)=7:		•907 REM	JD
-723 IF PW(P)=10 AND PR(P)=4 THEN W(P)=5: COSUB 900; COTO 190 -725 IF PW(P)=7 THEN PW(P)=8: V(P)=10:H(P)=12: GOSUB 900; COTO 190 -725 IF PW(P)=7 THEN PW(P)=9: V(P)=17:H(P)=12: GOSUB 900; COTO 190 -725 IF PW(P)=10 THEN PW(P)=9: V(P)=17:H(P)=12: GOSUB 900; COTO 190 -726 IF PW(P)=10 THEN PW(P)=9: V(P)=17:H(P)=12: GOSUB 900; COTO 190 -727 IF PW(P)=10 THEN PW(P)=9: V(P)=17:H(P)=12: GOSUB 900; COTO 190 -728 IF PW(P)=1 THEN PW(P)=3: V(P)=7:H(P)=2: GOSUB 900; COTO 190 -729 IF PW(P)=1 THEN PW(P)=4: V(P)=7:H(P)=12: GOSUB 900; COTO 190 -730 IF PW(P)=1 THEN PW(P)=4: V(P)=7:H(P)=1: GOSUB 900; COTO 190 -730 IF PW(P)=8 AND PR(P)=4: THEN PW(P)=17: V(P)=2: H(P)=12: GOSUB 900; COTO 190 -730 IF PW(P)=8 AND PR(P)=4: THEN PW(P)=17: V(P)=2: H(P)=12: GOSUB 900; COTO 190 -730 IF PW(P)=8 AND PR(P)=4: THEN PW(P)=17: V(P)=2: H(P)=12: GOSUB 900; COTO 190 -730 IF PW(P)=18: V(P)=2: V(P)=1: V(P)=2: V(P)=2: V(P)=1: V(P)=2: V(P)=2: V(P)=1: V(P)=2: V(P)=2: V(P)=1: V(P)=2: V(P)=2: V(P)=2: V(P)=2: V(P)=	V(P)=6:H(P)=12:GOSUB 900:GOTO 190	EM		
7-724 IF PW(P)=4 THEN PW(P)=9:V(P)=2:H(P)= 27:GOSUB 900;GOTO 190 7-725 IF PW(P)=9 THEN PW(P)=8:V(P)=10:H(P)= 1-15:GOSUB 900;GOTO 190 7-726 IF PW(P)=7 THEN PW(P)=10:V(P)=2:H(P)= 1-12:GOSUB 900;GOTO 190 7-727 IF PW(P)=10 THEN PW(P)=10:V(P)=17:H(P)= 1-12:GOSUB 900;GOTO 190 7-728 IF PW(P)=10 THEN PW(P)=17:H(P)= 2-12:GOSUB 900;GOTO 190 7-728 IF PW(P)=5 AND M(P)>32 THEN PW(P)=8 V(P)=18:H(P)=3:GOSUB 900;GOTO 190 7-728 IF PW(P)=5 AND M(P)>32 THEN PW(P)=8 V(P)=18:H(P)=3:GOSUB 900;GOTO 190 7-730 IF PW(P)=4 THEN PW(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=3 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-12:COSUB 900;GOTO 190 7-730 IF PW(P)=8 AND PR(P)=4 THEN PW(P)=1 1-10:COSUB 900;GOTO 190 1-10:COSUB 9	•723 IF $PW(P)=10$ AND $PR(P)=4$ THEN $V(P)=6$:			
7.72 F PW(P)=9 THEN PW(P)=8:V(P)=10:H(P) -15:GOSUB 900:GOTO 190 -725 IF PW(P)=7 THEN PW(P)=10:V(P)=2:H(P) -12:GOSUB 900:GOTO 190 -727 IF PW(P)=1 THEN PW(P)=9:V(P)=17:H(P) -12:GOSUB 900:GOTO 190 -727 IF PW(P)=10 THEN PW(P)=9:V(P)=17:H(P) -12:GOSUB 900:GOTO 190 -728 IF PW(P)=3 GOSUB 900:GOTO 190 -728 IF PW(P)=1 THEN PW(P)=4:V(P)=7:H(P) -12:GOSUB 900:GOTO 190 -728 IF PW(P)=1 THEN PW(P)=4:V(P)=7:H(P) -12:GOSUB 900:GOTO 190 -728 IF PW(P)=1 THEN PW(P)=4:V(P)=7:H(P) -12:GOSUB 900:GOTO 190 -730 IF PW(P)=1 THEN PW(P)=6:V(P)=1 -731 REM GET NEW FLOOR -914 REM -915 RCM GET NEW FLOOR -915 RCM GET NEW FLOOR -915 RCM CY(P)=21) -929 REM -920 REM SET UP TABLES -999 REM -997 REM -998 REM SET UP TABLES -999 REM -999 REM -998 REM SET UP TABLES -999 REM -999 REM -998 REM SET UP TABLES -999 REM -998 REM SET UP TABLES -999 REM -	00000 777.0010 177	FP		
725 IF PW(P)=9 TIEN PW(P)=8:V(P)=10:H(P) =15:GOSUB 900;GOTO 190 1-21:GOSUB 900;GOTO 190 1-21:GOSUB 900;GOTO 190 1-22:GOSUB 900;GOTO 190 1-22:GOSUB 900;GOTO 190 1-23:F PW(P)=1 THEN PW(P)=9:V(P)=17:H(P) 1-22:GOSUB 900;GOTO 190 1-28:IF PW(P)=5 AND XH(P)>32 THEN PW(P)=8 1-22:F PW(P)=1 THEN PW(P)=4:V(P)=7:H(P)=8 1-22:F PW(P)=1 THEN PW(P)=4:V(P)=7:H(P)=8 1-22:F PW(P)=1 THEN PW(P)=4:V(P)=7:H(P)=8 1-22:F PW(P)=1 THEN PW(P)=4:V(P)=7:H(P)=8 1-22:F PW(P)=3:GOSUB 900;GOTO 190 1-23:F PW(P)=3:H(P)=3:GOSUB 900;GOTO 190 1-24:F PW(P)=3:H(P)=3:GOSUB 900;GOTO 190 1-25:F PW(P)=3:H(P)=3:GOSUB 450;F PW(P)=3:H(P)=3:		מע		
1-15-(GSUB 960)-(GOTO 190	27.00500 555.0010 155	KD		
-726 IF PW(P)=7 THEN PW(P)=10:V(P)=2:H(P) =12:GOSUB 900:GOTO 190 -727 IF PW(P)=10 THEN PW(P)=9:V(P)=17:H(P) -22:GOSUB 900:GOTO 190 -728 IF PW(P)=3 SOSUB 900:GOTO 190 -728 IF PW(P)=15 THEN PW(P)=3:THEN PW(P)=8:V(P)=18:H(P)=3:GOSUB 900:GOTO 190 -729 IF PW(P)=1 THEN PW(P)=4:V(P)=7:H(P)=1:COSUB 900:GOTO 190 -730 IF PW(P)=1 THEN PW(P)=4:V(P)=7:H(P)=1:V(P)=2:H(P)=2:U(P)=2:U(P)=2:U(P)=2:U(P)=2:U(P)=2:U(P)=2:U(P)=3:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=2:U(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=2:U(P)=2:U(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=1:V(P)=2:U(P)=3:U(P)=4:U(P)=4:V(P)=1:V(P)=3:U(P)=4:U(P)=4:V(P)=1:V(P)=3:U(P)=4:U(P)=4:V(P)=1:V(P)=3:U(P)=4:U(P)=4:V(P)=1:V(P)=2:U(P)=1:U(P)=4:V(P)=1:V(P)=4:V(P)=1:V(P)=2:U(P)=4:U(P)=4:V(P)=1:V(P)=2:U(P)=4:U(P)=4:V(P)=1:V(P)=2:U(P)=4:U(P)=4:V(P)=1:V(P)=4:V(P)=2:U(P)=4:U(P)=4:V(P)=1:V(P)=4:V(P)=2:U(P)=4:U(P)=4:V(P)=7:H(P)=99 REM SET UF TABLES 999 REM 10:U(P)=2:U(P)=4:U(P)=2:U(-15.COSIB QUO-COTO 190	НВ	•915 $XC(P) = PEEK(DA(PW(P)) + H(P) + 40*V(P)) - 1$	
=12:GOSUB 960;GOTO 196 -727 IF FW(P)=10 THEN PW(P)=9:V(P)=17:H(P) =2:GOSUB 960;GOTO 196 -728 IF FW(P)=5 AND XH(P)>32 THEN PW(P)=8 -729 IF FW(P)=5 AND XH(P)>32 THEN PW(P)=8 -729 IF FW(P)=1 THEN PW(P)=4:V(P)=7:H(P)= 2:GOSUB 900;GOTO 190 -729 IF FW(P)=1 THEN PW(P)=4:V(P)=7:H(P)= 2:GOSUB 900;GOTO 190 -730 IF FW(P)=21:GOSUB 900;GOTO 190 -730 IF FW(P)=22:GOSUB 900;GOTO 190 -750 V(P)=XV(P):H(P)=XH(P):GOTO 100 -750 V(P)=XV(P):H(P)=XH(P)=1 THEN PW(P)=1 -1.V(P)=22:H(P)=1 THEN PW(P)=1 -1.V(P)=22:H(P)=3 AND XH(P)>37 XC(P)=W(X(P):GOSUB 450; RETURN	•726 IF PW(P)=7 THEN PW(P)=10:V(P)=2:H(P)		28:IF XC(P)>0 AND XC(P)<62 THEN 930	JE
-727 IF PW(P)=10 THEN PW(P)=9:V(P)=17:H(P)		JO	•920 $H(P)=H(P)+1+38*(H(P)>37):V(P)=V(P)+1$	
-22 (GOSUB 960; GOTO 190			+22*(V(P)>21):GOTO 915	
NE)=2:GOSUB 900:GOTO 190	OB		
779 IF PW(P)=1 THEN PW(P)=4; V(P)=7:H(P)= 2:GOSUB 966:GOTO 196 736 IF PW(P)=8 AND PR(P)=41 THEN PW(P)=1 1:V(P)=22:H(P)=21:GOSUB 966:GOTO 196 756 V(P)=XV(P):H(P)=XH(P):GOTO 196 757 REM 798 REM ENDING ROUTINE 799 REM 798 REM VERTICAL KEYSTROKE TABLE 790 REM 799 REM 790 REM 799 REM 790 REM 799 REM 790 REM 799 REM 790 REM 7906 RE 790 REM 790 REM 7906 RE 790 REM 7906 RE 790 REM 7906 RE 790 REM 7906	•728 IF $PW(P)=5$ AND $XH(P)>32$ THEN $PW(P)=8$			
2:GOSUB 960:GOTO 190 -739 IF PW(P)=8 AND PR(P)=41 THEN PW(P)=1 1:V(P)=22:H(P)=21:GOSUB 960:GOTO 190 1:V(P)=22:H(P)=21:H(P)=KH(P):GOTO 100 1:V(P)=22:H(P)=21:GOSUB 960:GOTO 190 1:V(P)=22:H(P)=21:GOSUB 960:GOTO 190 1:V(P)=22:H(P)=21:GOSUB 960:GOTO 190 1:V(P)=22:H(P)=21:GOSUB 960:GOTO 190 1:V(P)=22:H(P)=21:H(N (5), H(N(7), VM(64), MT(2,2), V\$ (24), CH\$(63), NM\$(63) 1:V(Y)=31:M(Y	:V(P)=18:H(P)=3:GOSUB 900:GOTO 190	NE		
-730 IF PW(P)=8 AND PR(P)=41 THEN PW(P)=1 1:V(P)=22:H(P)=21:GOSUB 900:GOTO 190 1:V(P)=22:H(P)=XH(P):GOTO 100 1750 V(P)=XV(P):H(P)=XH(P):GOTO 100 1750 V(P)=XV(P)=XH(P):H(P)=XH(P):GOTO 100 1750 V(P)=XH(P)=XH(P):GOTO 100 1750 V(P)=XH(пС		
1.V(P)=22:H(P)=21:GOSUB 9/06:GOTO 190		HG	(24) CH¢(63) NM\$(63)	MI.
-756 V(P)=XV(P)=XH(P)=XH(P):GOTO 169 -778 REM -798 REM ENDING ROUTINE -798 REM ENDING ROUTINE -806 POKE BR, YQ:PRINT "[CLEAR]DO YOU WANT TO END THIS GAME? (Y OR N)" -805 POKE VR, ZQ:POKE 56578, PEEK(56578)OR 3:POKE 56576, XQ -816 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 -820 VD=PEEK(197):IF VD=64 THEN 820 -836 WOPEPEK(56578):XQ=PEEK(56576):POKE 56578, WQ OR 3:POKE 56576, XQ AND 272 OR VM KF -836 WOPEPEK(56578):XQ=PEEK(56576):POKE 56578, WQ OR 3:POKE 56576, XQ AND 272 OR VM KF -836 WOPEPEK(56578):XQ=PEEK(56576):POKE 56578, WQ OR 3:POKE 56576, XQ AND 272 OR VM KF -836 WOPEPEK(56578):XQ=PEEK(56576):POKE 56576, XQ AND 272 OR VM KF -837 WOPEPEK(56578):XQ=PEEK(56576):POKE 56576, XQ AND 272 OR VM KF -1027 REM -1027 REM -1018 REM HORIZONTAL KEYSTROKE TABLE JD -1019 REM -1019 REM -1010 FOR I=0 TO 7:HM(1)=0:NEXT:HM(1)=1:H -1018 REM HORIZONTAL KEYSTROKE TABLE JD -1019 REM	•730 IF PW(P)=8 AND PR(P)=41 THEN PW(P)=1	TC	•1005 DTM V(5) SH(5) H(5) XH(5) XV(5) PW(
*797 REM	1: V(P)=22: H(P)=21: GOSUB 9:00: GOTO 19:0	100000	5).XC(5).PR(5).PF\$(5),XC\$(5)	GJ
.798 REM ENDING ROUTINE .798 REM SOUR PRINT "[CLEAR]DO YOU WANT TO END THIS GAME? (Y OR N)" .805 POKE VR,ZQ:POKE 56578,PEEK(56578)OR 3:POKE 56576,XQ .810 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 .820 VD=PEEK(197):IF VD=64 THEN 820 .825 IF VD=25 THEN 850 .835 WQ=PEEK(56578):XQ=PEEK(56576):POKE 56578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF .825 POKE VR,DM(PW(P)):POKE BR,DB(PW(P)) .840 GOSUB 450 .845 GOTO 190 .856 PRINT "DO YOU WANT TO START A NEW GAE?[8" "]Y OR N)" .855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I):NE TY\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I):NE TY\$(XV(I))TAB(XH(I))"IRVSON]"XC\$(I):NE TY\$(XV(I))TA				JD

*800 POKE BR, YQ:PRINT "[CLEAR]DO YOU WANT TO END THIS GAME? (Y OR N)" *805 POKE VR, ZQ:POKE 56578, PEEK(56578)OR 3:POKE 56576, XQ *810 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *820 VD=PEEK(197):IF VD=64 THEN 820 *835 POKE VR, DM(PW(P)):POKE BR, DB(PW(P)) *840 GOSUB 450 *850 FRINT "DO YOU WANT TO START A NEW GA ME?[8" "]Y OR N)" *855 FOR I=0 TO NP:POKE BR, DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);:NE XT *860 POKE BR, YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>390 POKE 31744, UQ:POKE 31748, VQ:POKE 45, PEEK(31744):POKE 46, PEEK(31744):POKE 46, PEEK(31744):POKE 46, PEEK(31748) *895 POKE Y R, YQ:POKE 3698, 237:PRINT "[CLE AR] THANKS FOR PLAYING!":CLER:END *800 POKE BR, YQ *800 POKE BR, YQ *800 POKE 31744, UQ:POKE 31748, VQ:POKE 45, PEEK(31744):POKE 46, PEEK(31748) *800 POKE 31744, UQ:POKE 31748, VQ:POKE 45, PEEK(31744):POKE 46, PEEK(31748) *801 POKE TWR, VM(1)=3:VM(1)=3:VM(60)=2 *VM(3)=1:VM(1)=3:VM(60)=2 *V1017 REM *V020 FOR I=0 TO 7:HM(I)=0:NEXT:HM(1)=1:H *M(2)=-1:HM(3)=-1 *V(2) FOR I=0 TO 7:HM(I)=0:NEXT:HM(1)=1:H *M(2		JD		
TO END THIS GAME? (Y OR N)" **805 POKE VR,ZQ:POKE 56578,PEEK(56578)OR 3:POKE 56576,XQ **1017 REM HORIZONTAL KEYSTROKE TABLE EE **1018 REM HORIZONTAL KEYSTROKE TABLE EE **1019 REM **1019 REM **1020 FOR I=0 TO 7:HM(1)=0:NEXT:HM(1)=1:H **820 VD=PEEK(197):IF VD=64 THEN 820 **830 WQ=PEEK(56578):XQ=PEEK(56576):POKE 5 6578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF **835 POKE VR,DM(PW(P)):POKE BR,DB(PW(P)) **840 GOSUB 450 **845 GOTO 190 **855 POR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I):NE XT **860 POKE BR,YQ **865 POR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 **870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 **870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 **870 POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) **897 POKE 792,71:POKE 808,237:PRINT "[CLE **RATHANKS FOR PLAYING!":CLR:END **TO END THE (1018) REM HORIZONTAL KEYSTROKE TABLE **1018 REM HORIZONTAL KEYSTROKE TABLE **1019 REM **1020 FOR I=0 TO 7:HM(I)=0:NEXT:HM(1)=1:H **M(2)=-1:HM(3)=-1 LL **1019 REM **1027 REM **1028 REM VERTICAL PRINT TABLE **OB **V\$(I-1)+"[DOWN]":NEXT **C* **1047 REM **JD* **1050 FOR I=1 TO 24:V\$(I)= **E* **1049 REM **1026 FOR I=0 TO 7:HM(I)=0:NEXT:HM(1)=1:H **M(2)=-1:HM(3)=-1 LL **IL **M(2)=-1:HM(3)=-1 **C* **1027 REM **J028 REM VERTICAL PRINT TABLE **OB **J029 REM **J030 V\$(0)="[HOME]":FOR I=1 TO 24:V\$(I)= **BEM* **ID YEM **JD **A **ID YEM **				
3:POKE 'W, ZQ:POKE '907, FEEK(30378) MG **3:POKE 56576, XQ ***810 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 ***820 VD=PEEK(197):IF VD=64 THEN 820 ***830 WQ=PEEK(197):IF VD=64 THEN 820 ***830 WQ=PEEK(56578):XQ=PEEK(56576):POKE 5 6578, WQ OR 3:POKE 56576, XQ AND 272 OR VM KF ***835 POKE VR, DM(PW(P)):POKE BR, DB(PW(P)) ***840 GOSUB 450 ***845 GOTO 190 ***855 POK I=0 TO NP:POKE BR, DB(PW(P)) ***855 FOR I=0 TO NP:POKE BR, DB(PW(I)):PRIN T V**(XV(I))TAB(XH(I))"[RVSON]"XC*(I);NE XT ***860 POKE BR, YQ ***865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 ***870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 ***890 POKE 31744, UQ:POKE 31748, VQ:POKE 45, PEEK(31744):POKE 46, PEEK(31748) KB POKE 792,71:POKE 808,237:PRINT "[CLE AR] PICK AB POKE 3895 POKE 792,71:POKE 808,237:PRINT "[CLE AR] PICK AB POKE 3897 REM *IO 198 MM HORIZONTAL KEYSTROKE TABLE 1019 REM +10120; NEXT:HM(1)=1:H	TO END THIS GAME? (Y OR N)"	FE		
810 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 820 VD=PEEK(197):IF VD=64 THEN 820 830 WQ=PEEK(26578):XQ=PEEK(56576):POKE 56578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF 835 POKE VR,DM(PW(P)):POKE BR,DB(PW(P)) 8440 GOSUB 450 855 POR I=0 TO NP:POKE BR,DB(PW(I)):PRIN TV\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);NE TX 860 POKE BR,YQ 865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND 197,64 870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND 197,64 870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND 197,64 871 FL 1060 DATA 0,2,0,0,1 DA 1061 DATA 1,3,1,0,1 DP 1062 DATA 2,2,0,2,3 DF 1063 DATA 3,3,1,2,3 DF 1065 DATA 5,5,5,4,5 DJ 1666 DATA 6,8,6,6,7 PEEK(31744):POKE 46,PEEK(31748) 870 POKE 792,71:POKE 808,237:PRINT "[CLE AR] THANKS FOR PLAYING!":CLR:END HB 1070 DATA 10,10,10,9,10 AE 1071 DATA 11,11,9,11,11	•805 POKE VR, ZQ: POKE 56578, PEEK (56578) OR			

*820 VD=PEEK(197):IF VD=64 THEN 820 *825 IF VD=25 THEN 850 *830 WQ=PEEK(56578):XQ=PEEK(56576):POKE 5 6578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF 835 POKE VR,DM(PW(P)):POKE BR,DB(PW(P)) LG *840 GOSUB 450 *850 PRINT "DO YOU WANT TO START A NEW GA ME?[8" "]Y OR N)" *855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);NE XT *860 POKE BR,YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 *890 POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) *895 REM *897 REM **M(2)=-1:HM(3)=-1 LL *1027 REM *1029 REM *1029 REM *1030 V\$(9)="[HOME]":FOR I=1 TO 24:V\$(I)= *1049 REM *1049 REM *1049 REM *1049 REM *1050 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT *FH *1061 DATA 1,3,1,0,1 *1062 DATA 2,2,0,2,3 *1064 DATA 4,4,4,4,5 *1065 DATA 3,3,1,2,3 *1066 DATA 4,4,4,4,5 *1066 DATA 6,8,6,6,7 *1067 DATA 7,7,7,6,7 *FL *1066 DATA 9,11,9,9,10 *MO				
*825 IF VD=25 THEN 850 *830 WQ=PEEK(56578):XQ=PEEK(56576):POKE 5 6578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF 6578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF 835 POKE VR,DM(PW(P)):POKE BR,DB(PW(P)) *840 GOSUB 450 *850 PRINT "DO YOU WANT TO START A NEW GA ME?[8" "]Y OR N)" *855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);NE XT *860 POKE BR,YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *870 VD=PEEK(197):FVD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 *890 POKE 31744,UQ:POKE 31748,VQ:POKE 45,PEEK(31744):POKE 46,PEEK(31748) *895 POKE *877 REM *1027 REM *1028 REM VERTICAL PRINT TABLE OB *1029 REM *1030 V\$(0)="[HOME]":FOR I=1 TO 24:V\$(I)= V\$(I-1)+"[DOWN]":NEXT *1048 REM WING TABLE *1049 REM *1050 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT *FL *1060 DATA 1,3,1,0,1 *DP *1061 DATA 1,3,1,0,1 *DP *1062 DATA 2,2,0,2,3 *DF *1063 DATA 3,3,1,2,3 *DF *1064 DATA 4,4,4,4,5 *DK *1066 DATA 6,8,6,6,7 *DO *1067 DATA 7,77,6,7 *FL *1068 DATA 8,8,6,8,8 *FN *I069 DATA 9,11,9,9,10 *AE *1070 DATA 10,10,10,9,10 *AE *1070 DATA 11,11,9,11,11		Sec.		
*830 WQ=PEEK(56578):XQ=PEEK(56576):POKE 5 6578,WQ OR 3:POKE 56576,XQ AND 272 OR VM KF *835 POKE VR,DM(PW(P)):POKE BR,DB(PW(P)) LG *846 GOSUB 450 *850 PRINT "DO YOU WANT TO START A NEW GA *857 PRINT "DO YOU WANT TO START A NEW GA *855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);NE XT *860 POKE BR,YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 *890 POKE 31744,UQ:POKE 46,PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END *897 REM *1028 REM VERTICAL PRINT TABLE *1029 REM *1030 V\$(0)="[HOME]":FOR I=1 TO 24:V\$(I)= *V\$(I-1)+"[DOWN]":NEXT *1047 REM *1048 REM WING TABLE *1049 REM *1050 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT *I 1060 DATA 0,2,0,0,1 *1061 DATA 1,3,1,0,1 *1062 DATA 2,2,0,2,3 *1064 DATA 4,4,4,4,5 *1064 DATA 4,4,4,4,5 *1065 DATA 5,5,5,4,5 *1067 DATA 7,7,7,6,7 *I 1066 DATA 6,8,6,6,7 *I 1067 DATA 10,10,10,9,10 *I 1068 DATA 10,10,10 *I 1068 DATA 10,10 *I 1068 DATA 10,10 *I 1068 DATA 10,10 *I 1068 DAT				
6578, WQ OR 3:POKE 56576, XQ AND 272 OR VM KF *835 POKE VR, DM(PW(P)):POKE BR, DB(PW(P)) *846 GOSUB 450 *850 PRINT "DO YOU WANT TO START A NEW GA *855 FOR I=0 TO NP:POKE BR, DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);NE XT *860 POKE BR, YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 *876 POKE 31744, UQ:POKE 31748, VQ:POKE 45, PEEK(31744):POKE 46, PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END *897 REM **OVER TO A NEW CI, 100 POW (NEW CI)	•830 WO-PEEK (56578): XO=PEEK (56576): POKE 5			OB
*835 POKE VR,DM(PW(P)):POKE BR,DB(PW(P)) *840 GOSUB 450 *845 GOTO 190 *850 PRINT "DO YOU WANT TO START A NEW GA ME?[8" "]Y OR N)" *855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);NE XT *860 POKE BR,YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *871 F VD=25 THEN GOSUB 1120:GOTO 30 *890 POKE 31744,UQ:POKE 31748,VQ:POKE 45,PEEK(31744):POKE 46,PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END *897 REM **O V\$(I-1)+"[DOWN]":FOR I=1 TO 24:V\$(I)= DB V\$(I-1)+"[DOWN]":NEXT *1048 REM WING TABLE *1049 REM *1050 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT *FH *1060 DATA 0,2,0,0,1 *1061 DATA 1,3,1,0,1 *1062 DATA 2,2,0,2,3 *1064 DATA 4,4,4,4,5 *1065 DATA 3,3,1,2,3 *1064 DATA 4,4,4,4,5 *1066 DATA 6,8,6,6,7 *1067 DATA 7,7,7,6,7 *FL **NON TO AND THE NON TO ASSOCIATE TO	6578.WO OR 3:POKE 56576.XQ AND 272 OR VM	KF	•1029 REM	
*840 GOSUB 450 *845 GOTO 190 *850 PRINT "DO YOU WANT TO START A NEW GA ME?[8" "]Y OR N)" *855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);NE XT *860 POKE BR,YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 PEKK(31744):POKE 46,PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR] THANKS FOR PLAYING!":CLR:END *897 REM *V\$(I-1)+"[DOWN]":NEXT *1048 REM WING TABLE *1049 REM *1056 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT *FH *1060 DATA 0,2,0,0,1 *1061 DATA 1,31,0,1 *1062 DATA 2,2,0,2,3 *1064 DATA 3,3,1,2,3 *1064 DATA 4,4,4,4,5 *1066 DATA 6,8,6,6,7 *1067 DATA 7,7,7,6,7 *Inch Poke 46,PEEK(31748) *	*835 POKE VR, DM(PW(P)): POKE BR, DB(PW(P))	LG	•1030 V(0)="[HOME]":FOR I=1 TO 24:V$(I)=$	
*850 PRINT "DO YOU WANT TO START A NEW GA ME?[8" "]Y OR N)" *855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I); NE XT *860 POKE BR,YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 *890 POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END *897 REM *1048 REM WING TABLE *1049 REM *1050 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT FH *1060 DATA 0,2,0,0,1 AD *1061 DATA 1,3,1,0,1 *1062 DATA 2,2,0,2,3 *1064 DATA 4,4,4,4,5 *1065 DATA 3,3,1,2,3 *1065 DATA 5,5,5,4,5 *1066 DATA 6,8,6,6,7 *1067 DATA 7,7,7,6,7 *1068 DATA 8,8,6,8,8 *1069 DATA 9,11,9,9,10 *1071 DATA 11,11,9,11,11		DB	V\$(I-1)+"[DOWN]":NEXT	HE
ME?[8" "]Y OR N)" *855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);:NE XT *860 POKE BR,YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 -*890 POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END *897 REM *AF ·1049 REM -1050 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT FH -1060 DATA 0,2,0,0,1 *1062 DATA 1,3,1,0,1 *1062 DATA 2,2,0,2,3 *1064 DATA 4,4,4,4,5 *1066 DATA 6,8,6,6,7 *1066 DATA 6,8,6,6,7 *1067 DATA 7,7,7,6,7 FL -1068 DATA 8,8,6,8,8 *1069 DATA 9,11,9,9,10 AE -1070 DATA 10,10,10,9,10 AE -1071 DATA 11,11,9,11,11				
**855 FOR I=0 TO NP:POKE BR,DB(PW(I)):PRIN T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);:NE XT **860 POKE BR,YQ **865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 **870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 **875 IF VD=25 THEN GOSUB 1120:GOTO 30 **890 POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) **895 POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END **897 REM **1050 FOR I=0 TO 11:FOR K=0 TO 4:READ A:W (I,K)=A:NEXT:NEXT **1060 DATA 0,2,0,0,1 **1062 DATA 2,2,0,2,3 **1063 DATA 3,3,1,2,3 **1064 DATA 4,4,4,4,5 **1065 DATA 5,5,5,4,5 DJ **1066 DATA 6,8,6,6,7 **1067 DATA 7,7,7,6,7 FL **1069 DATA 9,11,9,9,10 AE **1070 DATA 10,10,10,9,10 AE **1070 DATA 11,11,9,11,11				
T V\$(XV(I))TAB(XH(I))"[RVSON]"XC\$(I);:NE XT *860 POKE BR, YQ *865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 *890 POKE 31744, UQ:POKE 31748, VQ:POKE 45, PEEK(31744):POKE 46, PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END *897 REM (I,K)=A:NEXT:NEXT FH *1060 DATA 0,2,0,0,1 *1062 DATA 1,3,1,0,1 *1062 DATA 2,2,0,2,3 *1064 DATA 3,3,1,2,3 *1064 DATA 4,4,4,4,5 *1065 DATA 5,5,5,4,5 *1066 DATA 6,8,6,6,7 *1067 DATA 7,7,7,6,7 KI *1068 DATA 8,8,6,8,8 *1069 DATA 9,11,9,9,10 *1071 DATA 10,10,10,9,10 AE *1070 DATA 10,10,10,9,10 AI	ME?[8" "]Y OR N)"	0.000		
E *** 1060** DATA 0,2,0,0,1 ***860** POKE BR,YQ ***865** FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 ***870** VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39)** THEN 870 ***875** IF VD=25 THEN GOSUB 1120:GOTO 30 IP ***1065 DATA 5,5,5,4,5 ***890** POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) ***895** POKE 792,71:POKE 808,237:PRINT "[CLE AR]THANKS FOR PLAYING!":CLR:END HB ***1070** DATA 10,10,10,9,10 ***897** REM** ***E**L ***1060 DATA 0,2,0,0,1 ***1062** DATA 2,2,0,2,3 ***CO ***1062** DATA 3,3,1,2,3 ***DF** ***1064** DATA 4,4,4,4,5 ***DF** ***1065** DATA 5,5,5,4,5 ***DJ** ***1066** DATA 6,8,6,6,7 ***I067** DATA 7,7,7,6,7 ***EL** ***I069** DATA 9,11,9,9,10 ***MOO AR]THANKS FOR PLAYING!":CLR:END HB ***1070** DATA 10,10,10,9,10 ***AB** ***POKE BR,YQ** ***1061** DATA 11,11,9,11,11 ***DATA 11,11,9,11,11	** THE CANAL AND CARLET CARLET CARLET AND CARLET CARLET CARLET CARLET CARLET			
**860 POKE BR, YQ **AD **1061 DATA 1,3,1,0,1 **DP **865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 **PP **1063 DATA 2,2,0,2,3 **DF **1063 DATA 3,3,1,2,3 **DF **1064 DATA 4,4,4,4,5 **DK **VD<>39) THEN 870 **OP **1065 DATA 5,5,5,4,5 **DJ **1066 DATA 6,8,6,6,7 **DO **1065 DATA 6,8,6,6,7 **DO **1065 DATA 7,7,7,6,7 **DO **1065 DATA 7,7,7,6,7 **DO **1065 DATA 7,7,7,6,7 **ELK(31744):POKE 31748,VQ:POKE 45, **1067 DATA 7,7,7,6,7 **FL **PEEK(31744):POKE 46,PEEK(31748) **KI **1068 DATA 8,8,6,8,8 **FN **NO **NO **AR]THANKS FOR PLAYING!":CLR:END **HB **1070 DATA 10,10,10,9,10 **AE **NO **DATA 11,11,9,11,11 **AI **NO **NO **NO **NO **NO **NO **NO **N		FI.		
*865 FOR I=0 TO 2000:NEXT:POKE 198,0:POKE 197,64 *870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 870 *875 IF VD=25 THEN GOSUB 1120:GOTO 30 *890 POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE AR] THANKS FOR PLAYING!":CLR:END HB 1070 DATA 10,10,10,9,10 *897 REM *1062 DATA 2,2,0,2,3 *1064 DATA 3,3,1,2,3 *1064 DATA 4,4,4,4,5 *1066 DATA 6,8,6,6,7 *1067 DATA 7,7,7,6,7 **I 1068 DATA 8,8,6,8,8 **I 1069 DATA 9,11,9,9,10 **AE 1070 DATA 10,10,10,9,10 **AE 1070 DATA 11,11,9,11,11				
197,64 PP ·1063 DATA 3,3,1,2,3 DF •870 VD=PEEK(197):IF VD=64 OR (VD<>25 AND				
•876 VD=PEEK(197):IF VD=64 OR (VD<>25 AND VD<>39) THEN 876 OP •1065 DATA 4,4,4,4,5 DJ •1065 DATA 5,5,5,4,5 DJ •1066 DATA 6,8,6,6,7 DO •1066 DATA 6,8,6,6,7 DO •1067 DATA 7,7,7,6,7 FL PEEK(31744):POKE 46,PEEK(31748) KI •1068 DATA 8,8,6,8,8 FN •895 POKE 792,71:POKE 808,237:PRINT "[CLE 1069 DATA 9,11,9,9,10 MO AR]THANKS FOR PLAYING!":CLR:END HB •1070 DATA 10,10,10,9,10 AE •897 REM JD •1071 DATA 11,11,9,11,11		PP		DF
VD<>39) THEN 870 •875 IF VD=25 THEN GOSUB 1120:GOTO 30 •890 POKE 31744, UQ:POKE 31748, VQ:POKE 45, PEEK(31744):POKE 46, PEEK(31748) •895 POKE 792,71:POKE 808,237:PRINT "[CLE + 1069 DATA 8,8,6,8,8] •897 REM OP •1065 DATA 5,5,5,4,5 IP •1066 DATA 6,8,6,6,7 EL •1067 DATA 7,7,7,6,7 FL •1069 DATA 9,11,9,9,10 AE •1070 DATA 10,10,10,9,10 AE JD •1071 DATA 11,11,9,11,11				
**NOT IF VD=25 THEN GOSOB 1129.0010 39 **890 POKE 31744,UQ:POKE 31748,VQ:POKE 45, PEEK(31744):POKE 46,PEEK(31748) **895 POKE 792,71:POKE 808,237:PRINT "[CLE 1069 DATA 9,11,9,9,10 AR]THANKS FOR PLAYING!":CLR:END **897 REM **BO POKE 31744,UQ:POKE 31748,VQ:POKE 45, -1067 DATA 7,7,7,6,7 **FL -1068 DATA 9,17,9,9,10 MO AR]THANKS FOR PLAYING!":CLR:END **BO POKE 31744,UQ:POKE 31748,VQ:POKE 45, -1069 DATA 9,11,9,9,10 AE -1071 DATA 11,11,9,11,11	VD<>39) THEN 870	OP		
PEEK(31744):POKE 46, PEEK(31748) *895 POKE 792,71:POKE 808,237:PRINT "[CLE				
*895 POKE 792,71:POKE 808,237:PRINT "[CLE				
AR]THANKS FOR PLAYING!":CLR:END HB ·1070 DATA 10,10,10,9,10 -897 REM JD ·1071 DATA 11,11,9,11,11				
-897 REM JD -1071 DATA 11,11,9,11,11	*895 POKE 792,71:POKE 808,237:PRINT "[CLE	UD		
1097 KEN				
OSO VEN INTITALIZE NEW SOVEEN DO -1317 VEN				
	. OAO KEM INTITATINE NEW SCKEEN	DC	1972 KB1	- technical

•1073 •1074 •1075 T: FOR •1076 I)+"[•1077 •1078 •1079 •1080 T: FOR •1081 •1082 SET", •1083 RLOR" •1084 FAMIL •1085 OUSE" · 1086 P", "F •1087 "SAUN. •1088 1 O ROOM

•1089 1 NY","(•1090 1

1091 I ROOM
*1092 I *1097 I *1098 I *1099 I *1100 I F][c 2

)=A\$+F •1105 I 7]","[•1110 E

•1115 F ·1116 [•1120 F I)=0:X •1125 F (I)+40•1127 R •1128 R •1129 R •1130 P 6)[13" •1135 G ·1140 I 35 ·1145 N P+1" P

•1073 REM SCREEN CODE/ASCII CONV	ERSION M	TOTAL TOTAL TOTAL TOTAL TOTAL	LJ
•1074 REM	J. (1) NOV	•1155 GET A\$:IF A\$="" THEN 1155	NO
·1075 FOR I=0 TO 31:CH\$(I)=CHR\$(T:FOR I=32 TO 63:CH\$(I)=CHR\$(I)	1+64):NEX	·1160 IF A\$<>"Y" THEN 1130	НВ
•1676 FOR I=0 TO 63:CH\$(I)="[RVS	:NEXT PI	*1170 SP=1+INT(3*RND(9)):IF SP<1 OR SP>3	
I)+"[RVSOFF]":NEXT	KI	1190 DOVE 700 100 DOWN 000 000	KM
•1077 REM	JI		GD
•1078 REM ROOM NAME TABLE	II	(30)"!"NEVT	
•1079 REM	.II.	•1100 PETUDN	EH
•1080 FOR I=1 TO 52:READ A\$:NM\$(I)=A\$:NEX	•40007 PEM	M
1:FOR 1=53 TO 61:NM\$(I)="DOORWA	Y": NEXT MK	./OOOO DEM CETT LID DECDY LI	JD
·1081 NM\$(62)=NM\$(1):NM\$(63)=NM\$	(1) LH	. 1,0000 DEM	EA JD
·1082 DATA "STAIRWAY", "WATER CLO	SET", "CLO	•50000 DIM DB(11), DM(11), DA(11): POKE 5328	עו
SET", "CRAWL SPACE", "PORTICO", "PO	ORCH" NK	1,7:POKE 53280,11:POKE 657,128)P
·1083 DATA "LAWN", "BALCONY", "HALL RLOR", "DINING ROOM", "CONSERVATOR	LWAY", "PA	•50005 UQ=PEEK(32766):VO=PEEK(32767) P	P
·1084 DATA "KITCHEN", "LAUNDRY", "I	RY" CJ	•50007 REM	D
FAMILY PARLOR", "BALL ROOM", "STUI	PANIKY","	• 50008 REM SET UP COLOR MEMORY	O
·1085 DATA "LIBRARY", "TEA GARDEN"	DY" BH	O TO THE I	D
OUSE", "DECK", "HOT TUB", "GARAGE"	, GREENH HI	•50010 PRINT "[c 2][CLEAR]"; :FOR I=0 TO 2	
·1086 DATA "BILLIARD ROOM", "DEN",	"WORKSHO	MANCTON"	
P", "FURNACE ROOM", "CHAUFFER'S RO	OOM" AE	- 50000 MEVE	
·1087 DATA "MAID'S ROOM", "BUTLER"	'S ROOM".	•50027 DEM	
"SAUNA", "TAPESTRY ROOM", " "	ш	SCICIO DEM CEE UTDEO MENTO CONTRA	
·1088 DATA "WYETH ROOM", "NURSERY"	"PTCASS	• 5(4(12)) DEM	
U KOOM", "VERMEER ROOM", "DRESSING	ROOM" CP	•50030 VM=2:VB=16384:CM=14:CB=VB+CM*1024:	ע
·1089 DATA "VAN GOGH ROOM", "LIBRA	RY BALCO	FOR 1=0 TO 11:DM(I)=CM+16*(I+2):NEXT TO	C
NY", "COMPUTER ROOM", "TRAIN ROOM"	HI	•50040 VR=53272:ZO=PEEK(VR)	
·1090 DATA "PLAY ROOM", "FREDDY'S ECIL'S ROOM", "AMY'S ROOM"		•50047 REM	
·1091 DATA "GOVERNESS'S CUPBOARD"	BF	•50048 REM SET BASIC POINTERS	
ROOM", "STUDIO", "HIGH BALCONY"	PART CASE	•50049 REM	
·1092 DATA "SECRET ROOM"	GB	*50050 FOR I=0 TO 11:DB(I)=INT((VB+1024*(
•1097 REM	AL JD	1+2))/250):NEXT	ζ.
•1098 REM SET INITIAL VALUES	GH	•50055 FOR I=0 TO 11:DA(I)=DB(I)*256:NEXT OC)
•1099 REM	.ID	•50060 BR=648:YQ=PEEK(BR) FO •50067 REM	
•1100 FOR I=0 TO 5:PF\$(I)="[RVSON	10[RVSOF	• SCICIGO DEM CETE OLD VITARIO DOTATION	
FILE 2]":NEXT:FOR I=0 TO 5:READ	A\$:PF\$(I	• 5(1(16)) DEM	
)=A\$+PF\$(I):NEXT	CG	•50070 WQ=PEEK(56578):XQ=PEEK(56576) KI	
*1105 DATA "[c 1]","[c 4]","[GREE]	N]","[c	•50077 REM	
7]","[RED]","[c 8]" •1110 BL\$="[37" "]"	IH	·50078 REM SET LOAD FLAG	
•1115 FOR I-(1 TO 5. DEAD A.CH(T) A	OI	•50079 REM	
·1115 FOR I=0 TO 5:READ A:SH(I)=A ·1116 DATA 5,9,13,17,21,25		•50080 Q9=Q8	
•1120 FOR I=0 TO 5:H(I)=SH(I):V(I	HG	•50088 REM GET SCREEN DISPLAY & CHAR SET GD)
I)=0:XH(I)=H(I):XV(I)=V(I):NEXT	NB NB	•50089 REM. JD)
•1125 FOR I=0 TO 5:XC(I)=PEEK(DA(I	DM(T))TH	•50090 LOAD "DISPLAY DATA",8,1 CI	
$(1)+40^{*}V(1))-128:XC$(1)=CH$(XC(1)$)):NEXT BG		
•1127 REM	JD	•50094 REM NOTE: LOADING SENDS PROGRAM BA	
•1128 REM GET PLAYER NUMBER	BI	• SCICIOS DEM	
•1129 REM	ID	• 50000 DEM	
·1130 PRINT V\$(24)"HOW MANY PLAYER	25? (1_	JD JD	
6)[13" "]";:POKE 197,64:POKE 198,	,O JM	AHOY! PROGRAMS ON DISK OR CASSETTE	
·1135 GET A\$:IF A\$="" THEN 1135	NM	If you'd like to spare yourself the trouble of typing in	
•1140 IF ASC(A\$)<49 OR ASC(A\$)>54		the programs in this issue, they're all available on our	
·1145 NP=VAL(A\$)-1:PRINT V\$(24)BL\$	LJ	monthly disk or cassette. Single issues, subscriptions.	
P+1" PLAYERS—IS THIS RIGHT? (Y O	νφ(24)N	and back issues can be purchased. See page 88.	
	n n) , nr		

- ROM PAGE 23 - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1" - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1" - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1" - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1" - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1" - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1" - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1" - 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][- 8] F "1+1" - 109 PRINT TAB(20)"[PURPLE][R	PROGRAMMABLE Quactions		•37072	DATA	7,32,210,255,232,76,196,144 DA 162,0,189,216,207,32,210,255 BM
-100 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8 7" "]" -8 8 8 8 15 24 17 25 20 208, 255 162, 14 169, 163, 32, 210 25 208, 221 10 25 208, 255 162, 14 169, 163, 32, 210 25 208, 225 162, 12 160, 24 208, 245 160, 24 208, 245 20	FROM PAGE 23				
-100 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -120 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" [] 0"]" -130 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" [] 0"]" -130 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" [] 0"]" -140 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -150 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -160 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -170 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -180 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -190 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -104 PRINT TAB(20)"[PURPLE][RVSON][3" "][-8][7" "]" -105 PRINT TAB(20)"[PURPLE][RVSON][3" "][-105 PRINT TAB(20)"[PURPLE][RVSON][·10 POKE53280.0:POKE53281.11:GOTO 1000 F				
CG 110 PRINT TAB(20) [PURPLE] [RVSON] [3" "] [•100 PRINT TAB(20)"[PURPLE][RVSON][3" "][• 37096	DATA	163,32,210,255,202,208,250,16
-110 FRINT TAB(20)"[PURPLE][RVSON][3" "][-8 F " " -120 FRINT TAB(20)"[PURPLE][RVSON][3" "][-8 F " " -130 FRINT TAB(20)"[PURPLE][RVSON][3" "][-8 F " " -140 FRINT TAB(20)"[PURPLE][RVSON][3" "][-8 [7" "]" -150 FRINT TAB(20)"[PURPLE][RVSON][3" "][-8 [7" "]" -150 FRINT TAB(20)"[BLACK][RVSON][1" "][-8 [7" "]" -160 RETURN -160 RETURN -160 RETURN -160 RETURN -160 RETURN -160 PRINT CHRS(147);:POKE53272,23:FOR I TO STEPPE (2008) LEID(3) NEXT -160 PRINT "[HOME][WHITE][4"[DOWN]"] RIGHH TO STEPPE (2008) LEID(3) NEXT -20760 PRINT"[HOME][WHITE][4"[DOWN]]" RIGHH TO STEPPE (2008) LEID(3) NEXT -20760 PRINT"[HOME][WHITE][4"[DOWN]] S I][DOWN][S M][DOWN][S M][S M][S M][DOWN][S M][S M][S M][S M][S M][S M][S M][S M					
B F T T T T T T T T T			•37104	DATA	10,160,4,24,32,240,255,162 LA
-126 PRINT TAB(20)"[PURPLE][RVSON][3" "][c 8] F "1+1 " 106 PRINT TAB(20)"[PURPLE][RVSON][3" "][d 8] F "1+1 " 107 PRINT TAB(20)"[PURPLE][RVSON][3" "][d 8] F "1+1 " 108 PRINT TAB(20)"[PURPLE][RVSON][3" "][d 8] F "1+1 " 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][d 8] F "1+1 " 109 PRINT TAB(20)"[PURPLE][RVSON][3" "][d 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 109 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 109 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 109 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 100 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 1000 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 1000 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 1000 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 8] F "1+1 " 1000 PRINT TAB(20)"[PURPLE][RVSON][1" "] E 1000 PRINT CHS(147):[POKE53272,23:FOX "] E 1000 PRINT CHS(147):[POKE53272,24] E 1000 PRINT CHS(14					
C 8][7"[C 6]]]" 1-130 PRINT TAB(20)"[PURPLE][RVSON][3" "][1-140 PRINT TAB(20)"[PURPLE][RVSON][3" "][1-150 PRINT TAB(20)"[PURPLE][RVSON][3" "][1-150 PRINT TAB(20)"[BLACK][RVSON][1"][C Y 1-150 PRINT TAB(20)"[BLACK][RVSON][T PRINTT][C Y 1-150 PRINT TAB(20)"[BLACK][RVSON][T PRINTT][T PRIDON][T PRINTT][T PRIDON	0 0 1				
- 130 PRINT TAB(20)"[PURPLE][RVSON][3" "][
C 8 F T 1		JIC.			
-140' PRINT TAB(20)"[PURPLE][RVSON][3" "][c 8][7" "]" -150' PRINT TAB(20)"[BLACK][RVSON][11"[c Y "]" -160' RETURN -160' PRINT CHRS(147)::POKE53272,23:FOR I =1707 STEP2:GOSUB106:NEXT -1709 PRINT"[HOME][WHITE][4"[DOWN]"][RIGH T][RIGHT][s P][DOWN][s R][DOWN][s G][DOW N][s G][DOWN][s R][DOWN][s R][DOWN][s M] -1000NN][s W]" -100NN][s W]" -1000NN][s W]" -1000NN][s W]" -1000NN][s W]" -1000NN][s W] -	*13i) PRINT TAB(Zi) [PURPLE][RVSON][5][IC.			
C 8][7" "]" -150 PRINT TAB(26)"[BLACK][RVSON][11"[C Y] -160 RETURN -1606 PRINT CHR\$(147);:POKE53272,23;FORI -1707 STEP2:GOSUB169:NEXT -1707 STEP2:GOSUB169:NEXT -1707 STEP2:GOSUB169:NEXT -1707 STEP2:GOSUB169:NEXT -1708 PRINT [HOME][WHITE][4"[DOWN]"][RIGHE -1708 PRINT[BOWN][S R][DOWN][S N][DOWN][S N][SO][DOWN][S N][SO][DOWN][S N][SO][SON][SON][SON][SON][SON][SON][SON		IG	.37159	DATA	255 202 208 250 162 10.160.24 OD
-150' FRINT TAB(20)"[BLACK][RVSON][11"[c Y "0"]"]"		7.0	• 37160	DATA	24 32 240 255 162 0 189 88 TC
100	c 8][/" "]"	G	- 37160	DATA	151 2/0 7 32 210 255 232 76 MC
1.660 RETURN 1.0600 PRINT CHR\$(147)::POKE53272,23:FOR I 2.000 PRINT"[HOME][WHITE][4"[DOWN]"][RIGH		10			
**TOTO TRINIT CHR\$(147);:POKE53272,23;FOR I					
- 1TO7 STEP2:GOSUBIGO:NEXT	10.7 KBTOKK	LM	• 3/184	DATA	
-2000 PRINT"[HOME][WHITE][4"[DOWN]]"[RIGH			2	D.M.	
T][RIGHT][s P][DOWN][s R][DOWN][s A][DOWN][s M] DOWN][s G][DOWN][s A][DOWN][s M] DOWN][s W]"	1101 0101210000	20	•37192	DATA	11,160,24,24,32,240,255,162 AL
N S G DOWN S R DOWN S A DOWN S M DOWN S R DOWN S A DOWN S M DOWN S R DOWN S M S M S M S M S M S M S M S					
DOWN] DOWN] FOR DOWN] DOWN] DOWN] DOWN] DOWN] DOWN] DOWN] DOWN] DOWN]	T][RIGHT][s P][DOWN][s R][DOWN][s O][DOW				23,,202,22,000,000
DOWN][5 W]" Syloop PRINTT[3"[DOWN]"][4"[RIGHT]"][5 L][5 N][5 G]:[DOWN][8"[LEFT]"][8"[c T]"]"Y. 100000 REM ** DISPLAY & DEFINE ROUTINE * MK	N][s G][DOWN][s R][DOWN][s A][DOWN][s M]				
DOWN][s W]" **3069 PRINT"[3"[DOWN]"][4"[RIGHT]"][s L][**507[s A][s D][s I][s N][s G]:[DOWN][8"] **10726 DATA 224,10,208,245,162,13,160,4 NO **37248 DATA 24,32,240,255,162,14,169,163 LM **507[s A][s D][s I][s N][s G]:[DOWN][8"] **10600 REM *** DISPLAY & DEFINE ROUTINE ** MK **50726 DATA 32,210,255,202,208,250,162,12 JK **10020 READ A:IF A=256 THEN 50600 **10030 POKE I,A:I=I+1:GOTO 10020 **KA **36864 DATA 57,3,162,0,189,0,4,157 **36886 DATA 40,156,232,208,247,162,0,189 **36889 DATA 0,5,157,0,157,232,208,247 **36889 DATA 162,0,189,0,6,157,0,158 **36896 DATA 162,0,189,0,6,157,0,158 **36926 DATA 157,0,157,232,208,247,32,76 **36936 DATA 232,208,247,162,0,189,0,7 **36940 DATA 232,208,247,162,0,189,0,7 **36920 DATA 150,169,5,141,33,208,141,32 **36936 DATA 32,240,255,162,4,160,10,24 **36936 DATA 32,240,255,162,0,189,114,150 **36936 DATA 240,7,32,210,255,232,276,85 **36966 DATA 240,7,32,210,255,232,268 **37036 DATA 162,9,160,4,24,32,240 **36986 DATA 202,208,250,162,3,160,10,24 **36986 DATA 202,208,255,162,0,189,114,150 **37068 DATA 202,208,255,162,0,189,114,150 **37068 DATA 32,240,255,162,0,189,114,150 **37068 DATA 32,240,255,162,0,189,176,207 **37068 DATA 32,240,255,162,0,189,176,207 **37068 DATA 32,210,255,232,224,10,2055,232 **37068 DATA 32,210,255,232,224,10,255,232 **37068 DATA 162,9,160,4,24,32,240,255,162,0,189,172,150 **37048 DATA 208,260,162,3,160,10,24 **337068 DATA 32,240,255,162,0,189,172,150 **37368 DATA 162,9,189,19,19,19,19,19,19,19,19,19,19,19,19,19	[DOWN][DOWN][4"[LEFT]"][s N][DOWN][s O][
-3060 PRINT"[3"[DOWN]"][4"[RIGHT]"][s l][s 0][s N][s N][s 0][s N][s N][s N][s N][s N][s N][s N][s N		M			.,,,
S 0][s A][s D][s I][s N][s G]:[DOWN][8"] LEFT]"][8"[c T]"]"Y. FO 37256 DATA 32,210,255,202,208,250,162,12 JK 10000 REM ** DISPLAY & DEFINE ROUTINE * MK 37264 DATA 160,24,24,32,240,255,162,0 10010 I=36864 10020 READ A:IF A=256 THEN 50000 PG 37280 DATA 232,76,152,145,162,0,189,38 BL 10030 POKE I,A:I=1+1:60TO 10020 KA 37288 DATA 207,32,210,255,232,224,10,208 JM 136872 DATA 57,3,162,0,189,0,4,157 GN 37304 DATA 56,32,208,247,162,0,189 JB 37312 DATA 255,162,14,169,163,32,210,255 HH 36888 DATA 0,156,232,208,247,162,0,189 JB 37312 DATA 202,208,250,162,14,160,4,24 AA 36888 DATA 0,5,157,0,157,232,208,247 01 36890 DATA 150,169,5,141,33,208,141,32 CA 36904 DATA 232,208,247,162,0,189,0,7 36920 DATA 150,169,5,141,33,208,141,32 CA 36936 DATA 240,7,32,210,255,322,76,205 36936 DATA 32,240,255,162,4,160,10,24 S6968 DATA 240,7,32,210,255,322,76,85 OO 37376 DATA 162,14,160,42,24,32,240,255,162,0,189,107,32 GD 37308 DATA 162,5,162,0,189,116,104 36984 DATA 32,240,255,162,20,169,114,32 CA 37360 DATA 162,14,160,255,202,208,250,162,3,160,10,24 S6960 DATA 150,169,5,141,30,225,322,76,85 OO 37376 DATA 162,0,189,105,150,255,322,76,255 37600 DATA 144,162,5,160,10,24 S6984 DATA 32,240,255,162,0,169,114,32 CA 37360 DATA 162,14,160,2455,202 BA 37608 DATA 32,240,255,162,0,169,114,32 CA 37360 DATA 162,14,160,255,202,208,255,162,0,189 37608 DATA 240,7,32,210,255,322,76,85 OO 37376 DATA 162,0,189,106,163,32 CB 37608 DATA 32,240,255,162,0,189,106,100,24 SCB DATA 32,240,255,162,0,189,10			•37240	DATA	224,10,208,245,162,13,160,4 NO
LEFT]"][8"[[C T]"]"Y. FO 37256 DATA 32,210,255,202,208,250,162,12 JK 10010 I=36864			•37248	DATA	24,32,240,255,162,14,169,163 LM
IOOOO REM * DISPLAY & DEFINE ROUTINE * MK		FO	•37256	DATA	32,210,255,202,208,250,162,12 JK
10010 I=36864 **10020** READ A:IF A=256 THEN 50000		ИK			
**Notice of the content of the conte					
**Note Thank the state of the s	1,,1, 1 0000				
*36864 DATA 56,32,240,255,142,58,3,140	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
*36872 DATA 57,3,162,0,189,0,4,157 *36880 DATA 0,156,232,208,247,162,0,189 *36886 DATA 0,5,157,0,157,232,208,247 *36888 DATA 0,5,157,0,157,232,208,247 *36996 DATA 162,0,189,0,6,157,0,158 *36990 DATA 157,0,159,232,208,247,32,76 *36912 DATA 157,0,159,232,208,247,32,76 *36920 DATA 150,169,5,141,33,208,141,32 *36928 DATA 208,169,13,141,134,2,169,147 *236928 DATA 208,169,13,141,134,2,169,147 *236928 DATA 208,255,162,4,160,10,24 *36936 DATA 32,210,255,162,4,160,10,24 *36940 DATA 32,240,255,162,0,189,114,150 *36952 DATA 240,7,32,210,255,232,76,85 *36960 DATA 144,162,5,160,10,24,32,240 *36968 DATA 255,162,20,169,163,32,210,255 *36968 DATA 202,208,250,162,3,160,10,24 *36984 DATA 202,208,250,162,3,160,10,24 *36984 DATA 202,208,250,162,3,160,10,24 *36984 DATA 202,208,250,162,3,160,10,24 *36992 DATA 210,255,202,208,250,162,8,160 *37000 DATA 4,24,32,240,255,162,0,189 *37008 DATA 73,151,240,7,32,210,255,232 *37000 DATA 4,24,32,240,255,162,0,189 *37016 DATA 76,143,144,162,0,189,176,207 *37024 DATA 32,210,255,232,224,10,208,245,162,18,160 *37032 DATA 162,9,160,4,24,32,240,255 *37032 DATA 162,9,160,4,24,32,240,255 *37032 DATA 162,9,160,4,24,32,240,255 *37048 DATA 208,250,162,8,160,24,243 *37048 DATA 208,250,162,8,160,24,243 *37048 DATA 208,250,162,8,160,24,243,32 *37048 DATA 208,250					
*36880 DATA 0,156,232,208,247,162,0,189	3000 1 2		• 37304	DATA	255, 162, 14, 169, 163, 32, 210, 255 HH
*36888 DATA 0,5,157,0,157,232,208,247 OI *37320 DATA 32,240,255,162,0,189,103,151 AO *36896 DATA 162,0,189,0,6,157,0,158 ME *37328 DATA 240,7,32,210,255,232,76,205 CG *36904 DATA 232,208,247,162,0,189,0,7 GH *37340 DATA 157,0,159,232,208,247,32,76 HI *37344 DATA 255,232,224,10,208,245,162,10 DN *37320 DATA 150,169,5,141,33,208,141,32 CA *37352 DATA 160,4,24,32,240,255,162,14 HO *37360 DATA 150,169,5,141,134,2,169,147 CL *37360 DATA 169,163,32,210,255,202,208,25 AL *36944 DATA 32,240,255,162,4,160,10,24 PF O *37360 DATA 162,14,160,24,24,32,240,255 NG *36952 DATA 240,7,32,210,255,232,76,85 OO *37376 DATA 162,0,189,108,151,240,7,32 GD *37360 DATA 144,162,5,160,10,24,32,240 NG *37384 DATA 255,232,240,255,162,0,189,108,151,240,7,32 GD *37360 DATA 162,0,189,108,151,240,7,32 GD *37376 DATA 162,0,189,108,151,240,7,32 GD *37384 DATA 255,202,208,250,162,3,160,10,24 SC *37384 DATA 210,255,202,208,250,162,3,160,10,24 SC *37384 DATA 210,255,202,208,250,162,3,160,10,24 SC *37392 DATA 189,246,207,32,210,255,232,224 MM *36984 DATA 210,255,202,208,250,162,3,160,10,24 SC *37400 DATA 10,208,245,162,15,160,24,24 HA *36992 DATA 210,255,202,208,250,162,8,160 MD *37408 DATA 32,210,255,232,224,10,208,245 PA *37424 DATA 32,240,255,162,0,189 GE *37440 DATA 32,240,255,162,0,189,172,150 MJ *37048 DATA 208,250,162,8,160,24,24,32					
**36866 DATA 162,0,189,0,6,157,0,158 ME **37328 DATA 240,7,32,210,255,232,76,205 CG **36904 DATA 232,208,247,162,0,189,0,7 HI **37344 DATA 255,232,224,10,208,245,162,15 DN **36920 DATA 150,169,5,141,33,208,141,32 CA **37352 DATA 160,4,24,32,240,255,162,4,160,10,24 PF 0 AL **36936 DATA 32,210,255,162,4,160,10,24 PF 0 AL **36944 DATA 32,240,255,162,4,160,10,24 PF 0 AL **36952 DATA 240,7,32,210,255,232,76,85 OO **37376 DATA 162,0,189,108,151,240,7,32 GD **36960 DATA 144,162,5,160,10,24,32,240 NG **37384 DATA 210,255,232,76,2,146,162,0 MD **36968 DATA 255,162,20,169,163,32,210,255 MC **37392 DATA 189,246,207,32,210,255,232,22 **36976 DATA 202,208,250,162,3,160,10,24 JB **36984 DATA 32,240,255,162,20,169,114,32 KC **37360 DATA 10,208,245,162,15,160,24,24 HA **36984 DATA 32,240,255,162,20,169,114,32 KC **37400 DATA 10,208,245,162,15,160,24,24 HA **36992 DATA 210,255,202,208,250,162,8,160 MD **37468 DATA 32,240,255,162,0,189 OH **37468 DATA 32,210,255,232,224,10,208,245 PA **37490 DATA 32,210,255,232,224,10,208,245 PA **37490 DATA 32,210,255,232,224,10,208,245 PA **37490 DATA 162,14,169,163,32,210,255,202 EB **37448 DATA 2240,7,32,210,255,232,76,77 ON **37456 DATA 240,7,32,210,255,232,76,77 ON **37456 DATA 240,7,32,2	3000, 211111 1,100,100,100,100,100,100,100,100,				
-36904 DATA 232,208,247,162,0,189,0,7 -36912 DATA 157,0,159,232,208,247,32,76 -36920 DATA 150,169,5,141,33,208,141,32 -36928 DATA 208,169,13,141,134,2,169,147 -36938 DATA 32,210,255,162,4,160,10,24 -36938 DATA 32,210,255,162,4,160,10,24 -36938 DATA 32,240,255,162,0,189,114,150 -36944 DATA 32,240,255,162,0,189,114,150 -36952 DATA 240,7,32,210,255,232,76,85 -36960 DATA 144,162,5,160,10,24,32,240 -36968 DATA 255,162,20,169,163,32,210,255 -36968 DATA 255,162,20,169,163,32,210,255 -36968 DATA 255,162,20,169,163,32,210,255 -36976 DATA 202,208,250,162,3,160,10,24 -36984 DATA 32,240,255,162,20,169,114,32 -36984 DATA 32,240,255,162,20,169,114,32 -36988 DATA 32,240,255,162,20,169,114,32 -36992 DATA 210,255,202,208,250,162,8,160 MD -37008 DATA 4,24,32,240,255,162,0,189 -37016 DATA 73,151,240,7,32,210,255,232 -37016 DATA 76,143,144,162,0,189,176,207 -37024 DATA 32,210,255,232,224,10,208,245 PA -37032 DATA 162,14,169,163,32,210,255,202 -37040 DATA 162,14,169,163,32,210,255,202 -37040 DATA 162,14,169,163,32,210,255,202 -37048 DATA 208,250,162,8,160,24,24,32 -37048 DATA	30000 2 ,,5,15.,,7,15.,,,,				
**36912 DATA 157,0,159,232,208,247,32,76 HI **37344 DATA 255,232,224,10,208,245,162,15 DN **36920 DATA 150,169,5,141,33,208,141,32 CA **37352 DATA 160,4,24,32,240,255,162,14 HO **36928 DATA 208,169,13,141,134,2,169,147 CL **36944 DATA 32,240,255,162,0,189,114,150 AN **37368 DATA 162,0,189,108,151,240,7,32 GD **36960 DATA 144,162,5,160,10,24,32,240 NG **37384 DATA 202,208,250,162,3,160,10,24 JB **36984 DATA 202,208,250,162,3,160,10,24 JB **36984 DATA 32,240,255,162,20,169,114,32 KC **37360 DATA 10,208,245,162,15,160,24,24 HA **36984 DATA 32,240,255,162,20,169,114,32 KC **37400 DATA 10,208,245,162,15,160,24,24 HA **37000 DATA 4,24,32,240,255,162,0,189 OH **37416 DATA 32,240,255,162,0,189 OH **37416 DATA 32,240,255,232,224,10,208,245 DATA 32,210,255,232 JJ **37016 DATA 76,143,144,162,0,189,176,207 OL **37032 DATA 162,9,160,4,24,32,240,255 IL **37040 DATA 162,14,169,163,32,210,255,202 EB **37486 DATA 208,250,162,8,160,24,24,32 CO **37456 DATA 240,7,32,210,255,232,76,77 ON **37048 DATA 208,250,162,8,160,24,24,32 CO **37456 DATA 240,7,32,210,255,232,76,77 ON **37048 DATA 208,250,162,8,160,24,24,32 CO **37456 DATA 240,7,32,210,255,232,76,777 ON **37048 DATA 208,250,162,8,160,24,24,32 CO **37456 DATA 240,7,32,210,255,232,76,77 ON **37048 DATA 208,250,162,8,160,24,24,32 CO **37456 DATA 240,7,32,210,255,232,76,77 ON **37456 DATA 240,7,32,210,255,	300,0 2 20-,,,-0,,-,-,-,-,-		.37336	DATA	
*36920 DATA 150,169,5,141,33,208,141,32 CA *37352 DATA 160,4,24,32,240,255,162,14 HO *36928 DATA 208,169,13,141,134,2,169,147 CL *36936 DATA 32,210,255,162,4,160,10,24 PF *36944 DATA 32,240,255,162,0,189,114,150 AN *36952 DATA 240,7,32,210,255,232,76,85 OO *37376 DATA 162,0,189,108,151,240,7,32 GD *36960 DATA 144,162,5,160,10,24,32,240 NG *37384 DATA 210,255,232,76,2,146,162,0 MD *36968 DATA 255,162,20,169,163,32,210,255 MC *37392 DATA 189,246,207,32,210,255,232,22 *36976 DATA 202,208,250,162,3,160,10,24 JB *36984 DATA 32,240,255,162,20,169,114,32 KC *37400 DATA 10,208,245,162,15,160,24,24 HA *36992 DATA 210,255,202,208,250,162,8,160 MD *37408 DATA 32,240,255,162,0,189 OH *37000 DATA 4,24,32,240,255,162,0,189 OH *37008 DATA 76,143,144,162,0,189,176,207 OL *37424 DATA 32,210,255,232,224,10,208,245 PA *37032 DATA 162,9,160,4,24,32,240,255 IL *37440 DATA 32,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37440 DATA 32,240,255,162,0,189 GE *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 2240,7,32,210,255,232,76,77 ON *37048 DATA 208,250,162,8,160,24,24,32					
*36928 DATA 208,169,13,141,134,2,169,147 CL *37360 DATA 169,163,32,210,255,202,208,25 AL *36936 DATA 32,210,255,162,4,160,10,24 PF O *37368 DATA 162,14,160,24,24,32,240,255 NG *36952 DATA 240,7,32,210,255,232,76,85 OO *37376 DATA 162,0,189,108,151,240,7,32 GD *36960 DATA 144,162,5,160,10,24,32,240 NG *37384 DATA 210,255,232,76,2,146,162,0 MD *36968 DATA 255,162,20,169,163,32,210,255 MC *37392 DATA 189,246,207,32,210,255,232,22 *36976 DATA 202,208,250,162,3,160,10,24 JB *36984 DATA 32,240,255,162,20,169,114,32 KC *37400 DATA 10,208,245,162,15,160,24,24 HA *36992 DATA 210,255,202,208,250,162,8,160 MD *37408 DATA 32,240,255,162,20,169,114,32 KC *37400 DATA 4,24,32,240,255,162,0,189 OH *37416 DATA 210,255,202,208,250,162,18,16 *37008 DATA 73,151,240,7,32,210,255,232 JJ *37016 DATA 76,143,144,162,0,189,176,207 OL *37424 DATA 32,210,255,232,224,10,208,245 PA *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37440 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON *37048 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77					
*36936 DATA 32,210,255,162,4,160,10,24 PF	30727 211211				
**36944 DATA 32,240,255,162,0,189,114,150 AN **37368 DATA 162,14,160,24,24,32,240,255 NG **36952 DATA 240,7,32,210,255,232,76,85 OO **37376 DATA 162,0,189,108,151,240,7,32 GD **36960 DATA 144,162,5,160,10,24,32,240 NG **37384 DATA 210,255,232,76,2,146,162,0 MD **36968 DATA 202,208,250,162,3,160,10,24 JB **36984 DATA 32,240,255,162,20,169,114,32 KC **37400 DATA 10,208,245,162,15,160,24,24 HA **36992 DATA 210,255,202,208,250,162,8,160 MD **37408 DATA 32,240,255,162,0,189 OH **37416 DATA 210,255,202,208,250,162,18,16 **37008 DATA 73,151,240,7,32,210,255,232 JJ O **37424 DATA 32,240,255,162,0,189 GE **37024 DATA 32,210,255,232,224,10,208,245 DATA 162,9,160,4,24,32,240,255 IL **37040 DATA 162,14,169,163,32,210,255,202 EB **37048 DATA 208,250,162,8,160,24,24,32 CO **37456 DATA 240,7,32,210,255,232,76,77 ON **37456 DATA 240,7,32,210,255,232,76,77				DATA	
*36952 DATA 240,7,32,210,255,232,76,85 OO *37376 DATA 162,0,189,108,151,240,7,32 GD *36960 DATA 144,162,5,160,10,24,32,240 NG *37384 DATA 210,255,232,76,2,146,162,0 MD *36968 DATA 255,162,20,169,163,32,210,255 MC *37392 DATA 189,246,207,32,210,255,232,22 *36976 DATA 202,208,250,162,3,160,10,24 JB *36984 DATA 202,208,250,162,3,160,10,24 JB *37400 DATA 10,208,245,162,15,160,24,24 HA *37400 DATA 10,208,245,162,15,160,24,24 HA *37400 DATA 32,240,255,162,0,189 OH *37416 DATA 210,255,202,208,250,162,18,16 OH *37416 DATA 210,255,202,208,250,162,18,16 OH *37416 DATA 210,255,202,208,250,162,18,16 OH *37424 DATA 3,24,32,240,255,162,0,189 OH *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77	30,30 5			DATA	
*36960 DATA 144,162,5,160,10,24,32,240 NG *37384 DATA 210,255,232,76,2,146,162,0 MD *36968 DATA 255,162,20,169,163,32,210,255 MC *37392 DATA 189,246,207,32,210,255,232,22 MM *36984 DATA 32,240,255,162,20,169,114,32 KC *37400 DATA 10,208,245,162,15,160,24,24 HA *36992 DATA 210,255,202,208,250,162,8,160 MD *37408 DATA 32,240,255,162,0,189 OH *37416 DATA 210,255,202,208,250,162,18,16 *37008 DATA 73,151,240,7,32,210,255,232 JJ 0 *37424 DATA 32,240,255,162,0,189 GE *37024 DATA 32,210,255,232,224,10,208,245 PA *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON *37048 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77		-			
*36968 DATA 255,162,20,169,163,32,210,255 MC *37392 DATA 189,246,207,32,210,255,232,22 *36976 DATA 202,208,250,162,3,160,10,24 JB *36984 DATA 32,240,255,162,20,169,114,32 KC *37400 DATA 10,208,245,162,15,160,24,24 HA *36992 DATA 210,255,202,208,250,162,8,160 MD *37408 DATA 32,240,255,162,0,189 OH *37416 DATA 210,255,202,208,250,162,18,16 *37008 DATA 73,151,240,7,32,210,255,232 JJ O *37424 DATA 32,240,255,162,0,189 GE *37024 DATA 32,210,255,232,224,10,208,245 PA *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON *37048 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77 ON *37456 DATA 240,7,32,210,255,232,76,77	30,32 2111 21,,,,02,22,,				
*36976 DATA 202,208,250,162,3,160,10,24 JB 4 *36984 DATA 32,240,255,162,20,169,114,32 KC *36992 DATA 210,255,202,208,250,162,8,160 MD *37000 DATA 4,24,32,240,255,162,0,189 OH *37016 DATA 73,151,240,7,32,210,255,232 JJ *37016 DATA 76,143,144,162,0,189,176,207 OL *37024 DATA 32,210,255,232,224,10,208,245 PA *37032 DATA 162,9,160,4,24,32,240,255 *IL *37040 DATA 162,14,169,163,32,210,255,202 EB *37040 DATA 208,250,162,8,160,24,24,32 *37048 DATA 240,7,32,210,255,232,76,77 *ON	30,0, 5,11111 -11,11111				
*36984 DATA 32,240,255,162,20,169,114,32 KC *37400 DATA 10,208,245,162,15,160,24,24 HA *36992 DATA 210,255,202,208,250,162,8,160 MD *37408 DATA 32,240,255,162,14,169,163,32 CB *37000 DATA 4,24,32,240,255,162,0,189 OH *37416 DATA 210,255,202,208,250,162,18,16 OH *37416 DATA 73,151,240,7,32,210,255,232 JJ *37016 DATA 76,143,144,162,0,189,176,207 OL *37424 DATA 32,210,255,232,224,10,208,245 PA *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37440 DATA 76,55,146,162,19,160,8,24 GL *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON				DATA	
•36992 DATA 210, 255, 202, 208, 250, 162, 8, 160 MD •37000 DATA 4, 24, 32, 240, 255, 162, 0, 189 •37008 DATA 73, 151, 240, 7, 32, 210, 255, 232 •37016 DATA 76, 143, 144, 162, 0, 189, 176, 207 •37024 DATA 32, 210, 255, 232, 224, 10, 208, 245 PA •37032 DATA 162, 9, 160, 4, 24, 32, 240, 255 •37040 DATA 162, 14, 169, 163, 32, 210, 255, 202 •37048 DATA 208, 250, 162, 8, 160, 24, 24, 32 •37048 DATA 208, 250, 162, 8, 160, 24, 24, 32 •37048 DATA 208, 250, 162, 8, 160, 24, 24, 32 •37048 DATA 208, 250, 162, 8, 160, 24, 24, 32 •37456 DATA 240, 7, 32, 210, 255, 232, 76, 77 •37048 DATA 208, 250, 162, 8, 160, 24, 24, 32 •37456 DATA 240, 7, 32, 210, 255, 232, 76, 77	000,0000				
*37000 DATA 4,24,32,240,255,162,0,189 OH *37416 DATA 210,255,202,208,250,162,18,16 *37008 DATA 73,151,240,7,32,210,255,232 JJ O *37016 DATA 76,143,144,162,0,189,176,207 OL *37424 DATA 3,24,32,240,255,162,0,189 GE *37024 DATA 32,210,255,232,224,10,208,245 PA *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37440 DATA 76,55,146,162,19,160,8,24 GL *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 32,240,255,162,0,189,172,150 MJ *37048 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON					
*37000 DATA 4,24,32,240,255,162,0,189 OH *37416 DATA 210,255,202,208,250,162,18,16 *37008 DATA 73,151,240,7,32,210,255,232 JJ O KB *37016 DATA 76,143,144,162,0,189,176,207 OL *37424 DATA 3,24,32,240,255,162,0,189 GE *37024 DATA 32,210,255,232,224,10,208,245 PA *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37440 DATA 76,55,146,162,19,160,8,24 GL *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 32,240,255,162,0,189,172,150 MJ *37048 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON	·36992 DATA 210,255,202,208,250,162,8,1601	MD			
*37008 DATA 73,151,240,7,32,210,255,232 JJ	•37000 DATA 4,24,32,240,255,162,0,189		•37416	DATA	
*37016 DATA 76,143,144,162,0,189,176,207 OL *37424 DATA 3,24,32,240,255,162,0,189 GE *37024 DATA 32,210,255,232,224,10,208,245 PA *37432 DATA 135,150,240,7,32,210,255,232 KO *37032 DATA 162,9,160,4,24,32,240,255 IL *37440 DATA 76,55,146,162,19,160,8,24 GL *37040 DATA 162,14,169,163,32,210,255,202 EB *37448 DATA 32,240,255,162,0,189,172,150 MJ *37048 DATA 208,250,162,8,160,24,24,32 CO *37456 DATA 240,7,32,210,255,232,76,77 ON		JJ			
•37024 DATA 32,210,255,232,224,10,208,245 PA •37432 DATA 135,150,240,7,32,210,255,232 KO •37032 DATA 162,9,160,4,24,32,240,255 IL •37440 DATA 76,55,146,162,19,160,8,24 GL •37040 DATA 162,14,169,163,32,210,255,202 EB •37448 DATA 32,240,255,162,0,189,172,150 MJ •37048 DATA 208,250,162,8,160,24,24,32 CO •37456 DATA 240,7,32,210,255,232,76,77 ON		OL	•37424	DATA	
•37032 DATA 162,9,160,4,24,32,240,255 IL •37440 DATA 76,55,146,162,19,160,8,24 GL •37040 DATA 162,14,169,163,32,210,255,202 EB •37448 DATA 32,240,255,162,0,189,172,150 MJ •37048 DATA 208,250,162,8,160,24,24,32 CO •37456 DATA 240,7,32,210,255,232,76,77 ON		PA			
•37040 DATA 162,14,169,163,32,210,255,202 EB •37448 DATA 32,240,255,162,0,189,172,150 MJ •37048 DATA 208,250,162,8,160,24,24,32 CO •37456 DATA 240,7,32,210,255,232,76,77 ON			•37440	DATA	, -,,,,,,,,,
•37048 DATA 208,250,162,8,160,24,24,32 CO •37456 DATA 240,7,32,210,255,232,76,77 ON		EB	•37448	DATA	32,240,255,162,0,189,172,150 MJ
		FK	•37464	DATA	146,32,228,255,240,251,201,48 MO

•374 •374 •374 •375 •375 •375 •375 •375 •375

•3756 •3756 •3756 •3756 •3756 •3760 •3761 •3762 •3763

•3764 •3765 •3766 •3767 •3768 •3768 •3769 •3770 •3771

•3772: •3773: •3774: •3775: •3776: •3776: •37776: •3779: •3789:

•37816 •37824 •37832 •37844 •37856 •37864 •37872 •37886 •37888

```
·37472 DATA 240,35,201,49,240,34,201,50
                                              MF
   ·37480 DATA 240,33,201,51,240,32,201,52
                                                                                            IA
                                              BK
                                                 -37904 DATA 0,142,55,3,32,228,255,240
   ·37488 DATA 240,31,201,53,240,30,201,54
                                                                                            IG
                                                 ·37912 DATA 251,201,13,240,22,174,55,3
                                              CO
   ·37496 DATA 240,29,201,55,240,28,201,56
                                                                                            PA
                                                 •37920 DATA 32,210,255,157,196,207,238,55 CA
                                              NK
   ·37504 DATA 240,27,76,89,146,76,96,149
                                                 ·37928 DATA 3,174,55,3,224,10,240,3
                                             JK
   ·37512 DATA 76,160,146,76,248,146,76,80
                                                                                            DE
                                             KK
                                                 •37936 DATA 76,20,148,173,55,3,201,10
  ·37520 DATA 147,76,168,147,76,0,148,76
                                                                                            AD
                                                 ·37944 DATA 240,23,32,53,150,32,228,255
                                             PL
  -37528 DATA 88,148,76,176,148,76,8,149
                                                                                            GD
                                                 -37952 DATA 240,251,201,78,240,11,201,89
                                             EI
  ·37536 DATA 32,180,149,162,0,169,32,157
                                                                                            AP
                                                 ·37960 DATA 208,243,169,13,162,9,157,196
                                             FD
  ·37544 DATA 176,207,232,224,10,208,248,16
                                                                                            JH
                                                 ·37968 DATA 207,169,0,133,212,76,70,144
                                                                                            KM
                                             JC
                                                 ·37976 DATA 32,180,149,162,0,169,32,157
  ·37552 DATA 0,142,55,3,32,228,255,240
                                                                                            FD
                                                 ·37984 DATA 236,207,232,224,10,208,248,16
                                             IG
  ·37560 DATA 251,201,13,240,22,174,55,3
                                             PA
                                                  2
  ·37568 DATA 32,210,255,157,176,207,238,55 HG
                                                                                            AB
                                                 -37992 DATA 0,142,55,3,32,228,255,240
  ·37576 DATA 3,174,55,3,224,10,240,3
                                                                                           IG
                                                 -38000 DATA 251,201,13,240,22,174,55,3
                                             DE
  ·37584 DATA 76,180,146,173,55,3,201,10
                                                                                           PA
                                                ·38008 DATA 32,210,255,157,236,207,238,55 BH
                                             OF
  ·37592 DATA 240,23,32,53,150,32,228,255
                                                ·38016 DATA 3,174,55,3,224,10,240,3
                                             GD
  ·37600 DATA 240,251,201,78,240,11,201,89
                                                                                           DE
                                                ·38024 DATA 76,108,148,173,55,3,201,10
                                             AP
  -37608 DATA 208,243,169,13,162,9,157,176
                                                                                           KD
                                                ·38032 DATA 240,23,32,53,150,32,228,255
                                             FJ
  ·37616 DATA 207,169,0,133,212,76,70,144
                                                                                           GD
                                                *38040 DATA 240,251,201,78,240,11,201,89
                                             KM
  ·37624 DATA 32,180,149,162,0,169,32,157
                                                                                           AP
                                                ·38048 DATA 208,243,169,13,162,9,157,236
                                             FD
  ·37632 DATA 216,207,232,224,10,208,248,16
                                                                                           FO
                                                ·38056 DATA 207,169,0,133,212,76,70,144
                                                                                           KM
                                                -38064 DATA 32,180,149,162,0,169,32,157
                                             EL
 -37640 DATA 0,142,55,3,32,228,255,240
                                                                                           FD
                                            IG
                                                ·38072 DATA 206,207,232,224,10,208,248,16
 ·37648 DATA 251,201,13,240,22,174,55,3
                                            PA
                                                 2
 ·37656 DATA 32,210,255,157,216,207,238,55 IF
                                                                                           HM
                                                ·38080 DATA 0,142,55,3,32,228,255,240
 ·37664 DATA 3,174,55,3,224,10,240,3
                                                                                           IG
                                                ·38088 DATA 251,201,13,240,22,174,55,3
                                            DE
 ·37672 DATA 76,12,147,173,55,3,201,10
                                                                                           PA
                                                ·38096 DATA 32,210,255,157,206,207,238,55 GO
 ·37680 DATA 240,23,32,53,150,32,228,255
                                            GD
                                                ·38104 DATA 3,174,55,3,224,10,240,3
 ·37688 DATA 240,251,201,78,240,11,201,89
                                                                                           DE
                                            AP
                                                ·38112 DATA 76,196,148,173,55,3,201,10
 ·37696 DATA 208,243,169,13,162,9,157,216
                                                                                           AM
                                                ·38120 DATA 240,23,32,53,150,32,228,255
                                            FI
 -37704 DATA 207,169,0,133,212,76,70,144
                                                                                           GD
                                                ·38128 DATA 240,251,201,78,240,11,201,89
                                            KM
 -37712 DATA 32,180,149,162,0,169,32,157
                                                                                           AP
                                                ·38136 DATA 208,243,169,13,162,9,157,206
                                            FD
 ·37720 DATA 186,207,232,224,10,208,248,16
                                                                                          GB
                                                ·38144 DATA 207,169,0,133,212,76,70,144
                                                                                           KM
                                                ·38152 DATA 32,180,149,162,0,169,32,157
 ·37728 DATA 0,142,55,3,32,228,255,240
                                                                                          FD
                                               ·38160 DATA 246,207,232,224,10,208,248,16
                                            IG
 -37736 DATA 251,201,13,240,22,174,55,3
                                            PA
 ·37744 DATA 32,210,255,157,186,207,238,55 GN
                                                                                          IA
                                               ·38168 DATA 0,142,55,3,32,228,255,240
 ·37752 DATA 3,174,55,3,224,10,240,3
                                                                                          IG
                                               -38176 DATA 251,201,13,240,22,174,55,3
                                           DE
 ·37760 DATA 76,100,147,173,55,3,201,10
                                                                                          PA
                                               ·38184 DATA 32,210,255,157,246,207,238,55 MC
                                           DA
-37768 DATA 240,23,32,53,150,32,228,255
                                               ·38192 DATA 3,174,55,3,224,10,240,3
                                           GD
·37776 DATA 240,251,201,78,240,11,201,89
                                                                                          DE
                                               ·38200 DATA 76,28,149,173,55,3,201,10
                                           AP
·37784 DATA 208,243,169,13,162,9,157,186
                                                                                          NG
                                               -38208 DATA 240,23,32,53,150,32,228,255
                                           JA
·37792 DATA 207,169,0,133,212,76,70,144
                                                                                          GD
                                               ·38216 DATA 240,251,201,78,240,11,201,89
                                           KM
·37800 DATA 32,180,149,162,0,169,32,157
                                                                                          AP
                                               *38224 DATA 208,243,169,13,162,9,157,246
·37808 DATA 226,207,232,224,10,208,248,16
                                                                                          FN
                                               ·38232 DATA 207,169,0,133,212,76,70,144
                                                                                          KM
                                               ·38240 DATA 32,95,150,162,0,189,0,156
                                           JC
·37816 DATA 0,142,55,3,32,228,255,240
                                                                                          JF
                                               ·38248 DATA 157,0,4,232,208,247,162,0
                                           IG
·37824 DATA 251,201,13,240,22,174,55,3
                                                                                          FD
                                               ·38256 DATA 189,0,157,157,0,5,232,208
                                           PA
·37832 DATA 32,210,255,157,226,207,238,55 PI
                                                                                          NF
                                               ·38264 DATA 247,162,0,189,0,158,157,0
·37840 DATA 3,174,55,3,224,10,240,3
                                                                                          JK
                                               ·38272 DATA 6,232,208,247,162,0,189,0
                                           DE
·37848 DATA 76,188,147,173,55,3,201,10
                                                                                          KG
                                              ·38280 DATA 159,157,0,7,232,208,247,162
                                           CA
-37856 DATA 240,23,32,53,150,32,228,255
                                                                                          CE
                                               ·38288 DATA 0,173,52,3,157,0,216,157
                                           GD
-37864 DATA 240,251,201,78,240,11,201,89
                                                                                         DN
                                               ·38296 DATA 0,217,157,0,218,157,0,219
                                           AP
·37872 DATA 208,243,169,13,162,9,157,226
                                                                                         MK
                                              -38304 DATA 232,208,241,174,58,3,172,57
                                           FP
·37880 DATA 207,169,0,133,212,76,70,144
                                                                                         II
                                              *38312 DATA 3,24,32,240,255,169,128,133
                                           KM
·37888 DATA 32,180,149,162,0,169,32,157
                                                                                         OK
                                              •38320 DATA 157,76,131,164,141,56,3,169
                                           FD
•37896 DATA 196,207,232,224,10,208,248,16
                                                                                         AK
                                              ·38328 DATA 147,32,210,255,162,5,160,10
                                                                                         HC
```

```
NO
                                           MN
                                               •38800 DATA 0,133,55,88,32,94,166,32
•38336 DATA 24,32,240,255,162,0,189,197
                                               ·38808 DATA 68,229,162,10,160,7,24,32
                                                                                           AD
•38344 DATA 150,240,7,32,210,255,232,76
                                               •38816 DATA 240,255,162,0,189,199,151,232 PL
·38352 DATA 198,149,173,56,3,32,210,255
                                           EL
                                               ·38824 DATA 32,210,255,201,13,208,245,162 IO
•38360 DATA 162,7,160,11,24,32,240,255
                                           JG
                                                                                           AC
                                               ·38832 DATA 15,160,7,24,32,240,255,162
·38368 DATA 162,0,189,217,150,240,7,32
                                           PP
                                                                                           AN
                                               ·38840 DATA 0,189,226,151,232,32,210,255
·38376 DATA 210,255,232,76,226,149,162,9
                                           FE
                                               ·38848 DATA 201,13,208,245,76,116,164,80
                                                                                           KJ
                                           GJ
·38384 DATA 160,7,24,32,240,255,162,0
                                               ·38856 DATA 82,79,71,82,65,77,77,65
                                                                                           EK
                                           BF
•38392 DATA 189,236,150,240,7,32,210,255
                                                                                           CP
                                               •38864 DATA 66,76,69,32,70,85,78,67
                                           JN
•38400 DATA 232,76,248,149,162,10,160,6
                                                                                           GA
                                               •38872 DATA 84,73,79,78,32,75,69,89
                                           FE
•38408 DATA 24,32,240,255,162,0,189,7
                                               ·38880 DATA 83,13,40,67,41,49,57,56
                                                                                           OD
·38416 DATA 151,240,7,32,210,255,232,76
                                           MC
                                                                                           OE
                                               ·38888 DATA 52,59,32,68,69,88,32,84
·38424 DATA 14,150,162,15,160,15,24,32
                                           NE
                                               ·38896 DATA 46,32,80,69,84,69,82,83
                                                                                           LO
·38432 DATA 240,255,162,10,169,163,32,210 NH
                                                                                           DI
                                               •38904 DATA 79,78,13,0,0,0,0,0,256
-38440 DATA 255,202,208,250,162,14,160,15 NF
                                                                                           HK
                                               ·50000 REM ** IRQ EXTENSION WEDGE **
                                           CG
•38448 DATA 24,32,240,255,96,162,17,160
                                                                                           AG
•38456 DATA 2,24,32,240,255,162,0,189
                                            BF
                                               •50010 I=53082
                                                                                           PJ
•38464 DATA 36,151,240,7,32,210,255,232
                                            IM
                                               •50020 READ A: IF A=256 THEN 60000
                                                                                           HM
                                               •50030 POKE I, A: I=I+1:GOTO 50020
•38472 DATA 76,63,150,96,173,134,2,141
                                            CK
                                                                                           KN
                                               •53082 DATA 165,197,201,64,208,6,141,161
                                            BK
•38480 DATA 52,3,173,32,208,141,53,3
                                            AJ
                                               •53090 DATA 207, 76, 158, 207, 205, 161, 207, 24
·38488 DATA 173,33,208,141,54,3,96,173
                                                                                           PF
·38496 DATA 52,3,141,134,2,173,53,3
                                            00
                                                0
                                               •53098 DATA 51,141,161,207,162,3,221,162
                                                                                           PA
*38504 DATA 141,32,208,173,54,3,141,33
                                            CE
                                               •53106 DATA 207,240,5,202,16,248,48,36
                                                                                           JA
                                            FO
•38512 DATA 208,96,70,85,78,67,84,73
                                                                                           EB
·38520 DATA 79,78,32,68,69,70,73,78
                                               •53114 DATA 138,174,141,2,224,1,208,3
                                            CF
                                                                                           MJ
•38528 DATA 73,84,73,79,78,83,0,69
                                               •53122 DATA 24,105,4,10,133,251,10,10
                                            GL
                                               •53130 DATA 24,101,251,168,162,0,185,176
                                                                                           NF
·38536 DATA 78,84,69,82,32,70,85,78
                                            EE
                                               •53138 DATA 207,157,119,2,200,232,224,10
                                                                                           KG
                                            DJ
·38544 DATA 67,84,73,79,78,32,78,85
                                               •53146 DATA 208,244,134,198,76,49,234,64
                                                                                           GI
                                            CB
·38552 DATA 77,66,69,82,32,84,79,32
                                               •53154 DATA 4,5,6,3,0,255,255,255
                                                                                            ED
•38560 DATA 66,69,32,67,72,65,78,71
                                            AG
                                               •53162 DATA 255,255,255,255,255,255,76,73 LC
                                            BJ
•38568 DATA 69,68,58,0,91,49,45,56
                                                                                            AG
                                                •53170 DATA 83,84,32,32,32,32,32,13
                                            FI
·38576 DATA 32,79,82,32,90,69,82,79
                                                                                            DD
                                                •53178 DATA 80,207,54,53,48,44,49,50
•38584 DATA 32,40,48,41,32,84,79,32
                                            OE
                                                                                           MH
                                                ·53186 DATA 56,13,32,76,79,65,68,34
                                            MJ
•38592 DATA 69,78,68,93,0,82,69,68
                                                •53194 DATA 32,32,20,20,83,89,83,32
                                                                                            GE
                                            MF
•38600 DATA 69,70,73,78,69,32,70,85
                                                •53202 DATA 52,57,49,53,50,13,82,85
                                                                                            NM
                                            CF
•38608 DATA 78,67,84,73,79,78,32,70
                                                •53210 DATA 78,32,32,32,32,32,32,13
                                                                                            OB
                                            MF
•38616 DATA 0,69,78,84,69,82,32,78
                                                                                            DC
                                                •53218 DATA 80,207,54,53,48,44,48,32
                                            CB
·38624 DATA 69,87,32,67,79,77,77,65
                                                                                            CH
                                                •53226 DATA 32,13,83,65,86,69,34,64
•38632 DATA 78,68,58,0,84,69,78,32
                                            PJ
                                                •53234 DATA 48,58,29,157,83,89,83,32
                                                                                            PM
•38640 DATA 40,49,48,41,32,75,69,89
                                            AN
                                                                                            PA
                                            GG
                                                •53242 DATA 51,54,56,54,52,13,256
·38648 DATA 83,84,82,79,75,69,83,32
                                                                                            DM
                                                •60000 POKE53272,21:SYS38784
•38656 DATA 77,65,88,73,85,77,0,40
                                                .61000 OPEN2,8,2,"FKEY,S,W":CMD2:LIST-610
·38664 DATA 73,78,67,76,85,68,73,78
                                            DB
·38672 DATA 71,32,32,67,65,82,82,73
                                            EO
                                                COCO
                                            JM
•38680 DATA 68,71,69,32,82,69,84,85
                                                      d Routine
                                            PE
•38688 DATA 82,78,41,0,68,79,32,89
·38696 DATA 79,85,32,87,65,78,84,32
                                            EA
                                                FROM PAGE 25
·38704 DATA 65,32,67,65,82,82,73,68
                                            II
                                            BK
·38712 DATA 71,69,32,82,69,84,85,82
                                                   BEFORE ENTERING OLD ROUTINE...
                                                    nust enter and run Flankspeed, Ahoy!'s machine language en-
try program. See introduction and program on page 64.
                                            KF
•38720 DATA 78,32,65,68,68,69,68,63
                                            LB
·38728 DATA 0,70,49,58,32,0,70,50
•38736 DATA 58,32,0,70,51,58,32,0
                                            KI
```

00

PH

AK

BN

FG

AN

CE

8000:	A2	9F	AO	00	84	FB	86	FC	E6	
8008:										
8010:										
8018:	29	FE	85	01	4F	4C	C4	A2	C9	
8020:	()()	BD	1C	80	9 D	BE	An	E8	60	
8028:	EO	03	DO	F5	A9	37	8D	1C	5D	
8030:	AO	A9	80	8D	1D	AO	60	00	A6	
8038:	A 2	05	BD	00	08	FO	04	E8	83	

78 AHOY!

•38744 DATA 70,52,58,32,0,70,53,58

•38760 DATA 55,58,32,0,70,56,58,32

•38784 DATA 120,169,207,141,21,3,169,90

•38792 DATA 141,20,3,169,144,133,56,169

•38752 DATA 32,0,70,54,58,32,0,70

·38768 DATA 0,0,255,0,0,0,128,0

•38776 DATA 0,0,0,0,0,0,0,0,0

IMP

8040

8048

8050

8058

8060

8068

8070

8078

8080

8088

20

FRO/

· 30 P(

•35 II

•38 PF

NG MA

· 40 PC

254:F

•42 PC

PEEK (

• 44 FC

•45 I=

•46 RE

•47 PC

-48 IF

TA":S

·49 I=

•50 RE

•51 PO

•52 IF

DATA"

•53 I=

•54 RE

·55 PO

•56 IF

R DAT

•57 I=

•58 RE

•59 PO

•60 IF

ATA":

•62 GO

· 100 R

· 105 P

· 110 P

• 120 PC

•130 PC

•140 FO

=55656

· 150 F(

: NEXT

· 160 P(

: POKE!

,3:PO

IMPORTANTI John		
INPURIANT! Letters on white background are Bu	g Repe	ellent line codes. Do not enter them! Pages 63 and 64 explain these codes entering Ahoy! programs. Refer to these pages before entering any programs!
8048: 08 8D 02 08 A2 07 A0 01 33 8050: 84 FD 86 FE 88 E6 FE B1 78 8058: FD 8D 37 80 F0 06 C8 D0 20 8060: F6 4C 55 80 C8 B1 FD CD B1 8068: 37 80 F0 04 88 4C 5E 80 C8 8070: C8 B1 FD CD 37 80 F0 05 64 8078: 88 88 4C 5E 80 A5 FE 85 DE 8080: 2E C8 C8 84 2D A6 2D 30 FE	3 8 C F 3	POKE1275,39:POKE55506,1:POKE55507,1 170 POKE55546,1:POKE55547,1:POKE1211,36: POKE1212,37:POKE1251,38:POKE1252,39 180 POKE55483,1:POKE55484,1:POKE55523,1: POKE55524,1 190 FORI=1384T01387:POKEI,I-1363:NEXT:FO RI=1424T01426:POKEI,I-1399:NEXT 200 FORI=1420T01423:POKEI,I-1392:NEXT:FO RI=1461T01463:POKEI,I-1428:NEXT
FROM PAGE 27 30 POKE56,48:POKE52,48:CLR 35 IFPEEK(16375)=8THEN700 38 PRINT"[CLEAR][WHITE][7"[DOWN]"]REPANG MACHINE LANGUAGE[3"."][DOWN]"]REPANG MACHINE LANGUAGE[3"."][DOWN]"]DOWN]" 40 POKE53265,27:POKE56334,PEEK(56334)A 254:POKE1,PEEK(1)AND251:FORI=.TO79 42 POKE14720+I,PEEK(53632+I):NEXT:POKE PEEK(1)OR4:POKE56334,PEEK(56334)OR1 44 FORI=53104TO53151:POKEI,1:NEXT 45 I=.:Z=. 46 READA:IFA<0THEN48 47 POKE49152+I,A:Z=Z+A:I=I+1:GOTO46 48 IFZ<>160018THENPRINT"ERROR IN CODE IN CO	GN ARI F ND AI , OA FM KE ND AF MC AF MC MC	**210 FORE=1864T01882:POKEI, 40:POKEI+40, 40 :POKEI+80, 40:NEXT **220 FORI=1984T02023:POKEI, 40:NEXT **230 POKE52992, 140:POKE52993, 140:POKE5299 **4,96:POKE52997, **.72=PEEK(53278):FORI=53072 **DOKE52997, **.72=PEEK(53278):FORI=53072 **DOKE53103:POKEI, **.NEXT:POKE53036, **. **250 POKE53269, 3:POKE53037, **. **OCEO POKE53211, 255:POKE53212, 255:POKE5321 **3,12:POKE54296, 79:POKE54294, 55 **FG **A 240:POKE54295, 129:POKE54273, 255 **IH **A 240:POKE54295, 129:POKE54273, 255 **IH **A 3,17:POKE1025, 48:POKE1026, 48:POKE1061, 48 BJ **S26:POKE55284, 128:POKE54287, 6:POKE5428, 6: POKE55333, .:POKE55334, .:POKE53044, **. **GO POKE530345, .:POKE53265, 27 **JO POKE530345, .:POKE53265, 27 **JO POKE530345, .:POKE53265, 27 **JO POKE530345, .:POKE53265, 27 **JO POKE53034, .:POKE53265, 27 **JO POKE530345, .:POKE53265, 27 **JO POKE53034, .:POKE53265, 27 **JO POKE53035, .:POKE53265, 27 **JO POKE53035, .:POKE53265, 27 **JO POKE53035, .:POKE53265, 27 **JO POKE53049, .:POKE53265, 27 **JO POKE53035, .:POKE53265, 27 **JO POKE53049, .:POKE53265, 27 **JO POKE53049, .:POKE53265, 27 **JO POKE53049, .:POKE53265, 27 **JO POKE53049, .:POKE53265, 27 **JO POKE53280, .:POKE53281, .:POKE53272, 21:F **JO POKE53049, .:POKE53265, 27 **JO POKE53280, .:POKE53281, .:POKE53265, .:POKE53265, .:POKE53281, .:POKE532
30 POKE53286,.:POKE53287,6:POKE53288,11 40 FORI=56136T056295:POKEI,14:NEXT:FORI 55656T055659:POKEI,14:POKEI+40,14:NEXT 50 FORI=55692T055695:POKEI,8:POKEI+40,8 NEXT 60 POKE1234,36:POKE1235,37:POKE1274,38:	KB LA IH	PLAY" *710 POKE53248,174:POKE53249,210:POKE5326 4,.:POKE53269,1:POKE53287,6:X(3)=253 *712 POKE53276,1:POKE53285,1:POKE53286,.: A=10:B=.:X(.)=254:X(1)=253.X(2).252
37:POKE1274,38:		•714 GETZ\$:IF Z\$="" THEN 714 EF

MJ •716 IF Z\$="[F1]" THEN 100 IE •718 A=10:B=B+1:IFB=4THENB=. PK •720 POKE2040, X(B):GOT0714 BA •999 REM****CODE DATA**** ·1000 DATA133,169,134,140,132,141,166,169 ,202,16,2,166,169,198,139,208,247,173 OF ·1002 DATA18, 208, 133, 139, 138, 72, 166, 140, 1 EB 64, 141, 104, 96, 254, 14, 207, 208, 3, 254, 17 ·1004 DATA207, 189, 17, 207, 240, 21, 189, 14, 20 7,201,88,208,14,169,.,157,84,207,173 ·1006 DATA21, 208, 61, 172, 207, 141, 21, 208, 96 ,173,4,207,141,46,207,173,.,208,141,47 ·1008 DATA207,173,1,208,141,48,207,208,18 ,173,5,207,141,46,207,173,2,208,141,47 EE ·1010 DATA207,173,3,208,141,48,207,173,46 ,207,221,17,207,208,17,173,47,207,56,253 IM •1012 DATA14, 207, 176, 2, 73, 255, 201, 24, 176, 36,144,31,173,46,207,208,11,173,47,207 ·1014 DATA56, 253, 14, 207, 144, 20, 176, 9, 189, 14,207,56,237,47,207,144,9,73,255,201 IE ·1016 DATA24,176,3,169,1,96,169,.,96,206, ON 49,207,208,59,206,128,207,208,54,169 ·1018 DATA4,141,128,207,206,129,207,173,1 29, 207, 106, 162, 2, 176, 17, 189, 187, 207, 32 ·1020 DATA45, 196, 189, 190, 207, 157, 131, 7, 18 9,193,207,208,15,189,196,207,32,54,196 ·1022 DATA189,199,207,157,131,7,189,202,2 07, 157, 171, 7, 202, 16, 216, 206, 130, 207, 240 OM ·1024 DATA1,96,169,160,32,182,196,173,87, 207, 240, 16, 169, . , 141, 87, 207, 141, 51, 207 ·1026 DATA169,7,141,50,207,141,89,207,173 ,89,207,240,35,206,50,207,16,7,169,.,141 PC ·1028 DATA89, 207, 240, 16, 174, 50, 207, 173, 51 ,207,208,5,189,205,207,208,3,189,212,207 PN ·1030 DATA141,7,212,141,8,212,96,173,88,2 MG 07, 240, 250, 169, . , 141, 88, 207, 169, 1, 208 ·1032 DATA191,162,1,222,112,207,240,3,76, 36,194,189,80,207,208,11,189,82,207,208 •1034 DATA3, 169, 48, 44, 169, 88, 44, 169, 18, 15 7,112,207,189,80,207,240,20,189,.,207 ·1036 DATA201,197,208,7,169,.,157,80,207, 240,6,254,.,207,76,246,193,188,.,220 LM ·1038 DATA152,41,1,208,10,189,.,207,201,6 9,240,3,222,.,207,152,41,2,208,10,189 ·1040 DATA., 207, 201, 197, 240, 3, 254, ., 207, 1 52,41,4,208,25,189,4,207,208,7,189,2,207 JP ·1042 DATA201,24,240,13,222,2,207,189,2,2 07,201,255,208,3,222,4,207,152,41,8,208 IJ ·1044 DATA20, 189, 4, 207, 240, 7, 189, 2, 207, 20 1,64,240,8,254,2,207,208,3,254,4,207,152 LJ ·1046 DATA41,16,208,10,189,.,207,201,102, 176, 3, 157, 80, 207, 222, 114, 207, 208, 15, 169 ·1048 DATA8, 157, 114, 207, 222, 116, 207, 16, 5, 169,3,157,116,207,188,116,207,189,80,207 CN ·1050 DATA240, 4, 169, 255, 208, 3, 185, 160, 207 ,157,248,7,138,10,168,189,2,207,153,. ·1052 DATA208, 189,.., 207, 153, 1, 208, 172, 16, 208, 189, 4, 207, 240, 6, 152, 29, 164, 207, 208

•1054 DATA4, 152, 61, 166, 207, 141, 16, 208, 202 ,48,3,76,61,193,96,162,2,189,84,207,208 CP •1056 DATA56, 206, 7, 207, 240, 3, 76, 31, 196, 20 6,118,207,208,248,169,13,141,118,207,157 JO •1058 DATA84, 207, 169, .., 157, 8, 207, 157, 11, 2 07,157,14,207,157,17,207,169,218,157,20 CI ·1060 DATA207,169,5,32,.,192,157,23,207,1 69,1,32,.,192,157,26,207,222,119,207 ·1062 DATA208, 200, 234, 234, 234, 234, 234, 234 KD ,189,11,207,240,75,169,64,157,119,207 ·1064 DATA189, 29, 207, 240, 13, 222, 32, 207, 20 8,54,169,.,157,29,207,157,35,207,189,35 •1066 DATA207, 240, 18, 222, 20, 207, 222, 38, 20 7, 208, 33, 169, 5, 157, 29, 207, 157, 32, 207, 208 MI ·1068 DATA23, 32, 38, 196, 32, 164, 196, 208, 11, 192,218,208,11,169,.,157,11,207,240,4 ·1070 DATA192,235,240,245,32,30,192,76,85 ,195,189,8,207,240,89,169,32,157,119,207 AC ·1072 DATA189,41,207,10,168,185,.,208,157 ,14,207,185,1,208,24,105,13,157,20,207 •1074 DATA188,41,207,185,4,207,157,17,207 ,189,14,207,217,168,207,208,44,189,17 ·1076 DATA207,217,170,207,208,36,189,20,2 07, 201, 109, 176, 29, 141, 87, 207, 169, . , 153 AM ·1078 DATA82, 207, 157, 84, 207, 173, 21, 208, 61 ,172,207,141,21,208,189,26,207,24,105 ·1080 DATA1, 153, 44, 207, 76, 85, 195, 169, 64, 1 57,119,207,189,14,207,201,160,208,21,234 CF ·1082 DATA234,234,169,.,157,29,207,169,40 ,157,38,207,157,11,207,157,35,207,208 ·1084 DATA14,173,18,208,201,37,176,7,169, 7,32,.,192,240,224,32,30,192,189,84,207 ·1086 DATA208, 3, 76, 31, 196, 173, 6, 207, 61, 17 OH 5, 207, 240, 69, 173, 6, 207, 41, 1, 240, 41, 173 ·1088 DATA80, 207, 240, 36, 32, 65, 192, 240, 31, KE 169,.,157,41,207,168,189,23,207,208,5 ·1090 DATA169,1,153,82,207,169,.,157,11, 07,169,1,157,8,207,141,88,207,208,21,173 GD ·1092 DATA6, 207, 41, 2, 240, 14, 173, 81, 207, 24 0,9,32,85,192,240,4,169,1,208,206,222 ·1094 DATA122, 207, 208, 13, 169, 10, 157, 122, 2 07, 189, 125, 207, 73, 1, 157, 125, 207, 188, 125 ·1096 DATA207,189,11,207,208,5,189,8,207, 240, 5, 185, 178, 207, 208, 13, 189, 26, 207, 208 ·1098 DATA5, 185, 180, 207, 208, 3, 185, 182, 207 ,157,250,7,173,21,208,29,175,207,141,21 BP ·1100 DATA208, 189, 23, 207, 208, 3, 169, . , 44, 1 69,1,157,41,208,169,208,133,252,189,184 ·1102 DATA207,133,251,189,14,207,160,.,14 5,251,200,189,20,207,145,251,172,16,208 DL ·1104 DATA189,17,207,240,6,152,29,175,207 ,208,4,152,61,172,207,141,16,208,202,48 HB ·1106 DATA3, 76, 45, 194, 96, 254, 20, 207, 188, 2 0,207,96,157,91,7,169,19,141,174,7,96 ·1108 DATA157,91,7,169,20,208,245,32,165, 192, 32, 43, 194, 32, 59, 193, 172, 44, 207, 240 ·1110 DATA34,169,.,141,44,207,152,24,109, 52,207,141,52,207,238,2,4,173,2,4,201,58 OA

•1112 6,20 •1114 7,23 •1116 06,2 •1118 07,2 •1120 0,20

•1124 64,. •1126 ,8,9 •1128 33,1 •1130 •1132

,247

•1134 7,25 •1136 ,240 •1138 ,223 •1140 247, •1142

•1144 192, •1146 ,223 •1148 84,.

253,

•1150 255,3 •1152 •134 253,2

253,2 •1156 ,215 •1158 ,3,3 •1160

,3,3, •1160 54,25 •1162 3,3,.

•1164 •1166 •1168

·1170 248,2

,240

1,124

,193,201

-49212 DATA 40,205,127,193,240,35,141,127

·49222 DATA 4,208,8,173,124,193,73,255,14

·49232 DATA 193,201,5,208,8,173,125,193,7

·1166 REM****SPRITE DATA***

,.,.,.,.,16,127,224,25,255,248,27,255 NN

·1170 DATA24,31,255,24,31,255,248,27,255,

248, 25, 255, 248, 16, 127, 224, ., ., ., ., .,

·1168 DATA.,

BN

IIIII UITIAI	and provide other essential information on e	enteni	g Anoy! programs. Heler to these pages before entering any programs:	
3,255		DH		
	141,125,193,201,6,240,31,201,			
3,240		EK	FROM PAGE 43	
	3,76,49,234,169,70,32,153,192			CF
,141	5,70,75,251,205,77,7,02,250,25	GE	•20 REM* *	00
	122,193,141,128,193,165,21,14			ON
1,123,193	122,173,141,120,173,103,22,1	MI		IA
	141,129,193,162,255,108,0,3,1		, , , , , , , , , , , , , , , , , , , ,	NL
The second of th	141,129,193,102,233,190,9,3,1	AE		00
69,91	32,153,192,141,126,193,173,12	nn.	0,7 112.7	GI
	32,133,192,141,120,193,173,12	KB		00
8,193,141	122,193,173,129,193,141,129,1	KD	0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	CF
	122,193,173,129,193,141,129,1	JA	•100 POKE53280,12:POKE53281,0:DIMA\$(13,13	O1
93,162,255	100 0 2 160 102 22 30 171 32	JA		DM
	108,0,3,160,193,32,30,171,32,	HD	•110 GOSUB1230	FN
96	165 107 100 100 100 20 115 (ш		IP
	165,134,122,132,123,32,115,0,	DO	•130 Y=2	DI
170,240	2/2 162 255 12/ 50 1// 1 06 3	ЪО	•130 1=2 •140 INPUT#14, A\$(X,Y):Y=Y+1:IFY>13THEN16	DI
	243,162,255,134,58,144,1,96,3	IL	()	DL
2,107	160 160 6 122 100 165 26 06 2			CJ
	169,169,0,133,198,165,20,96,3		•150 GOT0140 •160 X=X+1:IFX>13THENCLOSE14:GOT0180	HE
2,87	0/1 0 100 051 061 10 0/6 / 16	HL		CA
	241,8,133,251,201,13,240,4,16	777	•170 GOTO130	CA
5,251	16 06 170 101 100 016 017 160	EF	•180 PRINT"[CLEAR][DOWN][DOWN]"TAB(14)"BU	FM
	40,96,173,124,193,240,247,169		DGET MENU[DOWN][DOWN]"	FFI
,13,32		EG	•190 PRINTTAB(10)"1-[RVSON]W[RVSOFF]RITE	CE
	210, 255, 165, 214, 141, 130, 193, 2		MONTHLY BILLS": PRINT"	CE
06,130,193	10/ 050 100 050 170 100 100 1	10	•200 PRINTTAB(10)"2-[RVSON]V[RVSOFF]IEW M	FL
	134,252,132,253,173,123,193,1		ONTHLY BILLS": PRINT"	LL
74,122,193		IJ	•210 PRINTTAB(10)"3-[RVSON]B[RVSOFF]ARCHA	CE
	133,98,134,99,142,128,193,141		RT TREND OF BILLS":PRINT"	GE
,129,193		PN	•220 PRINTTAB(10)"4-[RVSON]P[RVSOFF]RINTE	110
	162,144,56,32,73,188,32,223,1		R TREND OF BILLS":PRINT"	HC
89,162		NA	•230 PRINTTAB(10)"5-[RVSON]S[RVSOFF]AVE D	MII
	0,189,0,1,240,7,157,119,2,232		ATA TO DISK":PRINT"	MH
	76,251,192,169,32,157,119,2,2		•240 PRINTTAB(10)"6-[RVSON]L[RVSOFF]OAD D	
32,173		HI	ATA FROM DISK":PRINT""	FJ
	125,193,208,29,134,198,173,12		•250 PRINTTAB(10)"7-[RVSON]CREATE INITIAL	
2,193,24		EO	FILE":PRINT"[DOWN][DOWN]"	CH
	109,126,193,141,122,193,144,3		•260 PRINTTAB(12)"SELECT CHOICE ?":Y=0	JJ
,238,123		MM	•270 GETAN\$:IFAN\$=""THEN270	EL
	193,166,252,164,253,173,130,1		•280 FORX=1T07:IFAN\$=MID\$("WVBPSLC",X,1)T	
93,133,214		JK	HENY=X	HB
	76,198,192,160,0,185,65,193,2		•290 NEXT: ONYGOTO410, 300, 500, 730, 960, 110,	TT
40,8		LB	990:GOT0180	IL
·49462 DATA	200, 157, 119, 2, 232, 76, 49, 193, 7		·300 PRINT"[CLEAR][4"[DOWN]"]":INPUT" EN	
6,18		DN	TER MONTH TO VIEW"; AN\$: GOSUB1020	PP
	193,68,65,84,65,0,13,69,78,84		·310 PRINT"[CLEAR]":PRINTTAB(15)AN\$:PRINT	
·49482 DATA	69,82,32,76,73,78,69,32,78,85		"[DOWN][DOWN]":Y=2	MJ
	77,66,69,82,58,32,0,13,69,78	AA	•320 PRINTA\$(1,Y):Y=Y+1:IFY>13THEN340	KA
	84,69,82,32,76,73,78,69,32,73		•330 GOTO320	CF
	78,67,82,69,77,69,78,84,40,48		•340 PRINT"[13"[UP]"]":Y=2	MI
	45,50,53,53,41,58,32,0,0,0	CN	•350 PRINTTAB(15)A\$(X,Y):Y=Y+1:IFY>13THEN	
	0,0,10,64,0,0		370	BC
	* 2010 CONT.		•360 GOTO350	CA
In the April A	thoy!, Orson Scott Card shows VIC and 64		•370 GOSUB1300 FB	
game progra	mmers some tricks about sticks—joysticks.	13	•380 PRINT"[DOWN][DOWY TOTAL"TAB(

· 400 (• 410 1 AT MO • 420 (• 430 RINT' · 440 I •450 (· 460 I · 470 I · 480 1 · 490 (· 500] OF I •510 I •520] · 530 1 • 540 I SCALE ; B •550 I ,Y))/ •560 I • 570 2 •580 I · 590 I .600 I))STE •610 I))STE •620 F ·630 I •640 I ·650 0 •660 F ER+2, •670 I R+8,1 •680 I OKER+ ·690 I OKER+ •700 I •710 (•720 (• 730 (:PRIN •740 F •750 F ARCH[• 760 (•770 I • 780 (•790 I .800 I MBER

14)0-

1//0			
14)Q+AA+BB	ON		DF
*390 GETA\$:IFA\$=""THEN390 *400 GOTO180	HD		NM
-/10 DRINGHLOU BARALEHEROVERANA	CN		DJ
AT MONTH TO WRITE BILLS"; AN\$		*840 CLOSE4: RESTORE: GOTO180	PI
•420 GOSUB1020	EI FM		GB
·430 Y=2:PRINT"[CLEAR]":PRINTTAB(15)AN\$:F	PM		AF
RINT"[DOWN][DOWN]"	IJ	*870 FORI=LTOM: PRINT#4, (A\$(I,Y))TAB(10-L N(A\$(I,Y)));:NEXTI: PRINT#4, CHR\$(10)	
•440 PRINTA\$(1,Y):Y=Y+1:IFY>13THEN460	KP	·880 NEXTY: PRINT#4: RETURN	GE
•450 GOTO440	CE	•890 PRINT#4, "MONTHLY TOTAL"TAB(6)	LO
·460 PRINT"[13"[UP]"]":Y=2	MI	•900 FORX=LTOM	CC NC
·470 PRINTTAB(15):INPUTA\$(X.Y)	CF	•910 GOSUB1300	FB
·480 Y=Y+1:IFY>13THEN180	KF	•920 C=Q+AA+BB:C\$=STR\$(C)	GJ
•490 GOTO470	CL	•930 PRINT#4, Q+AA+BBTAB(9-LEN(C\$));:NEXT	(F.A
•500 INPUT"[CLEAR][4"[DOWN]"] ENTER NAME		•940 PRINT#4, CHR\$(10)	HC
OF BILL"; AN\$	PL	•950 RETURN	IM
•510 FORP=2T013	LA	•960 GOSUB1230	FN
•520 IFAN\$=A\$(1,P)THENY=P •530 NEXT	HC	•970 OPEN14,8,14,"@0:"+NM\$+",S,W"	JE
	IA	•980 X=1:GOTO1170	MF
•540 PRINT"[DOWN][DOWN] WHAT IS MAXIMUM SCALE FOR "A\$(1,Y):INPUT"[DOWN][DOWN] "		•990 PRINT"[CLEAR][DOWN] A TOTAL OF 12 H	3
;B	т т	ILLS WILL BE ENTERED.[3"[DOWN]"]":X=1:Y=	
•550 PRINT"[CLEAR]":PRINTTAB(20-(LEN(A\$(1	LJ		HE
,Y))/2))A\$(1,Y)	BD	·1000 INPUT"NAME OF BILL"; A\$(X,Y):Y=Y+1:I FY>13THEN1070	n/
•560 PRINT"[DOWN][DOWN]"B:Z=0	KF	•1010 GOT01000	JM
•570 Z=Z+(B/20):IFZ=BTHEN590	AP	•1020 FORW=1T012	FC
•580 PRINTINT(B-Z):GOTO570	HM	•1030 READD\$	NF PG
•590 R=1992:X=2:T=56264:U=2	NF	·1040 IFAN\$=D\$THENX=W+1	CH
•600 FORE=RTOR-(40*((VAL(A\$(X,Y))/(B/20))		•1050 NEXT	IA
))STEP-40:POKEE, 224:NEXT	NC	•1060 RESTORE: RETURN	FD
•610 FORF=TTOT-(40*((VAL(A\$(X,Y))/(B/20))		•1070 PRINT"[CLEAR]": X=2	PB
))SIEP-49:POKEF, U: NEXT	DM	•1080 Y=2	DI
-600 TEH OFFICERY 1	FL	•1090 A\$(X,Y)="0"	NI
-616 TDV 1/munices	LJ	•1100 Y=Y+1:IFY>13THEN1120	PO
CEG. COMOCCC	DH	•1110 GOTO1090	FJ
·660 R=1992:T=56264:POKER,138:POKET,1:POK	CC	•1120 X=X+1:IFX>13THEN1140 •1130 GOTO1080	NJ
ED17 134 DOVER 2 1 DOVED 1 111	ΑI	•1140 GOSUB1230	FK
•670 POKET+4,1:POKER+6,129:POKET+6,1:POKE	AT	·1150 OPEN14,8,14,"0:"+NM\$+",S,W"	FN
K+8,141:POKET+8,1:POKER+10.138	EB	11// 77 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ID
•680 POKET+10,1:POKER+12.138:POKET+12.1.P		*II60 X=1:PRINT"[DOWN][DOWN] [RVSON]CREA TING INITIAL FILE[RVSOFF]"	DO
OKER+14,129:POKET+14,1:POKER+16.147	ID	•1170 Y=2	DI
•690 POKET+16,1:POKER+18.143:POKET+18.1.P		·1180 PRINT#14, A\$(X,Y): Y=Y+1: IFY>13THEN12	DŢ
OKER+20,142:POKET+20,1:POKER+22,132	CJ	90	AJ
-710 CETA A TOAA III MYYEN	FH	•1190 GOTO1180	GD
- 700 COTO 1 OC	JP	*1200 X=X+1:IFX>13THEN1220	NM
	CN	•1210 GOTO1170	FM
•730 OPEN4,4:PRINT#4,TAB(38)"BUDGET 1984":PRINT#4:L=2:M=7		•1220 CLOSE14:GOTO180	GE
-7/G DRING#/ !! DIVERSE HAM	IP	•1230 INPUT"[CLEAR][DOWN][DOWN] [RVSON]F	1 9
·750 PRINT#4, "JANUARY[3" "]FEBUARY[3" "]M	IG	10/C pprimitración	НО
	PG	•1240 PRINT"[DOWN][DOWN] PRESS '[RVSON]F 1[RVSOFF]' TO CONTINUE"	
- 766 COCIDORS	OF .	-10EC COMIA TRIA WINDOWS COS	JA
•770 L=2:M=7	KB	1066 TRIA 0000 (100) minus	KE
•780 GOSUB890	J	-1076 COMO1066	JP FO
•790 L=8:M=13:PRINT#4," BILL[15" "]":	EK	·1280 DATA JANUARY, FEBRUARY, MARCH, APRIL, M	1.0
*800 PRINT#4, "JULY[6" "]AUGUST[4" "]SEPTE		AY, JUNE, JULY, AUGUST, SEPTEMBER, OCTOBER	DO
MBER OCTOBER[3" "]NOVEMBER DECEMBER"	BA	1000 DIMI MOUTH DEED DECEMBER	GE
		THE STATE OF THE PARTY OF THE PARTY OF THE PARTY OF THE PARTY.	

IMPORTANT! Letters on white background are Bug Rep and provide other essential information on	ellen	It line codes. Do not enter them! Pages 63 and 64 explain these codes ng Ahoy! programs. Refer to these pages before entering any programs	S
•1300 Q=(VAL(A\$(X,2)))+(VAL(A\$(X,3)))+(VA		[s -] TO CHOOSE [s -]"	NC
L(A\$(X,4)))+(VAL(A\$(X,5)))	NF	•115 PRINT" [GREEN][c B][c B][RIGHT][WHI	
•1310 $AA = (VAL(A\$(X,6))) + (VAL(A\$(X,7))) + (VAL(A\$(X,$		TE].[RIGHT].[c 2][RVSON] [WHITE][RVSOFF]	
AL(A\$(X,8)))+(VAL(A\$(X,9)))	IM	.[3"[RIGHT]"][GREEN][c B][c B] [BLACK][s	
•1320 BB= $(VAL(A\$(X,10)))+(VAL(A\$(X,11)))+$		-][4" "]TOYS[3" "][s -]"	JO
(VAL(A\$(X,12)))+(VAL(A\$(X,13)))	KK	·120 PRINT" [GREEN][c B][c B][WHITE].[3"	•
•1330 RETURN	IM	[RIGHT]"][c 2][RVSON] [RIGHT][RVSOFF][WH	
		ITE].[RIGHT].[GREEN][c B][c B] [BLACK][s	
ELFRED		-][11" "][s -]"	PB
		•125 PRINT" [GREEN][c B][c B][WHITE][RVS	
FROM PAGE 59 •10 V=53248:POKEV+32,2:POKEV+33,5:S=54272		ON][c *][RIGHT][RVSOFF].[RVSON][sEP][c 2] [WHITE][c *][RIGHT][RIGHT][sEP][GREEN]	
:FORLL=0T024:POKES+LL,0:NEXT	GG	[RVSOFF][c B][c B] [BLACK][s J][4"[s *]"	
•15 PRINT"[CLEAR][c 2][8"[DOWN]"]"SPC(17)	GG][s M][s N][5"[s *]"][s K]":PRINT" [GRE	
"ELFRED": GOSUB420	CB	EN][c B][c B][c 2][9"[c U]"][GREEN][c B]	
·20 FORN=OTO63: READQ: POKE704+N, Q: NEXT: FOR	~ **	[c B][DOWN][DOWN]"	NM
N=OTO191:READQ:POKE832+N,Q:NEXT	IH	•130 FORJ=1T0160:PRINT"[RVSON][BLUE] ";:N	1
·25 POKEV+23,1:POKEV+37,1:POKEV+38,2:POKE		EXT: PRINTTAB(35)"[13"[UP]"][c 1][RVSOFF]	
V+28,254:POKEV+21,255	PE	*11	EM
•30 PRINT"[11"[DOWN]"[6" "]PLEASE WAIT[3"		•135 PRINTTAB(34)"[GREEN][RVSON][sEP] [c	
."] READING DATA[3"."]":POKE2041,13	AO	*][DOWN][4"[LEFT]"][sEP][3" "][c *][DOWN	
•35 POKEV+40, 10: POKEV+2, 172: POKEV+3, 90: FO][5"[LEFT]"][sEP][3" "][c *][DOWN][6"[LE	
RN=OTO511:READQ:POKE12288+N,Q:NEXT -40 POKE198,O:PRINT"[CLEAR][3"[DOWN]"]HOW	CB	FT]"][sEP][3" "]* [c *][DOWN][7"[LEFT]"]	
MANY BAGS DO YOU WANT TO PACK? (1-5)"	CM	[sEP][5" "][c *][LEFT]" -140 FORJ=1T02:PRINTSPC(31)"[RVSON][sEP][NO
•45 GETA\$: IFA\$=""THEN45	EK	7" "][c *]";:NEXT	ВО
•50 IFA\$<"1"ORA\$>"5"THEN45	JD	•145 POKE2040,11:POKEV+21,255:POKEV,248:P	
•55 A=VAL(A\$):PRINTA"[3"[DOWN]"]TYPE NAME	March Control	OKEV+1,153:POKEV+39,5	GL
AND HIT RETURN"	GG	•150 FORJ=1T02:PRINTSPC(31)"[RVSON][9" "]	
•60 FORL=1TOA:PRINT"BAG #"L:INPUTN\$(L):N\$		";:NEXT	MI
(L)=LEFT\$(N\$(L),9):NEXT	PO	•155 FORJ=1T03:PRINTSPC(30)"[RVSON][10" "	
·65 PRINT"[CLEAR]CHOOSE SPEED: O SLOW AN]";:NEXT:POKE1537,170:POKE1620,170	PG
D EASY"SPC(71)"TO"SPC(72)"9 WATCH THEM Z		•160 PRINTSPC(28)"[RVSON][sEP][11" "]";:P	
IP!"	LA	OKE1736,170:POKE1741,170:POKE1663,170	CE
•70 GETSP\$:IFSP\$=""THEN70 •75 IFSP\$<"0"ORSP\$>"9"THEN70	DD	•165 PRINTSPC(27)"[RVSON][sEP] *[10" "]"S	
•80 SP=VAL(SP\$)+1:FORB=1TOA	GD NI	PC(29)"[sEP][8" "]* "SPC(32)"[sEP]*[4" "][c *]"	
•85 POKE53280,1:POKE53281,3:PRINT"[CLEAR]	NT	•170 PRINTSPC(34)"[c 2][RVSON][3" "]"SPC(СВ
";	ВН	36)"[RED][sEP][3" "][c *][5"[UP]"]"SPC(1	
·90 FORL=1TO4:PRINT"[RVSON][BLUE][4" "][W		5);	IB
HITE] [BLUE][4" "][WHITE] [BLUE][4" "]		•175 PRINT"[RVSOFF][RED][c *][RVSON][7" "	
[WHITE] [BLUE][4" "][WHITE] [BLUE][4"][RVSOFF][sEP]"SPC(32)"[RVSON][7" "]"SPC	
"][WHITE][12" "]";:NEXT	NI	(32)"[sEP] FOR [c *]"SPC(31)"[9" "]";	MO
•95 FORL=1TO40:PRINT"[WHITE] ";:NEXT:POKE		•180 PRINTSPC(31)"[9" "]"SPC(31)"[RVSOFF]	
V+2,175:POKEV+3,140	PI	[c *][RVSON][7" "][RVSOFF][sEP][UP][UP][
•100 PRINT"[RVSOFF][RIGHT][RIGHT][GREEN][RVSON]";	LO
c B][c B][RIGHT][RIGHT][WHITE].[RIGHT][c 2][RVSON] [RVSOFF][4"[RIGHT]"][GREEN][c		•185 PRINTSPC(35-(INT(LEN(N\$(B))/2)))N\$(B	
DIE DI EDITOTIE TILITATE LANGE	AC	•190 PRINT"[HOME]"SPC(29)"SPEED:"SP-1SPC(MJ
·105 PRINT" [GREEN][c B][c B][WHITE][RVS		71)"TOTAL"SPC(35)"MISSES:"SC"[3"[LEFT]"]	

© 1985 GAM ALL RIGHTS I

M "Scr actio "Dua (by s of far

01 mak you i seet how and 10 comp Dayto lap yo of rac can't

ON][c *][RVSOFF].[RIGHT][RVSON][sEP][c 2

] [WHITE][c *][RIGHT][RVSOFF].[RVSON][sE

P][GREEN][RVSOFF][c B][c B] [BLACK][s -]
HIT [RVSON]SPACE[RVSOFF] [s -]"

·110 PRINT" [GREEN][c B][c B][RVSON][c 2

][9" "][RVSOFF][GREEN][c B][c B] [BLACK]

OE

NE

OG

AK

•195 Z=1:XX=25:X=4:Y=5:CC=41:POKEV+14,150

·200 FORT=192T0200: IFT=200THENT=192

:POKEV+15,166

•205 IFZ=6THEN230

Don't Settle For Anything Less Than Real Racing. ON-TRACK

Computer Model Car Racing



ON-TRACK™ RACING

Actual Commodore 64™ screen—Other versions may vary

Most "racing" games promise more than they deliver. "Scrolling" racing games have to pause or restart the action when you get too far ahead of your opponent. "Dual-screen" racing games compromise competition (by separating you and your opponent) for the sake of fancy graphics.

THE ESSENCE OF RACING

ON-TRACK™ Computer Model Car Racing doesn't make you settle for less. Total Track™ graphics give you non-stop racing action from start to finish. You see the whole track while racing, so you always know how close your opponent is. To keep the pace fast and your adrenalin pumping.

ON-TRACK™ Racing gives you real head-to-head competition through hairpin turns on Le Mans, Monaco, Daytona and other famous speedways. So you can lap your opponent and experience the true essence of racing. That's something other racing games just can't deliver.

TAKE ON A.J., MARIO OR PARNELLI

ON-TRACK™ Racing lets you challenge a friend or race against world-class computer drivers: A.J. Cactus, Mario Sandunni or Parnelli Pothole. Choose a race car to suit your driving style . . . go for turbo speed or great handling. Race against the clock or test yourself with 24-hour endurance runs . . . on paved and dirt tracks.



ON-TRACK™ RACING

Actual Commodore 64™ screen—Other versions may vary

So if you're ready for grand prix excitement, pick up ON-TRACK™ Racing at your local software dealer. For more information write Gamestar, Inc., 1302 State Street, Santa Barbara, CA 93101. Or call 805-963-3487.



WE BRING SPORTS ALIVE

Reader Service No. 237

Commodore 64 is a trademark of Commodore Electronics, Ltd.

-201 POKE2947, T;GOSUB393;POKEV446, C;FORL— 170169:TPPEEK(197)>6-OFTIBEN252 -215 G(2)=T;POKE2961+Z;T;POKEV4X, XX;POKEV 47,55:POKEVHCC, G;GOSUB410 -226 POKEVHC4, G;TD=192+INT(RND(0)*8) -225 POKEVHC4, G;TD=192+INT(RND(0)*8) -226 PINT"[HOME][5"[DOMN]"]"SPC(58)"HIT RYSON SPACE(RVSOPF]"SPC(31)" TO DROP "S -226 POKE2967, T;GOSUB396; POKEV446, C;FOKE -227 FEXPERC(197)>660THEN276 -225 POKESP5P;POKEV414, K=POKEV415, 166 -226 POKE2967, P;GOSUB396; POKEV446, C;FOKE -227 FEXPERCENCEPT A FOKE2964 1,13 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,00 1,0	-216 DOVE2647 T. COCUD206 DOVEL 46 C. FORI		-/GG POVERGAL 1/- PRINCIPLE HOME I / HE POUR I HA	
-215 G(Z)=F:POKE2041+Z,T:POKEV+X, XX:POKEV Hy, 55:POKEV+CQ, G:COSUB410 -226 Z=Z-X-1:X=X+Z:X=XX+49:Y=Y+2:CC=CC+1:F (ST CONTINUS)				
P47,55:POKENY+C0,0:GOSUB410 2202 Z=247,1:X=X+2:X=XX+2:X=X+49:Y=Y+2:CC=COL1:F ORL=ITO109 2202 Z=247,1:X=X+2:X=XX+49:Y=Y+2:CC=COL1:F ORL=ITO109 2203 PKRYL:NEXTT 2204 PKRYL:NEXTT 2205 POKEV+14,0:T=192+INT(RND(0)*8) 2205 PKRYL:NEXTT RYSON]SPACE[RYSOFF]"SPC(31)" TO DROP "S PC(32)"FOX INTSPC(36); 2304 PRINT"BAG" 2404 PRINT"BAG" 2405 POKES-14,0:P			6" "1".	
7222 Z-Z-11.X-X-42:XX-XXX-49:Y-Y-2:CC-CO-11-F				DI
NEXTL.NEXTT			" Italian of the state of the s	NJ
POKEV+14_0:T=192+INT(RND(0)**8)		GH	•410 POKES+1,130:POKES+15,65	GC
- 235 PRINT" (HOME] [15" [DOWN]"]" SPC(58)" HITT [RYSON] SPACE [RYSOF] "SPC(32)" TOY IN"SPC(36); - 246 PRINT"BAG" - 245 PORE2047, T; GOSUB386; POKEV+46, C; FORX—1024 SYERESP; POKEV+14, X; POKEV+15, 166 - 252 INPERE (197) < 50FTHEN276 - 2525 INPERE (197) < 50FTHEN2				
RYSON SPAGE RYSOFF "SPC(36)" TO DROP "S PC(32)" TOY IN"SPC(36)" SC SC40 PRINT"BAG"		PJ		
PCG23)**TOY IN**PSC(36); LH 240 PRINT**BAG** **245 POKE2947,T;GOSUB380;POKEV+46,C;FORX= **fOT0249STEPSP;POKEV+14,X;POKEV+15,166 **POKES2947,T;GOSUB380;POKEV+46,C;FORX= **fOT0249STEPSP;POKEV+14,X;POKEV+15,166 **POKES296(197)<**GOT0ME270* **255 GOSUB315:IFPC(1)**=OANDG(2)*=OANDG(3)*				Santal State of State
.245 POKE247, T; COSUB380; POKEV446, C; FORE .250 IPFECK(197) < \$60THEN270 .255 GOSUB315; IPFG(1) = 0ANDG(2) = 0ANDG(3) = 0A .NDC(4) = 0ANDG(2) = 0ANDG(3) = 0A .NDC(5) = 0ANDEATHENGOSUB420; NEXTB .265 GOTO230 .276 IFK-1767THENGOKE2041, 14; GOTO285 .280 POKE2541, 13 .285 NEXTX; FOREZ-1TOS: IFFG(2) = TTHENFF=1: POK .EVH14, 0: 10SOUB330; FF-6: GOTO295 .296 NEXTZ .296 NEXTZ .297 NEXTZ .298 POKE2414, 0: POKE2041, 14: M=M+1: IFM=5TH .ENGOS .305 FORZ=1TOS: IFFG(2) = TTHENFFC = 120 .306 GOTO230 .307 FORZ=1TOS: IFFG(2) = THENFFC = 120 .315 IFX (1380RX>170THEN339 .326 FORZ=1TOS: IFFG(2) = THENFPOKEV+27, 128: GOTO345 .331 NEXTZ .331 NEXTZ .331 NEXTZ .332 FORZ=1TOS: IFFG(2) = THENPOKEV+27, 128: GOTO345 .333 PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .334 NEXTZ: PRINT"[HOME][3" DOWN] "] "SPC(.335 PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .336 FORZ=1TOS: IFFG(2) = THENPOKEV+27, 0 .336 FORZ=1TOS: IFFG(2) = THENPOKEV+27, 0 .336 FORZ=1TOS: IFFG(2) = THENPOKEV+27, 0 .337 IFFS-137ANDX(171ANDG(2) = THENPOKEV+27, 0 .336 FORZ=1TOS: IFFG(2) = THENPOKEV+27, 0 .337 IFFS-137ANDX(171ANDG(2) = THENPOKEV+27, 0 .336 FORZ=1TOS: IFFG(2) = THENPOKEV+27, 0 .337 IFFS-15737ANDX(171ANDG(2) = THENPOKEV+27, 0 .336 FORZ=1TOS: IFFG(2) = THENPOKEV+27, 0 .337 IFFS-15737ANDX(171ANDG(2) = THENPOKEV+27, 0 .338 PINTSPC(18) "[9" "] "SPC(32)" OOPS! " .339 FORZ=1TOS: IFFG(2) = THENPOKEV+28 .231 NEXTZ: PRINT"[HOME][3" DOWN] "] "SPC(.330 NEXTZ: PRINT"[HOME][3" DOWN] "] "SPC(.330 NEXTZ: PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .330 FORZ=1TOS: IFFG(2) = THENPOKEV+28 .331 NEXTZ: PRINT"[HOME][3" DOWN] "] "SPC(.333 NEXTZ: PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .334 DETAIL: PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .335 PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .336 FORZ=1TOS: IFFG(2) = THENPOKEV+28 .237 NEXTZ: PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .338 PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .339 PRINTSPC(18) "[9" "] "SPC(32)" OOPS! " .330 PRINTSPC(18) "[9" "] "SPC(32)" OOPS				
OFFICE Continue	•240 PRINT"BAG"	KL		
255 IFFEEK(197) 256 OSUB315: IFFG(1)=OANDG(2)=OANDG(3)=OANDG(3)=OANDG(4)=OANDG(5)=OANDG(3)=OANDG(4)=OANDG(5)=OANDG(3)=OANDG(4)=OANDG(5)=OANDG(3)=OANDG(4)=OANDG(5)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(5)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(5)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(5)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(2)=OANDG(3)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(4)=OANDG(2)=OANDG(4)=OANDG(NC
-255 GOSUBA15: IFG(1)=OANDG(2)=OANDG(3)=OA NDG(4)=OANDG(5)=OANDG(2)=OANDG(3)=OANDG(4)=OA NDG(5)=OANDBC(5)=OANDG(3)=OANDG(4)=OA NDG(5)=OANDBCATHENOOSUBA20:NEXTB CP -265 GOTO230 -270 IFX>170FHENPOKE2041,15:GOTO285 -271 IFX>170FHENPOKE2041,11:GOTO285 -285 NEXTX: FORZ=1TO5: IFG(2)=TTHENFF=1:POK EW+14,0:GOSUBA30: IFF=0:GOTO295 -286 NEXTX: FORZ=1TO5: IFG(2)=TTHENFF=1:POK EW+14,0:GOSUBA30: IFF=0:GOTO295 -306 NEXTZ: -290 NEXTZ -290 N				OB
NDC(4)=0ANDC(5)=0ANDBATHEN365				
- 260 FFG(1)=0ANDG(2)=0ANDG(3)=0ANDG(4)=0A NDG(5)=0ANDB(ATHENGOSUB420:NEXTB - 265 GOTO230 - 270 FFX>179/THENPOKE2041,14:GOTO285 - 271 FFX>179/THENPOKE2041,14:GOTO285 - 288 POKE2041,13 - 285 NEXTX: FORZ=1TO5:IFG(Z)=TTHENFF=1:POK EV+14,0:FOSUB330:FF=0:GOTO295 - 290 NEXTZ - 299 NEXTZ - 299 POKE2041,14:M=M+1:IFM=5TH EN305 - 306 GOTO230 - 305 FORZ=1TO5:IFG(Z)>OTHENT=G(Z):M=0:GOT 0245 - 310 NEXTZ - 310 NEXTZ - 311 NEXTZ - 312 NEXTX: FORZ=1TO5:IFG(Z)=TTHENPOKEV+27,128:G - 305 FORZ=1TO5:IFG(Z)=TTHENPOKEV+27,128:G - 306 GOTO233 - 307 FORZ=1TO5:IFG(Z)=TTHENPOKEV+27,128:G - 310 NEXTZ - 311 FFX:138ORX>170THEN330 - 325 PORZ=1TO5:IFG(Z)=TTHENPOKEV+27,128:G - 325 NEXTZ - 330 SC=SC41:PRINT"[HOME][3"[DOWN]"]"SPC(3) - 325 NEXTZ - 330 SC=SC41:PRINT"[HOME][3"[DOWN]"]"SPC(3) - 335 FRINTSPC(18)"[9" "]"SPC(30)" GOTO240 - 335 FORN=1T60:2SOETEP3:POKEV+14,X:POKEV+15,Y:NEXT:POKEV+27,0 - 350 IFF>=170EXCE0141,L:FORL=1 - 355 FORN=1TO2:FORE:BTURN - 366 FORL=15TO13STEP-1:POKE2041,L:FORL=1 - 360 FORL=15TO13STEP-1:POKE2041,L:FORL=1 - 360 FORL=1STO13STEP-1:POKE2041,L:FORL=1 - 360 FORL=1STO13S				***
265 GOTO230	•260 IFG(1)=OANDG(2)=OANDG(3)=OANDG(4)=OA			
-275 IFX>160THENPOKE2041,14:GOTO285 CT 275 IFX>160THENPOKE2041,14:GOTO285 CT 275 IFX>160THENPOKE2041,14:GOTO285 CT 285 POKEV14,0:GOSUB330:FF=6:GOTO295 CC EV14,0:GOSUB330:FF=6:GOTO295 CC EV14,0:FOKE2041,14:M=M+1:IFM=5TH EN305 CF ORZ=1TO5:IFG(Z)=THENFF=1:POK CP 296 NEXTZ NS POKEV+14,0:POKE2041,14:M=M+1:IFM=5TH EN305 NO GOTO230 CC 245 NS POKEV=114,0:POKE2041,2:M=0:GOT 245 NS POKEZ=1TO5:IFG(Z)>OTHENT=G(Z):M=0:GOT 245 NS POKEZ=1TO5:IFG(Z)>OTHENT=G(Z):M=0:GOT 245 NS POKEZ=1TO5:IFG(Z)=THENPOKEV+27,128:G CO 245 NS POKEZ=1TO5:IFG(Z)=THENPOKEV+27,128:G CO 245 NS POKEZ=1TO5:IFG(Z)=THENPOKEV+27,128:G CO 245 NS PRINTSPC(3)=M=0:GOT 245 NS PRINTSPC(
275 FXX160THENPOKE2041,14:GOTO285 286 POKE2041,13 287 POKE2041,13 288 NEXTX:FORZ=ITO5:IFG(Z)=TTHENFF=1:POK EV+14,0:GOSUB330:FF=0:GOTO295 290 NEXTZ 290 NEXTZ 295 POKEV+14,0:POKE2041,14:M=M+1:IFM=5TH EN305 300 GOTO230 305 FORZ=ITO5:IFG(Z)>0THENT=G(Z):M=0:GOT CV245 310 NEXTZ 310 NEXTZ 311 NEXTZ 312 NEXTZ 313 FX-1380RX>170THEN330 320 FORZ=ITO5:IFG(Z)=TTHENPOKEV+27,128:G COTO345 325 NEXTZ 330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]"" 335 PRINTSPC(18)"[9" "]"SPC(32)" OOPS! 336 FORX=ITO5:OSOSTEP3:POKEV+14,X:POKEV+ 15,Y:NEXT:POKEV+27,0 350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* 15,Y:NEXT:POKEV+27,0 350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN 365 GOSUB420:PRINTSPC(57)"PLAY AGAIN:"SPC(30)"HLT [RVSON]SPACE" 370 IFPEEK(197)=60THENPOKEV+3,0:POKEV-0: SC=0:GOTO40 375 GOTO370 385 IFT=193THENC=1:RETURN 386 IFT=193THENC=1:RETURN 386 IFT=193THENC=1:RETURN 387 FIT=193THENC=1:RETURN 388 IFT=193THENC=1:RETURN 388 IFT=193THENC=1:RETURN 389 IFT=193THENC=1:RETURN 380 IF				***
-286 POKEZ041,13 -285 NEXTX:FORZ=1T05:IFG(Z)=TTHENFF=1:POK EV+14,0:GOSUB330:FF=0:GOTO295 -299 NEXTZ -299 POKEV+14,0:POKE2041,14:M=M+1:IFM=5TH EN305 -309 GOTO239 -305 FORZ=1T05:IFG(Z)>0THENT=G(Z):M=0:GOT 0245 -310 NEXTZ -310 NEXTZ -311 NEXTZ -311 NEXTZ -312 POXEZ=1T05:IFG(Z)>0THENT=G(Z):M=0:GOT 0245 -310 NEXTZ -315 IFX<1380RX>170THEN330 -320 FORZ=1T05:IFG(Z)=TTHENPOKEV+27,128:G OTO345 -325 NEXTZ -330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" -325 NEXTZ -330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" -335 PRINTSPC(18)"[9" "]"SPC(32)" OOPS! " SPC(33)"[6" "]"SPC(36)"[3" "]" -346 FORT=166TO250STEP3:POKEV+14,X:POKEV+15,Y:NEXT:POKEV+27,0 -356 FORZ=1T05:FOKEZ041,L:FORLL=1 TO50:NEXTLL:NEXTL:NEXTL:RETURN -365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HTT [RVSON]SPACE" -370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO360 -375 GOTO370 -386 IFT=193THENC=1:RETURN -365 FORJ=1T02:FORL=13T015:POKE2041,L:FORLL=1 TO50:NEXTLL:NEXTL:NEXTL:RETURN -365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HTT [RVSON]SPACE" -370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SS=0:GOTO370 -386 IFT=193THENC=1:RETURN -385 IFT=193THENC=1:RETURN -386 FORT=159THENC=1:RETURN -386 FORT=15013SEP=-1:POKE2041,L:FORLL=1 TO50:NEXTLL:NEXTL:NEXTL:RETURN -365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HTT [RVSON]SPACE" -370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SS=0:GOTO370 -386 IFT=193THENC=1:RETURN -385 DATA17,0,169,174,170,170,170,170,170,170,170,170,170,170				
- 285 NEXTY: FORZ=1TO5: IFG(Z)=TTHENFF=1: POK EV+14,0: GOSUB330: FF=0: GOTO295 - 299 NEXTZ - 295 POKEV+14,0: POKE2041,14: M=M+1: IFM=5TH EN305 - 300 GOTO230 - 300 GOTO230 - 310 NEXTZ - 3110 NEXTZ - 312 FORZ=1TO5: IFG(Z)>0THENT=G(Z): M=0: GOT O245 - 3130 NEXTZ - 3130 FORZ=1TO5: IFG(Z)>0THENPOKEV+27,128: GOTO345 - 320 FORZ=1TO5: IFG(Z)=TTHENPOKEV+27,128: GOTO345 - 320 FORZ=1TO5: IFG(Z)=TTHENPOKEV+27,128: GOTO345 - 325 NEXTZ - 330 SC=SC+1: PRINT" [HOME] [3" [DOWN]"]"SPC(33)" [6" "]"SPC(34) [65]" [3" "]" - 335 PRINTSPC(18)" [9" "]"SPC(32)" OOPS! "SPC(33)" [15] TSS FORZ=1TO2: FORE H1-17050: NEXTLL: NEXTL:				1 D
-290 NEXTZ -295 POKEV+14,0:POKE2041,14:M=M+1:IFM=5TH EN305 -306 GOTO230 -307 GOTO230 -308 FORZ=1T05:IFG(Z)>0THENT=G(Z):M=0:GOT OZ45 -310 NEXTZ -315 IFX<1380RX>170THEN330 -320 FORZ=1T05:IFG(Z)=TTHENPOKEV+27,128:GOTO345 -320 FORZ=1T05:IFG(Z)=TTHENPOKEV+27,128:GOTO345 -3330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" -335 PRINTSPC(18)"[9" "]"SPC(32)" OOPS! "SPC(33)"[6" "]"SPC(36)"[3" "]" -340 IFFF=1THEN355 -355 FORX=1T05:OSEDE400:G(Z)=0:RETURN -355 FORX=1T05:OSEDE400:G(Z)=0:RETURN -355 FORX=1T05:OSEDE400:G(Z)=0:RETURN -356 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SPC(36)"HIT [RVSON]SPACE" -370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:SC-0:GOTO340 -375 GOTO370 -375 GOTO370 -375 GOTO370 -376 GOTO370 -377 GOTO370 -378 GOTO370 -379 IFF=198THENC=1:RETURN -379 IFF1=198THENC=1:RETURN -370 IFF1=198THENC=1:RETURN -371 DATA3, 255, 05, 255, 255, 255, 255, 255, 255,				CC
*295 POKEV+14,0:POKE2041,14:M=M+1:IFM=5TH EN305 *306 GOTO239 *307 FORZ=ITO5:IFG(Z):M=0:GOT O245 *310 NEXTZ *310 NEXTZ *311 NEXTZ *312 FORZ=ITO5:IFG(Z)=TTHENPOKEV+27,128:G OTO345 *320 FORZ=ITO5:IFG(Z)=TTHENPOKEV+27,128:G OTO345 *330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" *330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(36)"[3" "]" *340 IFFF=1THEN355 *350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN *355 FORZ=1TO5:IFG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN *365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RYSON]SPACE" *370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:SC=0:GOTO340 *375 GOTO370 *370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:SC=0:GOTO40 *375 GOTO370 *385 IFT=198THENC=1:RETURN *386 IFT=198THENC=1:RETURN *386 IFT=198THENC=1:RETURN *386 IFT=198THENC=1:RETURN *387 IFT=198THENC=1:RETURN *387 IFT=198THENC=1:RETURN *388 IFT=198THENC=5:RETURN *389 IFT=198THENC=5:RETURN *390 IFT=198THENC=5:RET				
EN305 -306 GOTO230 -305 FORZ=1TO5:IFG(Z)>OTHENT=G(Z):M=0:GOT 0245 -310 NEXTZ -315 IFX(3180RX)170THEN330 -326 FORZ=1TO5:IFG(Z)=TTHENPOKEV+27,128:G 0T0345 -325 NEXTZ -336 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" -335 PRINTSPC(18)"[9" "]"SPC(32)" OOPS! " SPC(33)"[6" "]"SPC(36)"[3" "]" -340 IFFF=1THEN355 -345 FORY=166T0250STEP3:POKEV+14,X:POKEV+15,Y:NEXT:POKEV+27,0 -355 FORJ=1TO2:FORL=13T015:POKE2041,L:FOR LL=1TO50:NEXTLL:NEXTL: -366 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(36)"HIT [RVSON]SPACE" -376 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:SC=0:GOTO340 -375 GOTO370 -386 IFT=198THENC=1:RETURN -386 IFT=1940RT=196ORT=199THENC=0:RETURN -386 IFT=1940RT=196ORT=199THENC=0:RETURN -386 IFT=1940RT=196ORT=199THENC=0:RETURN -386 IFT=1940RT=196ORT=199THENC=0:RETURN -386 IFT=1940RT=196ORT=199THENC=0:RETURN -3870 IFT=198THENC=1:RETURN -388 IFT=193THENC=1:RETURN -389 IFT=198THENC=1:RETURN -389 IFT=198THENC=1:RETURN -389 IFT=198THENC=1:RETURN -390 IFT=198THENC=5:RETURN -305 GOTO370 -306 FORL=15T013STEP-1:POKEV+3,0:POKEV,0:SC=0:GOTO40 -375 GOTO370 -370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:SC=0:GOTO40 -375 GOTO370 -376 IFT=198THENC=1:RETURN -389 IFT=198THENC=1:RETURN -389 IFT=198THENC=1:RETURN -389 IFT=198THENC=1:RETURN -389 IFT=198THENC=1:RETURN -390 IFT=198THENC=5:RETURN -307 IFT=198THENC=1:RETURN -308 IFT=198THENC=1:RETURN -309 IFT=198THENC=5:RETURN -309 I				MA
-300 GOTO230 -305 FORZ=1TO5:IFG(Z)>0THENT=G(Z):M=0:GOT 0245 -316 NEXTZ -316 NEXTZ -317 SETX(1380RX)170THEN330 -320 FORZ=1TO5:IFG(Z)=TTHENPOKEV+27,128:G 0TO345 -325 NEXTZ -325 NEXTZ -336 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(3) SC=SC+1:PRINTSPC(18)"[9" "]"SPC(32)" OOPS! "SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(33)"[6" "]"SPC(34)"[67,170,170,170,170,170,170,170,170,170,17				HD
-305 FORZ=1T05:IFG(Z)>6THENT=G(Z):M=0:GOT O245 310 NEXTZ NM	•300 GOTO230	CF		
*316 NEXTZ				GG
*315 IFX<1380RX>170THEN336 *326 FORZ=1T05:IFG(Z)=TTHENPOKEV+27,128:G OTO345 *327 NEXTZ *338 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" *339 FRINTSPC(18)"[9" "]"SPC(32)" OOPS! " SPC(33)"[6" "]"SPC(36)"[3" "]" *340 IFFF=1THEN355 *345 FORY=166T0250STEP3:POKEV+14,X:POKEV+ 15,Y:NEXT:POKEV+27,0 *355 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),6;GOSUB406;G(Z)=6:RETURN *356 FORL=15T013STEP-1:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTL *366 FORL=15T013STEP-1:POKE2041,L:FORLL=1 T050:NEXTLL:NEXTL:NEXTJ:RETURN *367 GOSUB426:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HTT [RYSON]SPACE" *370 IFPEEK(197)=60THENPOKEV+3,6:POKEV,0: SC=0:GOTO40 *375 GOTO370 *380 IFT=1940RT=1960RT=199THENC=0:RETURN *380 IFT=1947RHENC=1:RETURN *380 IFT=1948THENC=5:RETURN *380 IFT=198THENC=5:RETURN *380 IFT=198THENC=5:RETUR		No.		
*320 FORZ=ITO5:IFG(Z)=TTHENPOKEV+27,128:G OTO345 *325 NEXTZ *330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" *350 PRINTSPC(18)"[9" "]"SPC(32)" OOPS! " SPC(33)"[6" "]"SPC(36)"[3" "]" *340 IFFF=1THEN355 *345 FORY=166TO250STEP3:POKEV+14,X:POKEV+15,Y:NEXT:POKEV+27,0 *350 IFX>1374NDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN *360 FORL=1STO13STEP-1:POKE2041,L:FOR LL=1TO50:NEXTLL:NEXTL:NEXTL:RETURN *360 FORL=1STO13STEP-1:POKE2041,L:FORLL=1 TO50:NEXTLL:NEXTL:NEXTJ:RETURN *365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" *370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:SC=0:GOTO40 *375 GOTO370 *380 IFT=194ORT=196ORT=199THENC=0:RETURN *380 IFT=194ORT=196ORT=199THENC=0:RETURN *380 IFT=198THENC=5:RETURN *38			그는 사용하는 것이 어떻게 되었다면 하는 것 같아요. 그런 사용이 되었다면 하는 것이 없는 것이다면 없는 것이다면 없는 것이 없는 것이다.	MH
OTO345 *325 NEXTZ *326 NEXTZ *327 NEXTZ *327 NEXTZ *328 NEXTZ *329				GC
*330 SC=SC+1:PRINT"[HOME][3"[DOWN]"]"SPC(36)SC"[HOME][4"[DOWN]"]" *335 PRINTSPC(18)"[9" "]"SPC(32)" OOPS! " SPC(33)"[6" "]"SPC(36)"[3" "]" *340 IFF=1THEN355 *345 FORY=166T0250STEP3:POKEV+14,X:POKEV+ 15,Y:KEXT:POKEV+27,0 *350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN *355 FORJ=1T02:FORL=13T015:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTL *GB *360 FORL=15T013STEP-1:POKE2041,L:FORLL=1 *T050:NEXTLL:NEXTL:NEXTJ:RETURN *365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" *370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 *375 GOTO370 *380 IFT=193THENC=1:RETURN *381 IFT=193THENC=1:RETURN *383 IFT=193THENC=1:RETURN *384 IFF=193THENC=1:RETURN *385 IFT=193THENC=1:RETURN *385 IFT=193THENC=1:RETURN *386 IFT=193THENC=1:RETURN *387 GOTO370 *388 IFT=193THENC=1:RETURN *389 IFT=198THENC=5:RETURN *399 IFT=198THENC=5:RETURN *390 IFT=198THENC=5:RETURN *390 IFT=198THENC=5:RETURN *381 IFT=198THENC=5:RETURN *385 IFT=193THENC=5:RETURN *386 IFT=198THENC=5:RETURN *387 IFT=198THENC=5:RETURN *388 IFT=198THENC=5:RETURN *389 IFT=198THENC=5:RETURN *399 IFT=198THENC=5:RETURN *390 I				
36)SC"[HOME][4"[DOWN]"]" 335 PRINTSPC(18)"[9" "]"SPC(32)" OOPS! " SPC(33)"[6" "]"SPC(36)"[3" "]" 340 IFFF=1THEN355 345 FORY=166T0250STEP3:POKEV+14,X:POKEV+15,Y:NEXT:POKEV+27,0 350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN 355 FORJ=1T02:FORL=13T015:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTL 366 FORL=15T013STEP-1:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTJ:RETURN 367 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" 370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:SC=0:GOTO40 385 IFT=1940RT=1960RT=199THENC=0:RETURN 386 IFT=1940RT=1960RT=199THENC=0:RETURN 387 IFT=194THENC=1:RETURN 389 IFT=198THENC=1:RETURN 389 IFT=198THENC=5:RETURN 389 IFT=198THENC=5:RETURN 381 IFT=198THENC=5:RETURN 385 DATA174,170,170,168,170,170,170,170,170,170,170,170,170,170			·495 DATA0,20,0,0,60,0,0,255,0,3,255,192,	
*335 PRINTSPC(18)"[9""]"SPC(32)" OOPS! " SPC(33)"[6" "]"SPC(36)"[3" "]" *340 IFFF=1THEN355 *345 FORY=166T0250STEP3:POKEV+14,X:POKEV+ 15,Y:NEXT:POKEV+27,0 *350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN *355 FORJ=1T02:FORL=13T015:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTL GB *360 FORL=15T013STEP-1:POKE2041,L:FORLL=1 T050:NEXTLL:NEXTL:NEXTL:NEXTL* C363 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" *370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 *385 IFT=1940RT=1960RT=199THENC=0:RETURN *380 IFT=1940RT=1960RT=199THENC=0:RETURN *380 IFT=198THENC=1:RETURN *390 IFT=198THENC=5:RETURN *390 IFT=198THENC=5:RETURN *381 IFT=198THENC=5:RETURN *395 DATA174,170,170,170,170,170,170,170,170,170,170				FM
SPC(33)"[6" "]"SPC(36)"[3" "]"				HN
*340 IFFF=1THEN355		FP		1111
15,Y:NEXT:POKEV+27,0 350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2* (Z+1),0:GOSUB400:G(Z)=0:RETURN 355 FORJ=1T02:FORL=13T015:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTL GB 360 FORL=15T013STEP-1:POKE2041,L:FORLL=1 T050:NEXTLL:NEXTL:NEXTL:NEXTJ:RETURN 365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" 370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOT040 375 GOT0370 380 IFT=194ORT=196ORT=199THENC=0:RETURN 385 IFT=193THENC=1:RETURN 390 IFT=198THENC=5:RETURN CM ,255,255,255,0 515 DATA80,0,0,15,252,0,15,255,192,15,25 5,240,15,255,255,255,85,84,5,85 BD 520 DATA84,10,170,168,174,86,84,171,186, 176,170,170,160,174,170,170,170,170,170,170,170,170,170,170			70,232,42,235,168,10,190,160	LL
350 IFX>137ANDX<171ANDG(Z)=TTHENPOKEV+2 (Z+1),0:GOSUB400:G(Z)=0:RETURN *355 FORJ=1TO2:FORL=13TO15:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTL *360 FORL=15TO13STEP-1:POKE2041,L:FORLL=1 T050:NEXTLL:NEXTL:NEXTJ:RETURN *365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" *370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 *375 GOTO370 *380 IFT=194ORT=196ORT=199THENC=0:RETURN *385 IFT=193THENC=1:RETURN *380 IFT=198THENC=5:RETURN *390 IFT=198THENC=5:RETURN *515 DATA80,0,0,15,252,0,15,255,192,15,25 *5240,15,255,252,5,85,84,5,85 BD *520 DATA84,10,170,168,174,160,170,170,170,170,170,170,170,170,170,17				22
(Z+1),0:GOSUB400:G(Z)=0:RETURN				עע
*355 FORJ=1T02:FORL=13T015:POKE2041,L:FOR LL=1T050:NEXTLL:NEXTL				BD
LL=1T050:NEXTLL:NEXTL 360 FORL=15T013STEP-1:POKE2041,L:FORLL=1 T050:NEXTLL:NEXTL:NEXTJ:RETURN 365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" 370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 375 GOTO370 380 IFT=194ORT=196ORT=199THENC=0:RETURN 385 IFT=193THENC=1:RETURN 390 IFT=198THENC=5:RETURN CB 176,170,170,160,174,170,168 DG -525 DATA174,170,170,170,170,170,170,170,170,170,170				55
TO50:NEXTLL:NEXTL:NEXTJ:RETURN -365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" -370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 -375 GOTO370 -380 IFT=194ORT=196ORT=199THENC=0:RETURN -385 IFT=193THENC=1:RETURN -380 IFT=198THENC=5:RETURN				DG
• 365 GOSUB420:PRINTSPC(57)"PLAY AGAIN?"SP C(30)"HIT [RVSON]SPACE" • 370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 • 375 GOTO370 • 380 IFT=194ORT=196ORT=199THENC=0:RETURN (385 IFT=193THENC=1:RETURN (390 IFT=198THENC=5:RETURN (3				DIT
C(30)"HIT [RVSON]SPACE" '370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 '375 GOTO370 '380 IFT=194ORT=196ORT=199THENC=0:RETURN '385 IFT=193THENC=1:RETURN '380 IFT=198THENC=5:RETURN CC '535 DATAO,0,48,0,0,32,0,0,168,0,0,154,0, PN 0,170,0,0,160,0,0,160,0,0,160,0,0,160,0,0,160,11,234, 168,10,190,168,42,170,168,170,254,168 OI '545 DATA10,170,160,8,195,32,8,195,32,8,1 OB 95,32,8,195,32,0 ED				BN
•370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0: SC=0:GOTO40 PN 0,170,0,0,160,0,0,160,0,0,160,0,0,160,0,0,160 •375 GOTO370 CG •540 DATA0,0,160,0,0,160,2,70,160,11,234, •380 IFT=1940RT=1960RT=199THENC=0:RETURN GH 168,10,190,168,42,170,168,170,254,168 OI •545 DATA10,170,160,8,195,32,8,195,32,8,1 •390 IFT=198THENC=5:RETURN OB 95,32,8,195,32,0 ED				CC
SC=0:GOTO40 •375 GOTO370 •380 IFT=194ORT=196ORT=199THENC=0:RETURN •385 IFT=193THENC=1:RETURN •390 IFT=198THENC=5:RETURN OR O,170,0,0,160,0,0,160,0,0,160,0,0,160,11,234, I68,10,190,168,42,170,168,170,254,168 •545 DATA10,170,160,8,195,32,8,195,32,8,1 OB 95,32,8,195,32,0 ED	•370 IFPEEK(197)=60THENPOKEV+3,0:POKEV,0:			
•380 IFT=1940RT=1960RT=199THENC=0:RETURN GH 168,10,190,168,42,170,168,170,254,168 OI •385 IFT=193THENC=1:RETURN ME •545 DATA10,170,160,8,195,32,8,195,32,8,1 OB 95,32,8,195,32,0 ED			0,170,0,0,160,0,0,160,0,0,160,0,0,160	HJ
•385 IFT=193THENC=1:RETURN ME •545 DATA10,170,160,8,195,32,8,195,32,8,1 OB 95,32,8,195,32,0 ED				ОТ
•390 IFT=198THENC=5:RETURN OB 95,32,8,195,32,0 ED				OI
				ED
	•395 IFT=1920RT=1950RT=197THENC=7:RETURN	KH	•550 DATAO,0,0,0,0,160,0,2,8,0,8,70,0,8,2	

86 AHOY!

IMP

,0,2 •555 1 ,188 •560 1 •565 1 85,10 •570 1 ,190 •575 1 ,128 •580 1 32,0 •585 1

5,10, •590 I

•595 I •595 I •600 I 149,8 •605 I

8,11, •610 I 10,16 •615 I 70,17 •620 I

,0,0, •625 D 166,1

•630 D 166,1 •635 D 170,1 •640 D 170,1

•645 D 2,128 •650 D ,8,8,

,0,0,

FRC

•10 RE
•12 RE
E
•14 PO
NTCHR
•18 PR
s V]
[s

IMPORTANT! Letters on white background are **Bug Repellent** line codes. **Do not enter them!** Pages 63 and 64 explain these codes and provide other essential information on entering **Ahoy!** programs. Refer to these pages **before** entering any programs!

	and provide other essential information on e	enter	ring Ahoy! programs. Refer to these pages before entering any progr	odes
	, 1, 2, 0, 1, 101, 1, 2, 8, 11, 254, 2, 43, 25%			
	•555 DATAO, 171, 234, 2, 163, 168, 0, 2, 172, 8, 11	HM	See next issue's Scuttlebutt section for a rundown on a	Il the
		OB	new Commodore-compatible software and peripherals	mea
	•560 DATA15, 240, 40, 42, 0, 10, 100, 0, 0, 100, 0	CP	viewed at the January '85 Consumer Electronics SI	how!
	•560 DATA15,240,40,42,0,10,168,0,2,128,0,			tow!
	N. C.	MO	•20 PRINT"[7" "][s V][s V] [s V][s V]	ſ
	•565 DATAO,O,O,O,O,O,O,O,O,2,170,128,10,1		s V][s V] [s V][s V] [s V][s V]	177
	05,109,40,05,184,42,85,168,165	JL	[s V] [s V][s V]" [s V][s V] [s	
	*5/1) DATA1/1), 90, 149, 190, 86, 149, 190, 86, 140	-	•22 PPTNT"[("[DOLDI] "] (1 / " "]	KF
	,150,00,149,190,86.165.170,90 42 v	7 P	·22 PRINT"[4"[DOWN]"][14" "]NUMEROLOGY"	NF
	•575 DATA85,168,46,85,184,10,85,160,2,170	KB	24 FRINI IDOWN IIDOWN II 3" "IT LITTIT ANTAT	27.77
		7.7	LA NAME OR DATE FOR 4" "ITS MYSTICAL	V
	•580 DATAG G G G G G G G G	?I	IDRAITONS.	DD
	*580 DATAO,O,O,O,O,O,O,O,O,O,O,O,252,O,O,		·26 PRINT"[DOWN][DOWN][3" "]ACCORDING TO	^
	52,0,0,0,0,0,0,2,240,1). [1]. [9]	JO	THE ANCIENTS, THESE", "VIBRATIONS CONTRI	TR
	•585 DATAO, 42, 165, 240, 10, 255, 255, 2, 255, 25		UTED ";	
	5,10,0,0,8,0,0,32,0,0.252	B	·28 PRINT"CHARACTERISTICS"	OG
	*590 DATAO, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0	-	•30 PRINT"[A"[DOINI 111 171 1125	GB
	Di	C		[s
	•595 DATAO, 128, 0, 0, 144, 0, 0, 132, 0, 0, 133, 0,	00	VILS VI IS VIIS VI IS VIIS VI IS VI][
		P	S V	DB
	•600 DATASO 0 133 80 0 133 97 6 133	P	·32 PRINT"[7" "][S V][S V] [S V][S V]	Г
ı	•600 DATA80,0,133,80,0,133,84,0,133,84,0,		S VILS VI IS VIIS VI IS VIIS VI IS VI	וֹו
ı	149,85,0,170,170,0,128,0,170,170,170, NO	-	[S V] [S V] S V "	VE
	*000 DAIA191, 255, 254, 47, 255, 248, 47, 255, 24		•36 FORJ=2TO7:POKE53280,J:FORI=55496T056	11
ال	0,11,200,224.2.1/0.128.0.0.0	F	95:POKEI,J:NEXTI,J	
ı	*010 DATAO, O, O		•38 POKE53280 1. POVE52201 1 POVE5	EB
ı	10,100,0,09,100,0,250,160,0,10	Н	*38 POKE53280,1:POKE53281,1:POKE646,6:PR	1.
ı	•615 DATA160, 162, 2, 130, 170, 2, 170, 170, 10, 1	-	NTCHR\$(142)CHR\$(8):R\$=CHR\$(13)	AK
ı	19.101.47 101 168 69 170 170 10		·40 REM SET ALL COUNTERS AND STRINGS TO	Z
1	·620 DATA170,160,10,170,160,2,170,128,0,0	2	EKU	NC
	• 17 • 17 • 17 • 17 • 17 • 17 • 17 • 17		·42 V=0:Z=0:N\$="":A\$=""	DC
1	•625 DATA170 170 160 170 170 170	M .	· 46 PRINT"[CLEAR][4"[DOWN]"][RIJIE]ANALVZ	D
	·625 DATA170,170,160,170,170,164,170,170,		A NAME ([c 3]N[BLUE]), OR A DATE ([c	2
	100,170,170,100,170,170,166)]D[BLUE])?"	
	·630 DATA171,254,166,170,170,166,175,255,		•48 PRINT"[DOWN] (UTT [DED] OF THE	EK
ı	100,170,170,100,170,166,170		·48 PRINT"[DOWN](HIT [RED]Q[BLUE] TO QUI	Γ
ı	*035 DATA170, 166, 170, 170, 166, 170, 170, 166			DE
I			50 GETQ\$:IFQ\$=""THEN50	НО
J	•640 DATA166,170,170,166,170,170,166,170,	'	52 IFQ\$="Q"THENPRINT"[CLEAR][DOWN][DOWN]	1
J	177, 100 17 85 86 10 176 176 6		DIE NOW . END	II
ı	•645 DATAU 168 (1.2 170 (1.16) 100 100 100 100		54 IFQ\$<>"N"ANDQ\$<>"D"THEN46	PK
4	*645 DATAO, 168, 0, 2, 170, 0, 10, 102, 128, 10, 10		56 IFQ\$="N"THEN96	DT
J	2,120,17,177,128,2.170,0.7,170 CD		58 REM BREAKING A DATE INTO ITS SINGLE N	TT
1	*650 DATAO, 10, 170, 128, 34, 8, 32, 130, 8, 8, 130		UMBER	
ı	,0,0,52,150,52,8,34,32,32,34		60 PRINT"[CLEAR][5"[DOWN]"]DATE TO BE AN	NO
ı	. 655 DATA32, 128, 130, 8, 130, 0, 130, 0, 0, 0, 0		ALYZED[RED] NUMBERS[BLUE] ONLY"	
ı	,0,0,0,0,0,0,0,0,0,0		62 PRINT" (PROPER PORK HOLE) ONLY"	DF
ø	1K		62 PRINT"(PROPER FORM WOULD BE 12 15 198	3
ı	MIMEDOLOGY	-	4)":INPUT N	BL
	NUMEROLOGY	•	64 N\$=STR\$(N)	IA
1	FROM PAGE 45		66 FORI=2TOLEN(N\$)	MK
۱			68 A\$=MID\$(N\$.I.1)	TD
ı	•10 PEMIL 311*11 NUMBER OF COLUMN C-64 VERSION		70 IFASC(A\$)=320RVAL(A\$)>0 ORVAL(A\$)<10T	TD
ø	•10 REM"[3"*"]NUMEROLOGY FOR C-64[3"*"]" GO	-	111314 / 4	MT
H	12 KEM SET SCREEN COLORS AND LOCK IN CAS		72 PRINT"INVALID CHARACTER ENTERED - TRY	NL
	D NE		AGAIN": GOTOGO CHARACTER ENTERED - TRY	
14	•14 POKE53280.1:POKE53281 1.POKE646 6.PDT			IJ
	NICHK\$(142)CHK\$(8):R\$=CHR\$(13)		74 IFASC(A\$)=32THENNEXT	FK
	TO PKINI CLEAR II DOWN I DOWN I FOR HITCH HITCH	•	76 Z=Z+(VAL(A\$)):NEXT	HA
	s V) [s V][s V] [a V][- V] [- V]		78 Z\$=STR\$(Z)	KI
	s V] [s V][s V] [s V][s V] [s V][s V]	.8	RO V-CI. TELEN/76\ COMMENTS OF	
	[s V][s V] $[s V][s V]$ $[s V][s V]$ " JK	.8	37 HORI-ITOI DAI/761	JB
			- Στομμι(Δφ)	NN
				333



.84 1 ·86 1 •88 -90 2 •92 (•94 I •96 I

ALYZ •98 F SED .100 •102 .104 •106 1THE •108 RY A •110 -112 -114 •116 •118 •120 •122 •124 -126 •128

•130 •132 •134 PC(8

•136

XT •138

• 140 T."

•142

•144 • 146 •148

FOR

•150

CALL

•152

TO P •154 ON & •156 LD CI •158 F REI • 160 3, (•162] OMES! •164] MAGI •166 1

premium quality disks.

well. • You already know how to type. Why not use the hours you spend with your Commodore to learn something new? *Canadian and foreign prices higher.

Ahoy! Program Disk/Cassette	ADDRES	SS_						
Make check or money order paya Send coupon or facsimile to:		Softw	are.			DISK	□ CASSETTE	
24-Month Disk Subscription 24-Month Cassette Subscription	\$1	49.95	\$179.95	-	0	\$8.95 SPE	CIFY CASSETTE	\$8.95
☐ 12-Month Disk Subscription ☐ 12-Month Cassette Subscription	\$	79.95	\$ 99.95	\$124.95	☐ Jan. '84	\$9.95 \$8.95 \$8.95	<u> </u>	\$8.95 \$8.95 \$8.95
☐ Mar. '85 Ahoy/ Disk ☐ Mar. '85 Ahoy/ Cassette		7.95	\$ 12.95	\$ 13.95			m. In Canada ac . and Canada ac	
(Postage a	and Handling Inc	s.A.	CANADA	ELSEWHERE	Indicate your	choices	other back issue below, and spe	cify disk

•84 V=VAL(MID\$(Z\$,I,1))+V	KC		TT
•86 NEXT	IA	108 DATA TALENT. QUIET POWER OF HIDGEMEN	JI
•88 IFV<10THENZ\$=STR\$(V):GOTO132 •90 Z\$=STR\$(V)	00	1. GOOD PLANNER. CHANGEARLE"	OI
•92 GOTO8()	JE	·170 DATA" DISPOSITION.[8" "IRESTLESS FM	011
•94 REM BREAKING A NAME INTO ITS NUMBER	PA	OITONAL."	FE
•96 PRINT"[CLEAR][5"[DOWN]"]NAME TO BE AN	HE	OUT UTIDDE WITH 3 HINGE WA	
ALIZED KED LETTERS BLIET ONLY"	מת	TERS- 2, 7	EF
•98 PRINT"(PROPER FORM TS NAME COMMONITY II	עע	THE MULLIN MULLIP DI JUFILER. INVESTICATOR	
SED -[4" "]FULL NAME OR NICKNAME)"	IL	SCIENTISTSEEKER, MATERIAL RATHER"	KK
•100 INPUT N\$	PO	·176 DATA" THAN SPIRITUAL. GOOD SENSE OF HUMOR. TRUSTING. LIKES TO KNOW WHY"	
•102 FORI=1TOLEN(N\$)	OB	·1/8 DATA" AND HOW NOT INTEDESTED IN MONE	ΑI
•104 A\$=MID\$(N\$, I, 1)	IB	I ,,,,	ND
•106 IFASC(A\$)=320RASC(A\$)>650R ASC(A\$)<9		·180 DATA"ABILITY PLUS CONFIDENCE TMPAT	ND
·108 PRINT"INVALID CHARACTERS ENTERED - T	OF	IENCE. 3" "ITALENT & VERSTITTE"	KI
RY AGAIN"		· 182 DATA" OHTCK THINKING AND INCHITATION	
•110 IFASC(A\$)=32THENNEXT	GM		HA ·
•112 Z=Z+(ASC(A\$)-64):NEXT	FK JN	•184 DATA"COMPATIBLE WITH OTHER FIRE- 1,3	
•114 Z\$=STR\$(Z)	KI	• 186 DATA"RULED BY URANUS. APPEARS STRANG	FI
•116 V=0: IFLEN(Z\$)<=2THEN132	JB	E AND[4" "] ECCENTRIC. AHEAD OF HIS TIME.	
•118 FORI=ITOLEN(Z\$)	NN		LH
•120 V=VAL(MID\$(Z\$,I,1))+V •122 NEXT	KO	· 188 DATA" INTEREST IN OCCULT, PSYCHIC &	111
•124 TEV/16TUENZA CUDA(N) COMOTOS	IA	OUT OF THE ORDINARY"	(A)
• 1 /h / C_C'I'D C / 1/ 1	00	· 190 DATA"INTUITIVE SARCASTIC TE CHOCCEN	
•128 COTO116	JE CI	LIDERII, EQUALITY."	EL
• 130 REM PRINTING OUT THE OUTCOME	KL	•192 DATA"SUCCESS IN SCIENCE & MECHANICAL FIELDS. STEADY AND STABLE."	
$^{\circ}132 \text{ N=LEN(NS)}: \text{N=}(40-\text{N})/2$	GD	•194 DATA" STRENGTH AND PRIDE. GOOD WITH	В
·134 PRINT"[CLEAR][3"[DOWN]"]"TAB(N)N\$R\$S		DETAILS, ACCURATE."	C
10(0) VIDRALES TO THE NUMBER "Z\$R\$R\$	HF	·196 DATA"[5" "ICOMPATTBLE WITH OTHER ATD	G
*136 Z=VAL(Z\$):FORI=OTO(Z-1)*1O:READB\$:NE		5 - 4 UK 5"	I
•139 FORT 17010 DELPRA PRIVER	LK	· 198 DATA"RULED BY MERCURY, ACTIVE PHYSIC	
•14') PRINTRSRSRSSPC(9)"HTT ANY VEV TO CON	CJ	ALLI AND MENTALLY. INOUIRING."	J
	OP	•200 DATA" EXPLORING. LIKES[3" "] READING	
•142 GETA\$: IFA\$=""THEN142	łK	AND RESEARCH. LINGUISTIC. GOOD TEACHER,	
*144 RESTORE:GOTO38	0	•202 DATA"WRITER, SECRETARY. FRIENDLY, [4"	E
•146 REM DATA STATEMENTS FOR THE OUTCOME E	EK	JMETHODICAL, ORDERLY."	F
•148 DATA, "RULED BY THE SUN. DRIVING LIFE FORCE. A LEADER, AMBITIOUS, IMPATIENT" D		· 204 DATA"INDEPENDENT THOUGHT AND ACTION	
·150 DATA", AN EXPLOREREXTROVERT, AUTOMATI)A	SPIRIT OF ADVENTURE."	
CALLY ASSUMES COMMAND"	E	•206 DATA"[8" "]SPECULATOR. LIKES THE DRA	
·152 DATA"VERY STRONG FEELINGS, ENTITLED	,10	TATIC.	3
TO PRAISEWHICH CAN SPUR TO"	Α	• 208 DATA"[9" "]COMPATIBLE WITH OTHER AIR S - 4 OR 5"	
· 154 DATA" GREATER THINGS, DESTREFOR ACTI		•210 DATA"RULED BY VENUS. GENTLE, REFINED	
ON & VIGOR TO DO. TROUBLE"	·	, CONTELL, SOCIABLE, PLEASANT, III	T IS
156 DATA" WITH LONG RANGE PROJECTS. SHOU		·212 DATA" A PEACEMAKER.[5" "IDIFFICILITY	
LD CHOOSE ONE THING AND STICK" 158 DATA" WITH IT. COURAGE AND[3" "]SEL	11	S IN FINANCES. FRIENDLY AND AGREEABLE "HE	
r KELIANI."	T	·214 DATA" A GOOD HOST OR HOSTESS. ",,,	
·160 DATA"COMPATIBLE WITH OTHER FIRES- 1			M
5, OK 9	М	·216 DATA"[3" "]SUCCESS THROUGH COMPETENC E, YOU SHOULD FULFILL WHAT YOU PROMISE	
·162 DATA"RULED BY THE MOON. SENSITIVE, D			
OMESTIC, EMOTIONAL."		218 DATA" INTEGRITY ANDTRUST. POPULAR S	
*164 DATA"EASILY MOVED TO TEARS. FERTILEI MAGINATION. FOND OF"		OCIALLY & POLITICALLY."	
·166 DATA" HOME. PATRIOTIC. PREFERS TO L	١ .	220 DATA" COMPATIBLE WITH OTHER EARTHS -	
T KDI DKO 10 L		6 OR 8"	
		1 *************************************	

Cwww.commodore.ca

.

S

e of n. If ime ess. 32¢ ls—k or age and thly a as

8.95. disk 2.00 4.00

8.95 8.95 8.95 8.95

AND DAMA HOUSED BY NEIDWINE DOLONIC THER	1) OR A DATE ([DED]D[D[HE])2"	EE
•222 DATA"RULED BY NEPTUNE. PSYCHIC, INTR OVERT,[3" "]MYSTERIOUS. DOES NOT" IF]) , OR A DATE ([RED]D[BLUE])?" •24 GOSUB66	PM
•224 DATA" SAY MUCH, BUT KNOWS MUCH. DRAWN	•26 IFQ\$<>"N"ANDQ\$<>"D"THEN22	PE
TO OCCULT. LIKES FISHING"		FF
·226 DATA".[3" "]TAKES FROM HAVES, GIVES	·30 PRINT"[CLEAR][5"[DOWN]"]DATE TO BE AN	
TO HAVE-NOTS.",,,,		
•228 DATA"[3" "]SUCCESSIN ART, SCIENCE, P	Υ"	KO
HILOSOPHY, [5" "] THROUGH PLANNING. TENDS" NM		-
•230 DATA" TO BE INPRACTICALDREAMER, NEED	4)":INPUT N:N\$=STR\$(N):FORI=2TOLEN(N\$)	EF
S A POSITIVE GOAL." BE		MO
•232 DATA"[9" "]COMPATIBLE WITH OTHER WAT ERS - 2 OR 7")>OANDVAL(A\$)<10)THEN38 •36 GOSUB64:GOTO32	CI
•234 DATA"RULED BY SATURN. COLD, PESSIMIS	•38 IFASC(A\$)=32THENNEXT	FK
TIC. NO SENSE OF HUMOR."		ID
·236 DATA" SUCCESS IN FINANCES.[4" "]ASSO	•42 GOTO56	PN
CIATED WITH MINING, REAL ESTATE, [3" "]L	•44 PRINT"[CLEAR][5"[DOWN]"]NAME TO BE AN	
AW,"		
• 238 DATA" CEMETERIES, PAWN SHOPS, HARD WO	Y" A DELITE OF THE COMMON! V	KI
RKER.CONCERNED WITH THE PAST.",,,, •240 DATA" THRIVES ON[5" "]PROGRESS AND A	•46 PRINT"(PROPER FORM IS NAME COMMONLY USED -FULL[3" "]NAME OR NICKNAME)":INPUT	
CTIVITY. GUARD AGAINST[4" "]PETTY " JN		CJ
·242 DATA"JEALOUSY.[3" "]THINK BIG AIM HI	·48 FORI=1TOLEN(N\$):A\$=MID\$(N\$,I,1):IFASC	
GH.[3" "]MATERIAL SUCCESS." MI		
•244 DATA" COMPATIBLE WITH OTHEREARTHS -	•50 GOSUB64:GOTO46	CD
6 OR 8" MA		FK
•246 DATA"RULED BY MARS. EMOTIONAL, JEALO	•54 Z=Z+(ASC(A\$)-64):NEXT:Z\$=STR\$(Z)	IA EJ
US. TIED TO FAMILY. ACTIVE." EN •248 DATA" LOYAL. SUSPICIOUS OF STRANGERS	•56 V=0:IFLEN(Z\$)<=2THEN72 •58 FORI=1TOLEN(Z\$):V=VAL(MID\$(Z\$,I,1))+V	27.0000
, IMPULSIVE. AFRAID OF UNKNOWN."		IO
•250 DATA"ASSOCIATED WITH SURGERY, PHYSIC	•60 IFV<10THENZ\$=STR\$(V):GOTO72	LB
AL AND[3" "]MENTAL ILLNESS.",,,		NE
·252 DATA" HIGH AND HONORABLE[5" "]IDEAL	•64 PRINT"INVALID-TRY AGAIN": V=0:Z=0:RETU	ON
S. AVOID DRUDGERY. NEVER RESORT" JE		CN
•254 DATA" TOPETTY TACTICS. PROUD AND ARR OGANT, SELF-INTERST.	•66 GETQ\$:IFQ\$=""THEN66 •68 RETURN	IM
•256 DATA" COMPATABLE WITH OTHER FIRES-	•70 PRINTR\$"[DOWN] HIT ANY KEY TO CONT.":	111
	RETURN	NI
	•72 N=LEN(N\$):N=11-(N/2):PRINT"[CLEAR][DO	
VIC 20 VERSION	WN]"TAB(N)N\$R\$"[4" "]VIBRATES TO "Z\$R\$R\$	
·10 POKE36879,26:PRINT"[BLUE]"CHR\$(142)CH	•74 Z=VAL(Z\$):FORI=OTO(Z-1)*5:READB\$:NEXT :FORI=1TO5:READB\$:PRINTB\$;:NEXT	JL
R\$(8):R\$=CHR\$(13) •12 PRINT"[CLEAR][DOWN] [s V][s V] [s V	•76 GOSUB70	PB
][s V] [s V][s V] [s V][s V] [s V][s	•78 GOSUB66	PM
V]"R\$" [s V][s V] [s V][s V] [s V][s	•80 RESTORE:GOTO22	KN
V] [s V][s V] [s V][s V]"	TERR TOPON COM MIT TIPEN AMERICAN CAME	
·14 PRINT"[DOWN][7" "]NUMEROLOGY" BA		Tarabase and
·16 PRINT"[DOWN] I WILL ANALYZE A NAME[4"]IMPATIENT"	ED
"]OR DATE FOR ITS[5" "]MYSTICAL VIBRATI ONS." BI	•84 DATA", AN EXPLORER, EXTROVERT, AUTOMATIC TOASSUME COMMAND, "	PN
·18 PRINT"[DOWN][3" "]ACCORDING TO THE[4"	•86 DATA"VERY STRONG FEELING, DESERVEPRAI	
"]ANCIENTS, VIBRATIONS CREATE CHARACTER	SE WHICH CAN SPUR TO"	KH
ISTICS":GOSUB70 HX		BL
·20 PRINT"[DOWN][DOWN] [s V][s V] [s V]	•90 DATA" COMPATIBLE WITH OTHER FIRES - 1	EM
[s V] [s V][s V] [s V][s V] [s V][s V	,3, OR 9" •92 DATA"RULED BY THE MOON.[4" "]SENSITIV	FM
]"R\$" [s V][s V] [s V][s V] [s V][s V] [s V][s V] [s V][s V]":GOSUB66 NK	T POMPORTO THORTONIA !!	MO
•22 V=0:Z=0:N\$="":A\$="":PRINT"[CLEAR][4"[•94 DATA"EASILY MOVEDTO TEARS. FERTILE[5"	
DOWN]"][BLUE]ANALYZE A NAME ([RED]N[BLUE	"]IMAGINATION. FOND OF"	ED
90 AHOY!		

•96 D. EAR V. •98 D. ER W. •100 D. ATOR •102 D.

HUMOI •104 1 Y ",

•106 1 3,0R ·108 1 ND E •110 I CHIC ·112 I D. L •114 1 S - 4 •116 1 HYSIC •118 I AND I ·120 I Y, M •122 1 IRS -•124 I INED, •126 I NCES. •128 I •130 I 6 OR •132 I INTE •134 I DRAV •136 I HAVE-•138 I 2 OF • 140 I

IC. N ·142 I IATEI ·144 I ORKS ·146 I 6 OR ·148 I EALOU ·150 I ·152 I HYSIC ·154 I 1,3,

١	•96 DATA" HOME. PATRIOTIC.PREFERTO LIVE N EAR WATER.[3" "]MUSICAL",	
ı	•98 DATA"TALENT.[8" "]COMPATIBLE WITH OTH	AL
1	ER WATER - 2,7" -100 DATA"RULED BY JUPITER.[5" "]INVESTIG	HE
ı	ATOR, SCIENTISTSEEKER, MATERIAL RATHER"	KD
1	•102 DATA"THAN SPIRITUAL. GOOD SENSE OF HUMOR. TRUSTSLIKES TO KNOW WHY"	DI
ı	•104 DATA" AND HOW. NOT INTERESTED INMONE	
Į	·106 DATA"COMPATIBLE WITH OTHER FIRE - 1.	IB
١	3,OR 9" •108 DATA"RULED BY URANUS.APPEARSTRANGE A	MG
١	ND ECCENTRIC.AHEAD OF HIS TIME."	IJ
1	·110 DATA"[4" "]INTEREST IN OCCULT, PSY CHIC & OUT OF THE ORDINARY. "	JA
l	•112 DATA"INTUITIVE. SARCASTIC IF CROSSE D. LIBERTY, EQUALITY."	
1	•114 DATA"[5" "]COMPATIBLE WITH OTHER ATR	HE
ı	S - 40R 5" •116 DATA"RULED BY MERCURY.[5" "]ACTIVE P	DB
١	HYSICALLY AND MENTALLY. INOUIRING. "	AE
۱	·118 DATA" EXPLORING. LIKES TO[3" "]READ AND DO RESEARCH. LINGUISTIC. TEACHER, "	JE
l	·120 DATA"WRITER, SECRETARY.[4" "]FRIENDL Y, METHODICAL, ORDERLY.",	PC
۱	·122 DATA" COMPATIBLE WITH[3" "]OTHER A	FC
l	IRS - 4 OR 5" •124 DATA"RULED BY VENUS.[7" "]GENTLE, REF	IK
l	INED, COMELYSOCIABLE, PLEASANT. "	EN
l	•126 DATA"A PEACEMAKER.DIFFICULTY IN FINA NCES. FRIENDLY AND AGREEABLE."	NC
l	•128 DATA" A GOODHOST OR HOSTESS.[6" "]", •130 DATA"COMPATIBLE WITH OTHER EARTHS -	IN
l	6 OR 8"	CG
l	•132 DATA"RULED BY NEPTUNE.[5" "]PSYCHIC, INTROVERT,[3" "]MYSTERIOUS. DOES NOT"	FP
ŀ	•134 DATA" SAY MUCH, BUT KNOWS[4" "]MUCH.	UNI
ŀ	·136 DATA". TAKES FROM HAVES GIVES TO	KN
l	HAVE-NOTS.", •138 DATA" COMPATIBLE WITH OTHER WATERS -	HC
l		KC
l	IC. NO SENSEOF HUMOR."	EE
i	•142 DATA" SUCESS IN[3" "]FINANCES. ASSOC IATED WITH MINING, LAW, REALESTATE,"	JH
	•144 DATA" CEMETERIES.[3" "IPAWN SHOPS W	
	•146 DATA"COMPATABLE WITH OTHER EARTHS -	FF
	6 OD OH	DO
	EALOUS, [4" "]ACTIVE, TIED TO FAMILY" (00
	•150 DATA"LOYAL. SUSPICIOUS OF STRANGERS . IMPULSIVE. AFRAID OF UNKNOWN.[4" "]"	OH
	•152 DATA"ASSOCIATED WITH[7" "]SURGERY, P	
	•154 DATA" COMPATIBLE WITH OTHER FIRES -	AN
	1,3, OR 9"	I

PANC BUTTON



RESET SWITCH


Only \$19.95



- •Unlocks "Frozen" Programs
- •Plugs Into Serial Port
- •Allows Full Use of Serial Port
- •Extends the Life of Your Computer
- •Compatible With Commodore 64 and VIC
- •1 Year Warranty

MAIL CHECK OR MONEY OF CA Residents add 6% so \$1.50 for shipping	RDER TO: ales tax		RKS CTURUS WAY GO, CA 9212	Z
NAME				
ADDRESS			1	
CITY		STATE	ZIP	
Dealer Inquires Welcom	ned Phone	(619) 56	6-9954	

Reader Service No. 235



"Son, it's time you and I had a little man-to-man interface."

COMMODARIES

PROGRAMMING CHALLENGES

By Dale Rupert



ach month, we'll present several challenges designed to stimulate your synapses and toggle the bits in your cerebral random access memory. Please send your solutions to:

> Commodares, c/o Ahoy! P.O. Box 723 Bethel, CT 06801

We will print and discuss the cleverest, simplest, shortest, most interesting and/or most unusual solutions. Be sure to identify the *name* and *number* of the problems you are solving. Also show sample runs if possible, where appropriate. Programs on diskette are welcome, but they must be accompanied by listings. Also tell what makes your solutions unique or interesting, if they are. You must enclose a stamped, self-addressed envelope if you want any of your materials returned.

Your original programming problems, suggestions, and ideas are equally welcome! The best ones will become *Commodares*.

Problem #15-1: Fancy Functions

Complete these function definitions to create functions with the characteristics listed below:

10 DEF FNA(X) = ... 20 DEF FNB(X) = ... 30 DEF FNC(X) = ... 40 DEF FND(X) = ...

A) FNA(X) has the value of 0 if X is odd and the value 1 if X is even.

B) FNB(X) has the value of the area of a triangle which has three equal sides of length X.

 C) FNC(X) has a random integer value between 1 and X inclusive.

D) FND(D) properly rounds the number N to D decimal places. N=9.127: PRINT FND(1): PRINT FND(2) gives the results 9.1 and 9.13.

Problem #15-2: Prime Factors

David Patterson (San Jose, CA) suggested this problem. Using one statement per line, write the shortest program to print the prime factors of a positive integer entered by the user. For example, if the user enters 1644, the computer prints 2*2*3*137. Prime factors are the prime numbers which may be multiplied together to give the specified number.

Problem #15-3: Separated Sentence

The user inputs a sentence. The computer breaks the sentence into two parts and prints the parts on separate lines. An example will save a thousand words. If the user inputs "PROGRAM TEST INPUT", the computer displays:

PORMTS NU RGA ETIPT

Every other character, starting with the second, is dropped to the next line on the screen. Vertically merging the two lines would produce the original input.

Problem #15-4: String Stretcher

A classic problem assumes the earth is a smooth sphere with a circumference of 25,000 miles. A string which is one yard longer than 25,000 miles is wrapped around the earth at the equator. The extra yard of string provides slack so that the string can be raised a uniform height above the ground all around the earth. The standard question is, how high above the ground at each point would the string be?

Your challenge is to write a program which allows the user to enter the circumference of a planet of his choice. The computer calculates the height above the surface of the planet of a string one yard longer than the planet's circumference, assuming the extra yard is uniformly distributed around the planet. (The results may surprise you.)

This month we will first look at two solutions to last month's problems. Then we will look at readers' solutions to *Commodares* from the November issue.

Last month Hugh Rountree (Perry, FL) proposed Problem #14-1: Maximus Input. Here is his solution.

1 REM SOLUTION TO PROBLEM #14-1:

2 REM MAXIMUS INPUT

3 REM BY HUGH ROUNTREE


4 REM

10 PRINT"TYPE A WORD OR SENTENCE AND PRE

SS RETURN (255 CHAR'S. MAX)"

20 FOR I=1 TO 255

Attention Commodore Computer Owners







Looking for a versatile disk drive that efficiently interfaces with your Commodore® personal or business computer? Then look no further. MSD offers not just one drive, but two — the SD-1 and the SD-2 Super Disk Drives.

With the SD-1 Super Disk's 4K buffer memory, you can open more files at any one time. Its rapid internal operations allow you to execute utility commands in a minimal amount of time and to format disks in only 17 seconds. If you demand more and thus faster duplication, however, then the SD-2 is for you. You can format, copy and verify in less than 2 minutes — twenty times faster than if you used two single drives together.

Both drives feature state-of-the-art design for exceptional durability and longer life. Both feature unique vertical loading for greater space savings. And neither will ever overheat.

Call MSD today for more information or the location of the dealer or distributor nearest you.



SYSTEMS, INC.

10031 Monroe, Suite 206 Dallas, Texas 75229

(214) 357-4434

```
30 POKE 204,0:POKE 207,0
40 GET A$:IF A$="" THEN 40
50 IF A$=CHR$(13) THEN I=255: GOTO 90
60 IF A$=CHR$(20) THEN L=LEN(B$)-1:B$=LE
FT$(B$,L):PRINT A$;:I=I-1:GOTO 90
70 B$=B$+A$
80 PRINT A$;:IF A$=CHR$(34) THEN POKE 21
2,0
90 NEXT I:POKE 204,0
100 PRINT:PRINT B$
```

Notice how he has enabled the blinking cursor in line 30 even while the computer is sitting in a GET loop. According to the *C-64 Programmer's Reference Guide* (page 315), location 204 is the "cursor blink enable" character, and location 207 is the "last cursor blink" flag. You will notice as you run this program that the cursor still vanishes every now and then. Perhaps you have figured out a better way to handle this problem. Line 80 sets the "editor in quote mode" flag, by POKEing 0 to address 212, allowing the user to enter cursor movement characters into the input string.

Here is the solution sent by Patrick Bergin (District Heights, MD) to his *Problem #14-3: Digital Deduction*, given last month.

```
1 REM SOLUTION TO PROBLEM #14-3:
2 REM
          DIGITAL DEDUCTION
3 REM
         BY PATRICK BERGIN
4 REM
10 PRINT"THINK OF A NUMBER FROM 1 TO 100
O":INPUT"AND PRESS RETURN":RT$:TR=O
20 L=1:R=1000
30 IN=INT((L+R)/2):TR=TR+1
40 PRINT"IS YOUR NUMBER "; IN; "?...Y/N";
:INPUT RT$
50 IF LEFT$(RT$,1)<>"Y" THEN 70
60 PRINT"GOT IT IN ";TR;"TRIES !":END
70 INPUT"IS YOUR NUMBER HIGHER OR LOWER.
.H/L ";RT$
80 IF RT$<>"H" THEN 100
90 L=IN+1:GOTO 30
100 R=IN-1:GOTO 30
```

His solution is based on a binary search technique. Each cycle divides the region to be searched in half (line 30) until only the sought number remains. You might try to enhance this program so that the computer can tell when the user is cheating (or, should we say, inconsistent with his responses). Can you determine the maximum number of trials required to guess a number from 1 to 10,000?

Readers have asked what the deadline is for submitting *Commodares* solutions. If you have a solution which you feel is unique, especially interesting, or which hasn't been already discussed, send it any time. Typically, this column is written four months before the publication date on the magazine. As a rule, all solutions to the March Commodares which are received by March 10 are considered for the July issue of Ahoy!. This March column is based upon letters received up to the middle of November. Your solutions are most likely to be discussed if they reach us within two weeks of the cover date of the magazine.

Frequently readers apologize for not having a printer and for sending handwritten listings. Although printed copy is easier to read (and to create), don't let the lack of a printer stop you from sending your solutions to this column. No apologies necessary. If you send your programs on disk, you should also send a listing, and hopefully some words of explanation.

Several readers tackled the fairly tough challenge of Problem #11-1: Cray Confrontation which was suggested by Larry Masterson (Willard, OH). The correct answer is:

```
45,994,811,347,886,846,310,221,728,895,2 23,034,301,839.
```

This is the second factor of the number consisting of 71 one's which required more than 9 hours to be factored on the Cray X-MP supercomputer. Readers of this column had an advantage over the Cray by knowing one of the factors of the original number. Consequently the times on the Commodores were significantly less than 9 hours. In fact, the assembly language solution sent by James Borden (Carlisle, PA) found the above factor in 23 jiffies. That's less than one-half second! He used the *IEA Assembler* (Robin's Software, Bloomington, MN) to write the 100-line program in four days (and nights).

Another approach with a very interesting analysis of this problem was submitted by Dana (age 11) and Cecil Rousseau (Memphis, TN). Their BASIC solution took only 13 seconds. Other excellent solutions with very respectable times were received from David DeSha (Chattanooga, TN), Edward Keller (Cincinnati, OH), and Richard Oberle (Columbus, OH). Some serious work went into the solutions from all of these readers.

The solution to *Problem #11-2: Pythagoras Extended* from Edward Keller (Cincinnati, OH) typifies several readers' approach to this problem.

```
1 REM SOLUTION TO PROBLEM #11-2:
2 REM PYTHAGORAS EXTENDED
3 REM BY EDWARD KELLER
4 REM
10 A=X^2+(X+1)^2+(X+2)^2+(X+3)^2+(X+4)^2
20 B=(X+5)^2+(X+6)^2+(X+7)^2+(X+8)^2
30 A=INT(A+.1) : B=INT(B+.1)
35 PRINT A,B
40 IF A=B THEN PRINT "X ="X : END
50 X=X+1 : GOTO 10
```

Line 30 is a good way to take care of inaccuracies resulting from the squaring operations, especially when

Introducing The Gold Disk* Subscription Series

HGHQUALITY SOFTWARE

VOLUME 1 DECEMBER

FULL DATABASE PACKAGE

Arcade games "Rodeo", "Tunnel of Doom"
Learning BASIC — lesson 1
Programming tips — speeding up BASIC
"Towers of Hanoi" puzzle
House purchase analyzer program
Computerized crossword
Computer trivia
Sound effects & code
Music box
Review, preview, editorial, article

VOLUME 3 FEBRUARY

TYPING TUTOR PACKAGE
Arcade game "Chomper"
"Cubic" – strategy game
Learning BASIC – lesson 3
Programming tips – on keys
Bubble sort tutorial
Budgetter program
Report generator
Computerized crossword
Computer trivia, Music box
Sound effects & code
Editorial, letters, article, catalog

VOLUME 2 JANUARY

FULL WORD PROCESSOR PACKAGE

4 screen arcade game "Spook Castle 1"
Children's learning program-Numbers Game
Learning BASIC — lesson 2
Programming tips — random numbers
Eight queens problem
Loans and mortgages program
File backup/copy program
Computerized crossword
Computer trivia, Music box
Sound effects & code
Editorial, letters, article, catalog

VOLUME 4 MARCH

GOLD DISK ART PACKAGE

"Gold Disk Trivia" — full trivia game
Action game — "Follow the Leader"
Tutorial — file operations
Programming tips — screen print
Binary search tutorial
Checkwriter program
Computer trivia
Sound effects & code
Music box
Editorial, letters, article, catalog

AT SUBSCRIPTION PRICES

Software for the Commodore 64®

 Issued Monthly
 Full Disk of Software
 All Instructions Contained on the Disk

*Trademark pending
*Commodore 64 is a registered trademark of Commodore Business Machines Inc.

Reader Service No. 251

E OLD Sk

THE GOLD DISK SUBSCRIPTION SOFTWARE

2179 Dunwin Drive, #6, Mississauga, Ontario, Canada L5L 1X2

P.O. Box 1540 Buffalo, N.Y. 14205-1540

YES, please send the Gold Disk for


G months @ \$54.95 (U.S.) + \$6 shipping

12 months @ \$99.95 (U.S.) + \$12 shipping

Starting issue G Dec. G Jan. Feb. Mar.

Single issues @ \$14.95 (U.S.) + \$1 shipping

Name		Address _		
City	S	tate/Prov	Code	
☐ Check or money order enclosed				
A - d d	. Date		_ Signature	



Not just all talk.

Add Speech to your Commodore 64[™] today!

With the POWER of **The Voice Messenger's™** infinite vocabulary, your Commodore 64 can say any letter, word or sentence. Simply!

Just for fun...or as an educational tool.

Best of all, it's simple to program your C-64 to leave all sorts of talking messages.

Just think of the possibilities!

A message to your family! A secret for your best friend! Or even a reminder for yourself to feed the fish!

The Voice Messenger features: • Infinite vocabulary • One BASIC command "SAY" provides easy pro-

gramming of whole sentences • Two voices and intonation—add character and excitement • Built-in software—nothing extra to buy • Installs instantly—Two simple connections • Clear, easy to understand speech • Doesn't steal RAM from BASIC workspace • Won't stop screen action.

Add new life to your Commodore 64 with The Voice Messenger! Ask for The Voice Messenger at your local Commodore dealer, or call TOLL-FREE 1-800-443-0100 ext. 797 to place your order now!

The Voice Messenger-Speech 64

For more information contact:



50 Milk St. 15th floor, Boston, MA 02109 (617) 357-8084 TELEX: 951131 HQ BSN
Currah Cómputor Components Ltd. Reg. No. 1555490, U.K. Graythorp Industrial Estate, Hartlepool, Cleveland, U.K. Telex 58127 CURRAH G
Commodore 64 is a trademark of Commodore Electronics Ltd.

the results must be compared to other values. (To see the problem, type PRINT 5 $^{\text{A}}$ 2=25 in the direct mode. The resulting 0 shows that 5 $^{\text{A}}$ 2 does not have the same value inside the computer as the number 25, for example. " $^{\text{A}}$ " is the up-arrow key beside the RESTORE key on the Commodore.)

John Desmond (Alexandria, VA) pointed out that there is another solution to this problem using values ranging from -4 to 4 in the equation in addition to the more common solution using 36 through 44. You may add line 5×10^{-10} to the program above to obtain this other solution.

Mark Robin (Bloomington, MN), Geoff Krauss (Latham, NY), Michael Hooper (Tyler, TX), Dana and Cecil Rousseau (Memphis, TN), and Michael Coley (Republic, MO) all sent general solutions which not only found the next equation in the sequence but others as well.

Other readers with correct solutions to *Problem #11-2* include James Borden (Carlisle, PA), Fred Atiyeh (Livonia, MI), Edward Keller (Cincinnati, OH), and Ron Crail (Dickinson, ND).

Richard Oberle's solution to *Problem #11-3: Bug Eliminator II* is listed below:

- 1 REM SOLUTION TO PROBLEM #11-3:
- 2 REM BUG ELIMINATOR II
- 3 REM BY RICK OBERLE
- 4 REM
- 10 PRINT CHR\$(147)
- 20 FOR L=1 TO RND(0)*1000
- 30 PRINT ".*" CHR\$(157);:NEXT
- 40 PRINT CHR\$(19)
- 50 M=1024:BG=ASC("*"):SQ=ASC("0"):P=ASC(".")
- 60 M=M+40: IF PEEK(M)=P THEN 60
- 70 M=M-40
- 80 M=M+1 : IF PEEK(M)<>BG THEN 80
- 90 POKE M, SQ : REM *SQUASH!*
- 100 PRINT "GOT 'EM"

Rather than sequentially PEEK every screen location to find the bug, he took a shortcut. If you can't figure out what's happening from the listing, you might put GOSUB 200 in front of the IF statements in lines 60 and 80, and add these lines to the program:

- 199 END
- 200 A=PEEK(M) : POKE M, 63
- 210 FOR Q=1 TO 50 : NEXT
- 220 POKE M, A: RETURN

BACK TO THE BASICS OF BASIC!

Next month, Ahoy! returns you to programming's roots with the first installment of Mark Andrews' column on Commodore assembly language and the first of several Rupert Reports on the subject of machine language.

Julius Cucci (No. Plainfield, NJ) and Marshall Stewart (Shreveport, LA) both sent machine language solutions to rapidly eliminate the bug.

Problem #11-4: Word Value drew the largest response from readers. Among the tidiest solutions was the following one from George Poole (Buffalo, NY):

- 1 REM SOLUTION TO PROBLEM #11-4:
- 2 REM WORD VALUE
- 3 REM BY GEORGE POOLE
- 4 REM
- 10 PRINT CHR\$(147)
- 20 INPUT " ENTER WORD "; A\$
- 30 FOR I=1 TO LEN(A\$)
- 40 B\$=MID\$(A\$,I,1)
- 50 A=A+ASC(B\$)-64
- 60 NEXT
- 70 PRINT " AVERAGE VALUE IS"; A/LEN(A\$)

Michael Marron (Stony Brook, NY) and Richard DeMello (Portland, MI) combined the statements in lines 40 and 50 like this and thereby used one less variable:

40 A = A + ASC(MID\$(A\$,I,1)) - 64

Many readers had solutions somewhat similar to these. Readers not mentioned above who sent solutions to *Problems #11-3* and *#11-4* include Fred Atiyeh (Livonia, MI), James Borden (Carlisle, PA), Edward Keller (Cincinnati, OH), Ron Crail (Dickinson, ND), Alan Davenport (Salem, OR), Frank Gourley (Kenesaw, NE), Howard Anthony (St. John's, Nfld.), Larry Cox (Tecumseh, MI), Jim Root (Whitmore Lake, MI), John Peters (Wenatchee, WA), Vinny Amodeo (New Hyde Park, NY), James Dunavant (Gainesville, FL), Douglas Tyler (Holloman AFB, NM), Karl Hirsch (Backsdale AFB, LA), and John Auresto (Carmel, NY).

Other solutions to October's problems were received from Sheldon Wotring (Palmerton, PA), David Patterson (San Jose, CA), Dennis Sardi (Marlborough, CT), Michael Griffin (Olancha, CA), and Barbara Wolfe (Jacksonville, FL).

The cleverness award this month goes to Richard Lodge (Kirkwood, MO) for his *Roman Numeral* solution from the October *Commodares*. His program gives the user the option of receiving instructions in English or in Latin! (According to his listing, "NUMEROS ROMANOS" is a Latin form of "Roman Numerals"—just in case your Latin is a little rusty.) And we thought FORTRAN was an old language for computers!

A special thanks to Barry Vincent of Tokoroa, New Zealand for his letter and notes on *Commodares Problem #6-4: Graphic Rectangle*. He correctly pointed out that the solution in the July *Commodares* needed some additional statements to properly handle a rectangle 40 characters wide. *Ahoy!* and Commodore computers are certainly far-reaching.

Have fun with these challenges. See you next month. \Box

CIREATING YOUR OWN GAMES

Continued from page 20

fix the error before RUNning it again. It makes life interesting-I know, since I had to do that more than a few times myself.

I don't recommend that you do this sort of memory manipulation all the time. But in this case, it allows you at least 7K in which to add the few routines necessary to turn a fun game milieu into a fun game.

At which someone will no doubt ask (such skeptics you are!), "If it only takes a few routines to turn it into a fun game, why didn't you put in those routines yourself?"

To which I answer, "This is a column about how to program games, not a column that provides games. If I did everything, what would be left for you?" Though there's another secret reason that has to do with a serious character flaw and one of the seven deadly sins.

NOTES ON PLAYING

After you have SAVEd and RUN Mansion Display Setup, thereby creating the file DISPLAY DATA, and after you have SAVEd Mansion Game, you are ready to play. LOAD Mansion Game and RUN it. It will fill the screen with a message to would-be detectives, then automatically LOAD the DISPLAY DATA file and set up to play.

Then it asks how many players you want. Enter a number from 1 to 6. After you press the number key, you get a chance to change your mind. When you confirm your choice, the screen flips to the main entrance of the mansion, where up to six player-figures are lined up in a row.

The bottom line of the screen tells which player's turn it is and what room he or she is in. That player moves by using the SHIFT and COMMODORE keys for left-right movement, and the f5 and f7 keys for up-down movement. Experimentation will show you what happens when you go all the way up or down a flight of stairs. Exploration will show you all the rooms in the house.

After you have moved 75 times, your turn automatically ends; or, by pressing the SPACE bar, you can end your turn early. The computer then flips to whatever screen the next player's figure is on and displays the player's number and the room his or her figure is in. You cannot move through another player's figure, so sometimes one player can effectively block another from getting through a tight place.

The game, as it stands, never ends. To end the game and stop the program, press RETURN. The screen asks you if you want to quit this game. If you press Y, the screen then asks you if you want to play again. If you press Y this time, you are asked how many players you want, as before-but you don't have to wait for DISPLAY DATA to reload, since the program "knows" that it's already in memory. If you press N, however, all the pointers are reset to normal, RUN/STOP and RESTORE are reenabled, and the program ends. Then if you want to play again, you have to RUN the program from the beginning.

NOTES ON TYPING

Just a couple of hints. When you're typing the DATA statements that create the screen displays, there are quite a few graphics characters. All of them are created by pressing a regular alphabetic key (A through Z) plus the SHIFT key. Some of them are very easy to get confused. On the program listing in this issue, SHIFT-B, SHIFT-G, SHIFT-H, SHIFT-T, and SHIFT-Y are all vertical bars. Look closely to make sure you're getting the right one. Likewise, SHIFT-C, SHIFT-D, SHIFT-F, and SHIFT-R are all horizontal lines. There are several places-particularly involving SHIFT-B, SHIFT-G, and SHIFT-H-where different characters appear in rapid succession.

Also, remember that in the packed-data scheme, characters can mean different things, so it's vital that you type everything correctly. Leaving out a character can cause the wrong character to be interpreted as the code for a number of repetitions,

causing at best a messed-up screen or at worst a crashed program.

And, as always, don't type in the REM statements. Any line in which the line number is immediately followed by a REM is included only so you can more easily follow what the program is doing. Typing them in only slows the program down and creates unnecessary work for you. Good programmers almost never have a GOTO or GOSUB refer to a REM line.

WHAT ABOUT NEXT *MONTH?*

The weary columnist who has just finished a long week of programming looks at this question out of lowlidded yellow eyes and mutters, "What about next month?"

1/2 Tr

1/2 Tr

where

scher

Drive

asser your

The

code

Sync

Chan

and T

arsen

you w

ing dis

saver cartric

The ta

refere

charts

C64 E

Book

Vic 20

Come on, you think I can do a massive 84-sector program complete with a data-packing language every month?

Not a chance. The best we can hope for is an introduction to reading the joystick. And, of course, the normal scintillating, razor-sharp wit and brilliantly perceptive reviews. If I can remember how to scintillate...

And to those of you who are waiting with bated breath for me to do sprites, I offer the promise: Soon. Not next month, because I have two overdue novels to finish and my children have forgotten my name. But soon.

SEE PROGRAM LISTING ON PAGE 66 **GRAPHICS** PROGRAMMERS!

Beginning in the near future, Ahoy! will feature a quasi-monthly gallery of reader-created computer artwork. Send us your best shot on disk, accompanied by a stamped and self-addressed return mailer, and indicate the drawing package that was used to create the image. (If you employ a bit map of your own design, indicate the appropriate file parameter, i.e., hi-res or multicolor, location of bit map, screen and color data). Submissions should be mailed to:

> Morton Kevelson P.O. Box 260 Homecrest Station


Brooklyn, NY 11229

TURBO 64

Turbo 64 will turn your 1541 into a super fast and efficient disk drive. Loads programs five to eight times faster, works with 99% of your basic and machine language programs. The master disk allows you to put unlimited Turbo 64 boot copies on all your disks. This disk also includes:

Auto Run Boot Maker

Auto Run Boot Maker will load and auto run your basic or machine language programs.





\$19.95

DMS-Errors 20,21,22,23,27 & 29 Format Single Tracks Read Disk Errors

1/2 Track Reader-read and select 1/2 track

1/2 Track Formatter-Format a disk with 1/2 tracks. This is where the next protection schemes are coming from.

Drive Mon-Disk Drive assembler/disassembler. For your 1541.

The Doc-Disk Doctor that reads code under errors.

Sync Maker-Place a sync mark on any track out to 41. Also used for protection.

Sync Reader-Check for Sync bits on any track out to 41

Change Drive No.-Changes drive number (7-30)

Disk Logger-Finds starting track, sector; start and end addresses.

Disk Match-Compare any two diskettes. Byte for Byte.

New Wedge-Easier to use DOS wedge

ID Check-Check ID's on any

Unscratch-Restore a scratched file

View RAM-Visual display of the free and used sectors on a diskette

Read/Write Test-1541 performance test

Repair a track-Repair a track with checksum errors. Reads code under errors and restores

Fast Format-Format a disk in just 10 seconds (with verify!).

WAR GAMES AUTODIALER



- 1-Auto Dial will automatically dial a set of numbers you choose.
- 2-Review Numbers will review numbers that were answered by a computer
- 3-Save Numbers will save numbers where a computer answered.
- 4-Hardcopy of Numbers will print out list of numbers where a computer answered
- 5-LOAD Numbers will load in numbers to continue where it left off.
- 6-Continue will pick up dialing where it was interrupted.

GEMINI BIT COPIER

99.9% Effective!

- . 3 Minute copy program
- · Copies Bit by Bit
- Eliminates worries of all Commodore DOS errors
- · Very simple to use
- Half tracks
- 100% machine language
- · Will not knock disk drive
- Copies quickly
- Writes errors automatically 20, 21, 22, 23, 27 & 29
- · Errors are automatically transferred to new disk



· Supports use of two disk

- Unlocks disks to make your actual copies
- · No need to worry about extra sectors
- · This program covers all the latest protection schemes.

BULLETIN BOARD

Set up and operate your own bulletin board with a single 1541 disk drives. This one has all the features and you can customize it easily yourself.

- 1-RUN MEGASOFT BBS
- 2-CREATE MEGA FILES
- 3-ADD TO SYSOP'S CORNER
- 4-NEW SYSOP'S CORNER
- 5-READ MESSAGES
- 6-SCRATCH MESSAGE
- 7-CYCLE MESSAGES 8-READ SYSOP MESSAGES
- 9-WRITE OPENING MESSAGE 10-READ LOG
- 11-CYCLE LOG 12-READ DOWNLOAD FILE
- 13-SCRATCH DOWNLOAD FILE 14-ADD TO OTHER SYSTEMS
- 15-CREATE OTHER SYSTEMS

\$39.95

Two Drive System: Includes everything listed above plus direct file transfer, dule passwords, for signon and updown load sections and many more options!

\$59.95

Enclose Cashiers Check, Money Order, or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders. Canada orders must be in U.S. Dollars. VISA - MASTER CARD - C.O.D.

Programs for C-64

ing disk duplicator.

C64 Book only

charts. (212 pages 11 programs)

\$2.00 S & H on all orders Software Submissions Invited.

ROTECTIO

This book "BLOWS THE LOCKS OFF" protected DISKS, CARTRIDGES.

and TAPES! Protection "secrets" are clearly explained along with essential

information and procedures to follow for breaking protected software. An

arsenal of protection breaking software is included with all listings, providing

you with the tools needed! Programs include high speed error check/logg-

saver and several others for error handling and advanced disk breaking. The

cartridge methods allow you to save and run cartridges from disk or tape!

The tape duplicator has never been beaten! This manual is an invaluable

reference aid including computer and disk maps, as well as useful tables and

Book & Disk of all programs\$29.95 US

THIS MANUAL DOES NOT CONDONE PIRACY *SHIPPING: \$2.00

. . disk picker . . . disk editor .




. Cartridge to disk/tape

MegaSoft Limited

P.O. Box 1080, Battle Ground, Washington 98604

Phone (206) 687-5116 • BBS 687-5205 After Hours Computer to Computer



HAS EVERYTHING!

SUBSCRIBE TO AHOY!

		,95 Canada and elsewhere) 649.95 Canada and elsewhere)
Address		
City	State	Zip
	Send coupon or I	

45 West 34th Street, Room 407, New York, NY 10001

Titu

tac

as

the

Co

pa

loc

the

do

int

Alter

Printer Interfaces

for the Commodore Computers

By Morton Kevelson

This marks the conclusion of our three-part update on printer interfacing, beginning with December's 1525 tutorial, continuing with February's introduction to interfacing and indepth reviews of Turboprint/GT, Grappler CD, MW350, and Easy Print, and concluding this month with reviews of the Okimate 10 with Plug 'n Print, Xetec GPI, Xetec SPI, Cardco Card?/+B, Card?/PS, and Card?/+G, and the Tymac Connection.

CONCLUSION

Interface	Plug 'n Print
Price: Interface Printer	\$ 69.00 \$169.00
Buffer	256 byte
Speed	60 characters per second unidirec- tional
Printer optimization:	Okimate 10
Warranty	90 days; \$55 flat rate for out of warranty service
Manufacturer	Okidata Mt. Laurel, NJ 08054 609-235-2600



The Okimate 10 Color Printer, side by side with its attendant ① user-replaceable thermal print head and ② Plug 'n Print module.

READER SERVICE NO. 268



Plug 'n Print closeup: 1 jumper plugs to change device no. and control linefeeds; 2 serial port connector; 3 Okimate 10 internal connector; 4 thermal print head.

THE OKIMATE 10 COLOR PRINTER

You may well wonder why we're reviewing a printer as part of a printer interfacing report. When we contacted Okidata for the loan of a Microline 92 printer for this report, they suggested we review the Okimate 10 as well. At the very least, they were interested in our opinion as to how the Okimate 10 measured up as a printer interface, since it is not a Commodore product.

In all fairness, it would not be proper to discuss the emulation capabilities of the Okimate 10 without looking at the printer details as well. As a result, we felt this would be the proper place to present a review of the entire package.

ENHANCED FEATURES

The Okimate 10, with the Commodore Plug 'n Print module, provides total emulation of the Commodore 1525 printer. Aside from the color capabilities, which we will get into later, the Okimate 10 has several features in addition to those available on the Commodore 1525. Along with the standard 10 characters per inch (cpi) and the expanded

5 cpi, the Okimate 10 supports fine printing (17.1 cpi) and bold printing (8.5 cpi). The character matrix is in a nine by nine dot format with true two-dot descenders.



Celtic Eagle by Wayne Schmidt, onscreen (above) and on an Okimate 10 color printout. The printer will read color files from a number of commercial drawing packages, or user-generated multicolor files in the proper format.

The dot shape is square rather than round. This causes vertical and horizontal lines to appear as solid strips. However, the diagonal parts of the characters are a bit rougher than conventional dot matrix printers.

Page formatting has been enhanced as well. The Okimate 10 can position the paper in vertical increments of 1/144 of an inch up to 256/144 of an inch.

THE HARDWARE

The printer is a compact 13 inches wide by 7½ inches deep by 2½ inch-



es high. The Plug 'n Print interface module is a separate unit that is inserted into a slot on the left hand side. A cover plate completes the installation. A jumper plug on the interface module allows the printer to be configured as either device four or device five. A second jumper plug turns automatic line feeds on and off.

The printer uses a thermal printhead which can print on thermal paper without a ribbon. Print ribbons are available in plug-in cartridges similar to an oversized cassette tape. The mylar single-pass ribbons carry a heat-sensitive wax-based ink past the printhead. Although any type of paper can be used, the manual recommends avoiding paper with rag content. A glossy finish thermal transfer paper works best. When we tried printing on our usual stock, the results were not uniform.

The Plug'n Print module comes in a kit with the instruction manual, a small supply of paper, a black ribbon, and a color ribbon. Also included is a floppy disk and a cassette tape with a tutorial and screen dump program. Extra paper is available from Okimate at \$9.95 for 250 sheets. Replacement ribbons are \$6.69 for color and \$5.95 for black.

For text, the black ribbon has a capacity of 120,000 characters, or about 75 pages of double-spaced text. The color ribbon has a capacity of 35,000 characters, or 10 color screen dumps. Thus, a color screen dump will cost about 75 cents.

COLOR PRINTING

The big news, of course, is the color capability. Although the printer will not win any prizes for speed, the results are impressive enough. The screen dump program works with both multicolor and high resolution images. It is designed to read color files created by a number of commercial software drawing packages available for the Commodore 64. These include DOODLE!, Koala Painter, Peripheral Vision, Super Sketch, Flexidraw, Paint Magic. Chalkboard, and Sorcerer's Apprentice. The program will also accept user-generated multicolor files if they are in the proper format. See the October and November 1984 issues of

Ahoy! for a detailed discussion of nearly all of these programs as well as the structure of their image files and a detailed discussion of bit mapped graphics on the Commodore

The color printouts are a faithful reproduction of the original screen color, at least with the samples we tried. Multicolor images, such as from Koala, are 8 inches wide by 5½ inches high. Printing time for a multicolor image is about 30 minutes. High resolution images, such as from *DOODLE!*, are 5¾ inches wide by 4½ inches high. Printing time for a high resolution image is about 17 minutes.

The color printing operation is quite fascinating. The color ribbon actually consists of sequentially ordered strips of yellow, magenta, and cyan ribbon. Each group of three segments is separated by a clear band which is used as a reference starting point for the printer. It takes three passes of the printhead to print a single color line. By varying the density of the color dots of each of the three primary colors, any of the Commodore 64's sixteen shades can be produced. This also explains the relatively short life of the color ribbon. An entire group of the three color segments is used up for each line



Provides total emulation of 1525. READER SERVICE NO. 269



Inside Xetec GPI: **0** 4K interface ROM; **2** 2K RAM buffer; **3** 6802 microprocessor; **3** interface clock crystal; **5** setup switches

of color regardless of the actual printed width of the line.

THE DOCUMENTATION

The manual, which is geared for the beginner, is thorough and easy to follow. Numerous examples and illustrations take the user through the initial setup and use of the printer. Those wishing to do their own color programming are apt to be somewhat disappointed. The information on color printing is not much more detailed than what was given above. Although the concepts are fairly simple, it will take quite a bit of experimentation to learn the proper dot patterns which will mix the primary ribbon colors to the desired shades. There is clearly room here for a programmer's utility which will do most of this work.

CONCLUSIONS

The Okimate 10 is not a high speed, near letter quality, heavy duty dot matrix printer. However, for the home user for whom it is intended, it represents an excellent value. It will make a fine choice as a first printer for a growing home system or a color printer in a more advanced system. Teamed up with a C-64, it will add another dimension to the enjoyment of home computing.

Dev

Hump

Alpha

by Day

Put Hu

again Alphal

Comp

how to

Name

Home

S.A.M.

*Comr

Interface	Xetec Graphic Printer Interface
Price	\$89.95
Buffer	2K
Printer Optimization	Okidata, Star/Epson
ROM Version Tested	1.4
Warranty	5 years
Distributor	Xetec, Inc. 3010 Arnold Road Salina, KS 67401 913-827-0685

XETEC PRINTER INTERFACE WITH GRAPHICS (GPI)

The Xetec GPI provides total emulation of the Commodore 1525 printer when used with a compatible, graphics-capable dot matrix printer. It is optimized for use with the Okidata and the Star/Gemini type of printers. The built-in two-kilobyte buffer allowed smooth and rapid printing of the Commodore graphics characters without excessive head



MY TALKING SOFTWARE IS DIFFERENT! I CALL YOU BY YOUR OWN NAME IN EVERY ONE OF MY PROGRAMS!

NEW


\$19.95 EACH - ORDER NOW! 1-800-328-2050 OR IN WASHINGTON 1-800-221-2878. (YOU CAN PAY MORE BUT YOU CAN'T GET MORE!)

Little People Software

Developed by Parents and Educators

... Hearing... Seeing... Doing In a way that makes LEARNING more fun and more effective

No Synthesizer Needed



Humpty Dumpty Alphabet program by Dave Paulsen Put Humpty together again and learn: the Alphabet, the Computer Keyboard, how to spell your Name ... and more.



Little Bo Peep Number program by Joe Sams and Scott Barker Bring Bo-Peep's sheep home and learn: to Count, to spell your Name, the Computer Keyboard ... and more

L. P. Money I by Aaron Grant

Teaches money values - one cent to one dollar using a gum ball machine, Encouragesmoney saving

L. P. Shapes L. P. Traffic Signs by Doug Knapp by Tom Wanne

Learn to recognize Teaches identificageometric shapes tion and meanings and how to spell of traffic signs and their names signals. Increases safety awareness

L. P. Colors by Agron Grant

Teaches names and identification of colors and reinforces learning of colors and

L.P. Subtraction by Doug Knapp

subtraction using numeric figures and objects. Nine levels of difficulty. Great introduction

L. P.'s Farm by Agron Grant

Teaches names and identification of farm animals.

L.P. Opposites by Tom Wanne

Teaches opposites such as large. small; tall, short. Multiple choice quiz. Excellent graphics.

L.P. Money II by Tom Wanne

Teaches money values — one dollar to one hundred dollars – using an ice cream machine Encourages money saving.

L.P. Child Protection by Tom Wanne

Teaches children how to protect themselves against the possibility of being kidnapped. Excellent graphics.

L.P. Addition by Doug Knapp

Teaches addition using numeric figures and objects. Nine levels of difficulty. Great introduction to math.

Multiplication by Agron Grant

Teaches multiplication using numeric figures and charts. Varying levels of difficulty.

Computer Profit Systems, Inc. 9661 Firdale Avenue

Edmonds, Washington 98020

Creators of Data Deli™ Comp-u-tutor, Home Learning Systems

S.A.M. licensed from Don't Ask, Inc.

*Commodore 64 is a trademark of Commodore Business Machines

Save \$2.00 per program Shipping Charge by purchasing at your local software store.

Mastercard and Visa

DEALER INQUIRIES INVITED



Back Issues of







sh sto bu gr pr er'

al an Ito

ac ob (te

the ev

10

ba

Ol ers

dr un

tro

tu

ve m re

nu

Th

m for as fo eit

the m

be CO

us tu lei

the th po


th

ISSUE #4-APR, '84 \$4,00



ISSUE #5-MAY '84 \$4.00







ISSUE #8-AUG, '84 \$4.00

ISSUE #12-DEC, '84\$4.00

A A A STOP PROGRAMMING A A A A

			N .
	700		
		٠,	
	1-	_	
п		-7	
7		-	
L.			
		-	

NAME	
ADDRESS_	

@www.commodore.ca

shuttling. Since the interface only stores a single character set in its built-in 4K ROM, the Commodore graphics when printed on the C Itoh printer, were narrower than the printer's built-in characters. The result is a loss of alignment when mixing text and Commodore graphics on the C Itoh printer.

Matching aspect ratio of all characters on the C Itoh printer can be obtained by printing all characters (text and Commodore graphics) from the interface's built-in ROM. However, this results in approximately 107 characters on an eight-inch line. The results are usable but not optimum. We evaluated the interface based on its performance with the Okidata 92 and Gemini 10X printers, which both gave good results.

ENHANCED FEATURES

As with all of the interfaces, the basic GPI operating modes are accessed with a specific secondary address. The GPI also includes a unique command channel for controlling many of its enhanced features. This command channel, available with secondary address 15, is very similar to the disk drive command channel. There is no problem regarding conflicts with the latter since the file number and device number are different.

The GPI has several listing modes. The default mode prints all the Commodore graphics characters except for the control codes, which are listed as mnemonics. Optional modes allow for printing all graphics characters as either their keystroke sequence or their mnemonics. Readability in this mode is as good as with the MW350 above. Graphics characters may also be listed as their decimal ASCII codes.

The command channel supplies the user with a number of additional features. These include setting of page length, skipping over perforations, and the setting of line width but not the left or right margins. Note that the interface default condition on power up does not provide total emulation of the 1525 printer. One of the command channel functions set the interface to total emulation.

To assist with the debugging of

printer routines, the GPI includes a monitor mode on secondary address 3. The monitor listing prints all characters as their equivalent two-digit hexadecimal ASCII codes. Thus a carriage return is listed as "0D". This mode is turned on and off via the command channel.

The command channel adds a lot of flexibility to the operation of the interface. It allows for software reset and reading of the hardware switches without powering down the interface. The control of the interface is further enhanced as it supports several open channels at once. The result is very flexible operation.

The remaining software control features include automatic line feed toggle, transparent operation, and software lock of the secondary address. Printers not listed in the manual can be accommodated as well. One of the command channel functions is used to send 18 data bytes to customize the interface for printers which are not directly supported. Contact Xetec for the proper codes for your printer.

THE HARDWARE

The interface is housed in a flat plastic case roughly three by six inches. The case appears to have been originally intended for use as a game cartridge for the VIC 20. Connection to the computer is via an unshielded multiconnector four-foot cable. The printer connection is via an eighteen-inch flat ribbon cable terminated with a standard Centronics connector. The overall connection was a bit shorter than with the other interfaces. Power is normally taken from the computer's cassette port via the supplied wire and connector. Xetec will supply an alternative joystick port connector for the SX64.

A cutout in the cover permits easy access to the seven miniature switches, one of which is not used. Three of the six switches are used to configure the interface for your particular printer. Of the eight possible switch combinations, only four are implemented. A universal setting for non-dot matrix printers is not available. This mode can be accessed under software control.

The three remaining switches are

for hardware setting of automatic line feed, device number four or five, and transparent mode. These settings are important when using cartridgebased software, or any of the programs which do not permit issuing of the proper command codes.

The interface lacks a hardware reset button. Most of the reset button functions can be implemented under software control via the command channel. The most obvious restriction is the inability to clear the text buffer to halt printing.

CONCLUSIONS

For users of the Okidata and Star/Epson type of dot matrix printers, the Xetec GPI is a good buy. It offers more per dollar than any other interface. The five-year warranty makes it especially attractive.

Interface	Xetec Serial Printer Interface
Price	\$59.95/\$69.95 with buffer
Buffer	2K optional
Printer Optimization	ASCII, non-graphic
ROM Version Tested	1.4
Warranty	5 years
Distributor	Xetec, Inc. 3010 Arnold Road Salina, KS 67401 913-827-0685

XETEC SERIAL PRINTER INTERFACE


The Xetec SPI is not a graphics interface. We have included it in this report because of its unique "daisy wheel emulation" mode which produces near-letter quality print when used with a Gemini, Epson, or Panasonic printer. We tried this feature out with a Gemini 10X and were favorably impressed. The five print styles shown were made with the interface and the Gemini 10X:

Basic dot matrix mode. Emphasized mode. Double strike mode. Both modes in active. Daisy wheel emulation mode.

The near-letter quality print is generated entirely by the interface, using the high-density dot capabilities of the printer. The results are impressive. The drawback is that printing

AHOY! 105

phoenix red



ADVENTURE GAME **TUTORIALS**

Disk I

TEXT ADVENTURES

ZORK I ZORK II ZORK III **ENCHANTER** SORCEROR STARCROSS SUSPENDED

DEADLINE WITNESS

PLANETFALL

Only \$9.99!

Disk II

MEGAVENTURES

ULTIMA II ULTIMA III ULTIMA IV RETURN OF HERACLES QUESTRON

Only \$9.99!

Disk III

lis

GRAPHIC ADVENTURES

GOTHMOGS LAIR MASK OF THE SUN DEATH IN THE CARIBBEAN BLADE OF BLACKPOOLE CRITICAL MASS GRUDS IN SPACE

ULYSSES AND THE GOLDEN FLEECE WIZARD AND THE PRINCESS

ASYLUM

THE INSTITUTE

Only \$9.99!

Have you ever played an Adventure Game where you just plain got stuck and couldn't get any further? Well, here's the answer - Phoenix Red's Adventure Game Tutorials. They can be used as hints or they will tell you exactly what to do to get out of all those sticky situations. These Tutorials are written for your computer (A Commodore 64) not someone elses, so they work.

We pay postage and handling. A must-have for all adventures. Order yours today!

Send check or Money Order to:

Phoenix Red Software 2705 Oak Dr. Houston, Texas 77539

Call 713-280-8113 for more info. Reader Service No. 256

"We put out money where our software is, not our copy protection."

- Phoenix Red

in this mode is slowed up considerably. Each line of text requires two passes of the print head. Since the printer can only operate unidirectionally in graphics mode, an additional two-to-one speed penalty is incurred. The result is on the order of a four-to-one speed reduction when comparing the "daisy wheel emulation" to basic dot matrix.

ENHANCED FEATURES

The SPI (and the SPI+ with the two-kilobyte buffer) is a basic printer interface without graphics capabilities. It is very similar to the Xetec graphic interface above. The same command channel, on secondary address 15, is available to control the unit. A number of the advanced features are carried over as well.

These include the highly legible listing mode, with keystroke identification of graphics characters and multiletter mnemonics for Commodore control codes. The monitor listing mode with hexadecimal dump of all characters is included as well. Not included are the automatic pagination and width commands of the graphic interface.

THE HARDWARE

Packaging is very similar to the graphic model in a VIC 20 cartridge case. Four miniature switches are accessible in a cutout in one corner. The switches allow hardware selection of device number 4 or 5, transparent mode, and automatic line feeds. The fourth switch sets the interface to either standard ASCII or Okidata printer mode.

CONCLUSION

The Xetec SPI is a reasonably priced, enhanced basic interface. It will be of greatest interest to users of the Star/Epson type of printers.

In addition to these two interfaces, Xetec has indicated they are working on two more. One of these will be a bare bones interface without the daisy wheel mode of the SPI. The other will be a deluxe graphics interface which will include the daisy wheel mode as well as additional features. The company intends to expand the onboard ROM to eight kilobytes to allow optimization with all printer types.

FONTMASTER

Although this utility program from Xetec will not be available in this form, we found it interesting enough to include with this report. A modified version of this software will be included as part of a word processor, which should be available about the time you are reading this.

The program is intended for use with a Gemini 10X printer. It uses the printer's high-density graphics capabilities to create a variety of type fonts. The examples following speak for themselves. Contact Xetec for details.

The BLOCK fent.


\$\phi \text{2}\text{2}\text{2}\text{2}\text{4}\text{2}\text{4

Che	SCOPBOLD FORE	
The	BAUHAUS font.	
The	BYTE font.	
		-

Interface	Card?/+B Card?/PS
Price	+B=\$59.95 PS=\$79.95
Buffer	none
Printer Optimization	ASCII, non-graphic
Warranty	Lifetime
Distributor	Cardco Inc. 300 South Topeka Wichita, KS 67202 316-267-6525

CARDCO CARD?/+B&CARD?/PS INTERFACES

The Cardco model B is a basic non-graphic interface. It performs the



The Cardco Card?/+ B and Card?/PS differ in one respect: the PS has both Centronics parallel and an RS232 serial ports. READER SERVICE. NO. 270

fundamental tasks of matching the hardware and ASCII codes between the Commodore computer and a standard printer. The model PS is functionally identical to the model B with one major enhancement. The Card?/PS is equipped with both a Centronics parallel port and an RS232 serial port. To our and alledge, the model PS is the only interface currently available which will permit the use of an RS232 printer on the Commodore serial port.

ENHANCED FEATURES

The model B and model PS are basic printer interfaces without graphics capabilities. All Commodore graphics characters are translated to either a two-letter mnemonic in the case of control codes, or into the character's ASCII code. This translation takes place only when the interface is in quote mode (that is, after an open quote mark has been sent to the printer).

When writing a Commodore BASIC program, graphics characters and control codes will appear only between quotation marks. Cardco takes advantage of this fact to place the interface into its listing mode. The problem occurs when running a program which may try to send some Commodore graphics characters to the printer. Since quotation marks are not normally sent by PRINT statements, the interface passes the codes on to the printer. The result is usually gibberish at best. If the characters correspond to some of your printer's control codes, the printer may end up doing some strange things. These interfaces are bestsuited for straight text applications or for use with letter-quality printers.

THE HARDWARE

The Cardco interfaces are very compact. The entire works fit in a package not much larger than the printer connector. Actually this connector is an integral part of the package. The interface is installed right at the back of the printer. Connection to the computer is via an unshielded multiconductor cable to the serial port. Interface power is derived from the cassette port.

The interface package has been redesigned to permit easy access to the

AHOY! 107

miniature switches. These switches allow selection of printer device number, auto line feed, and transparent mode. For the model PS, these switches also perform baud rate selection in the RS232 mode, as well as selection between Centronics and RS232 operation.

Interface	Card?/+G
Price	\$89.95
Buffer	none
Printer Optimization	C Itoh, Okidata
Distributor	Cardco Inc. 300 South Topeka Wichita, KS 67202 316-267-6525

CARDCO CARD?/+G GRAPHICS INTERFACE

We first looked at the Cardco model G graphics interface in the April 1984 issue. Since that time, a few minor improvements have been made. Of greater significance was the chance to try out the interface with the C Itoh printer, for which it is optimized. We also found that the +G gave acceptable performance with the Okidata 92 printer.

ENHANCED FEATURES

The model G provides total emulation of the Commodore 1525 printer when used with a compatible dot matrix printer. The interface performs best with a C Itoh 8510 or equivalent printer, as it is optimized for the printer's eight-dot character pattern. Also, the speed of this type of printer is not affected by the lack of any interface buffer.

Operation with the Okidata 92 is acceptable. Commodore graphics characters are printed with the proper aspect ratio. However, the absence of a printer buffer slowed down graphics printing.

Basic operating modes are chosen



CALL AHOY!'s BBS—212-564-7727 If your computer is equipped with a modem, you can call Ahoy!'s BBS 24 hours a day, 7 days a week to exchange electronic mail with other Commodore users or download files featuring contents of upcoming issues, excerpts from future editions of Scuttlebutt, program and article corrections/updates, and more.



by the secondary address of the OPEN command. These include total 1525 emulation in both upper case/graphics and upper/lower case mode, as well as transparent mode. All modes may be selected with and without line feeds. The total text listing mode is not software selectable; by adding twenty to the secondary address, the interface may be locked into that mode.

The interface monitor mode is available via secondary address 3. All characters sent to the printer are listed as their hexadecimal equivalent. This is very useful for debugging printer routines.

Secondary address 6 prints all characters from the interface's internal character generator ROM. This insures a uniform aspect ratio of both the standard text characters and the Commodore graphics characters. All characters are printed in an eight-dotwide matrix in this mode. When used with the Gemini 10X, this mode produced only 60 characters per line.

THE HARDWARE

The Card?/+G is packaged in a three-and-one-half- by five-and-one-half-inch plastic case. Connection to the computer is via a six foot unshielded cable to the serial port. Power to the interface is derived via a separate wire and connector from the computer's cassette port. A 15" flat ribbon cable, terminated with a Centronics connector, leads to the printer.

A set of eight miniature switches configure the interface for the different operating modes. Five of these switches are used to select four different printer types. If these switches are all turned on, the interface will revert to total text mode. Operation will be identical to the Cardco model B. This is the only way to access the special listing mode. In this mode all Commodore print control codes are listed as two-character mnemonics. All other unprintable characters are listed by their ASCII codes.

The remaining switches select device number four or five, transparent operation, and automatic line feed.

CONCLUSIONS

The Card?/+G is a basic graphic

interface which provides total emulation of the Commodore 1525 printer. Optimum performance is obtained when used in conjunction with a C Itoh type printer. The lack of a buffer will slow this interface down when used with the Okidata or the Star/Epson type of printers.

Interface	Tymac Connection
Price	\$119.95
Buffer	2K
Printer Optimization	Customized
ROM Version Tested	1.5
Distributor	Tymac Inc. 127 Main Street Franklin, NJ 07416 201-827-4050


THE TYMAC CONNECTION

We first looked at the Tymac Connection graphics interface in the April 1984 issue. In view of its outstanding performance at that time we felt we should mention it again. Historically speaking, the Connection is the forerunner of the MW350. Both interfaces were designed by Bob Kovacs. So it is not surprising to see a definite similarity in the performance and the features of these two products. We will not go into a detailed review of the Connection at this time. We will point out the following:

The Connection is a custom interface. You will have to specify your printer when ordering so that the proper ROM will be supplied. This will of course result in optimum performance with your particular printer. This also means that if you change printers you will have to order a new ROM for the interface.

The built-in two-kilobyte buffer allows optimum performance with all printer types. We only looked at the Star/Epson ROM, but expect comparable performance with other models. The Tymac produced total emulation of the 1525 printer with the exception of reverse characters, which are printed underlined.

Overall, the Connection is a well-designed, solid performer. Its lack of popularity has been mainly due to dealer reluctance to stock the selection of ROMs needed for all the different printer types.




FSI Software PO Box 7096. Minneapolis, MN 55407

quiries invited.

Toll-free 1-800-328-0145. In MN (612) 871-4505

Dealer and distributor in- Apple is a registered trademark of Apple Computer Corp.

Commodore-64 is a registered trademark of Commodore Business Machines, Inc.



The Plus/4's 16 colors X 8 intensity levels equal 121 hues (see text).

What's Inside the Plus/4?

Continued from page 30

es, and other sounds for games and other applications.

GRAPHICS AND DISPLAY
No boon for 80-column advocates

here—the Plus/4 display is the usual 40 columns by 25 lines. The display area has been adjusted to better utilize the screen surface. On most televisions there will be little or no visible side borders. This may present a problem with some televisions. The Plus/4 allows for this eventuality by a software display width control. This restricts the output to 38 of the available 40 columns. Additional

control is available via the window command mentioned below.


As with the C-64, the display has two bit-mapped modes. High resolution graphics allows for 320 horizontal by 160 vertical pixels. Multicolor graphics supports 160 horizontal by 200 vertical pixels. Color tradeoffs between the two modes are similar to those on the C-64. As a result, the Plus/4 will lend itself nicely to the sort of computer graphics programs reported on in the October and November 1984 issues.

The TED chip enhances the display of text as well. Individual characters can be set to flash or blink between normal and reverse display—a handy attention-getting device. An area of the screen can also be designated as a window. When a window is defined, all output, listings, and data will be restricted to a user-designated rectangular screen area. This feature works in both immediate and program modes.

BASIC 3.5-SOFTWARE COMPATIBILITY

The big news for the Plus/4 is its

AT LAST, A REALLY DIFFERENT ADVENTURE



From the fourth planet past the sun comes a whole new idea in software adventures, PIGS ON MARS. Marsoft brings to Earth's computers a graphics adventure with FULL text descriptions and a COMPLETE 100 page CARTOON BOOK to guide you in your journey through the often humorous and hazardous martian world. It will take your cunningness to new limits as you explore the story-book guide for the clues you will need to locate and destroy the evil castle of Dr. Snout, who is busy ruling Mars with an iron hoof.

Dealers & Distributors please write for more information.

COMMODORE 64 IS A TRADEMARK OF COMMODORE ELECTRONICS LTD.

EOR THE COMMODORE ST





To order direct send check or money order for \$29.50 + \$2.50 for postage and handling. California residents add 6% sales tax

O Marsoft

1916 WARBLER PLACE
ORANGE, CA 92667



THAT'S RIGHT! PIGS ON MARS COMBINES COMPUTER FLEXIBILITY WITH A CARTOON STORY THAT CHIDES YOU AROUND MARS AS YOU TRY TO STOP AN EVIL EMPIRE

Name.

Addres

City_



Put the World on Hold!



Cast off your cares and come sailing in the exotic Caribbean.

Not a dress-for-dinner floating hotel...but "barefoot" sailing & beachcombing for those with adventure in their souls. Lend a hand...or feet on the rail. Six exciting days from \$425. Write for your free Great Adventure Book.



BEFORE LOADING YOUR SOFTWARE MAKE A PERFECT BACKUP WITH



THE AUTOMATIC DISK BACKUP SYSTEM FOR YOUR 64 & 1541 DRIVE!

- Actually copies a FULL disk in only 4 MINUTES!
- Easiest to use TOTALLY automatic copy utility
- State of the "ARTS" copy capability!
- UNLOCKS protected disks for backup copying
- Breaks through LATEST protection schemes
- Includes FAST copier, "ARTS" copier and TRUE Nibbler: you get 3 copiers for the price of 1
- HALF-TRACKING up to & including track 40!
- 100% machine code for fast, RELIABLE operation
- 4 min. copier AUTOMATICALLY puts "errors" on copy
- · Fastest & most advanced copier you can buy
- Writes errors 20,21,22,23,27,& 29 WHILE COPYING!
- Transforms your 1541 into a SUPER-FAST copy drive!
- NO analysis required, just swap disks & NO damaging drive knock during errors or format
- · Formats AS IT COPIES, detects & reproduces NON-STANDARD formats & I.D. mismatch, DOS flags
- PRODUCT SUPPORT tel. #, revisions, & upgrades

OVER 500% FASTER THAN OTHER COPIERS!



ONLY \$49.95

To order CALL 805-687-1541 ext. 24

for entire system

Technical line 805-682-4000 ext. 22



For rush service call 24 hr. order line or send cashiers check/money order. Visa, MasterCard, & American Express include card# and exp. date. CA residents add 6% tax. Allow 2 weeks for clearance of personal & co. checks. Add \$3.50 shipping & handling for continental U.S./\$5.50 for UPS air. AK, HI, APO, FPO, CANADA add \$7.50. Other Foreign orders add \$8.50. All APO, FPO, & orders outside 48 states must be paid by certified U.S. funds. C.O.D.'s shipped to U.S. addresses only, add \$4.00. School orders welcome.

DISKMAKER PAYS FOR ITSELF THE FIRST TIME YOU USE IT!

Reader Service No. 257

basix

3463 State Street . Suite 1541H . Santa Barbara, CA 93105



built-in BASIC. This starts up with a whopping 60,671 bytes free. We must offer one word of caution: the use of any of the built-in high resolution graphics capabilities steals 10 kilobytes of RAM storage from the program space. Keep this in mind when developing any really long programs. We cannot go into full detail on all of the aspects of BASIC 3.5 at this time. However, the accompanying table lists all of BASIC 3.5's enhancements as compared to

BASIC 2.0. We think the table speaks for itself.

The Plus/4 also includes a builtin machine language monitor (TEDMON). This is not a simple program such as the ones included with the early CBM/PET computers. It is a full-featured utility. Included are a single line assembler/disassembler as well as all of the usual memory display and manipulation features.

SOFTWARE COMPATIBILITY

The big question is, is the Plus/4 compatible with existing C-64 software? The answer is yes and mostly no. The data format is the same as for all other Commodore machines, so existing programs and files can be LOADed without any problems. However, the internal architecture is different. As a result, machine language programs will require some work before they can be used. This

BASIC 3.5 EXTENSIONS v. BASIC 2.0

Programmer's Aid

AUTO [increment] - automatic line numbering with specified incre-

DELETE [line#] - line#] - deletes specified line or range of BASIC lines (direct mode only)

HELP-displays line with BASIC program error

KEY [key#, string] - assigns string to specified function key

MONITOR-calls the built-in machine language monitor

RENUMBER [new starting line#[, increment[, old starting line#]]] renumber BASIC program (direct mode only)

RESUME [line#/NEXT] - continues program after TRAPping an error TRAP [line#] - intercepts BASIC program errors, branches to specified line#

TRON-trace mode, displays line# of currently executing BASIC statement

TROFF-turns off trace mode

DOS Support

The disk drive command channel (secondary address 15) is automatically OPENed by these commands

BACKUP Ddr# TO Ddr# [,ON Udv#] - duplicate command for dual

COLLECT [Ddr#][,ON Udv#] - same as BASIC 2.0's VALIDATE command

COPY [Ddr#,] "source file" TO [Ddr#,] "dest. file" [ON Udv#] - same as BASIC 2.0

DIRECTORY [Ddr#][,Udv#][,"filename"] - displays disk directory without affecting current program

DLOAD "name"[.Ddr#][.Udv#]-LOAD from disk

DSAVE "name"[,Ddr#][,Udv#]—SAVE to disk
HEADER "name"[,lid#],Ddr#[,ON Udv#]—formats a disk, BASIC 2.0's **NEW** command

RENAME [,Ddr#]"old name" TO "new name"[,Udv#]-renames a disk

SCRATCH "file name" [.Ddr#][.Udv#] - erases a disk file

Notes for DOS commands dr# = drive number, i.e. 0 or 1 dv# = device number, i.e. 8 or 9 id# = two character disk id

Structured Programming DO [UNTIL bool arg WHILE bool arg] program statements [EXIT] LOOP [UNTIL bool arg WHILE bool arg]

IF bool arg THEN statement [:ELSE statement] bool arg = logical expression which is either true or false (-1 or 0)

Enhanced User Interface GETKEY - same as 10 GET A\$:IF A\$ = "THEN GOTO10 PRINT[#1fn] USING format list; print list; -- formatted PRINT statement PUDEF"1 to 4 characters" - redefines PRINT USING symbols

Compiled by Morton Kevelson

BOX [c-s#],x1,y1,x2,y2,[[,angle][,paint]] - draws a rectangle CHAR [c - s#].col,row[.text][,rvs - flag] - displays text on both the text and the graphic screens; equivalent to PRINT AT CIRCLE [c - s#],[xc,yc],xr[,yr][,[sa][,ea][,angle][,inc]]]]] - draws a cir-

COLOR c - s#,color#,[.luminance] - assigns colors to the five color

DRAW c-s#[,x1,y1[TOx2,y2...]]-draws dots, lines and shapes GRAPHIC mode[,clear-option]/CLR - allocates or deallocates a ten kilobyte graphic area; sets up selected graphic mode

LOCATE x,y-places the pixel cursor on the screen PAINT [c-s#][,[x,y][,fill-mode]]-fills an area with color SCALE n-scales drawing coordinates from 0 to 1023

SCNCLR-clears the current screen

SSHAPE string - variable,x1,y1[,x2,y2] - saves a rectangular graphics screen area as a string

GSHAPE string - varsiable[,[a,b][,put - mode]] - displays a saved

Notes for graphics commands

c - s# = color source number

0 = background

1 = foreground

2 = multicolor 1

3 = multicolor 2

4 = border

mode = graphic display mode

0 = normal text screen

1 = high-resolution graphics screen

2 = high-resolution graphics, split screen

3 = multicolor graphics screen

4 = multicolor graphics, split screen

col = text column (0-39) row = text row (0-24)

xr. yr = radii for circle

sa = start angle

ea = end angle

Reserved Variables

DS-reads current drive status from disk error channel

DS\$-reads current drive error message

ER-last program error after a RUN

EL-line number for ER

Functions

DEC (hexadecimal string) - converts hexadecimal to decimal

ERRS(N) - returns program error message

HEXS(N) - converts decimal to hexadecimal

INSTR (string1,string2[start-position] - finds position of string 2 inside

JOY(n)-returns position of the joystick

RCLR(N) - returns color assignment

RDOT(N) - returns current position of the pixel cursor

RGR(X) - returns current graphic mode

RLUM(X)-returns luminance level of specified color source

AHOY! 113

READER SERVICE INDEX

Page	State of the state	Svc.
No.	Company	No.
29	Commodore Business Machines	208
57	Genesis Computer Corporation	209
25	Apcad	210
42	Signal Computer Consultants	211
61	Ultrabyte	212
31	Work at Home Press	213
45	Computer Ed.	214
57	Public Domain, Inc.	215
4	CVC Online	216
6	Microware	217
58	Quantum	218
58	Razorback Software	219
27	Compûter Management Corp. Kvan Software	220
10	Bytes & Pieces	222
34	Software Shack	223
38	Prof. Jones	224
42	Adequate Software, Inc.	225
41	Integrated Soft	226
C-2	Cardeo, Inc.	227
103	Computer Profit Systems, Inc.	228
43	Codewriter Corporation	229
- 13	Playnet.	230
109	French Silk	231
7.	subLOGIC	232
C-4	Orange Micro, Inc.	233
8	Compuserve	234
91	Houseworks	235
52	Universal Software	236
85	Gamestar	237
93	MSD:	238
96	Software Design, Inc. Currah Technology	239
16	SSI	241
21	SSI	242
39	CHF Corporation	243
55	Bytes & Pieces	244
40	Computability	245
19	Computer Centers of America	246
43	Ohio Computer Services	247
22	MicroSpec, Inc.	249
35	Inovative Organizers, Inc.	250
95	Gold Disk	251
44	Inkwell Systems	252
28	Tussey Mountain Software	253
37	Ennon Inc.	254
99	Megasoft Phoenix Red	255
106	Basix Software	256 257
110	Marsoft	258
11	Indus Systems	260
32	Skyles Electric Works	261
46-51	Protecto Enterprizes	262-267
101	Okidata	268
102	Xetec, Inc.	269
107	Cardeo, Inc.	270
6.	Full Circle	271
12	Cardeo, Inc.	272
60	DLM	273
60	Simon & Schuster	274
60	Axiom	275
9	Cardeo, Inc.	276
	Sony Corporation of America	277
9	10.00	
9 62	Passport Music Software	278
9	Passport Music Software Koala Technologies Corp. First Star Software	278 279 280

is especially true for programs which make use of the C-64's unique sound and graphics capabilities.

Programs written in BASIC 2.0 should fare much better, especially if they avoid any system-specific PEEKs and POKEs. In the latter case, C-64 BASIC programs should RUN with little or no modification.

The Plus/4 retains the Kernal, the jumbo jump table at the top of memory, which allows uniform access to all major I/O routines for all Commodore computers. As a result, properly written commercial software will be readily converted to the new machine.

BUILT-IN SOFTWARE

Four applications programs are included in the built-in ROM. These consist of a word processor, a spreadsheet, a database manager, and a chart graphics utility. These programs are intended to give the new user immediate access to some useful computer applications without having to learn either programming or very much about machine operations. Entry into the program is via the word processor. Simply hitting the f1 function key, followed by a RETURN, gets you started.

The nice thing about these programs is the way they easily interact with each other. Sections of the spreadsheet can easily be transferred to the word processor for editing and printing. The graphics program produces a pictorial display of spreadsheet rows or columns. The resulting chart can be merged into the word processor for editing and printing.

We will not present a full review of the built-in software at this time. The overall performance of the programs did not achieve the level which is currently available in the better software for the C-64. For example, the word processor is limited to 99 lines by 77 columns of text at one time. The small size of the text buffer is compensated for by the inclusion of linkfile capability.

We found text entry to be somewhat awkward. The editing screen is a 37 column by 22 line window which scrolls across a 77 line display. There was no way to either change this or to view the text in its final form.

READEL

mail this

Street

City

The shortcomings of the word processor have already been recognized by Commodore. *Script/Plus*, an enhanced version of *Easy Script*, has already been released. We will report on this program in the near future.

DOCUMENTATION

The documentation is up to Commodore's usual standards, with some improvements. Advanced users will find many questions have been left unanswered. Most notable is a lack of information on the advanced bank switching supported by the Plus/4.

Two manuals are supplied with the computer. The User's Manual deals with the computer itself. The more than 200 pages are equally divided between a beginner's introduction and a reference section.

The applications programs are fully described in the 230-page *Integrated Software Manual*. Each program is independently described with a detailed tutorial followed by a reference section.

CONCLUSION

The Plus/4 offers more features for less money than any other machine on the market. The extended BASIC is Commodore's best effort to date. The programming commands and the built-in monitor make the Plus/4 a good programmer's machine. However, additional technical details on the machine's internal architecture will have to be released before it will achieve its full potential.


The built-in software is apparently intended to be the prime selling factor for this machine. These represent an effort to attract the first time users who would not otherwise conceive of a need for a home computer. While these programs are far from ideal, they will be adequate for many applications. More advanced users will find a need to move up to more sophisticated packages as they become available.

The ultimate success of the Plus/4 will probably be directly related to Commodore's own promotional efforts in making the general public aware of its capabilities.

114 AHOY!

MAKE NO MISTAKE...

CALKIT for your Commodore 64 is a powerful, real-world problem solver. Faster, easier and more accurate than pencil, paper and calculator — and a lot less frustrating.



CalKit helps you solve household and small business problems that involve rows and columns of numbers.

- balance your chequebook in seconds
- oplan your homesor business budget with ease
- simplify your income tax, and your investment portfolio
- calculate loan or mortgage payments, and then find out what happens to them in seconds, when interest rates change

That's the real advantage — with CalKit, you can change any number in your equation, and see how it affects the other numbers. All calculations are performed instantly! CalKit gives you the answers, in the

time it takes to ask "What If...?" You can make projections and plan ahead with confidence!

The CalKit problem-solving package includes builtin templates for the most important home and business needs. Over 20 ready-to-use, real-life applications on one disk. The rows, columns and calculations are already defined. No need for timeconsuming initial set-ups — all you do is enter your data. Other CalKit features, like on-screen menu and simple commands, make it even easier.

An easy and comprehensive manual with tutorials on each application are included. You'll be using CalKit like a pro, right out of the box. And once you've mastered the built-in templates, you'll be ready for your own unique spreadsheet programs.

Powerful solutions + ease of use + low low cost = CalKit. It all adds up to exceptional value, for a computer program that can help you every day.

BATTERIES NICLUDED

186 Queen St. West Toronto, Ontario, MSV 1Z1 Canada (416) 596-1405


"The Energized Software Company!"

WRITE FOR A FULL COLOR BROCHURE

@1984 Batteries Included. All rights reserved. Commodore is a registered trademark of Commodore Business Machines, Inc.

17875 Sky Park North, Suite P, Irvine, California USA 92714

"Now Your Commodore 64™ Can Print Like a Pro!"





The Revolutionary Printer Interface for the Commodore 64™

A New Era in Commodore Printing Power.

Grappler CD offers the first complete answer to your printer interfacing requirements, with many powerful capabilities unique in the Commodore marketplace. Complete signal translation allows many popular name brand printers to operate perfectly with the Commodore 64, or to imitate Commodore's own printer. Even Commodore's graphic character set can be reproduced on Epson, Okidata, Star, ProWriter and other popular printers.

Exclusive Grappler CD features provide a variety of graphic screen dumps, text screen dumps and formatting. No other Commodore interface can offer this.

If you own a Commodore 64...

If you're serious about quality, trouble free printing... You need the Grappler CD.

Contact your nearest Commodore dealer or call Orange Micro for a dealer near you.

Commodor e 64 and Commodore 1525 are trademarks of Commodore Electronics Limited Epson is a registered trademark of Epson América, inc.

A Uniquely Intelligent Interface:

- Prints Screen Graphics Without Software
- Graphics Screen Dump Routines Include Rotated, Inversed, Enhanced and Double Sized Graphics.
- Full Code Translation From Commodore's PET ASCII to Standard ASCII, the Language of Most Printers.
- Complete Emulation of the Commodore 1525
 Printer for printing of Commodore's Special Characters.
- Dip Switch Printer Selection for Epson, Star, Okidata, ProWriter and other popular printers.
- Conversion Mode for Easy Reading of Special Commodore Codes.
- Text Screen Dump and Formatting Commands
- 22 Unique Text and Graphics Commands




1400 N. LAKEVIEW AVE., ANAHEIM, CA 92807 U.S.A. (714) 779-2772 TELEX: 183511CSMA

© Orange Micro, Inc., 1983

Reader Service No. 233


DON'T MISS THE BOAT!



SUBSCRIBE TOAHOY!

- Send me twelve issues of AHOY! for \$19.95
 (\$26.95 Canada & elsewhere). I understand that I will be billed later.
- Send me twenty-four issues of AHOY! for \$37.95 (\$49.95 Canada & elsewhere). I understand that I will be billed later.

NAME	
ADDRESS	
CITY	
STATE	ZIP



What you get if you cross a Commodore 64 with a Ferrari.

ou get the incredible Indus GT™ disk drive.
You get brains. You get beauty.
But, that's not all you get.
You get a disk drive that can handle 100% of Commodore's software. Up to 400% faster.

You get the disk drive with the best service record around. With a one year warranty on parts and labor to prove it.

And, you get the only disk drive that comes with free software. Word processing. Spreadsheet. Database manager. Plus, a carrying case that doubles as an 80 disk storage file.

Most of all, you get luxury. From the sleek lines of its soundproofed chassis to the responsive AccuTouch™ controls at the Indus CommandPost.™ From the LED display that keeps you in control of your Commodore to the air-piston operated dust cover that protects your disks and drive.

So, you know what you really get if you cross a Commodore 64 with a Ferrari? You get the best.

INDUS

© Indus Systems, 9304 Deering Avenue, Chatsworth, CA 91311 (818) 882-9600. The Indus GT is a product of Indus Systems. Commodore is a registered trademark of Commodore Business Machines, Inc. Ferrari is a registered trademark of Ferrari North America, Inc.

BETTER KEYBOARD UTILITY.

A simply elegant solution—blank "Cheat Sheets" give you the keyboard commands you need, instantly, for any program.

ive got the best personal computer in the world and lots offware to run on it. But unless you work with each of



\$12.95 set of 12 custom \$19.95 set of 24 custom \$19.95 die cut sheets

BETTER DUST PROTECTION FOR VIC & COMMODORE

Choose an attractive static-free cover for your keyboard, monitor or complete system.

\$7.95 . \$12.95

We Can Solve All Your Commodore Color Problems Unique Problem Solvers for Older Commodores (with 5 Pin Monitor Din Plug).

The Interference Stopper A new kit that installs in minutes with two simple solder connections. Best results when combined with Items below. Absolutely stops 90% the RF interference.

\$15.95

The Color Sharpener . Use if your "old 64" is to a TV Just plug into the monitor plug, and is contrast immediately improve. Dramatically c Great graphics.

S18.95

hooked up to a monitor. A new 2 p Sharpener built in for your monitor

\$24.95

The Monitor "Improver" -1I you have a Commonitor, this cable (3 prong) gives you a pictubeliese. Better than the cable Commodore bulbooks your old 64 to the 1702.)

S24.95

RESET SWITCHES

At last, the "needed" switch for Vic-20 and Commodore

A steat at \$9.95

Is Your Commodore Disk Drive Hot and Bothered?

Our inexpensive mulfin fan sits on top of the disk drive and blows cooling air through it

We went one step further. We built a surge protector into a

\$79.95 Fan with Surge protector \$54.95 Multin fan

Order Today!

Qty. Item	Pri	ce
	s	_
	. 5	_
	. 5	_
Total for Merchandise	\$	
Shipping and Handling (foreign orders add \$500)	\$ 200	
5% State Tax (WI Residents only)	5	_
TOTAL ENCLOSED	s	
Please charge to MasterCard VISA		
Number		-
Expires		
SHIP TO:		
Name		-
Address		_
City	w	1
City	7 De	QI.

Reader Service No. 222



NO POSTAGE **NECESSARY** IF MAILED IN THE UNITED STATES

BUSINESS REPLY CARD

FIRST CLASS PERMIT NO. 65 MT. MORRIS, ILL.

POSTAGE WILL BE PAID BY ADDRESSEE



P.O. BOX 341 MT. MORRIS. ILL. 61054

Los Gatos, CA 95030 (phone: 408-

Mindscape has established a clue

hotline for gamers who find them-

selves stumped by Indiana Jones in

the Lost Kingdom (see last month's

Scuttlebutt, and next month's review).

Touch-tone phone owners can call

312-480-5010 24 hours a day, 365

days a year; callers with rotary

phones must call between 9 a.m. and

Road, Northbrook, IL 60062 (phone:

ter on adventure and role-playing

games, offers readers the opportun-

ity to run free ads for trading clues

and games. The winner of each

month's contest receives a new ad-

venture game. Subscription is \$15.00;

The Addams Expedition, 202 El-

Synapse has announced the first

two entries in its Electronic Novels

series: Mindwheel (a journey into the

minds of four deceased people of ex-

traordinary power) and Essex (the

story of an intergalactic search and rescue mission). Planned novels in-

clude Brimstone (medieval adven-

ture), Breakers (sci-fi/fantasy), and

Ronin (samurai epic). For the 64;

Avenue, Richmond, CA 94804

(phone: 415-527-7751).

Synapse Software, 5221 Central

Mindscape Inc., 3444 Dundee

QuestBusters, a monthly newslet-

4 p.m., central time.

sample copy \$2.00.

215-647-0552).

\$39.95 each.

312-480-7667).

399-2200).

ber in England which will be revealed by the solution.

Handic Software, Inc., 520 Fellowship Road, Suite B206, Mt. Laurel, NJ 08054 (phone: 609-866-1001).

GRAPHICS CONTEST

Activision is dangling a total of \$10,000 in cash and prizes before potential entrants in its Designer's Pencil contest. Participants must submit a design and/or music program created with the Designer's Pencil graphics software containing either 30 or fewer commands (Short Program Category) or an unlimited number of commands (Open Category). The 20 prizes (four grand prizes of \$1,000, eight second prizes of \$500, and eight third prizes of an Okidata printer) will be further divided between contestants who are 16 or older and 15 or younger as of April 30, 1985 gin Court, Wayne, PA 19087 (phone: (the deadline for submissions).

> Specific guidelines are packaged with each copy of Designer's Pencil; for further information contact Activision, Box #7286, Mountain View, CA 94042 (phone: 415-960-0410).

SPREADSHEET DATA

The Calc Now!/64 spreadsheet features 39K of free memory for data, 64 column by 254 row capacity, onscreen help windows, individually variable column widths, horizontal or vertical windowing, built-in scratch pad calculator, disk



ou Ind You get But, tha You get handle 10 software. You get best servi a one yea

labor to p

@Indus Syst

ct in its

ord proognized an enpt, has I report future.

Comh some ers will een left a lack d bank Plus/4. vith the ! deals

h pro-

livided luction

ares for achine BASIC o date. and the us/4 a Howails on tecture it will

parentselling se repst time se conompuure far ate for vanced e up to as they

READER SERVICE CARD

READERS: To request more information from the advertisers or articles in this issue, consult the advertisers' index on the last page of this issue for the reader service numbers. Then circle your choices and mail this card. We will promptly forward your request to the designated advertisers.

130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309

PLEASE ANSWER THE QUESTIONS BELOW. From which of the following sources did you obtain your Sex and age copy? K □ newsstand A
male N □ subscription (mail) B - female L

from a friend or family member M
other Educational level completed C □ elementary F College graduate G \square masters degree If not currently a subscriber, do you plan to become one? E [junior college H | phd Name Street A BETTER WAY TO ULD BOOK BALL PLANN IDEAL FOR: CHEQUE BOOK BALL PLANN FINANCIAL PLANNING • BUDGET PLANN FINANCIAL PLANNING • BUDGET PLANNING City _ State

solver. Faster, easier and less frustrating.

CalKit helps you solve household and small business problems that involve rows and columns of numbers.

- balance your chequebook in seconds
- plan your homesor business budget with ease
- simplify your income tax, and your investment portfolio
- calculate loan or mortgage payments, and then find out what happens to them in seconds, when interest rates change

That's the real advantage — with CalKit, you can change any number in your equation, and see how it affects the other numbers. All calculations are performed instantly! CalKit gives you the answers, in the

time it takes to ask "What If...?" You can make projections and plan ahead with confidence!

The CalKit problem-solving package includes builtin templates for the most important home and business needs. Over 20 ready-to-use, real-life applications on one disk. The rows, columns and calculations are already defined. No need for timeconsuming initial set-ups — all you do is enter your data. Other CalKit features, like on-screen menu and simple commands, make it even easier.

An easy and comprehensive manual with tutorials on each application are included. You'll be using CalKit like a pro, right out of the box. And once you've mastered the built-in templates, you'll be ready for your own unique spreadsheet programs.

Powerful solutions + ease of use + low low cost = CalKit. It all adds up to exceptional value, for a computer program that can help you every day.

READER SERVICE IN

Page	of the case of the second	1
No.	Company	wo.
29	Commodore Business Machines	100
57	Genesis Computer Corporation	1. 10,
25	Apcad	150
42	Signal Computer Consultants	5.54
61	Ultrabyte	
31	Work at Home Press	1
45	Computer Ed.	7 9
57	Public Domain, Inc.	
4	CVC Online	
6	Microware	3
58	Quantum	
58	Razorback Software	
27	Computer Management Corp.	1
27	Kyan Software	
10	Bytes & Pieces	
34	Software Shack	
38	Prof. Jones	
42	Adequate Software, Inc.	
41	Integrated Soft	3.1
C-2	Cardeo, Inc.	
103	Computer Profit Systems, Inc.	228
- 43	Codewriter Corporation	229
13	Playnet.	230
109	French Silk	231
7	subLOGIC	232
C-4	Orange Micro, Inc.	233
8	Compuserve	234
91	Houseworks	235
52	Universal Software	236
85	Gamestar	237
93	MSD	238
24	Software Design, Inc.	239
96	Currah Technology	240
16	SSI	241
21	SSI	242
39	CHF Corporation	243
55	Bytes & Pieces	244
40	Computability	245
19	Computer Centers of America	246
43	Ohio Computer Services	247
22	MicroSpec, Inc.	249
35	Inovative Organizers, Inc.	250
9/2	4.27.44.9	75

PLACE STAMP HERE

AHOY! MAGAZINE P.O. Box 2501 Clinton, Iowa 52735

Four applications programs are included in the built-in ROM. These consist of a word processor, a spreadsheet, a database manager, and a chart graphics utility. These programs are intended to give the new user immediate access to some useful computer applications without having to learn either programming or very much about machine operations. Entry into the program is via the word processor. Simply hitting the f1 function key, followed by a RETURN, gets you started.

The nice thing about these programs is the way they easily interact with each other. Sections of the spreadsheet can easily be transferred bas gairibs rot rocessorg brow satt a with the computer itself. The more than 200 pages are equally divided between a beginner's introduction and a reference section.

The applications programs are fully described in the 230-page Integrated Software Manual. Each program is independently described with a detailed tutorial followed by a reference section.

CONCLUSION

The Plus/4 offers more features for less money than any other machine on the market. The extended BASIC is Commodore's best effort to date. The programming commands and the built-in monitor make the Plus/4 a good programmer's machine. How

	20	uncharant.	
H	106	Phoenix Red	256
	112	Basix Software	257
	110	Marsoft	258
	III.	Indus Systems	260
	32	Skyles Electric Works	261
	16 51	Destanta Entarprises	262 267

chart can be merged into the word processor for editing and printing

We will not present a full review by intended to be of the built-in software at this time. The overall nerfo

achieve its full potential. The built-in software is appeared