GEOS: A Look At An Exciting, New Commodore 64 Operating System



FOR COMMODORE PERSONAL COMPUTER USERS



Solarpix Set the solar system in

motion, see the orbits of comets, and much more with this excellent simulation for the 64.

Also In This Issue:

A Guide To Commodore User Groups, Part 2 Software Reviews **New Products** And More



Power BASIC: Help Screens

Easily create up to eight help screens for your **BASIC** or machine language programs using this handy utility for the Commodore 64 and 128.

SpeedScript-80

Convert SpeedScript into an 80-column word processor with a Commodore 128 and 80column monitor.

Switcheroo

Your fortune changes fast in this two-player strategy game for the 64.

FontMaker

Design your own character sets and print them out with this versatile two-program package for the 64. 🗘www.commodore.ca (No I.D. required for half-elves.)

When the Going Gets Tough, the Bard Goes Drinking.

And the going is tough in Skara Brae town. The evil wizard Mangar has cast an eternal winter spell. Monsters control the streets and dungeons beneath. Good citizens fear for their lives. What's worse, there's only one tavern left that serves wine. But the Bard knows no fear. With his trusty harp and a few rowdy minstrel songs he claims are magic, the Bard is ready to boogie. All he needs is a band of loyal followers: a light-fingered rogue to find secret doors, a couple of fighters to bash heads, a conjurer to create weird allies, a magician for magic armor. Then it's off to com-

bat, as soon as the Bard finishes one more verse. Now what's a word that rhymes with "dead ogre?"



4 classes of magic user, including wizard and sorceror. 85 new magic spells in all.



128 color monsters, many animated. All challenging.



Full-color scrolling dungeons. 16 levels, each better than the one before. 3-D city, too.

The Bard's Tale[™]



Specs: 100% machine language, 400K worth on 2 disks. 64K RAM minimum; enhanced for 128K. Now available for Apple II family for \$44.95, C-64 & 128 for \$39.95. To order: Visit your retailer or call (800) 245-4525 (In Calif. call (800) 562-1112) for VISA or MasterCard orders. To purchase by mail, send check or money order to Electronic Arts, P.O. Box 306, Half Moon Bay, CA 94109. Add \$3 for insured shipping and handling. Allow 1-4 weeks for delivery. The Bard's Tale is worth the wait. Apple is a trademark of Apple Computer. Wizardry is a registered trademark of Sir-Tech Software, Inc. Ultima is a registered trademark of Richard Garriott. The Bard's Tale and Electronic Arts, 2755 Campus Drive, San Mateo CA 94403.

🕻 www.commodore.ca



Melodian will teach you to play, compose,



A True Breakthrough In Music Education

At last, a program that makes it not only easy but fun to learn music. The Melodian keyboard and software were designed by Harry Mendell who designs custom synthesizer electronics and software for professional musicians such as **Stevie Wonder** and Eric Himy, an award winning concert pianist. The Melodian boasts many of the professional features found only on more expensive equipment. These features include multitrack recording, the ability to create custom instrument sounds and most importantly, ease of use.

Start your lesson with **RhythmMaster** Software. With its built-in metronome, RhythmMaster will display the treble and bass musical staffs and a picture of a piano keyboard. RhythmMaster will then play a measure of music and you must try to play the same measure back on the Melodian keyboard. You're not familiar with the keyboard or can't read music? No problem. RhythmMaster displays the notes you are to play on the musical staff and on the keyboard pictured on the monitor. If you strike the wrong key the note on the musical staff turns red and shows you which key you played wrong, making it ever so easy to correct what you played.

If you should hold a key too long a turtle runs across the screen. Inversely if you should release a key too quickly a rabbit scurries by. If you don't play it correctly RhythmMaster knows it and repeats the measure for you to play.

ConcertMaster teaches you how to play 35 pre-recorded songs from Bach to Rock. With ConcertMaster you can analyze music note by note, instrument by instrument and learn how a music composition is put together. Then you can compose your own music and record it right onto your floppy disks.

There are nineteen different instrument sounds to choose from in over a seven octave range giving you a wide choice of instruments to suit your musical taste and expression. You can also create your own instrument sounds. ScoreMaster enables you to print out your music in standard music notation for other musicians to play, or for yourself.

New York Times Says . . .

Erik Sandberg-Diment of the New York Times states "really useful and instructive item ... Tanya, our 10 year old beginner quickly caught the spirit of matching the dance of her fingers to the measured metronome." "One piece of educational software that, unlike most of its kinfolk, actually delivers. These software-hardware combinations offer a lot of enter-tainment to the Commodore owner."

RUN Magazine Says . . .

Tom Benford of RUN notes "Whenever a selection of products of the same genre is available, one among the bunch rises head and shoulders above the rest. Such is the case with Melodian ConcertMaster keyboard and software. The combined features of RhythmMaster and ConcertMaster give you a complete music tutorial."

AHOY! Magazine Says . . .

Peggy Herrington of AHOY! said "The system is so easy to use that I didn't need the documentation". "It's fun, challenging, and educational, and for playability and ease of use it is nothing short of spectacular."

Satisfaction Guaranteed When You Buy Direct

By selling directly to you, we are able to give you the Melodian Keyboard and Software at far lower prices than ever offered before. You take no risk. If the Melodian keyboard or any of the programs don't please you, or WWWASCOMIAMOEOUECA CEA back within 60 days for a full refund!

and record music in just one evening!!





RhythmMaster Software rm-01



RhythmMaster teaches a beginner how to read music and play it correctly and in rhythm on the musical keyboard.

RhythmMaster will have you reading and playing musical notes in minutes with fun and excitement.

RhythmMaster Features:

Trumpet, organ, violin, and synthesizer instrument sounds. Built in metronome. Pause/Play control. Set-up menu for customizing RhythmMaster.

RhythmMaster Teaches:

How to read notes on the treble and bass musical staffs, the names of the notes, where the notes are on the keyboard how to play whole notes, half notes, quarter notes, eighth notes and sixteenth notes in combinations, in both 3/4 and 4/4 time. How to play in different tempos

RhythmMaster Requires:

A Commodore 64 or Commodore 128 with disk drive. Melodian Musical Keyboard kb-oi is required to study the reading and playing of musical notes.

Melodian Musical Keyboard kb-01



40 Keys (A-C) in professional gauge spring loaded to give the feel and response of a real keyboard instrument. Polyphonic.

Registers (with ConcertMaster)

Organ, Trumpet, Flute, Clarinet, Piano, Harpsicord, Violin, Cello, Bass, Banjo, Mandolin, Calliope, Concertino, Bagpipe, Synthesizer 1, Synthesizer 2, Clavier 1, Clavier 2, which can be played over a 7 octave range. Programmable sounds as well.

Recording (with ConcertMaster)

Three track sequencer (recorder) with overdubbing and multitimbral (different instrument sounds at the same time) effects.

Interface

Built in interface for Commodore 64, Commodore 128, plugs right in to joystick port no. 2 and user port.

Power Supply

Powered direct by the computer, no batteries and cords required. Finish

Table Model in white high-impact material, with carrying handle, pro-tective key cover, and built in music stand. Size 29 -1/8 X 9-9/16 X 3-11/16, weighs 9 pounds.

Programmer's Tool Kit \$29.95

pt-o1

Contains programs, and BASIC source listings for reading the Melodian Musical Keyboard, and for reading and creating music files for Melodian ConcertMaster.

FOR CREDIT CARD ORDERS, CALL TOLL-FREE 1-800-327-4566 IN FLORIDA, CALL 1-800-351-8777

For our International customers: Please send credit card number or international money order in U.S. dollars, or call 305-979-3777. For Canada and Mexico, add \$15.00 for air mail. Overseas add \$16.00 for surface mail, and \$70.00 for air mail.

ConcertMaster Software cm-01

\$29.95

ConcertMaster teaches how a composition is put together, note by note, instrument by instrument. You learn to play 35 pre-recorded songs from Bach to Rock. Then you can compose your own songs and record them right onto your floppy disk.

ConcertMaster Teaches:

Scales, Bass lines, Familiar Beginner Songs such as "Jingle Bells" Easy classical songs such as "Bach Minuet" and Ravel's "Bolero", Advanced classics like "A Midsummer's Night Dream" by Mendelssohn, Popular hits such as "Thriller

Instruments Sounds

Organ, Trumpet, Flute, Clarinet, Piano, Harpsicord, Violin, Cello, Bass, Banjo, Mandolin, Calliope, Concertina, Bagpipe, Synthesizer 1, Synthesizer 2, Clavier 1, Clavier 22, which can be played over a zoctave range. Programmable sounds as well.

Recording Functions:

Three track sequencer (recorder) with overdubbing and multitimbral (different instrument sounds at the same time) effects.

Each track can be set to one of seven different functions: · Monitor: Lets you use a track to play music live, without recor-

- ding it.
- Record: Records a track as you play.

Playback: Lets you hear whatever has been recorded or loaded into the track. You may playback one track while recording another to build layers of instruments.

Mute: Turns a track off. This is useful when you want to listen to or record one or two tracks at a time.

- Save: Stores a track to the disk.
- Load: Loads a track from the disk.
- Protect: Write protects a track.

Create New Instrument

Sounds

Choose from pulse, sawtooth, triangle and noise sound sources. Control the sound envelope with attack, decay, sustain, and release times. Ring Modulation and Syncronization effects. Set Low pass, band pass, and high pass filter frequencies.

ConcertMaster Requires:

A Commodore 64 or Commodore 128 with disk drive. Melodian Musical Keyboard kb-oi is required to study the reading and playing of musical notes.

Melodian ScoreMaster



SM-01

With the ScoreMaster program your music can be printed out in music notation, which other musicians can read and play. Any music recorded with the ConcertMaster program can be printed by ScoreMaster.

ScoreMaster Requires:

A Commodore 64 or Commodore 128 with disk drive and printer compatible with the Commodore graphics mode such as the Commodore MPS 803, 1515, and 1525. Melodian ConcertMaster program.

ACCESSORIES

Headphones	\$1	12.9	5
Stereo Cables	\$	9.9	5
Demonstration Disk	\$	9.0	5

RECORDINGS

Christmas Carols	\$12.95
Tchaikowsky Nutcracker	\$12.95
	\$12.95
Classical Favorites	\$12.95

The new, fast way to way h acountao © 1985, Melodian, Inc., 970 W, McNab Fort Lauderdale, FL 33309

A Printer For All Reasons Search For The Best High Quality Graphic Printer

If you have been looking very long, you have probably discovered that there are just too many claims and counter claims in the printer market today. There are printers that have some of the features you want, but do not have others. Some features you probably don't care about, others are vitally important to you. We understand. In fact, not long ago, we were in the same position. Deluged by claims and counter claims. Overburdened by rows and rows of specifications, we decided to separate all the facts — prove or disprove all the claims to our own satisfaction. So we bought printers. We bought samples of all the major brands and tested them.

Our Objective Was Simple

We wanted to find that printer which had all the features you could want and yet be sold directly to you at the lowest price. We didn't want a "close-out special" of an obsolete product that some manufacturer was dumping, so we limited our search to only those new printers that had the latest proven technology. We wanted to give our customers the best printer on the market today at a low price.

The Results Are In

Our search is over. We have reduced the field to a single printer that meets all our goals (and more). The printer is our SP-1000 manufactured by a Division of Seiko, the world class manufacturer of many fine products from Japan. We ran this printer through our battery of tests and it came out shining. This printer *can* do it all. Standard draft printing at a respectable 100 characters per second, and with a very readable 12 (horizontal) by 9 (vertical) character matrix. This is a full feature, bidirectional, logic seeking, true descender printer.

"NLQ" Mode

One of our highest concerns was about print quality and readability. This printer has a print mode termed Near Letter Quality printing (NLQ mode). This is where we outshine all the competition. Hands down! The character matrix in NLQ mode is a very dense 24 (horizontal) by 18 (vertical). This equates to 41,472 addressable dots per square inch. Now we're talking *quality* printing. It looks like it was done on a typewriter. You can even print graphics using the standard graphics symbols built into your computer. The results are the best we've ever seen. The only other printers currently available having resolution this high sell for hundreds more.

Features That Won't Quit

Your computer can now print 40, 48, 68, 80, 96, or 136 characters per line. You can print in ANY of scores of styles including double width and reversed (white on black) styles. You not only have the standard Pica, Elite, Condensed and Italics, but also true Superscripts and Subscripts. Never again will you have to worry about how to print $H_{2}O$ or X^2 . This fantastic machine will do it

automatically, through easy commands right from your keyboard. Do you sometimes want to emphasize a word? It's easy, just use bold (double strike) or use italics to make the words stand out. Or, if you wish to be even more emphatic, underline the words. You can combine many of these modes and styles to make the variation almost endless. Do you want to express something that you can't do with words? Use graphics with your text - even on the same line. You have variable line spacing of 1 line per inch to infinity (no space at all) and 143 other software selectable settings in between. You can control line spacing on a dotby-dot basis. If you've ever had a letter or other document that was just a few lines too long to fit a page, you can see how handy this feature is. Simply reduce the line spacing slightly and ... VOILA! The letter now fits on one page.



Forms? Yes! Your Letterhead? Of Course!

Do you print forms? No problem. This unit will do them all. Any form up to 10 inches wide. The tractors are adjustable from 4 to 10 inches. Yes, you can also use single sheets. Plain typing paper, your letterhead, short memo forms, labels, anything you choose. Any size to 10" in width. In fact this unit is so advanced, it will load your paper automatically. Multiple copies? Absolutely! Use forms (up to 3 thick). Do you want to use spread sheets with many columns? Of course! Just go to condensed mode printing and print a full 136 columns wide. Forget expensive wide-carriage printers and changing to wide carriage paper. You can now do it all on a standard 81/2" wide page, and you can do it quietly, it's only 55dB. This is much quieter than any other impact dot matrix printer that we know of and is quieter than the average office background noise level.

Consistent Print Quality

Most printers have a ribbon cartridge or a single spool ribbon which gives nice dark printing when new, but quickly starts to fade. To keep the printers output looking consistently dark, the ribbons must be changed quite often. We solve this problem by using a wide ($\frac{1}{2}$ ") ribbon cartridge that will print thousands of pages before needing replacement. (When you finally do wear out your ribbon, replacement cost is only \$11.00. Order #2001. (Also Locally Available.)

The Best Part

When shopping for a printer with this quality and these features, you could expect to pay much more. *Not now!* We sell this fantastic printer for only \$219.95! You need absolutely nothing else to start printing — just add paper (single sheet or fanfold tractor).

No Risk Offer

We give you a 2-week satisfaction guarantee. If you are not completely satisfied for any reason we will promptly refund your purchase. The warranty has now been extended to 2 years. The warranty repair policy is to repair or replace and reship to the buyer within 72 hours of receipt.

The Bottom Line

Be sure to specify the order # for the correct version printer designed for your computer.

Commodore C-64 & C-128, Order #2200, graphics interface & cable built in. \$219.95

IBM-PC and compatibles, Order #2100, \$239.95 plus 8' shielded cable #1103, \$26.00

Apple IIc & Macintosh Order #2300, \$239.95 with cable.

Standard Parallel with 36 pin Centronics connector, Order #2400, \$239.95 no cable.

Standard Serial with RS-232 (DB-25) Connector, Order #2500, \$239.95 no cable.

We also have interfaces and cables for many other computers not listed. Call Customer Service at 805/987-2454 for details.

Shipping and insurance is \$10.00 — UPS within the continental USA. If you are in a hurry, UPS Blue (second day air), APO or FPO is \$22.00. Canada, Alaska, Mexico are \$30.00 (air). Other foreign is \$70.00 (air). California residents add 6% tax. The above are cash prices — VISA and MC add 3% to total. We ship the next business day on money orders, cashiers' checks, and charge cards. A 14-day clearing period is required for checks.

For information call 805/987-2454 TO ORDER CALL TOLL FREE 1-(800) 962-5800 USA 1-(800) 962-3800 CALIF. (8-8 PST)

> Dealer inquiries invited or send order to:



C-www.ilommodore.ca



June 1986 Vol. 4, No. 6

features

GEOS: The Quiet Revolution Lee Noel, Jr	20	*
The Evolution of Commodore Graphics Kathy Yakal		
A Guide to Commodore User Groups, Part 2 Joan Rouleau		

reviews

The Bard's Tale Lee Noel, Jr	44	64
Ballyhoo Joan Rouleau		
Jet David Florance		
Battle of Antietam George Miller	48	64
Leader Board Gregg Keizer	50	64
Votalker Speech Synthesizer Todd Heimarck	51	64

games

Star Dragon Sean D. Wagle	54	64
Predictor John Krutch	58	64/+4/16/V
Switcheroo Kevin Mykytyn and Mark Tuttle		

education/home applications

Solarpix Simon Edgeworth		64	64
Computing for Families: My Favorite Robots	Fred D'Ignazio	90	*

programming

Hints & Tips: A Little More Speed	66	128/64/+4/16/V
MonoTones Samuel Ford	68	128/64
Quick Key James Nakakihara		
64 AutoBoot Maker Rene Suarez	75	64
Power BASIC: Help Screens Jaffer Siddiqui	76	128/64
SpeedScript-80 for the 128 Todd Heimarck	77	128
BASIC Magic: Arrays in the Next Dimension Michael S. Tomczyk	84	128/64/+4/16/V
Machine Language for Beginners: More Math Richard Mansfield	91	128/64/+4/16/V
FontMaker John Cawley, III	92	64

departments

The Editor's Notes Robert C. Lock	6	*
Gazette Feedback Editors and Readers	10	*
News & Products	73	*
Simple Answers to Common Questions Tom R. Halfhill	88	*
Horizons: Thanks for the Memory Todd Heimarck	89	*

program listings

COMPUTEI's Gazette Author's Guide	A State And the 1
How to Type In COMPUTEI's Gazette Programs	
The Automatic Proofreader	128/64/+4/16/V
MLX	64

128 Advertiser's Index

*=General, V=VIC-20, 64=Commodore 64, +4=Plus/4, 16=Commodore 16, 128=Commodore 128

COMPUTE!'s GAZETTE is published monthly by COMPUTE! Publications, Inc., 825 7th Avenue, New York, NY 10019 USA. Phone: (212) 265-8360. Editorial offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. POSTMASTER: Send address changes to COMPUTE!'s GAZETTE, P.O. Box 10957, Des Moines, IA 50340. Second class application pending at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright ©1986 by COMPUTE! Publications, Inc. All rights reserved, ISSN 0737-3716. COMPUTE! Publications, Inc. is part of ABC Consumer Magazines, Inc., One of the ABC Publishing Companies: ABC Publishing, President, Robert G. Burton; 1330 Avenue of the Americas; New York, New York, New York 10019.

www.commodore.ca



You may recall that just last month (the May GAZETTE ''Editor's Notes'') we requested that you write in on a variety of topics. What we can't figure out is how your letters have already begun to arrive by the dozens these first couple of days. As promised, here's a sampling of the early arrivals.

Under the heading of what's happening to the VIC-20s, as well as how you're using your computer (VIC-20 or otherwise):

Yes, I have one, and I still use it, although admittedly somewhat irregularly. I use it because it is easier to program than the 64, plus the characters are large and easy for little children to use. Columbus, Ohio

I use my VIC-20 for Cub Scout records; educational programs for my eight children; and a few games....

Clarksville, Tennessee

After five years of retirement from an active life as an accounting executive and CPA...I purchased a VIC-20 (in 1982) for the purpose of teaching myself to program. I needed the mental stimulation. I have not been bored since then....

Athens, Alabama

Thanks for asking! Your magazine is the finest on the market and if a satisfied reader's opinion can help it stay that way then I, for one, am pleased to contribute.

I own a Commodore 64... this letter is being written on it....I just refigured my home mortgage last week and I am setting up a program to do my restaurant inventory as well.... Holly Springs, North Carolina Here's one of the most colorful responses, and we were pleased to discover it was from old friends who had contributed a major feature article to the very first issue of COMPUTE!.

We are taking advantage of your promise to read what we...have done with computers since purchasing a PET 2001 in 1978.... We are retiring from teaching this year....

We've had several computers since 1978 when we ran the first course in BASIC for teachers in our area. We forecast at that time that there would be 753 computers in the 13-school system by 1985. The estimate proved a little conservative. There are over 800 in use.

The computers we acquired for personal use include:

- 1. Two VIC-20s with Datassettes and monitor TVs.
- 2. Two PETs (2001 and 4032) with dual disk drives and an Epson MX-80 printer with an IEEE interface.
- 3. Commodore 64 with 1702 monitor, 1541 floppy, and an MPS-803 printer.
- 4. Timex/cassette and monochrome monitor.
- 5. Pioneer MSX with a Hitachi 3¹/₄-inch floppy drive, laser disk game, and graphics tablet.
- 6. Commodore 64/128 with a 1702 monitor, 1571 floppy, and Comrex printer.

We have used the equipment in the following ways:

- 1. One VIC-20 and the 64 (used in teaching at first) went to our grandchildren and daughter....
- 2 The Timex is in a Corn Flakes box, with an advertising page pasted on the out-

side showing the price of \$250. We use it in lectures to show that computers may one day become premiums in cereal boxes.

- 3. Our remaining VIC-20 with a Datassette is reserved for a weather station to read the current barometric pressure, the outdoor temperature, wind velocity and direction, calculate the Delta T and Delta P, and prepare a weather forecast for 6-24 hours with an accuracy of about 85 percent.
- 4. The Pioneer is used in our research work for interactive video using a laser disk and computer with graphic overlays on the video. It's the only \$400 computer we have ever seen capable of that function.
- 5. The 64/128 is brand-new

We use the computer almost daily for word processingIt is an even greater consideration in our Gifted Children Programs at grades 4–6 and 10–12. Touch-typing fourth graders are turning in errorcorrected copy to us.

Now that we are "retiring" we plan to produce interactive video programs as teaching materials using generic laser disks and computer programs....

Frankfort, New York

Again, thank you for your continued contributions, and within the next few months we'll put together an article sharing in greater detail some of your input.

C. Fock

Editor In Chief

TEMPLE OF APSHAI TRILOGY" BIGGER. MEANER. AND RICHER THAN EVER.



You know Temple of Apshai. The classic. Best-seller for over four years.

You may have friends trapped forever in its dark recesses.

Players have dropped from sight for weeks at a time, searching for the treasures of Apshai.

Well now we've raised the stakes. Introducing the *new* Apshai Trilogy. The *combined* wrath of the world famous Temple of Apshai®, Upper Reaches of Apshai®, and Curse of Ra®. All on a single disk. Twelve levels. 568 rooms to explore. More choices. More chances. Best of all, there's faster game play. The graphics and sounds are new. The challenge of the dungeons is timeless. Are you ready for the most involving role-playing game ever designed?

Temple of Apshai is waiting. Silently lurking. Patiently waiting. For you. At your nearest Epyx dealer.







1043 Kiel Court, Suprovale, CA 94089 Strategy Games Yor the Action-Bame Payer Ca

COMPUTE! Publications, Inc.

Publisher James A. Casella Founder/Editor in Chief Robert C. Lock Senior Editor Richard Mansfield Managing Editor Kathleen Martinek Executive Editor Selby Bateman Editor Lance Elko Assistant Editor Todd Heimarck Production Director Tony Roberts

Editors

Tom R. Halfhill, Editor, COMPUTE! Magazine; Stephen Levy, Editor, COMPUTE! Books Division; Gail Cowper, Production Editor; Ottis R. Cowper, Technical Editor; Charles Brannon, Program Editor

Assistant Editors

Gregg Keizer, Ann Davies (Books); George Miller, (Technical); Philip Nelson (COMPUTE! Magazine); Kathy Yakal, Assistant Features Editor; Joan Rouleau, Research/Copy Editor; Mark Tuttle, Submissions Reviewer

Editorial Programmers

Patrick Parrish (Supervisor), Tim Victor, Kevin Mykytyn

Programming Assistants

David Florance, David Hensley

Administrative Staff

Executive Assistant, Debi Nash; Julia Fleming, Iris Brooks, Mary Hunt, Sybil Agee

Production

Irma Swain, Production Manager; Janice Fary, Art & Design Director; Lee Noel, Assistant Editor, Art & Design; De Potter, Mechanical Art Supervisor; Terry Cash, Carole Dunton, Typesetting

Artists

Dabney Ketrow (Publications), Debbie Bray (Books); Harry Blair, Illustrator

Associate Editors

Jim Butterfield (Toronto), Harvey Herman (Greensboro), Fred D'Ignazio (Alabama)

Customer Service

Diane Longo, Customer Service Manager; Orchid Tamayo, Dealer Sales Supervisor; Cassandra Greene, Customer Service Supervisor

Receptionist, Anita Armfield

Warehouse Manager, John Williams

Data Processing Leon Stokes, Manager

Promotion

Caroline Dark, Promotion Assistant

Advertising Sales

Richard J. Marino, Vice President, Advertising Sales; Peter Johnsmeyer, Director of Advertising Sales; Bernard J. Theobald, Jr., Associate Advertising Director; Kathleen Hanlon, Production Coordinator

Sales Representatives

Jerry Thompson	415-348-8222
Harry Blair	919-275-9809
Jonathan Just	212-315-1665

Address all advertising materials to: Kathleen Hanlon, COMPUTE!'s GAZETTE 324 West Wendover Ave., Suite 200, Greensboro, NC 27408

Sales Offices

Northeast	212-315-1665
Mid-Atlantic	212-315-1665
Southeast	212-275-9809

Sales Offices, Jules E. Thompson, Inc.

1290 Howard Avenue

 Suite 303

 Burlingame, CA 94010

 Midwest
 312-726-6047

 Texas
 713-731-2605

 Pacific Northwest
 415-348-8222

 Northern CA
 415-348-8222

 Southern CA
 213-378-8361

 Arizona
 213-378-8361



COMPUTEI Publications, Inc., publishes

COMPUTE! COMPUTE! Books COMPUTE!'s GAZETTE COMPUTE!'s GAZETTE Disk Apple Applications

213-378-8361

303-595-9299

Editorial Office:

New Mexico

Colorado

324 West Wendover Ave., Suite 200, Greensboro, NC 27408 Corporate Offices:

825 7th Avenue, New York, NY 10019

Customer Service:

P.O. Box 5038, F.D.R. Station, New York, NY 10150 Telephone: (In NY) 212-887-8525; (In U.S.) Toll free 1-800-346-6767 Office Hours: 8:30 AM to 4:30 PM Monday-Friday

President James A. Casella Vice President, Advertising Richard J. Marino

Subscription Orders COMPUTE!'s GAZETTE P.O. Box 10957, Des Moines, IA 50340

TOLL FREE Subscription Order Line 1-800-247-5470 In IA 1-800-532-1272

COMPUTE!'s GAZETTE Subscription Rates

(12 Issue Year): US (one year) \$24. Canada, Mexico and Foreign Surface Mail \$30. Foreign Air Mail \$65.

The COMPUTE's GAZETTE subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to: COMPUTE's GAZETTE, P.O. Box 10958, Des Moines, IA 50950, Include a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to COMPUTE's GAZETTE are original materials with full ownership rights resident in said authors. By submitting articles to COMPUTE's GAZETTE, authors acknowledge that such materials, upon acce tance for publication, become the exclusive property of COMPUTEI Publications, Inc. No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1986 **COMPUTEI** Publications, Inc. Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication will be returned if author provides a self-addressed, stamped envelope. Where programs are included in an article submission, a tape or disk must accompany the submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each article page should bear the title of the article, date, and name of the author. COMPUTEI Publications, Inc., assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of **COMPUTEI** Publications, Inc. **COMPUTEI** Publications assumes no responsibility for damages, delays, or fail-ure of shipment in connection with authors' offer to make tape or disk copies of programs published herein.

PET, CBM, VIC-20, Commodore 64, Plus/4, 16, and 128 are trademarks of Commodore Business Machines, Inc., and/or Commodore Electronics Limited. Other than as an independent supplier of quality information and services to owners and users of Commodore products, **COMPUTEI** Publications, Inc., is in no way associated with Commodore Business Machines, Inc., or any of its subsidiaries.

C*www.commodore.ca

Two Exciting New Books



from COMPUTE!

Electronic Computer Projects

for Commodore and Atari Personal Computers

An end of the second se

COMPUTE!'s First Book of the Commodore 128

A spectacular collection of articles and programs exclusively for the Commodore 128 *in 128 mode*. Edited

The editors at COMPUTE! Publications have collected some of the best games, programs, and tutorials for the Commodore 128 from *COMPUTE!* and *COMPUTE!'s Gazette*, plus some never-beforepublished articles and programs. Learn how to create windows, program sound, and make disks autoload. You'll even find a map of all the important memory locations. There's something for every 128 user. All programs run in 128 mode. A disk is available which includes programs in the book, \$12.95.

\$14.95 ISBN 0-87455-059-9

Electronic Computer Projects

Learn how to build all kinds of new devices to interface with your computer from inexpensive, available parts.

For the Commodore 64, 128, VIC, and any eight-bit Atari personal computer.

Soori Sivakumaran

This introduction to digital electronics and computer interfacing is the easy way to learn how computers interact with the outside world. Using a Commodore 64, 128, VIC, or any eight-bit Atari computer and *Electronic Computer Projects*, you'll be guided through the steps to building a joystick, light pen, game paddle, and numerous other devices. And since each project is independent from the others, you can choose only those projects that interest you. All the projects can be built at home and most require fewer than half a dozen parts.

\$9.95 ISBN 0-87455-052-1

Visit your local book or computer store for these new titles. Or order directly from COMPUTE! Books. Call toll-free 800-346-6767 (in NY 212-887-8525) or write COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.

Please include \$2.00 per book (\$5.00 air mail) for shipping and handling. NC residents add 4.5 percent sales tax. Allow 4–6 weeks from receipt of order for delivery.

COMPUTE! Publications, Inc.

Dine of the ABC Publishing Companies 125 7th Avenue, 5th Flopr, New York, NY 10019 COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN. England, and in Canada from McGraw-Hill, Ryerson Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 225.

Editors and Readers



Do you have a question or a problem? Have you discovered something that could help other Commodore users? We want to hear from you. Write to Gazette Feedback, COMPUTE!'s GA-ZETTE, P.O. Box 5406, Greensboro, NC 27403. We regret that due to the volume of mail received, we cannot respond individually to programming questions.

Loading From Disk

I purchased a disk drive less than a month ago. Everytime I try to load a program I either get a syntax error or it says PRESS PLAY ON TAPE. I can't seem to figure out what the problem is. J. Sarli

If you type LOAD "PROGRAMNAME" you should see the PRESS PLAY ON TAPE message. You haven't indicated where the program is. In the absence of explicit instructions, your computer assumes you want to load the program from a tape drive, thus the prompt to press the play button.

To load from a disk drive, you must include the device number. A disk drive fresh from the factory is always device 8. Enter LOAD "PROGRAMNAME", 8 to load a BASIC program (the number 8 tells the computer to search for that program on the disk drive). You can then run the program.

Sometimes you'll need to follow a slightly different format, especially if you have either commercial software or a machine language program. LOAD "PRO-GRAMNAME",8,1 forces the program to load into the same section of memory from which it was saved. You often won't be able to run such a program. In some cases, the program loads and automatically runs by itself. Other times you may have to type in SYS and a memory address where the program is located.

Nutrition Software

I am a new diabetic and diet is an important part of controlling blood sugar. I would like to know if there are any programs for the 64 to assist in planning menus for a diabetic.

Robert L. Cole

We don't know of any software that analyzes meals for diabetics, but that doesn't 10 COMPUTE's Gazette June 1986 necessarily mean such a program doesn't exist. Perhaps our readers can help. We'll publish answers as we receive them.

Proofreader Load Problems

After using the new "Automatic Proofreader" on a 64, I noticed that it sets the beginning of BASIC memory up one page to 2305. This causes problems with programs that are "Turbosaved" to tape at 2049. How can I get around this problem?

James L. English

I have discovered a problem with the new "Automatic Proofreader." When I load the Proofreader from "Auto File" (November 1985), then type in a program and save it, the program will not load correctly from "Auto File." The first line of the typed-in program says 43266 NEWCLOSE, which is wrong. But if the program is loaded without Auto File, it works fine. Is there a way to correct this?

John Kinary

The Automatic Proofreader program is a machine language "wedge" that helps readers double check their typing when they're entering programs. It temporarily intercepts the characters typed, calculates a checksum, and prints the checksum on the top line of the screen.

Like any other program, it must occupy some portion of memory. The free area at 679 was ruled out because it wasn't large enough. Placing the routine in the cassette buffer interferes with tape access. High memory locations such as 32768, 36864, or 49152 are often occupied by programming utilities.

By moving the beginning of BASIC up 256 bytes, from 2049 to 2305 (on the 64), several potential memory conflicts are avoided. But no answer is perfect. Datassette users will not be able to load Turbo-Saved programs into memory while Proofreader is resident. And disk drive users will have problems using the menu program from Auto File.

Here's the answer for users of Turbo-Tape: When you're first typing in a program, don't use TurboTape at all. Save the program to tape as you did before Turbo-Tape. When you've finished the last line of the program, perform a normal save. This version will have the address that's 256 bytes too high. Now turn your computer off and back on. Load and run TurboTape and reload the program; it will be relocated to the standard start of BASIC. Now you can TSAVE to tape. Keep the other version of the program in case there's a correction you need to make at a later time. Remember, you can't TurboLoad a standard BASIC program from tape while Proofreader is running.

Auto File assumes that BASIC programs for the 64 always load at 2049 (a safe assumption that's nearly always true). Any program that doesn't start at 2049 must be written in machine language, so Auto File performs a SYS to the address where the program loads. If you save a program with Proofreader active, the disk file is marked for loading at 2305, which causes problems with Auto File. To correct it, turn off your 64 and turn it back on. Type LOAD" programname", 8 (not ,8,1) and the BASIC program will be relocated to the normal address of 2049. Now save back to disk. This resaved program will run correctly when loaded from Auto File.

The Earthquake Effect

In your September 1985 issue, you published a game called "Maze-Mania." One of the game options made the screen shake. I'd like to know how this was done.

Danny Gardner

Here's a short program to give your 64 screen the jitters:

- 10 POKE53265,PEEK(53265)AND248 ORRND(1)*8:POKE53270,PEEK(5 3270)AND240ORRND(1)*8
- 20 GOTO 10

The lower three bits of location 53265 on the Commodore 64 (location 36864 on the VIC) control the horizontal fine scrolling of the screen. The value in these three bits represents the number of pixels right of the normal screen position.

To scroll the screen from left to right seven pixels (almost a full character), use the following line:

FOR A=0 TO 7: POKE 53265,PEEK (53265) AND 248 OR A: NEXT

Note that the upper five bits of 53265 are preserved using the AND and OR statements. This is important since these other bits are used to control other features of the video chip.

C-www.commodore.ca

First, there was PHANTASIE", one of the most popular fantasy role-playing realized games ever made.

NASTE L

begins...

Now, a new adventure

For no reason other than for perverse pleasure, the Dark Lord Nickademus fashioned an evil orb, through which he cast a curse on a beautiful island and its people.

Now, six intrepid adventurers under your guidance brave the cruel warlock's wrath to find and destroy his nefarious handiwork.

If you've played the original PHANTASIE, you may transfer those same characters to this sequel. If you haven't, don't worry. You can always start with new characters that range from mere humans to exotic, unearthly creatures.

999990

BALL BURNEY BALTY , MARRIE

A small section of the wilder

ness your band must explore.

as IS as

This exciting adventure can start right away by a quick visit to your local computer/software or game store today!

> If there are no convenient stores near you, VISA & M/C holders can order this \$39.95 game by calling toll-free 800-443-0100, x335. To order by mail. send your check to: STRATEGIC SIMULATIONS, INC., 1046 N. Rengstorff Ave., Mountain View, CA 94043. (California residents, add 7% sales tax.) Please specify computer format and add \$2.00 for shipping and handling. All our games carry a 14-day satisfaction or your money back" guarantee. write FOR A FREE COLOR CATALOG OF ALL OUR GAMES TODAY.

> > **ON DISK FOR** 48K APPLE®II SERIES & C-64

PHANTASIE

PHANTASIE II coming soon on the ATABI® STI



Copyright 1986 by STRATEGIC SIMULATIONS, INC. All rights reserved



SIPELLS TIRANING LUST PURCE NEW MEMBER

A sample of recruits from the Adventurers' Guild.



You must map out dungeons and fend off hideous monsters.



Your group has found Pluto's Palace in the Nethenworld.

APPLE, C-64 and ATARI ST are trademarks of Apple Computer, Inc., Commodore Electronics, Ltd., and Atari, Inc., respectively.

C+ WV Location 53270 (location 36865 on the VIC) is used similarly to control the vertical fine scrolling of the screen.

Where's The Rest Of The Memory?

I'm writing a program which requires a lot of memory capacity. After reading an article about the 128, I went right out and bought one (122,365 available bytes). When I turn it on, there it is right on the screen, 122365. But when I try PRINT FRE(0), it says 58109. Is there more memory available? What do I have to do to access it?

Al Donahue

Your letter stated that you previously owned a 64, which contains the FRE(0) function for finding out how much memory remains. On the 64, the number inside parentheses is a dummy value, meaning it doesn't matter which number you use. The 64's FRE function disregards the value in parentheses.

The 128 can address up to 16 banks of 64K each. BASIC programs occupy bank 0 and variables are stored in bank 1. The character set is in bank 14, while ROMs and I/O chips use bank 15. The memory in between is reserved for memory expansion and programs on cartridge.

Because of the way the 128 is split into different banks, BASIC 7.0 handles the FRE function a little differently. Entering PRINT FRE(0) tells you how much memory is available in bank 0—58109 bytes for holding programs. But if you PRINT FRE(1), you'll see 64256, the number of bytes reserved for variables in bank 1. Adding the two together gives you 122,365, the total memory of the unexpanded 128.

Calculating Volume

I've been trying to figure out a formula that tells you how many gallons would fill a container if you input the length, width, and height. It would be nice to also get the total weight of the container when it's full.

Terry Moore

Multiply together the three measurements length, width, and height, and (assuming they're all in inches) the result will be the volume of the container in cubic inches. A gallon is just another way of measuring volume, so we need to know how cubic inches translate to gallons. According to an almanac we consulted, there are 231 cubic inches in a gallon. So to discover how many gallons fit into a container, multiply the three dimensions and divide that number by 231.

Weight is not quite as simple. Consider a gallon of water and a gallon of mercury. Both are liquids and both have the same volume, but the mercury will weigh much more than the water because it has a higher density. In other words, the weight depends on what you're storing in the container. In addition, you may or may not want to consider the additional weight of the container itself.

The following short program, for all Commodore computers, asks you to input the height, width, and length of a rectangular container. It then calculates the volume in gallons, the weight of the liquid, and the total weight (container plus liquid).

- 10 D=.0360:CW=5.10:REM DENSITY OF WATER (LBS/CUBIC INCH), CONTAINER WT (LBS)
- 20 PRINT"{CLR}INPUT HEIGHT, WI DTH, AND LENGTH OF CONTAINE R (IN INCHES)":INPUTH,W,L
- 50 PRINT"{DOWN}VOLUME="V"GALS" :PRINT"WEIGHT OF THE LIQUID ="WE"LBS"
- 60 PRINT"TOTAL WT (CONTAINER & LIQUID)="WE+CW"LBS"

In this program, the density (variable D) of the liquid and the container weight (CW) are defined in line 10. We've assumed that the liquid is water and that the container weighs 5.1 pounds. If the liquid in the container were something else, say gasoline, you'd need to substitute its density in line 10.

These same calculations can be adjusted for a cylinder by substituting the following two lines in the above program:

- 20 PRINT"{CLR}INPUT HEIGHT AND DIAMETER OF CONTAINER (IN
- {SPACE } INCHES) ": INPUTH, DI 30 V=INT((*(DI/2))2*H*10+.5)/1

In this variation, you input the height and diameter of the cylindrical container. Type line 30 carefully; the first up-arrow is underlined, which means you should hold down the SHIFT key to get the pi (π) character. The second up-arrow should be unshifted (1).

Connecting A Printer

I own two microcomputers: a Commodore 64 and a DEC Professional 350. I would like to use my DEC LA50 printer with both systems, but don't know how to connect it to the Commodore. It's a serial printer with an RS-232 port. I expect I will need to disconnect and reconnect the printer each time I swap computers, unless you know of a method such that the printer remains connected to both computers.

Kathleen Dahly

To connect a non-Commodore printer to a 64 you need an interface, one that can translate Commodore ASCII characters to true ASCII. (ASCII is the standard way of sending characters and other information between computers and peripherals.) Commodore computers use a variation of ASCII; if you were to send Commodore characters to a standard printer, the uppercase and lowercase letters would be switched, IIKE tHIS.

At the very least, the interface will handle the task of converting Commodore ASCII to true ASCII. Many popular interfaces also offer a variety of graphics and listing modes.

Your best bet is a printer interface that has an RS-232 plug on one end (for the printer) and a six-pin plug for the Commodore serial port on the other end. If you don't own a disk drive, the six-pin plug would fit into your 64's serial port. If you do own a drive, you would plug the interface cable into the serial port on the back of the disk drive. Some interfaces have an additional wire that draws power from the cassette port.

A second option is to buy an interface that plugs into the 64's user port (otherwise known as the RS-232 port). There are a couple of problems with this type of interface, however. Some commercial programs expect printers to be connected to the serial port. With such a program, you couldn't use your printer when the interface was plugged into the user port. Also, it's more difficult to send information to the RS-232 port than it is to print or list to the serial port. On the VIC and 64, opening communications to the RS-232 port clears all variables-which means you have to open the RS-232 channel before you do anything else. In addition, you have to tell the computer how fast you want to send characters (the baud rate) and you may have to do your own translation to true ASCII. Finally, modems fit into the user port; if you had a printer interface attached there, you couldn't use a printer and a modem at the same time.

If your printer has only one RS-232 port, you're correct about having to switch printer cables when you move to the other computer, unless you have a switchbox. We called a local Radio Shack store; they have a Printer Selecter Switch (catalog #26-1498, \$119.95) that would allow you to connect two computers to a single printer. It's likely that a similar switch would be available from other sources as well.

Additions To Sequential Files

Lately I have been working with sequential files on my 64. I haven't been able to find any information on how to add data to the end of a file. Is it possible to append to a file?

Steven Tuck

If you're using tape, the only way to add to a sequential file is to read the entire file into memory, make any necessary changes, and then write a new file to tape.

Disk users have some other options. String data may be read from a sequential

C-www.commodore.ca

Ø

For Fighter Pilots-Not Sightseers

Enjoyed by over **200,000** satisfied computer fighter pilots!

THE FIRST. THE BEST. THE ONLY REAL COMBAT FLIGHT SIMULATOR.



MAJOR BILL OVER 3000 FLYING HOURS F-15 STRIKE EAGLE is the most realistic, accurate and fun combat flying simulation available. Others have tried to copy it. But none of them have ever strapped on a fighter to experience the thrill and excitement of real combat fighter missions like our Major Bill* has. Compare F-15 STRIKE EAGLE versus our famous competitors, better known for their fancy hangar graphics. If you want a **slow sightseeing hangar queen, buy theirs!** If you want a **slow sightseeing hangar queen, buy theirs!** If you want a product that has had over 50 outstanding reviews, thrilled over two hundred thousand satisfied computer fighter pilots, and gives you **real** fighter pilot action, then you want F-15 STRIKE EAGLE!

COMPARE-

COMPARE	F-15 STRIKE EAGLE	IMITATION GAME
SPEED	4 TIMES FASTER	SLOW AND UNRESPONSIVE**
COMBAT AREA	7 REAL MISSIONS-LIBYA TO THE PERSIAN GULF	2 SMALL FICTITIOUS FLYING AREAS
COCKPIT	SOPHISTICATED NAVIGATION MAP, MULTIPLE RADAR AND WEAPONS DISPLAY	TWO LINES OF TEXT
ACTION	MULTIPLE MISSION OBJECTIVES AND THREATS	PICK ONE MISSION OR ONE SET OF THREATS
VALUE	GREAT VALUE-HUNDREDS OF	OVERPRICED

"C-64 COMPARISON

F-15 STRIKE EAGLE is for Commodore 64/128, Atari 800/XE/XL series, Apple II+ family, IBM PC and PC JR computers for a suggested retail price of only \$34.95. Call or write for more information or Money Order, MC/Visa orders. Add \$2.50 for shipping and handling.



Registered trademarks of Commodore Business Machines, Inc., Atari, Inc., Apple Computer Inc., and International Business Machines, Inc., respectively. disk file as follows (note that you have to DIMension the array A\$ if the file contains more than ten items):

10 OPEN 1,8,2,"filename,S,R" 20 C=C+1 30 INPUT#1, A\$(C) 40 IF (64 AND ST)=0 THEN 20 50 CLOSE 1

The syntax for the 128 is similar:

10 DOPEN#1,"filename" 20 C=C+1 30 INPUT#1, A\$(C) 40 IF (64 AND ST)=0 THEN 20 50 DCLOSE#1

Once the file is in memory, the data may be changed or revised as desired. Complete the operation by writing the file back onto the disk.

10 OPEN 1,8,2,"filename,S,W" 20 FOR X=1TOC 30 PRINT#1, A\$(X) 40 NEXT 50 CLOSE 1

Again, 128 users may use DOPEN and DCLOSE.

The 128's BASIC 7.0 includes an AP-PEND command for adding data to a sequential file. Everything printed to that file is appended to the end of the file, tacked on after the last entry. Use this line to open the file for writing:

APPEND#1,"filename"

Other Commodore computers can append to a file as well. Open the file using this line:

OPEN 1,8,2,"filename,S,A"

An A (for Append) is substituted where the W (for Write) would normally appear. Keep in mind that the data is just pasted onto the end of the file and that the file to which you are appending must already exist on the disk. You can't create a brand new file with this line. And, unfortunately, if you need to change or delete data, you must first read the file into an array in memory, make the correction, and write it back to disk.

There's one more command you might find helpful. If you have two sequential files on a disk, you can combine them with the DOS copy command. Use this line:

OPEN 15,8,15,"C0:newfile=0:firstfile, secondfile"

The two files will be combined (in the same order as they're listed) and copied to a new filename on the disk. The two original files will remain on the disk.

Memory Management

I'm writing a bulletin board program. I knew it was big, but I didn't think I would run out of memory. The program loads fine, but gives an OUT OF MEM-ORY error in the line holding all the DIM statements. I checked free memory with FRE and it returned the number 130, which is pretty low. Is there a way to retrieve more memory—renumbering, crunching, or something like that? The program is almost done, but I'm stuck until I can get more memory.

Scott McLaughlin

When you create an array with DIM, your computer sets aside some memory for exclusive use by the array. So if the OUT OF MEMORY error happens on the line containing the DIM commands, it means there isn't enough memory available for the arrays you want to use.

If you're using numeric arrays and they hold whole numbers in the range -32768 to 32767, you can save a lot of memory by switching to integer arrays. Floating point arrays need five bytes per element, while integer arrays need only two bytes for each variable. So DIM A(100), an array of 101 floating point numbers numbered 0–100, would take up approximately 505 bytes. But DIM A%(100) would need only about 202 bytes, a savings of more than 300 bytes.

You could also reduce the size of the arrays. Could you get by with an array of 4000 elements instead of 5000? If you cut back, the arrays won't need as much memory.

If you can't use integers or smaller arrays—or don't want to—you'll have to crunch the program. Here are a few suggestions that may help:

- Eliminate all REMarks. The REM token uses one byte, and every character and space in the message uses a byte.
- Remove all unnecessary spaces. IF A = 5 THEN 500 might be more readable than IFA=5THEN500, but the extra spaces eat up memory.
- Where you can, combine more than one command on a line. Every line in a BASIC program requires five bytes for overhead (two for the line link, two for the line number, and a zero to mark the end of a line). If you eliminate a line, you save five bytes.
- Renumbering sometimes helps. Line numbers up to 63999 are allowed, and the number at the beginning of a line always takes up two bytes. But when a line contains something like GOTO 21000, the five characters "21000" take up one byte each. If you renumbered, the line might change to, say, GOTO 511 and you would save a couple of bytes.
- If you have a machine language routine that's POKEd into memory from DATA statements, you can save a lot of memory by creating an object file, a machine language program that you load directly from disk instead of POKEing it into memory. Consider the line DATA 155,201, which would need five bytes for the line and the links, one for the DATA token, six bytes for the ASCII numbers

and one for the comma, a total of 13, just for two numbers to be POKEd into memory.

A Partial Reset

I've installed a reset switch on my 64 and I'm wondering why, with some commercial games, it doesn't perform the normal reset. It just starts the game over and doesn't give me the usual cold start message.

D.J. Sadowski, Jr.

When you turn on a 64, it goes through a startup sequence which sets up some important memory locations. Among other things, your computer checks for an autostart cartridge. If the letters "CBM80" are in locations 32772–32776, the 64 allows the program in the cartridge to take over. The two bytes in 32768–32769 point to the beginning of the machine language program which will begin running, and 32770–32771 are the warm start vector (triggered by pressing RESTORE).

Pressing the reset button you've built causes the 64 to go through the standard startup sequence, and if there's an autostart cartridge in place, the program in the cartridge will begin running.

Some disk-based programs load the characters "CBM80" into locations 32772–32776, to make the computer think a cartridge is installed. If you reset the 64 with such a program in place, it finds something that looks like a cartridge and transfers control to the program.

64 Cartridges On The 128

I recently purchased a 128 and would like to know how I can run the Simons' BASIC cartridge if the computer starts in 128 mode. Could I harm the cartridge by starting in 128 mode? Any advice will be greatly appreciated.

M.C. Carney

The 128, like the 64, checks for the presence of a cartridge when it's turned on. One sequence of characters signals a cartridge for the 64 (see the previous letter), another sequence marks a 128 cartridge.

Simons' BASIC runs on the 64, so if you plug it into the 128 and turn on the system, your computer will automatically go into 64 mode and run the program. You don't need to follow any special instructions, just insert the cartridge and flip the power switch. The 128 is able to recognize autostart cartridges for the 64. If you have other cartridge-based programs that don't automatically start, you'll have to either type GO64 or turn on the computer with the Commodore key held down.

Learning New Commands

Can you explain the INSTR, USR, PU-DEF, SYS, and WAIT commands? Scott Baum

<mark>∃ader Board</mark>™

"Pro Golf Simulator" By Bruce & Roger Carver

Access welcomes you to the exciting world of professional golf with **LEADER BOARD** With amazingly realistic 3-D animation, golfers will face multiple 18-hole golf courses that demand strategy, total concentration and control to come in under par.

LEADER BOARD is the most realistic golf game available because it is actually a simulator that gives you a true perspective view of your.

There are three levels of play so you can compete from amateur to touring profes-sional. You'll get all the fun, aggravation and stimulation of true golf competition!

- Suggested Retail Price 539.95
 I to 4 Players
 Choice of Club; Distance, Type of Shot (hook, silice, putting) and More
 Realistic Sound
 Joystick Controlled
 Multiple 18-Hole Golf Courses
- Conteres
- Automatic Scoring
 Disk: Commodore 128/64, Amiga, Atari 5205T
 Practice Driving Sange





ALSO NEW FROM ACCESS 1 2:

5

Commodore 128/1571



6

annes

For mall orders, enclose check or money order, plus \$1.00 shipping and handling, and specify machine version desired. Order by phone on VISA, MasterCharge or C.O.D. by calling (801) 298-9077.

ACCESS SOFTWARE, INC. 2561 South 1560 West Woods Cross, UT 84087

MACH 128 is a multi-featured enh. incement package for the Commodore 128 computer in either the native 128 or C-64 emulation mode. The easy-to-use cartridge inserts into the expansion port of the Commodore 128 and provides a switch to select the operational mode. A handy reset button is also provided on the cartridge for "warm starts" of the computer. MACH 128 speeds program loadidling by as much as 500% on the 1541 disk drive or the 1571 disk drive in 1541 mode. In special "warp drive" mode, program loads may be increased up to 700% faster, and "warp" mode may be engaged or disengaged at will. MACH 128 also performs program loads at "burst" speed with the 1571 drive in 128 native operational mode.

FEATURES •SECURITY KEY

•UNLIMITED BACKUPS •FAST LOAD OPTION •WORKS ON ALL

DISK DRIVES

Auto Boot on Reset

- Loads 95% of all Software Including Copy Protected Games
- Full Help Menu at the Touch of a Key

.

- Eliminate 1541 Disk Rattle
- Print Screen (screen dump to printer)
- Restore Basic Program (old) Auto Run any Basic Program
- **Open and Close Printer Channels with a Single** . Key
- Send DOS Command
- Hex, Decimal, Binary Converter Mode Select Switch
- Cautested Refail Prices 149.95

The INSTR function looks for a particular substring of characters contained in another string. For instance, A=INSTR (I\$,"DOG"), looks for the word DOG within string variable 1\$, and sets the numeric variable A to DOG's position. If 1\$ holds the characters "WALK THE DOG", the above line would set A to 10, since the D in DOG is the tenth character in 1\$. If 1\$ did not contain the substring "DOG", A would be set to 0. This command is useful for analyzing a user's input or for searching through large amounts of information. This function is available in BASIC 3.5 (Plus/4 and 16) and 7.0 (128), but not in BASIC 2.0 (VIC and 64).

Both SYS and USR (implemented on all Commodore BASICs) tell the computer to begin executing a program written in machine language (ML). SYS is to machine language what RUN is to BASIC. It's always followed by a number that corresponds to the starting address of the ML routine (SYS 64738, for example). Although USR allows you to pass an input value to the routine and lets the routine return a result, SYS is generally easier to use.

PUDEF (not available on the VIC or 64) changes the characters which are used for formatting PRINT USING and PRINT# USING statements. By default, the filler character for padding out short numbers is a space, the separator between numbers is a comma, the decimal point is a period, and the currency symbol is set to a dollar sign. The keyword PUDEF is followed by a four-character string containing the new values for each of these formatting characters. Note that the default symbols are still used in the formatting string in a PRINT USING statement. If you changed the dollar sign to a lira symbol (£) with PUDEF, you would still put a dollar sign in the formatting statement after PRINT USING. When the result was printed, the lira symbol would be substituted.

The WAIT statement repeatedly tests one memory location until a certain condition is satisfied. On the VIC and 64, WAIT 198,15 causes the computer to pause until a key is pressed. The first number is a memory address, the second is a bit mask which is ANDed with the value of the memory location. It determines which bits will be tested. A bit mask of 15 clears the top four bits, and tests only bits 0-3. As soon as any one of those four bits changes from 0 to 1, the program will continue. If a third (optional) parameter is added, it is exclusive-ORed with the value in memory before the bitwise AND is performed. This has the effect of reversing the polarity of certain bits. Instead of waiting for a bit to change from 0 to 1, it waits for a 1 bit to change to a 0.

Of these commands, you rarely (if ever) find USR and WAIT in a program because they have very specialized uses.

Adding Memory Changes The VIC

I started working on a program for a VIC with no memory expansion and later decided it would need the 8K expander. My father told me I would have to rewrite the program because memory locations are different. Is there some way I can avoid rewriting the whole program?

Aaron Feeney

The additional 8K causes three sections of VIC memory to change.

The memory location where BASIC programs start moves from 4096 to 4608. This shouldn't affect most BASIC programs. If you're working with machine language, it would be a good idea to check the pointer at \$2B-2C (decimal 43-44) to find out where BASIC starts. PEEKing this pointer can tell you whether or not memory has been added.

The two other changes may cause some problems in a BASIC program. Screen memory moves from 7680 (unexpanded VIC) to 4096 when you add 8K or more. In addition, color memory moves from 38400 (unexpanded) to 37888. You'll have to change all lines that POKE to screen or color memory. POKE 7682 would become POKE 4098, for example.

One way to avoid making a lot of changes is to define a variable for the start of screen memory and another for the start of color memory. At the beginning of a program for the unexpanded VIC, put SM=7680:CM=38400. Then, within the program use these variables for POKEs to the screen: POKE SM+5,1: POKE CM+5,4, for example. To modify the program for an expanded VIC, you would then change only that one line at the beginning of the program to SM=4096: CM=37888.

Multitasking?

I'd like to know how to write a routine which operates simultaneously with the execution of the BASIC program. For example, I have a game where the helicopter sound keeps on going even after the game has finished and the READY prompt has appeared.

Hamit Ranu

Here's a short routine for the Commodore 64 that does exactly what you're talking about. Note that the whirring helicopter sound continues even after the program ends and the READY prompt reappears. You can LIST the program, change it and use BASIC as you normally would. To change the pitch of the whir, POKE different values into location 54273. To change its speed, POKE new values into location 54286.

- 10 FOR J=54272 TO 54296:POKE J ,0:NEXT:ADR=49152
- 20 DATA 120,169,13,141,20,3,16 9,192,141,21,3

- 30 DATA 88,96,173,27,212,141,2
 2,212,76,49,234,256
 40 READ BYT:IF BYT<>256 THEN P
- 40 READ BYT:IF BYT<>256 THEN P OKE ADR,BYT:ADR=ADR+1:GOTO [SPACE]40
- 50 POKE 54286,200:POKE 54287,0 :POKE 54273,10
- 60 POKE 54277,15:POKE 54278,24 0:POKE 54276,129
- 70 POKE 54290,16:POKE 54295,24 1:POKE 54296,15+32
- 8Ø SYS49152

This example works by wedging a short machine language routine into the computer's hardware interrupt routine that normally works "in the background" while other tasks are in progress. The main duties of the interrupt routine are to read the keyboard and update the computer's internal timers. By changing the vector that points to this routine, we can make the computer perform our short ML routine before proceeding with its normal tasks. As a result, the computer plays the helicopter sound automatically, changing it as many as 60 times every second, without slowing other tasks significantly.

Though it seems like the computer is doing two things at once (making a helicopter sound while operating BASIC), its microprocessor can actually do only one thing at a time. By alternating very rapidly (60 times per second) between one task and another, it seems to perform both simultaneously, even though it is interrupting (hence the term interrupt) the execution of BASIC each time it performs its housekeeping chores.

Since the 64 isn't designed for multitasking, it's necessary to use tricks like this to achieve the illusion that two things are happening at once. Such tricks aren't necessary on a true multitasking system like the Amiga (or a mainframe computer) although much the same process occurs. By switching back and forth between several programs, the Amiga can give the illusion of running all of them at once, even though it too has only one microprocessor. Of course, the Amiga was designed for multitasking from the ground up, and has a much faster microprocessor than the 64, as well as custom support chips that relieve the burden on the main processor.

The 64's SID chip also has the inherent ability to create sound continuously, without any expenditure of processing time. If you can still hear the sounds from the previous program, press RUN/STOP-RESTORE, then type the following lines. Be sure to press RETURN at the end of each line.

FOR J=54272 TO 54296:POKE J,0:NEXT POKE 54273,10:POKE 54277,15 POKE 54278,240:POKE 54276,33 POKE 54296,15

These commands create a continuous sound with voice 1, the first of the 64's three tone generators. We've set voice 1's Attack/Decay/Sustain/Release (ADSR) envelope to make a continuous tone rather than fade out within a certain time period.

Get more out of your Commodore with



More fun

Children will learn and develop new skills with States & Capitals Tutor, Wordmatch, Munchmath, Wordspell, Connect the Dots, Aardvark Attack, and Alfabug. Computing for Kids, a regular monthly feature, will uncover new ways to involve your children in computing.



More challenge

Ready to tackle more advanced projects? In *COM-PUTE's! Gazette*, you'll learn how to use tape and disk files, how to program the function keys, writing transportable BASIC, how to make custom graphics characters, new ways to enliven programs with sound, one-touch commands for the 64, how to use machine language, speeding up the VIC-20—and much more!



More programs

Programs to help you balance your checkbook, store your addresses, keep tax records, manage your personal business. You can create your own programs and games, improve your word processing, spreadsheets, and data base management, load and run faster with 64 Searcher, VIC/64 Program Lifesaver,

Quickfind, Word Hunt, Disk Menu, VIC Timepiece, The Automatic Proofreader and more.

More buying guidance

SSSSSSS

You'll profit from comprehensive reviews of everything from data-quality cassette tapes to software to graphics plotters and modems. Virtually anything that's compatible with your Commodore is reported on in *COMPUTEI's Gazette*. With this kind of expert help, every computer purchase you make can be the right one!

Order now

All you do is mail the postpaid card bound into this issue. But don't delay! Subscribe now to start receiving every issue of *COMPUTE!'s Gazette*.



The sound continues until you do something to terminate it. Strictly speaking, this is a function of the SID chip, not an example of multitasking.

To terminate the sound, press RUN/ STOP-RESTORE. On some 64s you can still hear a faint sound in the background (this is caused by "crosstalk" or electronic leakage in the sound circuits). RUN/ STOP- RESTORE (or typing SYS 64738) turns down the SID chip's volume, but doesn't affect other SID settings. So the tone generator still keeps working. To prove this, type POKE 54296, 15 to turn the volume back up. The sound comes back, loud and clear. The proper way to turn off a sound is to ungate the tone generator by setting the gate bit of its voice control register to 0. In this case you can ungate the voice by typing POKE 54276, 32

A Scrolling Map

I'm trying to program a map that is larger than the screen. I'd like to be able to scroll the screen around the map if that's possible.

Colt Rymer

The program below (for the 64 only) uses the joystick to scroll through a large screen 80 columns wide and 50 rows high—twice as wide and twice as high as the normal screen. This requires 4000 memory locations, so the map fits nicely into memory starting at 49152. Publishing an actual map would require many DATA statements, so we'll leave it up to you to create the large map by POKEing screen codes to locations 49152–53151 (remember, every eightieth byte is the beginning of a new row). The following line could be used to clear the map:

FOR A=49152 TO 53151:POKE A,32: NEXT

Lines 80–120 contain the data for the machine language routine that updates the screen. Line 30 is the line that reads the data and POKEs it into memory.

To use the routine, SYS 828 followed by a comma, the left column number (0-40), another comma, and the top row (0-25). For example, SYS828,5,12 would display columns 5-44 and rows 12-36.

- 20 READX(A),Y(A):NEXT:DATA Ø,Ø ,Ø,-1,Ø,1,Ø,Ø,-1,Ø,-1,-1,-1 ,1,Ø,Ø,1,Ø,1,-1,1,1
- 30 FORA=828TO914:READB:Q=Q+B:P OKEA,B:NEXT:IFQ<>7873THENPR INT"{CLR}DATA ERROR":STOP 40 SYS828,X,Y
- 50 J=15-(PEEK(56321)AND15):TX= X+X(J):TY=Y+Y(J)
- 60 IFTX<00RTX>400RTY<00RTY>25T HEN50
- 7Ø X=TX:Y=TY:GOTO4Ø
- 80 DATA 32,155,183,138,24,105, 0,133,4,169,192,105,0,133,5

```
,32,155,183,224
90 DATA 0,240,16,165,4,24,105,
80,133,4,165,5,105,0,133,5,
202,208,240
100 DATA 169,0,133,2,169,4,133
,3,162,24,160,39,177,4,145,
```

- 2,136,16,249 110 DATA 165,2,24,105,40,133,2
- ,165,3,105,0,133,3,165,4,24 ,105,80,133
- 120 DATA 4,165,5,105,0,133,5,2 02,16,218,96

Plus/4 Joystick Reader

Have you heard anymore about the Plus/4 Programmer's Reference Guide and if it is available? Also, I would like to know how you read the Plus/4's joy-sticks in machine language.

Bob Harrison

We have recently received the Programmer's Reference Guide for the Commodore Plus/4, published by Scott, Foresman and Company. It contains a wealth of information for Plus/4 and Commodore 16 programmers. Chapter six of this book has an in-depth explanation of how to read the joysticks from ML. Here's a brief summary.

The single location \$FF08 can read both joysticks. To read joystick one, you first store the value \$FA into \$FF08. Store an \$FD to read joystick two.

Once a value has been stored in \$FF08, the corresponding joystick value can be read from the same location. The following ML program reads the value of joystick one then, using a number output routine (\$A45F), prints this value on the screen. After you have entered this routine, exit the monitor and type SYS 828. The value of joystick one is printed on the screen.

To read joystick two, change the number \$FA to \$FD in the first line of the ML code.

033C	LDA	#\$FA
033E	STA	\$FF08
0341	LDA	\$FF08
0344	TAX	
0345	LDA	#\$00
0347	JSR	\$A45F
034A	LDA	#\$0D
034C	JSR	\$FFD2
034F	JMP	\$033C

Merge, FAST, And Windows For 128

I have a few questions about the 128. First, is there a short utility to merge or append two programs on the 128? Second, the FAST command gives the 128 a speed of 2 MHz, but in 40 columns it blanks the screen. Can you double the speed without the screen blank?

Finally, the line FOR I=4TO23: POKE 781,I: SYS59903: NEXT would erase the bottom screen on my 64 and leave the first four lines intact. This was great for preserving column titles. Is there a similar line for the 128? James Thompson

Yes, no, and yes. There are at least three ways to append one BASIC program to another on the 128. But when you append, the second program must have higher line numbers than the first program, so it's not as flexible as a true merge utility. An easy way to merge two 128 programs was described in the recent March Hints & Tips column. You first create an ASCII program listing and then have the computer enter the lines into memory from the file. See the March 1986 issue for details.

FAST mode leaves the 80-column screen alone, but blanks the 40-column screen to the border color. It's not possible to restore the 40-column screen while the 128 is running at double speed, although you can still PRINT to the screen, which is helpful if you need to track certain variable values while you're in FAST mode. You won't see what's printed until you go back to SLOW mode, of course.

If you're doing a lot of FAST calculations in 40 columns, you can change the border color occasionally to remind the user that the computer is still working. It's also a good idea to insert a TRAP statement and then start off the error-handling routine with the SLOW command. Otherwise, you won't necessarily know when an error has happened, because of the blank screen. The 128 always starts out in SLOW mode, so readers who regularly use the 80-column screen will want to enter the FAST command when they first turn on the computer. You'll notice a big improvement in the speed of program listings and all calculations will double in speed.

Finally, there are a couple of ways to clear part of the screen on the 128. If you position the cursor somewhere on the screen and press the ESC key (don't hold it down) and then the commercial-at (@) key, every screen location past the cursor is cleared. The ESCape character is CHR\$(27), so within a program you would place the cursor in the appropriate location and print ESC-@ as follows: CHAR1,0,3,CHR\$(27)+"@". If you're using column headings, another option is to use the WINDOW command to partition off part of the screen. All printed characters will remain within the window. If you add a comma and a 1 after the top and bottom coordinates, the newly created window will be cleared and everything outside the window will remain intact.

Cwww.commodore.ca

SUPER HUEY America's #1 Helicopter Flight Simulator

Forget the disappointment of other flight simulators ... SUPER HUEY has eliminated them! - Commodore Power Play Magazine "One of the best flight simulators ever tested!" - Erv Bobo, Run Magazine

Handles like a real helicopter. All your flying skill will be needed.

FOUR **ACTION-PACKED ADVENTURES!**

Solo Flight • Rescue Explore • Combat



Race against King Richard Petty and 18 top drivers. A real life 3-D main Atan* • Commodore* 64/128**







415 North Figueroa Street, Wilmington, CA 90744 (213) 835-9687 www.commodore.ca



This entirely new operating system for the 64—similar in look and feel to the Macintosh environment—promises to greatly extend the 64's usefulness.

Gwww.commodore.ca

THE QUIET REVOLUTION

Lee Noel, Jr., Assistant Editor

he headlong rush to personal computers based on Motorola's powerful 68000 microprocessor has created revolutionary new machines such as the ST, the Apple Macintosh, and the Amiga. These new micros come close to being desktop mainframes. Great speed, flashy graphics, and the promise of superlative software give these computers tremendous advantages over their established eightbit rivals.

But what of the millions of happy 64 owners? Software for the machine is abundant, and much of it is excellent. Is there any real reason to abandon this wealth of computing power?

Clearly, many people don't think so, and the 64 continues to thrive. Commodore attempted to stop production of the machine several times in 1985, only to be forced back to the assembly lines by public demand. Loyalty to the computer is further borne out by good sales of the Commodore 128, the only computer offering upgraded capabilities and full compatibility with the 64.

It's even possible to question whether the 64's technology is really outdated. After all, not every mainframe is a Cray supercomputer, nor should it be. Technology, like every type of power, should be applied at a level appropriate to its use.

However, the Amiga, ST, and Macintosh offer more than power and flexibility. They all contain a similar user interface that's easy to understand and to use. Pulldown menus, command bars, icons (graphic symbols), and a mouse-driven cursor are all similar among the three 68000-based computers.

Even people who fear and distrust computers readily adapt to the logical pictorial environment pioneered by the Macintosh and now used by the Amiga and ST.

appily for 64 owners, that type of environment will shortly be available for their machine. While the new technology has roared into the headlines, a quiet software revolution has been taking place. Berkeley Softworks, a Berkeley, California, software house, has developed *GEOS*, an entirely new operating system for the 64.

No longer are icons, windows, and pull-down menus reserved for the new computers. GEOS, which stands for Graphic Environment Operating System, implements all these features on the 64. At the same time, GEOS reprograms the 1541 disk drive, making it five to seven times faster and fully capable of playing a central part in this high-speed system. The overall effect is a complete transformation. The 64 doesn't quite turn into a Macintosh, but it's closer to that computer than to an unmodified 64. In addition, applications similar to

the graphics programs and the word processors available for the Macintosh are a part of the *GEOS* system.

Although at this writing GEOS isn't quite finished, it will be by the time you read this. The version we've been working with, and from which the photos accompanying this article were taken, is a near-final test edition. Although a few aspects of GEOS still remain to be fully implemented, it's probably safe to say that the new operating system and its initial applications have the potential to be among the most important programs written for the 64 since the computer's built-in operating system was created.

Not surprisingly, the motivating force behind GEOS, Brian Dougherty, president of Berkeley Softworks, had at one time hoped to write the original operating system for the 64. In 1982, Dougherty, then a vice president at Imagic, was enthusiastic about the soon-to-be-released 64, and was negotiating with Commodore to write a disk-based operating system for it.

But those were heady days for the videogame industry, and it was difficult for Imagic to shift its focus away from its highly successful games to an untried computer system. Additionally, Commodore wasn't sure there was going be much of a market for disk drives for the 64. Programs in ROM (Read Only Memory)



seemed more likely to dominate, so Dougherty had to put his plans on a back burner.

Not too long afterwards, the videogame industry began a spectacular collapse. Dougherty left Imagic in September 1983, and started his own company, Berkeley Softworks. Hard economic realities dictated other projects then, but the idea for a new operating system continued to simmer, and the 64's 1541 disk drive became extremely popular.

Finally, after an inspiring visit to the hurly-burly of the 1985 Summer Consumer Electronic Show, Dougherty decided to return to the fray. The operating system was shifted to the forefront, and was in good shape by November. About the same time, old friend Clive Smith, vice president of corporate planning and development for Commodore, called. Dougherty sent Smith a copy of the evolving GEOS project. Duly impressed, Commodore offered encouragement and a measure of support. At Winter CES in 1986, GEOS generated considerable and well-deserved interest. (See "The Winter Consumer Electronics Show" article in April's GAZETTE.)

B ut background and history are only a minor part of the *GEOS* story. What is it, exactly, and what can it do for the 64?

The GEOS software consists of a number of small satellite programs and a core of four major ones, all supplied on a single disk. The first of these, and the cornerstone on which the GEOS structure rests, is Berkeley's new operating system for the 64 and 1541. As previously mentioned, loading GEOS turns the 1541 into something of a speed-demon. About 25 seconds after booting GEOS, approximately 34K of programs have been processed through the 1541. All subsequent disk operations in the GEOS environment take place at the same accelerated rate, including non-GEOS applications loaded through the deskTop. For example, we loaded a version of SpeedScript through GEOS in only 4 seconds instead of the usual 21 seconds.

Once GEOS is installed, the 64 user is in unusual, but not unfamiliar territory. Instead of a barren

C-www.commodore.ca

screen into which BASIC commands are typed, you see a graphic display representing the top of a desk. Since all GEOS screens operate in the 64's high-resolution mode, the desk graphic is highly detailed. This is particularly noticeable in the display of standard text, since it's in 80-column format, a significant improvement over the normal 64. This is close to being the optimum size of text for the 64: It's perfectly readable on an ordinary TV. Appropriately enough, this display is known as the GEOS deskTop. It's the second major program in the system, and it ties all the others together.



The GEOS deskTop: The dark blue Notepad represents files and programs with clear, hi-res icons.

Its largest element is the *desk-Top* Notepad. Analogous to a large pad of paper, the Notepad shows icons—distinctive pictures—that indicate the type and number of files on the disk presently being used. If there are more files than will conveniently fit on one page, *GEOS* automatically prepares more pages.

To see these other pages, a joystick is used to move the screen pointer to the dog-eared corner of the notepad. Just clicking the fire button while the pointer is in this location will cycle through all available pages. Most features of *GEOS* are accessed in this straightforward way: Joystick moves pointer to



You never know who you'll be up against when you go online with CompuServe.

To buy your CompuServe Subscription Kit, see your nearest computer dealer. Suggested retail price \$39.95.

To request our free brochure or order direct, call or write: **800-848-8199** (In Ohio, call 614-457-0802)

buServe



COMMODORE 64/128 ARE TRADE MARKS OF COMMODORE BUSINESS MACHINES.



D GRAPHIC ADVENTURE

COMMANDODE CA /100K

3D GRAPHIC ADVENTURE

amass

www.commodore.ca FACTSHEET/ORDER HOTLINE: 201.934.7373

SK (2 GAMES IN ONE PACK) **4/128**TM 6 sters at your 2 GAMES IN ONE PACK RANGE ANGE GOLD RANGE GOLD



EASURE GAME DES TO NOOD





2 GAMES IN ONE PACK 2 GAMES IN ONE PACK









THE ARC OF YESOD



ARC OF YESOD





NODES OF YESOD

2 GAMES IN ONE PACK

GRAPHIC ADVENTURE



KT ADVENTUR

Stirk RUNESTONE

The epic quest of Greymarel, Morval and Eliador

fer fille site finne alle fille

THE HELM Have you the cunning. power and knowledge to wrest the troubled helm from the dark ones evil grasp?









RASPUTIN You must destroy the Jewel of the Seven Planets which is the power source of the spirit of Rasputin





BATTLE OF BRITAIN





BATTLE FOR MIDWAY

*C*WWW.commodore.ca COMMODORE 64/128K

FIREBIRD LICENSEES INC. P.O. BOX 49, RAMSEY, N.J. 07446

symbol, then one or two clicks of the fire button activate the necessary function. There are no special codes or syntax sequences to remember. Both the Amiga and ST have a similar desktop environment, but their screen pointers are controlled by mouse, not joystick. Since Commodore is only now introducing a mouse for the 64, Berkeley has concentrated on the joystick. Special programming in GEOS compensates for some of the joystick's inherent shortcomings, and actually renders it superior to the mouse for certain purposes. However, Berkeley does plan to add a mouse driver, a program for



The copy feature has been selected by pulling the disk options menu down from the Command Bar.



Once you're on the correct page of the notepad, manipulating files is as easy and instinctive as if they were really lying on a desk top. A single click of the fire button will activate a file, turning its icon dark. A second click following closely will load the file, or with a little more delay, will produce a ghost version of the icon. The ghost can be picked up and dragged around by the pointer, enabling the file to be moved, copied to another disk, thrown into the trash, or printed. Certain old-style 64 files can also be manipulated through the deskTop.

Also on the GEOS desk display, at its very top, is the Command Bar. In exactly the same way that file icons are activated, the various options in the Command Bar can be selected with the joystick fire button. As soon as one of these options is picked, a menu pops down, giving further subchoices in that category. Some of these pull-down menus contain functions that are duplicates of those that can be performed with just icons. Other functions are unique and must be accessed through the Command Bar and pull-down menus.

The system operates very swiftly and smoothly, and even offers some improvements over the Macintosh environment. The Mac's menus pop back up into the command bar the moment the mouse button is released, so even a brief lapse in attention means a lost menu. GEOS menus are stable once activated, disappearing only when a selection has been made or the pointer moves outside the menu boundaries. GEOS also dispenses with a particularly aggravating aspect of some other systems. These present only a single page of file icons. When a large number of files and icons are in use, the page must be resized to accommodate them. These elastic pages are quite impressive graphically, but it can be awfully hard to find files on them. GEOS' method of using as many pages as needed is not only more convenient, it's much truer to the idea of a real desktop. After all, few of us have notebooks made out of just one sheet of rubberized, highly expandable paper.

To further extend computing power, the *GEOS deskTop* is also capable of manipulating entire disks and a two-drive network.

he other programs on the *GEOS* disk not only operate in the same graphics-oriented manner as the *deskTop*, but also have to be accessed from it. The two remaining major programs are *geoPaint* and *geoWrite*, special applications that take advantage of the newly established *GEOS* environment. But before looking at these excellent art and word-processing programs, it's worth mentioning a number of the smaller programs on the disk, since they are convenient helpmates—



"The Preference Manager": With time, date, colors, and joystick response set to the user's taste, the new adjustments are about to be saved to disk.

accessible not only from the desk-Top, but also from geoPaint and geoWrite.

Foremost among these accessories is the "Preference Manager." Activated either by opening its icon on the *deskTop* or by making a menu choice in another application, this program provides a control panel for the *GEOS* user. Again, with just the joystick and pointer, screen graphics are altered. As the



The "Calculator": A very useful accessory, available not only on the deskTop, but also in geoPaint and geoWrite.

Cwww.commodore.ca

The Infinity Machine holds the secret of eternal life!



An innovative 'hi tech'

·MASTERTRONIC

import that will shock

some U.S. software

publishers ...



- Q: What is the Infinity Machine A: A unique and revolutionary accessory for the Commodore 64 and 128. This powerful cartridge now lets you effortlessly play all those impossible games without being killed! Q: Sounds difficult
- A: It's Simple Just plug into your C64/128 and press a button to activate the Infinity Shield. Q: How does it work?
- A: All the thousands of published action and animated games that use o programming device called "Sprite collision detection", are disabled by the Infinity Machine and the Infinity Shield protects the player from being shot or crashing!
- What can I now do in a game that I couldn't before? Activating the cartridge enables you to:- "Enter a game at any level you choose". "Explore all the areas and levels of the game and find the parts of the game you didn't know existed without being killed." Deactivating the cartridge at any point you choose enables you to continue to play the game totally normally.

The Infinity Machine is brought to you at \$24.99 by Mastertronic, producers of incredible value Commodore 64/128K software such as Slugger, 5-a-side Soccer and The Last V8 all available at \$9.99.

Contact the Mastertronic hot line for the secret of eternal life on 301-695 8877. Mastertronic International Inc., 7311b Grove Road, Frederick, Maryland 2190 mmodore.ca

display is changed, corresponding changes are being made in some of GEOS' characteristics. Here, it's possible to set the time and date. This should be done at the start of every session with GEOS, because chronological information is part of the data stored with every file you create. Once you've seen the convenience of dated files, you'll wonder how you ever got along without them. Other changes that can be made from the "Preference Manager" include adjusting background and text colors, redesigning the shape of the screen pointer, and resetting joystick responsiveness to suit your personal tastes. Once set, your preferences can be saved to the GEOS disk, a permanent part of the system until you decide to modify them again. In this way, each GEOS system will become a personalized extension of the user.

Other support programs include "Calculator," which can be operated by joystick or from the keyboard, and the multipaged "Notepad" in which fleeting thoughts can be set down and rapidly stored to disk. Naturally, there's "Alarm Clock," which you can set to remind you when you've spent too much time in the inviting *GEOS* environment. "Text Album" and "Photo Album" let you transfer chunks of *geoWrite* text into *geo-Paint* designs, and vice versa.

About half of the other small programs are printer drivers enabling you to print out your geo-Paint and geoWrite creations on just about any popular printer. The remainder are text fonts used to put different styles of type into documents and designs.

GEOS is, at present, supplied on just one disk and requires no hardware. A well-thought-out manual completes the package. Initial sales are to be by mail order, but dealer sales will come at a later point.

The disk is copy-protected, but Berkeley's protection allows the elements of *GEOS* to be copied onto other disks. This method permits backups for safety, and also enables you to put only essential programs onto given disks, thus freeing up storage space and creating disks customized for particular projects.

As you've probably realized by now, in addition to a powerful,



The geoPaint drawing environment. Tool icons are at the left of the working area. The tool being used to draw the white rectangle displays precise measurements at the bottom of the screen.

high-speed operating system for the 64, the *GEOS* disk's two major application programs give you complete desktop publishing capability. Both *geoPaint* and *geoWrite* bear strong resemblance to some of the design and word-processing programs available for the Macintosh.

Also like the Macintosh, the quality of *GEOS* output is a function of printer resolution, rather than the fineness of the screen display. As a consequence, *GEOS* generally



geoPaint's pixel edit option enables the artist to magnify any section of a design for precise detail work. Note the small status window (lower right) which indicates the working area's position in the document.

displays a window that shows only a small portion of the final document, which will actually be printed with a resolution of 80 dots per inch, impossible to achieve in any 64 screen graphic. Eventually, Berkeley will provide a driver program for laser printing. At that point, output will approach typeset quality, a real quantum leap for the 64.

Both geoPaint and geoWrite are full-featured programs, offering—in combination—capabilities never before available on the 64. Exploring either of them in detail would take a small book. Paradoxically, they're so well-designed that using them requires virtually no documentation. However, a brief look at some of their many features will provide a tantalizing insight into the power of GEOS.

The design program, geoPaint, has many of the features that have become standard in 64 art applications. The abilities to automatically draw lines, make outlined and solid circles and rectangles, and paint numerous patterns with different types of brush-including an airbrush-like effect-are supported. So, too, are cut, copy, and paste features for easily moving around chunks of design work. There's also a magnified mode that permits pixel-by-pixel, close-up editing of design details. Naturally, undo, erase, and fill options haven't been left out. All tools are selected by pointer from a strip of icons at the side of a display window. As usual, file-handling and other refinements are available from the Command Bar.

What's really special, though, is the overall orientation toward producing a printed document. In geoPaint, an on-screen measuring tool allows accurate sizing in either pixels or inches. This latter option is essential for keeping control of printed artwork. Another tool enables you to move the display window quickly to any point in a design, while a smaller window monitors the movement relative to the entire document. MacPaint, a similar design program for the Macintosh, handles documents in much the same way. As an informal comparison between GEOS on the 64 and MacPaint on the Macintosh, a

Cwww.commodore.ca

REQUIRED and C-64" REA N G

TRICKS & TIPS

Abacus offittin Software

Filled with info for everyone. Covers

80 column hi-res graphics, win-dowing, memory layout, Kernal routines, sprites, software pro-tection, autostarting. **300pp \$19.95**

Ö

1571 INTERNAL

Abacus Trimit Software

Insiders' guide for novice & ad-vanced users. Covers sequential &

relative files, & direct access com-mands. Describes DOS routines. Commented listings. \$19.95

WW 1750



Detailed guide presents the 128's operating system, explains graphic chips, Memory Management Unit, 80 column graphics and commented **ROM listings** 500pp \$19.95



Introduction to programing; problem analysis; thorough description of all BASIC commands with hundreds of examples; monitor commands; utilities; much more. \$16.95

ANATOMY OF C-64 Insider's guide to the '64 internals. Graphics, sound, VO, kernal, memory maps, more. Complete commented ROM listings. 300pp \$19.95 ROM listings.

ANATOMY OF 1541 SDRIVE Best handbook on floopWaxplains all. Many examples and trillies. Fully commented 1541 ROM listings. 500pp \$19.95

MACHINE LANGUAGE C-64 Learn 6510 code write fast programs. Many samples and listings for complete assembler, monitor, & simulator. 200pp \$14.95 monitor, & simulator.

GRAPHICS BOOK C-64 - best reference covers basic and advanced graphics. Sprites, animation, Hires, Multicolor, lightpen, 3D-graphics, IRO, CAD, pro-350pp \$19.95 jections, curves, more,

Abacus interne Software Presents dozens of programming quick-hitters. Easy and useful techniques on the operating system, stacks, zero-page, pointers, the BASIC interpreter and more. \$16.95

TRICKS & TIPS FOR C-64 Collection of easy-to-use techniques: advanced graphics,

Abacus Milling Software

improved data input, enhanced BASIC, 275pp \$19.95 CP/M, more. 1541 REPAIR & MAINTENANCE Handbook describes the disk drive hard-

ware. Includes schematics and techniques to keep 1541 running. 200pp \$19.95 ADVANCED MACHINE LANGUAGE

Not covered elsewhere: - video controller, interrupts, timers, clocks, VO, real time, 210pp \$14.95 extended BASIC, more.

PRINTER BOOK C-64/VIC-20 Understand Commodore, Epson-compatible printers and 1520 plotter. Packed: utilities; graphics dump; 3D-plot; commented MPS801 330pp \$19.95 ROM listings, more.



depth intro to computers in science. Topics: chemistry, physics, biology, astronomy, electronics, others. 350pp \$19.95 CASSETTE BOOK C-64/VIC-20 Comprehensive guide; many sample programs. High speed operating system fast file loading and saving. 225pp \$14.95 IDEAS FOR USE ON C-64 Themes: auto expenses, calculator, recipe file, stock lists, diet planner, window advertising, others. Includes listings. 200pp \$12.95 COMPILER BOOK C-64/C-128 All you need to know about compilers: how they work; designing and writing your own; generating machine code. With working 300pp \$19.95 example compiler.

D COMPUTER AIDED Abacus intitit Software

Learn fundamentals of CAD while developing your own system. Design objects on your screen to dump to a printer. Includes listings for '64 with 300pp \$19.95 Simon's Basic.



Adventure Gamewriter's Handbook Step-by-step guide to designing and writing your own adventure games. With automated adventure game generator. 200pp \$14.95

PEEKS & POKES FOR THE C-64 Includes in-depth explanations of PEEK, POKE, USR, and other BASIC commands. Learn the "inside" tricks to get the most out of your '64. 200pp \$14.95

Optional Diskettes for books For your convenience, the programs contained in each of our books are available on diskette to save you time entering them from your keyboard. Specify name of \$14.95 each book when ordering.

C-128 and C-64 are trademarks of Commodore Business Machines Inc.



Call now for the name of your nearest dealer. Or to order directly by credit card, MC, AMEX of VISA call (616) 241-5510. Other software and books are available-Call and ask for your free catalog. Add \$4.00 for shipping per order. Foreign orders add \$10.00 per book. Dealer inquires welcome-1400+ nationwide.





The entire document is displayed on the right half of the screen. The design in the working area appears as a small shape in the top left corner of the document display.

full document from each was scanned by moving the display window across the entire design with the appropriate tool. The Macintosh system took about 50 seconds; *GEOS*, about 70. That's a pretty respectable performance measured against a 68000-based computer, especially when you consider that output from the systems is virtually identical in size and appearance.



A title is added to the design with the highly effective text tool.

Also helpful is an option that allows you to look at a condensed version of the entire document. Data compression is used to facilitate the storage and retrieval of graphics information, so a full page can be displayed in about 20 seconds.

Another exceptional feature of geoPaint is its method of handling text. When text is placed in a design, it is entered into an elasticbordered text box defined by the artist, who simply types the desired message on the 64's keyboard. Word-wrap takes place automatically within the box-it's like having a tiny word processor available at any point in a design. Even after all intended text is typed into a given box, resizing of the box is possible. A couple of clicks on the fire button, and the same text appears in a completely different block. Again, word-wrap is automatic, so there are no problems with words broken apart arbitrarily. The advantages for setting up columns of text should be obvious.

Some of the text fonts supplied on the *GEOS* disk are creative and unusual; others are classics. All of them can add an extra dimension to graphic design. It's more than helpful to have a full typesetting service only an icon and a few pull-down menus away.

On the whole, *geoPaint* provides an excellent environment for the creation and—just as importantly—printing out of reproducible artwork.

N o less impressive is *geoWrite*, the system's word processor. As always, by simple manipulation of on-screen graphics, *GEOS* performs magic.

For example, the writer can set tabs and margins, and actually see where they are. All the *geoPaint* text fonts are available, too. Bold, italic, underlined, and outlined type can appear simultaneously, and in different sizes.

Two display modes are supported. The half-width mode operates as you might expect—every word that's typed remains visible on the screen. This is probably the way to enter text most efficiently. On the other hand, because the document will print a full 80 columns wide, the screen image does not accurately depict what the fin-



geoWrite offers a wide choice of different sizes and styles of text. Note the margins and tab set on the ruler at the top of the screen. This is half-width mode.

ished product will look like. As a result, the full-width mode is provided. Once an author finishes a piece, the usual procedure will be to reformat the document into fullwidth. In this display, the page flips back and forth between the two sides of the document whenever the pointer reaches the side of the screen. This allows an exact preview of the eventual printed document, and it offers the opportunity



The accessory "Notepad" is available at any time.

C-www.commodore.ca





TM

and development package. Speed up your programs 5x to 35x. Many options: flexible memory management; choice of compiling to machine code, compact p-code or both. '128 version: 40 or 80 column monitor output and FAST-mode opera-tion. '128 Compiler's extensive 80-page programmer's guide covers compiler directives and options, two levels of

optimization, memory usage, VO handling, 80 column hi-res graphics, faster, higher precision math functions, speed and space saving tips, more. A great package that no software library should be without. 128 Compiler \$59.95 64 Compiler \$39.95



For school or software development. Learn C on your Commodore with our indepth tutorial. Compile C programs into fast machine language. C-128 version has added features: Unix™-like operating system; 60K RAM disk for fast editing and compiling Linker combines up to 10 modules; Combine M/L and C using CALL; 51K available for object code:

Fast loading (8 sec. 1571, 18 sec. 1541); Two standard 1/O librarys plus two additional libraries-math functions (sin, cos, sqrt, etc.) & 20+ graphic commands (line, fill, dot, etc.). C-128 \$79.95 C-64 \$79.95



Easily create professional high quality charts and graphs without programming. You can immediately change the scaling, labeling, axis, bar- filling, etc. to suit your needs. Accepts data from CalcResult and MultiPlan. C-128 version has 3X the resolution of the '64 version. Outputs to most printers.

C-128 \$39.95 C-64 \$39.95

> \$39.95 \$39.95

> \$39.95

PowerPlan

One of the most powerful spreadsheets with integraded graphics. Includes menu or keyword selections, online help screens, field protection, windowing, trig functions and more. PowerGraph, the graphics package, is included to create C-64 \$39.95 integrated graphs & charts.

COBOL Compiler for the C-64	
Ada Compiler for the C-64	
VideoBasic Language for the C-64	



age for accurate graphic designs. New dimension-ing features to create exact scaled output to all major dot-matrix printers. Enhanced version allows you to input via keyboard or high quality lightpen.

SYSTEM-store up to 104 separate objects. C-128 \$59.95 C-64 \$39.95



Not just a compiler, but a complete system for developing applications in Pascal with graphics and sound features. Extensive editor with search, replace, auto, renumber, etc. Standard J & W compiler that generates fast machine code. If you want to learn Pascal or to develop software using the best tools available-SUPER Pascal is your first choice. C-128 \$59.95 C-64 \$59.95

OTHER TITLES AVAILABLE:

Technical Analysis System

Sophisticated charting and technical analysis system for serious investors. Charting and analyzing past history of a stock, TAS can help pinpoint trends & patterns and predict a stock's future. Enter data from the keyboard or from online C-64 \$59.95 financial services.

Personal Portfolio Manager

Complete protfolio management system for the individual or professional investor. Easily manage your portfolios, obtain up-to-the-minute quotes and news, and perform selected analysis. Enter quotes manually or automatically through C-64 \$39.95 Warner Computer Systems.

Xper

XPER is the first "expert system" for the C-128 and C-64. While ordinary data base systems are good for reproducing facts, XPER can derive knowledge from a mountain of facts and help you make expert decisions. Large capacity. Complete with C-64 \$59.95 editing and reporting.

> C-128 and C-64 are trademarks of Co dore thus wee Machines Inc Unix is a trademark of Bell Laboratories

acus

P.O. Box 7219 Grand Rapids, MI 49510 - Telex 709-101 - Phone (616) 241-5510

Call now for the name of your nearest dealer. Or to order directly by credit card, MC, AMEX of VISA call (616) 241-5510. Other software and books are available-Call and ask for your free catalog. Add \$4.00 for shipping per order. Foreign orders add \$12.00 per item. Dealer inquires welcome-1400+ hationwer. commodore.ca to make any final changes.

Text is entered into either kind of display from a cursor that can be positioned simply by moving the pointer to the desired location and clicking the joystick fire button. The text itself is then typed in directly from the keyboard, which also offers access to features such as deletion and tabbing.

Excellent graphics-based manipulations are available in typical *GEOS* style. Any existing section of writing may be highlighted by inserting the text cursor at the beginning of the material and dragging it, with fire button depressed, to the end. All the highlighted text can



The highlighted section of text is about to be cut from the document with one of the edit functions available from geo-Write's Command Bar.

then be cut, copied, deleted, pasted, or replaced in a few simple steps.

Since a document in *geoWrite* may consist of many pages, options at the top of the screen enable the writer to flip through the pages one-by-one, home in on a particular page, or get to the start or end of text rapidly. All necessary file operations are also found in the command bar at the top of the display.

Additionally, geoWrite allows the writer to further enhance the appearance of the printed document by adjusting line spacing and setting page breaks wherever they're wanted.

geoWrite is a sophisticated and powerful partner for geoPaint. Working together, and using the previously mentioned albums to transfer material, they are capable of creating the same high-quality material that the Macintosh has been producing for some time. *GEOS* fonts are, in fact, public-domain typefaces created for the Mac, says Dougherty. As a result, printed material from the two systems will often be indistinguishable.

Even without GEOS, desktop publishing has become extremely popular for the 64. Programs such as Brøderbund's *Print Shop* and Springboard's *Newsroom* have established high positions in the applications software charts. The GEOS disk offers professional publishing capability at a remarkably low cost, and on the same computer that millions are already using.

GEOS, however, is not limited to desktop publishing. The system is an open one. Software developers other than Berkeley can easily tap into it. Activision and Bank Street are reportedly converting existing programs to interface with GEOS. This process was designed to be an easy one, and Berkeley and Commodore hope it will attract many more third-party developers to the system.

For those interested in writing new software, GEOS offers opportunities for both hackers and professional programmers. The 22K of the new operating system includes the high-speed disk code, and fully supports the graphics-oriented user interface. By utilizing a series of jump tables-maps giving entry addresses for accessing important GEOS features—programmers can easily write software with all the speed and ease-of-use of GEOS itself. Berkeley expects to release a programmer's reference guide containing the tables and other technical information in June of this year. Every effort is being made to encourage others to write for the system. Berkeley and Commodore hope GEOS will catch on in a big way, establishing a uniform, standardized operating system for the 64.

Also on the horizon, and of great importance for *GEOS*, is the expected announcement of significant RAM expansion for the 64. If this does become available, many *GEOS*-based applications could be resident in memory at any given time. Switching from one to another would be virtually instantaneous, thus increasing both the scope and flexibility of programs for the 64. The RAM expansion is supposed to be coming from Commodore, who is also expected to begin offering some kind of concrete support for the fledgling *GEOS* system. News on both fronts may have been announced by the time you read this.

Meanwhile, Berkeley and Dougherty plan to enhance *GEOS* continuously, and will keep registered owners of the system notified of details. Already in the works for *geoPaint* are pattern-editing and full-color capabilities. (The system currently operates mostly in two colors, due to the strong emphasis on producing black and white printed output.) There is also talk of someday putting part of the system on cartridge, but the bulk will stay on disk, where it can readily be refined and improved.

GEOS doesn't offer merely new life for the 64; it provides a means for you to acquire advanced computing capability at low cost. Consequently, the question of upgrading may be put off indefinitely for many people. With GEOS, Berkeley is blazing an alternative trail that, considering the 64's loyal following, is a pathway likely to be heavily traveled.

COMPUTEI's Gazette is looking for utilities, games, applications educational programs, and tutorial articles. If you've created a program that you think other readers might enjoy or find useful, send it, on tape or disk to:

Submissions Reviewer COMPUTE! Publications P.O. Box 5406 Greensboro, NC 27403

Please enclose an SASE if you wish to have the materials returned.

Articles are reviewed within four weeks of submission.

C www.commodore.ca



Now Get Inside Your Commodore with COMPUTE!'s Gazette Disk.





SPRITE HAGICI



Now there's a way to get all the exciting, fun-filled programs of **COMPUTE!'s Gazette**—already on disk—with **COMPUTE!'s Gazette Disk**.

Subscribe today, and month after month you'll get a new, fullytested 5¹/₄-inch floppy disk guaranteed to run on your Commodore 64, Commodore 128, or VIC-20 personal computer.

COMPUTE!'s Gazette Disk brings you all the latest, most challenging, most fascinating programs published in the corresponding issue of **COMPUTE!'s Gazette**. So instead of spending hours typing in each program, now all you do is insert the disk...and your programs load in seconds.

RESULT: You have hours more time to enjoy all those great programs which appear in **COMPUTE!'s Gazette**—programs like Number Quest, Address File, Treasure Hunt, Castle Dungeon, Vocab Builder, SpeedScript, and hundreds of others.

So don't waste another moment. Subscribe today to **COMPUTE!'s Gazette Disk** at this money-saving price. Take a full year's subscription for just \$69.95. You save 55 percent off the single issue price. Subscribe for two years and save even more! Return the enclosed card or call toll-free 1-800-247-5470 now (in Iowa call 1-800-532-1272).

Individual issues of the *Disk* are available for \$12.95 (plus \$2.00 shipping and handling) by calling 1-800-346-6767 (in NY 1-212-887-8525).

Cewww.commodore.ca



A few designers—like those behind Epyx Software's Summer Games II—have broken new ground in Commodore graphics.

Kathy Yakal, Assistant Features Editor

hink back for a minute to the first program you ever saw on a Commodore 64. Chances are it was a game, if you've had a 64 for more than a couple of years. And chances are its graphics were either crude or nonexistent. In early 1984, publishers started delivering software that contained some rather startling graphics. Here's why.

C www.commodore.ca
The EVOLUTION Of Commodore Graphics

n the first year or so of the Commodore 64's life, hundreds of software programs were developed, very few of which showed any particularly impressive visual effects. But don't blame the programmers. The success of the 64 in those days hinged on how much software got out quickly. No software, low hardware sales. Happily, it took only a few months before a multitude of programs were available, some good and some bad, but available. As the price of the machine dropped and more publishers produced titles, hundreds of thousands of people bought the 64.

The survivors of the software shakeout that began in 1984 and continued into 1985 found themselves with a different kind of problem. It was no longer necessary to rush products out so people would feel safe buying the machine, because about three million had already done so. But consumer sophistication had grown. Home computer owners were demanding better software: database programs with greater filing and search capabilities; word processors that had simple command structures, but more power and flexibility; educational software that held a child's attention, yet actually taught something; and richer entertainment experiences. Better games required not only more complex design concepts, but also better graphics.

Consumer demand was but one factor that triggered the next step in the evolution of Commodore graphics. Several forces collided in early 1984, resulting in games in which superb color graphics surprised and pleased their players. That seemingly sudden change was evolutionary, not revolutionary, say many of the people involved, and its impetus goes beyond the

fact that program designers had simply spent more time with the machine.

n any endeavor, the more you practice, the better you get. Though that's not the sole reason for the improvement in Commodore 64 graphics—maybe not even the most important one—it's certainly the most obvious. Bruce Carver, president and founder of Access Software, attributes much of his company's present-day success to a steadily increasing knowledge of the machine.

"It's been an evolution of technology," says Carver. "Someone does a game, and someone else looks at it and says, *I can do it better.*"

Carver, a mechanical engineer, bought a Commodore 64 early in 1982, and started programming as a

C www.commodore.ca

WE MAKE YOUR COMPUTER	COMMODORE	MICROPROSE (C-64)	SSI (C-64)
FUN TO USE!"	128 CALL C 1571 Drive CALL C 1902-A CALL	Kennedy Approach 21.75 Crusade in Europe 24.75 Decision in Desert 24.75	Colonial Conquest 24,75 Wings of War 24,75 Computer Ambush 34,75
DUST COVERS	C 64 CALL C 1541 Drive CALL C 1670 Modem CALL C 64 Computer CALL	Solo Flight 20.75 Nato Commander 20.75 Spittre Ace 18.75 F 15 Strike Eagle 20.75	Field of Fire 24.75 Fighter Command 36.75 Kämpfgruppe 36.75 Mech Brigade 36.75
Atari 520ST 11.95	REPORTED FOR THE PARTY IN COMM	F-15 Strike Eagle 20.75 Acrojet 21.75 Silent Service 21.75 Conflict in Nam 24.75	Kamptgruppe 36.75 Mech Brigade 36.75 Market Garden 29.75 Six Gun Shootout 24.75
130XE 6.99 800XL 6.99 1050 6.99	C 1750 512K RAM 269 JANE 35	Guriship 21.75	Meth Brigade
1025 7.99 Commodore	Perfect Writer 49 Perfect Calc 49 Perfect Filer 49		Cartels & Cutthroats 24.75 50 Mission Crush 24.75 Original 24.75
C128	PRODEDRUND	ACTIVISION (C-64/128) Alter Ego. 28.75 Hackler 18.75 Little People 20.75 Gamemaker 24.75 Borrand Time. 19.25	Gemstone Warnor
1702	BRODERBUND The Print Shop 28.75 Graphics Library		Norway 85 24 75 Battle for Antiem 29 75 U S A F 36 75
Panasonic 1090/1091 8.99 1092 8.99 1093 9.99	[11 III 18 75 Karateka 19 75 Bank St. Writer 32 75 Lode Runner 21 75	Space Shuttle 18 75 Music Studio 24 75 Mindshadow 18 75	Battlegrouppe 36.75 NAM 24.75
1093 9.99 Star Micronics SG/SD10 8.99	Printshop Companion 24.75	Hoadrace 18.75 Fast Tracks 22.75 Count Down 18.75 Ghostbusters 22.75	Phantasie II
SG/S015 999 SR10 9.99 SR15 9.99	Bank St. Speller 32.75 Bank St. Filer 32.75 Bank St. Mailer 32.75 Music Shop 27.75 Championship	Chrustousters 22.73	
Okidata 8.99	Loderunner	ACTIVISION (Amiga)	SUBLOGIC Night Mission Pinball2075
83/93 9.99 193 9.99	UNISON WORLD	Hackler 26.75 Mind Shadow 26.75	Flight Simulator
	Print Master (Amiga) 22.75 Print Master (C-128) 22.75 Print Master (C-64) 22.75	Music Studio 29.75 Borrowed Time 26.75	Set 1-6
COMMODORE SOFT-WARE	Art Gallery 16.75	MICROLEAGUE (C-64)	INNOVATIVE CONCEPTS
PERSONAL PERIPHERALS	CONTINENTAL	Baseball 24.95 GM disk 24.95 Team disk 14.95	Filp-n-File 10 3.5 Filp-n-File 15 8.2 Filp-n-File 25 Lock 17.9 Filp-n-File 50 17.2 Filp-n-File Filp-n-File 50 Lock 22.9 Filp-n-File 80 17.2
Super Sketch C-54. 29.95 Printer Ututy C-64. 14.99 Super Sketch Atan. 25.95 Super Sketch Atan. 55.00	Home Accountant	Count Gais	Flip-n-File 50 Lock 22.9 Flip-n-File Rom 17.2
INNOVATIVE CONCEPTS		SYNAPSE	
Flip-n-File 10 350 Flip-n-File 15 8 25	EPYX-64 Fastload 24.75 Summer Games 26.75	Syncaic 29.95 Template 14.95 Loderunner Rescue 19.95 Felsery 24.95	XETEC Font Master II 6429
REDIFORM PAPER	Commer Commercian 2010	Essex 24.95 Brimstone 24.95 Mindwheel 24.95	
Oty 1000 9½x11 white lazer 19.95 Oty 3000 9½x11 white lazer 29.95 Oty 1000 9½x11 white lazer 16.95	CARDCO Numeric Keypad 34.95 CB/5 5-stot Board (64) 49.95		DISK DRIVE
Oty 200 91/5x11 white lazer 5.95 Oty 1000 Mailing labels 1x3	CB/2 2-slot Board (64) 21 95 S'More Basic Rom 49 95 Write Now-64 32 95	BATTERIES INCLUDED Paper Clip	\$8.95
WICO Joysticks	Speil Now-64	Paper Clip w/Spell Pak 75.95	With Software
15-9714 Bat Handle 16.75 50-2030 Boss 11.99 50-2002 Super 3-Way 19.99	Paint Now-64 24.95 Calo Now-64 24.95 Super Printer Utility24.95	Home Pak 34 95 Bus Card 129 95 80 Column Board 109 95	\$17.95
★ 24 hrs. shi	Spell Now-64 24.95 File Now-64 24.95 Calc Now-64 24.95 Super Printer Utility 24.95 BUY LYCO * THE LOWEST PRICES * ing on prepaid cash orders pping on in-stock product *	AND ENJOY TOLL FREE ORDER LINE * In U.S. * All Merchandise Fait	With Softwar \$17.95
* No depo * Air freight service av * Purchase Orders A	sit on UPS C.O.D. orders * vailable * Full Manufacture Accepted from educational i	 Access to our Multi Million 3 Orders outside PA save state "s Warrranty apply! ★ Full ac- nstitutions! ★ We check for s ★ You'll love our Courtcous S 	sales tax * cessory line in stock tolen credit cards! *

C-www.commodore.ca



Cwww.commodore.ca







hobby. In those days, little documentation was available beyond the user manual, so designing a program was a learning process that involved a lot of trial and error.

Carver's first commercial attempt, Sprite Master (a simple sprite editor), launched his company and encouraged him to push his programming skills further. It was followed by a succession of popular games, including Neutral Zone and Beachhead, each a little better graphically than the previous one. His most recent game, Leader Board, contains some of the best visual effects his company has produced. Carver credits three years of practice and two programming tools for the lifelike graphics and animation in this golf simulation. (See review elsewhere in this issue.)

The first tool, rotoscoping, is a technique similar to one used in the movie industry. In previous Access games where animation was necessary, it was created in the same way animators draw cartoons. Each frame in succession is drawn just slightly different from the preceding one, so that when the sequence is run very fast, it looks like the characters are actually moving.

Rotoscoping involves using a video camera to film a sequence (in *Leader Board*, it was a golfer taking a swing). The sequence is then put up on a monitor and run through slowly, a single frame at a time. A series of frames is then chosen from shots that are close enough together so Access Software president Bruce Carver learned a little more about programming graphics on the Commodore 64 on each new project. Here, you can see that progression in these scenes from Neutral Zone, Beachhead, and Raid Over Moscow.

Leader Board is Carver's latest program, and his best graphically.

that the sequence looks fluid when run, and you don't miss the frames in-between.

Finding that balance is difficult, says Carver, because not only do you not want to use too few, but also you don't want to waste memory by using too many.

The next step is to rewind the tape and start from the beginning of the sequence, bringing up each individual image and shooting it with a camera to produce slides. Each slide is projected on a glass plate with a grid on it, and then it's traced. Using *Sprite Master*, Carver translates that information into a sprite shape. Then it's just a matter of determining the timing rate.

The second tool employed in developing *Leader Board* was *simulation equations*, a way of translating 3-D perspective information into two-dimensional screen information. (This technique is used often in designing flight simulators.) Though neither of these techniques is new, they're good



examples of the types of things that program designers are doing to push the Commodore 64 to its technological limits while there is still demand for new software. "Valuewise, I still think it's the most beneficial machine, dollar for dollar, on the market today, although the Atari ST and Amiga are giving it a run," says Carver. "I think it's being pushed by a lot of programmers as hard as it can be pushed."

o further understand why Commodore 64 graphics improved so rapidly, you have to go back to the late 1970s at the Atari Corporation. Atari was selling millions of videogame systems, and it employed some of the best designers in the business to develop new game cartridges for a demanding market. Once home computers became available and affordable in the early 1980s, interest in the dedicated game machines began to wane.

Craig Nelson, now director of

C www.commodore.ca

TAP THE POWER of the Commodore 128

By the author of Machine Language for Beginners and Second Book of Machine Language



Richard Mansfield

The understandable guide to 8502 machine language programming on the Commodore 128. Includes a sophisticated, label-based assembler optimized for the 128.

\$16.95

A COMPUTEI Books Publication

128 Machine Language for Beginners Richard Mansfield

One of the bestselling computer books ever has now been completely revised for the Commodore 128. Most commercial software is written in machine language because it's far faster and more versatile than BASIC. This new edition of Machine Language for Beginners is a step-by-step introduction to 8502 machine language programming on Commodore's 128 computer.

The book includes everything you need to learn to effectively program the 128: numerous programming examples, memory management tutorials; a complete description of the many Kernal routines and other new 128 features; numerous hints and programming techniques; and a dictionary of all major BASIC commands and their machine language equivalents. It also includes a high-speed, professional-quality, label-based assembler, optimized to take advantage of the speed and extra memory of the 128. 0-87455-033-5

\$16.95

Like the other top-quality books from COMPUTE!, 128 Machine Language for Beginners brings you ready-to-use information in a clear, lively style that makes learning easy and enjoyable, whether you are a beginner or an advanced computer user.

An optional disk is also available which includes the assembler and example programs in the book. The 128 LADS Disk is fully tested and ready to load on the Commodore 128. It costs only \$12.95 and saves you hours of typing time.

Order your copy of 128 Machine Language for Beginners and the LADS Disk today. Call toll free 1-800-346-6767 (in NY 1-212-887-8525) or mail your payment (plus \$2.00 shipping per book or disk) to COMPUTE! Books, P.O. Box 5038, F.D.R. Station, New York, NY 10150.



COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England and in Canada from Holt, Rinehart, & Winston, 55 Horner Avenue, Toronto, ON M8Z 4X6.





Epyx has enjoyed enormous success with Winter Games and Summer Games II, thanks, in part, to the programs' superb color graphics. But some have succeeded. Nelson credits the emergence of better Commodore graphics in great part to the presence of trained artists on those teams. "Programmers can program, but they can't necessarily draw," he says. "And artists can draw, but they can't necessarily program."

Input by artists was key, according to Nelson, partly due to the dearth of graphics tools available to programmers. "Some of the graphics modes on the 64 are really strange, and they have no analogs to the Atari or Apple, like the ability

product development at Epyx, was one of those Atari game designers who watched the old give way to the new. Like many of his coworkers, he moved over to the Atari 800 in the early 80s. "The money used to be in VCS (Video Computer System) games, and that's where most of the talent was concentrated," he says. "So if you want to look back at the old days, there are a lot of reasons why Commodore graphics weren't up to par. One is, simply, not many of the pros were working on them."

Which leads to another point. Many games designed initially for the Atari 800, taking advantage of the 800's sound and graphics capabilities, were then translated into a Commodore 64 format. Naturally, in comparing the two versions, Atari usually excelled. The best Commodore 64 games had to be designed on the machine itself, and that just wasn't being done very often. The period starting in late 1983, with a steadily increasing installed base of 64s, saw more and more developers take an interest in original design on the 64.

In that same period, software development teams started to form. Much of the earliest Commodore 64 software was done by one individual, a Herculean task. It's almost impossible for one person to have the multiple talents necessary to create a good game. The process of



writing a game involves coming up with an original, entertaining concept, having the skill to bring it to fruition through good, efficient programming, and also being a fairly respectable artist.

Of course, the team approach has its problems. Anytime you try to get a group of people together to do a project—defining goals and deadlines, assigning individual tasks, meeting along the way to check progress, and completing the project satisfactorily and on schedule—it can be a headache. Add to that the pressures on everyone in the home computer industry, and you can see why so many tried and failed. to change color of the character basis across the screen. That gave us a lot of color capability that had not been exploited. The Koala Pad [a digitizing tablet] was the first good art tool that exploited the nice bitmap graphics mode."

Nelson acknowledges the demand by game players for better graphics as some motivation, but feels he and his staff create a lot of their own pressures. "We do it to ourselves," he says. "It's a horrible situation. We come out with something like *Summer Games*, and then we have to do something even better.

"There's a need, because of the general state of graphics, to do the

C www.commodore.ca



now superior printing takes just a touch.

Complete control is right up front.

This new Star printer does so much so well so easily. Fantastic draft quality at 120 characters-per-second. And impeccable near-letter quality at 30 cps.

It's what's up front that makes great printing easy for you. Because Star puts everything right up front. On the front panel.

That's where you select print mode, print pitch, typeface, margin setting, and paper feed. Both single-sheet and tractor feeds are standard. And you can also have an automatic sheet feeder. **The new**

It's so easy to hitch your Commodore[®] to a Star. Our NL-10[™] has a plug-in interface cartridge just for Commodore 64/128 machines.

No other printer can beat this Star for quality, speed and ease. It's far out in front of all competition.

In front with quality up front.

The new Star NL-10.

Star

C www.commodore.ca







Epyx' Impossible Mission was designed by Dennis Caswell, one of those rare people who has all the skills necessary to create and design an outstanding game.

really hard work. Before, it was sufficient to throw up a background screen and have a few sprites moving around. Now, you have to do complicated software interrupt routines to reuse sprites and do fancy programming things to get objects moving around."

That's the history of any given machine. You work your very hardest to get the most out of it. And Nelson thinks we're getting close with the Commodore 64.

"We very clearly have limitations that are insurmountable." he says. "We can't go much farther with Apple because of its slow processor. Commodore has the same processor, but has some graphics help that Apple doesn't have. We've pretty much used all of that up now. There are a few little niche areas that haven't really been exploited all the way, but we're finding it more and more difficult to come up with technical innovation."

Digitizing is one technical innovation that could have some effect on Commodore 64 games, but Nelson and his co-workers have yet to use it in an actual game. "We just haven't found the place where it's appropriate in a game yet," he says. "With the new machines (the Commodore Amiga and Atari ST), you can afford to throw memory away. With the 64, we're scraping for everything we can get, and we just can't afford to blow away the kind of memory that digitizing implied. While it's an interesting thing, it's not appropriate yet."

All of these elements—top designers moving over to the Commodore 64 and doing original programming, input from artists, greater familiarity with the machines, and better graphics tools have triggered the evolution of Commodore 64 graphics from what we saw in 1983 to what we see today in 1986. Al Miller, a cofounder of Activision and, more recently, Accolade Software, thinks demand from the public and competition from other companies have been the most important driving forces.

Miller started designing 2K games for Atari VCS cartridges in 1977. Then he moved to 8K. His first game for Accolade, *Law of the West*, came in at 256K. That's 32 times bigger, but it wasn't 32 times more complex, he says. The extra

The co-founders of Accolade Software believe that exceptional color graphics are key to the success of a computer game. These scenes from Law of the West and Psi-5 Trading Company illustrate that belief.

memory was allocated for graphics and music.

"I really don't think that designers are learning that much more about the machines," says Miller. "It was the case in the VCS market because we were primarily employing tricks to get advanced graphics out of the cruder machines. Computers that are available now are pretty straightforward in descriptions of how to generate sound and graphics."

Today's best game designers have proven quite successful in stretching the limits of Commodore 64 graphics over a period of three years. But the learning curve posed for the next generation of game designers may be a bit tougher.

What state-of-the-art home entertainment will be like five or ten years down the road is almost impossible to predict. Laser technology is shaking up the information storage and retrieval industry these days with the advent of equipment like CD-ROMs, and it's likely to have some effect on the kinds of games we'll see in the future. In the meantime, image-rich games on the Commodore 64 are the best they've ever been.

🕻 www.commodore.ca

BRADY adds more power to your Commodore.

Nobody understands how to get the most out of Commodore computers without having to add more machine—better than Brady Books. And now you can too. Call toll-free or use the coupon below to order today.



1. Teaches you about using the DOS, disk formattling and organization, direct-access programming, DOS protection recovering "damaged" data, and includes an overview of DOS 2.6. Also includes disk RAM map, math conversion routines, and a disassembled and annotated DOS. \$19.95



2. Clarifies confusing areas and corrects omissions in the equipment's user's manual. You'll learn how to validate. initialize, reuse disks, and more. Also includes a mailing list application listing for demonstration as well as some of the best utility programs. \$19.95



3. A revision of the bestselling classic shown above, this real learn-by-doing tutorial includes discussions of chip architecture along with commands and important concepts such as output, address modes, memory maps, and linking BASIC to machine language. Perfect for new 128 owners. S14.95 (Disk available)



5. With a foreword written by David Simon himself, here's the first and last word on Simons' BASIC. A complete reference to 144 commands, and includes a "guided-tour" of practical tips for this language. For both the 64 and 125. \$12.95

Exp. date

Zip

4. Perfect beginner's introduction to assembler. Shows how to write, debug, and execute programs and includes exercises to familiarize you with the instruction set of the 6510 processor. \$14.95 (Disk and kit evaluable).

Now at your book or computer store. 800-624-0023 In New Jersey: Or order toll-free today:

City _____ State _____ (New Jersey residents, please add applicable sales tax.)

I	BRADY COMMUNICATIONS COMPANY, INC.
I	c/o Prentice Hall,
I	P.O. Box 512, W. Nyack, NY 10994

Circle the numbers of the titles you want below. (Payment must be enclosed; or, use your charge card.) Add \$1.50 for postage and handling. Enclosed is check for \$_____ or charge to MasterCard VISA.

1 (0-8359-3091-2) 2 (0-89303-738-9)

31	0-89303-652-8
01	0-03000-002-0

Acc't # ____ Signature Name ____

Address

Dept. 3

4 (0-89303-319-7) 5 (

GR-COGA-BG(8) 5 (0-89303-419-3)

nnadore.ca

reviews

The Bard's Tale

To His Most August Majesty, Emperor Huracor IV: Most Exalted One.

It is as we had feared. The threads of a few terror-swollen reports can now be woven into a single cloth: The city of Skara Brae lies under a grim, malignant cloud; and the town—once the brightest jewel of your realm—is in the hands of the loathesome Mangar. How Mangar came here, I do not know. But I have been into the city, and his wizardry and evil are everywhere present. Decay and darkness are the order of the day, and death stalks the streets in a thousand different guises. There are, however, yet a few stout hearts within the walls.

It is with them that our hope lies. For it pleases Mangar to maintain a semblance of normal life in the town. This may be his conceit, or it may be that he needs commerce and the skills of these good people to sustain him in some manner. Regardless of his reasoning in this matter, it shall be his undoing.

Here is my plan:

A good number of taverns and temples remain open. In addition to the places of entertainment and worship, two outfitters have survived, and the venerable Adventurer's Guild remains untouched.

I met in these places with some of the valiant souls whose heartfelt desire it is to overthrow Mangar. They are not great men of arms or wizardry. Many such were taken by Mangar or fled at his coming. But by stealth and cunning, we may be able to creep unnoticed through the city, growing ever stronger in force and knowledge, until at last we confront and destroy the vile usurper.

As we had conjectured, Skara Brae cannot be taken by a great force of warriors. There is power here to resist the might of all our armies. Even in daylight the streets are patrolled by the Undead. Mangar has summoned them to join his hordes of men and monsters and sundry evil wizards. At night, the situation worsens—they say there are dragons, ogres, and fierce things that were never alive. Fighting will be inevitable and, against opponents such as these, would be doomed to failure without the utmost care in planning and strategy. One essential element: Well-hidden within Skara Brae, a single stalwart Review Board refuses to submit to Mangar. The high folk from the ten classes will increase our powers if we can but find them and satisfy their noble standards. I know, too, that weapons and devices of sublime power still remain in the city. Many of them, I fear, have been secreted in the mazes and dungeons of the old town never the safest places to venture, and now doubly dangerous. In the darkness of those cold chambers, perhaps the small magic of my songs will bring us some slight strength.

Still, there is no alternative. Shortly, I will return to the Adventurer's Guild there to join my five companions and go into the streets and alleyways to pry at the chinks in Mangar's armor. Wish us well, and if we do not return, at least let our suffering pave the way for those who will follow.

> I have the joy to remain... Your obedient servant, Tranhoff,

> > Imperial Bard

You won't find the emperor—or Tranhoff—but everything else—and more—is in *The Bard's Tale*, a wondrous new adventure game from Electronic Arts. Two seemingly normal 5 1/4" disks can now transform your 64 into the world of Mangar and the blighted city, Skara Brae.

In its general approach, *The Bard's Tale* is like any number of role-playing fantasy games. A band of intrepid adventurers fights its way through foes both magical and mundane. Eventually, some elusive, mystic goal is achieved. Cannons fire, music swells, and everybody goes home happy.

The excellence of *The Bard's Tale* stems not from its departure from this basic idea, but rather from its depth of concept and brilliance of execution. The program apparently represents over 400K of machine language, and it certainly looks like every bit has been put to good use.

The game is a graphics adventure rather than one based on text and a parser. All player options are presented in the form of smoothly scrolling menus that appear in a special message window. Simultaneously, another window displays graphics. These may be of monsters, buildings, or members of your party. Many of them are cleverly animated, and most are works of art.

Your reactions to what you see in the display are transmitted through the keyboard, either in single keypresses or brief codes. Movement is also controlled through the keyboard.

Beyond simple mechanics, the game unfolds to reveal level upon level of thought and challenge. Overall strategy is much as indicated in Tranhoff's letter: Find the Review Board, then learn and grow stronger, and eventually topple Mangar himself.

Tranhoff is not the bard supplied on the character disk, but you could create him. An option exists for creating all or any of the members of your band. Attributes are assigned randomly, but you can repeat this stage until you're satisfied with the strengths of a character. You must be careful with the newly born; they are terribly vulnerable in the streets and dungeons of Skara Brae. Some have valuable characteristics not available to those already on the disk. Nurturing new characters may become an important element of strategy at the higher levels of play.

Another fascinating area of gameplay is the use of magic. *The Bard's Tale* offers an array of 85 powerful spells and a complex system of ranking spellcasters. As magic users rise through the various levels and evolve into different classes, more of the spells become available to them. Optimizing spell use and employing it effectively in combat is intriguing and—eventually—rewarding. Any Bards in your party possess songs of magic, but no initial knowledge of their purposes.

A few final points. Players must explore Skara Brae's dark places to progress satisfactorily. These are contained on the second disk, the Dungeon Disk. Clues to find the first of them are packaged with the game. After that, you're on your own. Good luck with your searching, and don't come to depend too much on your equipment or party members. Be prepared to reclaim earlier incarnations from disk. For this reason, it's a good idea to play with two character disks, backing up any party member whose powers increase dramatically.

Working out a method of dealing with character disks is an area that may

C www.commodore.ca



Help your children learn the basics of computer programming with these two new entertaining and educational books from COMPUTEI.

0-87455-038-6 \$14.95

0-87455-032-7 \$14.95

Each book contains easy-to-follow instructions, programming examples, quick reviews, and colorful illustrations. Written in COMPUTEI's clear, easy-to-understand style, the books offer hours of entertainment while helping kids (and adults) learn to program in BASIC.

If you're acquainted with BASIC, you can easily write your own games and applications on Atari's ST or Commodore's 128 computers. Over 30 sections—all with instructor notes, lessons, assignments, and lively illustrations—entertain and amuse as you learn to use these powerful computers. COMPUTEI's Kids and the Atari ST and COMPUTEI's Kids and the Commodore 128, in the bestselling series from author Edward Carlson, are gentle introductions to programming your new computer. Clear writing and concise examples, both trademarks of this series, make it easy for anyone—child or adult—to learn BASIC painlessly.

Look for these and other books from COMPUTE! at your local book store or computer store. Or order directly from COMPUTE!.

Please send me the following COMPUTEI be	Books, P.O. Box 5038, F.D.R. Station, New York, NY 1 ooks, My payment is enclosed.	
COMPUTE!'s Kids and th	e Commodore 128, (032-7) \$14.95 each	
COMPUTE!'s Kids and th		
	Subtotal	
ALL ORDERS	NC residents add 4.5% sales tax	
MUST BE	Shipping and handling per book (in U.S. and surface mail, \$2.00 per	
PREPAID IN U.S. FUNDS	book; airmall, \$5.00 per book.)	
	Total amount enclosed	
Payment enclosed (check or money or Charge MasterCard Visa An	nerican Express	
Account No.	Exp. Date(Required)	
Name	***************************************	
Address		
City		
	and the second se	

COMPUTE! Publications, Inc.

COMPUTEL COMPUTEL's Gazet

"COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England and in Canada from Holt, Rinehart, & Winston, 55 Horner Avenue, Toronto, ON M82 4X6.

🕻 www.commodore.ca

be somewhat confusing. There's nothing wrong with the program, the documentation is not at its clearest here. Also on the topic of disk operations, the program's extremely clever design has reduced the need for swapping the two disks to an absolute minimum. Players who've tangled with other games of this type will greatly appreciate this feature.

The Bard's Tale is a story of mystery and magic. It tells of a complex and wonderful world where monsters lurk and great deeds wait to be done. You enter that world at your own peril. And the greatest danger is not Mangar—it's the likelihood that you'll never be able to tear yourself away from this masterpiece of a game.

-Lee Noel, Jr.

Electronic Arts 2755 Campus Dr. San Mateo, CA 94403 \$39.95

Ballyhoo

From up in the bleachers, the circus is all glitter and daring, a magical kaleidoscope of improbable images. But watching the circus I always want to sneak backstage, to see the performers be-



THE PROFESSIONAL WAY TO BACKUP YOUR C128/C64 SOFTWARE!

ONLY **\$49.95** ORDER BY PHONE **805-687-1541 ext. 64** Also available: DiskMaker ToolKit[™] SUPER Disk Utility package. Ask for SPECIAL combo offer with DiskMaker[™]! MODULE subscription available.

Credit card/COD order by phone 24hrs/7 days or send check/money order payable to BASIX. CA residents add 6% tax. Add \$3.50 shipping/handling for US. CANADA add \$10.00. Dealer inquiries invited.

DON'T LET AN ACCIDENT RUIN YOUR ONLY COPY...BACK IT UP WITH DISKMAKER™ !!



tween acts and explore the shadowy world lurking beneath all the glitz. At last I've found the opportunity with *Ballyhoo*, Infocom's richly evocative, often exasperating, and very clever new text adventure.

The game begins as the circus performance ends. You are prowling around behind the big top, trying on stray masks and peering into the prop tent, when you overhear a conversation between the circus boss and a detective about the mysterious disappearance of the circus boss's daughter. Neither the boss nor the detective sounds terribly concerned or competent, so you valiantly resolve to find her on your own. Thus begins your foray into the seamy underworld of the circus.

Once you become immersed in the game, though, you may discover that your mission to find the abducted girl becomes secondary to exploring the bizarre and chimerical world around you. Sympathetic as you are to the girl's plight, you can hardly pass up the opportunity to walk a tightrope, watch an impromptu clown act, play with the exotic animals, or be hypnotized by Rimshaw the Incomparable. And often in pursuing these seemingly pointless diversions you can pick up some clues to the mystery.

But *Ballyhoo*, true to the Infocom tradition, is not for the impatient. Clues are hidden under layers of red herrings; some maneuvers have to be repeated two or three times before they'll work, while others are stubbornly refused; and each of the circus folk, from the tiny midget to the 827-pound Tina, is evasive when not downright cantankerous. Even the seasoned Infocom player is well-advised to draw a map, take copious notes, and leave no gorilla suit unturned.

While the game can frustrate don't expect to complete it in a day—it can also charm. Great care was taken to evoke the atmosphere of the circus: You hear a calliope in the distance, you smell the musty elephant tent nearby, you feel the rough canvas of the tent as you sneak behind the big top. Many of the scenarios and props are added solely for their humor. And often the responses to your commands are whimsical or ironic.

The parsing in *Ballyhoo* is surprisingly flexible. You can, for instance, make commands such as "Take the apple. Polish it. Put it in the box." or "Drop all except the mask and the cheese morsel." You can also ask questions of specific characters, or use invaluable Infocom commands such as VERBOSE (for a thorough description of each location) and OOPS (which allows you to retype only the word you typed incorrectly in the last sentence). As can be expected from Infocom,

C-www.commodore.ca

Great Software for Under \$700 And Free Diskettes, Too!

Now is your chance to build your software library at a very reasonable cost! For ONLY \$6.99 you can get software for your Commodore or Apple computer. Choose from entertainment, home management or education titles.

As an added BONUS: For any merchandise order over \$10.00 you will receive one FREE universal diskette! These diskettes are double-notched, DS/DD giving single-sided users twice the storage at the same great price!

For the Commodore 64/128

Entertainment Series

C

C

Memory Quest Sky Fighters .2 C-3 Atomic Challenger C-4 Professional Gambler C-5 The Survival Instinct Arcade Action C-6 Adventure Master A PACaLIPS NOW -8 C-9 Bits, Pieces and Clues C-10 Board Games -11 Board Game Challengers -12 Chess Champion -13 Crazy Corners 14 Galactic Empire Builder 15 Just Games (With a Twist!) -16 Land, Sea & Air Adventures 17 Maze Madness 18 Peg Out (The Cribbage Game) -19 Star Trek Evolution 20 Trivia Quest C-21 Open Golfing Royal St. George's C-22 Alien C.23 Bulge-Battle for Antwerp C-24 Wizard & the Princess -25 Ulysses & the Golden Fleece -26 Mission Asteroid C-27 Passport to London C-28 Passport to Paris **Home Management** C-29 Tax Record Organizer C-30 Vital Data Keeper C-31 Wordmaster Senior C-32 Master Word

C-33 Personal Spreadsheet C-34 gBASE, database manager C-35 My 64-A Computer Tutor C-36 Commodore 64 Utilities

C-38 Home and Business Card File C-39 Home Expense Manager C-40 Home Finance Organizer 1 C-41 Home Finance Organizer 2 C-42 Home Income Manager C-43 Home Money Manager C-44 Home Property Manager C-45 Money Minder C-46 Personal File Keeper C-47 Personal Investment Manager C-48 Family Tree C-49 Electronic Scheduler C-50 Pro Financial Organizer C-51 Recipe Box C-52 Tax Record Organizer **Education Series** C-53 Number Builder C-54 Number Chaser C-55 Hide & Seek C-56 Picture This C-57 Let's Count C-58 Time Trucker C-59 Fancy Face C-60 Math Manor C-61 Typing Tutor C-62 Speed Reader

Electric Book Co.

Education Series C-63 Why? C-64 When? C-65 The Three Bears C-66 Gingerbread Man C-67 Baby Animals -68 Hoppy the Curious Kangaroo C-69 Wild Animals C-70 Tom Thumb -71 I Was a Second Grade Werewolf C-72 Tough Eddie

Plus these Super Accessories

 Universal Blank Diskettes (for Apple or Commodore) compatible with any 51/4" disk drive. Double-notched, DS/DD disks give single-sided users twice the storage at the same great price! Box of 5: \$6.99. Blank Diskettes: 100% certified, DS/DD, Box of 10: \$7.50.

City

for Commodore 64/128

- ShareData 300C[™] 300 Baud Modem: Autodial, autoanswer, includes terminal software: \$34.95.
- Utility Cartridge: 30 functions: \$19.95
- Warp Drive Cartridge: Faster loading plus more functions for more efficient use of your computer: \$19.95

CALL TOLL-FREE CREDIT CARD ORDERS ONLY 1-800-257-9411 In Minnesota CALL (612) 829-1911 VISA

Firstline Software, Inc. P.O. Box 5297 7124 Shady Oak Road Eden Prairie, MN 55344

For the Apple II+, IIc, IIe

Entertainment Series

- A-1 Beginner's Cave, an Adventure
- A-2 Cave of the Mind, an Adventure A-3 River Adventure, an Adventure
- A-4
- Fore!, Golfing Simulator Lady Luck A-5
- A-6 Space Adventure
- A-7 **Classic Games**
- A-8 Android Invasion
- Championship Gambler A-9
- A-10 Chess Champion
- A-11 Memory Quest
- A-12 Wizard & the Princess
- A-13 Ulysses & the Golden Fleece
- A-14 Mission Asteroid
- A-15 Passport to London A-16 Passport to Paris

Home Management

- A-17 The Addresser-Mailing List
- A-18 Financial Planner
- A-19 General Ledger
- A-20 Monthly Budgeter A-21 Nutrition Monitor
- A-22 Securities Portfolio
- A-23 Recipe Box
- A-24 Database Manager
- A-25Disk Library A-26Electronic Calendar
- A-27 Electronic Phone Book
- A-28 Family Tree
- A-29 Personal Spreadsheet
- A-30 JWriter, Word Processor
- A-31 Utility Master
- A-32 Vital Data Keeper
- A-33 Typing Tutor

A-36JBase **Education Series** A-37 Mr. Math A-38 Speed Reading A-39 Beginning Counting A-40 Counting Skills

A-34 Tax Record Organizer

A-35 Checkbook Balancer

- A-41 Addition I A-42 Addition II
- A-43 Addition III A-44 Addition IV
- A-45 Subtraction I
- A-46 Subtraction II
- A-47 Subtraction III
- A-48 Multiplication I
- A-49 Multiplication II
- A-50 Multiplication III A-51 Division I
- A-52 Division II
- A-53 Division III

A-54 Division IV Electric Book Co.

- **Education Series** A-55 Why?
- A-56 When? A-57 The Three Bears
- A-58 Gingerbread Man A-59 Baby Animals A-60 Hoppy the Curious Kangaroo
- A-61 Wild Animals
- A-62Tom Thumb
- A-631 Was a Second Grade Werewolf A-64 Tough Eddie

ENHANCER 2000™ Disk Drive \$149.95

plus \$6.00 postage/handling Commodore compatible floppy disk drive



www.commodore.ca

ORDER FORM Please list the ordering number(s) (C-1, A-3, etc.) of the program(s) you wish to order and

State.

return this order form along with your check, money order or VISA/MasterCard information to: Firstline Software, 7124 Shady Oak Rd., Eden Prairie, MN 55344.

I'm ordering the following program

Check or money o	rder enclosed Card
Card Number	
Expiration Date	11
Name	and the second
Sig	Date
Name	La state and

s:	Total number of software pkgs x \$6.99 each \$
_	Boxes of 5 Universal blank disks x \$6.99 per box \$
	Boxes of 10 blank disks x \$7.50 per box
-	300C 300 Baud Modem x \$34.95 per modem \$
	Utility Cartridge x \$19.95 each\$
	Warp Drive Cartridge x \$19.95 each
osed	Enhancer 2000 Disk Drivex \$155.95 ea. (incl. p.&.h)\$
	Total amount of order\$
	Postage/handling\$ 2.00
Sec. and	MN Residents add 6% state sales tax
-	Total (enclose check, money order or fill in VISA/MC information at left) \$
	 Money orders/Credit card orders shipped immediately.
te	Allow 4-6 weeks for delivery for check orders.
	Address

- C
- C-37 Financial Analyzers

the packaging of Ballyhoo is splendid. The game comes with a circus ticket (or Annie Oakley, in circus lingo), a balloon, and a superbly illustrated circus program (or bible). Included in the booklet are a brief history of circuses, a colorful description of each of the key Ballyhoo characters, and a glossary of circus jargon (so that you too can toss around terms like Annie Oakley, bible, lotlice, etc.). There are also several pages of clearly written instructions, explanations, and tips. But don't be misled: The mysteries of Ballyhoo are not easily unraveled. Or, as the program has wryly told me more than once, "You'll have to do that yourself."

-Joan Rouleau

Infocom, Inc. 55 Wheeler St. Cambridge, MA 02138 \$39.95

Jet

For flight simulation fans, there's more fun on the horizon. *Jet*, subLOGIC's latest addition to an ever-growing family of flight software, is an upscale, friendlier version of *Flight Simulator*. There are several points which draw an inter-



esting comparison of the two.

First, Jet is easier to fly—especially for novices. All you have to do to get airborne is throttle up with the + key, and pull back on the joystick. You have the opportunity to look back and see the airstrips disappear more quickly and at a sharper angle than with Flight Simulator II. You can select a landbased craft or take off from a carrier at sea. When flying the land-based craft, you pilot an F-16, a ship modeled after its versatile and powerful namesake. If the carrier-based option is selected, an F-18 is used. The carrier-based takeoff requires more tries to master. Generally, though, getting in the air is not difficult.

Jet offers some features for arcade fans. Designer Bruce Artwick has filled



in the details from the outline of the "WWI Ace" scenario presented in Flight Simulator II. Complete with dogfights, Jet provides computer-controlled radar tracking, heat-seeking missiles, and enemy aircraft that maneuver with apparent intelligence. Take some target practice in the Target Strike Game, in which there are air-to-ground missiles, machine guns, and smart bombs. The enemy is land-based, and seeks you out relentlessly, turning your screen to a streaming flash of red and yellow should it make contact. Three-dimensional graphics allow clear views of the enemy. (But fire before you see the whites of their eyes.) If it appears that you're in danger of losing your plane, don't worry: Jet includes a cockpit ejection system. You can always bail out and parachute to safety.

A featured bonus with Jet is its compatibility with any of the Flight Simulator Scenery Disks. You can fly it to New York, San Francisco, Albuquerque, or Los Angeles, or anywhere in the charted world of flight simulators.

Getting started might typically go like this: Take *JET* out of the hanger and taxi out a bit to the runways. Press C to get a view from the control tower, and then turn the craft until it faces the tower. Hit the thrusters and take off right by the tower—not something you'd want to try in real aviation. What you see is a great computer program doing what it does best—and letting you have some fun.

-David Florance

subLOGIC Corporation 713 Edgebrook Dr. Champaign, IL 61820 \$39.95 (Scenery Disks, \$19.95 each)

Battle of Antietam

Having grown up near several major Civil War battlefields, I developed an early interest in this special period of American history. Being able to explore the woods and fields of so many legendary exploits made the events of the Civil War more real and personal than the history I was taught in school.

So when I saw the package for *Battle of Antietam*, a recent release for the Commodore 64 from Strategic Simulations, it was only a question of how many minutes it would take before I had the game up and running.

I began by playing the basic game, suitable for beginners, before moving up to the more difficult and demanding intermediate and advanced levels. To begin each game, the forces are marshalled in their historical positions, where they stood at sunrise on September 17, 1862. The Union force consists

🗗www.commodore.ca



(219) 663-4335

P.O. BOX 563, CROWN POINT, IN 46307

Shipping - \$3.50 most items (Foreign shipping extra) Visa & MasterCard Accepted Dealer Inquiries Invited

SNAPSHOT 64

SNAPSHOT 64 is a unique and exciting utility that virtually takes a picture of your computer's memory. SNAPSHOT 64 then saves that 'snapshot' to disk and automatically creates an auto-boot loader for the program. Once saved to disk the program may be restarted at the exact same point at which it was interrupted.

MOST EFFECTIVE UTILITY OF ITS KIND - EVEN MORE EFFECTIVE THAN THOSE UTILITIES THAT CLAIM TO "COPY ALL MEMORY-RESIDENT SOFTWARE"

INVISIBLE TO SOFTWARE - CANNOT BE DETECTED

SNAPSHOT FILES RUN BY THEMSELVES - THE BACKUP COPY WILL RUN AS-IS, WITHOUT THE SNAPSHOT CARTRIDGE

WORKS MUCH FASTER THAN OTHER SIMILAR UTILITIES

EASY TO USE - NO COMPLICATED INSTRUCTIONS - EVEN A CHILD CAN DO IT

SNAPSHOT FILES ARE COMPATIBLE WITH FAST LOAD UTILITIES SNAPSHOT FILES WILL LOAD FROM ALL COMMODORE COMPATIBLE DISK DRIVES

STORE MANY DIFFERENT SNAPSHOTED FILES ON A SINGLE DISK

FULLY SELF-CONTAINED ON CARTRIDGE - NO DISK TO HASSLE WITH

COMPLETE AND THOROUGH MANUAL IS INCLUDED

COMPATIBLE WITH C64 & C128 (IN C64 MODE)

SOLD FOR ARCHIVAL PURPOSES ONLY

\$49.95 plus shipping

EPROM PROGRAMMERS HANDBOOK

The EPROM PROGRAMMERS HANDBOOK was written with the average user in mind. Important concepts are covered in a readable, informative manner. But the HANDBOOK is much more than theory. Many useful programs are included on the accompanying diskette. Topics include:

PROGRAMMING EPROMS - EXAMPLES AND TIPS

CARTRIDGE TYPES - ALL STANDARD TYPES COVERED

PROTECTING CARTRIDGES - MANY VALUABLE TECHNIQUES

C128 CARTRIDGES - THEORY PLUS EXAMPLE

MENU MAKER - PUT 10 PROGRAMS ON A CARTRIDGE WITH MENU MODIFYING THE KERNAL - ADD THE DOS WEDGE AND MORE

MODIFYING THE DOS - ADD COMMANDS, DISABLE "BUMP"

APPENDICES AND DATA SHEETS - USEFUL TABLES

OVER 150 PAGES - DISKETTE INCLUDED

Only \$32.95 plus shipping

PROMENADE EPROM PROGRAMMER

\$99.50 plus shipping We have a full line of EPROMS and cartridge supplies

1541 DISK DRIVE ALIGNMENT PROGRAM VERSION 2.0

Still the best! No special tools or knowledge are required to properly align the 1541 disk drive (although average mechanical ability is required). Thousands already in use.

See the review in the Oct. 1984 Computel's Gazette. Also reviewed in Ahoy and Run.

\$44.95 plus shipping

Updates available to prior purchasers \$20.00 plus shipping

szo.oo pius snipping

THE SOURCE GENERATOR

The Source Generator is an advanced programming utility that will produce code from programs in memory or directly from a disk. Imagine being able to take any ML program and convert it to true source code, complete with lables and cross reference table.

DISASSEMBLES ALL UNDOCUMENTED OPCODES DISASSEMBLES 6502, 6510, 65C02, 6511 & 8502 OPCODES HANDLES EXTENDED ZERO PAGE ADDRESSING PROPERLY PRODUCES FILES COMPATIBLE WITH CBM, PAL AND MAE ASSEMBLERS ALLOWS USER TO DEFINE LABELS AND SYMBOL TABLE OR USE STANDARD KERNAL LABELS WORKS FROM DISK OR MEMORY NOT COPY PROTECTED DESIGNED FOR SERIOUS USERS A TRUE SYMBOLIC DISASSEMBLER WRITTEN IN ML FAST AND EASY TO USE, NO COMPLICATED INSTRUCTIONS COMPATIBLE WITH DOS WEDGE AND MOST ML MONITORS

\$34.95 plus shipping

PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME I

This is the original protection manual. Covers bad blocks, BASIC and ML protection schemes, reset and cartridge switches and much more. Program disk is included, with many helpful programs. If you are just getting into program protection, this volume is required reading.

\$29.95 plus shipping

PROGRAM PROTECTION MANUAL FOR THE C-64 VOLUME II

Not just a third edition — a new and up-to-date manual covering the latest advances in program protection. Over 275 pages of valuable information. The most advanced manual written on program protection for the C-64. A disk is included to help explain the concepts.

\$34.95 plus shipping

CARTRIDGE BACKER II

Just updated New auto-parameter version archives many more cartridges and disks. Saves cartridges to disk with an autoboot. Cartridge backups run AS-IS — NO EXTERNAL BOARD OR CARTRIDGE REQUIRED TO RUN THE BACKUP

\$54.95 plus shipping

S 14.00 plus shipping

of over 67,000 troops, while the Confederacy has only about 35,000—close to half the size of the Union army. (Lee had mistakenly divided his force, sending half to seize the Federal garrison at Harper's Ferry.) Although the North is overwhelmingly superior in numbers, the South can overcome seemingly hopeless odds, thanks to errors made by the Union command, which the program simulates rather effectively, and by careful, tactical planning.

Each turn, consisting of several phases of action as you command your forces against the computer or a human opponent, advances the clock one hour. Many options are available, and much is to be considered as you command your troops. Should you press the attack? Or maybe it would be best to allow the men a chance to catch their breath as fresh troops are brought up from the rear. Is now the right time to launch a counter-attack?

The simulation is quite involved. I was surprised to discover that as I commanded my forces through the battle hours of 6 a.m. to 5 p.m., I used as much (or more) time as the actual battle: Each time I played a complete battle, I spent at least 12 hours. Fortunately, a save option is included, and available often during the game. The computer is a formidable opponent, and will prepare

you quite well for an encounter with a human opponent.

The Battle of Antietam is a must for anyone with even a mild interest in the Civil War. The simulation is easier to understand than many others of its kind. Included in the manual-which offers a thorough treatment of the battle-are organizational charts for both sides, and the complete order of battle. A colorful plastic laminated topographical map of the battlefield is included, and you'll find yourself referring to it often as you plan your strategy, looking to take advantage of the roads for troop movements and the hills for positioning your artillery. At the end of the game, occupation of several key road intersections is worth bonus points, and you'll be using the map to locate these crossroads, then dispatching your troops to seize control or defend them.

Many factors, including rate of fatigue, resupply, disruption of troops, and so on, are used to determine the outcome of a clash. And each encounter is resolved down to the man. You'll sense a feeling of overwhelming despair as the casuality rate climbs higher by the hour. Occasionally you'll feel yourself reeling from a report that a division lost somewhere in the smoke and noise of the battle has lost over a



hundred men in a brief moment. You may even receive reports of entire companies being eliminated.

The value of SSI's *Battle of Antietam* may ultimately be that you'll decide to visit the library or even the battlefield to learn more about this battle's significance in one of the most important periods of American history. In that light, it's more than just another game.

-George Miller

Strategic Simulations, Inc. 883 Stierlin Road Building A-200 Mountain View, CA 94043 \$49.95

Leader Board: The Pro Golf Simulator

Golf can be a game of simple beauty, played on quiet mornings when the dew is still thick on the greens. Or it can be one of the most frustrating experiences, where clubs fly farther than the ball.

Leader Board, from Access Software, makers of the popular Beach-Head and Beach-Head II, can duplicate either definition of golf quite nicely. This golfing simulation for the Commodore 64 will either make you grin as you sink that 45-foot putt, or make you howl with anger as you slice a dozen balls into the water beside the fairway. This is a compliment, a high compliment, on the game's realism. It's so much like the real game that you're tempted to play from an electric golf cart.

Three levels of play—novice, amateur, and professional—and four different 18-hole courses make *Leader Board* a game you can stick with instead of discarding after a couple of afternoons. A driving range is also available—use it before you begin serious play, if only to sharpen your shooting skills.

Plug a joystick into port 2, load the game, and you're ready to start. Up to a foursome can play *Leader Board* (each player takes his or her turn with the joystick). Enter players' names, choose the course, the number of holes you'll play (up to the entire 72), and the game begins.

Leader Board puts every decision and move in your lap, from selecting the right club to hitting the ball at the right moment. Using the joystick, you decide in which direction to hit, then swing away. Depending on the difficutly level, you may have to take the wind into consideration. A combination of pressing the fire button, holding it, then

C www.commodore.ca



pressing again controls your backswing and wrist snap, sending the ball flying. You can swing as hard or soft as you want, even hook (make the ball curve left) or slice (make it curve right) around those doglegs. Once on the green, where you can use your putter, you have to read the break, or how the ball will curve, as well as the slope. Again, you control the amount of power you put into the swing. If you're on target, you'll hear a comforting *thunk* as the ball lands in the cup.

All this makes Leader Board a game worth playing. What makes it worth remembering, and playing again and again, is its graphics. This game is simply amazing-there's no other word for it. With no disk access, the screen changes from scene to scene, showing your present perspective of the pin. Hit the ball into the water and a small splash appears. Your golfer's swing (each player's character wears different colored shirts and pants-only male figures for some reason) is something you have to watch to appreciate. It's so smooth that you could use it to improve your real game. And when the ball leaves the tee, the golfer lifts his head to follow the ball!

Shadows beneath the flying ball, balls which bounce as they land on the

fairway or green, and even balls which hit the flag. Sound effects add to *Leader Board*, letting you hear the *thock* as the club meets the ball and the splash as the ball hits water.

Score is kept as in real-time golf. Color-coded birdies, eagles, bogies, and pars are put on the leader board shown at the end of each hole. You can see at a glance the present position of each player, even while you're playing a hole.

The only thing missing from *Leader Board* is sand traps. The only hazard is water, which is all over the place. Islands, peninsulas, and narrow necks of land are the only way to the green. One more thing I'd like to see in the game: You can't tell where the green actually starts since it's the same color (green) as the fairways. (One interesting note about this game's copy protection: The disk itself is not copy protected, so you can easily make a backup copy. However, a piece of plastic with a very small resistor (often called a *dongle*), which comes with the program, must be inserted into the cassette port in order for *Leader Board* to work.)

Tee up a ball, ask your imaginary caddie for a club, and plant your feet firmly in the grass.

Swing and watch it fly. *Leader Board* is fun, a lot of fun, and as addicting as the real game. Best of all, there are no green fees.

-Gregg Keizer

Access Software, Inc. 2561 South 1560 West Woods Cross, UT 84087 \$39.95

Votalker Speech Synthesizer

Over the years Votrax has built a reputation for producing high-quality speech synthesizers. One point in their favor is that they design their own speech chips; their engineers aren't limited to what's currently available. Votrax chips can be found in a variety of other companies' speech synthesizers, so even if you've never seen a Votraxbrand speech synthesizer, you've probably heard the sounds made by one of their speech chips.

Until recently, their products have been somewhat high-priced for the Commodore market. A year ago, I experimented briefly with a Votrax synthesizer which, with the proper cable, would work with a Commodore 64, an Apple, an IBM, or several other computers. The suggested retail price was in the \$300 range, more than what you would have paid for a 64 at that time. Votrax gave you Rolls-Royce quality at Rolls-Royce prices.

The recently released Votalker cartridge for the 64 is not only an excellent speech synthesizer, it also costs less than \$100. It has the Votrax quality you'd expect, at an affordable price. To put it simply, the Votalker is a great value. It has the standard features found on other speech synthesizers—and more. It's compatible with both the 64 and the 128 (in 64 mode).

The Votalker fits into the expansion port and, like most cartridges, allocates 8K of memory for its own use. Programming speech is simple. Type SPEAK "HELLO. I AM A COMPUTER." and it pronounces the words inside quotation marks. It's good at recognizing our strange spelling conventions and translating them into properly spoken words. Once in a while it will make a mistake, which can be corrected by a creative misspelling. The word "don't" sounds too much like "dawnt," for example, so you have to type "doant" to get the proper pronunciation. You can access the SPEAK command in both immediate and program modes. The Votalker takes words or phrases inside quotation marks, as well as numbers, string variables, and numeric variables. Arrays are also accepted. SPEAK is as flexible as the BASIC PRINT command.

Nine volume settings allow you to program a shout, a whisper, or something in-between. Four pitches can be employed to modify the tone, very important when you want to emphasize a certain word or phrase: Do you like anchovies? Do you *like* anchovies? Do you like anchovies?

The inflection of the Votrax voice, like most other speech synthesizers, is best described as a monotone with a slightly Scandinavian accent. But judicious variations of pitch and volume can make the voice sound much more natural. In addition, a knob on the side of the cartridge can be adjusted to affect the rate of speech. Youcanspeakfastlike aFederalExpressad, or. speak. very. slowly. The knob controls the overall speed; if you want slight pauses inside a sentence, you can insert various punctuation marks (a comma is a short pause, while a period provides a longer pause).

Many speech synthesizers don't make any provision for controlling the

commodore Compatible and only \$139.00



FSD-1 51/4" Disk Drive

The FSD-1 Disk Drive is a versatile and efficient disk drive built for the Commodore series of personal computers. This disk drive is fully compatible with the Commodore 64 computer and directly replaces the Commodore 1541 Disk Drive, giving much better performance in terms of data loading and writing speed and memory buffer size.

Special Features

- · Full 6 month warranty.
- Slim line construction (low profile).
 All metal vented chassis.
- Solid state power supply
- Dual serial port with chaining
- option. 5¼ inch industry standard format.
- Positive lever lock (eliminates "pop out" problem).

Remember, no sales tax in Oregon

To order call toll free 1-800-356-5178

Visa and Mastercard are welcome. Allow \$500 shipping and handling. Or mail your order with check or money order to:



Emerald Components International P.O. Box 1441 Eugene, OR 97440 Tel: 503-683-1154

voice speed. They talk at one rate, period. If you have to listen to more than a paragraph or two, the words start to drag. According to a Votrax representative, most blind people can understand extremely fast speech, faster than a sighted person could follow, possibly because blind persons aren't distracted by visual cues. So reading through (or listening to) a long document can be vastly speeded up with a simple turn of the Votalker's rate knob. Those of us who can see a computer screen might consider a speech synthesizer a novelty (Listen, Mom, the computer can talk!). But a computer that can't talk is pretty useless to a blind person. And a typical slow-talking speech synthesizer takes too long to read through even a short story. The adjustable rate is a valuable feature of the Votalker, especially for sight-impaired computer users.

There are several other options available. You can choose to have shifted characters ignored (if you're in uppercase-graphics mode) or pronounced (if you're in upper/lowercase mode). In some cases, you might want punctuation marks to be spoken-the word "comma" instead of a short pause. Turning on verbatim mode gives you this choice. In character mode, every word is spelled out. You won't hear the word "hello," you'll hear the letters H-E-L-L-O. This can be very useful when you're double-checking a program you typed in from a magazine. These options can be joined with echo mode, where everything printed to the screen is also spoken by the Votalker.

The Votalker speech chip is phoneme-based rather than wordbased (for example, the word "hat" is made up of three phonemes: an H sound, a short A, and a final T), so an infinite number of words can be spoken. Some word-based speech synthesizers have a limited number of words—usually around 200—that can be pronounced; if you ask for an alien word, they'll ignore it. Because it pronounces individual sounds, the Votalker is more flexible than some other speech synthesizers.

As a bonus, Votrax includes a disk containing *Trivia Talker I*, a trivia Q and A program written in BASIC. (An upgraded version, *Trivia Talker II*, which offers clearer sound, is available separately for \$39.95.) It vividly illustrates one of the many applications for speech in a computer program. Questions don't just print to the screen, they're also spoken. Shades of *Jeopardy*. You can personalize the questions with the Editor program. You might write a question that asks "What is the most embarrassing thing that ever happened to Uncle Greg," followed by four answers. You could create a range of

Gwww.commodore.ca

games: silly quizzes for a social gathering to serious educational programs (a history or spelling game for schoolchildren, say).

There are a few deficiencies which, while not major, should be mentioned. The trivia game runs too slow, probably because it's written in BASIC. After answering a question, you must wait for the score to be updated and the new question to be printed. It's sluggishbut it's free, so why complain? The documentation covers the necessary points for programming the Votalker in BASIC, but barely hints at what's necessary to write machine language programs that can speak. Some coverage of memory usage would have been nice.

These quibbles don't detract from the overall quality of the Votalker. This speech synthesizer does more than most others. The price is reasonable. And, if you're looking for some readymade software, the trivia game is fun. -Todd Heimarck

Votrax 1394 Rankin Troy, MI 48083\$99.95 (Votalker with Trivia Talker D \$39.95 (Trivia Talker II)

G.

COMPUTE 's GAZETTE TOLL FREE Subscription Order Line 1-800-247-5470 In IA 1-800-532-1272





IM SIGNAL COMPUTER CONSULTANTS Are available from SIGNAL COMPUTER CONSULTANTS. Ltd., P.O. Box 18222. Dept 11, Pritsburgh, PA 15236. or call (412) 655-7727. US and Canada add \$2.50 postage and handling (54-00 foreign) for each game ordered. PA residents include sales tax. Use Master Cand, VISA. moneyorders or checks drawn on US or Canada banks. Master Card and Visa show cand num-ber, expiration date and signature. We guarantee and support our products. Free replacement or full refund for 30 day warranty period. Dealer inquiries invited.



Adapted for home computers by designers of sys-tems for major railroads, TRAIN DISPATCHER faith-fully simulates operations in a railroad traffic control center. In an accelerated B hour shift you must move up to 12 trains in both directions through a 150 mile territory-throwing switches and clearing signals to seen the train of the state o

keep the trains on schedule. VIC 20, COMMODORE 64 and ATARI 400, 800. SOXL versions available at \$25.00. Apple II, IH, IH, IIC \$30.00; IBM PC \$35.00. Tape or Disk except ATARI 400-tape only: IBM PC and Apple-disk only. Other requirements: VIC-20-16K Ram; ATARI 400, 800-Basic; IBM PC-Graphics Card.



LOCOMOTIVE SWITCHER brings an operating rainoad layout to the COMMODORE 64 computer screen. The microlayout consists of mainine, six switches and seven loading areas. Sophisticated car-motion logic simulates train movements to a degree not possible on "real" model raiload layouts. LOCOMOTIVE SWITCHER operates in two modes. As a FLAT YARD cars must be "spotted" at assigned loading docks – or pulled out to the main-line. In HUMP YARD mode the layout becomes a mini-classification yard. Operator performance is tracked and scored based on number of cars spotted. Train moves. Card danage and operating time. For COMMODORE 64 only (disk or tape) at \$30.00. Manual and keyboard template included.



You never see the submarines. Rely on sonar sounds to track and attack evading enemy targets. As commander of a group of three destroyers you must locate, pursue and sink a "Wolfpack" of 5 subs. Guided only by the realistic "pinging" of returning sonar echoes and bearing to target. SONAR SEARCH offers a unique and authentic simulation of WWI antichempting underse. antisubmarine warfare. Available on disk or tape for the Commodore 64 at

\$30.00, plus postage and handling. Includes fully illustrated manual and keyboard template. Not re-commended for children under 12.

Sean D. Wagle

And you thought the 64 could display only eight sprites. This short machine language game puts 16 on the screen. Or does it?

Sprites, those movable object blocks you create through a series of POKEs, are one of the most dazzling game elements available for the Commodore 64. You can create sprites of any shape, color them, move them, make them collide, even hide one behind another. But you can't have more than eight on the screen at any one time.

But with a bit of fancy dancing in machine language (ML), you can make it *seem* that there are more than eight sprites. "Star Dragon," an arcade-style game for the 64, uses a short machine language routine which temporarily moves all eight sprites to another location on the screen. *Temporarily* is the key word here, for the ML routine, listed as Program 1, "16," moves the sprites for only 1/60 second, then returns them to their original positions. As you'll see later, it's easy to use this 16-sprite feature in your own games.

Head First

You need to type in and save two programs to play Star Dragon. First, enter Program 1—a BASIC loader which puts the 16-sprite routine in memory—and save it to disk. (See instructions below if you're using tape.) Use 16 as its filename. Next, enter Program 2, the game itself. Since it's written entirely in machine language, you'll need "MLX," found elsewhere in this issue, to type it in. After loading and running MLX, answer the prompts for the starting and ending addresses with:

Starting Address: C0F0 Ending Address: C79F

Use MLX to type in the Star Dragon data from Program 2 and save it to disk as STAR.

It's a two-step process to run Star Dragon. First LOAD"16",8, then type RUN and press RETURN. You'll be prompted to enter a starting address. Enter 49152. After a moment, 16 sprites will appear on the screen. While they're on the screen, type LOAD"STAR",8,1, then press RETURN. Finally, when the message READY appears on the screen, enter SYS 49392, press RE-TURN, and the game begins. If that seems too complicated, use Program 3 to perform all these steps automatically. (When using Program 3, you must omit the {CLR} in line 100 of Program 1, as well as the PRINT"{CLR}": in line 290. Otherwise, the boot program will not work properly.)

The procedure is a bit different if you're using tape. It's necessary to load the data for Program 2 before starting the 16-sprite ML routine because the sprite routine's raster interrupts will disrupt tape loading. The easiest solution is to create a modified version of

with COMPUTE! Books' <u>40 Great Flight Simulator Adventures</u>

- ·Maneuver around the towers of the World Trade Center.
- ·Sightsee the Hudson River.
- Practice night flying and aerobatics.



COMPUTE! Publications, Inc.

One of the ABC Publishing Companie

Discover the thrill of

40 Great Flight Simulator Adventures Charles Gulick

Forty exciting, customized flight simulator scenarios put you in the pilot's seat as you fly over bridges, around skyscrapers, and land at mysterious airports. *Flight Simulator* (IBM PC) and *Flight Simulator II* (Apple II, Commodore 64, Atari) are two of the most popular games/simulations for personal computers. With this book, you can experience flight adventures from the moment you load the program. Parameters set up each flight and a running commentary describes what you'll see (and where to look to see it). Ranging from the simple and straightforward to the advanced and even mystical, these 40 flights will open a new dimension to an already outstanding program.

\$9.95 ISBN 0-87455-022-X

Note: Flight Simulator from Microsoft Corporation and Flight Simulator II from Sublogic Corp. are required in order to use this book. The book is designed to enhance the programs.

Please send me copies of 40 Great Flig (ISBN No. 0-87455-022-X) All orders must be prepaid in (J.S. funds.	ht Simulator Adventures at \$9.95 each.
Subtotal	To order this exciting adventure guide, mail the attached coupon with your payment to COMPUTEI Books, P.O. Box 5038, F.D.R. Station, New York, Ny 10150. Or call toll free 1-800-346-6767 (in NY 212-887-8525.)
Name Address City Please allow 4–6 weeks for delivery.	State Zip Keycode: 36604312

East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 30N, England.

Gwww.commodore.ca

Program 1. When typing in that program, replace lines 100 and 290 with those shown below:

100 PRINT"{CLR}":IF SA=0 THEN {SPACE}SA=49152:LOAD"STA R",1,1 290 POKE53178,255:POKE53179,25

5:POKE53281,0:SYS 49392

Then use MLX to type in Program 2. When you've entered all the data, save it immediately following the modified Program 1 on tape. Now, to run Star Dragon you need only load and run the modified Program 1.

The trail of star-like sprites, the Star Dragon, slithers and slides across the screen. The Dragon Gun at the bottom of the screen is your only defense.

Move the gun back and forth across the screen by pressing the + key to move left and the - key to move right. Hitting the CTRL key fires the gun. (A fourth key, SHIFT-LOCK, pauses the game for those times when your fingers tire.)

The object of the game is simple: Hit the dragon's head. If you hit anywhere else on the dragon, the shots just ricochet. Unfortunately, these bouncing bullets destroy your gun as well as the dragon. Don't let the dragon touch the gun, either—its poisonous barbs will ruin your weapon. You have three guns at hand. Lose all three and the game's over.

Scoring is straightforward. The first and second dragons of each level are worth 20 points when eradicated. The third is worth 60 points. Star Dragon has ten levels, with a total of 30 dragons.

16 Candles, 16 Sprites

The key to Star Dragon is what appears to be 16 sprites. Actually, there aren't more than eight on the screen at any one time, but since each group of eight is shifting every 1/60 second, a speed much too fast for our eyes to follow, it seems like there are 16. It's something like a movie, which displays 24 still frames a second. Each individual frame doesn't move, but put them together at that speed and the illusion *is* movement.

The machine language routine listed as Program 1 wedges itself into a new raster interrupt address. It's entirely relocatable, and advanced programmers may want to use it in their own games. Just include lines 100–240 and 300–410 from Program 1 in your program, and you'll have 16 sprites to work with instead of 8.

The routine in Program 1 moves the sprite registers from their normal locations to addresses 53170-53247. Take a look at the table below for the new register locations if you're programming with 16 sprites. You POKE values to these new locations just as you do for locations 53248-53294 when using the normal eight sprites with a few exceptions.

One major difference is in the locations that control horizontal (x) position. In the normal eight-sprite system, visible horizontal positions range from 24-344. This requires a nine-bit value for a horizontal position-eight bits for each sprite in the even-numbered locations 53248-53262, plus a bit for the highest bit of each sprite's position in location 53264. Those familiar with programming sprites know that this causes a problem whenever a sprite crosses the "seam"the point on the screen where the horizontal position value changed from 255 to 256. The 16-sprite routine avoids this problem by dividing the x-position by two. Thus, the sprite now disappears completely off the right edge of the screen when the value POKEd into locations 53184-53199 exceeds 172

(half the old value of 344).

Another difference is that the collision registers (53180-53183) contain only the value for those collisions occurring at the moment the register location is checked, instead of maintaining a value until read as is the case for the normal collision registers. Note that collisions between sprites 0-7 and sprites 8-15 cannot be detected. For example, if sprites 1, 5, 8, and 14 are all in the same position, then the collision between sprites 1 and 5 can be detected, as can the collision between sprites 8 and 14. However, there is no provision for recognizing the collision between sprites 1 and 14 or sprites 8 and 5.

The sprite data pointers (53232–53247) perform the same function as locations 2040-2047 in the eight-sprite system: They point to the 64-byte block of memory that defines the sprite's shape. For example, Program 1 loads these pointers with the value 11 (line 270), indicating that the sprite shape data is found at 11 * 64 = 704 (see line 260).

The only real drawback to using this ML routine is that the sprites become partially transparent. However, this isn't noticeable if the sprite is on a dark background, such as gray, blue, or black. Notice that Star Dragon uses a black background.

See program listings on page 101.

Sprite Registers For 16-Sprite Routine

Location Hex	Location Decimal	Function	
CFB2	53170	Sprites 0-7 multicolor off/on bits	
CFB3	53171	Sprites 8-15 multicolor off/on bits	
CFB4	53172	Sprites 0-7 x expansion bits	
CFB5	53173	Sprites 8-15 x expansion bits	
CFB6	53174	Sprites 0-7 v expansion bits	
CFB7	53175	Sprites 8-15 y expansion bits	
CFB8	53176	Sprites 0-7 sprite display priority	
CFB9	53177	Sprites 8-15 sprite display priority	
CFBA	53178	Bits to activate sprites 0-7	
CFBB	53179	Bits to activate sprites 8-15	
CFBC	53180	Collisions between sprites 0-7	
CFBD	53181	Collisions between sprites 8-15	
CFBE	53182	Sprites 0-7 collision with background	
CFBF	53183	Sprites 8-15 collision with background	
CFC0-CFCF	53184-53199	Sprites 0-15 x (horizontal) position	
CFD0-CFDF	53200-53215	Sprites 0-15 y (vertical) position	
CFE0-CFEF	53216-53231	Sprites 0-15 color registers	
CFF0-CFFF	53232-53247	Sprites 0-15 data pointers	a

Fly Faster and Farther

with COMPUTE!'s **40 More Great Flight Simulator Adventures**



This follow-up to the popular 40 Great Flight Simulator Adventures brings you 40 more exciting, suspenseful flight simulator scenarios to help you get the most enjoyment from your Flight Simulator or Flight Simulator II software.

40 More Great Flight Simulator Adventures Charles Gulick

Microsoft's Flight Simulator (IBM PC) and Sublogic's Flight Simulator II (Apple II, Commodore 64, Atari) are two of the most popular software packages today. They put you in the pilot's seat, letting you experience the thrill of flight. Now, 40 More Great Flight Simulator Adventures, the second such guide, brings you more dazzling flights drawn from both fact and fancy.

Now you can fly where no one has flown before, with the author as your flight instructor. He helps you explore the unknown regions of flight simulation-taking you through cities, over mountains, under bridges-as you explore America from the air. Complete parameters and instructions at each step make flight easier and more exciting than ever before. \$9.95 ISBN 0-87455-043-2

Note: The Flight Simulator program itself is not included and must be purchased separately.

To order any COMPUTE! book, call toll free 800-346-6767 (in NY 212-887-8525). Or mail in the attached coupon with your payment. Include \$2.00 shipping and handling per book.

Please send me copies of 40 More Gr (ISBN 0-87455-043-2) All orders must be prepaid in U.S. funds.	reat Flight Simulator Adventures at \$9.95 each.
Subtotal NC residents add 4.5% sales tax S2.00 shipping and handling per book (S5.00 per book airmail) Total amount enclosed Payment enclosed (check or money order) Charge Visa MasterCard American Express Name	COMPUTE! Books P.O. Box 5038 F.D.R. Station New York, NY 10150
Address City Please allow 4-6 weeks for delivery.	State Zip Keycode: 36602212

COMPUTE: Publications, Inc. One of the ABC Consumer Magazines, Inc. 255 7th Avenue, Att Floor. New York, NY 10019 Rustless of COMPUTE: COMPUTE's Galactic Dis. COMPUTE: Note: And COMPUTE's Addie Application

te Disk. COMPUTER BOOKE and COMPUTE's Apple Application

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England and in Canada from McGraw-Hill, Ryerson Ltd., 330 Progress Ave., Scarborough, Ontario, Canada M1P 225. www.commodore.ca

Predictor

John Krutch

How do your wits match up against your computer's? You might be in for a surprise. A challenging machine language game for the 64, Plus/4, 16, and VIC-20.

Children sometimes play a game called "Matching Pennies." The rules go like this: The first player covers a penny with his or her hand. The second player has to guess which side of the coin the first player picked, and place a penny showing heads or tails. If the two coins match, the second player guessed correctly and keeps both. If the pennies are different, the first player wins both coins.

The key to guessing correctly is to find a pattern in the first person's choices. To win as the first player, you should either pick heads or tails randomly or look for a pattern in the second player's guesses.

"Predictor" is a variation on matching pennies. The play is simple—there are only two possible moves. Just choose to go left or right—the computer will predict each move based on its assessment of your previous moves. The first one to reach 100 is the winner. Your job is to try to randomize your choices enough so that the computer makes the wrong predictions. Although you might think your computer is easy to beat, you're likely to be surprised.

The computer always plays the part of the guesser; that is, it tries to match your choice of left or right. If it made this prediction randomly, you'd give Predictor a 50/50 chance of being correct. But Predictor doesn't play to tie, it plays to win. By analyzing your past moves for patterns, it should have better than a 50 percent chance of being correct. You could call it a primitive form of artificial intelligence.

Behavior Patterns

"Predictor" saves the choices you make, as well as the response (left or right) you give after any particular pattern of moves. The response you most likely chose in previous similar situations is the one that will be predicted for your move when that pattern reoccurs. (You can test this for yourself by entering any repeating pattern of moves; the program will very quickly notice the pattern and predict your response.)

Predictor gets smarter after the first dozen or so moves, as the computer becomes aware of your choice patterns. If you play a fast game by making random choices as fast as you can, you probably won't do very well—it's difficult to truly randomize your pattern of choices like this. The best way to beat Predictor is to proceed slowly, thinking out your moves and attempting to deceive the program.

But there's a catch. If you find yourself falling into a certain series of moves, you might recognize your own pattern. But breaking out of one pattern could easily put you into a new (just as recognizable) pattern.

Getting Started

There are three versions—separate programs—of Predictor: one version for the 64, one for the Plus/4 and Commodore 16, and one for the VIC (with disk only). After typing in the program, save a copy. To play, load and run the program. When it's through loading, there



The computer has a significant lead in this match, although it has just missed guessing this player's move.

will be a screen message informing you to type a command to activate the game (for the 64, SYS 49152; for the Plus/4 and 16, SYS 15560; and for the VIC, LOAD "PREDICT.OBJ" ,8,1 and then SYS 6892). (Note to VIC users: When typing in the program, be sure to have a disk in the drive. The program creates a separate machine language program that can be loaded and run with the commands above, because the VIC's memory is too small to store all the data necessary for the program.)

When you first begin the program, you see two corridors, one near the top of the screen, the other near the bottom. Your moves are recorded in the upper area; the lower one displays the computer's prediction of your move.

You can make one of two moves: left or right. To move left, press the left-arrow key-the far left key on the top row. To move right, press the DELete key- the far right key on the top row. (Note: Plus/4 and 16 users should use the ESCape and DELete keys for moving.) A square appears on the left or right side of the screen when you make a choice. At the same time, a square appears in the computer's corridor to show its prediction. If the computer matches your move, a noise sounds and a point is awarded to the computer on the scoreboard at the left center of the screen. If the computer guesses wrong, a pleasant musical tone sounds, and your score will be incremented by 1. The first to reach 100 points wins, after which you're prompted (Y/N) to play again. You'll find your computer a canny opponent and a good prognosticator. See program listings on page 104.

COMPUTE! Books Supports **Commodore Computer Users**

COMPUTER COMMODORE

SIXTY FOUR &

COLLECTIC

COMPUTE Books is dedicated to bringing you top-quality, reliable, and understandable tutorials, applications, games, reviews, product information, and programming aids. Whether you have a Commodore 64, 128, VIC-20, or a new 128 or Amiga, COMPUTE! has the books you need to get the most from your computer.

Look over this collection of bestselling computer titles and choose the ones you want for your favorite Commodore computer. To order any of these outstanding Commodore titles, call toll-free 1-800-346-6767 (in NY 212-265-8360).

COMPUTE!'s Personal Accounting Manager for the Commodore 64 and 128

Roland A. Frechette A complete small-business/home accounting system with 13 support routines, from income and expenses to property and investments. \$12.95 ISBN 0-87455-014-9

The Amiga: Your First Computer Dan McNeill

Everything a beginner needs to know to get started quickly with the Amiga, including setting up the system, selecting software, and learning about the hardware.

\$16.95 ISBN 0-87455-025-4

COMPUTEI's VIC-20 Collection

Edited

More than 70 never-before-published articles, games, utilities, applications, and tutorials for the Commodore VIC-20. 338 pages

\$12.95 ISBN 0-87455-007-6

COMPUTEI's VIC-20 and Commodore 64 Tool Kit: Kernal Dan Heeb

COMPUTE's

Proarammina

COMMODORE

The Definitive Guide

encyclopedic reference guide be Commodore 64 computer

COMPUTE

The invaluable reference auide to the Kernal routines on the Commodore 64 and VIC-20 for beginning to advanced programmers. 429 pages

\$16.95 ISBN 0-942386-33-7

Programming the Commodore 64: The Definitive Guide

Raeto Collin West An encyclopedic, thorough reference guide which covers the Commodore 64 in its entirety. 609 pages \$24.95 ISBN 0-942386-50-7

COMPUTEI's Commodore 64/128 Collection

Edited Some of the best games, applications, and utilities

from COMPUTEI Publications for the Commodore 64 and 128 in 64 mode, plus special sections detailing the advanced features of the 128. A disk is also available which includes programs in the book. 285 pages

\$12.95 ISBN 0-942386-97-3

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England. www.commodore.ca

COMPUTE! Publications, Inc. ublishing Companies Avenue, Suite 200 Greensboro, NC 27408, 919-275-9809

Switcheroo

Kevin Mykytyn and Mark Tuttle

Just when you think you've won the game, your opponent pulls a switch—and you've got to devise a whole new plan. An exciting two-player strategy game for the 64. A joystick is required.

We're all familiar with games where players take turns placing pieces on a board or grid until there's a winner. Tic-tac-toe is probably the most widely known game of this kind. "Switcheroo" falls into this category, but it adds a few unique twists that make it quite challenging.

The object of Switcheroo is simple. You must get five of your pieces in a row—horizontally, vertically, or diagonally—while blocking your opponent's attempts to do the same. That sounds easy, but getting it done is a serious exercise in strategy. At any point in the game, a player may shift the pieces of one row or column by one space, effectively changing the complexion of the game.

Place Or Switch?

After typing in the program, save a copy. To play, load the game and type RUN. You're first asked if you wish to use one or two joysticks. Press the 1 or 2 key. If you're using just one joystick, make sure it's plugged into port 2.

Now the game begins. Player 1 controls the yellow pieces, while player 2 controls the orange ones. The screen displays a 25-square (5 \times 5) grid with a circle in the center. Below the grid are two icons (symbols), a square and a four-directional arrow. Move your joystick left, to the square icon, if you want to place a square on the board. Move the

joystick right, to the arrows icon, if you'd rather shift the pieces of a row or column.

If you decide to place, push the joystick left. The square icon turns yellow or orange, depending on whose turn it is. Then push the fire button to activate the circle icon. A tone sounds and the circle begins blinking. With the joystick, move the circle to the square where you wish to move a piece. Press the fire button again to put it in that position.



Both players have placed all their pieces. The only way to win now is with some fancy shifting.

If you wish to shift a row or column, first push the joystick right. The arrows icon turns yellow or orange. Press the fire button to activate the circle, then move to a square in the column or row you wish to shift. Press the fire button again. Finally, push the joystick up, down, left, or right—in the direction you want the row or column to shift. Each piece is moved one space in the direction you choose. Note that the last piece in a row or column wraps around to the first position. For example, if a row consists of orange, orange, yellow, orange, and yellow (OOYOY), a shift to the right will cause the row to be yellow, orange, orange, yellow, and orange (YOOYO). None of the pieces outside that row or column is affected.

If an illegal move is attempted (trying to place a piece on an occupied square, for example), the circle is returned to the center square of the grid and you must start your turn over. This feature can come in handy, however. If you decide you want to shift instead of place, you can make an illegal move and start your turn over.

How To Win

As you become more experienced at Switcheroo, you'll develop some winning tactics. These hints should help beginners. At the start of a game, placing is generally more valuable than shifting. After all, the goal is to position five in a row, and you can't win the game unless you've placed at least five pieces on the board. Also, if you shift a lot while your opponent places, you'll end up owning a distinct minority of the pieces.

Defensive play usually pays off. If you can block your opponent by placing (rather than shifting), so much the better. As the board fills up, shifting becomes more important. It's rare that a game will be won by placing. Usually, the victor will force a position where a shift wins the game. See program listing on page 103.

60 COMPUTEI's Gazette June 1986

Cwww.commodore.ca

Famous Smith Corona National Brand 10" PRINTER SALE Below Wholesale Cost Prices!!!

ONE YEAR IMMEDIATE REPLACEMENT WARRANTY

- Speed: 120 or 160 characters per second
 Friction Feed/Tractor Feed Standard
- 80 character print line at 10 CPI
 1 Line Buffer, 2K Buffer on 160 CPS Plus LQM
- Six pitches
 Graphics capability
 Centronics compatible parallel interface
 Features Bidirectional Print, Shortline Seek, Vertical And Horizontal Tabs



SUPER GRAPHICS

This is a sample of our near-letter-quality print.

italic print. There is standard data processing quality print

(IBM — Commodore)

Size/Weight Height 5.04" Width 16.7" Depth 13.4" Weight 18.7 lbs. Internal Char. Coding **ASCII Plus ISO Print Buffer Size** 120 CPS: 132 Bytes (1 line) 120/160 CPS Plus LQM: 2K No. of Char. in Char. Set 96 ASCII Plus International **Graphics Capability** Standard 60, 72, 120 DPI Horizontal 72 DPI Vertical Pitch 10, 12, 16.7, 5, 6, 8.3, Proportional Spacing **Printing Method** Impact Dot Matrix

SPECIFICATIONS

emphasized

Char. Matrix Size 9H x 9V (Standard) to 10H x 9V (Emphasized & Elongate) Printing Features Bi-directional, Short line seeking, Vertical Tabs, Horizontal Tabs Forms Type Fanfold, Cut Sheet, Roll (optional) Max Paper Width 11"

Feeding Mathad Friction Feed Std.; Tractor Feed Std. Ribbon Cassette — Fabric inked ribbon Ribbon Life 4 million characters

Check These Features & Prices

120 CPS 10" Printer





160 CPS + Letter Quality Mode 10" Printer





(Apple — Atari — Etc.)

Interfaces Parallel 8 bit Centronics compatible 120/160 CPS Plus NLQ: R5232 Serial inc. Character Mode 10 × 8 Emphasized; 9 × 8 Standard; 10 × 8 Elongated; 9 × 8 Super/Sub Script (1 pass) Character Set 96 ASCII 11 × 7 International Char.

Line Spacing 6/8/12/72/144 LPI Character Spacing 10 cpi normal; 5 cpi elongated normal; 12 cpi compressed; 6 cpi elongated compressed;

16.7 cpi condensed: 8.3 cpi elongated condensed; 5.12.5 cpi elongated proportional Cartridge Ribbon — List \$19.95. Sale \$12.95.

IBM \$89.00

Apple \$59.00

Interfaces ------9.00 Atari \$59.00

Commodore \$39.95



We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order

Add \$14.50 for shipping, handling and insurance. Illinois residents please add 6% % tax. Add \$29,00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA, Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days delivery. 2 to 7 days for phone orders. 1 day express mail! Prices & Availability subject to change without notice. VISA — MASTERCARD — C.O.D. No C.O.D. to Canado or APO-FPO



- C128 Disks 79' eq.*
- Paperbock Writer 64 \$39.95
- 10" Comstar 10X Printer \$148.00
- 14" Color Monitor \$149.95

CALL BEFORE YOU ORDER

COMMODORE 64 COMPUTER \$139.95 You pay only \$139.95 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$250 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39,9511

C128 DOUBLE SIDED DISKS 79' EA. Get these 5¼" Double Sided Floppy Disks specially designed for the Commodore 128 Computer (1571 Disk Drive), 100% Certified, Lifetime Warranty, Automatic Lint Cleaning Liner included, 1 Box of 10 - \$9,90 (99' ea.), 5 Boxes of 10 - \$44,50 (89' ea.), 10 Boxes of 10 .\$79.00 (79' ea.).

14" COLOR MONITOR \$149.95 You pay only \$149,95 when you order this 14" COLOR MONITOR. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$250 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$49.95. (16 Colors).

Premium Quality 120-140 CPS Comstar 10X Printer \$148.00

The COMSTAR 10X gives you a 10" carriage, 120-140 CPS, 9×9 dot matrix with double strike capability for 18 x 18 dot matrix (near letter quality), high resolution bit image (120 x 144 dot matrix), underlining, back spacing, left and right margin setting, true lower decenders with super and subscripts, prints standard, italic, block graphics and special characters. It gives you print quality and features found on printers costing twice as much!! (Centronics Parallel Interface) List \$399.00 Sale \$148.00

4 SLOT EXPANDER & 80 COLUMN BOARD \$49.95 Now you program 80 COLUMNS on the screen at COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD!! PLUS 4 slot expander! Limited Quantities, Sale \$49.95, Coupon \$39.95

80 COLUMNS IN COLOR PAPERBOCK WRITER 64 WORD PROCESSOR \$39.95 This PAPERBOCK WRITER 64 WORD PROCESSOR is the finest available for the COMMODRE 64 computer! The ULTIMATE FOR PROFESSIONAL Word Processing, DISPLAYS 40 or 80 COLUMNS IN COLOR or black and white! Simple to operate, powerful text editing, complete cursor and inset/delete key controls line and paragraph inset/delete key controls line and paragraph insettion, automatic deletion, centering, margin settings and output to all printers! List \$99,00, SALE \$39,95. Coupon \$29,95.

COMMODORE 64 SYSTEM SALE **Commodore 64** Plus \$30.00 S&H Com. 1541 **Disk Drive** 14" Color Monitor **PLUS FREE \$49.95 Oil Barons Adventure Program**

SPECIAL SOFTWARE COUPON

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon allows you to SAVE OVER \$250 OFF SALE PRICES!!

(Examples) **PROFESSIONAL SOFTWARE** COMMODORE 64

Name	List	Sale	Coupon
PaperClip	\$89.95	\$34.95	\$29.95
Consultant	\$99.95	\$49.95	\$39.95
Leader Board	\$39.95	\$24.95	\$22.95
The Print Shop	\$44.95	\$27.95	\$26.95
Halley's Project	\$39.95	\$22.95	\$19.95
Practicalc (spread sheet)	\$59.95	\$19.95	\$14.95
Voice Command Module	\$79.95	\$39.95	\$34.95
Nine Princes in Amber	\$32.95	\$24.95	\$21.95
Super Bowl Sunday	\$35.00	\$22.95	\$19.95
Flip and File Disk Filer	\$24.95	\$14.95	\$12.95
Pro Joy Stick	\$19,95	\$12.95	\$10.00
PartyWare	\$19.95	\$14.95	\$11.95
Dust Cover	\$ 8.95	\$ 6.95	\$ 4.60
Financial Planner			
Sylvia Porter	\$59.95	\$38.95	\$35,95
Hardball	\$29.95	\$18.95	\$16.95
C64 Troubleshoot &			
Repair Guide	\$24.95	\$15.95	\$12.95

(See over 100 coupon items in our catalog)

Write or call for

Sample SPECIAL SOFTWARE COUPON!

ATTENTION **Computer Clubs** We Offer Big Volume Discounts CALL TODAY!

PROTECTO WARRANTY

All Protecto's products carry a minimum 90 day warranty. If anything fails within 90 days from the date of purchase, simply send your product to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement at no charge via United Parcel Service prepaid. This warranty proves once again that We Love Our Customers

C128 COMMODORE COMPUTER (Order Now)



With \$59.95 Timeworks Wordwriter Wordprocessor savings applied

- 340K 1571 Disk Drive \$259.00
- Voice Synthesizer \$39.95
- 12" Monitor \$79.95
- PRICES MAY BE LOWER

* C128 COMMODORE COMPUTER \$289.00 You pay only \$289.00 for the C128 computer and we include the C128 Wordwriter Wordprocessor by Timeworks (Sale \$59.95). Thus, your net cost for the C128 computer is only \$229.05. List \$349.00. SALE \$289.00

340K 1571 COMMODORE DISK DRIVE \$259.00

Double Sided, Single Disk Drive for C-128 allows you to use C-128 mode plus CPM mode. 17 times faster than 1541, plus runs all 1541 formats. List \$349.00. Sale \$259.00.

SUPER AUTO DIAL MODEM \$29.95

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone, just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. Best In U.S.A. List \$99.00. SALE \$29.95. Coupon \$24.95.

VOICE SYNTHESIZER \$39.95

For Commodore-64 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, volume and pitch, make talking adventure games, sound action games and customized talkies!! PLUS (\$19,95 value) TEXT TO SPEECH program included FREE, just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND OTHER ADVENTURE GAMES!! (Disk or tape.) List \$89.00. SALE \$39.95

12" MAGNAVOX (NAP) 80 COLUMN MONITOR WITH SOUND \$79.95

Super High Resolution green screen monitor. 80 columns x 24 lines, easy to read, plus speaker for audio sound included. Fantastic value. List \$129.00. Sale \$79.95.

(C128 cable \$19.95. C64, Atari cable \$9.95)

PRINTER/TYPEWRITER COMBINATION \$229.95

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one — just a flick of the switch, 12" extra large carriage, typewriter keyboard, automatic margin control and relocate key, drop in cassette ribbon (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$349.00. SALE \$229.95. (Ltd. Qty.)

14" RGB & COMPOSITE COLOR MONITOR \$259.95

Must be used to get 80 columns in color with 80 column computers (C128 - IBM - Apple). (RGB Cable \$19.95) Add \$14.50 shipping. List \$399.00. SALE \$259.95.

. LOWEST PRICES . 15 DAY FREE TRIAL • BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL

PHONE ORDERS 8 a.m. - 8 p.m. C.S.T. Weekdays 9 a.m. - 12 noon C.S.T. Saturdays

• 90 DAY FREE REPLACEMENT WARRANTY OVER 500 PROGRAMS • FREE CATALOGS

Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6¼% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders, Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES. EXCEPT CANADA. Enclose Cashier Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail! Prices & Availability subject to change without notice. No. C.O.D. to Canada, APO-FPO VISA - MASTER CARD - C.O.D.

PROTECTO

We Love Our Customers 22292 N. Pepper Rd., Barrington, Illinois 60010

312/382-5244 to order 🕻 www.commodore.ca



Solarpix Simon Edgeworth

Set the solar system in motion with this series of astronomical simulations for the 64. You can also trace the orbits of Halley's and other comets, and look through a file of fascinating facts about our solar system.

m.

Whether you're new to stargazing or a veteran astronomer, this easy-to-use demonstration of the planets and comets is fun to watch. The program is divided into four parts: Sun and Planets, which simulates the movement of the planets around the sun; Sun, Earth and Moon, which shows how the phases of the moon are created by its orbit; Comets, which shows the path of Halley's and other comets; and Facts, which lists the key properties of each planet and the sun and moon. Type in "Solarpix" using the "Automatic Proofreader," published regularly in the GAZETTE, then type RUN. In the first part, Sun and Planets, you can watch the orbits of up to five planets at once. The sun is stationary at the center of the screen. Select the innermost and outermost planets you'd like to see, and a year from 1 to 2000. Press G to set them in motion, + to increase the speed, - to reduce the speed, and S to stop. Elapsed time is displayed in years on the right side of the screen.

5.00

Lunar Lore

The second menu selection, "Sun, Earth, and Moon," shows how the moon's orbit around the earth causes its different phases. The earth is shown orbiting the sun, while the moon orbits the earth. The distance between the earth and the moon has been magnified by 30 to make it visible. In the top right corner of the screen, the current appearance of the moon is illustrated. The elapsed time in days is displayed to the right. You can control the display using the G, S, +, and - keys as in the first part.

The moon takes 27.3 days to orbit the earth. However, it's 29.6 days from one full moon to the next. If you watch the display carefully, you can see why this is—the moon actually has to complete slightly more than one orbit around the earth to reach the same position relative to the sun.

Because the moon's orbit is slightly tilted, the moon, earth, and sun are normally never exactly aligned. On the rare occasions when they are, an eclipse occurs. If this happens at full moon, we see a lunar eclipse. If it happens at new moon, we see a solar eclipse.

Comets

The third menu selection shows what the orbits of comets look like. Planets and comets move in elliptical orbits, which look like flattened circles. The extent to which the circle is flattened is called its eccentricity, ranging from zero (circular) up to almost one. The eccentricities of the major planets range from Venus (almost zero) to Pluto (.25). A comet with an eccentricity of one or more would leave the solar system.

Enter a value between zero and .96 and press RETURN. Here are the names and eccentricities of some comets: Faye (.56), Finlay (.70), Enke (.85). To see a simulation of the orbit of Halley's Comet, enter .96R. The R stands for reverse, because Halley's Comet orbits in the opposite direction of the planets.

Notice that the speed of a planet or comet varies as it moves around its orbit. It moves slowest when it's furthest from the sun, and fastest when it's closest to the sun.

Facts And Figures

The last part of Solarpix provides some interesting facts about the solar system. From the menu, you can select a planet, the sun, or the moon, and view all the facts about it; or you can select a characteristic, such as mass or temperature, and compare the values for all the nine planets plus the sun and the moon. Because the distances from the planets to the sun are so hard to visualize, I've added "Drive Time," which shows the amount of time it would take to drive from a given planet to the sun while traveling at 55 miles per hour. For the moon, the drive time is given for travel from the moon to the earth.

Masses are given in units equivalent to the weight of the earth because the values in tons are too large to comprehend (the earth weighs about 6,588,000,000,000, 000,000,000 tons). Densities are compared with water (notice that Saturn is less dense than water). Temperatures are average surface temperatures. Moons are listed in order of distance from their planet, starting with the closest. Moons listed as "X" have not yet been named.

For the amateur astronomer, here are a few technical details. In Solarpix, all orbits are assumed to be on the same plane. For Pluto, however, true elliptical motion is simulated. The planet screen is oriented with Pluto's aphelion on the right, and the positions of the planets are calculated from their actual positions on October 27, 1984. All of the graphics screens show views from ecliptic north.

If you have any questions about Solarpix, you may write to the author at: P.O. Box 26, West Upton, MA 01587. Please enclose a self-addressed stamped envelope. See program listing on page 108.



COMPUTE!'s GAZETTE TOLL FREE Subscription Order Line 1-800-247-5470 In IA 1-800-532-1272

Name .

City -

State

Address _

Phone

Sign Here

ZIP.

www.commodore.ca

B. Direct Marketing Corp.

Authorized Liquidator 14605 28th Avenue North Minneapolis, Minnesota 55441-3397

A Little More Speed



If you've discovered a clever timesaving technique or a brief but effective programming shortcut, send it to "Hints & Tips," c/o COMPUTE's GAZETTE. If we use it, we'll pay you \$35.

Faster Variables

Robert L. Raymond

As numeric variables are defined, their names and values are stored in memory just after the end of the BASIC program (except on the 128, where variables are kept in a separate section of memory). BASIC methodically puts together a list of all variables that have been used so far. When a new variable occurs in a program, its label and value are added to the end of the list.

Whenever a BASIC program needs to use a variable for any purpose, it must find that variable on the list. Starting at the beginning of the list, BASIC moves forward through memory until it finds the variable it's looking for. Since the list is built as the program runs, the variables defined first are first on the list.

These first few variables are always the fastest to be executed in a BASIC program. If you define a variable early in the program, it's near the beginning of the variable list, and BASIC will find it quickly when it's needed later in the program.

The following two programs illustrate this principle:

- 10 A=0:B=0:C=0:D=0:E=0:F=0:G=0 :H=Ø:I=Ø
- 20 J=0:K=0:L=0:M=0:N=0:O=0:P=0 :Q=Ø:R=Ø
- 30 S=0:T=0:U=0:V=0:W=0:X=0:Y=0 : Z=Ø
- 40 TIS="000000" 50 FORX=1T01000
- 60 Y=Y+Z
- 70 NEXTX
- 80 Al=TI: PRINTA1; "JIFFIES", A1/ 60; "SECONDS"

Note line 40, where the reserved time-keeping variable TIME\$ (abbreviated as TI\$) is set to zero. The related variable TI is checked in line 80. This is a standard way of timing the speed of a section of a program; set the clock to zero immediately before the routine, and then when the routine has finished, PRINT the value in the jiffy clock. (A "jiffy" is 1/60 second.) If the program added the two numbers only once, the times would be too small to measure. By performing the addition 1000 times, we're able to get a good average time.

This first program takes about seven seconds to run on the 64-VIC times will be somewhat faster, Plus/4 and 16 a little slower. A 128 in SLOW mode will be slower than other Commodore computers, while in FAST mode it will be faster than all of them.

Now change lines 50-70:

50 FORA=1T01000

60 B=B+C 70 NEXTA

The program now runs in less than four seconds on the 64 (other computers will vary slightly, as above).

The two programs are almost exactly the same. What makes the second program faster? The three variables in the loop are defined early in the program. They're the first three on the variable list. In the first example, the variables X, Y, and Z were 24th through 26th on the list. If you perform more tests, you'll find that the alphabetical order makes no difference. So if X, Y, and Z are defined first, they'll be the fastest variables. You could also try other mathematical operations in line 60-multiplication, division, and so on-to find out how much faster the early variables are.

The lesson for programmers is clear: Your programs will run faster if you arrange to put heavily used variables near the beginning of the list of variables in memory. This can be accomplished by putting "unnecessary" initialization statements for those variables near the start of the program. In some cases, saving a few microseconds won't make a noticeable difference in program execution. But the next time you have to sort a list of 500 items, the time saved could be significant.

Here's another idea for speeding up a program: Try the two programs above without the index variable after NEXT. That is, change line 70 to a NEXT with no variable following. You'll discover that programs run faster when you omit the variable after NEXT.

Faster Functions

Luis Fernando Carballo

In mathematics, a function is a procedure that takes one or more numbers as input and returns another number as its output. Squaring a number is one example-insert the number 12 and the square-anumber function returns the answer 144 (12 times itself).

There are at least two ways to square a number and, as we'll see below, one is significantly faster. First type in this short program and run it:

- 10 TI\$="000000"
- 20 FORJ=1T01000
- 3Ø A=53*53
- 40 NEXT
- 50 Al=TI: PRINTAl; "JIFFIES", A1/ 60; "SECONDS"

It's a fairly straightforward program which multiplies 53 by itself 1000 times. A 64 takes seven to eight seconds to finish the calculations. Now change line 30, so the program looks like this:

- 10 TIS="000000"
- 20 FORJ=1T01000
- 3Ø A=5312
- 40 NEXT
- 50 Al=TI: PRINTAl; "JIFFIES", Al/ 60; "SECONDS"



Graphic Environment Operating System

GEOS brings the power of a graphic interface to your C64. Icons, pull down menus and windows make creating and managing information easier than ever.

All your file handling is done on the **GEOS deskTop**. Load in any disk and view its contents as icons. If you like, sort the files alphabetically by name, or by the last time you modified them. It's up to you.

Want to edit a file? Copy or move it to another disk? Print or Delete it? Simply point at the icon or filename and then select a menu function.

File access is also dramatically improved. Seconds after selecting the icon on the **deskTop**, your GEOS application will be loaded and you'll be ready to work. That's because the integrated **diskTurbo** software improves 1541 disk drive performance 5 to 7 times (on both reads and writes!)

The high performance doesn't stop there. GEOS also includes two integrated applications. **geoPaint** is a full featured, easy to use graphic editor. Produce any number of high quality graphic images using the 14 different graphic tools and shapes. Paint or fill in 32 different patterns. Zoom in for pixel editing or display a preview of the full page. Add titles or snappy captions in different fonts, styles, or point sizes.

geoWrite is an easy to use, graphics based word processor. Insert, copy, move, or delete. Choose from five different fonts in several different styles and point sizes. Bring in a picture from geoPaint, if you like. Best of all, what you see on the screen is what you'll get in the final output. Compose, arrange and rearrange for that picture perfect presentation.

There's also a few desk accessories, for that little extra help when and where you need it. Available from any **GEOS** application, they include an alarm clock, a notepad, a four function calculator, and photo and text albums (for collecting pictures and phrases to paste into other applications).

GEOS is the beginning of a "whole new world" of products for the C64. Watch for new applications.



GEOS Diskette includes deskTop, diskTurbo, geoPaint, and geoWrite \$59.95. CA residents add 6.5% tax. (\$4.50 US/7.50 Foreign shipping and handling.) US Funds only.

Check or Money Order VISA Mastercard

Acct # _		_ Exp. Date	-
Name	North State		
Address _			
City, State	, Zip		
Signature			
Send to:	Berkeley Softworks		

Send to: Berkeley Softworks Order Processing PO Box 57135 Hayward, CA 94545 Allow 4-6 weeks for delivery

Commodore 64 and C64 are trademarks of Commodore Electronics. Ltd. GEOS, GEOS Desktop, geoPaint, geoWrite, diskTurbo, and Berkeley Softworks are



This program performs the same calculation, but uses the uparrow (exponentiation) operator. One thousand times through the loop, figuring out 53 squared, takes a Commodore 64 nearly 55 seconds, about seven times longer than the other program. Squaring a number is common in a variety of programs that handle statistics, use trigonometric functions (angles), or draw hi-res graphics. Clearly, it's preferable to avoid the up-arrow in favor of multiplying. Another factor is that because of the way numbers are stored in memory, multiplication is slightly more accurate than exponentiation. It's not usually a significant problem, but it's a second reason not to use the up-arrow.

When you've got a choice between two approaches to a problem, it's not always a matter of personal preference. In this case, multiplying a number by itself is so much faster than raising it to the second power that it would be almost foolish to pick exponentiation. This is not to say that you should never use the up-arrow; raising a number to the 1/3 power is the best way to find a cube root, for example. But if you need to square a number, you'll save time if you simply multiply the number by itself.

You can speed up the above programs even more if you insert variables into line 30. Try defining a variable B=53 in line 5 and then change 30 to A=B*B or $A=B\uparrow 2$. The programs will run a little faster because BASIC doesn't have to figure out that the characters "5" and "3" add up to the value 53. When B is predefined, BASIC can look up the value in variable B and act directly on that number.

COMPUTE!'s GAZETTE TOLL FREE Subscription Order Line 1-800-247-5470 In IA 1-800-532-1272

MonoTones

Samuel Ford

If you have a monochrome monitor, the 16 colors of the Commodore 64 or 128 can be used to add visual excitement to any program. You'll be surprised at how this clever technique livens up your display.

Each of the 16 colors available with a Commodore 64 or 128 is only a keypress away. But these colors are of value only to those with color monitors. Those of us with black and white televisions or monochrome monitors see no reds, blues, or yellows—just greens or ambers or grays. We don't get hues, we get shades.

It seems that Commodore's designers did not arrange the colors in any particular order—at least none that I can recognize. As an example, type in this two-line program and notice how the shades appear to be scattered. (Commodore 128 users should add a BANK 15: statement at the beginning of line 10.)

10 POKE 53280,0:POKE 53281,0 20 FOR A=0 TO 15:POKE 1024+A, 160:POKE 55296+A,A:NEXT

This is the Commodoreassigned order of colors. There doesn't appear to be any significance to the order. But, if you look closely, you'll see that they can be rearranged, placed in order of intensity. Let's try that. Here are a couple of DATA statements that define what we'll call the "green scale."

100 REM ** DATA FOR COLOR POKES

101 DATA 0,6,9,11,2,8,4,14,12,10,5,3,15,7,

110 REM ** DATA FOR CHR\$ COLORS

111 DATA 144,31,149,151,28,129,156, 154,152,150,30,159,155,158,153,5

13.1

The data in line 101 are the 16 colors arranged in order of intensity. The data in 111 are the 16 colors in the same order, but given as CHR\$ codes. If you print a few characters in each of the colors, you'll find that some of the shades are the same. There seem to be eight distinct levels of light: six shades of green (or amber or gray) between pure white and pure black.

Now for the surprise: Type in the program that accompanies this article. You'll see an effect that's impossible on a color monitor. (Again, Commodore 128 owners should add the statement BANK 15: at the beginning of line 10.)

What the program does is print a short message in a box at the center of the screen, each time in a different color. But, since the colors are arranged in the "green-scale" order, the message appears to give off a smoothly pulsating glow. You could do the same kind of thing with the box itself, perhaps cycling colors opposite the message.

There are some fascinating possibilities with the application of this technique. For example: Using the data for the "green-scale" given as POKE codes, you could design a sprite that slowly flickers onto the screen, or have two sprites that collide, flash brightly, then fade. Since, when using the multicolor mode, all colors of a certain bit pair change color when the appropriate color register is altered, you might make a hi-res picture with flickering candles and shimmering fires. There are lots of possibilities that can give your monochrome monitor a whole new look.

See program listing on page 102.

Quick Key

James Nakakihara

This handy Commodore 64 utility can dramatically reduce the time required to type in BASIC programs, including those from the GAZETTE. It adds automatic line numbering, single key entry of any BASIC keyword, and even a numeric keypad.

Do you ever get tired of all the typing required to enter a BASIC program? If so, "Quick Key" may provide welcome relief. By pressing an alphabetic key along with either SHIFT or the Commodore key, you can have an entire BASIC keyword printed for you in just one keystroke. No more typing all five characters for PRINT; just type SHIFT-A. It's as easy as using ?, but has the added advantage of being compatible with the GAZETTE's "Automatic Proofreader" program. If you'd prefer some combination other than SHIFT-A for PRINT, that's no problem. Quick Key makes it easy to change the key definitions to suit your personal needs.

But what if you need to type one of the special graphics characters produced by using the SHIFT and Commodore keys? Quick Key is designed to avoid that sort of conflict. Since you almost always type the graphics characters as part of PRINT statements-and since you rarely type BASIC keywords within PRINT statements-the single-stroke keyword entry feature is disabled while typing within quotes. For example, if you activate Quick Key and type SHIFT-A, quote (SHIFT-2), SHIFT-Z, you should see:

PRINT"

The SHIFT-A outside quotes produces the keyword PRINT, but the SHIFT-Z within quotes produces the normal graphics character for that key combination.

Quick Key also provides for automatic line numbering and includes an added special feature to simplify the process of entering DATA statements. And a numeric keypad is provided for speedy numerical data entry.

Typing It In

Since Quick Key is written entirely in machine language, it must be entered with the "MLX" machine language entry program published regularly in GAZETTE. Be sure you have read and understood the directions for using MLX before you begin to enter the data for Quick Key. When you run MLX, you will be asked for the starting and ending addresses of the Quick Key data. The correct values are:

Starting address: C000 Ending address: C2B4

Now you can begin entering the Quick Key data. When you're finished, be sure to save at least one copy.

When you're ready to use the new commands, load the Quick Key routine with LOAD "QUICK KEY", 8,1 for disk, or LOAD "QUICK KEY", 1,1 for tape. (In place of QUICK KEY, substitute whatever name you used when you

saved the program from MLX.) After the load is complete, type NEW and press RETURN before you attempt any other BASIC operations. (This is necessary to reset important BASIC memory locations and prevent an OUT OF MEMORY error message.) To activate the new features, type SYS 49152 and press RETURN. You won't notice any immediate changes, but now anytime you correctly enter a Quick Key command, you'll get the message QUICK KEY OK!. Use the Quick Key commands as you would any other BASIC command in direct mode. However, the new commands cannot be used within a program.

Using The New Commands

Quick Key adds the following new commands. Notice that each must be preceded by a + sign:

+AUTO increment D. Activates automatic line numbering. After you type in the first program line, the line numbers for all succeeding lines will be provided automatically. Each new line number is the sum of the previous line number plus the specified increment value. The optional parameter D, if used, will cause the BASIC keyword DATA to be printed following the line number. This is useful when entering a long series of DATA statements. When used in conjunction with the numeric keypad, this feature can save you a lot of time if you have many numeric DATA lines to enter.

For example, to have Quick Key increment by 10, just type: +AUTO 10


1285 CLASSIFIEDS

INFORMATION AND PA ORDERS 814-234-2236

GAMES

OPEN 9-8 Mon-Fri; 10-5 Sat EAST COAST TIME

MONOCHROME MONITORS

GAIVIES	and the second second
BEST SELLING GAMES	(Carles of)
Hitchhiker's guide	
F-15 Strike Eagle	
Karateka	\$19.95
Kung Fu (Spinnaker)	
Flight Simulator II	
FS II Scenery disks	
Jet	
Microleague Baseball	
Microleague general manager	r
disk	\$27.95
Microleague 1985 teams	
Hobbit	\$call
Sargon III	
Murder by the Dozen	. \$24.95
ACTIVISION	
Alcazar	
Borrowed Time	. \$19.95
Computer Fireworks	
Celebration	\$19.95
Countdown to shutdown	
Fast Tracks Slot Car Const	
Garry Kitchen's Gamemaker .	
Great Amer RR	
Hacker	.\$19.95
Little Computer People	
Master Of Lamps	
Mindshadow	
Pitfall II: Lost Caverns	
Space Shuttle	\$19.95
BLUE CHIP	and the state
Baron	\$24.95
Millionaire	
Tycoon	\$24.95
ELECTRONIC ARTS CALL FOR OUR LOW PRICE ELECTRONIC ARTS PRODU	ON ALL
INFORCOM	COLUMN THE P
Cut Throats	
Deadline	
Enchanter	. \$25.95
Hitchhiker's Guide	
Infidel	
Invisiclues	
Planetfall	
Sorcerer	
Spellbreaker	
Suspect	
Wishbringer	
Witness	
Zork I.	\$22.95

Zork II

Zork III

and the second
Mindscape CALL FOR OUR LOW PRICE ON ALL MINDSCAPE PRODUCTS
SIMON & SHUSTER
G.I. Paper Airplane const\$call
JK Lasser's Income Tax
quide \$39.95
guide \$39.95 Kermit's Story Maker\$19.95
NY Times Crossword Puzzle
Vol. 1 or 2\$14.95
Sov Hunter \$31.95
Spy Hunter \$31.95 Star Trek-Kobayashi alt \$29.95
Typing Tutor III\$29.95
SPINNAKER
Adventure Creator \$22.95
Alphabet Zoo \$16.95
Cosmic Combat
Delta Drawing\$19.95
Facemaker
Facemaker \$19.95 Hey Diddle Diddle \$16.95 Homework Helper \$200
Homework Helper \$call
In search of the most amazing
thing
Kung Fu \$CALL Snooper Troops I or II \$18.95
Snooper Troops I or II \$18.95
Call for other SPINNAKER Software
STRATEGIC SIMULATIONS
CALL FOR OUR LOW PRICE ON ALL
SSI GAMES
MISCELLANEOUS
C-64 WORD PROCESSORS
Font Master II \$34.95
Wordpro 64\$36.95
Spellpro 64 \$32.95
Wordpro 3 + /64 \$19.95
Fleet System II \$call
Paperclip \$37.95
Paperclip w/spellpack \$49.95
Paperclip \$37.95 Paperclip w/spellpack \$49.95 Mirage Professional WP \$36.95
Trio\$call
Kid Pro Qyo \$32.95
C-64 DATABASES Consultant\$39.95
Consultant. \$39.95
Mirage Database w/Report
gen\$36.95
Profil 64\$36.95
File Now
Practifile\$call
C-54 SPREADSHEETS
Vizastar 64 \$79.95
Pracitcal(d) or (t) \$call
Calkit \$39.95
Hes Multiplan \$29.95
PS, The Programmable
Spreadsheet \$19.95
Calc Result Adv (d,c) \$67.00
The second s
SEIKOSHA
Brander annound and one with the statement and statement and
and the second
50 1000 VC
SP-1000 VC SCALL
SP-1000 VC SCALL Commodore ready, NLO
SP-1000 VC SCALL Commodore ready, NLO mode, friction and tractor feed standard
SP-1000 VC SCALL Commodore ready, NLO mode, friction and tractor feed standard.

SP-1000 \$CALL Centronics parallel version of above printer

tcp IS A COMMODORE

AUTHORIZED

MONOCHROME MONITORS
(Composite Input)
NEC 1205 12" amber
w/sound\$89.95 Goldstar MBM2233 12"
amber\$79.95
amber \$79.95 Goldstar 12"
green \$79.95 Zenith 1220 amber flat
screen
Din to RCA phono jack cable \$6.95
RGB to RCA phono jack cable . \$9.95
CARDCO
Write Now
Calc Now \$19.05
Calc Now\$19.95 Paint, File, Spell, Mail Now\$call
Numeric keypad \$34.95
5 slot cart. exp \$54.95
S'more Basic \$49.95
UTILITIES
Merlin 64 \$34.95
Merlin 64\$34.95 Fast Load\$24.95
Pal 64\$32.95
Power 64\$32.95
Toolbox 64 \$59.95
CSM 1541 align \$34.95
Mach 128 \$call
Mach 128 \$call C Power \$69.95
C-64 INTEGRATED PACKAGES
Vizastar 8K \$79.95
Trio\$call
Homepack \$39.95
MISCELLANEOUS
Koalapad\$59.95
Koalapad. \$59.95 Koala Gibson Light pen \$49.95 Naverone 3 Slot expander \$27.95
Naverone 3 Slot expander \$27.95
GRAPHICS
Print Shop. \$25.95
Print Shop\$25.95 Graphics Library I, II, or III\$16.95
Newsroom\$34.95
Clip Art I \$19.95
Clip Art II \$call
Financial & Accounting
Softsync Pers. Acct. \$32.95
Cont. Home Acct \$46.95
Softsync Pers. Acct \$32.95 Cont. Home Acct. \$46.95 Timeworks General Ledger. A/R. A/P.
Payroll, Inventory \$40.95 each
Infodesigns General ledger, A/P, A/R,
Payroll, Inventory\$call Cashbox \$36.95
Cashbox \$36.95
NAME AND ADDRESS OF TAXABLE
ALSO IN STOCK
ALSO IN STOCK Software from Access. Addison- Wesley. Broderbund. CBX. Epyx. Hay-
Wesley, Broderbund, CBX, Epyx, Hay-
den. Call for Price and Availability.
and the second second second second
WARDA A
XETEC inc.
SUPER GRAPHIX inter-
SUPER GRAPHIX inter- face w 8K buffer, down
loadable fonts
S lowest price

SUPERGRAPHIX jr printer interface. \$46.95 Font Master II . \$34.95

REPAIR RATES FOR OUT OF WARRANTY SERVICE C-64 Repair.....\$49.95 슻 1541 Align.....\$29.95 1541 Repair \$69.95 C128, 1571, Others. \$CALL Repair Rates Include UPS Ground "Return" Shipping SERVICE CENTER

COMMODORE 128: HARDWARE 1670\$157.95 C128 1571, 1572 DRIVES 1902 MONITOR MPS 1000 PRINTER 1350 MOUSE 1700, 1750 RAM EXPANSION	CALL NOW FOR LOWEST PRICES
SAVE A BUNDLE OF PACKAGE DEALS AV CALL FOR DETA	AILABLE
COMMODORE 128: WORD PROCESSORS VIZAWRITE128SLOW WORDPRO 128 PAPERCLIP PAPERCLIP WSPELLPACK WORD WRITER 128 WSPEI PERFECT WRITER SPREADSHEETS EDYX. MULTIPLAN 128 PERFECT CALC. SWIFTCALC 128 W/SIDEWA VIZASTAR 128 Integrated Spreadeheet, Database MISCELLANEOUS 128 SOF PERFECT FILER JANE SUPERBASE 128 CONSULTANT 128 SUPERBASE 128 NEW TITLES EVERY DAYI CALL FOR LATEST INFORM	VEST PRICE CALL \$59.95 \$37.95 \$49.95 \$49.95 \$CALL \$49.95 \$CALL \$49.95 \$CALL \$49.95 \$CALL \$49.95 \$CALL \$CALL \$32.95 \$69.95 \$39.95 \$CALL \$39.95 \$CALL \$39.95 \$69.95 \$39.95 \$CALL \$49.95

Stall L



dore.ca

(]#

Inventory Psyroll, General Ledger, Communications, Sales, Management, or Negotiation Edge. Your Choice \$19.95 EA

ORDERS ONLY...CALL TOLL FREE

\$26.95 \$26.95

RGBI/COMPOSITE MONITORS

Magnavox 8562 ... SCALL 2 year warranty, all cables to 128 included. Monochrome

Thompson Monitor \$274.95

mode available at flick of switch

4 modes of operation. All cables to 128 included.

INFODESIGNS

SOFTWARE

Wordpro 3+/64, A/P, A/R,

Then type the first program line and press RETURN. Quick Key will provide the next line number—the first line number plus 10—followed by a space. If you want the keyword DATA to follow the line number, use:

+AUTO 10 D

To skip a range of lines, use either SHIFT-RETURN or the cursor keys to get to an empty line, then type the line with the next desired line number. Automatic line numbering will resume with the next line following the new line you just entered. For example, if you're using an increment of 10 and have just typed line 590, but want the next line to be 1000 rather than 600, you should press SHIFT-RETURN when the 600 is provided and type in the desired line 1000. Automatic line numbering will then resume with line 1010.

To cancel automatic line numbering, use either SHIFT-RETURN or the cursor keys to get to an empty line, then enter +AUTO (without parameters) and press RETURN. (SHIFT-RETURN appears to act like a regular RETURN, but any data on the line will not be acted upon or entered by the computer.)

+KEYC letter, token. Redefines a Commodore key combination to print a particular BASIC keyword. The table below shows the standard keyword definitions for all Commodore-letter key combinations. This command lets you change any of these to whatever other keyword you prefer. The letter parameter should be one of the alphabetic characters A-Z, and token should be the code number corresponding to the desired BASIC keyword, also found in the table at the end of this article. (The keyword code, or token, is the one-byte value that BASIC uses internally to represent a keyword.)

For example, to program the Commodore-Z key combination to print POKE, type

+KEYC Z,151

and press RETURN.

+KEYS *letter*, *token*. Redefines a SHIFT-letter key combination to print a chosen BASIC keyword. The parameters are the same as for the +KEYC command. For example, if

you'd prefer to have SHIFT-P produce PRINT, then enter the following:

+KEYS P,153

To cancel the one-stroke keyword entry feature, enter + KEY alone and press RETURN. This does not destroy the key definitions, but simply sets or clears a flag. To reenable easy keyword entry, again type + KEY with no parameters, then press RETURN. Thus, the + KEY command functions as a *toggle*, switching the keyword entry feature off if it was previously on, or on if it was previously off.

+NUM. Activates the numeric keypad feature. The keypad is set up as shown in the accompanying figure. Most keys that are not part of the numeric keypad are disabled to prevent typing mistakes. However, the comma, period, colon, minus sign, INST/DEL, RETURN, and SHIFT keys remain active, as do all cursor control keys. The D key also remains active so that it can be used with the easy keyword entry feature (SHIFT-D prints DATA). To exit the numeric keypad and reactivate the full keyboard, press the RUN/STOP key.

Numeric Keypad Configuration

RUN/STOP	DC	F V	T G B	Y H N	U J M	
become: EXIT	D DEL	0 ,	7 4 1	8 5 2	9 6 3	

One word of caution: If you're using the numeric keypad, be careful to avoid the keyboard lockup bug (discussed in "Gazette Feedback," September 1985) which plagues many older 64s. With the keypad active, there is no apparent escape method short of turning off the computer. Exercise extreme caution when deleting characters at the bottom of the screen, especially after a scroll.

+ OFF. Disables Quick Key and restores the normal BASIC vectors. As a safeguard, always turn Quick Key off before running any programs. When you need Quick Key again, just enter SYS 49152 to reactivate it.

It's also possible to permanently modify Quick Key's default values for the keyword function. If there's some key definition that you particularly dislike, this will save you from having to use +KEYC or +KEYS to change it every time you use Quick Key. First, load and activate Quick Key, then use +KEYC and +KEYS to set up the keyword definitions you prefer. Save a copy of the modified version by entering this line, followed by RETURN:

POKE 43,0:POKE 44,192:POKE 45,181 :POKE 46,194:SAVE"filename",8

Tape users should change the ,8 in the SAVE command to ,1. Be sure to use some different name for this version; keep your original copy as a backup. After the save is complete, you'll need to turn your 64 off and back on to reset important BASIC pointers.

See program listing on page 107.

BASIC Keyword Tokens

Default assignments:

Key	SHIFT	Token	Commodore	Token
Α	PRINT	153	AND	175
В	RND	187	REM	143
С	CLOSE	160	CHR\$	199
D	DATA	131	DIM	134
E	END	128	DEF	150
F	FOR	129	ASC	198
G	GOTO	137	GOSUB	141
Н	GET	161	RUN	138
I	IF	139	INPUT	133
1	INT	181	INPUT#	132
Κ	RESTORE		LET	136
L	LIST	155	LOAD	147
Μ	MID\$	202	LEN	195
N	NEXT	130	NEW	162
0	OPEN	159	OR	176
Р	POKE	151	PEEK	194
Q	ON	145	PRINT#	152
R	READ	135	RETURN	142
S T	SPC(166	SAVE	148
	THEN	167	ТО	164
υ	SYS	158	STEP	169
V	VAL		VERIFY	149
W	RIGHT\$	201	LEFT\$	200
X	TAB(163	SIN	191
Y	LOG	188	COS	190
Z	CMD	157	CLR	156

Not used but also available:

Keyword Token Keyword Token ABS 182 ATN 193 CONT 189 154 EXP FN 165 FRE 184 NOT 168 POS 185 SGN 180 SQR 186 STOP 144 STR\$ 196 TAN 192 USR 183 WAIT 146

🕻 www.commodore.ca

63

news Exproducts

RAM Expansion For 128

Commodore has introduced two RAM expansion modules for the Commodore 128 that provide an additional 128K or 512K of memory for data or program storage. The Commodore 1700, with 128K of additional memory, and the Commodore 1750, with an extra 512K, each plug into the 128's expansion port, similar to an application or game cartridge.

The 128's BASIC 7.0 contains keywords, such as FETCH, STASH, and SWAP, that let programmers have easy access to the expansion memory. In CP/M mode, the 128's operating system lets the expansion modules serve as RAMdisks, or scratch disks, for temporary storage of user files. With a RAMdisk, the CP/M user is able to load and save files at up to one megabyte per second.

The Commodore 1700 sells for \$199, and the Commodore 1750 for \$299. Each module comes with a diagnostic test and demo disk.

Commodore Business Machines, Computer Systems Division, 1200 Wilson Dr., West Chester, PA 19380.

Circle Reader Service Number 236.

64 And 128 Mouse

A two-button mouse controller for the 64 and 128 computers is now available from Commodore. The mouse, priced at \$49, plugs into one of the joystick ports. You control the direction of the cursor on the screen by moving the mouse across any flat surface. The two buttons let the user control a variety of features depending on the software used.

Commodore Business Machines, Computer Systems Division, 1200 Wilson Dr., West Chester, PA 19380.

Circle Reader Service Number 237.

Historical Fiction For The 128

You escape bomb-threatened London through a mysterious door and find yourself on a magical journey that takes you from the Siberian tundra to a tropical island, from deep underground to the depths of outer space. Finally, you arrive in the New Mexico desert minutes before the world's first atomic explosion, code-named Trinity. This is Infocom's *Trinity*, a new puzzle-oriented all-text adventure game for the Commodore 128 that combines fiction with history.

Suggested retail price is \$39.95.

Infocom, Inc., 125 CambridgePark Dr., Cambridge, MA 02140.

Circle Reader Service Number 238.

Commodore 64/128 Assembler And Editor

The *Rebel Assembler/Editor*, from Nu-Age Software, is a machine language assembler and full-screen editor with versions for the 64 and 128, both on the same disk. The source editor allows full use of all resident BASIC commands. The company states that the program will assemble a 45K source file into a 7K machine language program in 16 seconds. *Rebel* is RAM-based, with options to assemble to memory, disk, screen, or printer. Labels are supported and the symbol table can be printed after assembly. Source files can be linked.

The 128 version in 80 columns provides an onscreen command summary and split-screen editing. The 64 version features renumbering, page flipping, and hexadecimal and ASCII conversions.

Suggested retail price is \$29.95.

Nu-Age Software, 2311 28th St. N., St. Petersburg, FL 33713.

Circle Reader Service Number 239.

Video Images

Digital Vision has announced software that lets its Computereyes video acquisition system for the Commodore 64 work with the popular *Newsroom* newsletter-printing program from Springboard Software. Computereyes is a slow-scan device that plugs into the I/O port and connects to any standard video source to provide black and white images. The complete package includes a disk, owner's manual, interface module, and a one-year warranty.

The Newsroom Compatibility Software allows users to create their own images with Computereyes and use them with Newsroom to compose and print newspapers, newsletters, and announcements.

Computereyes is priced at \$129.95.

A complete system, including Computereyes and a video camera, is available for \$349.95. Newsroom Compatibility Software costs \$15. The Newsroom program is purchased separately (\$49.95) from Springboard Software, 7808 Creekridge Circle, Minneapolis, MN 55435.

Digital Vision, Inc., 14 Oak St., Ste. 2, Needham, MA 02192.

Circle Reader Service Number 240.

Dvorak Keyboard Programs

Prelco has released new products for the Commodore 64 and 128 which are based on the Dvorak keyboard layout. *DV Switcher* is a ROM kernal kit that allows you to run *PaperClip*, *SpeedScript*, *Multiplan*, *Superbase*, and other programs using the Dvorak keyboard. The kit includes a modified ROM kernal, a switch to select the new ROM or the Qwerty ROM, and key covers with both markings. The new ROM changes your keyboard from the standard Qwerty layout to the faster Dvorak layout.

The \$39.95 price does not include the hardware installation, which must be carried out by an electronic technician (installation voids remaining Commodore warranty).

DV Typer is a Dvorak typing tutor and keyboard conversion program for



Fwww.commodore.ca

the Commodore 64 and 128. The 128 version includes autoboot of *DV Typer* and use of the *Paper Clip 128* word processor with Dvorak. *DV Typer* retails for \$36.95.

Prelco, 14202 Galy St., Tustin, CA 92680.

Circle Reader Service Number 241.

128 Database Software

Bouncing Dog Software has released its first product for the Commodore 128, *Data Master 128*. This program allows you to develop multivolume data sets of up to 26,000 records, search the files using a wildcard, create mailing labels, and generate reports. Help screens may be activated from anywhere within the program without losing the data with which you're working.

Data Master 128 is priced at \$29.95. Bouncing Dog Software, P.O. Box 6753, Minneapolis, MN 55406.

Circle Reader Service Number 242.

Telecommunications Software

Electrosharp Telecommunications has released a new telecommunications software package for the Commodore 64. The program uses menus and help screens; supports ASCII, XMODEM, and Punter protocols; has a 34K capture buffer; converts BASIC listings into runnable programs and Commodore ASCII to regular ASCII (and vice versa); has full-screen editing and 40/80 columns; includes auto-dial features; works at 300 and 1200 bits per second; and the keyboard can be customized.

The package is sent free of charge to anyone who sends a self-addressed, stamped disk mailer. If satisfied, users are asked to remit \$25, which entitles them to all future upgrades, technical assistance with telecommunications problems, and a telecommunications



guide (\$5 postage and handling). Unsatisfied users are requested to erase the disk.

Electrosharp Telecommunications, P.O. Box 2831, Orcutt, CA 93455.

Circle Reader Service Number 243.

New From SourceView

SourceView Software has released several new programs for the Commodore 64 and 128. *Math Pop Quiz* for the Commodore 64 uses graphics, color, and sound to teach addition, subtraction, multiplication, and division to children at various levels of ability.

PC Home Checkbook for the 64 lets you keep record of checkbook transactions, including deposits, checks written, automatic teller activity, and bank charges. It is designed for home use and provides a statement for any time span you specify. For the Commodore 64.

PCSecure for the Commodore 128 is a datafile encryption program which uses a key-driven code to protect your files from unauthorized users. It is written in machine language.

Suggested retail price for Math Pop Quiz is \$19.95, \$39.95 for PC Home Checkbook, and \$49.50 for PCSecure.

SourceView Software International, 835 Castro St., Martinez, CA 94553. Circle Reader Service Number 244.

Computer-Assisted Writing

Woodbury has added two new titles to the Playwriter Series for the Commodore 64. *Castles & Creatures*, for grades five and six, and *Mystery!*, for grades seven to twelve, help youngsters develop their writing skills and create a book. Each package includes a word-processing disk, special computer paper, a hardcover binding, and colored stickers for illustrating the book.

Retail price for the package is \$39.95, and \$9.95 for refill packs.

Woodbury Software, 127 White Oak Ln., CN 1001, Old Bridge, NJ 08857. Circle Reader Service Number 245.

Math And Spelling Helpers

Eduware Services has released Commodore 64 versions of two of its educational software series. *Algebra* 1, 2, and 3 programs help students with firstyear high school algebra by using definitions, explanations of algebra rules, sample problems, and practice problems.

Spelling & Reading Primer helps children from ages four to eight learn to read by watching pictures with words on the screen and playing a matching game. In the spelling part of the program, youngsters can receive coaching on how to spell words or practice without help.

Algebra 1, Algebra 2, Algebra 3, and

Spelling & Reading Primer have suggested retail prices of \$39.95 each.

EduWare Services, Inc., 185 Berry St., San Francisco, CA 94107. Circle Reader Service Number 246.

64 Word Processor/Database

Software Resource Group has begun shipping *Brown Bag Software*, an integrated word processor and database manager for the Commodore 64. (An Apple II version is on the flip side of the disk.)

The program lets you easily incorporate information from your databases into letters, reports, and other documents. Up to 20 of these merges can be done within any one document. Editing features of the word processor include global search and replace, headers, trailers, footers, and deletion by character, word, line, and paragraph. The database manager lets you create your own templates or use the ones provided.

The suggested retail price is \$59.95.

Software Resource Group, Inc., 15100 El Camino Grande, Saratoga, CA 95070.

Circle Reader Service Number 247.

Equation-Solving On The 64

Balance! is an interactive program that teaches students about solving equations. By working with graphically displayed linear equations on a balance beam, students can literally see the equation-solving process, and better understand it.

The program is aimed at beginning algebra students, advanced students who want to review the basics, and parents and teachers looking for more effective ways of teaching basic math concepts.

Developed by the New York Institute of Technology, the program strives to teach what an equation is and how it works, how and why an algorithm functions, and other aspects of working with equations.

Balance! is available for \$49.

HRM Software, 175 Tompkins Ave., Pleasantville, NY 10570.

Circle Reader Service Number 248.



64 AutoBoot Maker

Rene Suarez

Here's a Commodore 64 boot-making program with a twist: It's compatible with most commercial accelerators for the 1541 disk drive.

Unlike most other computers, the Commodore 64 does not automatically *boot* (load and run) programs from disk. After loading a program, you must type either a RUN or SYS command to start it up. However, you've probably used commercial software that automatically loads and runs when you enter a statement such as LOAD''BOOT'',8,1. Wouldn't it be nice to run your own programs this way?

Such programs are said to autoboot because everything is automatic after you enter the LOAD command. In effect, they pull themselves up by their own bootstraps; hence the term. Since autoboots require less typing, they're ideal for frequently used programs or programs intended for people who aren't familiar with the computer. The only catch is that autoboots can be very tricky to write. And though there are programs that construct them for you, the resulting package may not be compatible with the popular accelerator programs for the 1541 disk drive.

"64 Autoboot Maker" gives you the best of both worlds—an autoboot that works with most accelerated drives and normal drives, too. (Unfortunately, it won't work with the "TurboDisk" accelerator published in the July 1985 issue of the GAZETTE.) You can make an autoboot for any BASIC or machine language program, and even disable the RUN/STOP and RE-STORE keys if you like.

Preparing An Autoboot

Type in 64 Autoboot Maker and save a copy, then run it. First it asks for the name of the target program (the one you want the autoboot to load and run). Since Autoboot Maker looks for the program on disk, insert the correct disk in the drive when you enter the filename. Next, enter a name for the autoboot. Of course, this name should be different from the original filename. For example, if the target program is named LASER, you could call the autoboot LASER/BOOT.

At this point, you must enter the memory address where the program begins. If the target program is BASIC, press RETURN without entering a number (BASIC programs always start in the same place). If the target program is machine language, enter the memory address where it normally begins. The address may be entered in decimal or hexadecimal (a hex number must begin with the \$ symbol).

Finally, you have the option of making the autoboot disable the RUN/STOP and RESTORE keys. (Warning: With these keys disabled, you may not be able to break out of the autobooted program without turning off the computer.) Enter Y if you want them disabled and N if you don't. Once this is done, the disk drive spins for a short time and the status of the drive appears on the screen.

To test the newly created autoboot package, simply type LOAD-

"filename",8,1 and press RETURN. Replace filename with the name of your autoboot, and don't forget the ,1 after the 8. The target program automatically loads and runs. (If it doesn't, one reason may be that it loads into the same memory area as the autoboot itself—locations \$02A7-0303.)

Note that you must repeat the procedure to create the same autoboot file on another disk.

See program listing on page 100.

COMMODORE Commline - 64 BBS

10 Message Bases 10 Discussion Boards Private E-Mail Xmodem File Transfer Auto Validate Auto Message Update Supports the 1660 Modem

Allow 4 Weeks For Delivery \$49.95 And Much Much More Mastercard & Visa Accepted CALL

1-800-237-4120 ext. 55

(Florida residence call) 1-800-282-4938 ext. 55 (615) 645-8632 24 Hr. BBS

C-www.commodore.ca

Help Screens

POWER BASIC

Jaffer Siddiqui

Here's an easy way to include up to eight help screens with your BASIC and machine language programs. For the 64 and 128. A disk drive is required.

Many powerful programs include a lot of commands and options. In some cases, it's difficult or impossible to remember them all. And paging through a magazine article or manual for the documentation can be awkward and inconvenient. "Help Screens" offers an elegant solution. By following a few simple steps, you can create up to eight help screens for a program.

Begin by typing in and saving a copy of the program. Although most of the program is written in machine language, you can save, load, and run the program as if it were BASIC. The machine language is stored in the form of DATA statements. Program 1 is for the 64; Program 2 is for the 128.

When you type RUN, the machine language routines are POKEd into memory and the screen is cleared. When the flashing cursor returns, you're ready to begin creating your help screens.

Press the CLR key to erase the screen, then type in the information you want displayed on the first help screen. (*Do not* press RETURN while you're working on this screen. If this key is pressed, a SYN-TAX ERROR will result, and your screen will be destroyed.) Use the cursor keys to move the cursor to any position on the screen. Use the cursor keys to move around the screen. Be careful to avoid scrolling the top line off of the screen.

When you've finished the help screen, press CTRL-F (press F while holding down the CTRL key). If you're using the 128 version, press the ENTER key on the numeric keypad. Help Screens then stores the page in memory. The 64 version flashes the border color to signal that the page has been saved. The 128 version changes the border color. After a help screen is saved, you can clear the screen and design the next one.

Up to eight screens can be created following these steps. After the eighth one is finished, a new program—HELP.EXE—is created on your disk, and your help screens are saved into a file called HS. You may find that you need less than eight help screens. In the 64 version, just press CONTROL-D after completing your last screen. In the 128 version, press SHIFT-ENTER.

It's a good idea to save your help screens on the same disk as the program they'll be used to support. For example, if you've created help screens for a program named "Filea-way," insert the disk that contains "File-a-way" and run "Help Screens". The 'HELP.EXE' and "HS" files will then be on the same disk.

In Action

To use Help Screens, Commodore 64 users should enter LOAD "HELPER.EXE",8,1. Commodore 128 users should enter BLOAD "HELPER.EXE" then type SYS 5632.

Help Screens works with all BASIC programs and most machine language programs. Always load Help Screens (HELPER.EXE) first. After HELPER.EXE is loaded, it loads the HS file which contains your help screens. Enter NEW, then load the program for which you created the help screens. Your help screens are now available-and only a keypress away. If you're using a 64, press CTRL-H. If you're using a 128, press HELP. Page one (the first one created) is displayed when you first access the help screens. Commodore 64 users can flip through the pages by pressing CTRL-cursor right to page forward, or CTRL-cursor up. In the 128 version, use the up and down arrow keys to page through the help screens. To exit the help screens, press CTRL-DEL (64 version), In the 128 version, press the HELP key again. When you return to the help screens, you'll see the most recently viewed screen.

Running certain machine language programs—or pressing RUN/STOP-RESTORE—will prevent Help Screens from operating. If this happens, type SYS 679 (64 version) or SYS 5728 (128 version) to re-activate Help Screens. See program listings on page 106.



Cwww.commodore.ca

SpeedScript-80 For The 128

Todd Heimarck, Assistant Editor

Now 128 owners with an 80-column monitor can run the popular *SpeedScript* word processor for the Commodore 64. Very little typing is required because the program patches into an existing copy of *SpeedScript* version 3.0 or higher.

Without a doubt, the *SpeedScript* word processor is the most popular program ever published by COM-PUTE! Publications. Version 1, including both a VIC and a 64 program, was printed in the January 1984 issue of COMPUTE!'s GA-ZETTE. The upgraded and improved version 2.0, with a help screen and custom characters, was included on the inaugural GAZETTE DISK in May of the same year. Version 2.1 can be found in COMPUTE!'s Second Book of Commodore 64.

Version 3.0 (with separate programs for 64, VIC, Apple, and Atari) appeared over several months in our sister magazine COM-PUTE! in the spring of 1985. The machine language source code for 3.1 was published separately in the *SpeedScript* books for Commodore, Atari, and Apple. Version 3.2 was included as a bonus on the January 1986 COMPUTE! DISK. Individual disks containing *SpeedScript* 2.0, 3.0, 3.1, and 3.2 are still available.

SpeedScript For The 128

The ideal 128 version would take full advantage of the machine's features: 40- or 80-column output, access to the numeric keypad and other keys (perhaps an alternate character set toggled by the ALT key), and two large text areas of about 60K each.

As you may have guessed, this is not the full-featured 128 version.

That's the bad news. The good news is that, if you already have a copy of *SpeedScript* for the 64, version 3.0 or higher (from the March 1985 COMPUTE!, the *SpeedScript* book, or the January 1986 COMPUTE! DISK), you have to type in only a few hundred characters to upgrade to a full 80 columns. Compare that to the roughly 7–8K you'd have to enter for a brand-new program.

"SpeedScript-80" patches into the main program to provide an 80column screen display. It must be run on a 128—in 64 mode—

because it takes advantage of the 128's 80-column chip (yes, the 80column screen can be accessed in 64 mode). It won't run on standard 64s because they lack the 80column chip.

Installing SpeedScript-80

You'll need to begin with a working version of *SpeedScript* 3. If you're not sure which version you own, look at the top (command) line. If there's no number, you have version 1 or 2. If it says 3.0, 3.1, or 3.2, you have the correct version.

First, go into 64 mode by typing GO 64. Load and run "MLX," the machine language entry program published elsewhere in this issue, and type in the following programs (save them as five separate files): Patch 1

Patch 1	
Starting Address:	289E
Ending Address:	2935

Patch 2	2A4E
Starting Address:	
Ending Address:	2A5D
Patch 3	
Starting Address:	315D
Ending Address:	31A4
Patch 4	
Starting Address:	3445
Ending Address:	346C

Patch 5 Starting Address: C000 Ending Address: C137

After saving these five programs to disk, go back into 128 mode—turn your computer off and then on. Enter the machine language monitor with the command MONITOR (or press f8). Insert the disk containing *SpeedScript* into your drive and type the following monitor load command, substituting the appropriate filename for SPEEDSCRIPT:

L "SPEEDSCRIPT",8,02801

SpeedScript will be loaded into the 128's memory at address \$02801. Normally, SpeedScript loads at \$0801, but that part of memory is not available for use by programs in 128 mode. Now load the first four patches:

L "PATCH1",8 L "PATCH2",8 L "PATCH3",8 L "PATCH4",8

The 80-column patches are inserted into the program and you can now save the results:

S "TEMP",8,02801,04009

This is only a temporary file, which you can scratch when you've finished creating SpeedScript-80. You're almost there. Now type X (to eXit to BASIC) and enter GO 64. From 64 mode, type the following lines:

Cwww.commodore.ca

LOAD "PATCH5",8,1 NEW

LOAD "TEMP",8 SYS 49152

Insert the disk on which you want to save SpeedScript-80 before entering SAVE "SPEEDSCRIPT80" ,8. This file is the new 80-column version of *SpeedScript*; the patches are no longer needed.

How To Run It

You have to follow specific instructions to load and run SpeedScript-80:

1. Turn on your 128 in 128 mode.

2. Type GO 64, press RE-TURN, then answer Y to the ARE YOU SURE? question. The computer will switch to 64 mode.

3. From 64 mode, LOAD "SPEEDSCRIPT80",8 and RUN.

4. Switch the display from 40 to 80 columns.

If you hold down the Commodore key to go straight into 64 mode when you turn on the machine, SpeedScript-80 won't work correctly. Starting out in 128 mode forces the computer to initialize the 80column chip. Among other things, the character set is loaded into 80column memory.

How It Works

A Commodore 128 in 64 mode is not a perfect Commodore 64. It has some extra capabilitiés, like access to the 80-column chip.

The 8563 chip in the 128 provides the 80-column screen in 128 mode and has two handles in 64 mode: You can PEEK and POKE locations \$D600 and \$D601. Address \$D600 controls which internal 8563 register is PEEKed or POKEd, while \$D601 contains the value read from or written to the register.

The 8563 80-column chip has its own 16K of dedicated memory, and you can reach it only through the two memory locations at \$D600-\$D601. Between the two control locations and the 16K of memory, though, are 36 internal 8563 chip registers. To POKE the value 1 (we'll use the A character) to the first memory location for the 80-column screen (address \$0000 in the 8563's 16K bank), you have to perform the following POKEs:

1. Store \$12 in \$D600. Register 18 (\$12) holds the high byte of the address where we'll POKE. 2. Store a 0 in \$D601, which is sent to register 18 (\$12), as we set up in step 1.

3. Store \$13 in \$D600. Register 19 (\$13) holds the low byte of the address where we'll POKE (note that for the 8563 chip the high byte comes before the low byte, just the opposite of a typical 8502 machine language address).

4. Store a 0 in \$D601. Now, registers \$12-\$13 point to location \$0000. This is not \$0000 in the 128's memory map; it's a location in the 8563's private memory.

5. Store \$1F in \$D600. Register 31 (\$1F) will hold the character to be POKEd to screen memory.

6. Finally, store a 1, the screen code of the letter we're putting in the top left corner, in \$D601. From register 31, it will be transferred to the 80-column screen memory address in registers \$12-\$13.

For machine language programmers who want to try this, there's one more thing to keep in mind. After storing the register number in \$D600, you have to wait for the high bit (\$80) of \$D600 to be set before storing a value in \$D601. This can be done with the BIT instruction followed by a BPL. When the high bit is turned on, you can store the appropriate value in \$D601.

Screen memory for the 80column screen starts at \$0000, and it takes six POKEs to get a character there. *SpeedScript* is built to deal with a screen size of 40 x 25 characters, and a lot of time goes to updating the screen. Theoretically, the 80-column screen should take more time.

FAST-64 Mode

You can make the 128 work twice as fast as usual in 128 mode by typing FAST. The 40-column screen is disabled, but the computer's speed doubles from 1 MHz (1,000,000 instruction cycles per second) to 2 MHz (2,000,000 instruction cycles per second).

Within 64 mode, you can access the FAST mode by sacrificing the 40-column screen. Since we're POKEing the 80-column chip, this isn't a problem. The 8563 has twice as much screen memory, so it should take twice as long to update the display. But if the computer works twice as fast, the disadvantage is cancelled out. Twice as much screen memory slows things down, and twice the speed returns things to normal.

From BASIC, you can go into FAST mode by typing POKE 53296,1. To go back to normal, POKE 53296,0. This works in both 64 mode and 128 mode (to be safe, issue a BANK 15 command before you use this POKE on the 128). Of course, BASIC 7.0 has the FAST command, so the POKE isn't really necessary in 128 mode.

Slight Changes To The Command Set

Three commands are no longer available when you run Speed-Script-80: CTRL-L (change letter color), CTRL-B (change background color), and CTRL-X (exchange two transposed characters). An RGB monitor is required to see 80 columns in color. And the routine to fill attribute memory (which is something like color memory, but it also controls flashing and underlining) would have required an additional patch. The CTRL-X option was deleted because a small section of memory was needed for one of the new 80-column subroutines.

In addition, because there is more information on the screen, the disk directory command (CTRL-\$) lists the filenames in two columns. This means you can see up to 50 file names on a single screen. Unfortunately, the way the screen wraps around puts half the number of blocks per file on the right-hand edge of the screen. To fix this would have required another patch, which would have taken away one more SpeedScript command. Also, the characters have to be POKEd to 80column memory, so there's no easy way to scroll the screen when you have more than 50 files on a disk. If you attempt to display a long directory, the extra characters go past screen memory into attribute memory. Again, writing a screen scroll routine would have meant another patch.

Apart from these four changes, all *SpeedScript* commands remain the same. Documents created in 40column *SpeedScript* can be loaded, edited, and saved with Speed-Script-80. And the printing and formatting commands are unchanged. *See program listings on page 101.*

A Guide To **Commodore User Groups** Part 2

Joan Rouleau

The second half of the user group guide includes states N-W and countries outside the U.S. The U.S. groups are listed by state in order of ascending zip code.

When writing to a user group for information, remember to include a self-addressed envelope with postage that is appropriate for the country to which you're writing.

NEBRASKA

- Pathfinder Commodore User Group, P.O. Box 683, Fremont, NE 68025
- Pathfinders 64, 2133 Clarmar St., Fremont, NE 68025
- Greater Omaha Commodore User Group, 2932 Leawood Dr., Omaha, NE 68123
- Rivercity Commodore Club, 4007 N 101st, Omaha, NE 68134
- Lincoln Commodore User's Group, P.O. Box 30665, Lincoln, NE 68503
- Lincoln Commodore Users Group, P.O. Box 30655, Lincoln, NE 68503, attn: Secretary
- Mid-Nebraska Users of Commodore (MUC), 3220 W. 13, Apt. 9, Grand Island, NE 68802
- The Alliance Commodore Computer Club, 726 W. 16th St., Alliance NE 69301
- Platte Valley Commodore Users Group (PVCUG), Box #283, Minatare, NE 69356

NEVADA

- S.O.G. Commodore User Group, c/o IC Electron-ics, 4011 W. Charleston Blvd., Las Vegas, NV 89102
- Silver State Computer Users Group, P.O. Box 81075, Las Vegas, NV 89180 89406
- C.A.T.F.U.N., P.O. Box 2155, Fallon, NV 89406
- Plus/4 Software Exchange User Group, 493 Hot Springs Rd. #3, Carson City, NV 89701

NEW HAMPSHIRE

- Commodore Help And Information Network (CHAIN Gang), Jim Anderson, P.O. Box 428, Belmont, NH 03220
- Monadnock Users Group (MUG) for Commodore Owners, 135 Liberty Ln., Keene, NH 03431
- Developers of Interesting Software for the Commodore 64/128 (DISC), 34 Naves Rd., Hampton, NH 03842
- 64 Users, P.O. Box 878, Rochester, NH 03867-0009

NEW JERSEY

- Commodore 64 Users Group of America, 114 Lake Ave., Clifton, NJ 07011
- Commodore-IBM-Apple Users Group, 5 Peach Tree Dr., Montville, NJ 07045

- Tri-County 64-User Group, 22 Jackson Village, Rutherford, NJ 07070
- Commodore Link Users Group, 308 Palisade Ave., Union City, NJ 07087
- Commodore Crew User Group (CCUG), 304 Born St., Secaucus, NJ 07094
- Commodore Software Exchange, Box 281, Pompton Plains, NJ 07444
- Info-64 c/o Video Dynamics, Ltd., 16 W. Ridgewood Ave., Ridgewood, NJ 07450
- Commodore User Group of Hillsdale (CUGOH), 22 Palm St., Hillsdale, NJ 07642
- Commodore 64 Beginners Group, 680 Leigh Terrace, Westwood, NJ 07675
- L & L Commodore 64 User Group, One Longstreet Rd., Manalapan, NJ 07726
- NJ Commodore 64/Computer Users Group, 11 Cheerful Pl., Highlands, NJ 07732
- Commodore User Group of Matawan New Jersey, 112 Old Bridge Rd., Matawan, NJ 07747
- Jersey Shore Commodore Users Group Inc., P.O. Box 441, Navesink, NJ 07752
- Morris Area Commodore User Group, 12 Farview Ave., Randolph, NJ 07869
- South Jersey Commodore Users Group, P.O. Box 4205, Cherry Hill, NJ 08034
- Rancocas Valley Commodore Users Group, P.O. Box 505, Mt. Laurel, NJ 08054
- RCA Commodore Users Group (RCACUG), 432 Hemlock Ln., Mt. Holly, NJ 08060
- Cumberland County Commodore Users Group, 1976 N. East Ave., Vineland, NJ 08360 Bordentown Area Commodore Users Group,
- P.O. Box 381, Bordentown, NJ 08505
- Plasma Physics Lab User Group, Princeton University, P.O. Box 451, Princeton, NJ 08544
- Commodore Computer Collection Club, 72 Pine Dr., Roosevelt, NJ 08555
- Southern Ocean County's User Group (SOCUG), 54 Shining Way, Toms River, NJ 08753
- Southern Ocean County's User Group (SOCUG), 54 Shining Way, Toms River, NJ 08753
- C-64 East Brunswick Users' Group (CEBUG), 346 Ryders Ln., East Brunswick, NJ 08816
- Commodore E. Brunswick Users Group (CEBUG), 9 Kings Rd., E. Brunswick, NJ 08816 Somerset Users Group, 49 Marcy St., Somerset, NI 08873

NEW MEXICO

- Plus/4 Orphanage, P.O. Box 9201, Albuquerque, NM 87119
- New Mexico Commodore User's Group, P.O. Box 37127, Albuquerque, NM 87176
- Group, 2725 Camino Cimarron, Santa Fe, NM 87501 The Northern New Mexico Commodore Users
- Taos Area Commodore User's Group, P.O. Box 5089, Taos, NM 87571
- Aviation and Computer Enthusiasts (ACE), 1220 Birch Dr., Las Cruces, NM 88001
- The Southern New Mexico Commodore User's Group, P.O. Box 4437, Uni. Park Brch, Las Cruces, NM 88001
- Commodore Users Group of Roswell (CUGOR), 304 E. Country Club Rd., Roswell, NM 88201

NEW YORK

- New York City VIC-20/C-64 User Group (Citigroup), 436 E. 69th St., New York, NY 10021
- Kids' Computer News User Group, St. Hilda's and St. Hugh's schools, 619 W. 114th St., New York NY 10025
- New York Commodore Interest User Group (NYCIG), 380 Riverside Dr. 7Q, New York, NY 10025
- HCHS C-64 User Group, 71 E. 94th St., New York, NY 10128
- Metropolitan Life Insurance Users Group, P.O. Box 618, New York, NY 10159
- Commodore Computer Game Masters of the Bronx & C.A.T. Productions, 4526 Monticello Ave., Bronx, NY 10466
- Bronx-64 Users Group, P.O. Box 47 Cornell Station, Bronx, NY 10473
- Folklife Terminal Club, Box 555-R, Co-op City Station, Bronx, NY 10475
- Computer Literacy and Programming (CLAP), 7 Tuttle Dr., Ossining, NY 10562 ESUG, 52 Underhill Rd., Ossining, NY 10562 Frisco's Users Group, 41 Sunset Dr., Ossining, NY 10562
- Commodore User Group of Westchester, P.O. Box 1280, White Plains, NY 10602
- Highland Falls Commodore Users Group, 8 Knox Rd., Highland Falls, NY 10928
- Commodore 64 User Group of Orange County, Box 238, RD 1, New Hampton, NY 10958 Rockland County CPU (C-64 Professional Users) Group, 98 West Central Ave., Spring Valley, NY 10977
- Commodore SIG, Computer Club of Rockland, P.O. Box 233, Tallman, NY 10982
- Great Neck Commodore User Group, 30 Grace Ave., Great Neck, NY 11021
- Long Island VIC Enthusiasts, 17 Picadilly Rd., Great Neck, NY 11023
- Brooklyn Commodore User's Group, 1735 E. 13th St., Apt.7N, Brooklyn, NY 11229-1950
- Academy of Aeronautics C-64 Users Group, Air-craft Technology Dept., Academy of Aero-nautics, La Guardia Airport, Flushing, NY 11371 (membership limited to those attending academy)
- Commodore Crazy, 123-07 85 Ave., Kew Gardens, NY 11415
- D-BUG, 78-23 91st Ave., Woodhaven, NY 11421

- Commodore Users Group of Greater New York, 190-25 Woodhull Ave., Hollis, NY 11423
- Sea-Glen Commodore User's Group (SGCUG) For Kids Only, 67 Todd Dr. North, Glen Head, NY 11545
- Bay Shore Users Group, Mowbray St. Cafe, 82 W. Main St., Bay Shore, NY 11706
- Micro-Hut Users Group, 62 E. Main St., Bay Shore, NY 11706
- B.N.Y. Commodore User Group, 71 Head of Neck Rd., Bellport, NY 11713
- Brentwood-Bayshore VIC/64 User Group, Pub. Lib. 2nd Ave. & 4th St., Brentwood, NY 11717
- Bay Shore/Brightwaters Commodore 64 Users Group, c/o Bay Shore/Brightwaters Public Library, 5 South Country Rd., Brightwaters, NY 11718
- LIVICS Commodore User Group, 20 Spyglass Ln., East Setauket, NY 11733
- MI-64, 4 Essex Place, Jericho, NY 11753 Associated Commodore Enthusiasts (ACE), 94 Mallard Rd., Levittown, NY 11756
- VIC-20 Commodore 64 User Group, P.O. Box 280, Lindenhurst, NY 11757
- Club 64, 174 Maple Ave., Patchogue, NY 11772 Riverhead Commodore Club, 1069 Ostnander
- Ave., Riverhead, NY 11901 Mohawk Valley Commodore User Group, P.O.
- Box 343, Tribes Hill, NY 12177
- Schenectady Commodore Users Group, #7 Center St., Rear, Scotia, NY 12302
- Hudson Valley Commodore Club, P.O. Box 2190, Kingston, NY 12401
- CMI Commodore Club/Computer Metropolis, 243 Main St., New Paltz, NY 12561
- Orange County Commodore Users Group (OCCUG), P.O.Box 515, Vails Gate, NY 12584
- Tri-State Commodore User Group (TSCUG), P.O. Box 705, Port Jervis, NY 12771
- Adirondack C-64 Users Group, P.O. Box 99, Blue Mountain Lake, NY 12812
- Plattsburgh Commodore Users Group, 61 E. Main St., Morrisonville, NY 12962
- Canastota Users of Commodore Computers (CUCCO), 220 Lamb Ave., Canastota, NY 13032
- Central New York Commodore Users Group, 8037 Morgan Rd., Liverpool, NY 13088 64 Club, P.O. Box 2394, Liverpool, NY 13089
- Oswego Commodore User Group, 611 Culkin
- Hall, State University College, Oswego, NY 13126
- The Commodore Computer Club of Syracuse, P.O. Box 2232, Syracuse, NY 13220
- Utica Commodore User Group, 1801 Storrs Ave., Utica, NY 13501
- Commodore Users Group of Massena (COMA), Star Tech Systems, 69 Main St., Massena, NY 13662
- Northern New York Commodore Home User Group (NORNY-CHUG), P.O. Box 226, Norwood, NY 13668

North Country Commodore Club, 1607 Ford St., Ogdensburg, NY 13669

- Chenango County Commodore Helpers & Users Group (CC-CHUG), P.O. Box 487, Norwich, NY 13815
- 64 Southtowns User Group, 504 Sommerville Rd., Tonawanda, NY 14150
- Commodore Buffalo User Group (COMBUG), 199 Dale Dr., Tonawanda, NY 14150
- North Buffalo Commodore Users' Group, 309 Commonwealth Ave., Buffalo, NY 14216
- The Niagara Falls Commodore Club, 2405 Willow Ave., Niagara Falls, NY 14305
- The Rainbow International C-64 Users' Group, 947 Harrison Ave., Niagara Falls, NY 14305
- Geneva Commodore Users Group, 84 Pleasant St., Geneva, NY 14456
- Commodore & VIC Enthusiasts (CAVE), P.O. Box 10, Holcomb, NY 14469
- Commodore Users Group of Rochester (CUGOR), P.O. Box 23463, Rochester, NY 14692
- Finger Lakes Area Komputer Experts (FLAKES), 86 West Lake Rd., Hammondsport, NY 14840
- Commodore Computer Users Group of Ithaca, 202 Bridge St., Ithaca, NY 14850

NORTH CAROLINA

Triad C-64 Users Group, P.O. Box 10833, Greensboro, NC 27404

- Carolina Commodore Computer Club, P.O. Box 2664, Raleigh, NC 27602-2664
- Commodore Research Triangle User Group, 2213 Wininger Dr., Raleigh, NC 27603
- Raleigh Area Commodore Enthusiasts, President, 904 Davidson St., Raleigh, NC 27609-5547
- Carolina Amiga Club, 808 Colleton Rd., Raleigh, NC 27610 VIC-20/C-64 User Group, Rt. 3, Box 351,
- Lincolnton, NC 28092 Salisbury Compute, Rt. 1, Box 349B, Salisbury,
- NC 28144 Cleveland/Gaston Commodore User's Group
- (CGCUG), Rt. 2, Box 234-C, Shelby, NC 28150
- Commodore Users Group of Fayetteville (CUGOF), P.O. Box 41601, Fayetteville, NC 28309
- Wilmington Commodore Users Group, 2104 Wisteria Dr., Wilmington, NC 28401
- Wilmington C-128 Users Group, 409 R.L. Honeycutt Dr., Wilmington, NC 28403
- Down East Commodore Users Group, 117 Keith Dr., Havelock, NC 28532
- Greater Onslow Commodore User's Group, 127B Henderson Dr., Jacksonville, NC 28540
- Unifour Commodore Users Group, P.O. Box 9324, Hickory, NC 28603-9324
- Commodore 64 User Group, P.O. Box 1635, Banner Elk, NC 28604

Asheville-Buncombe User Group (A-BUG), P.O. Box 15578, Asheville, NC 28813

NORTH DAKOTA

- Central Dakota Commodore Club, Bob MacLeod, 102 East Capitol Ave., Bismarck, ND 58501
- OHIO
- Central Ohio Commodore Users Group, P.O. Box 28229, Columbus, OH 43228-0229
- Commodore Club of Central Ohio (CCCO), P.O. Box 292392, Columbus, OH 43229
- Marion Ohio Commodore User Group (MOCUG), 775 Wolfinger Rd., Marion, OH 43302
- Bowling Green State University User Group, 519 Ridge #18, Bowling Green, OH 43402
- South Toledo Commodore Computer Club, P.O. Box 6086, Toledo, OH 43614
- Commodore Computer Club of Toledo (CCCT), P.O. Box 8909, Toledo, OH 43623
- Commodore Hammondsville Users Group of Ohio (CHUGO), P.O. Box 7, S.R. 213, 6M642, Hammondsville, OH 43930
- Basic Bits User Group, 5564 Wallace Blvd., N. Ridgeville, OH 44039
- Northeast Ohio Commodore User Group, P.O. Box 718, Mentor, OH 44061-0015
- Commodore Preference Users Connection (CPU Connection), P.O. Box 42032, Brook Park, OH 44142
- Akron Area Commodore User Group, Rm. B-201, 80 W. Bowery, Akron, OH 44308
- Youngstown C-64 User's Group, 209 N. Pearl, Columbiana, OH 44408
- C-128 Users Group, 416 Shields Rd., Youngstown, OH 44512
- Akron Area Commodore Users Group, 4140 Eastlynn Ave. NW, Massillon, OH 44646
- Commodore Users Group, 702 Park Ave. NW, New Philadelphia, OH 44663
- Akron Area Commodore Club (AACC), 1443 Wendy St.#88, Canton, OH 44709 Ford and Commodore Together (FACT), P.O.
- Box 8495, Canton, OH 44711 C.A.M. Area Users Group, 334 Fairview SE,
- North Canton, OH 44720 Mid-Ohio Commodore User's Club, 21 Highland
- Dr., Butler, OH 44822 Galion Commodore User Group, 980 Bucyrus
- Rd., Galion, OH 44833
- Commodore Erie Bay Users Group (CEBUG), P.O. Box 1461, Sandusky, OH 44870
- Cincinnati Commodore Computer Club, Box 450, Owensville, OH 45160
- The Cincinnati Commodore Computer Connection, 816 Beecher St., Cincinnati, OH 45206
- UCOM-64, 340 Tangeman University Center, Mail location 136, University of Cincinnati, Cincinnati, OH 45221
- Southwestern Ohio Commodore Users Group (SWOCUG), P.O. Box 46644, Cincinnati, OH 45246

- WESTCOM 64 Commodore 64 Users Group of Western Cincinnati, 3859 Chatwood Ct., Cincinnati, OH 45248
- Chillicothe Commodore User Group (CCUG), 9 Ash Rd., Chillicothe, OH 45601

OKLAHOMA

- Commodore Users, P.O. Box 1055, Guthrie, OK 73044-1055
- Greater Oklahoma Commodore Club, 1401 N. Rockwell, Oklahoma City, OK 73127
- Greater Oklahoma Commodore Club, P.O. Box 96751, Oklahoma City, OK 73143
- Commodore Users of Bartlesville, 1704 S. Osage, Bartlesville, OK 74003
- Tulsa Area Commodore Users Group, 7804 N. 117th E. Ave., Owasso, OK 74055 Stillwater Commodore Users Group, 3124 N.
- Lincoln, Stillwater, OK 74075 Muskogee Commodore Users Group, 309 S.
- Meigs, Fort Gibson, OK 74434 Osage/Kay Commodore User's Group
- (OKCOM), 300 Woodbury Rd., Ponca City, OK 74601

OREGON

OR 97217

lem, OR 97302

Philomath, OR 97370

Astoria, OR 97103

Hyde, Hillsboro, OR 97124

- Amateur Radio Group, P.O. Box 626, Molalla, OR 97038
- Mount Hood Community College Commodore Users Group, 2340 Harlow Ave., Troutdale, OR 97060 Astoria Commodore User Group, Rt. 3, Box 75,

Commodore Beaverton User Group, 2001 NE

Commodore Owners Resource Exchange

Salem C-64 Users Group, 3795 Saxon Dr. S., Sa-

Albany-Corvallis Users Group, 800 South 19th,

Yamhill County Commodore Users Group, 9273

Lane County Commodore User's Group, P.O. Box 11316, Eugene, OR 97440

Pacific Northwest Commodore User Group, P.O.

Springfield Commodore User's Group, 5324 B

United States Commodore Users Group, P.O.

Caveman Commodore Computer Club (CCCC),

5863 Lower River Rd., Grants Pass, OR 97526

Klamath Commodore 64 User Group, P.O. Box

Beaver County Area Commodore User's Group

A-K 64 User Group, 1762 Fairmont St., New Kensington, PA 15068

South Pittsburgh Commodore Group, 2407 Pa

United Users Incorporated ATTN:Commodore

Greater Pittsburgh Commodore User Group, 1560 Orchard View Dr., Pittsburgh, PA 15220

Pittsburgh Commodore Group, 2015 Garrick Dr.,

Bettis Commodore Users Group, 592 Arbor Ln.,

Foundation for the Advancement of Computer

United States Commodore Users Group, 1255

Westmoreland Computer Users Club (Com-

Butler Commodore 64 User Group, P.O. Box

Castle Commodores Computer Club, R.D. #1,

North Coast Commodore Users Group Erie, P.O.

B.A.S.I.C., 515 E. 26th Ave., Altoona, PA 16601-

Cen.P.U.G. for Commodore, RD #1, RC #17,

🕻 www.commodore.ca

modore Section), P.O. Box 3051, Greensburg,

Brinkerton Rd., Greensburg, PA 15601

Technology (FACT), Microcomputer Division, 1255 Brinkerton Rd., Greensburg, PA 15601

Division, 1931 Rockledge St., Pittsburgh, PA

(BCACUG), Secretary, 112 Spruce Dr., Monaca,

Gopher Valley Rd., Sheridan, OR 97378

Box 2310, Roseburg, OR 97470

Box 2310, Roseburg, OR 97470

7654, Klamath Falls, OR 97602

Ave., West Mifflin, PA 15122

Pittsburgh, PA 15235

Pittsburgh, PA 15236

2408, Butler, PA 16001

Howard, PA 16841

Box 210A, Edinburg, PA 16116

Box 6117, Erie, PA 16512-6117

PENNSYLVANIA

PA 15061

15212

PA 15601

4036

St., Springfield, OR 97478

(CORE) (For 64/128), P.O. Box 17580, Portland,

Capitol Area Commodore Club, P.O. Box 333, Lemoyne, PA 17043

- Blue Juniata Commodore Users-Group, 107 Washington Ave., Lewistown, PA 17044
- Central Area Bulletin Board Systems (CABBS) User Group, 4205 Ridgeview Rd., Harrisburg, PA 17112
- White Rose Commodore Users Group, 160 Linden Ave., Red Lion, PA 17356
- Southern York County Commodore Users Group, 233 W. Forrest Ave., Shrewsbury, PA 17361
- CUBBS Commodore Users Group, 500 Diller Ave., New Holland, PA 17557
- West Branch Commodore Users Group, P.O. Box 995, Williamsport, PA 17703
- Cen.P.U.G. for Commodore, Box 102, Salona, PA
- ABC Chips, Lehigh Valley Medical Center, 3159 Middletown Rd., Bethlehem, PA 18017
- Lehigh Valley Commodore User Group, 2228 Baker Dr., Allentown, PA 18102
- Wyoming Valley Commodore Users Group, 94 Second Ave., Kingston, PA 18704
- Ingersol Rand Commodore Computer Users Group (IRCCUG), 402 S. Keystone Ave., Sayre, PA 18840
- Ewing Commodore Users Group (Trenton NJ), 528 Sugartree Rd., Holland, PA 18966
- Environmental Protection Agency (EPA) Com-modore Users Group, 1712 Aidenn Lair Rd., Dresher, PA 19025 (Note: Open to all federal government employees and their families.)
- Fort Washington 64, 20-A Lumber Jack Circle, Horsham, PA 19044
- Lowerbucks User Group, 252 Makefield Rd., Morrisville, PA 67, 19067
- SUB-64 User's Group, P.O. Box 54208, Philadelphia, PA 19105
- Naval Air Development Center Commodore User Club, 912 Fraser Rd., Erdenheim, PA 19118
- Main Line Commodore Users Group (MLCUG), 1046 General Allen Ln., West Chester, PA 19382 Worldwide Commodore User Groups-Norris-
- town Chapter, 110 Miami Ave., Norristown, PA 19403
- Worldwide Commodore Users Group (International Headquarters), P.O. Box 337, Blue Bell, PA 19422
- COMPSTARS, 3770 Worthington, Collegeville, PA 19426
- Upper Buxmont C64 Users, 1206 Cowpath Rd., Hatfield, PA 19440
- P.C.U.C., C. Rhoads, 1338 Lynn Dr., Pottstown, PA 19464
- Worldwide Commodore User Groups Pottstown/Boyertown Area Chapter, R.D. #1, Washington Rd., Bechtelsville, PA 19505
- Reading Commodore Users Group, 1020 Pear St., Reading, PA 19601
- Commodore Users of Berks (CUB), 2455 Mc-Kinley Ave., West Lawn, PA 19609

RHODE ISLAND

- Newport Computer Club (RI), P.O. Box 1439, Newport, RI 02840-0997
- Burrillville Commodore Users Group, 28 Cherry Farm Rd., Harrisville, RI 02859
- Narragansett Commodore Users Group, EPA Environmental Research Lab, South Ferry Rd., Narragansett, RI 02882
- Commodore Connection, P.O. Box 929, Woonsocket, RI 02895-0929
- R.I. Commodore Users Group (RICUG), 4 Mowry Ave., Johnston, RI 02919

SOUTH CAROLINA

- Commodore Kids of America, Rt. 8, Box 280, Sumter, SC 29150 Commodore Computer Club of Columbia, P.O.
- Box 2775, Cayce/W. Columbia, SC 29171
- Spartanburg Commodore Users Group (SPARCUG), P.O. Box 319, Spartanburg, SC 29304
- Charleston Computer Society, P.O. Box 5264, N. Charleston, SC 29406
- B.I.B.S., SPO 786, Charleston, SC 29424 The Executive Touch (ET), 522 Broadway, Myrtle
- Beach, SC 29577 COUCH, 100 Oak Park Dr., Mauldin, SC 29662

- Rock Hill Commodore User Group (RHCUG), 565 Scaleybark Circle, Rock Hill, SC 29730 Beaufort Technical College User Group, Center
 - For Staff And Curriculum Development, P.O. Box 1288, Beaufort, SC 29902

SOUTH DAKOTA

- Sioux Falls User Group, 4200 S. Louise, Suite 304, Sioux Falls, SD 57106
- VIC-64 User Club, 608 W. 5th, Pierre, SD 57501 Port 64 User Group, 929 Lemmon St., Rapid City, SD 57701

TENNESSEE

- Dungeons and Dragons User's Group, Rt. 1, Box 28A, Cumberland City, Erin, TN 37050
- Clarksville Commodore Users Group, P.O. Box 403, St. Bethleham, TN 37155
- Springfield Commodore Computer Club, Rt. 1, Box 166, Springfield, TN 3717
- Commodore Association of the Southeast (CASE), P.O. Box 110386, Nashville, TN 37211 Nashville Commodore User Group, P.O. Box
- 121282, Nashville, TN 37212
- Commodore Computer Club, P.O. Box 96, Estill Springs, TN 37330
- Fort Washington 64, 213 Holly Ave., S. Pittsburg, TN 37380
- Choo Choo 64, 505 Valley Bridge Dr., Chattanooga, TN 37415
- Tri-Cities Commodore Club, Vickie Davis, c/o Computer Corner, 114 Springbrook Dr., Johnson City, TN 37601
- Greeneville Computer Home Users Group, Rt. 8, Box 138-T, Greeneville, TN 37743
- Metro Knoxville Commodore User Club, 7405 Oxmoor Rd., Rt. #20, Knoxville, TN 37931
- Memphis Commodore Users Club, Dwight Campbell, P.O. Box 34095, Bartlett, TN 38134-0095
- Memphis Commodore Users Club, P.O. Box 34095, Memphis, TN 38134-0095
- Raleigh-Bartlett Hackers CUB, James Patrick, 3457 Gatewood Dr., Memphis, TN 38134
- Old Hickory Commodore Users Group, 25 Coats Cove, Jackson, TN 38305

TEXAS

- Commodore Users Club, P.O. Box 110867, Carrollton, TX 75011
- Irving Commodore Users Club, P.O. Box 165034, Irving, TX 75016
- Sherman Commodore Users Group (SCUG), 827 W. Sears, Denison, TX 75020
- Society of Computer Owners and P.E.T. Enthusiasts (SCOPE), P.O. Box 3095, Richardson, TX 75083
- The Users, 209 Altavista, Rockwall, TX 75087 FED 64 Computer Club, 1100 Commerce St., Dal-
- las, TX 75242 Longview Users Group, P.O. Box 9284, Long-
- view, TX 75608 Mid-Cities Commodore Club, P.O. Box 1578,
- Bedford, TX 76021 BiStone Users Club, P.O. Box 386, Mexia, TX
- 76667
- Heart of Texas Commodore Home User Group (HOT CHUG), 2100 N. New Rd., Waco, TX 76710
- Commodore Houston User Group (CHUG), P.O. Box 612, Tomball, TX 77375
- The Woodlands Commodore Users Group, 3 Splitrock Rd., The Woodlands, TX 77380
- Meadows User Group (MUG), 11923 Scottsdale, Meadows, TX 77477
- Our Gang, 201 Stanford, Lake Jackson, TX 77566 Commodore Brazos Users Group (C-BUG), P.O.
- Box 9622, College Station, TX 77840 Crossroads Commodore Users' Group, 417 Irma
- Dr., Victoria, TX 77901 Business Interface Languages Limited (BILL), P.O. Box 592, Adkins, TX 78101
- Interface Computer Club, 7532 Triple Oaks, San
- Antonio, TX 78263 Commodore Users of San Antonio, P.O. Box
- 380732, San Antonio, TX 78280
- Corpus Christi Commodores, P.O. Box 6541, Corpus Christi, TX 78411
- Commodore User Group of Austin, P.O. Box 49138, Austin, TX 78765
- Top of Texas Commodore (TOTCOM), Box 2851, Pampa, TX 79066-2851

Tri-State Commodore Users Group, P.O. Box 8971, Amarillo, TX 79114-897

- Commodore Users of Texas (CUT), 5509 Harvard, Lubbock, TX 79416
- Abilene Cursor Control, P.O. Box 6261, Abilene, TX 79608
- Commodore Users Group of Ward County, 2902 W. 4th St., Monahans, TX 79756
- Commodore User's Group of Odessa (CUGO), P.O. Box 12491, Odessa, TX 79768
- El Paso Commodore User Group (EPCUG), 1736 Dean Martin Dr., El Paso, TX 79936

UTAH

- Roosevelt Area Commodore Enthusiasts (RACE), HCR Box 30, Neola, UT 84053
- Utah Basin Commodore Users Club, 373 East 650 North 97-3, Roosevelt, UT 84066
- Cache Valley Commodore Users Group, 396 S. Rosewood Dr., Hyrum, UT 84319
- Fifth Dimension C-64 Users, 7095 W. 9600 N, Trementon, UT 84337
- Wasatch Commodore Users Group (WACUG), P.O. Box 4028, Ogden, UT 84402
- Payson Area Commodore Users Group (PAC), P.O. Box 525, Salem, UT 84653

VERMONT

VIRGINIA

McLean, VA 22012

Alexandria, VA 22204

Hampton, VA 23666

Franklin, VA 23851

Boydton, VA 23917

ville, VA 24541

Hurt, VA 24563

WASHINGTON

Ave. SE, Bothell, WA 98012

Dr., Alexandria, VA 22310

St., Fredericksburg, VA 22401

wick Dr., Yorktown, VA 23692

9, Box 61, Martinsville, VA 24112

Box 301-B, Cedar Bluff, VA 24609

bird Ln., Salem, VA 24153

20330

23228

- Champlain Valley Commodore Users Group, 6 Mayfair, South Burlington, VT 05401
- Green Mountain Commodore Users Group (GMCUG), P.O. Box 6087, Rutland, VT 05701

PentAF Commodore User Group, 1947 HSG MWR, Rm. 5E3, AF Rec. Services, Pentagon, VA

McLean C-64 Users Group, 7426 Eldorado St.,

Capitol Area Commodore Enthusiasts, 6512 Tru-

Capitol Area Commodore Enthusiasts (CACE),

Washington Area Commodore User Group, P.O.

Dale City Commodore Users Group, Inc., P.O. Box 2265, Dale City, VA 22193-0265

Arlington VICtims (20/64), 5521 Harvey Ln.,

Franconia Commodore Users Group, 5924 Dove

Fredericksburg Commodore Club, 313 William

Shenandoah Valley Commodore Users Group,

Commodore 64 Computer Users Group of Rich-

The Richmond Area Commodore Enthusiasts

Peninsula Commodore Users Group, P.O. Box L,

NASA Commodore Users Group, 713 York War-

Commodore Users of Franklin, 1201 N. High St.,

Commodore Users Group, Rt. 2, Box 278B,

Henry County Commodore Computer Club, Rt.

R.A.C.E. Commodore 64 Users Group, 4362 Blue-

Lynchburg User Group, Rt. 2, Box 180, Lynch-burg, VA 24501

Piedmont Users Group, 135 Beverly Rd., Dan-

Central Virginia User Group C-64, Rt. 3 Box 451,

Commodore Hilltop User Group (CHUG), Rt. 3,

Bits & Bytes, Box 625, Richlands, VA 24641

64 E/T, 127-182 Pl. SW, Bothell, WA 98012

Commodore Computing Exchange, 16821 First Ave. SE, Bothell, WA 98012

Pacific Northwest Commodore Club, 17214 3rd

White River Commodore 64 User's Group, 2649

C-www.commodore.ca

Warner Ave. W. #69, Enumclaw, WA 98022

(TRACE), 2920 Pinehurst Rd, Richmond, VA

mond, P.O. Box 9078, Richmond, VA 23225

Rt. 3, Box 625, Front Royal, VA 22630

607 Abbotts Ln., Falls Church, VA 22046

WAC-64, 9206 Annhurst St., Fairfax, VA 22031

man Ln., Falls Church, VA 22043

Box 93, Mount Vernon, VA 22121

- C64 Maple Valley Users Group, 25605 SE 224th St., Maple Valley, WA 98038
- Honeywell Commodore Users Club, Honeywell Inc. MSD, 5303 Shilshole Ave. NW, Seattle, WA 98107
- NW Commodore User Group, 2565 Dexter N. #203, Seattle, WA 98109
- PSACE, 1800 Taylor Ave. N., Seattle, WA 98109 U.W. Commodore User Group, P.O. Box 75009, Seattle, WA 98125
- Anacortes User Group, Jim Cook, 1010 5th St., Anacortes, WA 98221
- University Place Commodore Home Users Group (UPCHUG), 7836 Warren Dr. NW, Gig Harbor, WA 98265
- C-64 Diversity, 4416-126th Pl. NE, Marysville, WA 98270
- Skagit Computer Users Forum (SCUF), 2909 Manito Dr., Mount Vernon, WA 98273
- Club 64, 6735 Tracyton Blvd. NW, Bremerton, WA 98310
- 758 Commodore 64 Users Group, Makah Air Force Station, Neah Bay, WA 98357
- Olympic Peninsula User Group (OPUG), 836 West Sixth St., Port Angeles, WA 98362
- Marsteken Commodore 64 User Group, 714 Ryan Ave., Sumner, WA 98390
- World Wide User Group (Military Personnel Only), P.O. Box 98682, Tacoma, WA 98498
- CBM Users Group, 803 Euclid Way, Centralia, WA 98531
- Longview Commodore Users Group, 626 26th Ave., Longview, WA 98632
- North Forty Commodore User Group, 2903 Florida St., Longview, WA 98632
- Spokane Commodore User Group, 310 Raymond, Spokane, WA 99206
- Spokane Commodore Users Group, P.O. Box 13201, Spokane, WA 99213-3201
- Tri-Cities Commodore Computer Club (TC-3), 1926 Pine St., Richland, WA 99352
- Blue Mountain Commodore Users, 550 S. 2nd Ave., Walla Walla, WA 99362-3149

WEST VIRGINIA

- Bluefield User Group 20/64 (BUG), P.O. Box 1190, Bluefield, WV 24701
- OUTA SYNC, 203 Lightner Ave., Lewisburg, WV 24901
- People Addicted to Computers Klub (PACK), 17 Silo Sq., Lewisburg, WV 24901 The 128 Society, 17 Silo Square, Lewisburg, WV
- 24901
- Kanawha Valley Commodore Computer Club, P.O. Box 252, Dunbar, WV 25064 Tri-State Commodore Users Group, P.O. Box
- 2501, Huntington, WV 25725-2501
- West Virginia Statewide Users Group, Box 50, Kilsyth, WV 25859-0050
- The 64 Group, Box 205, Mabscott, WV 25871-0205 C-64 Programmers of America, Rt. 1, Box 119A, Meadow Bridge, WV 25976
- Commodore Home User's Group (CHUG), 81 Lynwood Ave., Wheeling, WV 26003
- Elkins Area Commodore Users Group, P.O. Box 2381, Elkins, WV 26241
- The Commodore Group, 320 Dunkin Ave., Bridgeport, WV 26330
- Northern West Virginia C-64 Club, 228 Grand St., Morgantown, WV 26505

WISCONSIN

- Commodore Hobbyists Involved In Personal Systems (CHIPS), P.O. Box 1006, West Bend, WI 53095
- Milwaukee Area Commodore Enthusiasts (MACE), P.O. Box 183, Greendale, WI 53129
- Waukesha Area VIC-64 Enthusiasts (WAVE), P.O. Box 641, Waukesha, WI 53186
- Commodore Users of Systems, Software & Hard-ware (CUSSH), 4025 21st St., Racine, WI 53405 Janesville Area Commodore Users Group, P.O.
- Box 1858, Janesville, WI 53547 Madison Area Commodore User Group, P.O. Box
- 1305, Madison, WI 53701-1305
- Commodore and VIC Enthusiasts (CAVE), P.O. Box 33, Crivitz, WI 54114 Kewaunee & Brown County Computer Club (KB
- Triple C), Rt. 2, Kewaunee, WI 54216 COMM-BAY64, P.O. Box 1152, Green Bay, WI
- 54305

82 COMPUTE!'s Gazette June 1986

- Coulee County Commodore Club, 501-1/2 St. Cloud St., LaCrosse, WI 54603
- Eau Claire Area CBM 64 User Group, Rt.5, Box 179A, Eau Claire, WI 54701
- Chippewa Valley Commodore User's Group, P.O. Box 146, Chippewa Falls, WI 54729
- Clintonville Area Commodore 64s True User Support (CACTUS), 56 Pearl St., Clintonville,
- WI 54929 Fond du Lac Area Commodore Users Club, 1504
- Shelley Ct., North Fond du Lac, WI 54935 WYOMING

Central Wyoming User's Group, P.O. Box 1428, Riverton, WY 82501

OUTSIDE THE U.S.

APO

- UTOPIA, Army Education Center, APO NY 09035 Ahlhorn Bytes-A-Bit, General Delivery, Det 3, 81 TFW (USAF), APO NY 09069-5000
- Overseas Commodore User's Group, SFC Carroll P. Daniels, P.O. Box R-72, APO NY 09102
- Commodore User Group, Ronald S. Clement, APO San Francisco, CA 96213
- Users Group, Gary Guenther, Box 958 NSGA, APO NY 09240-5363 (group meets in Italy)
- 20/64 Users Group of Yokota, P.O. Box 2553, APO San Francisco, CA 96328 (group meets in lapan)
- Commodore Users Club of Yokosuka Japan, DMS Box 156 FPO Seattle, WA 98762 Attn: D. E. Vickland (group meets in Japan)
- Commodore Zama Users Group, c/o LTC David Chinn, HQ USARJ IG, APO San Francisco 96343-0054 (group meets in Japan)
- SEMBACH AB Commodore Users Group, James Poucher, Box 2499, APO NY 09130
- Stuttgart Local Users Group, B CO, 2D MI Bn (AE), APO NY 09359 (group meets in West Germany)
- Zweibruecken Commodore Computer Club, Thomas A. Ricker, 200th TAMMC, P.O. Box 235, APO NY 09052 (group meets in West Germany)
- Eifel Commodore Users Group (Bitburg/Spangdahlem/Pruem), MWR Division, APO NY 09132 (group meets in West Germany)
- Baumholder Commodore Users Group, Jim Sensel, HHC 2/68 Armor Regiment, APO NY 09034 (group meets in West Germany)
- Mannheim Commodore Users Group, John Pip kin, HHT Regt. 11th ACR Box 101, APO NY 09146 (group meets in West Germany)
- H.U.G. 64, Box 10, 61st M.P. Co., APO NY 09165 (group meets in Hanau, West Germany)
- GIZZMO'S, c/o Wes Knapp, Box 3517, APO NY 09009 (group meets in West Germany)
- Commodore Computer Users Group Heidelberg, Robert H. Jacquot, P.O. Box, Gen. Del., APO NY 09102, 06223-5614 (group meets in West Germany)

ARGENTINA

Club USR[64] Cordoba, Calle Montevideo 281, Piso 5, Dpto "D", 5000-Cordoba, Republica Argentina

AUSTRALIA

- Commodore Computer Users Group (QLD) Inc., P.O. Box 274, Springwood Q 4127, Brisbane, Australia
- Geelong Commodore Computer Club, c/o 15 Jacaranda Place, Belmont 3216, Geelong, Australia
- The Griffith Computer Association, c/o Secretary, P.O. Box 425, Griffith 2680, Australia
- Lismore C-64 User Group, John Grimmond, Richmond Hill Rd., Wollongbar, Via. Lismore, New South Wales, Australia
- Australian Computer Education Association, P.O. Box 194, Corinda 4075, Old Australia
- Hedland Commodore Computer Group, John Noblet, 10 Barker Court, Port Hedland 6721, Western Australia
- Queensland Users Aiding Computer Kids (OUACK), lim Harford, 2 Jane Court, Nambour, 4560, Queensland, Australia
- Class of 64, c/o Robert Wheeler, 37 Kuran St., Chermiside, Queensland 4012, Australia

- VICdore User's Group Beryl Bayliss, P.O. Box 1280, Inghan 4850, Queensland, Australia
- Cairns Commodore User Group, Walter Kindt, P.O. Box 209, N. Cairns, Queensland 4870, Australia
- Southport Commodore Computer Users Group (SCCUG), Box 790, Southport, Queensland, Australia 4215
- Commodore Computer Users Group (Townsville), 1 Paxton St., Townsville 4810, Australia
- VIC-UPS Computer Users Group, P.O. Box 1103, Booragoon, Western Australia 6154 or P.O. Box 178, Nedlands, Western Australia 6009

BELGIUM

L'Amiral Club C-64 & Compatibles, c/o Alain Trinteler, P.O. Box 41, B-1090, Brussels, Belgium

BRAZIL

- Associacao de Usuarios de Micro-computadores Pessoais, Pedro Paulo Rocha, estr. da Canoa 401, 22600 Rio de Janeiro, Brazil
- CANADA

Alberta

- Calgary Commodore Users Group, Lloyd E. Norman, 14751 Deer Ridge Dr. SE, Calgary, Alberta, Canada T2J 6A8
- Lethbridge Commodore C-64 Users Group, P.O. Box 825-246, MacDermott Rd., Coalhurst, Alberta, Canada TOL 0V0
- Central Alberta Commodore 64 User Group (CACUG), Dale Butterworth, Box 304, Forestburg, Alberta TOB INO
- Hinton Computer Club, K. Bartlett, Box 2431, Hinton, Alberta, Canada TOE 1C0
- Medicine Hat Commodore Users Group, P.O. Box 764, Medicine Hat, Alberta, Canada T1A 7G7
- Commodore User Group Randy R. Coutts, Box 1584, Slave Lake, Alberta, Canada T0G 2A0

British Columbia

3N6

Manitoba

Ontario

1Z3

N0G 2L0

New Brunswick

Canada L4M 5E1

- Cassiar Commodore Club (CCC), P.O. Box 685, Cassiar, British Columbia, Canada V0C 1E0
- Kelowna Commodore Users Group (KCUG), 195 Mars Rd., Kelowna, British Columbia, Canada V1X 1H3 International Commodore Users Group, 22559 Hinch Cres., Maple Ridge, British Columbia, Canada, V2X 7H5

Beaver Valley Commodore Club, Box 495, Mon-trose, British Columbia, Canada V0G 1P0

Commodore Computer Club, P.O. Box 91164,

Commodore Concepts Users Group (CCUG), Box 2384, Steinbach, Manitoba, Canada ROA 2A0

Manitoba Users Group (MUG), 54 Burntwood

Fundy C-64 Users Group, P.O. Box 9, Rothesay, New Brunswick, Canada EOG 2W0

Barrie User Group, P.O. Box 1028, Barrie, Ontario,

Brampton User's Group (BUG'64), P.O. Box 384,

Shop-Taker Programming Guild, 25 Frontenac Ave., Brantford, Ontario, Canada N3R 3B7

PET Educator Group (P.E.G.), 101 Duncan Mill Rd., Suite G7, Don Mills, Ontario, Canada M3B

TRACK 36 Users' Club, 491 Kenilworth Ave.

North, Hamilton, Ontario, Canada L8H 4T6

London Commodore User Club (LCUC), 28

Barret Cr., London, Ontario, Canada N6E 1T5

Midland Commodore Users Group, P.O. Box 384,

Users Group of Mt. Forest (UGMF), 597 Oakview

The B5 Commodore Club, 3939 #6 Highway, Mt.

C64 North Bay Users Group, 790 Laurentian Ave.,

The Great White North Computer Club, 358

Durham C64 Club, 1322 Naples St., Oshawa, On-

Grenville St., Orillia, Ontario, Canada L3V 2K7

🕻 www.commodore.ca

Cresent, Box 262, Mt. Forest, Ontario, Canada

Midland, Ontario, Canada

tario, Canada L1K 1J6

Hope, Ontario, Canada LOR 1W0

North Bay, Ontario, Canada P1B 7V2

Brampton, Ontario, Canada L6V 2L3

Cresent, Winnipeg, Manitoba, Canada R2J-3A1

West Vancouver, British Columbia, Canada V7V

Tuesday User Group (TUG), Box 1787, Port Perry, Ontario, Canada LOB 1NO

- St. Catharines C-64 Junior Group, 32 Kilbourne St., St. Catharines, Ontario, Canada L2M 3E4
- Niagara Commodore Users Group, 15E Neilson Ave., St. Catherines, Ontario, Canada L2M 5V9
- Niagara Commodore Users Group, 12-44 Queenston St., St. Catherines, Ontario, Canada L2R 2Y9
- St. Thomas Users Computer Club (STUCC), 39 Owaissa St., St. Thomas, Ontario, Canada N5P 1T1; or 30 Forest Ave., St. Thomas, Ontario, Canada
- Sarnia Commodore User Group, 1276 Giffel Rd., Sarnia, Ontario, Canada, N7S 3K7
- Sault Commodore Computer Club, 560 Old Goulais Bay Rd., Sault Ste. Marie, Ontario, Canada P6A 5K8
- Diskmaster Club, 1326 Hastings Crescent, Sud-bury, Ontario, Canada P3A 2R5
- Anthrax Commodore Users Group, 2360 Weston Rd., Suite 102, Toronto, Ontario, Canada M9N 1Y9
- Toronto PET Users Group Inc. (TPUG), 1912A Avenue Rd., Suite 1, Toronto, Ontario, Canada M5M 4A1

Quebec

- Club Commodore Champlain, P.O. Box 522,
- Boucherville, Québec, Canada Club Logi-Com, 745-7è Avenue, Grand'mère, Québec Canada G9T 2B7
- Evaluation Club For The C-64, TRS-80, And Apple II, 7145 Cannes #2, Montreal, Québec, Canada H1S 2P9

Saskatchewan

- C.U.G.S., 1635 Fleet St., Regina, Saskatchewan, Canada S4N 552
- The POKEr's Club, Box 75, St. Louis, Saskatch-ewan, Canada S0J 2C0
- Prince Albert Commodore Users Group, P.O. Box 2464, Prince Albert, Saskatchewan, Canada S6V 7G3
- Saskatoon Commodore Users Group, c/o Vera Heinze, P.O. Box 1944, Saskatoon, Saskatch-ewan, Canada S7K 3S5

Yukon

64s North of 60, P.O. Box 5438, Whitehorse, Yukon, Canada Y1A 5H4

COLUMBIA

Columbia 64 Group, c/o Rodrigo Chaves, P.O. Box 6713, Cali, Columbia, South America

DENMARK

MIDTJYDSK Computer Klub (M.C.K.), Jegstrupvej 86, 8800 Viborg, Denmark

DOMINICAN REPUBLIC

R.D.-C-64 Users Group, David Braverman, Cen-tro Ed. de Bonao, Ave. Jose Marti, Bonao, Dominican Republic

ENGLAND

R.R. 64 Owners Club, Tom Lomax, 17 Greystoke Drive, Bilborough, Nottingham, Nottingham-shire, England, Nottingham 289467

FINLAND

User's Club of PTT, c/o Matti Pohtola, Teletutkimuslaitoksen, Mikrotietokonekerho, Kiviaidankatu 2 F, 00210 Helsinki 21, Finland

Commodore Micro Amateurs, Matti Aarnio, Linnustajankj 2B7, SF-02940 ESPOO, Finland

IRELAND

Club64, 85 Upper Drumcondra Rd., Dublin 9, Ireland

ITALY

- Computer Club Cordenons, Dr. Giuseppe Genovesi, Centro Culturale A. Moro, via Traversagna 4, 33084 Cordenons (PN) Italy
- Institute of High Technology Users Group, Via Monte Napoleone 9, 20121 Milano, Italy
- I.G.C.S., Salvatore Innaimi, via Pentone 5, 00173, Rome, Italy
- Commodore 64 Computer Users Group of Rome, c/o Pluchinotta Via di S. Agnese 22, 00198, Rome, Italy
- Software Computer Club, e/o Magliola Andrea, Via Q. Sella n. 13, 13060 Valdengo (VC), Italy

MALAYSIA

Commodore Users Exchange (CUE), P.O. Box 152, 25710 Kuantan, Pahang, Malaysia

MEXICO

- Club Commodore del Sureste, P.O. Box 1272-A, Alberto Marin Hdez., Merida, Yucatan, Mexico Commodore 64 User's Group, APDO 86, Calle
- Zaragoza 414, Puerto Vallarta, Jalisco, Mexico 48300
- Club Herra*Tec C64, Alain Bojmal, Vicente Suarez 25, 06100, Mexico, D.F.

NEW ZEALAND

- East Coast Bays Commodore User Group, P.O. Box 35-034, Browns Bay, Auckland 10, New Zealand
- New Zealand Commodore Users Group, Inc., P.O. Box 5223, Wellesley St., Auckland, New Zealand
- Hokitika Commodore Computer Users Group, 185 Sewell St., Hokitika, New Zealand
- Marlborough Commodore Users Group, 32 Rousehill St., Renwick Marlborough, New Zealand
- Nelson Commodore User Group, Peter Archer, P.O. Box 860, Nelson, New Zealand 54/79362

NETHERLAND ANTILLES

- Comiac-Software User Group 64/128, Jarrod Bernadina, Inaguaweg 12, Willemstad, Curacao, Netherland Antilles
- Commodore 64 User Group, Ludwin Statie, Caracasbaaiweg #94, Curacao, Netherlands Antilles
- Saturn Software User Group 64, Jason Shepherd, Prof. Kernkampweg 21; Netherland Antilles

NORWAY

Anthon's 64 User Group, Box 1346, 6401 Molde, Norway

PAKISTAN

Commodore Computer User Club, Attn: Khalid Khanani, P.O. Box 6121, Karachi-2, Pakistan

PERU

Lima Commodore Club, Monte Grande 109 #508, Lima 33, Peru

PHILLIPINES

Society of Commodore Users Users of Metro Manila, P. A. Wong, 29A Scout Lozano, Quezon City, Philippines

PUERTO RICO

South Commodore Users Group, c/o Felix Tarrats, Jr., Campos #22, Ponce, Puerto Rico 00731

Carolina Computers Club, 16 St. 35-24, Villa Carolina, Puerto Rico 00630

SAUDI ARABIA

Commodore League of Riyadh, P.O. Box 17447, Riyadh 11484, Saudi Arabia

SWEDEN

- Computer Club Sweden, Hans Engstrom, P.O. Box 7040, S-103 86 Stockholm, Sweden
- Worldwide Commodore 64 Genealogists, Johann H. Aadde, Dalkarrsleden 49, S-162 24 Vaellingby, Sweden

SWITZERLAND

- C-64 International User Group, Programm Ex-change Service, P.O. Box 18, 5604 Hendschiken, CH-Switzerland
- Computer Anwender Club, Postfach 194, 8029 Zurich, Switzerland

WEST GERMANY

- Commodore Club, Wandel M., Joh-Machern STR. 8D, D-645 Hanau-7, West Germany
- C128/64 User Group, Ferrari Rudi, Postfach 40 02 09, D 5000 Koeln 40, West Germany
- User Group, Ferrari Rudi, Postfach 40 02 09, D 5000 Koeln 40, West Germany
- UTOPIA, Dana Talley or Sonja Ludwick, Olgastr. #146, 7900 Ulm, West Germany

WEST INDIES

Caribbean Commodore Computer Club, Jim Lynch, P.O. Box 318, St. Johns, Antigua, West Indies



BACKUP PROTECTED SOFTWARE FAST.

From the team who brought you COPY II PLUS (Apple), Copy II PC (IBM) and COPY II MAC (Macintosh) comes a revolutionary new copy program for the Commodore 64 and 128 computers.

- Copies many protected programs-automatically. (We update Copy II 64/128 regularly to handle new protections; you as a registered owner may update at any time for \$15 plus \$3 s/h.)
- Copies even protected disks in under 2 minutes (single drive).
- Copies even protected disks in under 1 minute (dual drive).
- Maximum of four disk swaps on a single drive.

 Includes fast loader, 12-second format.

Requires a Commodore 64 or 128 computer with one or two 1541 or 1571 drives.

Call 503/244-5782, M-F, 8-5:30 (West Coast time) with your 😂 🍱 in hand. Or send a check for \$39.95 U.S. plus \$3 s/h, \$8 overseas.

\$39.95

Central Point Software, Inc. 9700 S.W. Capitol Hwy. #100 Portland, OR 97219

Central Point

Backup utilities also available for the IBM, Apple II and Macintosh. This product is provided for the purpose of enabling you to make archival copies only.

Arrays In The Next Dimension



Michael S. Tomczyk

Let's pick up where we left off last month, with our discussion of arrays. In BASIC programming, an array is an efficient way to handle a large number of items. An array is a group of items usually arranged as a table of numbers and words. Each item has its own code name and location in the table.

Arrays are sometimes considered an advanced concept and excluded from many BASIC handbooks. This is unfortunate because arrays are not that difficult to understand and they're extremely useful and important programming tools. So let's continue our discussion.

If you think of DATA as a list of information, then arrays are groups of information. It helps if you think of an array as a group, even if the array contains only one item. You can also think of an array as an arrangement of boxes or containers, or as a table of rows and columns. Each box has a name like G(1), and it may be empty or contain one item of information, as in this one-dimensional array:

G(1)	G(2)	G(3)	G(4)	G(5)
100	150	200	200 250	300

There's one row of five boxes. or columns, in this array, numbered G(1) to G(5). The first box, G(1), contains the number 100, G(2) contains the number 150, and so on. Here's a program you could use to fill up the boxes with the numbers shown, and display them. Type it in and RUN it:

- 10 DATA 100,150,200,250,300
- 20 FOR X=1 TO 5:READ G(X):NEXT 30 FOR X=1 TO 5:PRINT SPC(1)"G"
- X;:NEXT
- 40 PRINT:FOR X=1 TO 5:PRINT G(X); :NEXT

You can also have two-dimensional arrays which you might visualize as rows and columns of boxes like this:

84 COMPUTE!'s Gazette June 1986

1	2	3	4	5
G(1,1)	G(1,2)	G(1,3)	G(1,4)	G(1,5)
100	150	200	250	300
G(2,1)	G(2,2)	G(2,3)	G(2,4)	G(2,5)
-100	-150	-200	-250	- 300

This program sets up the table (type NEW, then enter and RUN this example):

10 DATA 100,150,200,250,300,-100,-150, -200, -250, -300

15 DIM G(2,5)

1

2

- 20 FOR X=1 TO 5:READ G(1,X):NEXT
- 30 FOR X=1 TO 5:PRINT SPC(1)"G1"X; :NEXT:PRINT
- 40 FOR X = 1 TO 5:PRINT G(1,X); :NEXT:PRINT
- 50 FOR X=1 TO 5:READ G(2,X):NEXT 60 FOR X=1 TO 5:PRINT SPC(1)"G2"
 - X::NEXT:PRINT
- 70 FOR X=1 TO 5:PRINT G(2,X); :NEXT:PRINT

First, we put all ten numbers in a DATA list, and then DIMension an array two columns deep by five rows wide, and READ and PRINT the first five numbers as G(1,1), G(1,2), G(1,3), G(1,4), and G(1,5).Then we READ and PRINT the second five numbers as G(2,1), G(2,2), G(2,3), G(2,4), and G(2,5).

The SPC(1) statement inserts one space in front of the G numbers so the positions line up. The PRINT statement at the end of lines 30, 40, 60, and 70 is needed because of the semicolon in the earlier PRINT statement in those lines.

Each item in an array can be moved to another location, redefined, changed, used in a calculation, or displayed individually, in subsets or in tables. For example, try adding these two lines to the previous program:

80 PRINT:PRINT G(1,1)"MULTIPLIED BY"G(2,1)"IS"G(1,1)*G(2,1)

90 G(1,1)=17:PRINT G(1,1)*G(2,1)

Line 80 shows how you can multiply numbers in an array using their row and column numbers. Line 50 redefines G(1,1) as 17 and multiplies it by G(2,1). Note that | RETURN, then try this example:

the computer PRINTs only the result of the calculation.

Array Notation

Let's try some simple exercises so we can get used to working with array notation, which is very similar to working with numeric and string variables (covered in recent months in this column). A numeric array contains numbers only. The name of the array is usually a letter of the alphabet like A, B, X, or N. The notation for one item from the array looks like this: A(3). The A is the name of the array, and the (3) represents item number 3. Try this example:

10 FOR X=1 TO 10:A(X)=X:PRINT A(X):NEXT

This line uses a FOR-NEXT loop to count from 1 to 10-on each loop, the number from 1 to 10 is inserted where the X's are. On the first loop, A(X) = X becomes A(1) = 1 which means position A(1)in the array is defined as the number 1. Next, the computer PRINTs A(X), which is A(1) the first time through the loop-which is the number 1. The NEXT statement tells the computer to go back and redefine X as 2, then 3, and on up to 10. So A(1) equals one, A(6) equals 6, A(10) equals 10.

A string array contains string information like words, phrases, sentences, graphics symbols, and so on. The name of the array looks like a string variable because it uses a dollar sign, like this: N\$(4). The N\$ is the name of the string array, and the (4) represents item number 4 in the array. Type NEW and press

C www.commodore.ca

- 10 PRINT CHR\$(147)
- 20 FOR X=1 TO 10:PRINT"ENTER WORD OR PHRASE NUMBER"X:IN PUT N\$(X):NEXT
- 30 PRINT CHR\$(147):FOR X=1 TO 10: PRINT"YOUR WORDS ARE: N\$("X")"N\$(X):NEXT

Line 10 clears the screen. Line 20 uses a FOR-NEXT loop like the previous example. The numbers from 1 to 10 are inserted wherever you see an X, so "WORD NUM-BER" X becomes WORD NUMBER 1, then 2, 3, and so on. The INPUT statement makes the computer display a question mark and wait until you type in a word or phrase (or even a number), then defines what you typed as an item in the string array. The first item you type becomes N\$(1), the second item becomes N\$(2), and so on.

Line 30 clears the screen and uses another FOR-NEXT loop to cycle through the ten words and display them next to their string array names. Notice we went outside quotation marks to display the first X—because X is a variable and variables are always displayed outside quotes. We also displayed the second N\$(X) completely outside quotes.

Putting Information Into Arrays

If you know how to define a variable (like A=14:PRINT A), then you know how to define the elements in an array—with a few variations.

First, you can use a FOR-NEXT loop to put a series of consecutive numbers into an array, like this:

10 DIM Q(25):FOR X=1 TO 25:Q(X)=X: PRINT Q(X):NEXT

You can use the equal sign to define specific array elements, like this:

- 10 M\$(1)="ZORICK":M\$(2)=
- "HEDRICK"
- 20 PRINT M\$(1)" IS "M\$(2)" IN DISGUISE."

You can define an array by using DATA statements, like this (note in line 10 how we put a comma in a DATA list—enclose it in quotes):

10 DATA ALAS,POOR,YORICK,",",I, KNEW,HIM,WELL 100 FOR Q=1 TO 8:READ Y\$(Q):NEXT 200 FOR Q=1 TO 8: PRINT Y\$(Q); SPC(1);:NEXT:PRINT

You can let the user INPUT array elements, like this:



You can also let the user define the size of the array (which is L):

- 10 PRINT CHR\$(147)"TYPE THE NUMBER OF NAMES YOU WILL ENTER":INPUT L
- 20 DIM N\$(L):PRINT CHR\$(147) 30 FOR X=1 TO L:PRINT"ENTER
- NAME NUMBER"X;:INPUT N\$(X):NEXT
- 40 PRINT CHR\$(147)"THE NAMES ARE ":FOR D=1 TO X:PRINT N\$(X):NEXT

Using The DIM Statement

So far, most of our arrays have included ten or fewer items—but you may have noticed that in cases where the array had more than 11 items, and when we set up a twodimensional array, we used the DIM (DIMension) statement.

Your computer automatically sets up an array with the name you give it—such as A(X) or N (X) when the array has 11 or fewer items, but if you want to put more than 11 items (numbered 0–10) in your array, you *must* use the DIM statement to tell the computer how much space in memory to reserve for the array. The DIM statement tells the computer to make room for an array. Type NEW, then try this example:

- 10 DIM S(12):DIM M\$(12)
- 20 DATA JANUARY,FEBRUARY ,MARCH,APRIL,MAY,JUNE,JULY, AUGUST
- 30 DATA SEPTEMBER, OCTOBER, NOVEMBER, DECEMBER
- 40 FOR X=1 TO 12:READ M\$(X):PRINT "ENTER SALES FOR "M\$(X):INPUT S(X):NEXT
- 50 FOR X=1 TO 12:SALES = SALES + S(X) :NEXT
- 60 PRINT:PRINT"TOTAL SALES FOR THE YEAR WERE \$"SALES
- 70 PRINT:PRINT"AVERAGE MONTH-LY SALES FOR THE YEAR WERE \$"SALES/12

Line 10 begins by DIMensioning two arrays. The first is a numeric array named S which will contain 12 numbers. The second is a string array called M\$ which will contain 12 words. Remember, you need to use the DIM statement when you have more than 11 items in your array.

Lines 20 and 30 contain a DATA list with the names of the 12 months. Line 40 uses a FOR-NEXT loop to READ the names of the months from the DATA list into the M\$ array. On the first cycle, the computer READs JANUARY from the DATA list and defines it as M\$(1) in the M\$ array. Then the computer PRINTs the message in quotation marks. The INPUT statement displays a question mark and waits for one number to be typed in, which is defined as S(1) in the S array. Finally, the NEXT statement tells the computer to go back and repeat the process-M\$(2) and S(2), M\$(3) and S(3)—until it reaches 12, which is the upper limit of the loop. At this point, the 12 months are safely tucked away in the M\$ array and the 12 sales numbers are stored in the S array.

Line 50 adds the sales figures for each month, stored in the S(X) array, and stores the total in the variable called SALES.

Line 60 begins with a PRINT statement which merely displays a blank line on the screen (used for positioning and spacing). Then we PRINT the message shown inside quotation marks, followed by the variable SALES.

Line 70 is similar to line 60, except here we divide the total SALES by 12 to get the average sales per month.

REM: You can use a full word like SALES as a variable name to help you keep track of what's going on in your program, but the computer sees only the first two letters, so SALES is interpreted by the computer as SA. You may get unexpected problems that are difficult to figure out if your program has two or more variables with the same first two letters. For example, you should not use both SATURDAY and SALES in the same program because the computer sees both words as the same variable SA. An additional problem to avoid when using long variable names is accidentally including a BASIC keyword within the name. For example, the variable name SAND contains the BASIC keyword AND, which is not allowed—an error message will result.

There are many more nuances involved in using arrays. Next month, we'll explore this topic further and look at one of the best applications for arrays.





No surcharge for MasterCard or Visa

20.95

On-Court Tennis ...

Tom R. Halfhill, Staff Editor

simple answers to common questions

Each month, COMPUTE!'s GAZETTE tackles some questions commonly asked by Commodore users. If you have a question you'd like to see answered here, send it to this column, c/o COMPUTE!'s GAZETTE, P.O. Box 5406, Greensboro, NC 27403.

 I own a Commodore 128 and would like to know how to access the Z80 chip through BASIC without using the CP/M software supplied with the system.

We've seen a novelty program that POKEs a short Z80 machine language program into memory, enables the Z80, runs the program, and returns to 128 mode. But without CP/M, you can't print to the screen or to a printer, you can't input from the keyboard, you can't access any peripherals. All you can do is move numbers in memory.

So there's no practical way to access the Z80 chip from 128 mode-but you really wouldn't want to, anyway. A central processing unit is pretty useless without an operating system, and the Z80's operating system is CP/M (Control Program for Microcomputers). Without an operating system, a chip is like an automobile engine without a transmission or steering mechanism. If you want to access the Z80, there are several good languages, including BASIC, available on disk for CP/M.

 The rationale behind the need for separate ID numbers on disks escapes me. I believe it to be true, but don't understand why. The bottom line of explanations given me is that if you change disks and both have the same ID. the drive thinks it has the same disk. But what is the drive comparing IDs against? I never save using an ID.

• Actually, there seems to be a 88 COMPUTE!'s Gazette June 1986

division of opinion on this, even among the Commodore users at COMPUTE! Publications. Some people swear they've had disks ruined because of identical ID numbers, while others say they use the same ID number on every disk and have yet to lose a file.

In theory, at least, here's how identical ID numbers could cause a problem. When you first format a disk, the NEW command requires a diskname and ID number: BASIC 2.0:

OPEN 15,8,15,"NEW0:diskname,id" :CLOSE 15

BASIC 7.0:

HEADER"diskname", Iid

Diskname can be any legal Commodore filename up to 16 characters long, and id any two numbers, letters, or characters. The NEW command can be abbreviated to a single N. Examples:

OPEN 15,8,15,"N0:BASICPROGS,T8" :CLOSE 15

HEADER "BASICPROGS", IT8

This would assign the diskname BASICPROGS and the ID number T8 to the disk. (Important: Use this command only on a blank or scratch disk, because it irretrievably erases any existing information on the disk.) During the formatting process, the ID is written to every sector on the disk.

Commodore disk drives use the ID numbers to determine when a different disk has been inserted into the drive. You've never had to specify an ID number when saving a file because the drive checks it for you.

It's important for the drive to know when a different disk has been inserted because it must always keep track of available space on the current disk. When you save a program or write to a file, the drive has to know where the empty space is on the disk. Otherwise, it might overwrite existing data. Every disk contains a map, called a block availability map (BAM),

which tells the drive which space is free and which space is occupied. The drive reads this map into memory-memory within the disk drive itself, not the computer. The drive refers to the map when new data is to be saved. Each time you add or delete information on the disk, the drive updates the map and writes it to the disk.

If you swap two disks that happen to have the same ID number, the drive may not be aware that you've inserted a different disk. It might continue to use the map from disk 1 when writing to disk 2. As a result, some existing information on disk 2 may be overwritten or scrambled. If each disk has a different ID number, this shouldn't happen. To be safe, you can issue the Initialize command (OPEN 15,8,15, "I0":CLOSE15) to force the drive to read the BAM.

In actual practice, most Commodore users say they rarely, if ever, experience disk problems which could be attributed to duplicate ID numbers.

 Is it possible to connect Commodore 64 and VIC-20 compatible joysticks to a Commodore Plus/4 or 16? If so, what connections would I have to make?

 Yes, it's possible, but you'd have to rewire the joystick and find the correct plug connector to fit the Plus/4's and 16's joystick ports. This wouldn't be a difficult job for a technician or electronics hobbyist, but finding the right plug probably won't be easy.

We seem to remember seeing advertisements in European computer magazines for converter plugs that let you use a regular joystick with a Plus/4 or 16, but can't recall who made them. Perhaps some of our European readers could suggest a source.

Thanks For The Memory



Todd Heimarck Assistant Editor

We welcome Todd Heimarck as the new "Horizons" columnist. Todd is the GAZETTE's Assistant Editor. Charles Brannon, author of the column since October 1983, is writing a new column, "AmigaView," which debuted in the May issue of our sister magazine, COMPUTE!. -Ed.

Computer memory is like money. No matter how much you have, you can find a way to spend it.

Four years ago, I bought my first personal computer, a VIC-20 with an 8K expander and a Datassette. This system was replaced first by a 64 and 1541, then by a 128 and 1571. The price of each computer, not counting peripherals or software, was in the \$250-300 range and yet each offered three times more usable memory for BASIC programs, from 12K (expanded VIC) to 39K (64) to 120K (128).

Although each new machine included new hardware and software features, my primary reason for upgrading was the extra memory. The more memory you have, the more powerful your programs.

When I've told friends that I plan to buy the 512K expander for the 128 as soon as it's available, their first question is usually, "Why would you want that much memory?"

Here are a few ideas. The 512K could hold 64 hi-res screens at 8,000 bytes each, so you could design 64 frames of full-screen animation. Or you could save 8192 sprite shapes there-1024 shapes for each of the eight sprites. By changing shapes twice a second, you could produce an eight-minute cartoon.

More serious applications could include up to 512 help screens. Or a single-swap disk backup program. A 1571 disk holds 340K, all of which could be copied to the expansion memory and then transferred to a new disk. A word processor could put roughly 50,000 words in the expander for a spelling checker. And CP/M recognizes the extra memory as disk M:-you can copy your favorite commands to the memory pack, for almost instantaneous execution.

A Few Quirks Of The 128 And 1571

Two months ago, "Gazette Feedback" included a short program for setting up custom characters on the 128. The beginning of the program performs a GRAPHIC1 followed by GRAPHICO. The intention is not to set up a hi-res screen, but to move the start of BASIC memory up by 9K, to reserve a portion of memory for the character set.

I recently used this technique to create some custom characters. Then, needing a sprite shape, I typed the SPRDEF command to enable the built-in sprite editor.

Upon returning to BASIC, the screen was completely blank and the keyboard seemed to be disabled. The 128 wasn't completely locked up; pressing RUN-STOP/ RESTORE put things right again. A little experimentation in the machine language monitor revealed the problem. Apparently, the sprite editor clears the entire hi-res graphics area (where the custom characters were located). You can test this by drawing a simple shape on the hi-res screen and then going into the sprite editor. When you quit, try looking at the hi-res screen.

The next is a quirk of the 1571. If you go directly into 64 mode by holding down the Commodore key when you turn on the 128, the 1571 will work as if it were a single-sided 1541. You can convert it to a 1571 by entering OPEN15,8,15, "U0> M1": CLOSE15. To force it into 1541 mode, which might be necessary with some commercial software, use "U0>M0" instead. Files aren't written to the second side until the first side is full, so it often doesn't matter whether the 1571 is in mode 0 or mode 1.

Now, imagine that you're working on a program in 64 mode and the disk drive is acting like a 1541. The disk has been formatted with two sides, but it's mostly empty, so it makes no difference that the 1571 is accessing only one side. After scratching several files, you validate the disk with OPEN 15,8, 15: PRINT#15, "V0" (the same as the COLLECT command in 128 mode). This isn't really necessary, but it shouldn't do any damage. Validating makes the disk drive read through the directory and protect any disk sector currently being used by a file, so existing files won't be overwritten by new files. After scratching several programs, I'll often validate the disk, to be safe.

Here's the problem: Validating while the disk drive is in 1541 mode turns a double-sided disk into a single-sided disk. Sending the 'U0>M1" command won't let you regain the second side. A flag in byte 3 of track 18, sector 0 identifies double-sided disks. Since the validate command writes a new Block Allocation Map (BAM) on that same sector, it must write the single/ double flag at the same time. In other words, in 1541 mode, it acts just like you'd expect a 1541 to act.

If this situation should happen to you, here's a program to turn your disk back into a double-sider:

- 40 PRINT#2,CHR\$(128); 50 PRINT#15,"U2";2;0;18;0
- 60 CLOSE2:PRINT#15, "IØ":CLOSE15

Pay close attention to the punctuation—the commas and semicolons should be typed just as they're listed.

¹⁰ OPEN15,8,15:OPEN2,8,2,"#" 20 PRINT#15,"U1";2;0;18;0 30 PRINT#15,"B-P";2;3

My Favorite Robots



Fred D'Ignazio Associate Editor

I'm writing a book inspired by The Learning Company's bestselling game *Robot Odyssey*. The book is set nearly 30 years in the future in the year 2014, and is titled *Escape From Robotropolis* (Blue Jay Books, Fall 1986). It's the story of teenager Homer Pierce's journey through an underground city inhabited by robot ''Guardians'' from another planet.

Writing this book has helped me speculate about how computers and robots might evolve over the next 30 years. One great danger I see is that they could become so easy to use that no one except the experts will need to understand how they work. As a result, we'll be placing major and minor decisions affecting our lives in the hands of "smart machines" which we do not understand. One way in helping to avoid this fate is to begin to acquire a basic understanding of how these machines work by building computer and robot kits.

Kits

A decade ago, during the early days of personal computing, there used to be a variety of computer kits on the market. But now, in the late 1980s, there is little demand for starter kits with 4K of memory when you can buy a 16K Radio Shack Color Computer for under \$70, already assembled. And far more powerful computers (like the 64 and 128) are not much more expensive.

There are plenty of robot kits on the market, mostly marketed as "construction set" toys for kids. But the problem with most of them is that they have no computer interface, no motors, and no sensors three essential features of any real robot.

However, if you look hard 90 COMPUTEI's Gazette June 1986 enough, real computer-robot kits can be found. One of the best places to start is Capsela. The Capsela kits have four virtues: They're easy to find (they're carried in Toys 'R Us stores nationwide), easy to assemble, versatile (allowing you to build many different kinds of machines), and inexpensive, costing as little as \$12 for a starter kit (with no motors or computers) and ranging up to the computerized, motorized Capsela 2000 (\$85) and Capsela 5000 (\$120).

The parts in a Capsela kit are large and "friendly" looking, which makes them especially attractive as a beginner kit for a young child or a technophobic adult. Their varied and fantastic shapes are guaranteed to inspire any child's creativity and imagination. And, at the high end, the Capsela 5000 lets you program your robots on a handheld, wireless remote unit from up to 20 feet. Your robot can have up to 17 functions and your program can have up to 94 commands.

Capsela is a wise choice because it features a family of machines all built from similar parts. This gives you a wider choice of kits and robots, and enables you to become familiar with all the parts the first time you build a kit. As a result, all succeeding kits become much easier to assemble.

Once you and your children have built a couple of Capsela robots, you'll be ready to tackle the Movit family of robots from OWI. Like Capsela, the Movits come in all shapes and sizes and are inexpensive (as little as \$25). Unfortunately, the Movit pieces are much smaller and less easy to manipulate, so they're better suited for older children (ages eight and up). And the Movit kits are not as available as the Capsela kits. (You can order them by direct mail and from popular hobbyist and computer stores and catalogs, including Heath/ Zenith and Fordham Radio.)

At the top of the Movit line is the WAO (Wise Argent Orb) for \$100. You can assemble WAO from its 100 parts in two to three hours with no soldering. Once it is assembled you can program WAO with up to 27 commands on its onboard computer/keyboard or on a 64 or 128 using the WAO's RS-232 port (and a \$40 computer interface). WAO has a pen mechanism which can be programmed to draw Logolike graphics, including circles, stars, spirals, and letters.

After you've adopted and assembled an entire family of Movits, you'll be looking for a new challenge. My recommendation is a Fischertechnik robotic computing kit for the VIC-20, 64, or 128. The kit is relatively expensive (\$200), but the price includes a power supply and computer interface.

A Fischertechnik kit is a lowcost way for an older child (ten and up) or a school group to learn about the basics of computers and robotics. With the help of the excellent, clearly written manual you can build ten different robotic devices, including a plotter, a machine tool, a sorting system, an automated Towers of Hanoi puzzle, a solar tracker, a robotic traffic light, and a teachable assembly-line robot. The kit's parts are as finely made as industrial parts for a factory, yet they are relatively large, "friendly," and easy to manipulate.

If you're looking for a local Capsela dealer, call Jill Cooper of Play-Jour Inc. at 212-243-5200. For more information about the Movits, talk to June Morioka at 213-638-4732. To find the Fischertechnik dealer closest to you, call Fischer America at 201-227-9283.

Cwww.commodore.ca

More Math



Richard Mansfield Senior Editor

Last month we explored how easy it is to add and subtract numbers in machine language. Let's finish off this tour of arithmetic by looking at multiplication, division, and arithmetic involving multi-byte numbers.

Multiplication is especially easy if one of your numbers is a power of two (two multiplied by itself any number of times: 2, 4, 8, 16, 32, etc.). In these cases, you merely use the ASL instruction the appropriate number of times.

ASL shifts left all eight bits in a byte so that the number two (00000010) becomes (00000100) the number four. Thus, ASL multiplies whatever's in the accumulator by two. To multiply by four, you would ASL:ASL twice. Here's how to multiply 5×16 :

5 LDA #5

10 ASL:ASL:ASL:ASL

This leaves the result, 80, in the accumulator.

To multiply by numbers which aren't powers of two, you can store the result in a temporary storage location and combine multiplication with addition to get the result. To multiply 5×3 , we'll need to resort to this method since neither five nor three is a power of two:

10 LDA #5 20 STA TEMP 30 ASL; MULTIPLY 5 X 2 **40 CLC** 50 ADC TEMP; ADD THE RESULT, 10, TO THE 5 IN TEMP **60 STA TEMP** 70 RTS 100 .BYTE TEMP 0; THE TOTAL WILL

APPEAR HERE

Multiplication involving larger numbers, numbers which fit into two-byte units, requires some additional programming. Essentially, we will be using the ASL technique and, through a combination of ASL multiplication and any necessary addition, we can multiply any number. Here's how to multiply 258 imes10:

- 100 LDA NUMBER:STA TEMP; PRE-SERVE THE ORIGINAL NUMBER (258)
- 110 LDA NUMBER+1:STA TEMP+1
- 120 ASL NUMBER; MULTIPLY LOW BYTE BY 2
- 130 ROL NUMBER+1; ROLL ANY CARRY INTO HIGH BYTE
- 140 ASL NUMBER; DO IT AGAIN 150 ROL NUMBER+1 160 CLC 170 LDA TEMP; ADD ORIGINAL NUMBER **180 ADC NUMBER 190 STA NUMBER** 200 LDA TEMP+1 210 ADC NUMBER+1 220 STA NUMBER +1; NOW WE'VE GOT 257 X 5 IN NUMBER 230 ASL NUMBER; SO WE JUST **MULTIPLY BY 2** 240 ROL NUMBER+1 250: 260 NUMBER .BYTE 2 1; THE RESULT
- WILL APPEAR HERE 270 TEMP .BYTE 0 0

Single-byte division follows the same rules as single-byte multiplication, except you substitute LSR (Logical Shift Right) for ASL. So to divide 80 by 4, you would:

5 LDA #80 10 LSR:LSR

The result, 20, would be left in the accumulator.

Finally, to add or subtract multi-byte numbers, we loop through a chain of bytes holding our numbers and letting the carry flag take any overflow as we travel from less to more significant bytes. Let's say that we need to add 65539 + 16777222. Two bytes together can hold a number up to 65535, so 65539 will require three bytes and will look like this:

.BYTE 301

because the least significant byte is on the left (representing 1's), then the byte representing 256's, and finally the most significant byte (representing 65536's). So, .BYTE 0 0 2 would be the equivalent of 131072. 16777222 needs four bytes and looks looks like this:

BYTE 6 0 0 1

When we finish adding them together, the result will appear in the four bytes labeled LNUMBER below.

- 100 LOWER = \$FB; FIRST SET UP POINTERS TO OUR BYTE CHAINS
- 110 UPPER =\$FD 120 LDA #<LNUMBER; PUT ADDRESS
- OF LOWER CHAIN INTO POINTER 130 STA LOWER
- 140 LDA #>LNUMBER
- 150 STA LOWER+1
- 160 LDA #<UNUMBER:STA UPPER: LDA #>UNUMBER:STA UPPER+1; UPPER CHAIN
- 170:
- 180 LDX #4; THE NUMBER OF BYTES IN OUR CHAIN
- 190 LDY #0
- 200 CLC
- 210 LOOP LDA (LOWER),Y 220 ADC (UPPER),Y
- 230 STA (LOWER),Y
- 240 INY
- 250 DEX
- 260 BNE LOOP:RTS
- 270:
- 280 LNUMBER .BYTE 3 0 1 0; 65539 (RESULT IN THESE FOUR BYTES) 290 UNUMBER .BYTE 6 0 0 1; + 16777222

The result, 9011, when translated into decimal, is 16842761.

ASSISTANT TECHNICAL EDITOR

COMPUTE! Publications, Inc. is seeking an Assistant Technical Editor to join its staff. Position requires extensive experience with microcomputers, knowledge of machine language. Experience or training in editing or writing skills necessary. Undergraduate degree preferred; experience in lieu of degree will be considered. Send resume and salary history in complete confidence to:

Personnel Director COMPUTE! Publications, Inc. P.O. Box 5406 Greensboro, NC 27403

C-www.commodore.ca

FontMaker

John Cawley III

Now you can easily design and print out your own characters. Up to nine custom character sets can be handled with this two-program package for the 64. A Commodore 1525, MPS-801, MPS-803, or compatible printer is required.

One benefit that owners of dotmatrix printers have over owners of daisywheel printers is that they can design and print their own character fonts (type styles). The programs accompanying this article, 'FontMaker'' and "FontPrinter," offer this ability and make it easy for the user. FontMaker lets you design your own character sets, and FontPrinter allows you to print text files-including specially-prepared SpeedScript documents-on a Commodore 1525, 801, or 803 printer. Note that the Commodore 1526 and MPS-802 printers are not compatible with the other Commodore models; FontPrinter (Program 2) will not work with a 1526 or 802.

Creating Fonts

FontMaker is written entirely in BASIC and may be typed in and saved as usual. If you use a tape drive instead of a disk, then a number of small modifications are required. First, delete lines 550 and 640–660, plus the OPEN 15,8,15 statement in line 120. Then change the 8 in lines 560 and 610 to a 1, and change line 630 to read simply GOTO 330. For easiest use, you should store all fonts you design on a separate tape from the one you use for FontMaker and FontPrinter. To use Fontmaker, simply load it and type RUN. On the screen you'll see a square in which you can design characters. Below the design area is a full set of characters from which you select one to edit. To the right is a list of options. Begin by selecting a font to edit. Fontmaker provides for nine different custom font sets, numbered 1–9. Font 0 is reserved for your printer's normal character set, so that's always available as well. FontMaker always begins with font 1 selected; press f6 to change to another font.

FontMaker provides several different methods of selecting which character in the font you wish to design. You can use the cursor keys to move to the character you wish to edit. The character at the current cursor position in the character set display appears in black instead of light blue like the others. Press RETURN to select that character for editing; it will turn white to indicate that it's been selected. Or just type the key corresponding to the character you wish to edit. In this case, the color of character in the display will not change; instead, you'll see a message under the design area telling you which character is being edited.

If you type a nonprintable con-

trol character—one with a character code between 0 and 31 or between 128 and 159—you'll receive the message *invalid character*. You cannot edit these characters. If Font-Printer receives a control character from a text file, it does not attempt to locate its shape (control characters aren't printable, so they don't have shapes); it just sends the character code value straight to the printer. Thus, you can still use any special printer control characters that fall within this range.

There's one additional method for selecting which character you wish to edit. Press f5 and you'll be prompted for a character to edit. You can either type a single character and press RETURN, or you can type a slash followed by a character code number. For example, if you type /65, you'll be able to edit the *a* character. As before, however, characters 0–31 and 128–159 cannot be edited.

Once you've selected a character, the cursor appears in the design area. If the character you selected has been previously defined, its existing definition will be displayed in the design area, with a cursor in the upper left corner. If the specified character has not previously been defined, the design area will be blank, and the cursor will appear as a dark line on the left border of the design area. Actually, a random pattern may appear for some undefined characters because of leftover values in the area of memory used to store the font sets. If you wish to

C-www.commodore.ca

initialize the storage area to ensure that all characters start out undefined, enter the following line in direct mode *before* running FontMaker:

FOR X=31488 TO 40703: POKE X,0: NEXT

Be patient; this initialization will take about 35 seconds.

For a previously undefined character, your first step should be to specify the width for your character design. The standard size for characters on the 1525 and related printers is six dots wide by seven dots high. Most character definitions actually use only the first five vertical columns, with the sixth (rightmost) column left blank for spacing between characters. Fontmaker offers greater flexibility by allowing you to define each character individually to be any width between zero and eight dots. This is useful, for example, in making the letters *i* and *t* thinner and the letters m and w wider. Character height is fixed at seven dots; this is an unchangeable physical feature of the printer, which forms characters using a vertical stack of seven wire "hammers" in its printhead.

Of course, you need not make your character design a full seven dots high—you might want to reserve the bottom two rows for descenders for lowercase letters like g, p, q, and y. Press f3 to add a column of pixels (short for *picture elements*, the technical term for screen or printer dots), or f4 to remove a column. Columns are always added left to right, and deleted right to left. Remember to add a blank column on the right side of your design; otherwise, the characters will run together when printed.

The only caution with varying letter width is that the printer still assumes that each character is only six dots wide. That is, the printer assumes that a line consists of 80 sixdot characters (for a total of 480 dots). If you use too many seven- or eight-dot-wide characters, there is the possibility that the line will overflow and run over onto the next line. For a few wide characters, this isn't likely to happen, but if you have several, you should temporarily redefine the margins on your word processor, or include a few characters of zero width on that line in order to fool the printer.

You can use the normal cursor

control keys to move about the design area. The cursor wraps around at all design area boundaries. Pressing CLR/HOME returns the cursor to the upper left corner; SHIFT-CLR/HOME clears the design area, turning all pixels off (the defined width remains unchanged). To turn on a dot, press f1 (or any key other than space, RETURN, SHIFT-RE-TURN, and the other function keys). An asterisk will appear to indicate that the pixel is on and the cursor will move one position to the right, wrapping around at the right edge of the design area. To clear (turn off) a dot that was previously on, press f2 or the space bar. The asterisk will disappear and the cursor will move one position to the right.

When you've finished designing a character, press RETURN to save the new version of the character into the currently selected font. The design area will clear and the cursor will return to the character set. The character pattern on the screen will not change. Remember, FontMaker is for designing custom printer characters, not custom screen characters. If you wish to cancel a design without saving any changes you may have made, press SHIFT-RETURN. This also clears the design area and returns the cursor to the character set display, but without affecting the previous definition for the character you were editing.

You can also use the f5 and f6 keys while designing a character. While the cursor is in the design area, f5 changes the character position at which the design will be stored without affecting the character pattern currently being edited. This allows you to copy designs between character positions within a font, and can be a useful shortcut. For example, you can define and store a design for the h character, then select h again, turn off the extra dots at the top, then press f5, the N key, and RETURN to store a design for n without having to redraw it from scratch.

You can change font sets without affecting the character being edited by pressing f6. This allows you to copy characters between font sets. For example, you could copy the definition of the *A* character from font 1 to font 4 by selecting

the *A* character in font 1, pressing f6 and then 4 to switch to font 4, then pressing RETURN to store the definition in the *A* character position in that font 4. (You would then remain in font 4 until you switched to another font.) You can even use the f5 and f6 keys together to copy one character in one font to a different character in a different font.

After you've designed all the characters you want, you must save the font sets to tape or disk for Font-Printer to use. Press f8 to save a font set; you'll be prompted for a filename. Fontmaker also allows you to reload previously created font sets for additions or further editing. Pressing f7 activates the load feature. Keep in mind that f7 and f8 always load and save all nine fonts in the set—FontMaker does not provide for selective loading or saving of individual fonts.

There are a couple of other cautions. If you press f7 or f8 accidentally, you can undo your mistake by pressing RETURN alone. However, f5 and f6 both require that some value be entered. If you press one of these accidentally, you can negate the effect of the mistake by simply entering the value of the currently selected character or font. If the program should stop because of an error, just clear the screen and run the program again-the font will be intact. However, if an error occurs during a save, you must type GOTO 620, then press RUN/ STOP, type RUN, and press RE-TURN. The font set in the process of being saved should still be intact.

One final note: You don't have to design a shape for every character in every font-all the printer's normal characters still remain available for your use-but you must design a new shape for every character you actually use in every font you use. For example, suppose you want to use font 6 as italics and you design an italic shape for every uppercase letter in that font except L. When you try to print HELLO using font 6, all that will appear at the printer is HEO. This caution also applies to the space and shifted-space characters (codes 32 and 160, respectively). These two are easy to overlook because they don't appear in the character set display on the FontMaker screen.

Because FontPrinter assumes

zero width for all undefined characters, all the words you print in the custom fonts will run together if you don't have space defined. How do you define a space? Select the space character by pressing the space bar, or by pressing f5 and entering the code for space, /32. Use f3 to open up the desired number of empty columns for the space, then press RETURN to store the definition.

Printing Fonts

Program 2, FontPrinter, is written entirely in machine language. To type it in, you must use the "MLX" machine language editor program, found elsewhere in this issue. After loading and running MLX, respond to the prompts with:

Starting address: 0801 Ending address: 09C8

After entering all the data, be sure to save at least one copy. To load FontPrinter, type LOAD "filename", 8 and press RETURN. If you're using tape, change the ,8 to ,1. After the file entered with MLX is loaded, tape users should enter the following line:

POKE2136,1:POKE2176,1:POKE2178,1

and press RETURN. Then resave this modified version of FontPrinter to use with your Datassette instead of the original version entered with MLX.

When FontPrinter has finished loading, type RUN. You'll be asked for the filename of a font set. This will be one of the font sets you designed and saved using FontMaker. Enter your choice and press RE-TURN, then wait while the selected font is loaded into memory. When you see the prompt *Source:*, reply with the name of the previously created text file you wish to print.

FontPrinter requires that the text in files it prints be stored as Commodore ASCII characters. Thus a special step is necessary if you want to print files generated using COMPUTE!'s *SpeedScript* word processor (and several others, including WordPro and Paperclip). These word processors store the text as screen codes rather than as Commodore character codes. To create an ASCII-format *SpeedScript* file for use with FontPrinter, follow these instructions: After entering or loading the desired text using

SpeedScript, press SHIFT-CTRL-P. When you're prompted for screen, disk, or printer, enter D for disk and respond with a filename. This version of the text file can now be printed with FontPrinter. Note that SpeedScript will not print text files to cassette, so you'll have to use some alternate method to create an ASCII file on tape (such as the programs below).

Once FontPrinter has been given the name of the text file, it will begin printing in font 0, the printer's normal character set. Font-Printer interprets a CHR\$(0) in your text as a signal to change fonts. The character sent immediately after the CHR\$(0) must be a number between 0 and 9 (character codes 48-57). FontPrinter will then change to the previously defined font indicated. For example, if font 2 of your character set is italics and you'd like to print a word in italics, you would redefine a character to be treated as CHR\$(0) somewhere in your document. Just before you type the phrase to be italicized, you would type a CHR\$(0) followed by a character 2. Then type the phrase, and FontPrinter will italicize it. To switch from italics to another font, type a CHR\$(0) followed by the number of the desired font-for example, CHR\$(0) followed by 0 to return to the printer's normal font.

You can change fonts in Speed-Script using a definable printkey. For example, type CTRL-£ (the British pound character £ is just to the left of the CLR/HOME key), then respond to the Press format key: message by pressing the 0 key, followed by an equal sign (=) and a 0. This will appear on the screen as a reverse-video 0, followed by =0. After this, CTRL-£ 0 will be treated as CHR\$(0). To switch to font 2, you would include in your text CTRL-£ 0 followed by 2. Remember that, once you switch to a font, all text will be printed in that font until you switch to a different font.

If you don't have a copy of *SpeedScript* or some other word processor that can store text as character codes, a simple program such as the following will allow you to create an ASCII file directly on disk or tape (although not with the ease of a word processor, since there is no provision for editing the text you enter):

0	PRINT CHR\$(14)"FILENAME";
	INPUT F\$:OPEN 1,8,6,F\$+",S,W"
0	GET A\$:IF A\$="" THEN 30
0	IF A\$="@" THEN PRINT#1:CLOSE
	1:END
0	IF A\$="£" THEN PRINT A\$::A\$=
	CHR\$(0)
0	PRINT A\$::PRINT#1,A\$::GOTO 30

2

3

4

5

Be careful not to omit the semicolon (;) at the end of each PRINT statement. For tape, change line 20 to: 20 INPUT F\$:OPEN 1,1,1,F\$

To use this program, simply type RUN and press RETURN. You'll be asked for a name for the text file. After you enter the name, the file is opened and anything you type from then on is written to the file on disk or tape as well as being displayed on the screen. To end entry and close the file, press the @ key. Since it's not normally possible to type a character equivalent to CHR\$(0) from the keyboard, the £ key is programmed to send the CHR\$(0) you need to change fonts (although it still appears on the screen as £). For example, to indicate a switch to font 4 you would simply type £ followed by 4.

See program listings on page 110.



COMPUTE!'s GAZETTE Author Guide

Here are some suggestions which serve to improve the speed and accuracy of publication for prospective authors. COMPUTE!'s GAZETTE is primarily interested in new and timely articles on the Commodore 128, 64, Plus/4, 16, and VIC-20. We are much more concerned with the content of an article than with its style, but articles should as be clear and well-explained as possible.

The guidelines below will permit your good ideas and programs to be more easily edited and published:

1. The upper left corner of the first page should contain your name, address, telephone number, and the date of submission.

2. The following information should appear in the upper right corner of the first page. If your article is specifically directed to one model of computer, please state the model name. In addition, *please indicate the memory requirements of programs*.

3. The underlined title of the article should start about 2/3 of the way down the first page.

4. Following pages should be typed normally, except that in the upper right corner there should be an abbreviation of the title, your last name, and the page number. For example: Memory Map/Smith/2.

5. All lines within the text of the article must be double- or triple-spaced. A one-inch margin should be left at the right, left, top, and bottom of each page. No words should be divided at the ends of lines. And please do not justify. Leave the lines ragged.

6. Standard typing or computer paper should be used (no erasable, onionskin, or other thin paper) and typing should be on one side of the paper only (upper- and lowercase).

7. Sheets should be attached together with a paper clip. Staples should not be used.

8. If you are submitting more than one article, send each one in a separate mailer with its own tape or disk.

9. Short programs (under 20 lines) can easily be included within the text. Longer programs should be separate listings. It is essential that we have a copy of the program, recorded twice, on a tape or disk. If your article was written with a word processor, we also appreciate a copy of the text file on the tape or disk. Please use high-quality 10 or 30 minute tapes with the program recorded on both sides. The tape or disk should be labeled with the author's name and the title of the article. Tapes are fairly sturdy, but disks need to be enclosed within plastic or cardboard mailers (available at photography, stationery, or computer

supply stores).

10. A good general rule is to spell out the numbers zero through ten in your article and write higher numbers as numerals (1024). The exceptions to this are: Figure 5, Table 3, TAB(4), etc. Within ordinary text, however, the zero through ten should appear as words, not numbers. Also, symbols and abbreviations should not be used within text: use "and" (not &), "reference" (not ref.), "through" (not thru).

11. For greater clarity, use all capitals when referring to keys (RETURN, CTRL, SHIFT), BASIC words (LIST, RND, GOTO), and the language BASIC. Headlines and subheads should, however, be initial caps only, and emphasized words are not capitalized. If you wish to emphasize, underline the word and it will be italicized during typesetting.

12. Articles can be of any length—from a singleline routine to a multi-issue series. The average article is about four to eight double-spaced, typed pages.

13. If you want to include photographs, they should be either 5×7 black and white glossies or color slides.

14. We do not consider articles which are submitted simultaneously to other publishers. If you wish to send an article to another magazine for consideration, please do not submit it to us.

15. COMPUTEI's GAZETTE pays between \$70 and \$800 for published articles. In general, the rate reflects the length and quality of the article. Payment is made upon acceptance. Following submission (Editorial Department, COMPUTEI's GAZETTE, P.O. Box 5406, Greensboro, NC 27403) it will take from two to four weeks for us to reply. If your work is accepted, you will be notified by a letter which will include a contract for you to sign and return. *Rejected manuscripts are returned to authors who enclose a self-addressed, stamped envelope*.

16. If your article is accepted and you have since made improvements to the program, please submit an entirely new tape or disk and a new copy of the article reflecting the update. We cannot easily make revisions to programs and articles. It is necessary that you send the revised version as if it were a new submission entirely, but be sure to indicate that your submission is a revised version by writing, "Revision" on the envelope and the article.

17. COMPUTEI's GAZETTE does not accept unsolicited product reviews. If you are interested in serving on our panel of reviewers, contact our Features Editor for details.

How To Type In COMPUTE!'s GAZETTE Programs

Each month, COMPUTEI's GAZETTE publishes programs for the Commodore 128, 64, Plus/4, 16, and VIC-20. Each program is clearly marked by title and version. Be sure to type in the correct version for your machine. All 64 programs run on the 128 in 64 mode. Be sure to read the instructions in the corresponding article. This can save time and eliminate any questions which might arise after you begin typing.

We frequently publish two programs designed to make typing easier: The Automatic Proofreader, and MLX, designed for entering machine language programs.

When entering a BASIC program, be especially careful with DATA statements as they are extremely sensitive to errors. A mistyped number in a DATA statement can cause your machine to "lock up" (you'll have no control over the computer). If this happens, the only recourse is to turn your computer off then back on, erasing whatever was in memory. So be sure to save a copy of your program before you run it. If your computer crashes, you can always reload the program and look for the error.

Special Characters

Most of the programs listed in each issue contain special control characters. To facilitate typing in any programs from the GAZETTE, use the following listing conventions.

The most common type of control characters in our listings appear as words within braces: {DOWN} means to press the cursor down key; {5 SPACES} means to press the space bar five times.

To indicate that a key should be *shifted* (hold down the SHIFT key while pressing another key), the character is underlined. For example, <u>A</u> means hold down the SHIFT key and press A. You may see strange characters on your screen, but that's to be expected. If you find a number followed by an underlined key enclosed in braces (for example, $\{8 \ \underline{A}\}$), type the key as many times as indicated (in our example, enter eight SHIFTed A's).

If a key is enclosed in special brackets, **E 3**, hold down the Commodore key (at the lower left corner of the keyboard) and press the indicated character.

Rarely, you'll see a single letter of the alphabet enclosed in braces.

This can be entered on the Commodore 64 by pressing the CTRL key while typing the letter in braces. For example, {A} means to press CTRL-A.

The Quote Mode

Although you can move the cursor around the screen with the CRSR keys, often a programmer will want to move the cursor under program control. This is seen in examples such as {LEFT} and {HOME} in the program listings. The only way the computer can tell the difference between direct and programmed cursor control is *the quote mode*.

Once you press the quote key, you're in quote mode. This mode can be confusing if you mistype a character and cursor left to change it. You'll see a reverse video character (a graphics symbol for cursor left). In this case, you can use the DELete key to back up and edit the line. Type another quote and you're out of quote mode. If things really get confusing, you can exit quote mode simply by pressing RETURN. Then just cursor up to the mistyped line and fix it.

When You R	ead: Press:	See: When	You Read: Press:	See:	When You Read:	Press:	See:
{CLR}	SHIFT CLR/HOME	PUR) CTRL 5		÷ ()	-	
{HOME}	CLR/HOME		J] CTRL 6		<u>1</u>	SHIFT 1] 7
{UP}	SHIFT CRSR	BLU (BLU	CTRL 7		80070000	0000000	
{DOWN}	1 CRSR	YEL	CTRL 8		For Commodore	64 Only	
{LEFT}	SHIFT - CRSR -	• [[[]	} ft	86 F 8		COMMODORE	
{RIGHT}	- CRSR -	•] { E2	SHIFT f1		[1 3] [2 3]	COMMODORE	2
{RVS}	CTRL 9	I F3	1 (3		E 3 3	COMMODORE	3
{OFF}	CTRL 0	1 54	} SHIFT f3		<u></u>	COMMODORE	
{BLK}	CTRL 1	1 F5	1 15		R 5 3	COMMODORE	5 2
{WHT}	CTRL 2	E (F6)	SHIFT f5	2) C	E 6 3	COMMODORE	6
{RED}	CTRL 3	E (F7)	} f7		E 7 3	COMMODORE	
{CYN}	CTRL 4	{ F8 }	SHIFT f7		E 8 3	COMMODORE	8

C www.commodore.ca

The Automatic Proofreader

Philip I. Nelson, Assistant Editor

"The Automatic Proofreader" helps you type in program listings for the 128, 64, Plus/4, 16, and VIC-20 and prevents nearly every kind of typing mistake.

Type in the Proofreader exactly as listed. Since the program can't check itself, type carefully to avoid mistakes. Don't omit any lines, even if they contain unfamiliar commands. After finishing, save a copy or two on disk or tape before running it. This is important because the Proofreader erases the BASIC portion of itself when you run it, leaving only the machine language portion in memory.

Next, type RUN and press RE-TURN. After announcing which computer it's running on, the Proofreader displays the message "Proofreader Active". Now you're ready to type in a BASIC program.

Every time you finish typing a line and press RETURN, the Proofreader displays a two-letter checksum in the upper-left corner of the screen. Compare this result with the two-letter checksum printed to the left of the line in the program listing. If the letters match, it's almost certain the line was typed correctly. If the letters don't match, check for your mistake and correct the line.

The Proofreader ignores spaces not enclosed in quotes, so you can omit or add spaces between keywords and still see a matching checksum. However, since spaces inside quotes are almost always significant, the Proofreader pays attention to them. For example, 10 PRINT"THIS IS BASIC" will generate a different checksum than 10 PRINT"THIS ISBA SIC"

A common typing error is transposition-typing two successive characters in the wrong order, like PIRNT instead of PRINT or 64378 instead of 64738. The Proofreader is sensitive to the position of each character within the line and thus catches transposition errors

The Proofreader does not accept keyword abbreviations (for example, ? instead of PRINT). If you prefer to use abbreviations, you can still check the line by LISTing it after typing it in, moving the cursor back to the line, and pressing RETURN. LISTing the line substitutes the full keyword for the abbreviation and allows the Proofreader to work properly. The same technique works for rechecking programs you've already typed in.

If you're using the Proofreader on the Commodore 128, Plus/4, or 16, do not perform any GRAPHIC commands while the Proofreader is active. When you perform a command like GRAPH-IC 1, the computer moves everything at the start of BASIC program space-including the Proofreader-to another memory area, causing the Proofreader to crash. The same thing happens if you run any program with a GRAPHIC command while the Proofreader is in memory.

Though the Proofreader doesn't interfere with other BASIC operations, it's a good idea to disable it before running another program. However, the Proofreader is purposely difficult to dislodge: It's not affected by tape or disk operations, or by pressing RUN/ STOP- RESTORE. The simplest way to disable it is to turn the computer off then on. A gentler method is to SYS to the computer's built-in reset routine (SYS 65341 for the 128, 64738 for the 64, 65526 for the Plus/4 and 16, and 64802 for the VIC). These reset routines erase any program in memory, so be sure to save the program you're typing in before entering the SYS command.

If you own a Commodore 64, you may already have wondered whether the Proofreader works with other programming utilities like "MetaBASIC." The answer is generally yes, if you're using a 64 and activate the Proofreader after installing the other utility. For example, first load and activate Meta-BASIC, then load and run the Proofreader.

When using the Proofreader with another utility, you should disable both programs before running a BASIC program. While the Proofreader seems unaffected by most utilities, there's no way to promise that it will work with any and every combination of utilities you might want to use. The more utilities activated, the more fragile the system becomes.

The New Automatic Proofreader

10 VEC=PEEK(772)+256*PEEK(773) :LO=43:HI=44

- 20 PRINT "AUTOMATIC PROOFREADE R FOR ";: IF VEC=42364 THEN [SPACE]PRINT "C-64"
- 30 IF VEC=50556 THEN PRINT "VI C-20"
- IF VEC=35158 THEN GRAPHIC C 40 LR:PRINT "PLUS/4 & 16" IF VEC=17165 THEN LO=45:HI=
- 50 46:GRAPHIC CLR:PRINT"128"
- 60 SA=(PEEK(LO)+256*PEEK(HI))+ 6:ADR=SA
- FOR J=0 TO 166:READ BYT:POK E ADR, BYT: ADR=ADR+1: CHK=CHK +BYT:NEXT
- 80 IF CHK <> 20570 THEN PRINT "* ERROR* CHECK TYPING IN DATA STATEMENTS": END
- FOR J=1 TO 5:READ RF, LF, HF: RS=SA+RF:HB=INT(RS/256):LB= RS-(256*HB)
- 100 CHK=CHK+RF+LF+HF: POKE SA+L F, LB: POKE SA+HF, HB: NEXT
- 110 IF CHK <> 22054 THEN PRINT " *ERROR* RELOAD PROGRAM AND [SPACE]CHECK FINAL LINE":EN
- 120 POKE SA+149, PEEK(772): POKE SA+150, PEEK(773)
- 130 IF VEC=17165 THEN POKE SA+ 14,22:POKE SA+18,23:POKESA+ 29,224:POKESA+139,224
- 140 PRINT CHR\$(147); CHR\$(17);" PROOFREADER ACTIVE":SYS SA
- 150 POKE HI, PEEK(HI)+1: POKE (P EEK(LO)+256*PEEK(HI))-1,0:N EW
- 160 DATA 120,169,73,141,4,3,16
- 9,3,141,5,3 170 DATA 88,96,165,20,133,167, 165,21,133,168,169
- 180 DATA 0,141,0,255,162,31,18 1,199,157,227,3
- 190 DATA 202,16,248,169,19,32, 210,255,169,18,32
- 200 DATA 210,255,160,0,132,180 ,132,176,136,230,180
- 210 DATA 200,185,0,2,240,46,20 1,34,208,8,72
- 220 DATA 165,176,73,255,133,17
- 6,104,72,201,32,208 230 DATA 7,165,176,208,3,104,2
- 08,226,104,166,180 240 DATA 24,165,167,121,0,2,13
- 3,167,165,168,105 250 DATA 0,133,168,202,208,239
- .240.202,165,167,69 260 DATA 168,72,41,15,168,185,
- 211,3,32,210,255 270 DATA 104,74,74,74,74,168,1
- 85,211,3,32,210 280 DATA 255,162,31,189,227,3,
- 149,199,202,16,248 290 DATA 169,146,32,210,255,76
- ,86,137,65,66,67 DATA 68,69,70,71,72,74,75, 300 77,80,81,82,83,88
- 310 DATA 13,2,7,167,31,32,151, 116,117,151,128,129,167,136 .137 G



Ottis Cowper Technical Editor

"MLX" is a labor-saving utility that will help you enter machine language program listings without error. MLX is required to enter all Commodore 64 machine language programs published in COMPUTE's GAZETTE. This version of MLX was first published in the January 1986 issue; it cannot be used to enter MLX programs published prior to that date, nor can earlier versions of MLX be used to enter the listings in this issue.

Type in and save a copy of MLX. You'll need it for all future machine language programs in COMPUTE's GAZETTE, as well as machine language (ML) programs in our companion magazine, COMPUTE!, and COMPUTE! books. When you're ready to enter an ML program, load and run MLX. It asks you for a starting and ending address. These addresses appear in the article accompanying the MLX-format program listing you're typing. If you're unfamiliar with ML, the addresses (and all other values you enter in MLX) may appear strange. Instead of the usual decimal numbers you're accustomed to, these numbers are in hexadecimal—a base 16 numbering system commonly used by ML programmers. Hexadecimal-hex for short-includes the numerals 0-9 and the letters A-F. But even if you know nothing about ML or hex, you should have no trouble using MLX.

After you enter the starting and ending addresses, MLX offers the option of clearing the workspace. The data you enter with MLX is kept in a special reserved area of memory; clearing this workspace area fills the reserved area with zeros, which will make it easier to find where you left off typing if you enter the listing in several sessions. Choose this option if you're starting to enter a new listing. If you're continuing a listing that's partially typed from a previous session there's no point in clearing the workspace, since the data you load in will fill the area with whatever values were in workspace memory at the time of the last Save.

At this point, MLX presents a menu of commands:

Enter data Display data Load data Save file Quit

Press the corresponding key to select a menu option. These commands are available only while the menu is displayed. You can get back to the menu from most options by pressing RETURN.

Entering A Listing

To begin entering data, press E. You'll be asked for the address at which you wish to begin. (If you pressed E by mistake, you can return to the command menu by pressing RETURN.) When you begin typing a listing, enter the starting address here. If you're typing in a long listing in several sessions, you should enter the address where you left off typing at the end of the previous session. In any case, make sure the address you enter corresponds to the address of a line in the MLX listing. Otherwise, you'll be unable to enter the data correctly.

After you enter the address, you'll see that address appear as a prompt with a nonblinking cursor. Now you're ready to enter data. To help prevent typing mistakes, only a few keys are active, so you may have to unlearn some habits. MLX listings consist of nine columns of two-digit numbers-eight bytes of data and a checksum. You do not type spaces between the columns; the new MLX automatically inserts these for you. Nor do you press RETURN after typing the last number in a line; MLX automatically enters and checks the line after you type the last digit. The only keys needed for data entry are 0-9 and A-F. Pressing most of the other keys produces a warning buzz.

To correct typing mistakes before finishing a line, use the INST/DEL key to delete the character to the left of the cursor. (The cursor-left key also deletes.) If you mess up a line badly, press CLR/HOME to start the line over. The RETURN key is also active, but only *before* any data is typed on a line. Pressing RETURN at this point returns you to the command menu. After you type a character, MLX disables RETURN until the cursor returns to the start of a line. Remember, you can press CLR/HOME to quickly get to a line number prompt.

Beep Or Buzz?

After you type the last digit in a line, MLX calculates a checksum from the line number and the first eight columns of data, then compares it with the value in the ninth column. The formula (found in lines 370–390 of the MLX program) catches almost every conceivable typing error, including the transposition of numbers. If the values

match, you'll hear a pleasant beep, the data is added to the workspace area, and the prompt for the next line of data appears (unless the line just entered was the last line of the listing—in which case you'll automatically advance to the Save option). But if MLX detects a typing error, you'll hear a low buzz and see an error message. Then MLX redisplays the line for editing.

To edit a line, move the cursor left and right using the cursor keys. (The INST/DEL key now works as an alternative cursor-left key.) You cannot move left beyond the first character in the line. If you try to move beyond the rightmost character, you'll reenter the line. To make corrections in a mistyped line, compare the line on the screen with the one printed in the listing, then move the cursor to the mistake and type the correct key. During editing, RE-TURN is active; pressing it tells MLX to recheck the line. You can press the CLR/HOME key to clear the entire line if you want to start from scratch, or if you want to get to a line number prompt to use RETURN to get back to the menu.

Other MLX Functions

The Display data option lets you review your work. When you select D, you'll be asked for a starting address. (As with the other menu options, pressing RE-TURN at this point takes you back to the command menu.) Make sure the address corresponds to a line from the listing. You can pause the scrolling display by pressing the space bar. (MLX finishes printing the current line before halting.) To resume scrolling, press the space bar again. The display continues to scroll until the ending address is reached, then the menu reappears. To break out of the display and return to the menu before the ending address is reached, press RETURN. A quick way to check your typing is to compare the reverse video checksums on the screen with the data in the rightmost column of the printed listing. If the values match, you can be sure the line is entered correctly.

The Save and Load menu options are straightforward. First, MLX asks for a filename. (Again, pressing RETURN at this prompt without entering anything returns you to the command menu.) Next, MLX asks you to press either T or D for tape or disk. If you notice the disk drive starting and stopping several times during a load or save, don't panic; this behavior is normal because MLX opens and reads from or writes to the file instead of using the usual LOAD and SAVE commands. For disk, the drive prefix 0: is automatically added to the filename (line 750), so this should not be included when entering the name. (This also precludes the use of @ for Save-with-Replace, so remember to give each version saved a different name.) MLX saves the entire workspace area from the starting to ending address, so the save or load may take longer than you might expect if you've entered only a small amount of data from a long listing. When saving a partially completed listing, make sure to note the address where you stopped typing so you'll know where to resume entry when you reload.

MLX reports any errors detected during the save or load. (Tape users should bear in mind that the Commodore 64 is never able to detect errors when saving to tape.) MLX also has three special load error messages: INCORRECT STARTING ADDRESS, which means the file you're trying to load does not have the starting address you specified when you ran MLX; LOAD ENDED AT address, which means the file you're trying to load ends before the ending address you specified when you started MLX; and TRUNCATED AT ENDING ADDRESS, which means the file you're trying to load extends beyond the ending address you originally specified. If you get one of these messages and feel certain that you've loaded the right file, exit and rerun MLX, being careful to enter the correct ending address.

The Quit menu option has the obvious effect—it stops MLX and enters BASIC at a READY prompt. Since the RUN/STOP key is disabled, Q lets you exit the program without turning off the computer. (Of course, RUN/STOP-RESTORE also gets you out.) You'll be asked for verification; press Y to exit to BASIC, or any other key to return to the menu. After quitting, you can type RUN again and reenter MLX without losing your data, as long as you don't use the clear workspace option.

The Finished Product

When you've finished typing all the data for an ML program and saved your work, you're ready to see the results. The instructions for loading the finished product vary from program to program. Some ML programs are designed to be loaded and run like BASIC programs, so all you need to type is LOAD "filename", 8 for disk or LOAD "filename" for tape, and then RUN. (Such programs usually have 0801 as their MLX starting address.) Others must be reloaded to specific addresses

with a command such as LOAD "filename", 8, 1 for disk or LOAD "filename", 1, 1 for tape, then started with a SYS to a particular memory address. (On the Commodore 64, the most common starting address for such programs is 49152, which corresponds to MLX address C000.) In any case, you should always refer to the article which accompanies the ML listing for information on loading and running the program.

By the time you finish typing in the data for a long ML program, you'll have several hours invested in the project. Don't take chances-use our "Automatic Proofreader" to type in MLX, and then test your copy thoroughly before first using it to enter any significant amount of data. (Incidentally, MLX is included every month on the GAZETTE DISK.) Make sure all the menu options work as they should. Enter fragments of the program starting at several different addresses, then use the Display option to verify that the data has been entered correctly. And be sure to test the Save and Load options several times to ensure that you can recall your work from disk or tape. Don't let a simple typing error in MLX cost you several nights of hard work.

MLX

For instructions on entering this listing, refer to "How To Type In COMPUTE!'s GAZETTE Programs" elsewhere in this issue.

- EK 100 POKE 56,50:CLR:DIM INS, I, J, A, B, A\$, B\$, A(7), N\$ DM 110 C4=48:C6=16:C7=7:Z2=2:Z 4=254:25=255:26=256:27= 127 CJ 120 FA=PEEK(45)+Z6*PEEK(46) :BS=PEEK(55)+Z6*PEEK(56):H\$="Ø123456789ABCDEF" SB 130 R\$=CHR\$(13):L\$="[LEFT]" :S\$=" ":D\$=CHR\$(20):Z\$= CHR\$(Ø):T\$="[13 RIGHT]" CQ 140 SD=54272:FOR I=SD TO SD +23:POKE I,Ø:NEXT:POKE {SPACE}SD+24,15:POKE 78 8,52 FC 150 PRINT" {CLR }"CHR\$ (142) CH R\$(8):POKE 53280,15:POK E 53281,15 EJ 160 PRINT TS" {RED} {RVS} [2 SPACES] 88 03 [2 SPACES]"SPC(28)" [2 SPACES][OFF][BLU] ML X II [RED] [RVS] [2 SPACES]"SPC(28)" [12 SPACES] [BLU] FR 170 PRINT" [3 DOWN] [3 SPACES] COMPUTEI'S MA CHINE LANGUAGE EDITOR [3 DOWN]" JB 180 PRINT" [BLK] STARTING ADD RESS[4]";:GOSUB300:SA=A D:GOSUB1040:IF F THEN18 GF 190 PRINT" [BLK] [2 SPACES]EN DING ADDRESS 43"; : GOSUB
- DING ADDRESS[4]";:GOSUB 300:EA=AD:GOSUB1030:IF [SPACE]F THEN190 KR 200 INPUT"[3 DOWN][BLK]CLEA

111	118	R WORKSPACE [Y/N] 843"; A
11		<pre>\$:IF LEFT\$(A\$,1)<>"Y"TH EN220</pre>
PG	210	PRINT" [2 DOWN] [BLU] WORK
111	all l	ING "; :FORI=BS TO BS+
612		EA-SA+7:POKE I,Ø:NEXT:P RINT"DONE"
DP	220	PRINTTAB(10)" [2 DOWN]
(A		{BLK} [RVS] MLX COMMAND
118	1111	[SPACE]MENU [DOWN] \$43":
111	18/A	PRINT TS"{RVS}E[OFF]NTE R DATA"
ED	23Ø	PRINT TS" [RVS]D[OFF]ISP
810	110	LAY DATA":PRINT TS"
	240	(RVS)L(OFF)OAD DATA"
US	240	PRINT T\$"{RVS}S{OFF}AVE FILE":PRINT T\$"{RVS}Q
910		[OFF]UIT[2 DOWN][BLK]"
18868	250	GET A\$:IF A\$=N\$ THEN250 A=0:FOR I=1 TO 5:IF A\$= MID\$("EDLSQ",I,1)THEN A
НK	260	MIDS("EDLSO" I LATHEN A
		=1:1=5
FD	270	NEXT: ON A GOTO420,610,6
	1997	90,700,280:GOSUB1060:GO
FT	280	TO250 PRINT"{RVS} QUIT ":INPU
E.J		T" [DOWN] \$43ARE YOU SURE
		[Y/N]"; A\$: IF LEFT\$(A\$,
(Pas	290	1) <> "Y"THEN220
EM JX	(FREE)	POKE SD+24,0:END IN\$=N\$:AD=0:INPUTIN\$:IF
2224	1810	LEN(IN\$) <> 4THENRETURN
KF	310	B\$=IN\$:GOSUB320:AD=A:B\$
		=MID\$(IN\$,3):GOSUB320:A D=AD*256+A:RETURN
PP	32Ø	A=0:FOR J=1 TO 2:A\$=MID
10	18/10	S(BS, J, 1): B = ASC(AS) - C4+
	320	(A\$>"@")*C7:A=A*C6+B IF B<Ø OR B>15 THEN AD=
114	330	IF $B < \emptyset$ OR $B > 15$ THEN $AD = \emptyset : A = -1 : J = 2$
	34Ø	NEXT : RETURN
CH		B=INT(A/C6):PRINT MID\$(
111	110	H\$,B+1,1);:B=A-B*C6:PRI NT MID\$(H\$,B+1,1);:RETU
220	1/1/	RN
RR	360	A=INT(AD/Z6):GOSUB350:A
		=AD-A*26:GOSUB350:PRINT
BE	370	CK=INT(AD/Z6):CK=AD-Z4*
2111	8008	CK+25*(CK>27):GOTO390
PX JC	38Ø 39Ø	CK=CK*Z2+Z5*(CK>Z7)+A
JC QS	390 400	CK=CK+Z5*(CK>Z5):RETURN PRINT"{DOWN}STARTING AT
		<pre>K41";:GOSUB300:IF INS<></pre>
	888	N\$ THEN GOSUB1030:IF F
FV	410	{SPACE}THEN400 RETURN
	410 420	PRINT" [RVS] ENTER DATA
1011	189	{SPACE}":GOSUB400:IF IN
11	420	\$=N\$ THEN220
	43Ø 44Ø	POKE198,Ø:GOSUB360:IF F
	11	THEN PRINT INS: PRINT"
	111	{UP} [5 RIGHT]"; FOR I=Ø TO 24 STEP 3:B\$
GC	45Ø	=SS:FOR 1=1 TO 24 STEP 3:B\$
	111	=S\$:FOR J=1 TO 2:IF F T HEN B\$=MID\$(IN\$,I+J,1)
HA	46Ø	PRINT" [RVS]"B\$L\$;:IF I<
un	470	24THEN PRINT" [OFF] ";
HD FK	12323	IF (AS>"/"ANDAS<":")OR(A
	1111	\$>"@"ANDA\$ <"G") THEN540
MP	49Ø	IF AS=RS AND((I=Ø)AND(J
	1180	=1)OR F)THEN PRINT B\$;: J=2:NEXT:I=24:GOTO550
кс	500	IF AS=" [HOME]" THEN PRI
111	200	NT B\$:J=2:NEXT:I=24:NEX
1211	E	T:F=Ø:GOTO44Ø
MX	510	IF (AS=" {RIGHT}") ANDF TH ENPRINT BSLS; :GOTO540
GK	520	ENPRINT B\$L\$;:GOTO54Ø IF A\$<>L\$ AND A\$<>D\$ OR ((I=0)AND(J=1))THEN GOS
2111	(81)	((I=0)AND(J=1))THEN GOS

-	inner			-
H	G 530	UB1060:GOTO470 A\$=L\$+S\$+L\$:PRINT B\$L\$:		
Q	s 540		КН	830
PI	M 550	<pre>[SPACE]S\$; NEXT 1:PRINT:PRINT"{UP} [5 RIGHT]";:INPUT#3,IN\$</pre>	FA FQ	840 850
		:IF IN\$=N\$ THEN CLOSE3: GOTO220	1999	860
Q	C 560	MID\$(IN\$,1):GOSUB320:IF I<25 THEN GOSUB380:A(I		
Pł	\$ 570	<pre>/3)=A NEXT:IF A<>CK THEN GOSU B1060:PRINT"[BLK][RVS] [SPACE]ERROR: REENTER L INE &4]":F=1:GOTO440</pre>	GQ EJ	87Ø 88Ø
НĴ	580	GOSUB1080:B=BS+AD-SA:FO R I=0 TO 7:POKE B+I,A(I	HJ	89Ø
QQ	590	LOSE3:PRINT"{DOWN}[BLU] ** END OF ENTRY **[BLK]	cs	900.
1.000	6ØØ	{2 DOWN}":GOTO700 F=0:GOTO440 PRINT"{CLR}{DOWN}{RVS}	SC	91Ø
		<pre>{SPACE}DISPLAY DATA ":G OSUB400:IF IN\$=N\$ THEN2 20</pre>	КМ	92Ø
RJ	62Ø	PRINT" {DOWN } {BLU } PRESS: {RVS } SPACE {OFF } TO PAU SE, {RVS } RETURN {OFF } TO	JF	930
KS	630	BREAK [4] (DOWN)" GOSUB360:B=BS+AD-SA:FOR I=BTO B+7:A=PEEK(I):GOS	AE	940
00	640	UB350:GOSUB380:PRINT S\$; NEXT:PRINT"{RVS}";:A=CK	9259	950
19/10	650	:GOSUB350:PRINT F=1:AD=AD+8:IF AD>EA TH	FR	96Ø
кс	66Ø	ENPRINT" {DOWN } {BLU} ** E ND OF DATA **":GOTO22Ø GET A\$:IF A\$=R\$ THEN GO	DP	970
EQ	670	SUB1080:GOTO220 IF A\$=S\$ THEN F=F+1:GOS UB1080	PP	980
AD CM	680 690	ONFGOTO630,660,630 PRINT"{DOWN}{RVS} LOAD {SPACE}DATA ":OP=1:GOTO	GR	990
PC	700	710 PRINT"{DOWN}{RVS} SAVE [SPACE}FILE ":OP=0	FD	1000
RX	71Ø	<pre>IN\$=N\$:INPUT"{DOWN}FILE NAME\$43";IN\$:IF IN\$=N\$</pre>	RX	1010
PR	720	<pre>[SPACE]THEN220 F=0:PRINT"[DOWN][BLK] [RVS]T[OFF]APE_OR [RVS]</pre>	FF	1020
FP	73Ø	D{OFF}ISK: [4]"; GET A\$:IF A\$="T"THEN PR INT"T[DOWN]":GOTO880	FX	1030
HQ HH		IF A\$<>"D"THEN730 PRINT"D[DOWN]":OPEN15,8 ,15,"I0:":B=EA-SA:IN\$="	HA	1040
SQ	76Ø	Ø:"+IN\$:IF OP THEN81Ø OPEN 1,8,8,IN\$+",P,W":G	нс	1050
FJ	77Ø	OSUB860:IF A THEN220 AH=INT(SA/256):AL=SA-(A H*256):PRINT#1,CHR\$(AL)		
PE	780	; CHR\$(AH); FOR I=Ø TO B:PRINT#1,CH R\$(PEEK(BS+I));:IF ST T	AR	1060
FC	79Ø	HEN800 NEXT:CLOSE1:CLOSE15:GOT	DX	1070
GS	800	0940 GOSUB1060:PRINT"{DOWN} {BLK}ERROR DURING SAVE:	PF	1080
МА	810	843":GOSUB860:GOT0220	AC	1090
GE	820			11111

		\$)+256*ASC(B\$+Z\$):IF AD
КН	830	<>SA THEN F=1:GOTO850 FOR I=0 TO B:GET#1,A\$:P
		OKE BS+I,ASC(A\$+Z\$):IF
		<pre>{SPACE}ST AND(I <> B)THEN F=2:AD=I:I=B</pre>
10000	840	NEXT: IF ST <> 64 THEN F=3
FQ	850	CLOSE1:CLOSE15:ON ABS(F >0)+1 GOT0960,970
SA	860	INPUT#15, A, A\$: IF A THEN
		CLOSE1:CLOSE15:GOSUB10 60:PRINT"{RVS}ERROR: "A
		\$
GQ EJ	87Ø 88Ø	RETURN POKE183, PEEK(FA+2): POKE
	000	187, PEEK(FA+3): POKE188,
	9 <i>999</i>	PEEK(FA+4):IFOP=ØTHEN92 Ø
HJ	890	SYS 63466:IF(PEEK(783)A
		ND1) THEN GOSUB1060 : PRIN
		T"{DOWN}[RVS] FILE NOT {SPACE}FOUND ":GOTO690
CS	900	AD=PEEK(829)+256*PEEK(8
		30):IF AD<>SA THEN F=1: GOTO970
SC	91Ø	A=PEEK(831)+256*PEEK(83
		2)-1:F=F-2*(A <ea)-3*(a> EA):AD=A-AD:GOTO93Ø</ea)-3*(a>
KM	92Ø	A=SA:B=EA+1:GOSUB1010:P
TF	930	OKE78Ø,3:SYS 63338 A=BS:B=BS+(EA-SA)+1:GOS
01	550	UB1010:0N OP GOT0950:SY
		S 63591 GOSUB1Ø80:PRINT"{BLU}**
AE	940	SAVE COMPLETED **":GOT
111		0220
AX	950	POKE147,0:SYS 63562:IF {SPACE}ST<>64 THEN970
FR	960	GOSUB1080:PRINT" {BLU} **
		LOAD COMPLETED **":GOT 0220
DP	970	GOSUB1060:PRINT"[BLK]
		[RVS]ERROR DURING LOAD: [DOWN][4]":ON F GOSUB98
		0,990,1000:GOT0220
PP	980	PRINT"INCORRECT STARTIN G ADDRESS (";:GOSUB360:
		PRINT")":RETURN
GR	990	PRINT"LOAD ENDED AT ";: AD=SA+AD:GOSUB360:PRINT
833		D\$: RETURN
FD	1000	PRINT "TRUNCATED AT END ING ADDRESS": RETURN
RX	1010	AH=INT(A/256):AL=A-(AH)
		*256):POKE193,AL:POKE1 94,AH
FF	1020	AH=INT(B/256):AL=B-(AH
		*256):POKE174,AL:POKE1 75,AH:RETURN
FX	1030	IF AD <sa ad="" or="">EA THEN</sa>
НА	1040	1050 IF(AD>511 AND AD<40960
1	1)OR(AD>49151 AND AD<53
		248)THEN GOSUB1080:F=0 :RETURN
HC	1050	
		<pre>{SPACE } INVALID ADDRESS {DOWN {BLK}":F=1:RETU</pre>
		RN
AR	1060	
		,208:POKE SD,240:POKE [SPACE]SD+1,4:POKE SD+
Du	1070	4,33
DX	1070	FOR S=1 TO 100:NEXT:GO T01090
PF	1080	***************************************
		240:POKE SD,0:POKE SD+ 1,90:POKE SD+4,17
AC	1090	FOR S=1 TO 100:NEXT:PO
		KE SD+4,0:POKE SD,0:PO KE SD+1,0:RETURN
1180	00000	

Autoboot Maker

Article on page 75.

BEFORE TYPING ...

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

FF	100	INPUT "NAME OF PROGRAM
RH	110	{SPACE}TO LOAD"; PN\$ INPUT "NAME OF BOOT PRO
MI	110	GRAM"; BN\$
BE	120	INPUT "LOCATION TO JUMP AFTER LOAD";LOC\$
xs	130	IF LOC\$="" THEN BASIC=1
-	1.40	:GOTO 160
CQ	140	IF LEFT\$(LOC\$,1)="\$" TH EN GOSUB 760:GOTO 160
MG	150	LOC=VAL(LOC\$)
PX	160	INPUT "KILL RUNSTOP/RES
EK	170	TORE (Y/N)";RN\$ RN\$=LEFT\$(RN\$,1)
FE	180	IF NOT (RNS="Y" OR RNS=
	100	"N") THEN 160 OPEN 15,8,15,"I"
FE BB	190 200	OPEN 15,8,15,"1" OPEN 8,8,8,"Ø:"+BN\$+",P
	200	.W"
KC	210	<pre>PRINT#8,CHR\$(167)CHR\$(Ø 2);</pre>
xx	220	PRINT#8, CHR\$(LEN(PN\$));
XQ	230	PRINT#8, PN\$;
KB	240	IF RN\$="N" THEN 380
JX	250	FOR C=1 TO 17
BM	260	READ CODE
SK	270	PRINT#8, CHR\$ (CODE);
EE	280	NEXT C
SJ	290	DATA 120[9 SPACES]: REM SEI
КК	300	DATA 169,052[5 SPACES]: REM LDA #52
AK	310	DATA 141,020,003 : REM
SK	320	<pre>{SPACE}STA \$0314 DATA 169,134{5 SPACES}:</pre>
	220	REM LDA #134
РМ	330	DATA 141,024,003 : REM {SPACE}STA \$0318
QF	340	DATA 169,234{5 SPACES}: REM LDA #234
SG	350	DATA 141,025,003 : REM
ve	200	[SPACE]STA \$0319 DATA 088[9 SPACES]: REM
XQ		CLI
MS	370	GOTO 390
FK	38Ø	FOR C=1 TO 17:READ CODE :NEXT C
BP	390	
GC	400	READ CODE
PB	410	PRINT#8, CHR\$ (CODE);
MR	420	NEXT C
AH	430	DATA 169,002[5 SPACES]: REM LDA #2
RX	440	DATA 162,008[5 SPACES]:
SP	450	REM LDX #8 DATA 160,255{5 SPACES}:
on	450	REM LDY #255
BA	460	DATA Ø32,186,255 :REM J SR \$FFBA
KD	470	DATA 173,167,002 :REM L
TE	100	DA \$02A7 DATA 162,168[5 SPACES]:
30	400	REM LDX #\$A8
EH	490	DATA 160,002[5 SPACES]:
DG	500	REM LDY #\$02 DATA 032,189,255 :REM J
		SR \$FFBD

% SR \$FFBD pB 510 DATA 169,000{5 spaces}:

NIT	5.20	REM LDA #\$00 DATA 032,213,255 :REM J
АН	520	SR \$FFD5
MH	530	DATA 169,131 [5 SPACES]:
		REM LDA #131
MX	54Ø	DATA 141,002,003 :REM S
		TA \$0302
XH	550	DATA 169,164[5 SPACES]:
-		REM LDA #164
SP	560	DATA 141,003,003 :REM S TA \$0303
MP	570	DATA 134,045[5 SPACES]:
	3.2	REM STX \$2D
EG	58Ø	DATA 132,046[5 SPACES]:
		REM STY \$2E
AA	590	IF BASIC=1 THEN GOSUB 8
	caa	60:GOTO 620
HD	600	L1=INT(LOC/256):L2=LOC- (L1*256)
CM	610	
CIT	010)CHR\$(L1);
RP	620	
		EN(PN\$)+1
CR	630	IF RNS="N" THEN BU=41+L
	~	EN(PN\$)+1
GE	640	IF BASIC=1 THEN BU=BU+1
GR	650	BL=88-BU
KC	660	FOR C=1 TO BL+1:PRINT#8
		, CHR\$(Ø); :NEXT C
KP	67Ø	PRINT#8, CHR\$(139)CHR\$(2
		27);
GH		B=679+LEN(PN\$)+1
SD	690	L1=INT(B/256):L2=B-(L1* 256)
CA	700	PRINT#8, CHR\$(L2)CHR\$(L1
);
JP	710	
AS		GET#15,A\$:S=ST
AJ		PRINT AS;
QE	740	
KF KP	75Ø 76Ø	
ED	770	and the second
RK	780	
JR	790	I\$=MID\$(LOC\$,C,1)
MD	800	The second se
	014	(VAL(I\$)) IF I\$=>"A" THEN I\$=STR\$
MB	810	IF $1\$ = \$^n A^n$ THEN $1\$ = \$^T R\$$ (ASC($1\$$)-55)
00	820	LOC=LOC+VAL(1\$)*16
FK		S=S-1
AH	84Ø	NEXT C
		RETURN
		FOR C=1 TO 14
JA		READ CODE PRINT#8, CHR\$ (CODE);
RE EP		NEXT C
CK		DATA 169,00015 SPACES]:
		REM LDA #\$ØØ
EA	910	DATA 133,122[5 SPACES]:
-	0.00	REM STA \$7A
EG	920	
RR	930	REM LDA #\$08 DATA 133,123[5 SPACES]:
AA	150	REM STA \$78
KP	940	DATA 032,096,166 :REM J
		SR \$A660
QG	950	DATA 076,174,167 :REM J
-	060	MP \$A7AE
50	900	RETURN
0		adScript 80
	201	ALL CRIPT SHI

SpeedScript-80

See instructions in article on page 77 before typing in.

Patch 1

289E:4C B6 Ø8 8E ØØ D6 DØ Ø7 BØ 28A6:48 A9 1F 8D ØØ D6 68 2C 9A 28AE:ØØ D6 1Ø FB 8D Ø1 D6 6Ø F4 28B6:A9 00 A2 12 20 A1 08 E8 D1 28BE:A9 50 20 A1 08 AD 11 20 4F 28C6:85 FB AD 12 20 85 FC A2 63 28CE:01 AØ ØØ B1 FB 99 3C Ø3 A4 28D6:C8 29 7F C9 1F FØ 13 CØ Ø6 28DE:50 DØ FØ 88 B1 FB 29 7F 81 28E6:C9 20 F0 05 88 D0 F5 A0 A6 28EE:4F C8 84 3B AØ ØØ B9 3C 12 28F6:03 20 A6 08 C8 C4 3B D0 C6 28FE:F5 18 98 65 FB 85 FB A5 4D 2906:FC 69 00 85 FC E0 01 D0 C7 290E:03 8C 10 20 20 28 09 E8 A5 2916:EØ 19 FØ Ø3 4C CF Ø8 A5 C4 291E:FB 8D 1B 20 A5 FC 8D 1C 8F 2926:20 60 CØ 50 FØ Ø8 A9 20 D8 292E:20 A6 08 C8 D0 F4 60 00 E2 Patch 2 2A4E:A9 ØØ A8 20 96 11 20 28 EF 2A56:09 A9 00 4C 96 11 00 00 57 Patch 3 315D:A9 FD 8D 30 D0 A9 08 20 26 3165:96 11 A9 20 A2 18 20 A1 E5 316D:08 A9 8F 20 A6 08 A0 08 D0 3175:A9 FF A2 1E 20 A1 08 88 03 317D:DØ FA 60 29 7F C9 20 90 99 3185:0F C9 40 90 08 E9 40 C9 25 318D:20 90 02 69 1F 20 A6 08 C9 3195:60 A2 12 20 A1 08 A9 00 95 319D:E8 4C A1 08 00 00 00 00 3C Patch 4 3445:A9 FC 8D 30 D0 A9 00 4C EF 344D:96 11 20 CD BD A0 00 B9 50 3455:00 01 F0 06 20 A6 08 C8 F0 345D:DØ F5 60 30 20 A9 00 20 82 3465:96 11 A9 20 20 70 11 00 79 Patch 5 CØØØ:A9 12 85 FB A9 1E 85 FC 19 C008:A0 00 B1 FB 29 7F F0 14 0D CØ10:C9 20 BØ Ø2 A9 2A C9 40 7E CØ18:90 ØA 38 E9 40 C9 20 90 04 37 CØ20:03 18 69 20 91 FB C8 DØ CØ28:E1 A6 FC EØ 20 FØ Ø5 E8 A9 CØ30:86 FC DØ D6 AØ ØØ 84 FB C5 CØ38:A9 Ø8 85 FC B1 FB C9 20 42 CØ40:FØ ØF C8 DØ F7 A6 FC E8 61 CØ48:86 FC EØ 15 DØ EE 4C 76 ØB CØ50:CØ 84 02 84 FD A5 FC 85 E1 CØ58:FE AØ Ø1 B1 FD C9 D2 DØ 4A CØ60:10 C8 B1 FD C9 FF DØ Ø9 2B CØ68:A9 11 91 FD 88 A9 80 91 92 CØ70:FD A4 02 4C 42 CØ A9 4F D6 CØ78:8D E3 14 A9 14 8D E4 14 8B CØ80:A9 06 8D FA 14 A9 A6 8D DB CØ88:FC 14 A9 Ø8 8D FD 14 A9 79 CØ90:20 8D B4 16 8D 85 18 A9 D9 CØ98:45 8D B5 16 A9 14 8D B6 A7 CØAØ:16 A9 5D 8D 86 18 A9 11 15 CØA8:8D 87 18 A9 A6 8D 7C Ø9 DD CØBØ:A9 Ø8 8D 7D Ø9 AØ Ø4 A9 ØF CØB8:78 99 88 ØE 99 ØA 16 A9 F9 CØCØ:58 99 9B ØE 99 1A 16 88 13 CØC8:A9 EA 99 88 ØE 99 ØA 16 CG CØDØ:99 9B ØE 99 1A 16 88 1Ø AB CØD8:F1 A9 4F 8D B8 1D 8D 06 DB CØEØ:1E A9 14 8D B9 1D 8D 07 9B CØE8:1E A9 22 8D 8C 1B A9 16 3B CØFØ:8D 8D 1B AØ ØB B9 1C C1 43 CØF8:99 24 16 88 10 F7 AØ Ø8 45 C100:B9 28 C1 99 E5 14 88 10 DC C108:F7 A9 EA 8D F9 14 8D FA 5E C110:14 A9 28 8D FC 14 A9 09 7A C118:8D FD 14 60 B9 45 20 F0 7 E C120:06 20 D2 FF C8 D0 F5 60 DE C128:A9 36 85 Ø1 98 18 69 43 ØA C130:A8 00 00 00 00 00 00 00 08

Star Dragon

Article on page 54.

BEFORE TYPING ...

Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

Program 1: 16 Sprites

CD	100	<pre>INPUT"{CLR}{2 DOWN}STAR TING ADDRESS";SA</pre>
AR	110	IFSA>53020THENPRINT"INP
		UT AN ADDRESS LOWER THA
CU	120	N 53021":RUN PRINT"WAIT"
SH	12Ø 13Ø	REM >> PUT DATA AT STAR
SD	130	TING ADDR <<
DH	140	FORT=ØTO149:READV\$
RA	150	L\$=LEFT\$(V\$,1)
JD	160	IFASC(L\$)>64THEN HN=ASC
	170	(L\$)-55
MX	170	IFASC(L\$)<65THEN HN=ASC (L\$)-48
RA	180	R\$=RIGHT\$(V\$,1)
PS	190	IFASC(R\$)>64THEN LN=ASC
		(R\$)-55
JP	200	IFASC(R\$) <65THEN LN=ASC
CD	210	(R\$)-48 B=HN*16+LN:POKE SA+T,B:
CD	210	NEXT
BX	220	REM >> WEDGE PROGRAM IN
		TO RASTER <<
нн	230	POKE53265,27:POKE56333, 127:POKE788,((SA/256)-I
		NT(SA/256))*256
RX	240	POKE789, SA/256:POKESA+1
		09, PEEK(648)+3: POKE5327
		4,129
хв	250	REM >>>>> DISPLAY 16 SP RITES <<<<<
ED	260	FORT=5317ØT053247:POKET
		,Ø:NEXT:FORT=ØT063:POKE
		704+T,255:NEXT
DE	270	FORT=ØTO15:POKE53232+T, 11
GG	28Ø	POKE53216+T,1+RND(Ø)*8:
		POKE53184+T,140-T*8:POK
-	200	E53200+T,60+T*10:NEXT
CE	290	POKE53178,255:POKE53179 ,255:POKE53281,0:PRINT"
		{CLR}":END
JS	300	REM >>>>> 16 SPRITES HE
	21.0	X DATA <<<<
AF	310	DATA A5, FD, 29, Ø1, AA, 49, Ø1, A8, BD, B2, CF, 8D, 1C, DØ
RM	320	DATA BD, B4, CF, 8D, 1D, DØ,
		BD, B6, CF, 8D, 17, DØ, BD, B8
EG	330	DATA CF, 8D, 1B, DØ, BD, BA,
DE	340	CF,8D,15,DØ,AD,1E,DØ,99 DATA BC,CF,AD,1F,DØ,99,
PE	540	BE, CF, A9, Ø1, 8D, 19, DØ, A5
JF	350	DATA FD, 29, 01, 0A, 0A, 0A,
~	200	AA, AØ, ØØ, 84, FE, A9, Ø1, 85
SQ	36Ø	DATA FC, BD, CØ, CF, ØA, 99, ØØ, DØ, 90, Ø6, A5, FC, Ø5, FE
BH	370	DATA 85, FE, BD, DØ, CF, 99,
		Ø1, DØ, 8A, 84, FF, 29, Ø7, A8
BC	380	DATA BD, EØ, CF, 99, 27, DØ,
VO	390	BD,FØ,CF,99,F8,Ø7,A4,FF DATA 18,26,FC,E8,C8,C8,
KQ	390	CØ,10,DØ,CD,A5,FE,8D,10
XE	400	DATA DØ, AD, 1F, DØ, E6, FD,
		A9,00,8D,12,D0,AD,0D,DC

Œwww∉commod∞re.ca

BC 410 DATA 29,01,F0,03,4C,31, C348:54 A0 00 BD 40 CD C9 04 CE EA,4C,BC,FE C350:B0 01 C8 C9 9E 90 01 C8 28

Program 2: Star Dragon—Main Program

See instructions in article on page 54 before typing in.

		-							0
CØFØ:4C	6A	C7	A4	15	8C	Ø1	D4	28	
CØF8:FØ	Ø2	C6	15	4C	ØØ	C2	60	E5	10
C100:00	18	ØØ	ØØ	18	ØØ	ØØ	18	62	
C108:00	00	3C	ØØ	1E	3C	78	ØF	F4	
C110:3C		07	FF	EØ	Ø3	E7	CØ	72	9
C118:03	C3	EØ	3F	BD	FC	FF	BD	BD	1
						12020			0
C120:FF	3F	C3	FC	Ø3	E7	EØ	Ø3	38	0
C128:FF	EØ	Ø7	3C	FØ	1E	3C	38	39	0
C130:1E	3C	38	ØØ	18	ØØ	ØØ	18	B1	0
C138:00	ØØ	18	ØØ	ØØ	ØØ	ØØ	ØØ	BE	0
C140:00	ØØ	ØØ	ØØ	ØØ	ØØ	ØØ	ØØ	C3	0
C148:00	ØØ	3Ø	ØØ	ØØ	78	ØØ	ØØ	B3	0
C150:FC	ØØ	Øl	FE	ØØ	Ø3	FF	ØØ	6E	0
C158:00	78	ØØ	ØØ	78	ØØ	Ø3	7B	3F	0
C160:00	Ø7	7B	80	ØF	7B	CØ	1F	24	10
C168:7B	EØ	3F	FF	FØ	7F	FF	F8	48	10
C170:7C	FC	F8	79	FE	78	73	FF	E8	
C178:38	63	FF	18	00	00	ØØ	ØØ	72	19
C180:93	Ø5	ØD	ØD	ØD	ØD	20	20	7E	0
C188:20	20	20	20	20	20	20	20	ØC	0
C190:53	43	4F	52	45	3A	30	30	41	0
C198:30	30	20	4C	45	56	45	4C	63	0
C140:3A									0
	42	ØD	ØD	9E	20	20	20	1A	0
C1 A8:20	20	20	20	20	20	20	20	2C	0
C1BØ:20	20	20	20	20	48	49	54	5B	0
C1B8:20	2B	ØD	ØD	20	20	20	20	6B	0
C1C0:20	20	20	20	20	20	54	4F	DB	0
C1C8:20	5Ø	4C	41	59	2Ø	53	54	54	0
C1DØ:41	52	44	52	41	47	4F	4E	4B	0
C1D8:00	40	8Ø	CØ	CØ	30	ØC	Ø3	6A	0
C1E0:20	21	22	23	25	26	27	28	6B	0
C1E8:2A	2B	2C	2D	2F	3Ø	31	32	73	0
C1FØ:34	35	36	37	39	3A	3B	3C	7B	0
C1F8:3E	3F	40	41	43	44	45	46	83	0
C200:A2	ØØ	A2	ØØ	BD	ØØ	CF	FØ	A9	0
C2Ø8:44	C9	Øl	FØ	14	BC	DØ	CF	56	d
C210:88	88	98	9D	DØ	CF	C9	Ø4	46	
C218:BØ	Ø5	A9	ØØ	9D	ØØ	CF	FØ	E9	0
C220:2C	BC	40	CF	BD	CØ	CF	85	Ø6	d
C228:AE	BD	20	CF	20	53	C2	9D	E6	
C230:40	CF								9
		A5	AE	9D	CØ	CF	BC	B5	0
C238:50	CF	BD	DØ	CF	85	AE	BL	4E	0
C240:30	CF	20	53	C2	9D	50	CF	Ø8	0
C248:A5	AE	9D	DØ	CF	E8	EØ	ØF	FF	0
C250:DØ	B2	60	30	ØA	ØA	84	Ø2	7D	0
C258:65	Ø2	90	Ø2	E6	AE	60	ØA	FF	0
C260:85	02	98	E5	Ø2	BØ	Ø2	C6	38	0
C268:AE	60	4C	13	C3	A2	ØØ	BD	7E	0
C270:00	CF	C9	Ø1	DØ	F4	AØ	ØØ	CE	0
C278:84	AE	84	BØ	A9	FF	85	AF	8F	0
C280:85	B1	FE	7Ø	CF	BD	7Ø	CF	42	0
C288:DØ	13	A9	FC	9D	70	CF	DE	6D	0
C290:10	CF	BD	10	CF	DØ	Ø6	20	B8	0
C298:DD	C2	4C	13	C3	BD	CØ	CF	DE	0
C2AØ:C9	12	BØ	Ø8	AØ	ØØ	84	AE	E2	0
C2A8:AØ	7F	84	AF	C9	9C	90	Ø8	D3	0
C2BØ:AØ	80	84	AE	AØ	FF	84	AF	DF	0
C2B8:BD	DØ	CF	C9	3Ø	ВØ	Ø8	AØ	DC	0
C2CØ:00	84	ВØ	AØ	7F	84	B1	C9	C2	0
C2C8 : DA	90	08	AØ	80	84	BØ	AØ	Ø3	
C2DØ:FF	84	B1	CØ	ØØ	FØ	3C	20	16	0
C2D8:DD	C2	38	BØ	36	BC	60	CF		0
C2EØ:B9	ØØ	CE	Ø5	AE	25	AF	9D	45	0
C2E8:20	CF	B9	ØI	CE	Ø5	BØ	25	74	0
C2FØ:B1	9D	30	CF					CA	0
C2F8:BØ			9D	B9	Ø1	CE	05	2E	0
C2F8:B0 C300:CF	25	BI		30	CF	BD	10	7C	0
	FØ	ØF	B9	02	CE	9D	10	BF	0
C308:CF	BD	60	CF	18	69	04	9D	FB	0
C310:60	CF	60	E8	EØ	ØF	BØ	Ø3	FD	0
C318:4C	6F	C2	60	4C	F6	C3	A2	68	C
C320:00	BD	ØØ	CC	C9	00	FØ	F4	Ø9	0
C328:C9	02	90	Ø5	A9	ØØ	9D	ØØ	FF	0
C330:CC	BD	80	CB	85	AE	BD	CØ	7D	0
				1000	1 States				
C338:CB	85	AF	A9	ØØ	A8	91	AE	ØC	C
C338:CB C340:BD				ØØ AD	A8 A5	91 AD	AE FØ		

	C348:54	AØ	ØØ	BD	40	CD	C9	Ø4	CE
	C350:BØ	Ø1	C8	C9	9E	9Ø	Ø1	C8	28
	C358:BD	8Ø	CD	C9	C8	9Ø	Ø1	C8	88
	C360:C0	ØØ	FØ	Ø8	A9	ØØ	9D	ØØ	6F
	C368:CC	4C	F6	C3	BD	40	CD	85	94
	C37Ø:AE	BC	CØ	CC	BD	40	CC	20	ØC
	C378:53	C2	9D	CØ	CC	A5	AE	9D	12
	C380:40	CD	BD	80	CD	85	AE	BC	F9
	C388:00	CD	BD	80	CC	20	53	C2	93
	C39Ø:9D	ØØ	CD	A5	AE	9D	8Ø	CD	B5
	C398:C6	AD	4C	45	C3	BD	8Ø	CD	BØ
	C3AØ:4A	4A	4A	48	29	Ø3	86	Ø2	12
l	C3A8:A8	B9	D8	C1	85	AE	68	A8	8A
I	C3BØ:B9	EØ	C1	85	AF	BD	40	CD	AØ
I	C3B8:18	65	AE	85	AE	90	Ø2	E6	76
	C3CØ:AF	BD	4Ø	CD	18	65	AE	85	AD
	C3C8:AE	9Ø	Ø2	E6	AF	29	F8	85	14
l	C3DØ:AE	BD	8Ø	CD	29	Ø7	A 8	BD	80
	C3D8:40	CD	29	Ø3	AA	BD	DC	Cl	11
I	C3E0:11	AE	91	AE	A6	Ø2	18	98	BF
	C3E8:65	AE	90	Ø2	E6	AF	9D	8Ø	B2
	C3FØ:CB	A5	AF	9D	CØ	CB	E8	EØ	7F
	C3F8:40	FØ	Ø3	4C	21	C3	6Ø	AC	87
l	C400:CF	CF	A5	CB	C9	28	DØ	Ø6	6D
l	C408:C0	ØE	90	02	88	88	C9	2B	CC
l	C410:D0	Ø6	CØ	AØ	BØ	Ø2	C8	C8	8D
l	C418:8C	CF	CF	AD	8D	Ø2	C5	16	C6
l	C420:85	16	FØ	07	C9	04	DØ	Ø3	83
l	C428:20	2C	C4	60	A2	00	BD	ØØ	FB
l	C430:CC	DØ	21	A9	Ø6	9D	CØ	CD	Ø9
l	C438:A9	ØØ	9D	40	CC	A9	FF	9D	F8
ł	C440:80	CC	AD	CF	CF	38	E9	Ø8	2B
l	C448:9D	40	CD	A9	BØ	9D	80	CD	CF
l	C450:FE C458:D5	00	CC	60	E8	EØ	40	DØ	15
l	C458:D5 C460:5B	6Ø BD	A2 CØ	ØØ CD	BD C9	ØØ Ø3	CC FØ	FØ 54	B1 8C
l	C468:BD	40	CD	85	BØ	BD	80	CD	3E
l	C470:85	B1	86	Ø2	A2	00	86	AF	EB
l	C478:BD	00	CF	C9	ØI	DØ	43	BD	07
l	C480:C0	CF	E9	øc	C5	BØ	BØ	2D	DB
I	C488:69	ØC	C5	BØ	90	27	BD	DØ	FA
l	C490:CF	E9	30	C5	B1	BØ	1E	69	D4
I	C498:14	C5	B1	90	18	E4	AF	DØ	61
	C4AØ:26	A9	Ø2	9D	ØØ	CF	A9	2A	7E
	C4A8:85	15	86	AA	A6	Ø2	A9	FØ	37
	C4BØ:9D	80	CD	AG	AA	E8	EØ	ØF	17
	C4B8:DØ	BE	A6	Ø2	E8	EØ	40	DØ	6B
I	C4CØ:9B	60	E6	AF	DØ	EF	60	2Ø	2F
	C4C8:97	EØ	A6	Ø2	A9	Ø3	9D	CØ	AØ
	C4DØ:CD	A5	8E	9D	40	CC	A9	7F	5E
l	C4D8:9D	8Ø	CC	4C	BA	C4	AD	ØE	02
l	C4EØ:CF	C9	Ø2	FØ	Ø3	4C	63	C5	E9
	C4E8:AD	CE	CF	E9	Ø8	85	BØ	AD	FA
	C4FØ:DE	CF	E9	28	85	B1	A2	ØØ	D5
	C4F8:86	Ø2	20	97	EØ	A6	02	A5	ØF
	C500:8E	9D	40	CC	A5	8F	9D	80	36
Í	C508:CC	A9	Ø1	9D	00	CC	A5	8D	6A
l	C510:29	03	9D	CØ	CD	A5	BØ	9D	B4
	C518:40	CD	A5	Bl	9D	80	CD	E8	7A
	C520:E0 C528:CF	4Ø A2	DØ 8Ø	D4 8E	A2 BB	ØØ CF	8E A2	BA	8Ø 9F
	C530:86	96	20	1F	C3	AG	96	E8	69
	C538:8E	Ø1	D4	DØ	F3	EE	FD	9F	E9
	C540:AE	FD	9F	EØ	Ø3	90	16	EE	1A
	C548:FF	9F	A9	00	8D	FD	9F	AD	42
	C550:FF	9F	C9	ØB	FØ	ØA	A9	22	D2
	C558:85	B1	20	BD	C5	4C	3A	C6	8D
	C560:4C	23	C7	AD	BF	CF	30	29	75
	C568:AD	BF	CF	30	24	A2	ØØ	BD	21
	C570:C0	CF	E9	Ø5	CD	CF	CF	ВØ	DB
	C578:10	69	ØB	CD	CF	CF	90	09	80
	C580:BD	DØ	CF	C9	DG	90	Ø2	BØ	63
	C588:Ø8	E8	EØ	ØF	DØ		4C	22	28
	C59Ø:C6	A9	Ø8	8D	Ø1	D4	A2	ØØ	64
	C598:AØ	ØØ	C8	DØ	FD	EE	20	DØ	57
	C5AØ:E8	DØ	F5	8E	Øl	D4	EE	FA	ВØ
	C5A8:9F	AD	FA	9F	C9	Ø3	ВØ	ØЗ	87
	C5BØ:4C	3A	C6	8E	BA	CF	8E	BB	AØ
	C5B8:CF	A9	58	85	B1	A9	15	8D	E5
	C5CØ:18	DØ	A9	18	8D	11	DØ	A2	68
	C5C8:00	AD	FD	9F	ØA	18	69	30	2D
	C5DØ:8D	98	Cl	AD	FF	9F	38	69	B4
		8D	Al	C1	E9	10	C9	3A	15
	C5E0:90	Ø7	EE 07	96	C1	E9	ØA	BØ	38
	C5E8:F5	8D	97	C1	A2	ØØ	BD	8Ø	F2

C5FØ:C1	20	D2	FF	E8	E4	B1	DØ	CE
C5F8:F5	85	A2	ØA	C5	A2	DØ	FC	2D
C600:A5	B1	C9	58	FØ	ØI	60	A5	7D
C608:CB	C9	28	DØ	FA	4C	FØ	CØ	AB
C610:20	6D	C2	AD	FF	9F	85	B4	7A
C618:20	F3	CØ	C6	B4	DØ	F9	4C	6Ø
C620:DE	C4	2Ø	FF	C3	20	1F	C3	F2
C628:20	5A	C4	AD	8D	Ø2	C9	Ø1	D8
C630:D0	DE	A9	ØØ	8D	Ø1	D4	4C	79
C638:2B	C6	A9	20	85	B1	A9	00	8A
C640:85	BØ	A8	AA	91	BØ	C8	DØ	2E
C648:FB	E8	E6	B1	EØ	20	DØ	F4	24
C650:AA	9D	00	CF	9D	00	CC	E8	07
C658:EØ C660:97	BA	DØ	F5	AA	86	Ø2	20	12
C668:9D	EØ	A5 CE	8E E8	A6 DØ	Ø2 EF	29 A2	BF	DE B8
C670:BD	Ø2	CE	29	1F	9D	Ø2	CE	ØC
C678:E8	E8	E8	E8	DØ	F2	AS	8F	8D
C680:4A	4A	69	20	85	AC	A5	AC	CB
C688:9D	CØ	CF	A9	40	9D	DØ	CF	93
C690:86	Ø2	2Ø	97	EØ	A6	Ø2	A5	AA
C698:8F	29	Ø7	69	Ø2	9D	EØ	CF	C7
C6AØ:FE	ØØ	CF	A9	ØD	9D	FØ	CF	D2
C6A8:A9	FØ	9D	7Ø	CF	E8	EØ	ØF	F4
C6BØ:DØ	D4	A9	FF	8D	BA	CF	8D	95
C6B8:BB	CF	A9	ØE	8D	FF	CF	A2	DC
C6CØ:00	AØ	Øl	98	9D	10	CF	E8	D5
C6C8:C8 C6DØ:DF	EØ CF	ØF A9	DØ 8Ø	F6 8D	A9 CF	EØ	8D A9	8F D4
C6D8:3B	8D	11	DØ	A9	1D	8D	18	8B
C6EØ:DØ	A9	ØI	8D	EF	CF	A2	ØØ	3E
C6E8:A9	10	9D	00	94	90	aa	05	9E
C6FØ:9D	ØØ	Ø6	9D	E8	Ø6	E8	DØ	E9
C6F8:F1	A9	ØF	8D	18	D4	A9	ØF	18
C700:8D	Ø5	D4	A9	F5	8D	Ø6	D4	93
C7Ø8:A9	81	8D	04	D4	A2	ØØ	A9	99
C710:30	9D	96	C1	E8	EØ	04	DØ	B1
C718:F6 C720:4C	AD	FF	9F	ØA	8D	20	DØ	20
C728:D2	1Ø FF	C6 A9	A2 1 B	ØØ 8D	A9 11	93 DØ	20	CA
C730:15	8D	18	DØ	BD	52	C7	A9 9D	Ø4 22
C738:20	D9	9D	20	Ø5	E8	EØ	18	A9
C740:D0	F2	CA	86	A2	CA	A5	A2	E4
C748:8D	21	DØ	E4	A2	DØ	F7	4C	E3
C75Ø:B9	C5	Ø7	ØF	ØF	Ø4	2Ø	17	DF
C758:ØF	12	ØB	2C	2Ø	Ø4	12	Øl	4E
C760:07	ØF	ØE	13	ØC	Øl	19	Ø5	C5
C768:12	21	A2	ØØ	A9	20	9D	CØ	67
C770:CB C778:EØ	BD	ØØ	C1 FØ	9D	4Ø ØØ	Ø3	E8	4E
C780:9F	8Ø 8D	DØ FD	9F	A9 A9	Ø1	8D 8D	FA FF	25 69
C788:9F	A9	50	8D	CF	CF	8D	21	2F
C790:D0	8D	20	DØ	4C	3A	C6	00	D5
					EA			
Program	m 3		tar	Dra	aon	Ro	oto	
inogiai			tai	Dia	gon		ouc	
EP 100								
	,Ø:	PRI	NT "	ICL	RJI	2 D	OWN	1}"
1122			" [7					
	DR	AGO	NS	TAR	£4	3 ::	PRI	NT
KC 110	PRI	NT.	\$(3	D	CHR	\$ (3	4)	0:
	14	DOW	N]R	4)	,0	: PF	CINI	
RQ 120								
			GHT					
			13				"	HR
	\$ (3	4)"	Ø:S	TAR	"CH	R\$ (34)	
301.5	8,1	":P	RIN	T"1	4 D	OWN	JSY	s
	SP.	ACE	149	392				
FQ 140	PRI	NT"	121	UP	1"			
BP 150	FOR	I=	ØТ	04	:PO			+I
	,13	:NE	XT:	POK	E 1	98,	5	
Mon	01	[OI	ne	S				
				5				

Article on page 68.

RF 10 POKE53280,0:POKE53281,0: DIM C\$(15):FORA=0TO15:RE ADB:C\$(A)=CHR\$(B):NEXT AE 20 A\$="THIS IS REALLY A GLO

	and the second s		
I LASS	AAA AFISTIN		fore.ca
VV 1	A AA . CO.	rhitioe	rure.ca

	WING [DOWN] [19 LEFT] DEMON			[2 RIGHT][2
	STRATION"	(()		[DOWN] [2 LEF" [2 SPACES]":
SH	30 A\$="{HOME}{11 DOWN} [8 RIGHT]"+A\$	1 Starting		RZB=1TO5:X=A
AP	40 PRINT" [CLR] [BLU]	3.77		80 :NEXT : RETU
	[10 DOWN]"SPC(6)"U*****	QG	200	IFQ=2THENFOR
an	50 PRINTSPC(6)"-"SPC(26)"-"			:X=ZB:GOSUB8 RN
Cr	:PRINTSPC(6) - SPC(26) -	KA	210	IFQ=3THENFOR
		and the second		A:Y=ZA:GOSUB
ХВ	60 PRINTSPC(6)"J************************************		224	URN FORZA=1T05:X
GG	70 FORA=1T015:PRINTC\$(A)A\$:	XQ	220	GOSUB80 :NEXT
00	NEXT	JC	230	POKE53269,Ø:
FR	80 FORA=15TO1STEP-1:PRINTC\$	AJ	240	=23:TX=4:GOS PRINT"[RVS][
KC	(A)A\$:NEXT:GOTO70 90 DATA 144,31,149,151,28,1	AU	240	{SPACE}FIRE
RC	29,156,154,152,150,30,15	164		LAY AGAIN"
	9,155,158,153,5	SH	250	IFPEEK(56320
-		DM	260	EK(56321)<>2 CLR:GOTO280
S	witcheroo			POKE783,0:PO
				KE782, TX:SYS
Ar	ticle on page 60.	GB	280	N PRINT" [HOME]
			200	5), AR(5,5):P
	BEFORE TYPING		200)=8:PL=1:F2=
	efore typing in programs, please	EA	290	MX(1)=Ø:MX(2 48:MX(8)=48:
	fer to "How To Type In			Y(2)=32:MY(4
	OMPUTE!'s GAZETTE Programs,"	FR	300	FORA=1TO5:FO
1 202.44	hich appears before the Program stings.	CP	310	A, B)=14:NEXT A\$="0[4 Y]P{
1	sungs.	-	510	(6 LEFT) BHT
				EN3 [DOWN] [6
AX	10 FORA=54272T054295:POKEA,			4 SPACES EN 6 LEFT LE4
	Ø:NEXT:POKE54296,47:POKE 54273,16:POKE54280,19			[3 UP]"
HP	20 POKE54277, 24: POKE54284, 2	XH	320	FORI=ØTO23:P
	4:POKE54295,20:POKE54291	1		{BLU}{39 SPA 3+(40*1)
FA	,25:POKE54287,5:GOSUB64Ø 3Ø GOTO28Ø	EB	33Ø	POKEM, 160 : PO
	40 JY=15-(PEEK(56320+PL*F2)			:NEXT:POKE20
	AND15):FR=PEEK(56320+PL*	00	340	56295,6 PRINT"[RVS][
MC	F2)AND16:IFFR=ØTHENJY=Ø 5Ø RETURN	0	540	[HOME] [7]":P
JF	60 WAIT56320+PL*F2,16,0:RET	GK	35Ø	FORX=1T05:PR
	URN			PC(5)A\$B\$A\$B :NEXTX:FORI=
PB	70 POKE53288,C1:POKE53289,C 2:RETURN	1.4.4		=1:NEXT
QD	80 TX=X*6-1:TY=Y*4-3:GOSUB2	QA	36Ø	POKE53250,12
	70:POKE646,C:PRINT"[RVS]			,228:POKE532 53253,228
YO	"A\$:RETURN 90 POKE54276,16:POKE54283,1	GF	370	GOSUB1 30 : POK
	6:POKE54276,17:POKE54283	1.2		POKE53249,12
	,17.	QF	200	,7 PL=-(PL=Ø):P
EF	100 FORA=1TO300:NEXT:POKE54 276,0:POKE54283,0:RETUR	Qr	300	*21PL: POKE54
	N	CM	39Ø	C1=PC(PL):C2
DR	110 POKE54280,19:FORB=50TO1			FL=1:POKE532 53249,129
	50STEP50:POKE54273,B:GO SUB90:NEXT:RETURN	HX	400	POKE53264,Ø:
BP	120 POKE54290,128:POKE54290			Y=4THENC1=PC
	,129:FORA=100TO200:POKE 54294,A:NEXT:RETURN	27.	410	L=1:GOSUB7Ø IFJY=8THENC1
DB	130 QT=0:X=0:Q=1:FORA=1TO5:	00	410):FL=2:GOSUE
	FORB=1TO5:X=X+AR(A,B):N		420	IFFR=16THEN4
	EXT:IFX=350RX=40THENGOS UB190	CA	430	GOSUB90:GOSU YP=129
GF	140 X=0:NEXT:Q=2:FORA=1T05:	HE	440	POKE53249,0:
	FORB=1T05:X=X+AR(B,A):N			XPAND256)/25
	EXT: IFX=350RX=40THENGOS UB190	10		,XPAND255:PC GOSUB40:T=XP
AJ	150 X=0:NEXT:Q=3:FORA=1TO5:	00	450	XP-MX(JY)*(T
	B=A:X=X+AR(A,B):NEXT:IF):T=YP+MY(JY
05	X=350RX=40THENGOSUB190 160 X=0:Q=4:F0RA=1T05:B=6-A	RK	460	YP=YP-MY(JY) 194):IFFR=16
20	:X=X+AR(A,B):NEXT:IFX=3	XG	470	GOSUB90:C=PC
	50RX=4ØTHENGOSUB19Ø			Ø:X=INT((XP-
PE BB	170 IFQTTHEN230 180 RETURN	OG	480	NT((YP-32)/3 IFFL=2THEN51
	190 QT=1:A\$="[OFF][DOWN]	QP		IFAR(X,Y) <>1
PD	100 gr 1000 (000) (Dona)			
PD				
PD				

GHT] [2 SPACES]		Suman	20:GOTO390
1]{2 LEFT]	GG	500	$OJ=\emptyset:AR(X,Y)=C:GOSUB8\emptyset:$
ACES ": IFQ=1THENFO			GOTO37Ø
TO5:X=A:Y=ZB:GOSUB	JS	510	GOSUB6Ø
EXT:RETURN	KR	52Ø	GOSUB40:IFFR=ØTHENGOSUB
THENFORZB=1TO5:Y=A		-	60:GOTO390
GOSUB80:NEXT:RETU	DP	53Ø	IF (JY+OJ=3ANDX=OX)OR(JY
			+OJ=12ANDY=OY)THENGOSUB
THENFORZA=1TO5:X=Z			120:GOTO390
A:GOSUB80:NEXT:RET	KR	54Ø	ONJYGOTO550,560,520,570
			,520,520,520,580:GOTO52
A=1T05:X=ZA:Y=6-ZA:			Ø
380 :NEXT : RETURN	AJ	55Ø	T=AR(X,1):FORA=1TO4:AR(
3269,Ø:GOSUB110:TY			X,A = AR(X,A+1) :NEXT:AR(
TX=4:GOSUB270			X,5)=T:GOTO59Ø
"[RVS][BLU] PRESS	SE	56Ø	T=AR(X,5):FORA=5TO2STEP
EFIRE BUTTON TO P			-1:AR(X,A)=AR(X,A-1):NE
AGAIN"			XT:AR(X,1)=T:GOTO590
EK(56320) <>111ANDPE	GK	57Ø	T=AR(1,Y):FORA=1TO4:AR(
5321) <> 239THEN250			A,Y)=AR(A+1,Y):NEXT:AR(
GOTO28Ø			5,Y)=T:GOTO600
783,0:POKE781,TY:PO	HJ	580	T=AR(5,Y):FORA=5TO2STEP
2,TX:SYS65520:RETUR			-1:AR(A,Y)=AR(A-1,Y):NE
, inibido5520 indion	1 25		XT:AR(1,Y)=T:GOTO600
"[HOME]";:DIM CL(2	HH	590	FORA=1TO5:Y=A:C=AR(X,A)
$R(5,5):PC(\emptyset)=7:PC(1)$		- 500 70	:GOSUB8Ø:NEXT:GOSUB610:
PL=1:F2=PEEK(828)	1		GOTO37Ø
$=\emptyset:MX(2)=\emptyset:MX(4)=-$	KP	600	FORA=1TO5:X=A:C=AR(X,Y)
K(8) = 48:MY(1) = -32:M			:GOSUB8Ø:NEXT:GOSUB61Ø:
=32:MY(4)=Ø:MY(8)=Ø	1.17		GOTO37Ø
=1T05:FORB=1T05:AR(GT	610	OJ=JY:OX=X:OY=Y:RETURN
=14:NEXTB, A:OJ=0	and the second sec	620	FORA=14336T014527 : READB
084 Y]P{DOWN}	Dr	020	:POKEA, B:NEXT:POKE53276
EFT] EH [4 SPACES]			,3:POKE53285,Ø
DOWN][6 LEFT][H]	MV	630	POKE53287,15:FORA=224TO
	MA	030	226:POKE1816+A, A:NEXT:R
PACES [N] [DOWN]			ETURN
EFT]LE4 P3@":B\$=" P]"	MO	640	POKE53281,1:POKE53280,6
=ØTO23:PRINT"[RVS]	riQ.	040	:PRINT"{CLR}";:A\$="O[Y]
139 SPACES]":M=106	1.20		P(DOWN) [3 LEFT] EN3
0*1)			TOOWN {3 LEFT] LEP] @":B\$
M, 160: POKEM+54272,6	111-		="{2 UP}"
	DC	650	FORI=ØTO23:PRINT"{RVS}
T:POKE2023,160:POKE	DC	050	[BLU][39 SPACES]":M=106
5,6			3+(40*I)
<pre>[RVS][39 SPACES] E][7]":POKE53281,1</pre>			The second se
	GQ	660	POKEM, 160: POKEM+54272,6
=1TO5:PRINT"[RVS]"S		10 · · ·	:NEXT:POKE2023,160:POKE
A\$B\$A\$B\$A\$B\$A\$B\$A\$B\$A\$	-		56295,6
TX:FORI=1T025:CL(I)	RG	670	PRINT"[RVS][39 SPACES]
EXT	-		[HOME]"
53250,126:POKE53251	MF	68Ø	
:POKE53252,223:POKE	16		":FORI=1T05:PRINTSPC(12
3,228);:FORZ=1TO5:PRINT"
B130:POKE53248,173:	1.000		[RVS]"A\$B\$;:NEXT
53249,129:POKE53269	AC	690	
			INT" [HOME] [11 DOWN]"SPC
(PL=Ø):POKE54273,16			(18)"[RVS][YEL]"A\$"
L: POKE54280, 19*21PL			[DOWN]E1]";:GOSUB90
C(PL):C2=3:GOSUB70:	XR	700	
:POKE53248,173:POKE			<pre>[11 UP][YEL]"A\$:GOSUB9Ø</pre>
9,129			:PRINTSPC(15)"[1][RVS]"
53264,Ø:GOSUB40:IFJ	- inco		A\$;
HENC1=PC(PL):C2=3:F	EB	710	GOSUB90:PRINT"[7 DOWN]
GOSUB7Ø			[6 LEFT] [YEL] "AS; : GOSUB
=8THENC1=3:C2=PC(PL	13.1		90:PRINT"[HOME][8 DOWN]
=2:GOSUB7Ø			[RVS][1]"SPC(24)A\$
=16THEN400	KQ	720	GOSUB90:PRINT"[3 DOWN]"
B90:GOSUB60:XP=173:	250		SPC(15)"[YEL][RVS]"AS;:
29	7 8		GOSUB90:PRINT" [11 UP]
53249,0:POKE53264,(-	[6 LEFT] [1]"A\$;
D256)/256:POKE53248	MA	730	GOSUB90:PRINTSPC(6)"
ND255:POKE53249,YP	1.000		[DOWN] [YEL] "A\$:GOSUB90:
B4Ø:T=XP+MX(JY):XP=	1-1-1		TX=25:TY=6:GOSUB27Ø:FOR
X(JY)*(T>76ANDT<27Ø			I=1T05
YP+MY(JY)	XX	740	
P-MY(JY)*(T>64ANDT<			";:NEXT:GOSUB110:PRINT"
:IFFR=16THEN44Ø	1.1		[HOME][2 DOWN]"SPC(10)"
B9Ø:C=PC(PL):GOSUB6			[RVS][BLU]S W I T C H E
INT((XP-26)/48):Y=I	in the		ROO"
YP-32)/32)	CF	750	GOSUB62Ø:TY=21:TX=16:GO
=2THEN51Ø			SUB270:PRINT"[BLU]1
(X,Y) <>14THENGOSUB1			[RVS] OR [OFF]2[2 DOWN]
		Ce.	CONDUCE! COMMON PROVIDE IN
		C-V	www.com modo re

TERM] [DUG] TOURSET ONE

		<pre>{7 LEFT } {RVS } JOYSTICKS {HOME }"</pre>
XG	76Ø	GETMT\$: IFMT\$ <> "1" ANDMT\$
		<>"2"THEN76Ø
EA	770	POKE828,VAL(MT\$)-1:RETU RN
хн	78Ø	DATA 0,0,0,0,0,0,0,0,0,0, 0,168,0,2,170,64,10,170
GB	79Ø	DATA 144,10,170,144,42,
m	800	170, 164, 42, 170, 164, 42
пр	800	DATA 170,164,42,170,164
xo	810	,42,170,164,10,170,144 DATA 10,170,144,2,170,6
~~~	010	4,0,168,0,0,0,0,0,0,0
CP	820	DATA 0,0,0,0,0,0,0,0,0,0
		0,170,170,160,170,170
PA	830	DATA 164,170,170,164,17
		0,170,164,170,170,164
CH	84Ø	DATA 170,170,164,170,17
	-	0,164,170,170,164,170
MF	.85Ø	DATA 170,164,170,170,16
	000	4,170,170,164,170,170
ER	860	DATA 164,170,170,164,17
CD	87Ø	Ø,170,164,170,170,164 DATA 170,170,164,170,17
38	870	Ø,164,170,170,164,170
GK	88Ø	DATA 170,164,21,85,84,0
0	000	,0,0,0,0,32,0,0,112,0
ХК	89Ø	DATA Ø,248,Ø,1,252,Ø,Ø,
		112,0,0,112,0,0,112,0
SC	900	DATA 16,0,64,48,0,96,12
		6,3,240,254,3,248,126
DX	91Ø	DATA 3,240,48,0,96,16,0
		,64,0,112,0,0,112,0,0
FS	920	DATA 112,0,1,252,0,0,24
		8,0,0,112,0,0,32,0,0

## Predictor

Article on page 58.

#### Program 1: Predictor—64 Version

			1.1
JD 1	IØ I	RINT" {CLR } {WHT }LOADING	
		SPACE ]ML":FORI=49152	
	7	CO49956:READA:POKEI,A:X=	
	>	(+A:NEXT	
XD :	20 1	LFX <>91612THENPRINT"ERRO	
	F	IN DATA. ":STOP	
EF (	3Ø 1	PRINT "[CLR]TYPE [RVS]SYS	
		9152[OFF] TO ACTIVATE."	
		END	
AX 4	40 I	DATA 76,221,192,127,128,	
	1	27,128,127,128,127	
EB S		DATA 128,127,128,127,128	1
		127,128,127,128,0	
KB (		DATA Ø,162,2,157,120,216	
		,157,160,216,202	
KE	7Ø I	DATA 16,247,96,162,2,157 157,216,157,197	
		,157,216,157,197	
KG I		DATA 216,202,16,247,96,1	
		52,2,157,248,218	
XJ		DATA 157,32,219,202,16,2	
		47,96,162,2,157	
AP	100	DATA 29,219,157,69,219,	
		202,16,247,96,169	
CH	110	DATA 0,141,4,212,169,33	
		,141,4,212,96	
MA	120	DATA 169,0,141,4,212,16	
		9,129,141,4,212	
EJ	130	DATA 96,162,2,24,189,19	1
		3,5,117,139,201	
MP	140	DATA 58,144,2,233,10,15	
		7,193,5,202,16	
MP	150	DATA 239,173,193,5,201,	
		49,240,1,96,24	
HB	16Ø	DATA 160,16,162,11,32,2	2
ОК		40,255,169,239,160	
	1/0	DATA 194,32,30,171,24,1	

cs	180	60,16,162,12,32 DATA 240,255,169,13,160
KE	190	,195,32,30,171,165 DATA 197,201,64,240,250
кх	200	,201,25,240,12,201 DATA 39,208,242,169,0,1
FK	210	41,145,2,133,198 DATA 0,104,76,221,192,1
PG	220	62,2,24,189,233
DE	230	44,2,233,10,157 DATA 233,5,202,16,239,1
KS	240	73,233,5,201,49 DATA 240,1,96,24,160,16
	250	,162,11,32,240
MP		DATA 255,169,253,160,19 4,32,30,171,76,134
DH	260	DATA 192,169,147,32,210 ,255,169,14,32,210
PS	270	5,2,169,0,141,32
AM	28Ø	DATA 208,141,33,208,133 ,251,133,252,133,139
FJ	290	DATA 133,140,169,1,133, 253,133,141,169,5
SG	300	DATA 162,0,157,0,216,15 7.0.217,157.0
QE	310	DATA 218,157,0,219,232, 208,241,169,99,162
RK	320	DATA 40,157,79,4,157,20 7,6,202,208,247
GH	330	DATA 169,100,162,40,157 ,199,4,157,71,7
BC	340	DATA 202,208,247,169,0,
KF	350	32,21,192,32,33 DATA 192,32,45,192,32,5
ES	360	7,192,169,160,162 DATA 2,157,120,4,157,15
MH	370	7,4,157,248,6 DATA 157,29,7,157,160,4
BA	380	,157,197,4,157 DATA 32,7,157,69,7,202,
FA	390	16,229,24,160 DATA 14,162,3,32,240,25
PH	400	5,169,154,160,194 DATA 32,30,171,24,160,1
EH	410	4,162,4,32,240 DATA 255,169,169,160,19
xc	420	4,32,30,171,24,160 DATA 14,162,19,32,240,2
00	430	55,169,182,160,194 DATA 32,30,171,24,160,1
	440	4,162,20,32,240 DATA 255,169,195,160,19
GG	450	4,32,30,171,24,160
		DATA Ø,162,11,32,240,25 5,169,209,160,194
	460	DATA 32,30,171,24,160,0 ,162,12,32,240
PP	470	DATA 255,169,224,160,19 4,32,30,171,162,25
RC	480	DATA 169,0,157,0,212,20 2,208,250,169,15
хн	490	DATA 141,24,212,169,79, 141,1,212,169,22
ХР	500	DATA 141,5,212,174,19,1 92,189,3,192,48
AJ	510	DATA 5,160,0,76,222,193 ,160,1,165,197
RB	520	DATA 201,64,208,8,162,2
SE	530	55,142,20,192,76 DATA 222,193,205,20,192
FK	540	,240,237,201,0,240 DATA 85,201,57,240,3,76
РМ	550	,222,193,141,20 DATA 192,174,19,192,222
AJ	560	,3,192,14,19,192 DATA 173,19,192,41,15,1
FJ	570	41,19,192,192,0 DATA 240,27,32,69,192,1
FK		69,0,32,33,192 DATA 32,45,192,169,2,32

,21,192,169,6 CG 590 DATA 32,57,192,32,91,19 2,76,207,193,32 QS 600 DATA 80,192,169,0,32,33 ,192,32,57,192 CK 610 DATA 169,2,32,21,192,16 9,6,32,45,192 MH 620 DATA 32,175,192,76,207, 193,141,20,192,174 PF 630 DATA 19,192,254,3,192,1 4,19,192,173,19 JH 640 DATA 192,41,15,73,1,141 ,19,192,192,1 JK 650 DATA 240,27,32,69,192,1 69,0,32,21,192 AF 660 DATA 32,57,192,169,2,32 ,33,192,169,6 JE 670 DATA 32,45,192,32,91,19 2,76,207,193,32 SP 680 DATA 80,192,169,0,32,21 192, 32, 45, 192 FK 690 DATA 169,2,32,33,192,16 9,6,32,57,192 JB 700 DATA 32,175,192,76,207, 193,18,30,32,160 JC 710 DATA 80,76,65,89,69,82, 39,83,160,160 GS 720 DATA 0,160,160,160,160, 77,79,86,69,160 EQ 730 DATA 160,160,160,0,160, 67,79,77,80,85 RF 740 DATA 84,69,82,39,83,160 ,0,160,80,82 HP 750 DATA 69,68,73,67,84,73, 79,78,160,146 SQ 760 DATA 0,18,80,76,65,89,6 9,82,160,160 MD 770 DATA 146,160,48,48,48,0 18,67,79,77 QS 780 DATA 80,85,84,69,82,146 ,32,48,48,48 HX 790 DATA 0,208,76,65,89,69, 82,32,87,73 DATA 78,83,45,45,0,195, QX 800 79,77,80,85 AP 810 DATA 84,69,82,32,87,73, 78,83,45,45 AD 820 DATA 0,193,78,79,84,72, 69,82,32,71 XA 830 DATA 65,77,69,32,40,18, 217,146,47,18 CM 840 DATA 206,146,41,63,0 Program 2: Predictor-Plus/4 and 16 Version FA 10 PRINT"{CLR}LOADING ML... ":POKE56,60:POKE55,200:C LR:FORI=15560T016380:REA DA AX 20 POKEI, A:X=X+A:NEXT:IFX <> 88190THENPRINT"ERROR IN [SPACE]DATA. ":STOP BJ 30 PRINT" [CLR] TYPE [RVS] SYS 15560[OFF] TO ACTIVATE." : END QB 40 DATA 76,207,61,127,128,1 27,128,127,128,127 EB 50 DATA 128,127,128,127,128 ,127,128,127,128,0 DC 60 DATA 0,162,2,157,120,8,1 57,160,8,202 AQ 70 DATA 16,247,96,162,2,157 ,157,8,157,197 AR 80 DATA 8,202,16,247,96,162 ,2,157,248,10 FH 90 DATA 157, 32, 11, 202, 16, 24 7,96,162,2,157 QA 100 DATA 29,11,157,69,11,20 2,16,247,96,169

AS 110 DATA 23,141,17,255,173, 18,255,41,252,9

🕻 www.commodore.ca

ES	120	DATA 3,141,18,255,169,2 ,141,14,255,160
СК	130	DATA 64,162,255,202,208 ,253,136,208,250,169
AH	140	DATA 16,141,17,255,96,1 69,23,141,17,255
AP	150	DATA 173,18,255,41,252, 9,2,141,18,255
SG	160	DATA 169,66,141,14,255, 76,33,61,162,2
QM	170	DATA 24,189,193,13,117, 159,201,58,144,2
GP	18Ø	DATA 233,10,157,193,13, 202,16,239,173,193
JA	190	DATA 13,201,49,240,1,96 ,24,160,16,162
BP	200	DATA 11,32,240,255,169, 199,160,63,32,136
PP	210	DATA 144,24,160,16,162, 12,32,240,255,169
EH	220	DATA 229,160,63,32,136, 144,173,246,7,201
CR	230	DATA 64,240,249,201,25, 240,16,201,39,208
QS	240	DATA 241,169,0,141,71,5 ,133,239,162,128
QR	25Ø	DATA 108,0,3,104,76,207 ,61,162,2,24
CJ	26Ø	DATA 189,233,13,117,3,2
XR	270	Ø1,58,144,2,233 DATA 10,157,233,13,202, 16,239,173,233,13
GM	28Ø	DATA 201,49,240,1,96,24,160,16,162,11
AD	29Ø	DATA 32,240,255,169,213 ,160,63,32,136,144
РК	300	DATA 76,115,61,169,147, 32,210,255,169,14
PF	310	DATA 32,210,255,169,0,1 41,71,5,141,21
JM	320	DATA 255,141,25,255,133 ,3,133,4,133,159
RQ	33Ø	DATA 133,160,169,1,133, 5,133,161,169,5
RC	340	DATA 162,0,157,0,8,157, 0,9,157,0
RB	350	DATA 10,157,0,11,232,20 8,241,169,99,162
·GP	36Ø	DATA 40,157,79,12,157,2 07,14,202,208,247
BR	370	DATA 169,100,162,40,157,199,12,157,71,15
ХJ	38Ø	DATA 202,208,247,169,0, 32,221,60,32,233
РВ	390	DATA 60,32,245,60,32,1, 61,169,160,162
РМ	400	DATA 2,157,120,12,157,1 57,12,157,248,14
ХМ	410	DATA 157,29,15,157,160, 12,157,197,12,157
CA	420	DATA 32,15,157,69,15,20 2,16,229,24,160
DD	43Ø	DATA 14,162,3,32,240,25 5,169,114,160,63
SM	440	DATA 32,136,144,24,160, 14,162,4,32,240
RM	450	DATA 255,169,129,160,63 ,32,136,144,24,160
DS	460	DATA 14,162,19,32,240,2 55,169,142,160,63
EA	470	DATA 32,136,144,24,160, 14,162,20,32,240
QK	480	DATA 255,169,155,160,63 ,32,136,144,24,160
SF	490	DATA Ø,162,11,32,240,25 5,169,169,160,63
FA	500	DATA 32,136,144,24,160, 0,162,12,32,240
RM	510	DATA 255,169,184,160,63 ,32,136,144,174,219
HG	520	

		,160,0,76,181
СК	530	DATA 62,160,1,173,246,7 ,201,64,208,8
BD	540	DATA 162,255,142,220,60
DF	55Ø	,76,181,62,205,220 DATA 60,240,236,201,0,2
FP	56Ø	40,85,201,52,240 DATA 3,76,181,62,141,22
JB	570	Ø,6Ø,174,219,6Ø DATA 222,2Ø3,6Ø,14,219,
MJ	58Ø	60,173,219,60,41 DATA 15,141,219,60,192,
QK	590	Ø,240,27,32,13 DATA 61,169,0,32,233,60
JB	600	,32,245,60,169 DATA 2,32,221,60,169,6,
JE	61ø	32,1,61,32 DATA 72,61,76,166,62,32
KR	620	,49,61,169,0 DATA 32,233,60,32,1,61,
PD	63Ø	169,2,32,221 DATA 60,169,6,32,245,60 ,32,161,61,76
BR	640	DATA 166,62,141,220,60, 174,219,60,254,203
мн	65Ø	DATA 60,14,219,60,173,2
FH	66Ø	19,60,41,15,73 DATA 1,141,219,60,192,1
FS	67Ø	,240,27,32,13 DATA 61,169,0,32,221,60 ,32,1,61,169
RD	68Ø	DATA 2,32,233,60,169,6, 32,245,60,32
КМ	690	DATA 72,61,76,166,62,32 ,49,61,169,0
JR	700	DATA 32,221,60,32,245,6 0,169,2,32,233
FJ	710	DATA 60,169,6,32,1,61,3 2,161,61,76
MA	720	DATA 166,62,18,30,32,16 0,80,76,65,89
MH	730	DATA 69,82,39,83,160,16 Ø,0,160,160,160
RG	740	DATA 160,77,79,86,69,16 Ø,160,160,160,0
вх	75Ø	DATA 160,67,79,77,80,85 ,84,69,82,39
QF	76Ø	DATA 83,160,0,160,80,82 ,69,68,73,67
QK	77Ø	DATA 84,73,79,78,160,14 6,0,18,80,76
JJ	78Ø	DATA 65,89,69,82,160,16 Ø,146,160,48,48
BP	79Ø	DATA 48,0,18,67,79,77,8 0,85,84,69
QS	800	DATA 82,146,32,48,48,48 ,0,208,76,65
RS	810	DATA 89,69,82,32,87,73, 78,83,45,45
MQ	820	DATA Ø,195,79,77,80,85,
FD	830	84,69,82,32 DATA 87,73,78,83,45,45,
MF	84Ø	Ø,193,78,79 DATA 84,72,69,82,32,71, 65,77,69,32
HE	85Ø	
		3,200,110,11,00,0
<b>D</b>		2. P
		am 3: Program Generator
101	VIC	Version
DS	10 1	PRINT"{CLR}{BLU}CREATING OBJECT FILE."
МΧ	20 1	HI=26:LO=236:OPEN2,8,2,"

- T:CLOSE2

HD		IFX <> 81314THENPRINT "ERRO
AD	5Ø	R IN DATA.":STOP PRINT"{CLR}TYPE:":PRINT"
		<pre>{RVS}LOAD {RVS}"CHR\$(34) "PREDICT.OBJ"CHR\$(34)",8</pre>
EP	60	,1{OFF}"; PRINT"& {RVS}SYS6892
CB		[OFF] TO RUN.":NEW DATA 76,211,27,127,128,1
		27,128,127,128,127
FH		DATA 128,127,128,127,128 ,127,128,127,128,0
AE	90	DATA Ø,162,2,157,44,150, 157,66,150,202
AS	100	7,63,150,157,85
JH	110	DATA 150,202,16,247,96, 162,2,157,162,151
KB	120	
XJ	130	
KA	14Ø	
MJ	150	DATA 253,136,208,250,16
sx	16Ø	
JB	170	
FA	180	
EG	190	
FF	200	
SX	210	Ø,255,169,202,160 DATA 29,32,30,203,24,16
RA	220	Ø,Ø,162,15,32 DATA 240,255,169,232,16
xQ	230	0,29,32,30,203,165
GQ	240	,201,11,240,12,201
RS	250	41,145,2,133,198
FE	260	2,2,24,189,251
		144,2,233,10,157
	270	173,251,30,201,49
нк	280	162,14,32,240
BP	290	DATA 255,169,216,160,29 ,32,30,203,76,124
BC	300	
CD	310	
BH	320	
XR	330	
CF	340	DATA Ø,157,0,150,157,0,
MG	350	
НJ	360	
нх	370	0,162,22,157,87,30
EE	380	,247,169,0,32,1
	398	27, 32, 37, 27
	400	44,30,157,63,30
	400	,31,157,66,30,157
		57,203,31,202,16
SF		,32,240,255,169
JK	430	DATA 117,160,29,32,30,2 03,24,160,5,162

C-www.commodore.ca

	XM	440	DATA 3,32,240,255,169,1
	HQ	450	32,160,29,32,30 DATA 203,24,160,5,162,1 9,32,240,255,169
2	DQ	46Ø	DATA 145,160,29,32,30,2 03,24,160,5,162
	СН	47Ø	DATA 20,32,240,255,169, 158,160,29,32,30
	BS	48Ø	DATA 203,24,160,0,162,1 0,32,240,255,169
	XE	490	DATA 172,160,29,32,30,2
	JJ	500	Ø3,24,160,0,162 DATA 11,32,240,255,169,
	RR	51Ø	187,160,29,32,30 DATA 203,169,15,141,14,
	XD	52Ø	144,174,255,26,189 DATA 239,26,48,5,160,0,
	хв	530	76,185,28,160 DATA 1,165,197,201,64,2
	EK	54Ø	Ø8,8,162,255,142 DATA Ø,27,76,185,28,205
	EQ	55Ø	,0,27,240,237 DATA 201,7,240,85,201,8
	JF	56Ø	,240,3,76,185 DATA 28,141,0,27,174,25 5,26,222,239,26
	сх	57Ø	DATA 14,255,26,173,255,
	FJ	58Ø	26,41,15,141,255 DATA 26,192,0,240,27,32
	SQ	59Ø	,49,27,169,0 DATA 32,13,27,32,25,27,
	HJ	600	169,2,32,1 DATA 27,169,6,32,37,27,
	EX	610	32,81,27,76 DATA 170,28,32,73,27,16
	GC	62Ø	9,0,32,13,27 DATA 32,37,27,169,2,32,
	SQ	63Ø	1,27,169,6 DATA 32,25,27,32,165,27
	GH	64Ø	,76,170,28,141 DATA 0,27,174,255,26,25
	QB	65Ø	4,239,26,14,255 DATA 26,173,255,26,41,1
	KS	660	5,73,1,141,255 DATA 26,192,1,240,27,32
	EB	67Ø	,49,27,169,0 DATA 32,1,27,32,37,27,1
	FM	68Ø	69,2,32,13 DATA 27,169,6,32,25,27,
	АА	690	32,81,27,76 DATA 170,28,32,73,27,16
	DC	700	9,0,32,1,27 DATA 32,25,27,169,2,32,
	СН	710	13,27,169,6 DATA 32,37,27,32,165,27
	FG	720	,76,170,28,18 DATA 30,160,160,80,76,6
	RD	730	5,89,69,82,39 DATA 83,160,160,0,160,1
	CE	740	60,160,160,77,79 DATA 86,69,160,160,160,
	вв	750	160,0,160,67,79 DATA 77,80,85,84,69,82,
	кх	760	39,83,160,0 DATA 160,80,82,69,68,73
	AD	770	,67,84,73,79 DATA 78,160,146,0,18,80
1	KP	780	,76,65,89,69 DATA 82,160,160,146,160
		790	,48,48,48,0,18 DATA 67,79,77,80,85,84,
		800	69,82,146,32 DATA 48,48,48,0,208,76,
		810	65,89,69,82 DATA 32,87,73,78,83,45,
		820	45,0,195,79 DATA 77,80,85,84,69,82,
		830	DATA 77,80,85,84,69,82, 32,87,73,78 DATA 83,45,45,0,193,78,
			79,84,72,69
	DE	84Ø	DATA 82,32,71,65,77,69, 32,40,18,217
1	06 0	COMPL	ITEI's Gazette June 1986

[WHT]PROGRAM ACTIVATED" KC 30 PRINT"CTRL/F[2 SPACES]SC REEN FINISHED": PRINT "CTR L/D{2 SPACES DONE WITH S CREENS":SYS49152:NEW RC 40 DATA 173,245,3,208,18,17 3,20 QH 50 DATA 3,141,212,2,173,21, PR 60 DATA 141,213,2,238,245,3 ,32 AX 70 DATA 223,3,160,2,169,214 ,32 GM 80 DATA 160,3,88,169,131,14 1,2 XJ 90 DATA 3,169,164,141,3,3,7 6 FQ 100 DATA 116,164,76,0,0,173 ,141 FH 110 DATA 2,201,4,208,246,16 5,197 CE 120 DATA 201,29,208,240,160 ,234,169 AP 130 DATA 49,32,160,3,88,169 .193 MJ 140 DATA 141,24,3,173,2,221 ,9 EH 150 DATA 3,141,2,221,173,21 ,208,72,76 HR 160 DATA 52,3,169,0,141,21, 208,169,197 CP 170 DATA 141,0,221,173,32,2 08,72 SX 180 DATA 173,134,2,32,205,3 ,76 AA 190 DATA 79,3,24,32,168,3,3 KM 200 DATA 193,3,76,89,3,56,7 6 GP 210 DATA 76,3,238,32,208,16 5,197 HF 220 DATA 201,64,208,247,238 ,32,208 BF 230 DATA 173,141,2,201,4,20 8,246 FR 240 DATA 165,197,201,2,240, 217,201 QA 250 DATA 7,240,223,201,0,20 8,232 MH 260 DATA 169,63,141,2,221,1 69,199 JK 270 DATA 141,0,221,169,21,1 41,24 KH 280 DATA 208,104,141,32,208

RR 850 DATA 146,47,18,206,146,

**Power BASIC: Help** 

BEFORE TYPING ... Before typing in programs, please refer to "How To Type In

COMPUTEI's GAZETTE Programs," which appears before the Program

Program 1: Help Screens—64

41,63,0

Screens

Listings.

Version

Article on page 76.

PC	204	,104,141
RC	290	DATA 21,208,160,2,169,2 14,32
AP	300	DATA 160,3,169,71,141,2 4,3
CQ	310	DATA 76,211,2,120,141,2 Ø,3
CQ	320	DATA 140,21,3,96,173,24 6,3
AE	330	DATA 176,10,105,16,208, 2,169
QD	340	DATA 128,141,246,3,96,2 33,16
RH	350	DATA 201,128,176,246,16 9,240,144
MA	36Ø	DATA 242,173,24,208,41, 15,13
ΗX	37Ø	DATA 246,3,141,24,208,9 6,162
BR	38Ø	DATA 0,157,0,216,157,25 5,216
HF	39Ø	DATA 157,254,217,157,25 3,218,232
МН	400	DATA 208,241,96,169,1,1 62,8
RF	410	DATA 168,32,186,255,169 ,2,162
XJ	420	DATA 247,160,3,32,189,2 55,169
SX	430	DATA Ø,76,213,255,Ø,128 ,72,83
QB	440	DATA 169,17,160,192,32,
QX	450	201,192 DATA 88,169,193,141,24, 3,96
SS	46Ø	DATA 76,49,234,173,141,
XF	47Ø	2,201 DATA 4,208,246,165,197,
RR	480	201,18 DATA 240,71,201,21,208, 236,32
JX	490	DATA 209,192,32,197,192 ,88,169
RG	500	DATA Ø,133,95,169,4,133
MC	51Ø	DATA 169,232,133,90,169 ,7,133
HC	52Ø	DATA 91,173,244,192,133 ,88,173
GP	53Ø	DATA 245,192,133,89,32, 191,163
PF	540	DATA 238,32,208,162,0,3 2,179
QG	55Ø	DATA 238,232,208,250,20
MS	56Ø	6,32,208 DATA 173,231,192,201,8,
нк	57Ø	240,10 DATA 169,17,160,192,32,
EG	58Ø	201,192 DATA 76,14,192,32,197,1 92,88
QS	59Ø	DATA 169,167,141,2,3,13 3,253
GE	600	DATA 169,2,141,3,3,133, 254
QJ	610	DATA 32,222,192,169,10, 162,232
QD	620	DATA 160,192,32,189,255 ,162,250
EX	63Ø	DATA 160,3,169,253,32,2 16,255
CF	64Ø	DATA 32,222,192,169,2,1 62,242
PE	650	DATA 160,192,32,189,255 ,169,0
MF	66Ø	DATA 133,253,169,160,13 3,254,165
HQ	67Ø	DATA 1,41,254,133,1,169 ,253
QE	68Ø	DATA 162,255,160,191,32 ,216,255
SD	690	DATA 169,71,141,24,3,16
	-W	/ww.commodore
	9,131	
-----	---------------------------------	
700	DATA 141,2,3,169,164,14	
	1,3	
710	DATA 3,165,1,9,1,133,1	
720	DATA 96,169,49,160,234,	
	120,141	
730	DATA 20,3,140,21,3,96,1	
	73	
740	DATA 245,192,24,105,4,1	
	41,245	
75Ø	DATA 192,238,231,192,96	
	,169,1	
760	DATA 162,8,160,1,76,186	
	,255	
	71Ø 72Ø 73Ø 74Ø 75Ø	

- SH 770 DATA 0,72,69,76,80,69,8 2
- CF 780 DATA 46,69,88,69,72,83, 232,159

#### Program 2: Help Screens—128 Version

FE	10 PI	RINT "LOADING DATA"
AF		OR I=3072 TO 3249:READ
		SPACE JA: POKE I, A:NEXT
BG		OR I=5632 TO 6045:READ
20		SPACE JA: POKE I, A:NEXT
JH		SAVE "HELPER.EXE", P5632
•	1000	ro P6046
EM		RINT "INSTALLING HELP S
Divi		REEN MAKER":SYS3072
KC		ND
BR	3072	DATA173,60,3,141,33,12
BR	3012	
VD	2000	,173,61
XD	3080	DATA3,141,34,12,169,28
wo	2000	,141,60
XD	3088	DATA3,169,12,141,61,3,
	2000	169,192
KE	3096	DATA141,76,12,96,192,7
		6,240,3
KA	3104	DATA76,255,255,224,1,2
-		40,79,224
BD	3112	DATA0,208,245,173,41,1
	an mare	0,164,236
QD	3120	DATA145,224,169,4,141,
	-	73,12,162
SF	3128	DATAØ,120,173,6,213,9,
		3,141
BP	3136	DATA6,213,169,127,141,
		0,255,189
JG	3144	DATAØ,4,157,0,192,232,
		208,247
XQ	3152	DATA238,73,12,238,76,1
		2,173,73
XE	3160	DATA12,201,8,208,234,1
		69,0,141
MD	3168	DATAØ,255,173,6,213,41
		,252,141
SK	3176	DATA6,213,88,238,32,20
	01.0	8,173,76
HR	3184	DATA12,201,224,240,1,9
пк	5104	C 160 1
OM	3192	6,169,1
QM	3192	DATA162,0,32,104,255,1
	2000	69,0,162
SH	3200	DATA8,168,32,186,255,1
~	2000	69,4,162
CM	32Ø8	DATA174,160,12,32,189,
Sec. 1		255,169,0
JS	3216	DATA133,253,169,192,13
		3,254,169,253
ХК	3224	DATA162,255,160,223,32
		,216,255,120
QD	3232	DATA173,33,12,141,60,3
- Alexandre		,173,34
GX	3240	DATA12,141,61,3,88,96,
		48,58
XQ	3248	DATA72,83
KH	5632	DATA169,0,141,0,255,17
SILLER.		3,6,213
BJ	5640	DATA9, 3, 141, 6, 213, 169,
		79,141

AC 5656 DATAØ,224,232,208,247, 238,22,22 QA 5664 DATA238,25,22,173,22,2 2,201,224 JE 5672 DATA208,234,169,0,141, 0,255,173 RR 5680 DATA6,213,41,252,141,6 ,213,169 CJ 5688 DATA1,162,0,32,104,255 ,169,1 CC 5696 DATA162,8,160,0,32,186 ,255,169 MH 5704 DATA2,162,119,160,22,3 2,189,255 XS 5712 DATA169,0,162,0,160,19 2,32,213 EP 5720 DATA255,169,192,133,58 ,32,129,175 MB 5728 DATA73,60,3,141,131,2 2,173,61 PC 5736 DATA3,141,132,22,169,1 26,141,60 FM 5744 DATA3,169,22,141,61,3, 96,72 SM 5752 DATA83,8,0,216,0,240,2 01,132 QX 5760 DATA51,141,24,3,173,25 ,3,72 RG 5784 DATA60,3,120,173,24,3, 72,169 EH 5776 DATA51,141,24,3,173,25 ,3,72 RG 5784 DATA69,0,133,216,165, 217,72,169 KB 5800 DATA4,133,217,173,44,1 0,72,173 PR 5808 DATA12,22,141,44,10,1 73,22,208 SX 5816 DATA72,169,0,141,21,20 8,173,33 HF 5824 DATA208,72,169,0,141,2,22 1,173 BR 5832 DATA2,221,9,3,141,2,22 1,173 BR 5832 DATA2,221,9,3,141,2,22 1,173 BR 5832 DATA2,221,72,41,252,9, 0,141 HS 5848 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,73,6,213,72 ,208,250,165 AX 5872 DATA2,221,93,141,2,22 1,173 MX 5840 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,165,212,201,84,240 MQ 5880 DATA7,201,84,208,242,1 G 5920 DATA169,162,21,73,6,213,93, 141,6 GR 5920 DATA169,208,249,165,12 3,201,216,208 HR 5944 DATA233,169,112,141,0,15,220,1 C 5904 DATA86,208,249,165,12 3,201,216,208 HR 5944 DATA233,169,112,141,0,25	MJ	5648	DATAØ,255,162,Ø,189,Ø, 208,157
<ul> <li>QA 5664 DATA238,25,22,173,22,2 2,201,224</li> <li>JE 5672 DATA208,234,169,0,141, 0,255,173</li> <li>RR 5680 DATA6,213,41,252,141,6 ,213,169</li> <li>CJ 5688 DATA1,162,0,32,104,255 ,169,1</li> <li>CC 5696 DATA162,8,160,0,32,186 ,255,169</li> <li>MH 5704 DATA2,162,119,160,22,3 2,189,255</li> <li>XS 5712 DATA169,0,162,0,160,19 2,32,213</li> <li>EP 5720 DATA255,169,192,133,58 ,32,129,175</li> <li>MB 5728 DATA1,169,0,3,141,131,2 2,173,61</li> <li>PC 5736 DATA3,141,132,22,169,1 26,141,60</li> <li>FM 5744 DATA3,169,22,141,61,3, 96,72</li> <li>SM 5752 DATA83,8,0,216,0,240,2 01,132</li> <li>QX 5760 DATA240,3,76,255,255,1 69,118,141</li> <li>XH 5768 DATA61,31,120,173,24,3, 72,169</li> <li>EH 5776 DATA51,141,24,3,173,25 ,3,72</li> <li>RG 5784 DATA169,0,133,216,165, 217,72,169</li> <li>EH 5776 DATA51,141,24,3,173,24,3, 72,169</li> <li>EH 5776 DATA51,141,24,3,173,24,3, 72,169</li> <li>KB 5800 DATA4,133,217,173,44,1 0,72,173</li> <li>PR 5808 DATA121,22,141,44,10,1 73,21,208</li> <li>SX 5816 DATA72,169,0,141,21,20 8,173,33</li> <li>HF 5824 DATA0,221,72,41,252,9, 0,141</li> <li>HS 5848 DATA0,221,72,41,252,9, 0,240,44</li> <li>XE 5888 DATA169,16,241,09,44,1</li> <li>G 5920 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA86,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA169,16,24,109,44,1</li> <li>G 5926 DATA196,123,198,125,17</li> <li>T,124,145,122</li> <li>FG 5936 DATA200,208,249,165,12</li> <li>G 5928 DATA199,123,198,125,17</li> <li>FG 5936 DATA203,208,249,165,12</li> <li>G 5928 DATA123,169,0121,141,0,25</li> <li>FG 5936 DATA204,208,242,165,12</li> <li>G 5944 DATA239,169,0141,0,25</li> </ul>	AC	5656	DATAØ,224,232,208,247,
JE 5672 DATA208,234,169,0,141,	QA	5664	DATA238,25,22,173,22,2
<ul> <li>RR 5680 DATA6,213,41,252,141,6 ,213,169</li> <li>CJ 5688 DATA1,162,0,32,104,255 ,169,1</li> <li>CC 5696 DATA162,8,160,0,32,186 ,255,169</li> <li>MH 5704 DATA2,162,119,160,22,3 2,189,255</li> <li>XS 5712 DATA169,0,162,0,160,19 2,32,213</li> <li>EP 5720 DATA255,169,192,133,58 ,32,129,175</li> <li>MB 5728 DATA173,60,3,141,131,2 2,173,61</li> <li>PC 5736 DATA3,141,132,22,169,1 26,141,60</li> <li>FM 5744 DATA3,169,22,141,61,3, 96,72</li> <li>SM 5752 DATA83,8,0,216,0,240,2 01,132</li> <li>QX 5760 DATA240,3,76,255,255,1 69,118,141</li> <li>XH 5768 DATA51,141,24,3,173,24,3, 72,169</li> <li>EH 5776 DATA51,141,24,3,173,25, 3,72</li> <li>RG 5784 DATA169,255,141,25,3,1 65,216,72</li> <li>GG 5792 DATA169,0,133,216,165, 217,72,169</li> <li>KB 5800 DATA4,133,217,173,44,1 0,72,173</li> <li>PR 5808 DATA121,22,141,44,10,1 73,21,208</li> <li>SX 5816 DATA72,169,0,141,21,20 8,173,33</li> <li>HF 5824 DATA208,72,169,0,141,3 3,208,173</li> <li>BR 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>MX 5840 DATA0,221,77,41,252,9, 0,141</li> <li>HS 5848 DATA0,221,77,41,252,9, 0,141</li> <li>HS 5848 DATA0,221,77,41,252,9, 0,414</li> <li>HS 5848 DATA0,221,77,41,252,9, 0,414</li> <li>KB 5872 DATA2,221,9,3,141,2,22</li> <li>KG 5864 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA218,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 0,41,127</li> <li>MK 5896 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA213,173,6,213,93, 141,6</li> <li>GR 5920 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5924 DATA188,208,250,120,169</li> <li>PC 5928 DATA198,123,198,125,17</li> <li>F,25,160,0</li> <li>PG 5928 DATA123,169,112,141,00,</li> <li>S55,160,0</li> <li>PG 5928 DATA123,169,112,141,00,</li> <li>S55,160,0</li> <li>PG 5928 DATA123,169,112,141,00,</li> <li>S55,160,0</li> <li>PG 5928 DATA123,169,112,141,00,</li> <li>S544 DATA239,169,0141,0,25</li> </ul>	JE	5672	DATA208,234,169,0,141,
CJ 5688 DATA1,162,0,32,104,255 ,169,1 CC 5696 DATA162,8,160,0,32,186 ,255,169 MH 5704 DATA2,162,119,160,22,3 2,189,255 XS 5712 DATA169,0,162,0,160,19 2,32,213 EP 5720 DATA255,169,192,133,58 ,32,129,175 MB 5728 DATA173,60,3,141,131,2 2,173,61 PC 5736 DATA3,141,132,22,169,1 26,141,60 FM 5744 DATA3,169,22,141,61,3, 96,72 SM 5752 DATA83,8,0,216,0,240,2 01,132 QX 5760 DATA240,3,76,255,255,1 69,118,141 XH 5768 DATA60,3,120,173,24,3, 72,169 EH 5776 DATA51,141,24,3,173,25 ,3,72 RG 5784 DATA169,255,141,25,3,1 65,216,72 GG 5792 DATA169,0,133,216,165, 217,72,169 KB 5800 DATA4,133,217,173,44,1 0,72,173 PR 5808 DATA12,122,141,44,10,1 73,21,208 SX 5816 DATA72,169,0,141,21,20 8,173,33 HF 5824 DATA60,72,169,0,141,21,20 8,173,33 HF 5824 DATA60,221,72,41,252,9, 0,141 HS 5848 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,72,41,252,9, 0,21,41,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 K 5896 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 K 5896 DATA7,201,84,208,242,1 67 5928 DATA123,169,112,141,0, 67 5928 DATA123,169,112,141,0, 5936 DATA239,169,0141,0,25 FG 5936 DATA239,169,0141,0,25	RR	568Ø	DATA6,213,41,252,141,6
CC 5696 DATA162,8,160,0,32,186 ,255,169 MH 5704 DATA2,162,119,160,22,3 2,189,255 XS 5712 DATA169,0,162,0,160,19 2,32,213 EP 5720 DATA255,169,192,133,58 ,32,129,175 MB 5728 DATA173,60,3,141,131,2 2,173,61 PC 5736 DATA3,169,22,141,61,3, 96,72 SM 5752 DATA83,80,216,0,240,2 01,132 QX 5760 DATA240,3,76,255,255,1 69,118,141 XH 5768 DATA60,3,120,173,24,3, 72,169 EH 5776 DATA51,141,24,3,173,25 ,3,72 RG 5784 DATA169,255,141,25,3,1 65,216,72 GG 5792 DATA169,0,133,216,165, 217,72,169 KB 5800 DATA4,133,217,173,44,1 0,72,173 PR 5808 DATA121,22,141,44,10,1 73,21,208 SX 5816 DATA240,72,169,0,141,21,20 8,173,33 HF 5824 DATA268,72,169,0,141,21,20 8,173,33 HF 5824 DATA208,72,169,0,141,2,22 1,173 RR 5832 DATA2,221,9,3,141,2,22 1,173 MX 5840 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,173,6,213,72 ,41,63 HX 5856 DATA72,169,0,141,2,32, 108,23 KG 5864 DATA88,165,212,201,88, 208,250,165 AX 5872 DATA188,165,212,201,88, 208,250,165 AX 5872 DATA141,44,10,16,220,1 69,240,44 XE 5888 DATA12,221,0,4,240,24, 201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA16,16,24,109,44,1 0,41,127 MK 5896 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA121,23,198,125,17 7,124,145,122 FG 5936 DATA208,723,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA208,208,249,165,12 3,201,216,208 HR 5944 DATA208,00,141,0,25	CJ	5688	DATA1,162,0,32,104,255
<pre>MH 5704 DATA2,162,119,160,22,3</pre>	сс	5696	DATA162,8,160,0,32,186
<ul> <li>XS 5712 DATA169,0,162,0,160,19 2,32,213</li> <li>EP 5720 DATA255,169,192,133,58 ,32,129,175</li> <li>MB 5728 DATA173,60,3,141,131,2 2,173,61</li> <li>PC 5736 DATA3,141,132,22,169,1 26,141,60</li> <li>FM 5744 DATA3,169,22,141,61,3, 96,72</li> <li>SM 5752 DATA83,8,0,216,0,240,2 01,132</li> <li>QX 5760 DATA240,3,76,255,255,1 69,118,141</li> <li>XH 5768 DATA60,3,120,173,24,3, 72,169</li> <li>EH 5776 DATA51,141,24,3,173,25 ,3,72</li> <li>RG 5784 DATA169,255,141,25,3,1 65,216,72</li> <li>GG 5792 DATA169,0,133,216,165, 217,72,169</li> <li>KB 5800 DATA4,133,217,173,44,1 0,72,173</li> <li>PR 5808 DATA121,22,141,44,10,1 73,21,208</li> <li>SX 5816 DATA208,72,169,0,141,21,20 8,173,33</li> <li>HF 5824 DATA0,221,72,41,252,9, 0,141</li> <li>HS 5840 DATA0,221,72,41,252,9, 0,141</li> <li>HS 5856 DATA0,221,72,41,252,9, 0,141</li> <li>HS 5856 DATA8,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA68,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA8,165,212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA121,2,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA121,2,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA69,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA123,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA239,169,12,141,0, 255,160,0</li> <li>PG 5928 DATA123,173,6,213,9,3, 141,6</li> <li>RF 5924 DATA239,169,12,141,0, 255,160,0</li> <li>PG 5928 DATA123,173,6,213,9,3, 141,6</li> <li>RF 5920 DATA239,169,0,141,0,25</li> <li>MA 200,208,249,165,12</li> <li>MA 239,169,0,141,0,25</li> </ul>	MH	5704	DATA2,162,119,160,22,3
<pre>EP 5720 DATA255,169,192,133,58</pre>	xs	5712	DATA169,0,162,0,160,19
<ul> <li>MB 5728 DATA173,60,3,141,131,2 2,173,61</li> <li>PC 5736 DATA3,141,132,22,169,1 26,141,60</li> <li>FM 5744 DATA3,169,22,141,61,3, 96,72</li> <li>SM 5752 DATA83,8,0,216,0,240,2 01,132</li> <li>QX 5760 DATA240,3,76,255,255,1 69,118,141</li> <li>XH 5768 DATA60,3,120,173,24,3, 72,169</li> <li>EH 5776 DATA51,141,24,3,173,25, 3,72</li> <li>RG 5784 DATA169,0,133,216,165, 217,72,169</li> <li>KB 5800 DATA4,133,217,173,44,1 0,72,173</li> <li>PR 5808 DATA121,22,141,44,10,1 73,21,208</li> <li>SX 5816 DATA208,72,169,0,141,21,20 8,173,33</li> <li>HF 5824 DATA208,72,169,0,141,21,20 8,173,33</li> <li>RF 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>DX 5840 DATA0,221,72,41,252,9, 0,141</li> <li>HS 5848 DATA0,221,173,6,213,72, 41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA122,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA123,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA213,169,112,141,0, 255,160,0</li> <li>PG 5928 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA209,208,249,165,12 3,201,216,208</li> <li>HR 5944 DATA239,169,0,141,0,25</li> </ul>	EP	5720	DATA255,169,192,133,58
PC 5736 DATA3,141,132,22,169,1 26,141,60 FM 5744 DATA3,169,22,141,61,3, 96,72 SM 5752 DATA83,8,0,216,0,240,2 Ø1,132 QX 5760 DATA240,3,76,255,255,1 69,118,141 XH 5768 DATA60,3,120,173,24,3, 72,169 EH 5776 DATA51,141,24,3,173,25 ,3,72 RG 5784 DATA169,255,141,25,3,1 65,216,72 GG 5792 DATA169,0,133,216,165, 217,72,169 KB 5800 DATA4,133,217,173,44,1 Ø,72,173 PR 5808 DATA121,22,141,44,10,1 73,21,208 SX 5816 DATA72,169,0,141,21,20 8,173,33 HF 5824 DATA208,72,169,0,141,3 3,208,173 BR 5832 DATA2,221,9,3,141,2,22 1,173 MX 5840 DATA0,221,72,41,252,9, Ø,141 HS 5848 DATA0,221,72,41,252,9, Ø,141 HS 5848 DATA0,221,173,6,213,72 ,41,63 HX 5856 DATA9,67,141,6,213,32, 108,23 KG 5864 DATA212,201,64,240,24, 201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 Ø,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA239,169,01,141,0,25 HR 5944 DATA239,169,01,141,0,25	мв	5728	DATA173,60,3,141,131,2
<pre>FM 5744 DATA3,169,22,141,61,3, 96,72 SM 5752 DATA83,8,0,216,0,240,2 01,132 QX 5760 DATA240,3,76,255,255,1 69,118,141 XH 5768 DATA60,3,120,173,24,3, 72,169 EH 5776 DATA51,141,24,3,173,25 ,3,72 RG 5784 DATA169,255,141,25,3,1 65,216,72 GG 5792 DATA169,0,133,216,165, 217,72,169 KB 5800 DATA4,133,217,173,44,1 0,72,173 PR 5808 DATA121,22,141,44,10,1 73,21,208 SX 5816 DATA72,169,0,141,21,20 8,173,33 HF 5824 DATA208,72,169,0,141,3 3,208,173 BR 5832 DATA2,221,9,3,141,2,22 1,173 MX 5840 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,173,6,213,72 ,41,63 HX 5856 DATA9,67,141,6,213,32, 108,23 KG 5864 DATA88,165,212,201,88, 208,250,165 AX 5872 DATA20,67,141,6,213,32, 108,23 KG 5864 DATA88,165,212,201,88, 208,250,165 AX 5872 DATA212,201,64,240,24, 201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA239,169,0,141,0,25 </pre>	PC	5736	DATA3,141,132,22,169,1
<pre>SM 5752 DATAB3,8,0,216,0,240,2 01,132 QX 5760 DATA240,3,76,255,255,1 69,118,141 XH 5768 DATA60,3,120,173,24,3, 72,169 EH 5776 DATA51,141,24,3,173,25, ,3,72 RG 5784 DATA169,255,141,25,3,1 65,216,72 GG 5792 DATA169,0,133,216,165, 217,72,169 KB 5800 DATA4,133,217,173,44,1 0,72,173 PR 5808 DATA121,22,141,44,10,1 73,21,208 SX 5816 DATA72,169,0,141,21,20 8,173,33 HF 5824 DATA208,72,169,0,141,3 3,208,173 BR 5832 DATA2,221,9,3,141,2,22 1,173 MX 5840 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,173,6,213,72 ,41,63 HX 5856 DATA9,67,141,6,213,32, 108,23 KG 5864 DATA88,165,212,201,88, 208,250,165 AX 5872 DATA212,201,64,240,24, 201,83,240 MQ 5880 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA14,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA239,169,0,141,0,25 </pre>	FM	5744	DATA3,169,22,141,61,3,
<pre>QX 5760 DATA240,3,76,255,255,1 69,118,141 XH 5768 DATA60,3,120,173,24,3, 72,169 EH 5776 DATA51,141,24,3,173,25 ,3,72 RG 5784 DATA169,255,141,25,3,1 65,216,72 GG 5792 DATA169,0,133,216,165, 217,72,169 KB 5800 DATA4,133,217,173,44,1 0,72,173 PR 5808 DATA121,22,141,44,10,1 73,21,208 SX 5816 DATA72,169,0,141,21,20 8,173,33 HF 5824 DATA208,72,169,0,141,3 3,208,173 BR 5832 DATA2,221,9,3,141,2,22 1,173 MX 5840 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,73,6,213,72, 41,63 HX 5856 DATA9,67,141,6,213,32, 108,23 KG 5864 DATA88,165,212,201,88, 208,250,165 AX 5872 DATA212,201,64,240,24, 201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA239,169,0,141,0,25</pre>	SM	5752	DATA83,8,0,216,0,240,2
<ul> <li>XH 5768 DATA60,3,120,173,24,3, 72,169</li> <li>EH 5776 DATA51,141,24,3,173,25, 3,72</li> <li>RG 5784 DATA169,255,141,25,3,1 65,216,72</li> <li>GG 5792 DATA169,0,133,216,165, 217,72,169</li> <li>KB 5800 DATA4,133,217,173,44,1</li> <li>Ø,72,173</li> <li>PR 5808 DATA121,22,141,44,10,1 73,21,208</li> <li>SX 5816 DATA72,169,0,141,21,20 8,173,33</li> <li>HF 5824 DATA208,72,169,0,141,3 3,208,173</li> <li>BR 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>MX 5840 DATA0,221,173,6,213,72 ,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA88,208,250,120,169 ,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA213,169,112,141,0, 255,160,0</li> <li>PG 5928 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA209,169,0,141,0,25</li> <li>FG 5944 DATA209,169,0,141,0,25</li> </ul>	QX	576Ø	DATA240,3,76,255,255,1
<ul> <li>EH 5776 DATA51,141,24,3,173,25 ,3,72</li> <li>RG 5784 DATA169,255,141,25,3,1 65,216,72</li> <li>GG 5792 DATA169,0,133,216,165, 217,72,169</li> <li>KB 5800 DATA4,133,217,173,44,1 0,72,173</li> <li>PR 5808 DATA121,22,141,44,10,1 73,21,208</li> <li>SX 5816 DATA72,169,0,141,21,20 8,173,33</li> <li>HF 5824 DATA208,72,169,0,141,3 3,208,173</li> <li>BR 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>MX 5840 DATA0,221,72,41,252,9, 0,141</li> <li>HS 5848 DATA0,221,173,6,213,72 ,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA88,208,250,120,169 ,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA200,208,249,165,12 3,201,216,208</li> <li>HR 5944 DATA209,169,0,141,0,25</li> </ul>	хн	5768	DATA60,3,120,173,24,3,
RG       5784       DATA169,255,141,25,3,1 65,216,72         GG       5792       DATA169,0,133,216,165, 217,72,169         KB       5800       DATA4,133,217,173,44,1 0,72,173         PR       5808       DATA121,22,141,44,10,1 73,21,208         SX       5816       DATA72,169,0,141,21,20 8,173,33         HF       5824       DATA208,72,169,0,141,3 3,208,173         BR       5832       DATA2,221,9,3,141,2,22 1,173         MX       5840       DATA0,221,72,41,252,9, 0,141         HS       5848       DATA0,221,72,41,6,213,32, 108,23         KG       5864       DATA88,165,212,201,88, 208,250,165         AX       5872       DATA212,201,64,240,24, 201,83,240         MQ       5880       DATA7,201,84,208,242,1         G9,240,44       XE       5880         XE       5880       DATA14,4,10,16,220,1         65,212,201       K       5904         KC	EH	5776	DATA51,141,24,3,173,25
<pre>GG 5792 DATA169,0,133,216,165,</pre>	RG	5784	DATA169,255,141,25,3,1
<ul> <li>KB 5800 DATA4,133,217,173,44,1 Ø,72,173</li> <li>PR 5808 DATA121,22,141,44,10,1 73,21,208</li> <li>SX 5816 DATA72,169,Ø,141,21,20 8,173,33</li> <li>HF 5824 DATA208,72,169,Ø,141,3 3,208,173</li> <li>BR 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>MX 5840 DATA0,221,72,41,252,9, Ø,141</li> <li>HS 5848 DATA0,221,173,6,213,72 ,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 Ø,41,127</li> <li>MK 5896 DATA48,208,250,120,169 ,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA209,208,249,165,122 3,201,216,208</li> <li>HR 5944 DATA239,169,0,141,0,255</li> </ul>	GG	5792	DATA169,0,133,216,165,
PR 5808 DATA121,22,141,44,10,1 73,21,208 SX 5816 DATA72,169,0,141,21,20 8,173,33 HF 5824 DATA208,72,169,0,141,3 3,208,173 BR 5832 DATA2,221,9,3,141,2,22 1,173 MX 5840 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,72,41,252,9, 0,141 HS 5848 DATA0,221,73,6,213,72, 41,63 HX 5856 DATA9,67,141,6,213,32, 108,23 KG 5864 DATA88,165,212,201,88, 208,250,165 AX 5872 DATA212,201,64,240,24, 201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169, 22,141,7 EB 5912 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA209,169,0,141,0,25	КВ	5800	217,72,169 DATA4,133,217,173,44,1
<ul> <li>SX 5816 DATA72,169,Ø,141,21,2Ø 8,173,33</li> <li>HF 5824 DATA2Ø8,72,169,Ø,141,3 3,2Ø8,173</li> <li>BR 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>MX 584Ø DATAØ,221,72,41,252,9, Ø,141</li> <li>HS 5848 DATAØ,221,173,6,213,72, 41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 1Ø8,23</li> <li>KG 5864 DATA88,165,212,2Ø1,88, 2Ø8,25Ø,165</li> <li>AX 5872 DATA212,2Ø1,64,24Ø,24, 2Ø1,83,24Ø</li> <li>MQ 588Ø DATA7,201,84,2Ø8,242,1 69,24Ø,44</li> <li>XE 5888 DATA169,16,24,1Ø9,44,1 Ø,41,127</li> <li>MK 5896 DATA88,208,25Ø,12Ø,169, 22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 592Ø DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA239,169,0,141,Ø,25</li> </ul>	PR	58Ø8	DATA121,22,141,44,10,1
<ul> <li>HF 5824 DATA208,72,169,0,141,3 3,208,173</li> <li>BR 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>MX 5840 DATA0,221,72,41,252,9, 0,141</li> <li>HS 5848 DATA0,221,173,6,213,72,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32,108,23</li> <li>KG 5864 DATA88,165,212,201,88,208,250,165</li> <li>AX 5872 DATA212,201,64,240,24,24,201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,169,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA88,208,250,120,169,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3,141,6</li> <li>GR 5920 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA23,169,0,141,0,25</li> <li>HR 5944 DATA239,169,0,141,0,25</li> </ul>	sx	5816	73,21,208 DATA72,169,0,141,21,20
<ul> <li>BR 5832 DATA2,221,9,3,141,2,22 1,173</li> <li>MX 5840 DATA0,221,72,41,252,9, Ø,141</li> <li>HS 5848 DATA0,221,173,6,213,72 ,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 Ø,41,127</li> <li>MK 5896 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA88,208,250,120,169 ,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA198,123,198,125,17 3,201,216,208</li> <li>HR 5944 DATA239,169,0,141,0,25</li> </ul>	HF	5824	DATA208,72,169,0,141,3
<ul> <li>MX 5840 DATA0,221,72,41,252,9, Ø,141</li> <li>HS 5848 DATA0,221,173,6,213,72, ,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 Ø,41,127</li> <li>MK 5896 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA88,208,250,120,169 ,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA200,208,249,165,12 3,201,216,208</li> <li>HR 5944 DATA23,169,0,141,0,255</li> </ul>	BR	5832	3,208,173 DATA2,221,9,3,141,2,22
<ul> <li>HS 5848 DATAØ,221,173,6,213,72, ,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA88,208,250,120,169 ,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA198,123,198,125,12 3,201,216,208</li> <li>HR 5944 DATA239,169,0,141,0,25</li> </ul>	мх	584Ø	
<ul> <li>,41,63</li> <li>HX 5856 DATA9,67,141,6,213,32, 108,23</li> <li>KG 5864 DATA88,165,212,201,88, 208,250,165</li> <li>AX 5872 DATA212,201,64,240,24, 201,83,240</li> <li>MQ 5880 DATA7,201,84,208,242,1 69,240,44</li> <li>XE 5888 DATA169,16,24,109,44,1 0,41,127</li> <li>MK 5896 DATA141,44,10,16,220,1 65,212,201</li> <li>KC 5904 DATA88,208,250,120,169 ,22,141,7</li> <li>EB 5912 DATA213,173,6,213,9,3, 141,6</li> <li>GR 5920 DATA198,123,198,125,17 7,124,145,122</li> <li>FG 5936 DATA200,208,249,165,12 3,201,216,208</li> <li>HR 5944 DATA239,169,0,141,0,25</li> </ul>	HS	5848	
<pre>108,23 KG 5864 DATA88,165,212,201,88, 208,250,165 AX 5872 DATA212,201,64,240,24, 201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25</pre>	нх	5856	,41,63 DATA9,67,141,6,213,32,
208,250,165 AX 5872 DATA212,201,64,240,24, 201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25			108,23
201,83,240 MQ 5880 DATA7,201,84,208,242,1 69,240,44 XE 5888 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25			208,250,165
69,240,44 XE 5888 DATA169,16,24,109,44,1 0,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25			201,83,240
<pre>Ø,41,127 MK 5896 DATA141,44,10,16,220,1 65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25</pre>			69,240,44
65,212,201 KC 5904 DATA88,208,250,120,169 ,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25			0,41,127
,22,141,7 EB 5912 DATA213,173,6,213,9,3, 141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25		-	65,212,201
141,6 GR 5920 DATA213,169,112,141,0, 255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25			,22,141,7
255,160,0 PG 5928 DATA198,123,198,125,17 7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25			141,6
7,124,145,122 FG 5936 DATA200,208,249,165,12 3,201,216,208 HR 5944 DATA239,169,0,141,0,25			255,160,0
3,201,216,208 HR 5944 DATA239,169,0,141,0,25			7,124,145,122
III 3344 DAIA233,103,0,141,0,23			3,201,216,208
5,141,7			5,141,7
QD 5952 DATA213,104,141,6,213, 104,141,0			104,141,0
,104,141,21			,104,141,21
RP 5968 DATA208,173,44,10,141, 121,22,104	RÞ	5968	

MJ 5648 DATAØ,255,162,Ø,189,Ø,

CF	5976	DATA141,44,10,104,133,
		217,104,133
RA	5984	DATA216,104,141,25,3,1
		04,141,24
KG	5992	DATA3,76,108,22,169,11
		2,141,0
BM	6000	DATA255,169,22,141,7,2
		13,160,0
PA	6008	DATA177,122,145,124,16
		9,13,145,122
FR	6016	DATA200,208,245,230,12
		3,230,125,165
AC	6024	DATA123,201,220,208,23
		5,169,0,141
EX	6Ø32	DATAØ,255,141,7,213,17
		3,6,213
HG	6040	DATA41,252,141,6,213,9
Burnes.		6

# **Quick Key**

See instructions in article on page 69 before typing in.

#### BEFORE TYPING . . . Before typing in programs, please refer to "How To Type In COMPUTE!'s GAZETTE Programs," which appears before the Program Listings.

CØØØ:78 AD Ø4 Ø3 C9 BC FØ 1F 1C CØ08:A2 ØØ BD Ø4 Ø3 9D B6 C2 91 CØ10:BD 8F 02 9D B8 C2 BD 70 2B CØ18:C2 9D 8F Ø2 BD 72 C2 9D 4F CØ20:04 Ø3 E8 EØ Ø2 DØ E3 58 Ø3 CØ28:60 AD 7D C2 DØ 17 A5 D4 24 CØ30:DØ 10 AD 7C C2 FØ ØB AE 3A CØ38:8D Ø2 EØ Ø1 FØ 2C EØ Ø2 29 CØ4Ø:FØ 28 6C B8 C2 A5 CB C9 6B CØ48:3F FØ 16 A2 ØØ DD 42 C2 51 CØ50:FØ 07 E8 EØ 18 DØ F6 FØ 1A CØ58:ØD BD 59 C2 85 CB 4C 2E 49 CØ60:CØ A9 ØØ 8D 7D C2 A9 40 10 CØ68:DØ F2 A9 C2 85 F5 A9 EB B3 CØ70:85 F6 A5 D7 C9 C1 90 41 5C CØ78:C9 DB BØ 3D 38 E9 C1 EØ 8D CØ80:02 DØ 03 18 69 1A AA BD DF CØ88:80 C2 38 E9 7F AA AØ FF 88 CØ90:CA FØ Ø8 C8 B9 9E AØ 10 DA CØ98:FA 30 F5 C8 B9 9E A0 30 A8 CØAØ:07 9D 78 02 E8 4C 9B CØ AC CØA8:29 7F E8 9D 77 Ø2 E8 86 B1 CØBØ:C6 A9 9D 8D 77 Ø2 4C 48 31 CØB8:EB 4C EØ EA A5 7A 8D BA FA CØCØ:C2 A5 7B 8D BB C2 AØ FF 7 F CØC8:84 7A AØ Ø1 84 7B 20 73 15 CØDØ:00 90 07 C9 2B FØ 3E 4C D9 CØD8:EB C1 AE 7E C2 FØ 33 20 DE CØEØ:F8 C1 20 ØC C2 A9 CØ 20 72 CØE8:67 B8 20 DD BD A2 00 E8 8F CØFØ:BD ØØ Ø1 9D 76 Ø2 DØ F7 AØ CØF8:AD 7F C2 FØ ØE AØ ØØ B9 45 C100:3C C2 FØ Ø7 9D 76 Ø2 C8 74 C108:E8 D0 F4 A9 20 9D 76 02 D3 C110:86 C6 4C EB C1 A0 00 A2 04 C118:00 8C BC C2 20 73 00 BD 0F C120:2E C2 30 16 D1 7A DØ 03 EF C128:E8 DØ F1 EE BC C2 EE BC ØD C130:C2 E8 BD 2E C2 10 FA E8 1F C138:DØ E5 38 E9 80 D1 7A DØ 54 C140:96 AE BC C2 BD 74 C2 8D 51 C148:BE C2 BD 75 C2 8D BF C2 79 C150:6C BE C2 A9 00 8D B5 C2 11 C158:20 73 00 F0 2E C9 53 F0 08 C160:05 A9 1A 8D B5 C2 20 73 59 C168:00 C9 5B BØ 5B 38 E9 41 A5 C170:90 56 18 6D B5 C2 8D B4 34 C178:C2 20 73 00 A2 2C 20 F1 CB

#### C www.commodore.ca

C180:B7	8A	AE	B4	C2	9D	80	C2	F3
C188:4C	EØ	Cl	AE	7C	C2		Ø2	20
C190:A2	Ø2	CA	8E	7C	C2		EØ	90
C198:C1	A9	Øl	8D	7D	C2		25	1 E
C1A0:20	73	00	DØ	04			FØ	D5
C1A8:19	BØ	1D		F8		A2	00	9E
C1BØ:C9	44	DØ	01	E8	8E	7F	C2	97
C1B8:20	ØC	C2	A2	CØ	20	D4	BB	BD
C1CØ:A9	Øl	8D	7E	C2	4C	EØ		BD
C1C8:4C	EB	C1	78	A2	00	BD	B6	74
CIDØ:C2	9D	Ø4	Ø3	BD	B8	C2	9D	CI
C1D8:8F	02	E8	EØ	02	DØ	EF	58	5B
C1EØ:A2	FF	E8	BD	1D	C2	9D	ØØ	DD
C1E8:02	DØ	F7	AD	BA	C2	85	7A	E1
C1FØ:AD	BB	C2	85	7B	6C	B6	C2	A8
C1F8:A2	Ø1	9D	ØØ	Ø1	E8	20	73	21
C200:00	9Ø	F7	A9	ØØ	9D	ØØ	Ø1	BA
C208:20	79	ØØ	6Ø	A9	ØØ	85	7A	D4
C210:A9	Ø1	85	7B	20	73	00	20	02
C218:F3	BC	AØ	C2	6Ø	3F	22	51	90
C220:55	49	43	4B	20	4B	45	59	DI
C228:20	4F	4B	21	22	ØØ	4B	45	F9
C230:D9	4E	55	CD	41	55	54	CF	95
C238:4F	46	C6	ØØ	2Ø	44	41	54	B8
C240:41	ØØ	16	19	1E	15	1A	1D	51
C248:22	$1 \mathrm{F}$	1C	27	24	2F	2D	12	E6
C250:07	Ø2	3C	00	Ø1	18	17	2C	24
C258:14	18	1 B	20	23	ØB	10	13	CB
C260:2F	38	3B	Ø8	2F	2D	12	Ø7	CC
C268:02	3C	ØØ	Øl	40	2B	2C	ØØ	15
C270:29	CØ	BC	CØ	53	C1	99	C1	F4
C278:AØ	C1	CB	Cl	Ø1	ØØ	ØØ	ØØ	5C
C280:99	BB	AØ	83	80	81	89	Al	CC
C288:8B	B5	8C	9B	CA	82	9F	97	C3
C290:91	87	AG	A7	9E	C5	C9	A3	53
C298:BC	9D	AF	8F	C7	86	96	C6	1 F
C2A0:8D		85	84	88	93	C3	A2	45
C2A8:BØ	C2	98	8E	94	A4	A9	95	53
C2BØ:C8	BF	BE	90	ØØ	ØØ	ØØ	ØØ	2C

# Solarpix

Article on page 64.

#### **BEFORE TYPING ...**

Before typing in programs, please refer to "How To Type In COMPUTEI's GAZETTE Programs," which appears before the Program Listings.

XA	10	POKE56,132:CLR
FG	20	POKE792,193:POKE648,132
RC	30	POKE56576, (PEEK(56576)AN
		D252)OR1
XR	40	POKE53280,3:POKE53281,3:
		DIMS(255), C(255), M\$(9,17
PA	50	BP=348Ø8:V=53248:LC=4915
		2:EY=1984.82
CB	6Ø	PP=2*1:P\$(0)="AC":P\$(1)=
		"DE":SA=1.1
RA	7Ø	PRINT" [CLR] [8 DOWN] [BLU]
		"SPC(14)"PLEASE WAIT"
CB		SP\$=CHR\$(32):X\$=SP\$+"Z=E
		XIT"
KC	90	RE = CHR\$ (18) : RX \$ = CHR\$ (14
		6)
XQ	100	T\$(1)=RE\$+"SUN & PLANET
Address (		S"+RX\$
FF	110	T\$(2)=RE\$+"SUN, EARTH &
		[SPACE]MOON"+RX\$
RD		T\$(3)=RE\$+"COMETS"+RX\$
PQ	130	
SH	140	
-		: POKEJ, K:NEXT
AF	150	
		: POKEJ, K:NEXT
KK	160	FORJ=35520T035775:POKEJ

<ul> <li>PX 170 FORL=1TO10:READJ,K:POKE 35584+J,K:NEXT</li> <li>SJ 180 FORJ=0TO7:READH(J):NEXT</li> <li>BC 200 FORJ=0TO7:READH(J):NEXT</li> <li>BC 200 FORJ=0TO10:READF\$(J).U\$ (J)</li> <li>HQ 210 L=0.H=10:IFJ&gt;4THENL=1:H =9</li> <li>EB 220 FORK=LTOH:READZ(K,J):NE XT:NEXT</li> <li>DQ 230 FORJ=1TO9:D(J)=Z(J,5)</li> <li>BB 240 P(J)=Z(J,6):NEXT</li> <li>XE 250 FORJ=0TO10:READN\$(J)</li> <li>Q 260 IFJ:4(ORJ=10THEN280</li> <li>HF 270 FORK=1TOZ(J,10):READM\$(J)</li> <li>Q 260 IFJ:4(ORJ=10THEN280</li> <li>HF 270 FORK=1NC2(J,10):READM\$(J)</li> <li>NEXT</li> <li>CE 280 NEXT:FORJ=1TO9:READR:R(J)</li> <li>J)=R/360:NEXT</li> <li>SJ 290 FORN=0TO255:M=N*2*1/256</li> <li>RJ 300 S(N)=SIN(M):C(N)=COS(M)</li> <li>:NEXT</li> <li>RR 310 FORJ=2TO36:K=74-J</li> <li>BA 320 POKE251,J:POKE252,2:POK E253,K</li> <li>AX 330 POKE251,J:POKE252,2:POK E253,K</li> <li>AX 330 POKE254,2:SYS49175:NEXT</li> <li>MF 340 FORJ=0TO7:POKEV+39+J,H(J):NEXT</li> <li>BH 350 POKEV+23,0:POKEV+39,7:POK EV440,3</li> <li>IK 370 POKEV+32,3:POKEV+39,7:POK EV440,3</li> <li>KK 370 POKEV+32,1:PRINT:P RINT</li> <li>KC 400 FORJ=1TO4:PRINTTAB(8)J; TS(J):PRINT</li> <li>GD 410 NEXT:PRINTTAB(9)"Q QUIT</li> <li>TR 420 GOSUB470:ONKGOTO630,101 Ø,1280,1460</li> <li>MB 430 IFK&lt;&lt;"C'M'HEN420</li> <li>MM 440 POKE56576,PEEK(56576)OR 3</li> <li>G 450 POKE648,4:POKE792,71:GO SUB550</li> <li>K 460 PRINT*B(31)"+=FASTER"</li> <li>ME 530 PRINTTAB(31)"=FASTER"</li> <li>ME 530 PRINTTAB(31)"=FASTER"</li> <li>ME 530 PRINTTAB(31)"=STOP"</li> <li>PH 520 PRINTTAB(31)"=FASTER"</li> <li>ME 530 PRINTTAB(31)"=STOP"</li> <li>PH 520 PRINTTAB(31)"=S</li></ul>			,Ø:NEXT
<pre>35584+J,K:NEXT SJ 180 FORJ=0T07:READK:POKEBP+ J,K:NEXT BH 190 FORJ=0T07:READH(J):NEXT BC 200 FORJ=0T010:READF\$(J),U\$ (J) HQ 210 L=0:H=10:IFJ&gt;4THENL=1:H =9 EB 220 FORK=LTOH:READZ(K,J):NE XT:NEXT DQ 230 FORJ=1T09:D(J)=Z(J,5) EB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0T010:READN\$(J) DG 260 IFJ&lt;40RJ=10HEN280 HF 270 FORK=ITOZ(J,10):READM\$( J,K):NEXT CE 280 NEXT:FORJ=1T09:READR\$(J) DG 260 FORJ=0T0255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=2T036:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0T07:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,J:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,0:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " R420 GOSUB550*POKEV+39,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINTTAB(3)"=STOP" PH 520 PRINTAB(3)"=STOP" PH 520 PRINTAB(3)"=STOP" PH 520 PRINTTAB(3)"=STOP" PH 520 PRINTTAB(3)"=STOP" PH 520 PRINTTAB(3)"=STOP" PH 520 PRINTTAB(3)"=STOP" PH 520 PRINTTAB(3)"=STOP" PH 520 PRINTTAB(3)"=STOP" PH 520 PRINTTAB(3)"=STOP PH</pre>	PX	170	
<pre>SJ 180 FORJ=0TO7:READK:POKEBP+</pre>		1.0	
J,K:NEXT BH 196 FORJ=0TO7:READH(J):NEXT BC 200 FORJ=0TO7:READH(J):NEXT BC 200 FORJ=0TO10:READF\$(J),U\$ (J) HQ 210 L=0.H=10:IFJ>4THENL=1:H =9 EB 220 FORX=LTOH:READZ(K,J):NE XT:NEXT DQ 230 FORJ=1TO9:D(J)=Z(J,5) BB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0TO10:READN\$(J) DG 260 IFJ<40RJ=100HEN280 HF 270 FORK=1TO2(J,10):READM\$( J,K):NEXT CE 280 NEXT:FORJ=1TO9:READR:R( J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE251,J:POKEV+39+J,H( J):NEXT BH 350 POKEV23,0:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV432,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV432,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV432,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,1:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+30,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " R 420 GOSUB55076,PEEK(56576)OR 3 GG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RT 480 GETX\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 500 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"=STOP PH 520 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"=STOP"	SJ	180	<ul> <li>Second State Contract Contra Contract Contract Contra</li></ul>
<pre>BH 190 FORJ=0TO7:READH(J):NEXT BC 200 FORJ=0TO10:READF\$(J),U\$ (J) HQ 210 L=0:H=10:IFJ&gt;4THENL=1:H =9 EB 220 FORX=LTO9:D(J)=2(J,5) BB 240 P(J)=2(J,6):NEXT XE 250 FORJ=0TO10:READN\$(J) DG 260 IFJ:40RJ=10THEN280 HF 270 FORK=1TO2(J,10):READM\$( J,K):NEXT CE 280 NEXT:FORJ=1TO9:READM\$(T) J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+21,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+21,0:POKEV+30,7:POK EV+40,5 HIT*SOLARPIX":PRINTAB(8); T\$(J):PRINT GD 410 NEXT:PRINTAB(9)"Q QUIT "R 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;"Q"THENA20 MM 440 POKE56576,PEEK(56576)OR 3 GG 450 POKE048,4:POKE792,71:GO SUB550 KE 460 PRINT"[CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN M500 SYSLC,10:A:PRINT"G=GO" BC 510 PRINTAB(31)"=SSTOP" PH 520 PRINTAB(31)"=SSTOP" PH 520 PRINTAB(31)"=SSTOP" PH 520 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SENOPE" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB</pre>	00	100	
BC 200 FORJ=0TO10:READFS(J),U\$ (J) HQ 210 L=0:H=10:IFJ>4THENL=1:H =9 EB 220 FORK=LTOH:READZ(K,J):NE XT:NEXT DQ 230 FORJ=1TO9:D(J)=Z(J,5) BB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0TO10:READNS(J) DC 260 IFJ<40RJ=10THEN280 HF 270 FORK=1TOZ(J,10):READMS( J,K):NEXT CE 280 NEXT:FORJ=1TO9:READR:R( J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 CNEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; TS(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " CA 400 FORJ=1TO4:PRINTTAB(8)J; TS(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN M500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(3)"=STOOP" PH 520 PRINTTAB(3)"=STOP" PH 520 PRINTAB(3)"=STOP" PH 520 PRI	BH	190	
<pre>(J) HQ 210 L=0:H=10:IFJ&gt;4THENL=1:H =9 EB 220 FORK=LTOH:READZ(K,J):NE XT:NEXT DQ 230 FORJ=1TO9:D(J)=Z(J,5) BB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0TO10:READNS(J) C260 FORJ=0TO10:READNS(J) C260 FORK=1TOZ(J,10):READMS( J,K):NEXT CE 280 NEXT:FORJ=1TO9:READR:R( J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE046,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOT0630,101 00,1280,1460 MB 430 IFK\$&lt;'"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 GG 450 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K):RETURN M500 SYSLC,18,31:PRINT"G=G0" BC 510 PRINTTAB(3)]"=FASTER" M5 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K):RETURN M500 SYSLC,2,0:RETURN M500 SYSLC,2,0:RE</pre>			FOR I= OTO / READING / INEXT
HQ 210 $L=0:H=10:IFJ>4THENL=1:H$ =9 EB 220 FORK=LTOH:READZ(K,J):NE XT:NEXT DQ 230 FORJ=1TO9:D(J)=Z(J,5) BB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0TO2(J,6):NEXT XE 250 FORS=TOZ(J,10):READM\$(J) DG 260 IFJ<40RJ=100HEN280 HF 270 FORK=1TOZ(J,10):READM\$(J) J=R/360:NEXT S2 900 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT R3 100 FORJ=20TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H(J):NEXT BH 350 POKEV423,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+22,3:POKEV+33,3:P OKE0466,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT C4 000 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT KC 400 FORJ=1TO4:PRINTTAB(9)"Q QUIT " R420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<'Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"==SLOWER" RS 540 PRINTTAB(31)"==SLOWER" RS 640 GOSUB550:PRINT'[CLR]"T\$ F 660 PRINT'FORJ=1TO9:PRINTS G 650 PRINT'FORJ	DC	200	
<pre>=9 EB 220 FORK=LTOH:READZ(K,J):NE XT:NEXT DQ 230 FORJ=ITO9:D(J)=Z(J,5) BB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0TO10:READN\$(J) D 260 IFJ:40RJ=10THEN280 HF 270 FORK=ITOZ(J,10):READM\$(J) CC 280 NEXT:FORJ=ITO9:READR:R(J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H(J):NEXT BH 350 POKEV23,0:POKEV+39+J,H(J):NEXT BH 350 POKEV23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"(CLR]":SYSLC,4,14 KQ 390 FRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " R 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE48,4:POKE792,71:GO SUB550 KE 460 PRINT"(CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RK 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" B 540 PRINTTAB(31)"==SLOWER" RS 540 PRINTTAB(31)"=STOP" H 520 PRINTTAB(31)"=FASTER" ME 530 PRINTAB(31)"=STOP" H 520 PRINTTAB(31)"=STOP" H 520 PRINTTAB(31)"=STOP" H 520 PRINTAB(31)"=STOWER" RS 540 PRINTAB(31)"=STOWER" POKE646,7 C 640 GOSUB570 FRINT"[CLR</pre>	но	210	a second
EB 220 FORK=LTOH:READZ(K,J):NE XT:NEXT DQ 230 FORJ=1T09:D(J)=Z(J,5) EB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0TO10:READNS(J) DG 260 IFJ<40RJ=10THEN280 HF 270 FORK=1TOZ(J,10):READMS( J)R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+29,0:P OKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; TS(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " BA 300 IFK\$<"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE048,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,8 R 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(3)]"=SLOWER" RS 540 PRINTTAB(3)]"=SLOWER" RS 640 POKEV+J,0:NEXT:RETURN PA 570 SYSLC,2,3:0:PRINT"G=GO" SC 510 PRINTTAB(3)]"=SLOWER" RS 640 POKEV+3,1:PRINT" PA 640 GOSUB570 PRINTS(CLR]"TS (1):GOSUB570 FF 660 PRINT:PRINT"INNER PLANE POKE646,7 CK 640 GOSUB470:IFK\$="Z"THEN36 POKE646,7 CK 640 GOSUB470:IFK\$="Z"THEN36 POKE646,7 CK 640 GOSUB470:IFK\$="Z"THEN3	nQ	210	a set the set of the s
XT:NEXT DQ 230 FORJ=ITO9:D(J)=Z(J,5) B 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0TO10:READN\$(J) DG 260 IFJ:40RJ=10THEN280 HF 270 FORK=ITOZ(J,10):READM\$( J,K):NEXT CE 280 NEXT:FORJ=ITO9:READR:R( J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=2TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+29,0:P OKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT {CLR}":SYSLC,4,14 KQ 390 PGRINT SOLARPIX":PRINT:P RINT KC 400 FORJ=ITO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<'"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT {CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN M500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"==SLOWER" M5 400 GSULC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP"	FD	220	
DQ 230 FORJ=1T09:D(J)=2(J,5) BB 240 P(J)=Z(J,6):NEXT XE 250 FORJ=0T010:READN\$(J) DC 260 IFJ<40RJ=10THEN280 HF 270 FORK=1T0Z(J,10):READM\$( J,K):NEXT CE 280 NEXT:FORJ=1T09:READR:R( J)=R/360:NEXT SJ 290 FORN=0T0255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32T036:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+29,0:P OKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EC 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT BH 350 POKEV532,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT BH 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<>"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN MM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"==SLOWER" S540 PRINTTAB(31)"==SLOWER" S540 PRINTTAB(31)"==SLOWER" S540 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"=STOPE" PH 520 PRINTTAB(31)"SETURN PX 550 POKEV+1,0:NEXT:RETURN PX 550 POKEV+21,0:PRINTS(CLR]" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$ (1):ROSUB570 HG 650 PRINT:FORJ=1T09:PRINTJ; N\$ (2) REXT PR FINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 GC	EB	220	
BB 240 $P(J)=Z(J,6):NEXT$ XE 250 FORJ=ØTOL0:READNS(J) DG 260 IFJ<40RJ=10THEN280 HF 270 FORK=ITOZ(J,10):READMS( J)=R/360:NEXT SJ 290 FORN=ØTO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 FOKJ=ØTO7:POKEV+39+J,H( J):NEXT BH 350 POKEV54,2:SYS49175:NEXT MF 340 FORJ=ØTO7:POKEV+39+J,H( J):NEXT BH 350 POKEV423,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV42,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV42,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " R420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<'"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE48,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN M 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"SETURN PX 560 POKEV+3,0:RETTRN PX 560 PRINT"FORJ=ITO9:PRINT3 PX 570	DO	224	The second second second second second second second
XE 250 FORJ=0TO10:READN\$(J) DG 260 IFJ:40RJ=10THEN280 HF 270 FORK=1TO2(J,10):READM\$( J,K):NEXT CE 280 NEXT:FORJ=1TO9:READR:R( J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,J:POK EV+40,3 HK 370 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE046.6 EG 380 PRINT"SCLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(B)J; TS(J):PRINT GD 410 NEXT:PRINTTAB(9)"O QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<"O"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE048,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(3)]"==SLOWER" RS 540 PRINTAB(3)]"==SLOWER" RS 640 GOSUB550:PRINT"[CLR]"TS (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINT3; RG 640 GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINT3; RS 640 GOSUB570:PRINT"[CLR]"TS (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINT3; RS 640 GOSUB570:PRINT"[CLR]"TS (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINT3; RS 640 GOSUB470:IFK\$="Z"THENAE GG 700 PRINT:FORJ=1TO9:PRINT3; HS 640 GOSUB470	1000		
DG 260 IFJ:40RJ=10THEN280 HF 270 FORK=1TO2(J,10):EEADM\$( J,K):NEXT CE 280 NEXT:FORJ=1TO9:READR:R( J)=R/360:NEXT SJ 290 FORN=0TO255:M=N*2*1/256 N 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; TS(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " CR 420 GOSUB570:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<*"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN B500 SYSLC,18,31:PRINT"G=G0" BC 510 PRINTTAB(3)]"=FASTER" MS 460 PRINTTAB(3)]"=SLOWER" RS 540 PRINTTAB(3)]"=FASTER" S40 PRINTTAB(3)]"=SLOWER" RS 540 PRINTTAB(3)]"=STOP" PH 520 PRINTTAB(3)]"=STOP" PH 520 PRINTTAB(3)]"=STOPE" RS 540 PRINTTAB(3)]"=FASTER" RS 540 PRINTTAB(3)]"=STOPE" PH 520 PRINTTAB(3)]"=FASTER" RS 540 PRINTTAB(3)]"=STOPE" PH 520 PRINTAB(3)]"=STOPE" PH 520 PRINTAB(3)]"=STOPE" PH 520 PRINTAB(3)]"=STOPE" PH 520 PRINTAB(3)]"=STOPE" PH 520 PRINTTAB(3)]"=STOPE" PH 520 PRINTAB(3)]"=STOPE" PH 520 PRINTAB(3)]"=STOPE PH 520 PRINTAB(3)]" PH 520 PRINTAB(3)]"=STOPE PH 520 PRINTAB(3)]" PH 520 PRINTAB PH 520 PRINTAB(			P(J) = Z(J, 6) : NEXT
HF 270 FORK=1TO2( $J, 10$ ):READM\$( J, K):NEXT CE 280 NEXT:FORJ=1TO9:READR:R( J)=R/360.NEXT SJ 290 FORN=0TO255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32TO36:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,J:POK EV+40,3 POKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+23,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 POKEY:23,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT ""S(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT M 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<*"("THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"==SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 POKEV+1,0:NEXT:RETURN PM 520 GETK\$:IFK\$="THEN480 HF 490 GETK\$:IFK\$="THEN480 HF 590 GETK\$:IFK\$="THEN4121 H 600 GIFK\$="G"THENFL=1 H 600 GIFK\$="G"THENFL=1 G 600			
<pre>J,K):NEXT CE 280 NEXT:FORJ=1T09:READR:R( J)=R/360:NEXT SJ 290 FORN=0T0255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32T036:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0T07:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+29,0:P OKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT*[CLR]":SYSLC,4,14 KQ 390 PRINT*SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOT0630,101 0,1280,1460 MB 430 IFK\$&lt;'C"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT*[CLR]":POKE56,160 :CLR:END GC 470 POKE198,0 RR 480 GETK\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT*G=G0" BC 510 PRINTTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER</pre>			
CE 280 NEXT: FORJ=1T09: READR: R( J)=R/360:NEXT SJ 290 FORN=0T0255: M=N*2*1/256 RJ 300 S(N)=SIN(M): C(N)=COS(M) :NEXT RR 310 FORJ=32T036: K=74-J BA 320 POKE251, J: POKE252, 2: POK E253, K AK 330 POKE254, 2: SYS49175: NEXT MF 340 FORJ=0T07: POKEV+39+J, H( J): NEXT BH 350 POKEV+23, 0: POKEV+29, 0: P OKEV+16, 128 QQ 360 GOSUB550 POKEV+39, 7: POK EV+40, 3 HK 370 POKEV+32, 3: POKEV+33, 3: P OKE646, 6 EG 380 PRINT '(CLR]": SYSLC, 4, 14 KQ 390 PRINT 'SOLARPIX": PRINT: P RINT KC 400 FORJ=1T04: PRINTTAB(8)J; T\$ (J): PRINT GD 410 NEXT: PRINTTAB(9)"Q QUIT " R 420 GOSUB470: ONKGOT0630, 101 0, 1280, 1460 MB 430 IFK\$<'"("THEN420 MM 440 POKE56576, PEEK(56576)OR 3 MG 450 POKE648, 4: POKE792, 71:GO SUB550 KE 460 PRINT '(CLR]": POKE56, 160 :CLR: END GE 470 POKE198, 0 RR 480 GETK\$: IFK\$=""THEN480 HF 490 K=VAL(K\$): RETURN BM 500 SYSLC, 18, 31: PRINT 'G=G0" BC 510 PRINTTAB(31) ''=FASTER" ME 530 PRINTTAB(31) ''=SLOWER" RS 540 PRINTTAB(31) ''=FASTER" ME 530 PRINTTAB(31) ''=SLOWER" RS 540 PRINTTAB(31) ''=SLOWER" RS 640 GOSUB550 PRINT ''CLR] ''TS (1):GOSUB570 HG 650 PRINT 'FORJ=1T09: PRINTJ; N\$ (J):NEXT DG 670 PRINT: PRINT ''INNER PLANE T?"; CX 680 GOSUB470: IFK\$="Z"THEN36 Ø GF 690 L=K: IFL<1THEN680 EG 700 PRINTS\$(L): PRINT ''OUTER	HF	210	
J)=R/360:NEXT SJ 290 FORN=ØT0255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32T036:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=ØT07:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+29,0:P OKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+3,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT "SOLARPIX":PRINT:P RINT GC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT "T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT "TR 420 GOSUB470:ONKGOT0630,101 0,1280,1460 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"==SLOWER" RS 400 REINTTAB(31)"==SLOWER" RS 400 POKEV+1,0:NEXT:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+21,0:PENTT% GA 30 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550*PRINT"{CLR}"T\$ G 670 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:FORJ=1T09:PRINTJ; M\$(J):NEXT DG 670 PRINT:FORJ=1T09:PRINTJ; M\$(J):NEXT DG 670 PRINT:FORJ=1T09:PRINTJ; M\$(J):NEXT DG 670 PRINT:FOR	an	200	
<pre>SJ 290 FORN=0T0255:M=N*2*1/256 RJ 300 S(N)=SIN(M):C(N)=COS(M)</pre>	CE	280	
RJ 300 S(N)=SIN(M):C(N)=COS(M) :NEXT RR 310 FORJ=32T036:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+12,3:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT [CLR]":SYSLC,4,14 KQ 390 PRINT SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTAB(B)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<'Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT [CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GET\$:IFK\$="THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT "G=GO" BC 510 PRINTAB(31)"=FASTER" ME 530 PRINTAB(31)"=FASTER" ME 530 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=FORJ=0TO15 JK 560 POKEV+1,0:PORJ=0TO15 JK 560 SYSLC,2,0:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 SYSLC,2,0:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:RETURN PX 550 POKEV+2,0:RETURN PX 550 POKEV+2,0:RETURN PX 550 POKEV+2,0:RETURN PX 550 POKEV+2,0:RETURN PX 560 SYSLC,2,0:RETURN PX 560 SYSLC,2,0:RETURN PK 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENF		200	
<pre>:NEXT RR 310 FORJ=32T036:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=0T07:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,J:POK EV+40,3 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT "(CLR]":SYSLC,4,14 KQ 390 PRINT "SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " R 420 GOSUB470:ONKGOT0630,101 0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"(CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=G0" BC 510 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=STOP" PH 520 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(30)Y\$:RETURN PX 560 POKEV+1,0:FORJ=0TO9; PX 500 POKEV+21,0:FORJ=0TO9; PX 500 POKEV+21,0:PRINT\$ PX 500 POKEV+21,0:PRI</pre>			
<pre>RR 310 FORJ=32T036:K=74-J BA 320 POKE251,J:POKE252,2:POK E253,K AK 330 POKE254,2:SYS49175:NEXT BH 340 FORJ=0T07:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT {CLR}":SYSLC,4,14 KQ 390 PRINT SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOT0630,101 Ø,1280,1460 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT {CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 PRINTAB(31)"=SLOWER" RS 540 POKE48,0:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN PX 550 POKEV+1,0:FORJ=0T015 JK 560 POKEV+2,0:RETT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN PX 550 POKEV+2,0:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENFL=0 POKE646,7 KR 640 GOSUB570 HG 650 PRINT %7]PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT %FORJ=T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT "INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 GF 690 L=K:IFL<ithen680 EG 700 PRINTN\$(L):PRINT"OUTER</ithen680 </pre>	RJ	300	
<ul> <li>BA 320 POKE251, J:POKE252, 2:POK E253, K</li> <li>AK 330 POKE254, 2:SYS49175:NEXT</li> <li>MF 340 FORJ=0TO7:POKEV+39+J, H( J):NEXT</li> <li>BH 350 POKEV+23, 0:POKEV+39+J, H( J):NEXT</li> <li>BH 350 POKEV+23, 0:POKEV+39, 7:POK EV+40, 3</li> <li>HK 370 POKEV+32, 3:POKEV+33, 3:P OKE646, 6</li> <li>EG 380 PRINT [CLR]":SYSLC, 4, 14</li> <li>KQ 390 PRINT SOLARPIX":PRINT:P RINT</li> <li>KC 400 FORJ=1TO4:PRINTAB(8)J; T\$(J):PRINT</li> <li>GD 410 NEXT:PRINTTAB(9)"Q QUIT "</li> <li>DR 420 GOSUB470:ONKGOTO630, 101 0,1280, 1460</li> <li>MB 430 IFK\$&lt;'"Q"THEN420</li> <li>MM 440 POKE56576, PEEK(56576)OR 3</li> <li>MG 450 POKE648, 4:POKE792, 71:GO SUB550</li> <li>KE 460 PRINT [CLR]":POKE56, 160 :CLR:END</li> <li>GE 470 POKE198, 0</li> <li>RR 480 GETK\$:IFK\$="THEN480</li> <li>HF 490 K=VAL(K\$):RETURN</li> <li>BM 500 SYSLC, 18, 31:PRINT"G=G0"</li> <li>BC 10 PRINTTAB(31)"=SLOWER"</li> <li>RS 540 PRINTAB(31)"=SLOWER"</li> <li>RS 540 PRINTAB(31)"=SLOWER"</li> <li>RS 540 PRINTAB(31)"=SLOWER"</li> <li>RS 540 SYSLC, 2, 0:RETURN</li> <li>PM 500 GETK\$:IFK\$="S"THENFL=1</li> <li>PH 600 IFK\$="G"THENFL=0</li> <li>QJ 610 IFK\$="S"THENFL=1</li> <li>PH 600 IFK\$="C"THENFL=0</li> <li>QJ 610 IFK\$="C"THENFL=0</li> <li>PG 650 PRINT %73PLEASE SELECT {SPACE}PLANETS (MAX5)"</li> <li>FF 660 PRINT %73PLEASE SELECT {SPACE}PRINT "INNER PLANE T?";</li> <li>CX 680 GOSUB470:IFK\$="Z"THEN36</li> <li>Q0</li> <li>G 670 PRINT:PRINT "INNER PLANE T?";</li> <li>CX 680 GOSUB470:IFK\$="Z"THEN36</li> <li>Q0</li> <li>G 670 PRINTS(L):PRINT "OUTER</li> </ul>	-	22.0	
E253,K AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=@TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"[CLR]":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<*"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"[CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"==SLOWER" RS 540 POKEV+21,0:POKET RS 540 PRINTTAB(31)"+=FASTER" ME 530 PRINTTAB(31)"+=FASTER" ME 530 PCKEV+21,0:PORJ=07015 JK 560 POKEV+21,0:PORJ=07015 JK 620 RETURN JA 630 POKEV+32,0:PORJ=07015 JK 640 GOSUB570 PORJ G 670 PRINT:FORJ=1TO9:PRINTJ; NS(1):PORJ G 670 PRINTS;CL]:PRINT"UNDER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 GF 690 L=K:IFL<1HEN680 EG 700 PRINTN\$(L]:PRINT"OUTER			
AK 330 POKE254,2:SYS49175:NEXT MF 340 FORJ=@TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+39,7:POK EV+40,3 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"[CLR]":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT "St(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT "CR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<*"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"[CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SIOWER" RS 540 PRINTTAB(31)"=SIOWER" RS 540 PRINTTAB(31)"=SIOWER" RS 540 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+21,0:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT"FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT&PINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 OF 690 L=K:IFL <ithen680 EG 700 PRINT\$(L):PRINT"OUTER</ithen680 	BA	320	
<pre>MF 340 FORJ=0TO7:POKEV+39+J,H( J):NEXT BH 350 POKEV+23,0:POKEV+29,0:P OKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;*"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 POKEV+21,0:PCRJ=0TO15 JK 560 POKEV+21,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE046,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINTT&amp;PINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN3E 0 GF 090 L=K:IFL&lt;1THEN680 EG 700 PRINT%(L):PRINT"OUTER</pre>		222	
<pre>J):NEXT BH 350 POKEV+23,0:POKEV+29,0:P</pre>			
<ul> <li>BH 350 POKEV+23,0:POKEV+29,0:P OKEV+16,128</li> <li>QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3</li> <li>HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6</li> <li>EG 380 PRINT"{CLR}":SYSLC,4,14</li> <li>KQ 390 PRINT"SOLARPIX":PRINT:P RINT</li> <li>KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT</li> <li>GD 410 NEXT:PRINTTAB(9)"Q QUIT</li> <li>"</li> <li>R 420 GOSUB470:ONKGOTO630,101 0,1280,1460</li> <li>MB 430 IFK\$&lt;&gt;"Q"THEN420</li> <li>MM 440 POKE56576,PEEK(56576)OR 3</li> <li>MG 450 POKE648,4:POKE792,71:GO SUB550</li> <li>KE 460 PRINT"{CLR}":POKE56,160 :CLR:END</li> <li>GE 470 POKE198,0</li> <li>RR 480 GETK\$:IFK\$=""THEN480</li> <li>HF 490 K=VAL(K\$):RETURN</li> <li>BM 500 SYSLC,18,31:PRINT"G=GO"</li> <li>BC 510 PRINTTAB(31)"=SLOWER"</li> <li>RS 540 PRINTTAB(31)"=SLOWER"</li> <li>RS 540 PRINTTAB(31)"=SLOWER"</li> <li>RS 540 PRINTTAB(31)"=SLOWER"</li> <li>RS 540 PRINTTAB(31)"=FASTER"</li> <li>ME 550 POKEV+21,0:FORJ=07015</li> <li>JK 560 POKEV+21,0:FORJ=0705</li> <li>JK 560 POKEV+32,11:POKEV+33,0: POKE646,7</li> <li>KR 640 GOSUB550:PRINT"{CLR}"T\$</li> <li>G10 IFK\$="-"THENM=M/2</li> <li>XR 620 RETURN</li> <li>JA 630 POKEV+32,11:POKEV+33,0: POKE646,7</li> <li>KR 640 GOSUB550:PRINT"{CLR}"T\$</li> <li>G50 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT</li> <li>DG 670 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT</li> <li>DG 670 PRINT:PRINT"INNER PLANE T?";</li> <li>CX 680 GOSUB470:IFK\$="Z"THEN36</li> <li>QF 690 L=K:IFL&lt;1THEN680</li> <li>EG 700 PRINTN\$(L):PRINT"OUTER</li> </ul>	MF	340	
<pre>OKEV+16,128 QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SSTOP" PH 520 PRINTTAB(31)"=SSTOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 POKEV+21,0:FORJ=0T015 JK 560 POKEV+21,0:FORJ=0T015 JK 560 POKEV+21,0:FORJ=0T015 JK 560 POKEV+21,0:RETURN DH 570 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=1 PH 660 REX\$:IFK\$="S"THENFL=1 PH 660 REX\$:IFK\$=TT REX\$:IFK\$=SELECT REX\$:IFK\$="S"THENFL=1 PH 660 REX\$:IFK\$="S"THENFL=1 PH 660 REX\$:IFK\$="S"THENFL REX\$:IFK\$="S"THENFL REX\$:IFK\$="S"THENFL REX\$:IFK\$="S"THENFL REX\$:IFK\$="S"THENFL REX\$:IFK\$="S"THE</pre>			
QQ 360 GOSUB550:POKEV+39,7:POK EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1TO4:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<*"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SLOWER" RS 540 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+21,0:FORJ=1D15 JK 560 POKEV+21,0:FORJ=1D15 JK 560 POKEV+21,0:SCT:RETURN PX 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 G 650 PRINT"{7]PLEASE SELECT [SPACE]PLANETS (MAX5)" FF 660 PRINT"FORJ=1TO9:PRINTJ: N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER	BH	350	
<pre>EV+40,3 HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SLOWER" RS 540 PCEV+21,0:FORJ=0TO15 JK 560 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+21,0:RETURN PX 550 POKEV+21,0:RET PX 550 POKEV+21,0:RET PX 640 POKEV+21,0:RET P</pre>			
<pre>HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(32)";RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+2,0:RETURN FX 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL Q 630 POKEV432,11:POKEV433,0: POKE040,7 K 640 GOSUB570 POINT"{CILR}"TS (1):GOSUB570 POKE040,7 K 640 QOSUB570 POINT" Q 650 PRINT:PONT"INNER PLANE C</pre>	QQ	36Ø	
<pre>HK 370 POKEV+32,3:POKEV+33,3:P OKE646,6 EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(32)";RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+2,0:RETURN FX 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL Q 630 POKEV432,11:POKEV433,0: POKE040,7 K 640 GOSUB570 POINT"{CILR}"TS (1):GOSUB570 POKE040,7 K 640 QOSUB570 POINT" Q 650 PRINT:PONT"INNER PLANE C</pre>			EV+40,3
EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<>"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"=FASTER" ME 530 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+21,0:FORJ=0T015 JK 560 POKEV+2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 GI FK\$="S"-THENFL=1 PH 600 OUES50:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINT%\$(L):PRINT"OUTER	HK	370	POKEV+32,3:POKEV+33,3:P
EG 380 PRINT"{CLR}":SYSLC,4,14 KQ 390 PRINT"SOLARPIX":PRINT:P RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<>"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"=FASTER" ME 530 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+21,0:FORJ=0T015 JK 560 POKEV+2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 GI FK\$="S"-THENFL=1 PH 600 OUES50:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINT%\$(L):PRINT"OUTER			OKE646,6
KQ 390 PRINT "SOLARPIX" : PRINT : P RINT KC 400 FORJ=1T04 : PRINTTAB(8) J; T\$(J) : PRINT GD 410 NEXT : PRINTTAB(9) "Q QUIT " R 420 GOSUB470 : ONKGOTO630, 101 0, 1280, 1460 MM 440 POKE56576, PEEK(56576) OR 3 MG 450 POKE648, 4 : POKE792, 71 : GO SUB550 KE 460 PRINT "[CLR]" : POKE56, 160 : CLR : END GE 470 POKE198, 0 RR 480 GETK\$ : IFK\$=""THEN480 HF 490 K=VAL(K\$) : RETURN BM 500 SYSLC, 18, 31 : PRINT "G=GO" BC 510 PRINTTAB(31) "S=STOP" H 520 PRINTTAB(31) "S=STOP" H 520 PRINTTAB(31) "=SLOWER" RS 540 PRINTTAB(31) "=SLOWER" RS 540 PRINTTAB(31) "=SLOWER" RS 540 PRINTTAB(30) X\$ : RETURN PX 556 POKEV+21, 0 : FORJ=07015 JK 560 POKEV+2, 0 : NEXT : RETURN PX 557 POKEV+3, 0 : NEXT : RETURN PX 558 POKEV+32, 10 : FORJ=07015 JK 560 POKEV+32, 11 : POKEV+33, 0 : POKE646, 7 KR 640 GOSUB550 : PRINT "[CLR]"T\$ (1) : GOSUB570 HG 650 PRINT : FORJ=1T09 : PRINTJ; N\$(J) : NEXT DG 670 PRINT : PRINT "INNER PLANE T?"; CX 680 GOSUB470 : IFK\$="Z"THEN36 0 QF 690 L=K: IFL<1THEN680 EG 700 PRINTN\$(L) : PRINT "OUTER	EG	38Ø	
RINT KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$<>"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SSTOP" PH 520 PRINTTAB(31)"=SIOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:RETURN DH 570 SYSLC,2,0:RETURN PH 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=1 PH 600 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 GI IFK\$="G"THENFL=0 GI IFK\$="G"THENFL=0 GI IFK\$="G"THENFL=0 GI IFK\$="G"THENFL=0 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINT%(L):PRINT"OUTER			
<pre>KC 400 FORJ=1T04:PRINTTAB(8)J; T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT " DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 550 OKEV+21,0:FORJ=0TO15 JK 560 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:RETURN PX 550 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENFL=1 PH 600 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>		100	
T\$(J):PRINT GD 410 NEXT:PRINTTAB(9)"Q QUIT """ DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$ $<$ "Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:PRI= PX 550 POKEV+2,0:RETURN PX 550 POKEV+2,0:RETURN PX 550 QETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 A30 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT:FORJ=ITO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINT%\$(L):PRINT"OUTER	KC	400	
<pre>GD 410 NEXT:PRINTTAB(9)"Q QUIT     "     "     GOSUB470:ONKGOTO630,101     0,1280,1460     MB 430 IFK\$&lt;"Q"THEN420     MM 440 POKE56576,PEEK(56576)OR</pre>			
<pre>" DR 420 GOSUB470:ONKGOTO630,101 0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POKE56576,PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT [CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT "G=GO" BC 510 PRINTAB(31) "S=STOP" PH 520 PRINTAB(31) "=FASTER" ME 530 PRINTAB(31) "=SLOWER" RS 540 PRINTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+21,0:RETURN PX 550 POKEV+21,0:RETURN PX 550 POKEV+3,0:RETURN PX 550 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT [CLR]"T\$ (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT "INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINT%\$(L):PRINT"OUTER </pre>	GD	410	
<pre>0,1280,1460 MB 430 IFK\$&lt;&gt;"Q"THEN420 MM 440 POCE56576,PEEK(56576)OR 3 MG 450 POCE648,4:POCE792,71:GO SUB550 KE 460 PRINT"{CLR}":POCE56,160 :CLR:END GE 470 POCE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FF 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="S"THENFL=1 PH 640 POCEV+32,11:POCEV+33,0: POCE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER </pre>			
<pre>MB 430 IFK\$↔"Q"THEN420 MM 440 POKE56576, PEEK(56576)OR 3 G 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+2,0:RETURN FT 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL=0 QJ 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"£7]PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINT%\$(L):PRINT"OUTER</pre>	DR	420	GOSUB470:ONKGOTO630,101
<pre>MM 440 POKE56576, PEEK(56576)OR 3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" C 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"=ALOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+1,0:FORJ=0T015 JK 560 POKEV+1,0:FORJ=0T015 JK 560 POKEV+2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>			0,1280,1460
<pre>3 MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=FASTER" ME 530 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+J,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENFL=1 PH 600 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL=1 PH 600 IFK\$="C"THENFL IFK\$="C"THEN36 0 PH 0 IFK\$IFK\$[IFK\$="C"THEN36 PH 0 IFK\$="C"THEN36 PH 0 IFK\$[IFK\$[IFK\$="C"THEN36 PH 0 IFK\$[IFK\$[IFK\$[IFK\$[IFK\$[E"C]]] PH 0 IFK\$=TURN PH 0 IFK\$[IFK\$[IFK\$[IFK\$[E"C]]] PH 0 IFK\$[IFK\$[IFK\$[IFK\$[IFK\$[IFK\$[IFK\$[IFK]]] PH 0 IFK\$[IFK\$[IFK\$[IFK\$[IFK]]] PH 0 IFK\$[IFK\$[IFK\$[IFK]]] PH 0 IFK 0 IFK\$[IFK\$[IFK\$[</pre>	MB	430	
<pre>MG 450 POKE648,4:POKE792,71:GO SUB550 KE 460 PRINT"{CLR}":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=FASTER" ME 530 PRINTTAB(31)"=FASTER" ME 530 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 AG 650 PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>	MM	440	POKE56576, PEEK (56576) OR
SUB550 KE 460 PRINT"[CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=STOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT"FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER			3
KE 460 PRINT"[CLR]":POKE56,160 :CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"=SLOWER" RE 530 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="S"THENFL=1 PH 600 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT" ${7}PLEASE SELECT$ [SPACE]PLANETS (MAX5)" FF 660 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T7"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER	MG	450	POKE648,4:POKE792,71:GO
:CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"=FASTER" ME 530 PRINTTAB(31)"-=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+2,0:REXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="C"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT"FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T7"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINT%(L):PRINT"OUTER			
:CLR:END GE 470 POKE198,0 RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"=SLOWER" RS 540 PRINTTAB(31)"-=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:REXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT"{7]PLEASE SELECT [SPACE]PLANETS (MAX5)" FF 660 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T7"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER	KE	460	PRINT"[CLR]":POKE56,160
<pre>RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"+=FASTER" ME 530 PRINTTAB(31)"-=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+1,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="S"THENFL=1 PH 600 IFK\$="S"THENFL=1 PH 600 IFK\$="S"THENFL=1 PH 600 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL=0 JA 630 POKEV+32,11:POKEV+33,0:</pre>			
<pre>RR 480 GETK\$:IFK\$=""THEN480 HF 490 K=VAL(K\$):RETURN BM 500 SYSLC,18,31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"+=FASTER" ME 530 PRINTTAB(31)"-=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+1,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="S"THENFL=1 PH 600 IFK\$="S"THENFL=1 PH 600 IFK\$="S"THENFL=1 PH 600 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL=0 JA 630 POKEV+32,11:POKEV+33,0:</pre>	GE	470	POKE198,Ø
HF 490 K=VAL(K\$):RETURN BM 500 SYSLC, 18, 31:PRINT"G=GO" BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"+=FASTER" ME 530 PRINTTAB(31)"-=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+2,0:NEXT:RETURN DH 570 SYSLC, 23, 30:PRINTX\$ GA 580 SYSLC, 2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="S"THENFL=1 PH 600 IFK\$="S"THENFL=1 PH 600 IFK\$="S"THENFL=1 PH 600 IFK\$="C"THENFL=0 QJ 610 IFK\$="S"THENFL=1 PK\$=00 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER			
<pre>BM 500 SYSLC, 18, 31: PRINT"G=GO" BC 510 PRINTTAB(31) "S=STOP" PH 520 PRINTTAB(31) "+=FASTER" ME 530 PRINTTAB(31) "-=SLOWER" RS 540 PRINTTAB(30)X\$: RETURN PX 550 POKEV+21, 0: FORJ=0TO15 JK 560 POKEV+2, 0: NEXT: RETURN DH 570 SYSLC, 23, 30: PRINTX\$ GA 580 SYSLC, 2, 0: RETURN FR 590 GETK\$: IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 630 POKEV+32, 11: POKEV+33, 0: POKE646, 7 KR 640 GOSUB550: PRINT"{CLR}"T\$ (1): GOSUB570 HG 650 PRINT"FORJ=1TO9: PRINTJ; N\$(J): NEXT DG 670 PRINT: FORJ=1TO9: PRINTJ; N\$(J): NEXT DG 670 PRINT: PRINT"INNER PLANE T?"; CX 680 GOSUB470: IFK\$="Z"THEN36 0 QF 690 L=K: IFL&lt;1THEN680 EG 700 PRINTN\$(L): PRINT"OUTER</pre>			K=VAL(K\$):RETURN
<pre>BC 510 PRINTTAB(31)"S=STOP" PH 520 PRINTTAB(31)"+=FASTER" ME 530 PRINTTAB(31)"-=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0TO15 JK 560 POKEV+1,0:NEXT:RETURN DH 570 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="C"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T7"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINT%(L):PRINT"OUTER</pre>			SYSLC, 18, 31 :PRINT "G=GO"
<pre>PH 52Ø PRINTTAB(31)"+=FASTER" ME 53Ø PRINTTAB(31)"-=SLOWER" RS 54Ø PRINTTAB(30)X\$:RETURN PX 55Ø POKEV+21,Ø:FORJ=ØTO15 JK 56Ø POKEV+2,Ø:REXT:RETURN DH 57Ø SYSLC,23,3Ø:PRINTX\$ GA 58Ø SYSLC,2,Ø:RETURN FR 59Ø GETK\$:IFK\$="S"THENFL=1 PH 6ØØ IFK\$="G"THENFL=0 QJ 61Ø IFK\$="G"THENFL=0 QJ 61Ø IFK\$="-"THENM=M/2 XR 62Ø RETURN JA 63Ø POKEV+32,11:POKEV+33,Ø: POKE646,7 KR 64Ø GOSUB55Ø:PRINT"[CLR]"T\$ (1):GOSUB57Ø HG 65Ø PRINT"{7]PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 66Ø PRINT:FORJ=1TO9:PRINTJ; N\$(J):NEXT DG 67Ø PRINT:PRINT"INNER PLANE T?"; CX 68Ø GOSUB47Ø:IFK\$="Z"THEN36 Ø QF 690 L=K:IFL&lt;1THEN68Ø EG 7ØØ PRINTN\$(L):PRINT"OUTER</pre>			PRINTTAR(31)"S=STOP"
<pre>ME 530 PRINTTAB(31)"-=SLOWER" RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+2,0:FORJ=0T015 JK 560 POKEV+2,0:RETURN GA 580 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 660 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$=""THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT"\$7]PLEASE SELECT [SPACE]PLANETS (MAX5)" FF 660 PRINT:PRINT"INNER PLANE T7"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>			PRINTTAB(31)"+=FASTER"
RS 540 PRINTTAB(30)X\$:RETURN PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+J,0:FORJ=0T015 JK 560 POKEV+J,0:RETTRN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL=0 QJ 610 IFK\$="C"THENFL=0 QJ 610 IFK\$=""THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{7}PLANE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER			PRINTTAB(31)"-=SLOWER"
<pre>PX 550 POKEV+21,0:FORJ=0T015 JK 560 POKEV+J,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"[CLR]"T\$ (1):GOSUB570 HG 650 PRINT"[7]PLEASE SELECT [SPACE]PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<ithen680 700="" eg="" pre="" prints\$(l):print"outer<=""></ithen680></pre>			PRINTTAR(30)YS . PETURN
<pre>JK 560 POKEV+J,0:NEXT:RETURN DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{7}PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<ithen680 EG 700 PRINT\$(L):PRINT"OUTER</ithen680 </pre>			
<pre>DH 570 SYSLC,23,30:PRINTX\$ GA 580 SYSLC,2,0:RETURN FR 590 GETK\$;IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 A 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{CLR}"T\$ CN 640 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>			
<pre>GA 580 SYSLC, 2, 0:RETURN FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="G"THENFL=0 A 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{7}PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>			
<pre>FR 590 GETK\$:IFK\$="S"THENFL=1 PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0:</pre>			
<pre>PH 600 IFK\$="G"THENFL=0 QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{7}PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>			
QJ 610 IFK\$="-"THENM=M/2 XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0: POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{7}PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINT\$(L):PRINT"OUTER			GETK\$:1FK\$="S"THENFL=1
<pre>XR 620 RETURN JA 630 POKEV+32,11:POKEV+33,0:</pre>			TEKS= G THENEL=0
<pre>JA 630 POKEV+32,11:POKEV+33,0:</pre>			
POKE646,7 KR 640 GOSUB550:PRINT"{CLR}"T\$ (1):GOSUB570 HG 650 PRINT"{7}PLEASE SELECT {SPACE}PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER			
<pre>KR 640 GOSUB550:PRINT"[CLR]"T\$    (1):GOSUB570 HG 650 PRINT"[7]PLEASE SELECT    [SPACE]PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ;    N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE    T?"; CX 680 GOSUB470:IFK\$="Z"THEN36    0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>	JA	630	
<pre>(1):GOSUB570 HG 650 PRINT"§7]PLEASE SELECT [SPACE]PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>			POKE646,/
<pre>HG 650 PRINT" §7]PLEASE SELECT {SPACE }PLANETS (MAX5)" FF 660 PRINT: FORJ=1T09: PRINTJ; N\$(J):NEXT DG 670 PRINT: PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 Ø QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>	KR	640	
<pre>[SPACE]PLANETS (MAX5)" FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>			
<pre>FF 660 PRINT:FORJ=1T09:PRINTJ; N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL&lt;1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER</pre>	HG	650	PRINT K/JPLEASE SELECT
N\$(J):NEXT DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 Ø QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER			
DG 670 PRINT:PRINT"INNER PLANE T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER	FF	660	A REAL PROPERTY OF A REAL PROPER
T?"; CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER		and in	
CX 680 GOSUB470:IFK\$="Z"THEN36 0 QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER	DG	67Ø	
Ø QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER			
QF 690 L=K:IFL<1THEN680 EG 700 PRINTN\$(L):PRINT"OUTER	CX	680	
EG 700 PRINTN\$(L):PRINT"OUTER			
EG 700 PRINTN\$(L):PRINT"OUTER {SPACE}PLANET?";			L=K:IFL<1THEN680
[SPACE]PLANET?";	EG	700	PRINTNS(L):PRINT"OUTER
			[SPACE]PLANET?";

#### a DE 720 H=K:IFH <LORH>90RH-L>4TH EN710 FR 730 PRINTN\$(H):PRINT:X=1 MH 740 FORJ=1TOH-L+1:X=X+21J:N EXT MK 750 FORJ=LTOH:F(J)=D(J)*90/ D(H) RR 760 E(J)=F(J)*SA:NEXT:M=P(L )/50:ML=M*9 SR 770 INPUT"STARTING YEAR (1-2000)":KS FC 78Ø SY=VAL(K\$):IFSY<10RSY>2 ØØØTHEN63Ø DJ 790 PRINT" {CLR } {YEL } "T\$(1): K=1 AF 800 FORJ=LTOH: POKE646, H(K) RF 810 PRINTTAB(31)N\$(J):K=K+1 :NEXT DJ 820 POKE646,14:GOSUB500:SYS LC,7,31 AX 830 PRINT"EARTH": PRINTTAB(3 1) "YEAR" PE 840 E=.25:T=SY-EY:FL=1 RS 850 POKEV, 130: POKEV+1, 148:P OKEV+21,X BH 860 FORJ=LTOH:A=T/P(J)+R(J) BD 870 A=INT((A-INT(A))*256):I FJ=9THEN89Ø AD 880 X(J)=C(A):Y(J)=-S(A):GOT091Ø MB 890 Z=1+E*C(A):X(J)=E+(E+C( A))/Z FK 900 Y(J)=(E*E-1)*S(A)/Z XE 910 X(J) = INT(131 + X(J) * E(J))MQ 920 Y(J) = INT(149+Y(J)*F(J)):NEXT JC 930 K=1:FORJ=LTOH:POKEV+2*K , X(J)ER 94Ø POKEV+2*K+1,Y(J):K=K+1: NEXT JB 950 T\$=STR\$(INT((T+EY)*10)/ 10) BA 960 SYSLC, 9, 30: PRINTT\$ SP\$ SP CP 97Ø GOSUB59Ø:IFK\$="Z"THEN63 0 QJ 980 IFFLTHEN970 HK 990 IFK\$="+"ANDM<MLTHENM=M* RJ 1000 T=T+M:GOT0860 BQ 1010 POKEV+32,14:POKEV+33,0 :POKE646,14 SM 1020 PRINT"{CLR}"T\$(2):PRIN TTAB(31)"MOON" AQ 1030 PRINTTAB(31) "PHASE":GO SUB500 BR 1040 SYSLC, 24, 1: PRINT" (EART H-MOON DISTANCE MAGNIF IED BY 30)"; CP 1050 SYSLC, 7, 31 :PRINT "EARTH EQ 1060 PRINTTAB(31)"DAY" GP 1070 E=84:D=E*SA:F=D*30/390 :G=F/SA BF 1080 M=0.3/365.25:T=0:H=13. 3685 EB 1090 POKEV+39,14:POKEV+40,1 SF 1100 POKEV+12,141:POKEV+13, 147 HS 1110 POKEV+14,24:POKEV+15,8 Ø PS 1120 POKEV+21,195:FL=1 DG 1130 A=T-INT(T):B=T*H:B=B-I NT(B) CQ 1140 C=INT(12*(B-A)+.5-7) RX 1150 IFC < ØTHENC=C+12:GOTO11 50 DG 1160 A=A*PP:B=B*PP XB 1170 X=INT(142.5+COS(A)*D)

RK 71Ø GOSUB47Ø:IFK\$="Z"THEN36

108 COMPUTEI's Gazette June 1986

#### C www.commodore.ca

RH	1180	Y=INT(148.5-SIN(A)*E)
KJ	1190	W=INT(X+1+COS(B)*F) Z=INT(Y+1-SIN(B)*G)
GA	1200 1210	POKEV, X:POKEV+1, Y:POKE
MD	1210	V+2,W
EP	1220	POKEV+3,Z:POKEBP+7,32+
		C
JR	1230	SYSLC,9,30:PRINTINT(T* 365.25)
GR	1240	GOSUB590:IFK\$="Z"THEN3
		60 '
QX	1250	IFFLTHEN1240
PB	1260	IFK\$="+"ANDM<.006THENM =M*2
GJ	1270	T=T+M:GOT01130
GD	1280	POKEV+32,5:POKEV+33,0:
-		POKE646,5 GOSUB550:PRINT"{CLR}"R
CR	1290	ESTS(3):GOSUB570
SB	1300	INPUT"ECCENTRICITY(0-0
		.96)";K\$
HJ	1310	E=VAL(K\$):IFK\$="Z"THEN
КВ	1320	36Ø IFE<ØORE>.96ORLEN(K\$)=
RB	1520	ØTHEN128Ø
BE	1330	FL=1:IFRIGHT\$(K\$,1)="R
		"THENFL=-1 PRINT"{CLR}"RE\$T\$(3):G
BS	1340	OSUB570
FF	1350	PRINT "ECCENTRICITY="E:
		SYSLC, 2, 27
JS	1360	IFETHENPRINT "ACCELERAT
HC	1370	ING" M=Ø.01:T=Ø:F=65*SA:G=6
ne	13/0	5*FL
QK	1380	
MC	1200	POKEV+21,3 A=(T-INT(T))*PP:Z=1+E*
MG	1390	COS(A)
RC	1400	
		E-1)*SIN(A)/Z
AG	1410	X=INT(107+X*F):Y=INT(1
FD	1420	49+Y*G) J=INT(A/1):POKEV+2,X:P
		OKEV+3,Y
JQ	1430	IFE>Ø.1THENSYSLC,2,27:
		PRINTP\$(J)
FX XQ	1440 1450	GETK\$:1FK\$="Z"THEN1280 T=T+M:GOTO1390
XA	1460	POKEV+32,3:POKEV+33,6:
		POKE646,3
CD	1470	PRINT"[CLR]"RE\$T\$(4)" [SPACE]MENU":SYSLC,4,0
MS	1480	GOSUB570:SYSLC,4,0
		PRINT" S SUN":PRINT" M
		MOON "
SJ	1500	FORJ=1TO9:PRINTJ;N\$(J)
FS	1510	:NEXT SYSLC,4,0:FORJ=0T010
		PRINTTAB(20)CHR\$(J+65)
	1000	" "F\$(J):NEXT
CR	1530	GOSUB470:IFK\$="Z"THEN3 60
QD	1540	
		90
GE	1550	IFK\$="M"THENK=10:GOTO1 590
EM	1560	The second se
		K=ASC(K\$)-65:IFK<ØORK>
		10THEN1530
		GOTO1720
rM	12.90	POKEV+32,3:POKEV+33,11 :POKE646,3
QG	1600	PRINT" {CLR } "RE\$N\$(K) RX
20	1610	\$;
AG	1610	H=4:IFK=ØORK=1ØTHENPRI NT:GOTO163Ø
SB	1620	H=10:PRINT" PLANET #"K
-	1000	"FROM SUN"
PE HJ		PRINT:FORJ=ØTOH PRINTF\$(J)TAB(18)Z(K,J
no	1040	1.11114 (0/11B(10)0(K)0

		)map(20)US(I)
GR	1650	)TAB(28)U\$(J) NEXT:IFK<10THEN1680
FS	1660	PRINT "DIST. FROM EARTH"
DU	1670	TAB(19)"243000 MILES" PRINTF\$(9)TAB(19)"6 MO
DH	1670	NTHS"
SE	1680	PRINT: IFK < 40RK=10THEN1
-	1000	77Ø FORJ=1TOZ(K,1Ø):C=INT(
CQ	1690	(J-1)/7)
PE	1700	L=13+J-C*7:SYSLC,L,C*1
BD	1710	3 PRINTM\$(K,J):NEXT:GOTO
БО	1/10	1770
MR	1720	POKEV+32,3:POKEV+33,11
вк	1730	:POKE646,3 PRINT"[CLR]"RE\$F\$(K)RX
Div	1150	STAB(19)U\$(K)
CP	1740	L=0:H=10:IFK>4THENL=1:
AR	1750	H=9 SYSLC,5,0:FORJ=LTOH
KD	1760	PRINTN\$(J)TAB(18)Z(J,K
PO	1770	):NEXT GOSUB570:GOSUB470:GOTO
RQ	1//0	1460
XJ	1780	DATA 32,13,192,132,251
HG	1790	,32,13 DATA 192,166,251,76,24
nG	1790	Ø,255,32
EM	1800	DATA 253,174,32,158,17
AH	1810	3,32,170 DATA 177,96,162,6,6,25
	1010	1,38
BA	1820	DATA 252,6,253,38,254,
MH	1830	202,208 DATA 245,169,21,133,2,
		160,2
CC	1840	DATA 177,251,162,8,106 ,38,255
ME	1850	DATA 202,208,250,192,1
~	1000	,240,4
QX	1860	DATA 152,73,2,168,165, 255,145
PK	1870	DATA 253,192,1,240,4,1
PH	1880	52,73 DATA 2,168,136,16,223,
En	1000	162,3
QR	1890	DATA 230,251,230,253,2
KS	1900	Ø2,208,249 DATA 198,2,208,208,96
KS	1910	DATA 0,15,0,0,0,192,0,
10	1920	Ø,48 DATA Ø,0,56,0,0,28,0,0
00	1920	,28
FP	1930	DATA 0,0,14,0,0,14,0,0
~~	1040	,7
GC GF		DATA 0,0,7,0,0,7,0,0,7 DATA 0,0,7,0,0,14,0,0,
		14
GR	1960	DATA 0,0,28,0,0,28,0,0 ,56
JX	1970	DATA 0,0,48,0,0,192,0,
~ **	1000	15,0,0
QM	1980	DATA 0,15,0,0,7,192,0, 3,240
GR	1990	DATA Ø,1,248,0,1,252,0
FD	2000	,1,252 DATA Ø,Ø,254,Ø,Ø,254,Ø
ER	2000	DATA Ø,Ø,254,Ø,Ø,254,Ø ,Ø,255
BJ	2010	DATA Ø,Ø,255,Ø,Ø,255,Ø
	2000	,0,255
MR	2020	DATA 0,0,255,0,0,254,0 ,0,254
SG	2030	DATA 0,1,252,0,1,252,0
КН	2040	,1,248 DATA Ø,3,240,0,7,192,0
Kn	2040	DATA Ø,3,240,0,7,192,0 ,15,0,0
HH	2050	DATA Ø,15,0,0,15,192,0
RQ	2060	,15,240 DATA 0,15,248,0,15,252
		,Ø,15,252
GF	2070	DATA Ø,15,254,0,15,254

		0 15 255
QB	2080	,0,15,255 DATA 0,15,255,0,15,255 ,0,15,255
SE	2090	,0,15,255 DATA 0,15,255,0,15,254 ,0,15,254
EF	2100	DATA Ø,15,252,Ø,15,252 Ø,15,248
SJ	2110	DATA [®] 0,15,240,0,15,192 ,0,15,0,0
BB	2120	DATA 0,15,0,0,31,192,0 ,63,240
SX	2130	DATA Ø,127,248,Ø,127,2 52,Ø,127,252
MX	2140	DATA Ø,255,254,0,255,2 54,0,255,255
DD	2150	DATA Ø,255,255,0,255,2
QX	2160	DATA Ø,255,255,0,255,2 54,0,255,254
FK	217Ø	DATA Ø,127,252,0,127,2 52,0,127,248
XD	2180	DATA 0,63,240,0,31,192 ,0,15,0,0
FR	2190	DATA Ø,31,Ø,Ø,255,192, 3,255,24Ø
HA	2200	DATA 3,255,248,7,255,2 52,7,255,252
HP	2210	DATA 15,255,254,15,255,254,31,255,255
RP	2220	DATA 31,255,255,31,255,255,31,255,255,31,255,255
HS	2230	DATA 31,255,255,15,255 ,254,15,255,254 DATA 7,255,252,7,255,2
XE	2240	DATA 7,255,252,7,255,2 52,3,255,248 DATA 3,255,240,0,255,1
	2250	92,0,31,0,0
KQ PB	226Ø	DATA Ø,255,0,3,255,192 ,15,255,240
XR	2280	DATA 31,255,248,63,255 ,252,63,255,252 DATA 127,255,254,127,2
		55,254,255,255,255
AF	2290	DATA 255,255,255,255,2 55,255,255,255,255 DATA 255,255,255,127,2
CB	23ØØ 231Ø	DATA 255,255,255,127,2 55,254,127,255,254 DATA 63,255,252,63,255
RR		,252,31,255,248 DATA 15,255,240,3,255,
		DATA 13,255,240,3,255, 192,0,255,0,0 DATA 0,112,3,248,6,248
BR	2330	0,248,12,112 DATA 64,192,67,192
BR	2350	DATA 128,224,131,224,1 34,224
SE	236Ø	DATA 46,45,45,45,45,45,45 ,44,37
FR	2370	DATA 7,3,4,14,8,6,7,12
AK	2380	DATA DIAMETER, MILES
FH	2390	DATA 864000,3100,7700, 7926
RC	2400	32000
GA	2410	The second se
GJ MK	242Ø 243Ø	DATA MASS, (EARTH=1) DATA 332830,0.055,0.81
DP	2440	5,1 DATA Ø.107,318,95.2,14 .5
CM	2450	DATA 17.2,0.01,0.012
SA	2460	DATA DENSITY, (WATER=1)
SD	2470	DATA 1.4,5.4,5.2,5.5,3
BD	2480	.9,1.3 DATA Ø.7,1.2,1.7,1.4,3
EE	2490	.4
QS	2500	ARTHDAYS
CE	2510	
		.39,27.3

КК	2520	
AJ	2530	NHEIT DATA 10000,620,900,72,
BM	2540	-10,-240 DATA -300,-340,-370,-4
FE	2550	00,-10 DATA DISTANCE FROM SUN
SP	2560	,MILL.MILES DATA 36,67.2,92.9,142,
вк	2570	483 DATA 887,1783,2795,367
GK	2580	Ø DATA LENGTH OF YEAR, EA
EX	2590	RTHYEARS DATA 0.241,0.615,1,1.8
DD	2600	8,11.86
PR	2600	DATA 29.46,84,164,248
BK	2610	DATA ORBIT SPEED, MPH
XJ	2620	DATA 107000,78000,6600 0,54000
QD	2630	
va	25.40	
XG	2640	DATA AXIS TILT, DEGREES
AJ	2650	DATA Ø,179,23.5,25,3.1
FD	2660	DATA 26.7,97.9,28.8,Ø
XQ	267Ø	DATA DRIVETIME(55MPH), YEARS
JA	2680	DATA 75,139,193,295,10 Ø2
ММ	2690	DATA 1840,3698,5797,76
RS	2700	DATA MOONS, -
AK	2710	DATA Ø,Ø,1,2,16,17,5,3
xc	2720	,1 DATA SUN, MERCURY, VENUS ,EARTH, MARS, PHOBOS, DEI MOS
DH	2730	DATA JUPITER, METIS, ADR ASTREA, AMALTHEA, THEBE, IO, EUROPA, GANYMEDE, CAL LISTO
JB	2740	DATA LEDA, HIMALIA, LYSI THEA, ELARA, ANANKE, CARM
FR	275Ø	E, PASIPHAE, SINOPE DATA SATURN, ATLAS, X, X, JANUS, EPIMETHEUS, MIMAS
		, ENCELADUS, TETHYS, TELE STO
MA	2760	DATA CALYPSO, DIONE, X, R HEA, TITAN, HYPERION, IAP
_		ETUS, PHOEBE
EK	277Ø	DATA URANUS, MIRANDA, AR IEL, UMBRIEL, TITANIA, OB
		ERON
JK	278Ø	DATA NEPTUNE, TRITON, NE
		REID, X, PLUTO, CHARON, MO ON
EH	2790	DATA 198,255,351,285,2 49,180,204,227,173
	B	FORE TYPING
Be		ping in programs, please
		"How To Type In
		TE!'s GAZETTE Programs,"

See instructions in article on page 92 before typing in. Program 1: FontMaker BJ 100 IF XX=1 THEN 630 KX 110 POKE 56,123:CLR:XX=1:FT =1 CP 120 DIM T(29,2), R(7,7): OPEN 15,8,15 GX 130 FOR X=0 TO 29:T(X,0)=33 +X:NEXT RM 140 FOR X=0 TO 25:T(X,1)=65 +X:NEXT JH 150 T(26,1)=31:T(27,1)=32:T (28,1)=0:T(29,1)=122AR 160 FOR X=0 TO 29:T(X,2)=X+ 1:NEXT KJ 170 HH\$="{HOME}{21 DOWN}" BE 180 GG\$="{39 SPACES}" PH 190 POKE 53280,6:PRINT CHR\$ (8)CHR\$(14)"{CLR}[DOWN] [7] [7 SPACES ] FONTMAKER [SPACE]FOR FONTPRINTER" QE 200 GOSUB 1710:PRINT" [DOWN] {5 SPACES ] 12345678":PRI
NT" {4 SPACES ] EA] ****** * [S] [6 SPACES ] F1 PIXEL [SPACE ] ON" PC 210 PRINT" [3 SPACES]1-[8 SPACES]-[6 SPACES]F2 PIXEL OFF" PS 220 PRINT"[3 SPACES]2-[8 SPACES]-[6 SPACES]F3 ADD COLUMN" SE 230 PRINT" [3 SPACES]3-[8 SPACES]-[6 SPACES]F4 DELETE COLUMN" ME 240 PRINT" [3 SPACES]4-[8 SPACES]-AJ 250 PRINT" [3 SPACES] 5-[8 SPACES]-[6 SPACES]F5 KEYBOARD CHOICE" SS 260 PRINT" [3 SPACES]6-[8 SPACES]-[6 SPACES]F6 NEW FONT NUMBER" KJ 270 PRINT" [3 SPACES]7-[8 SPACES]-[6 SPACES]F7 LOAD A FONT SET" DX 280 PRINT" [4 SPACES ] [2]**** **** [X] [6 SPACES] F8 SAV E A FONT SET" KE 290 PRINT" {2 DOWN} [4 SPACES]ABCDEFGHIJKLM NOPQRSTUVWXYZ[£]1" AS 300 PRINT" [4 SPACES ] ABCDEFG HIJKLMNOPQRSTUVWXYZ?@ E030 KJ 310 PRINT" [4 SPACES] ! "+CHR\$ (34)+"#\$%&'()*+,-./0123 456789:; <=>" BD 320 X1=4:Y1=17 XD 330 POKE 55296+40*Y1+X1,0:G **OSUB** 168Ø XK 340 GET AS: IF AS="" THEN 34 ø EC 350 POKE 55296+40*Y1+X1,14 DQ 360 IF A\$<>"{RIGHT}" THEN 3 90 PX 370 IF X1>32 THEN X1=3 MX 380 X1=X1+1:GOTO 330 SC 390 IF A\$ <> "{LEFT}" THEN 42 a MF 400 IF X1<5 THEN X1=34 KR 410 X1=X1-1:GOTO 330 KE 420 IF A\$ <> " [DOWN ] " THEN 45 a JB 430 IF Y1>18 THEN Y1=16 PD 440 Y1=Y1+1:GOTO 330 RA 450 IF A\$ <> " [UP] " THEN480

**FontMaker** 

## C www.commodore.ca

	460	
RG	470	Y1=Y1-1:GOTO 330
DX	480	
AM	490	
		WITCH TO WHICH FONT?"
PE	500	
		"9" THEN 500
EE	510	FT=ASC(B\$)-48:GOSUB 171
EE.	510	
		Ø:GOTO 330
JC		
EA	530	
		OAD FILE[BLK]";
DD	540	S\$="":INPUT S\$:S\$=LEFT\$
		(S\$,16):IF S\$="" THEN 3
		30
KF	55Ø	
	550	
		PUT#15, A, E\$, B\$, B\$:CLOSE
DD	ECO	1:IF A THEN 640
BB		
DM		IF A\$ <> " [F8] " THEN 670
RD	580	GOSUB 1680:PRINT" [WHT]S
		AVE AS{BLK}";
DP	590	POKE 2, PEEK(45): POKE 3,
		PEEK(46):POKE 43,0:POKE
		44,123:POKE 45,0:POKE
		{SPACE}46,159
PO	caa	
rQ	600	S\$="":INPUT S\$:S\$=LEFT\$
		(S\$,16):IF S\$="" THEN 6
		20
XS	610	SAVE S\$,8
FS	620	POKE 43,1:POKE 44,8:POK
		E 45, PEEK(2): POKE 46, PE
		EK(3)
RH	630	
		{SPACE}A=Ø THEN 330
CD	640	GOSUB 1690:PRINT"DISK E
		RROR: "A; E\$
DC	65Ø	GET AS: IF AS="" THEN 65
RC	050	Ø
-		
		GOSUB 1690:GOTO 330
CR		IF A\$<>"{F5}" THEN 780
DF	680	IF A\$<>"{F5}" THEN 780 OPEN 3,3:CMD 3:GOSUB 16
		90
		n n m m H ( r m m ) arra T an
FP	690	PRINT" {WHT } CHOICE:
FP	690	
		{BLK}";:INPUT A\$
ES	700	{BLK}";:INPUT A\$ PRINT#3:CLOSE 3
		<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC</pre>
ES MD	7ØØ 71Ø	{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø
ES MD	700	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE</pre>
ES MD EH	700 710 720	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740</pre>
ES MD EH	7ØØ 71Ø	{BLK}";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1) $<>"/"$ THE N A= $\emptyset$ :GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$)
ES MD EH	700 710 720	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$) -1))</pre>
ES MD EH KQ	700 710 720 730	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$) -1))</pre>
ES MD EH	700 710 720	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF</pre>
ES MD EH KQ AA	700 710 720 730 740	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=Ø:GOTO 74Ø A=VAL(RIGHT\$(A\$, LEN(A\$) -1)) X2=5:Y2=7:GOSUB 16ØØ:IF SC=1 THEN 142Ø</pre>
ES MD EH KQ AA QD	700 710 720 730 740 750	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=Ø:GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 160Ø:IF SC=1 THEN 142Ø POKE 55296+4Ø*Y1+X1,Ø</pre>
ES MD EH KQ AA	700 710 720 730 740	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=Ø:GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 16ØØ:IF SC=1 THEN 142Ø POKE 55296+4Ø*Y1+X1,Ø GET A\$:IF A\$="" THEN 76</pre>
ES MD EH KQ AA QD JE	700 710 720 730 740 750 760	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 Ø</pre>
ES MD EH KQ AA QD JE CQ	700 710 720 730 740 750 760 770	{BLK}";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 Ø GOSUB 1690:GOTO 350
ES MD EH KQ AA QD JE CQ	700 710 720 730 740 750 760	{BLK}";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1) $<$ "/" THE N A=Ø:GOTO 74Ø A=VAL(RIGHT\$(A\$, LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 16ØØ:IF SC=1 THEN 142Ø POKE 55296+4Ø*Y1+X1,Ø GET A\$:IF A\$="" THEN 76 Ø GOSUB 169Ø:GOTO 35Ø IF A\$=CHR\$(13) THEN POK
ES MD EH KQ AA QD JE CQ	700 710 720 730 740 750 760 770	{BLK}";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1) $<$ "/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO
ES MD EH KQ AA QD JE CQ	700 710 720 730 740 750 760 770	{BLK}";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1) $<$ "/" THE N A=Ø:GOTO 74Ø A=VAL(RIGHT\$(A\$, LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 16ØØ:IF SC=1 THEN 142Ø POKE 55296+4Ø*Y1+X1,Ø GET A\$:IF A\$="" THEN 76 Ø GOSUB 169Ø:GOTO 35Ø IF A\$=CHR\$(13) THEN POK
ES MD EH KQ AA QD JE CQ FQ	700 710 720 730 740 750 760 770	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 Ø GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO B20 A=ASC(A\$+CHR\$(Ø)):GOSUB</pre>
ES MD EH KQ AA QD JE CQ FQ	700 710 720 730 740 750 760 770 780	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 Ø GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO B20 A=ASC(A\$+CHR\$(Ø)):GOSUB</pre>
ES MD EH KQ AA QD JE CQ FQ	700 710 720 730 740 750 760 770 780 790	$ \{ BLK \} "; : INPUT A \$  PRINT # 3: CLOSE 3  IF LEN(A \$) = 1 THEN A=ASC  (A \$): GOTO740  A=VAL(RIGHT $ (A \$, LEN(A \$) )  -1) )  X2=5: Y2=7: GOSUB 1600: IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A $: IF A $="" THEN 76  0  GOSUB 1690: GOTO 350  IF A $=CHR $ (13) THEN POK  E 55296+40*Y1+X1,1: GOTO  820  A=ASC (A $+CHR $ (0) ): GOSUB  1600: IF SC=0 THEN 750 \\ \end{tabular} $
ES MD EH KQ AA QD JE CQ FQ	700 710 720 730 740 750 760 770 780 790	{BLK}";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1) $<$ "/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C
ES MD EH KQ AA QD JE CQ FQ PQ HA	700 710 720 730 740 750 760 770 780 790 800	{BLK}";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C HOICE:{BLK} "A\$
ES MD EH KQ AA QD JE CQ FQ PQ HA PX	700 710 720 730 740 750 750 750 750 780 790 800 810	$ \{BLK\}";: INPUT A$  PRINT#3:CLOSE 3  IF LEN(A$)=1 THEN A=ASC  (A$):GOTO740  IF LEFT$(A$,1)<>"/" THE  N A=0:GOTO 740  A=VAL(RIGHT$(A$, LEN(A$) -1))  X2=5:Y2=7:GOSUB 1600:IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A$:IF A$="" THEN 76  0  GOSUB 1690:GOTO 350  IF A$=CHR$(13) THEN POK  E 55296+40*Y1+X1,1:GOTO  820  A=ASC(A$+CHR$(0)):GOSUB  1600:IF SC=0 THEN 750  GOSUB 1690:PRINT"{WHT}C  HOICE:{BLK} "A$  X2=5:Y2=7:GOTO 1420  }$
ES MD EH KQ AA QD JE CQ FQ PQ HA PX DJ	700 710 720 730 740 750 750 750 780 790 800 810 820	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C HOICE:{BLK} "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410</pre>
ES MD EH KQ AA QD JE CQ FQ PQ HA PX DJ	700 710 720 730 740 750 750 750 750 780 790 800 810	<pre>[BLK]";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 Ø GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"[WHT]C HOICE:[BLK] "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410 PRINT LEFT\$(HH\$,Y2+1)TA</pre>
ES MD EH KQ AA QD JE CQ FQ PQ HA PX XM	700 710 720 730 740 750 750 750 750 780 790 800 800 810 820 830	$ \{BLK\}";: INPUT A$  PRINT#3:CLOSE 3  IF LEN(A$)=1 THEN A=ASC  (A$):GOTO740  IF LEFT$(A$,1) <> "/" THE  N A=0:GOTO 740  A=VAL(RIGHT$(A$,LEN(A$) -1))  X2=5:Y2=7:GOSUB 1600:IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A$:IF A$="" THEN 76  0  GOSUB 1690:GOTO 350  IF A$=CHR$(13) THEN POK  E 55296+40*Y1+X1,1:GOTO  820  A=ASC(A$+CHR$(0)):GOSUB  1690:IF SC=0 THEN 750  GOSUB 1690:PRINT"{WHT}C  HOICE:{BLK} "A$  X2=5:Y2=7:GOTO 1420  X2=5:Y2=7:GOTO 1410  PRINT LEFT$(HH$,Y2+1)TA  B(X2)"{RVS}{73}; : \\ \end{tabular} \end{tabular}$
ES MD EH KQ AA QD JE CQ FQ PQ HA PX DJ KM QP	700 710 720 730 740 750 750 750 750 750 790 800 800 810 820 830 840	$ \{BLK\}";: INPUT A$  PRINT#3:CLOSE 3  IF LEN(A$)=1 THEN A=ASC  (A$):GOTO740  IF LEFT$(A$,1) <> "/" THE  N A=0:GOTO 740  A=VAL(RIGHT$(A$,LEN(A$) -1))  X2=5:Y2=7:GOSUB 1600:IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A$:IF A$="" THEN 76  0  GOSUB 1690:GOTO 350  IF A$=CHR$(13) THEN POK  E 55296+40*Y1+X1,1:GOTO  820  A=ASC(A$+CHR$(0)):GOSUB  1690:IF SC=0 THEN 750  GOSUB 1690:PRINT"{WHT}C  HOICE:{BLK} "A$  X2=5:Y2=7:GOTO 1420  X2=5:Y2=7:GOTO 1410  PRINT LEFT$(HH$,Y2+1)TA  B(X2)"[RVS]§73";  POKE 55296+40*Y2+X2,0  THEN A=ASC  (A$+CHR$(A$)  POKE 55296+40*Y2+X2,0  POKE 55296+40*Y2+X2,0  PRINT LEFT$(H$,Y2+X2,0  POKE 55296+40*Y2+X2,0  PRINT LEFT$(H$,Y2+X2,0  POKE 55296+40*Y2+X2,0  PRINT LEFT$(H$,Y2+X2,0  POKE 55296+40*Y2+X2,0  PRINT LEFT$(H$,Y2+X2,0  POKE 55296+40*Y2+X2,0  POKE 55296+40*Y2+X2,0  PRINT LEFT$(H$,Y2+X2,0  POKE 55296+40*Y2+X2,0  POKE 5$
ES MD EH KQ AA QD JE CQ FQ PQ HA PX XM	700 710 720 730 740 750 750 750 750 780 790 800 800 810 820 830	$ \{BLK\}";: INPUT A$  PRINT#3:CLOSE 3  IF LEN(A$)=1 THEN A=ASC  (A$):GOTO740  IF LEFT$(A$,1) <> "/" THE  N A=0:GOTO 740  A=VAL(RIGHT$(A$,LEN(A$) -1))  X2=5:Y2=7:GOSUB 1600:IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A$:IF A$="" THEN 76  0  GOSUB 1690:GOTO 350  IF A$=CHR$(13) THEN POK  E 55296+40*Y1+X1,1:GOTO  820  A=ASC(A$+CHR$(0)):GOSUB  1690:IF SC=0 THEN 750  GOSUB 1690:PRINT"{WHT}C  HOICE:{BLK} "A$  X2=5:Y2=7:GOTO 1420  X2=5:Y2=7:GOTO 1410  PRINT LEFT$(HH$,Y2+1)TA  B(X2)"{RVS}{73}; : \\ \end{tabular} \end{tabular}$
ES MD EH KQ AA QD JE CQ FQ PQ HA PX DJ KM QP	700 710 720 730 740 750 750 750 750 750 790 800 800 810 820 830 840	$ \{ BLK \} "; : INPUT A \$  PRINT # 3: CLOSE 3  IF LEN(A \$) = 1 THEN A=ASC  (A \$) : GOTO 740  A=VAL (RIGHT $ (A \$, LEN (A \$) -1))  X2=5: Y2=7: GOSUB 1600: IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A $: IF A $="" THEN 76  0  GOSUB 1690: GOTO 350  IF A $=CHR $ (13) THEN POK  E 55296+40*Y1+X1,1: GOTO  820  A=ASC (A $+CHR $ (0)): GOSUB  1600: IF SC=0 THEN 750  GOSUB 1690: PRINT "{WHT}C  HOICE: {BLK} "A $  X2=5: Y2=7: GOTO 1420  X2=5: Y2=7: GOTO 1410  PRINT LEFT $ (HH $, Y2+1) TA  B(X2)" [RVS] § 73 ";  POKE 55296+40*Y2+X2,0  GET A $: IF A $="" THEN 85  0 \\ \end{tabular} \begin{tabular}{lllllllllllllllllllllllllllllllllll$
ES MD EH KQ AA QD JE CQ FQ PQ HA PX DJ KM QP AC	700 710 720 730 740 750 750 750 750 750 790 800 800 810 820 830 840	$ \{ BLK \} "; : INPUT A \$  PRINT # 3: CLOSE 3  IF LEN(A \$) = 1 THEN A=ASC  (A \$) : GOTO 740  A=VAL (RIGHT $ (A \$, LEN (A \$) -1))  X2=5: Y2=7: GOSUB 1600: IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A $: IF A $="" THEN 76  0  GOSUB 1690: GOTO 350  IF A $=CHR $ (13) THEN POK  E 55296+40*Y1+X1,1: GOTO  820  A=ASC (A $+CHR $ (0)): GOSUB  1600: IF SC=0 THEN 750  GOSUB 1690: PRINT "{WHT}C  HOICE: {BLK} "A $  X2=5: Y2=7: GOTO 1420  X2=5: Y2=7: GOTO 1410  PRINT LEFT $ (HH $, Y2+1) TA  B(X2)" [RVS] § 73 ";  POKE 55296+40*Y2+X2,0  GET A $: IF A $="" THEN 85  0 \\ \end{tabular} \begin{tabular}{lllllllllllllllllllllllllllllllllll$
ES EH KQ AA QD JE CQ FQ PQ HA PQ HA QP AC GR	700 710 720 730 740 750 760 760 780 800 800 810 820 830 840 850 860	$ \{ BLK \} "; : INPUT A \$  PRINT # 3: CLOSE 3  IF LEN(A \$) = 1 THEN A=ASC  (A \$) : GOTO 740  A=VAL (RIGHT $ (A \$, LEN (A \$) -1) )  X2=5: Y2=7: GOSUB 1600: IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A $: IF A $="" THEN 76  0  GOSUB 1690: GOTO 350  IF A $=CHR $ (13) THEN POK  E 55296+40*Y1+X1,1: GOTO  820  A=ASC (A $+CHR $ (0) ): GOSUB  1600: IF SC=0 THEN 750  GOSUB 1690: PRINT "{WHT}C  HOICE: {BLK} "A $  X2=5: Y2=7: GOTO 1420  X2=5: Y2=7: GOTO 1410  PRINT LEFT $ (HH $, Y2+1) TA  B (X2) "{RVS} § 73 ";  POKE 55296+40*Y2+X2,0  GET A $: IF A $="" THEN 85  0  POKE 55296+40*Y2+X2,14 \\ \ \end{tabular} $
ES MD EH KQ AA QD JE CQ FQ PQ HA PX DJ KM QP AC	700 710 720 730 740 750 750 750 750 780 790 800 810 820 830 840 850	$ \{ BLK \} "; : INPUT A \$  PRINT # 3: CLOSE 3  IF LEN(A \$) = 1 THEN A=ASC  (A \$) : GOTO740  A=VAL (RIGHT $ (A \$, 1) <> "/" THE  N A=0 : GOTO 740  A=VAL (RIGHT $ (A \$, LEN (A $) ) -1) )  X2=5: Y2=7: GOSUB 1600: IF  SC=1 THEN 1420  POKE 55296+40 * Y1+X1,0  GET A $: IF A $="" THEN 76  0  GOSUB 1690: GOTO 350  IF A $=CHR $ (13) THEN POK  E 55296+40 * Y1+X1,1: GOTO  820  A=ASC (A $+CHR $ (0) ): GOSUB  1600: IF SC=0 THEN 750  GOSUB 1690: PRINT "{WHT}C  HOICE: {BLK} "A $  X2=5: Y2=7: GOTO 1420  X2=5: Y2=7: GOTO 1410  PRINT LEFT $ (HH $, Y2+1) TA  B (X2) "{RVS} § 7 3";  POKE 55296+40 * Y2+X2,0  GET A $: IF A $="" THEN 85  0  POKE 55296+40 * Y2+X2,14  IF A $<>" {RIGHT}" THEN 9  POKE 55296+40 * Y2+X2,14  IF A $<>" {RIGHT}" THEN 9  POKE 55296+40 * Y2+X2,14  IF A $<>" {RIGHT}" THEN 9  POKE 55296+40 * Y2+X2,14  IF A $<>" {RIGHT}" THEN 9  POKE 55296+40 * Y2+X2,14  IF A $<>" {RIGHT}" THEN 9  POKE 55296+40 * Y2+X2,14  PA $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $ $
ES MD EH KQ AA QD JE CQ FQ PQ HA PQ HA PX DJ KM QP AC GR SS	700 710 720 730 740 750 750 750 750 750 800 800 810 820 830 840 850 840 850	<pre>[BLK]";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO74Ø IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 74Ø A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 Ø GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"[WHT]C HOICE:[BLK] "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410 PRINT LEFT\$(HH\$,Y2+1)TA B(X2)"[RVS]§73"; POKE 55296+40*Y2+X2,0 GET A\$:IF A\$="" THEN 85 Ø POKE 55296+40*Y2+X2,14 IF A\$&lt;&gt;"[RIGHT]" THEN 9 10</pre>
ES MD EH KQ AA QD ECQ FQ PQ HA PQ HA PX DJM GR GR SS AE	700 710 720 730 740 750 750 750 750 790 800 800 810 820 830 840 850 860 880	<pre>[BLK]";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C HOICE:{BLK} "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410 PRINT LEFT\$(HH\$,Y2+1)TA B(X2)"{RVS}{73"; POKE 55296+40*Y2+X2,0 GET A\$:IF A\$="" THEN 85 0 POKE 55296+40*Y2+X2,14 IF A\$&lt;&gt;"{RIGHT}" THEN 9 10 IF WD=0 THEN 850</pre>
ES MD EH KQ AA QD ECQ FQ PQ HA PQ HA PX DJM GR GR SS AE	700 710 720 730 740 750 750 750 750 790 800 800 810 820 830 840 850 860 880	$ \{BLK\}";: INPUT A$  PRINT#3:CLOSE 3  IF LEN(A$)=1 THEN A=ASC  (A$):GOTO740  A=VAL(RIGHT$(A$, 1) <> "/" THE  N A=0:GOTO 740  A=VAL(RIGHT$(A$, LEN(A$)  -1))  X2=5:Y2=7:GOSUB 1600:IF  SC=1 THEN 1420  POKE 55296+40*Y1+X1,0  GET A$:IF A$="" THEN 76  0  GOSUB 1690:GOTO 350  IF A$=CHR$(13) THEN POK  E 55296+40*Y1+X1,1:GOTO  820  A=ASC(A$+CHR$(0)):GOSUB  1600:IF SC=0 THEN 750  GOSUB 1690:PRINT"{WHT}C  HOICE:{BLK} "A$  X2=5:Y2=7:GOTO 1420  X2=5:Y2=7:GOTO 1410  PRINT LEFT$(HH$,Y2+1)TA  B(X2)"{RVS}{7};  POKE 55296+40*Y2+X2,0  GET A$:IF A$="" THEN 85  0  POKE 55296+40*Y2+X2,14  IF A$<>"{RIGHT}" THEN 9  10  IF WD=0 THEN 850  IF X2>3+WD THEN X2=5:GO$
ES MD EH KQ AA QD JE CQ FQ PQ HA PQ HA PX DJ KM QP AC GR SS AE GK	700 710 720 730 740 750 760 770 780 800 800 810 820 830 840 850 850 850 850	[BLK]";: INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1)<>"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C HOICE:{BLK} "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410 PRINT LEFT\$(HH\$,Y2+1)TA B(X2)"[RVS]§73"; POKE 55296+40*Y2+X2,0 GET A\$:IF A\$="" THEN 85 0 POKE 55296+40*Y2+X2,14 IF A\$<>"{RIGHT}" THEN 9 10 IF WD=0 THEN 850 IF X2>3+WD THEN X2=5:GO TO 830
ES MD EH KQ AA QD JE CQ FQ PQ HA PQ HA PX DJ KM QP AC GR SS AE GK	700 710 720 730 740 750 760 770 780 800 800 810 820 830 840 850 850 850 850	<pre>[BLK]";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C HOICE:{BLK} "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410 PRINT LEFT\$(HH\$,Y2+1)TA B(X2)"{RVS}{7}; POKE 55296+40*Y2+X2,0 GET A\$:IF A\$="" THEN 85 0 POKE 55296+40*Y2+X2,14 IF A\$&lt;"{RIGHT}" THEN 9 10 IF WD=0 THEN 850 IF X2&gt;3+WD THEN X2=5:GO TO 830 X2=X2+1:PRINT"{RIGHT};</pre>
ES MD EH KQ AA QD CQ FQ PQ HA PQ HA PX DX KM QP AC GR SS AE GK RB	700 710 720 730 740 750 750 750 750 800 800 810 820 830 840 850 840 850 880 890 900	<pre>{BLK}";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$)) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C HOICE:{BLK} "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410 PRINT LEFT\$(HH\$,Y2+1)TA B(X2)"{RVS}{73"; POKE 55296+40*Y2+X2,0 GET A\$:IF A\$="" THEN 85 0 POKE 55296+40*Y2+X2,14 IF A\$&lt;&gt;"{RIGHT}" THEN 9 10 IF WD=0 THEN 850 IF X2&gt;3+WD THEN X2=5:GO TO 830 X2=X2+1:PRINT"{RIGHT}"; ;GOTO 840</pre>
ES MD EH KQ AA QD CQ FQ PQ HA PQ HA PX DX KM QP AC GR SS AE GK RB	700 710 720 730 740 750 750 750 750 800 800 810 820 830 840 850 840 850 880 890 900	<pre>[BLK]";:INPUT A\$ PRINT#3:CLOSE 3 IF LEN(A\$)=1 THEN A=ASC (A\$):GOTO740 IF LEFT\$(A\$,1)&lt;&gt;"/" THE N A=0:GOTO 740 A=VAL(RIGHT\$(A\$,LEN(A\$) -1)) X2=5:Y2=7:GOSUB 1600:IF SC=1 THEN 1420 POKE 55296+40*Y1+X1,0 GET A\$:IF A\$="" THEN 76 0 GOSUB 1690:GOTO 350 IF A\$=CHR\$(13) THEN POK E 55296+40*Y1+X1,1:GOTO 820 A=ASC(A\$+CHR\$(0)):GOSUB 1600:IF SC=0 THEN 750 GOSUB 1690:PRINT"{WHT}C HOICE:{BLK} "A\$ X2=5:Y2=7:GOTO 1420 X2=5:Y2=7:GOTO 1410 PRINT LEFT\$(HH\$,Y2+1)TA B(X2)"{RVS}{7}; POKE 55296+40*Y2+X2,0 GET A\$:IF A\$="" THEN 85 0 POKE 55296+40*Y2+X2,14 IF A\$&lt;"{RIGHT}" THEN 9 10 IF WD=0 THEN 850 IF X2&gt;3+WD THEN X2=5:GO TO 830 X2=X2+1:PRINT"{RIGHT};</pre>

RS 460 IF Y1 <18 THEN Y1=20

which appears before the Program

Listings.

QR 9	20 I	F X2<6THENX2=4+WD:GOTO
		830 2=X2-1:PRINT"{LEFT}";:
	G	OTO 840 F A\$<>"{DOWN}" THEN 97
	Ø	
	Т	"{7 UP}";
HK 9	G	2=Y2+1:PRINT"{DOWN}";: OTO 840
	980 I	F A\$<>"{UP}" THEN1000 F Y2<8 THEN Y2=14:PRIN
HE 9	99Ø Y	"{7 DOWN}"; 2=Y2-1:PRINT"{UP}";:GO
FF J		0 840 IFA\$=CHR\$(13) THEN 157
DE 1	1010	Ø IF A\$<>CHR\$(141) THEN
јк :	1020	<pre>{SPACE}1040 GOSUB 1690:PRINT"{BLU} "LEFT\$(HH\$,8)TAB(5);</pre>
RC	1030	FOR K=Ø TO 7:PRINT" {DOWN}{LEFT} {DOWN}
		{LEFT} {DOWN} {LEFT}
		(DOWN) (LEFT) (DOWN) (LEFT) (DOWN) (LEFT)
		[DOWN] [7 UP]"; :NEXT:GO TO 330
RA	1Ø4Ø	IF A\$<>"{CLR}" THEN 10 80
	1050	PRINT LEFT\$(HH\$,8); FOR I=0 TO 6:PRINT TAB
ES	1060	(5)"{RVS}"LEFT\$(GG\$,WD
DR	1070	) FOR R=Ø TO 7:R(R,I)=Ø:
KR	1080	NEXT:NEXT:GOTO 830 IF A\$<>"{HOME}" THEN 1
CG	1090	110 . IF WD THEN X2=5
PS	1100	¥2=7 · GOTO 850
SH	1110	IF A\$<>"{F2}" AND A\$<> CHR\$(32) THEN 1140
	1120	IF WD=Ø THEN 850 PRINT" {LEFT}";:R(X2-5
	1130	,Y2-7)=0:GOTO 890 IF A\$<>"[F3]" THEN 119
	1140	Ø IF WD<8 THEN WD=WD+1:R
		(WD-1,7)=128
	1160	FOR K=7 TO 13:POKE 553 ØØ+4Ø*K+WD,14:NEXT
	117Ø 118Ø	IF WD=1 THEN 890 GOTO 830
	1190	IF A\$ <> " [F4] " THEN 124
XP	1200	Ø IF WD=Ø THEN 830
НК	1210	FOR K=7 TO 13:POKE5530
CF	1220	0+40*K+WD,6:NEXT R(WD-1,7)=0:WD=WD-1:IF
	1230	X2>WD+4 THEN X2=WD+4 GOTO 830
	1230	IF A\$ <> " [F6] " THEN 128
вр	1250	Ø GOSUB 1690:PRINT"{WHT} SWITCH TO WHICH FONT?"
JB	1260	SWITCH TO WHICH FONT?" GET B\$:IF B\$<"1" OR B\$
DA	127Ø	>"9" THEN 1260 FT=ASC(B\$)-48:GOSUB 17
GS	1280	10:GOSUB 1690:GOTO 830 IF A\$<>"{F5}" THEN 138
AS	1290	Ø OPEN 3,3:CMD 3:GOSUB 1
KR	1300	690 PRINT"{WHT}CHOICE: {BLK}";:INPUT A\$
	1310	PRINT#3:CLOSE 3
ХК	1320	IF LEN(A\$)=1 THEN A=AS C(A\$):GOTO 1340
	1330	A=VAL(RIGHT\$(A\$,LEN(A\$)-1))
КН	1340	GOSUB 1600:POKE 55296+ 40*Y2+X2,0

P	1350	IF SC=1 THEN POKE 5529
c	1360	6+40*Y1+X1,14:GOTO 830 GET A\$:IF A\$="" THEN 1 360
A	1370	GOSUB 1690:PRINT LEFT\$ (HH\$,Y2+1)TAB(X2)"
x	1380	[RVS]";:GOTO 870 IF A\$="[F7]" OR A\$=" [F8]" THEN 830
PR	139Ø 14ØØ	IF WD=0 THEN 850 PRINT "* {LEFT }";:R(X2-5
	1410	,Y2-7)=21(Y2-7):GOTO 8 90
D	1410 1420	TT=8*T(X1-4,Y1-17)+304 64 SS=TT+FT*1024
F	1430	IF A\$=CHR\$(13) THEN GO SUB 1690
PS	1440	PRINT" [HOME] [7 DOWN] [RVS] [7] "TAB(5);:R=Ø RR=PEEK(SS+R):IF RR<12
SK	1450	8 THEN 1520
IJ	1460	FOR I=Ø TO 6:R(R,I)=RR AND 21I
AS	1470	IF R(R,I) THEN PRINT"* {DOWN}{LEFT}";:GOTO 14 90
BF	148Ø 149Ø	PRINT" {DOWN}{LEFT}"; NEXT:R(R,7)=128:PRINT"
AG	1500	{RIGHT}{7 UP}"; R=R+1:IF R<8 THEN 1450
IM	1510	WD=R:GOTO 830
BH	1520	IF R=Ø THEN X2=4
PM	1530	FOR RR=R TO 7:FOR I=Ø {SPACE}TO 6
5E	1540	R(RR,I)=Ø:PRINT"[BLU] [SPACE][DOWN][LEFT]";: NEXT
нв	1550	R(R,7)=Ø:PRINT"{RIGHT} {7 UP}";
	1560	NEXT:WD=R:GOTO 830
RS	1570	GOSUB 1690:SS=TT+FT*10 24:PRINT"{HOME} {7 DOWN}{RVS}{BLU}"TAB
мм	1580	(5); FOR R=Ø TO 7:K=Ø:FOR I =Ø TO 7:K=K+R(R,I):NEX
A	1590	T POKE SS+R, K:PRINT"
	1350	{DOWN } {LEFT } {DOWN }
		{LEFT} {DOWN} {LEFT} {DOWN} {LEFT} {DOWN} {LEFT} {DOWN} {LEFT}
		[LEFT] [DOWN][LEFT] [DOWN][7 UP]";:NEXT:GO TO 330
	1600	SC=1:IF A>255 THEN 167
	1610	30464:RETURN
PQ QX	162Ø 163Ø	
RR	1640	TT=8*(A-32)+30464:RETU
DD	1650	
ME	1660	30464 : RETURN
BP	1670	GOSUB 1690:PRINT"{BLK} -INVALID CHARACTER":SC =0:RETURN
BR		PRINT HH\$GG\$:GOTO 1700
GR	1690	,16)GGS
	1700	RETURN
SX	1710	PRINT" {HOME } {3 DOWN }"T AB(12)" [7]CURRENT FONT :"FT:RETURN
Pr	ogra	m 2: FontPrinter
	-	
	Ø1:ØB Ø9:38	08 0A 00 9E 32 31 31 2B 00 00 00 FF FF 93 0E 6A
	11:0D	

QP 1350 IF SC=1 THEN POKE 5529

P

J

P

0

G

G

F

F

S

H

7

E

1

H

Ø819:4E 54 45 52 ØD 20 20 20 7C 0821:20 20 20 20 20 20 20 20 31 0829:20 20 20 20 20 20 20 20 39 Ø831:ØD ØD 46 4F 4E 54 2Ø 53 2Ø Ø839:45 54 3A ØØ ØD 53 4F 55 F1 Ø841:52 43 45 3A ØØ AØ ØØ 2Ø 3A Ø849:BB Ø8 20 C1 Ø8 A2 ØØ AØ C4 Ø851:60 20 BD FF A9 Ø5 A2 Ø8 FF Ø859:AØ ØØ 20 BA FF A9 ØØ A2 B2 Ø861:C1 AØ Ø9 20 D5 FF BØ 35 E2 Ø869:A9 Ø5 20 C3 FF AØ 2E 20 CE Ø871:BB Ø8 20 C1 Ø8 A2 ØØ AØ EC Ø879:60 20 BD FF A9 Ø5 A2 Ø8 28 Ø881:AØ Ø5 20 BA FF 20 CØ FF D4 Ø889:BØ 13 A9 ØØ 2Ø BD FF A9 8D Ø891:04 A2 Ø4 AØ Ø7 2Ø BA FF Ø5 Ø899:20 CØ FF 90 Ø6 AA 68 68 Ø7 Ø8A1:4C 37 A4 20 D6 Ø8 B9 ØØ 86 Ø8A9:60 DØ Ø3 4C 1B Ø9 20 A8 29 Ø8B1:FF C8 DØ F2 FØ ED 20 D2 8F Ø8B9:FF C8 B9 ØF Ø8 DØ F7 6Ø F7 Ø8C1:AØ FF C8 20 CF FF 99 ØØ EE Ø8C9:6Ø C9 ØD DØ F5 CØ 11 9Ø 9Ø Ø8D1:02 AØ 1Ø 98 6Ø 2Ø B7 FF 89 Ø8D9:FØ ØD A9 Ø4 20 C3 FF A9 D4 Ø8E1:05 20 C3 FF 68 68 60 20 BA Ø8E9:AE FF A9 Ø8 20 B4 FF A9 84 Ø8F1:65 20 96 FF 20 A5 FF 99 CØ Ø8F9:00 60 20 B7 FF DØ ØA C8 C1 Ø901:DØ F2 FØ Ø8 A9 ØØ 99 ØØ 57 Ø9Ø9:60 C8 DØ F8 20 AB FF A9 80 Ø911:04 20 B1 FF A9 67 20 93 22 Ø919:FF 60 C8 D0 03 20 D6 08 B7 Ø921:B9 ØØ 6Ø 38 E9 3Ø 1Ø Ø8 D7 Ø929:A9 ØF 20 A8 FF 4C B2 Ø8 Ø1 Ø931:FØ F6 C9 ØA BØ F2 A2 C1 AB Ø939:8E ØD Ø8 ØA ØA 18 69 Ø5 FF Ø941:8D ØE Ø8 A9 Ø8 20 A8 FF 4B Ø949:4C BC Ø9 A9 ØF 20 A8 FF B6 Ø951:A9 ØD 20 A8 FF A9 Ø8 20 EØ Ø959:A8 FF 4C BC Ø9 20 D6 Ø8 93 Ø961:B9 ØØ 6Ø DØ Ø3 4C 1B Ø9 F1 Ø969:C9 ØD FØ DF C9 FF DØ Ø4 B3 Ø971:A9 5E DØ 19 30 ØF C9 20 ØD 0979:B0 06 20 A8 FF 4C BC 09 A7 Ø981:38 E9 20 10 08 C9 A0 90 68 Ø989:F1 29 7F Ø9 40 A2 ØØ 8E 7A 0991:B1 09 0A 2E B1 09 0A 2E D6 0999:B1 09 0A 2E B1 09 18 6D 3A Ø9A1:0D Ø8 8D BØ Ø9 AD B1 Ø9 64 Ø9A9:6D ØE Ø8 8D B1 Ø9 BD FF FC Ø9B1:FF 10 08 20 A8 FF E8 E0 C2 Ø9B9:08 90 F3 C8 DØ A2 FØ 9D 8F

> All programs listed in this magazine are available on the GAZETTE Disk. See elsewhere in this issue for details.

C www.commodore.ca

09C1:00 00 00 00 FF 00 FF 00 D3

# **Sensational Prices!** . On Our Most Popular Items!

# from microfal ... THE 69C

Are you paying too much for diskettes? Try our first quality, prime, 51/4" diskettes (no rejects, no seconds) at these fantastic sale prices and save, save, SAVE! Disks are packaged in boxes of 50; each box contains 5 shrink-wrapped 10-packs that include diskettes in sleeves, labels, and write-protect tabs,

Each diskette is certified to be 100% error free and comes with a lifetime warranty (if you have a problem, we'll replace the diskette). All diskettes include hub reinforcement rings and write-protect notch.

All diskettes are double density and work in either single or double density drives

#### SS. DD Diskettes, Box of 50

32391

\$34.50-69¢ ea.!

DS, DD Diskettes, Box of 50 32403

\$44.50-89¢ ea.!

# POWER and PROTECTION FOR YOUR C-64!

# POW'R PAK 64 1 ...

Pow'r Pak is a replacement power supply (1.5 amp) for the Commodore 64... but that's not all! Pow'r Pak also supplies two additional surge protected outlets (120V) for monitor, disk drive, or other peripherals. On/off switch. Fuse protection. Sturdy all-metal casing is ventilated for heat dissipation. Full 1 year warranty

34910

\$49.95

# CARTRIDGE EXPANDER Plus \$22.95 FAST LOAD OFFER! Stop wearing out your computer by endless cartridge swapping! The Navarone cartridge expander features 3 cartridge slots. Select any cartridge, or the "off" position if no cartridge is to be used. Reset the computer independently of the power switch. Cartridge slots are vertical for easy access — no blind fumbling behind the computer.

computer 33227 3-slot Cartridge Expander \$22.95

The cartridge expander is a great companion for the Epyx Fast Load cartridge -- you can keep it permanently installed plus have two sides free for other cartridges!

34216 Fast Load Cartridge (Sug. Retail \$39.95) \$24.95 Fast Load Only \$22.95 with purchase of cartridge expander!



We can offer you some of the lowest prices in the country on the most popular printers, monitors and interfaces. Our normal prices are already low, but to make sure you get the best deal you can, we will also meet most competitive prices in this publication when placed on an equal basis (Remember—we don't charge for use of your credit card, impose excessive shipping fees, or use any other hidden extras to boost the price you pay. Due to the rapid change in prices in the computer industry, we can only meet prices at the time you place your order; we cannot adjust prices on items ordered or shipped on an earlier date.) Another plus for charge card customers — your charge card is billed at time of shipment only for the items shipped — no early billing. no long wait for the merchandise you already paid for.

* THE BEST PRIC * THE BEST SERV WHY SHOP	ES * ICE *	80-column dot-matrix prin in cable (no other interface feed, prints upper/lower c and graphics. 1 year warr Sug. Retail \$149.95	ter includes d needed), 50 c ase, numerals	ITER ON ps, tractor s, symbols n.		1
COMMODORE C-128 Computer 1571 Disk Drive 1902 Monitor 1670 Modem EPSON FX-85	SCALL SCALL SCALL SCALL	STAR MICRONICS SG-10 SG-10C CARDCO G-Wiz Interface S'MORE Super-G	SCALL SCALL SCALL SCALL SCALL	Epyx Broderbu Infocom Sierra Timework Random	nd Is House	
	C-128 Computer 1571 Disk Drive 1902 Monitor 1670 Modem EPSON FX-85 FX-286 * THE BEST PRIC * THE BEST SERV WHY SHOP	C-128 Computer 1571 Disk Drive 1902 Monitor 1670 Modem FX-85 FX-85 * THE BEST PRICES * * THE BEST SERVICE *	C-128 Computer SCALL SG-10 1571 Disk Drive SCALL SG-10C 1902 Monitor SCALL CARDCO EPSON SCALL G-Wiz Interface S'MORE S'MORE FX-85 SCALL Super-G * THE BEST PRICES * * THE BEST SERVICE * WHY SHOP CALL SG-10C COMMODORE-RE 80-column dot-matix prin in cable (no other interface in cable (no other interface and graphics. 1 year wars Suger Retail S14995	C-128 Computer SCALL 1571 Disk Drive SCALL 1902 Monitor SCALL EPSON SCALL FX-85 SCALL FX-86 SCALL * THE BEST PRICES * * THE BEST SERVICE * WHY SHOP CARDCO G-Wiz Interface SCALL SUper-G SCALL SUper-G SCALL SUper-G SCALL SUP-READY PRINCES and graphics 1 year warranty by Epso Sug. Retail S14995	C-128 Computer       SCALL       SG-10       SCALL       Epyx         1571 Disk Drive       SCALL       SG-10C       SCALL       Broderbu         1902 Monitor       SCALL       SG-10C       SCALL       Broderbu         1902 Monitor       SCALL       G-Wiz Interface       SCALL       Sierra         EPSON       SCALL       SMORE       SCALL       Sierra         FX-85       SCALL       Super-G       SCALL       Random         FX-286       SCALL       Super-G       SCALL       Random         * THE BEST PRICES *       *       Bo-column dot-matrix printer includes direct plug-in cable (no other interface needed), 50 cps, tractor       feed, prints upper/lower case, numerals, symbols         and graphics. 1 year warranty by Epson.       Su, Retail \$14995       Super.       Super.	C-128 Computer SCALL SG-10 SCALL Epyx 1571 Disk Drive SCALL SG-10C SCALL Broderbund 1902 Monitor SCALL CARDCO Infocom 1670 Modem SCALL G-Wiz Interface SCALL Sierra EPSON SCALL SUPEr-G SCALL Timeworks FX-85 SCALL Super-G SCALL Random House FX-286 SCALL Super-G SCALL Activision, and many more! * THE BEST PRICES * * THE BEST SERVICE * WHY SHOP Super-G SCALL Super-G SCALL Sierra SUPER-G SCALL COMMODORE-READY PRINTER 80-column dot-matrix printer includes direct plug- in cable (no other interface needed), 50 cps, tractor feed, prints upper/lower case, numerals, symbols and graphics 1 year warranty by Epson. Sug. Retail \$14995

## **OUR BEST MONITOR** VALUE EVER!

The black matrix picture tube on this 14" composite color monitor provides impressive color over the entire spectrum: inch blacks, vivid colors and brilliant whites. The built-in audio speaker provides the best sound we've heard in a monitor of this size. Controls include volume, brightness, contrast, color, tint and sharpness. The warranty is unmatched. ... one year on parts and labor, two years on the picture tube! From Samsung. Supply Limited! Order Today! 40728 \$149.95

Monitor Cable (required). Works with C64, C128 (in composite mode), TI 99/4A and many others

37424 \$7.95

**★**\$149.95 ★

#### **DUST COVER and** "EVERYTHING BOOK" SPECIAL OFFER

Get to know us by ordering this great dust cover for your C-64 or C-128 and our catalog. "The Everything Book for the C-64 and C-128 Home Computers," for \$2.95 (no extra ship-ping and handling charges). Cover is antistatic, translucent 8-gauge vinyl sewn to our exacting standards with reinforced seams. Discover the savings and easy shipping available from TENEX Computer Express!



#### PPI and investment for your Commodore." RUN, Dec. '85 This high-performance graphics parallel printer interface from DSI for C-64 and VIC-20 emplates a Commodore printer Comes with es and user's manual 33565 \$39.95 GME Built-in buffer provides super high-speed printing for parallel printers. Cables and connectors included. From Cardoo. Lifetime varranty \$CALL 34484 SUPERG This upgrade to the G-Wiz offers more large buffer, accessible dip switche From Cardco. Lifetime guaranty

The Right Interface For All

Your Printing Needs!!

SCALL 40502

SHIPPING CHARGES **NO EXTRA FEE FOR CHARGES** ORDER AMOUNT CHARGE less than \$20.00 WE VERIFY CHARGE CARD Ad \$3.75 \$20.00-\$39.99 ADDRESSES. 4.75 G10 \$40.00-\$74.99 5.75 **ORDER TOLL FREE** \$75.00-\$149.99 6.75 \$150.00-\$299.99 7.75 1-800-348-2778 VISA \$300 & up 8.75 ww.commoda e.ca



We gladly accept mail orders! P.O. Box 6578 South Bend, IN 46660 **Questions?** Call 219/259-7051

THE COMN		NNECTION
		INNECTION
Commodore 64 System INCLUDES: • CB64 Computer • CB1541 Disk Drive • CB1802 Color Monitor \$55900	AMIGA System Includes: AMIGA 1000 CPU, 512K, 3½ External Floppy, Amiga RGB Monitor \$189900	Commodore 128 System INCLUDES: CB128 Computer CB1571 Disk Drive NAP8562 RGB/Composite Monitor \$77900
ATARISOFT/Commodore Pacman \$499 Centipede	SOFTWARE CARDCO Freeze Frame	Professional Software           Fleet Systems II C128/64\$4900           Fleet Systems III C128\$5900           Trivia Fever\$1900           PFS           File\$1900           PFS           File\$3200           Operation           SPRINGBOARD           The News Room\$3490           Clip Arts\$2200           Clip Arts II\$2700           SUBLOGIC           Flight Simulator II\$3700           Jet Simulator C64\$3700           SPINNAKER           Rhymes & Riddles\$900           Alf Cocor Caves\$790           Bubble Burst\$900           Snooper Trooper's #1\$900
MODEMS Anchor Volksmodem\$5999 Anchor 6470 (64/128) 300/1200 Baud\$13900 CBM 1660 (C-64)\$5999 CBM 1670 (C-128)\$17900 BRIVES CBM1541\$19900 CBM1571\$24900 MSD-1\$21900 MSD-2\$45900 INDUS-GT (64/128)\$19900	PRINTERS           COMREX CR-220         *899**           EPSON Homewriter 10         \$159**           OKIDATA Okimate 10         \$199**           STAR SL10C         \$219**           PANASONIC 1080         \$199**           C.ITOH 7500 AP         \$169**           INTERFACES         CARDCO G-WHIZ           CARDCO G-WHIZ         \$49**           CARDCO Super G         \$52***           Digital Devices U-Print C         \$44***           Orange Micro Grappler CD         \$89***           PPI Printer Interface         \$34****           Xetec 8K         \$69****           Micro R & D         \$59****           Comp Guard Protector         \$14****           Curtis SP2 Protector         \$39********           Curtis Safety Strip         \$19************************************	MONITORS COLOR Taxan 220 Your Choice NEC 1225 \$17900 MONOCHROME NEC 1205 Amber\$7999 NEC 1205 Amber\$7999 MAXELL MD1\$1199 NASHUA SS/DD\$999 ELEPHANT SS/DD\$999 ELEPHANT SS/DD\$999 GENERIC DS/DD w/Flip'n File 10 Disk Holder\$1299 AMARAY Disk Tubs\$999
477 East Th EDUCATIONAL INST POLICY: Add 3% (Minimum \$7.00) shipping and har use your credit card or send cashier's check or bank	CANADIAN ORDERS	t, PA 17701 <b>REE 1-800-221-4283</b> npany checks require 3 weeks to clear. For faster delivery bject to change and all items are subject to availability.

Cwww.commodore.ca

# **EXTEND YOUR GRAPHICS REACH...**

## with PENWARE PRODUCTS by Inkwell Systems

•Flexidration the light pen system for Commodore users who want easy Computer Aided Design with professional results. Whether drawing schematics or practicing your artistic talents, FLEXIDRAW 5.0 will give you over 65 graphic features including two full screens, 16 colors, sprite animation, and library of technical symbols. The FLEXIDRAW system; quality light pen, disk, and manual.\$149.95. Flexidraw is endorsed by the U.S. Commodore Users Group.

, the Graphics Antigrator the long awaited integration program for avid graphic artists and CAD users, will not only convert other popular graphics packages to Flexidraw and back, but also gives you the ability to create your own self-running slide shows in high resolution. Hi-res to Hi-res, Hi-res to Flexidraw, Multicolor to Multicolor the Graphics Integrator is also compatible with Word Processing programs with external file capability for integration of text and pictures. (\$29.95)

Inkwell

Systems

Parell Invert • Flexificate an indispensable addition to your Inkwell graphics system, gives you character generation ability at the touch of your FLEXI-DRAW light pen. Choose from the 33 built in letter styles or create with your own symbol and pattern libraries. Flexifont will Copy, Paste, Flip, Rotate, Print, and Edit saved or loaded symbols. At \$29.95 (sugg. retail), Flexifont is an inexpensive necessity for creation of anything from official documents and newsflyers to personal letters and formal invitations.

#### the Graphics

Galleria a variety of clip art and artistic renditions from Flexidraw users and professional artists. The Galleria will provide you with diskette libraries of large and small drawings from fantasy images to real-life recreations. Ideal for use in newsflyers, stationery, invitations and poster work, the Graphics Galleria can be used with Flexidraw or many other graphics packages when used with the Graphics Integrator. Available this winter for \$29.95.

See your local dealer or contact: Inkwell Systems • P.O. Box 85152 MB 290 • San Diego, CA 92138 or call (619) 268-8792 Shipping and Handling \$4.00, Canadian and Foreign \$8.00



0-41		Dia		oro	mas
			ount	26	S.D. of A
	HAN APP		Open Seture	av	m
	merio		Open Saturo	lay	
			Free shippin	g on orders ov	er \$100 in
For Orders	Only-1-800	-225-7638	continental L		
	-1-800-223-7				harCord
				e for VISA/Mas	
Customer S	Service 412-3	61-5291	<ul> <li>Your card is</li> </ul>	not charged u	ntil we ship
	A REAL PROPERTY AND A REAL	的時間的自己的政治的自己的政治的法律			
ABACUS Basic 128	Bank St. Writer (D) \$33 Bank St. Speller (D) \$33	Fast Load (R) \$23 Koronis Rift (D) \$25	The Slugger (D) \$7 Vegas Jackpot (D) \$7	SIMON & SCHUSTER Great International	General Ledger (D) \$39 Inventory Mgmt (D) \$39
Chart Pak 128 CALL Power Plan 64 FOR	Karateka (D) \$19 Music Shop (D) \$29	Movie Monster (D) \$25 Multiplan 64 or 128 \$39	MICROLEAGUE Baseball (D) \$25	Paper Airplane Construction Set(D) \$19	Money Manager (D) \$16 Partner 128
Super C 128 PRICES	Print Shop (D) \$26	Programmer's Basic	General Manager (D) . \$25	Star Trek-The Kobayashi	Payroll Mgmt (D) \$39
Super Pascal 128 ACCESS	P.S. Companion (D) \$25 P.S. Graphics Library	Tool Kit 64 or 128 . \$29 Rescue on	1985 Team Data Disk \$16 MINDSCAPE	Alternative (D) \$26 Typing Tutor 3 (D) \$26	Sideways 64 or 128 . \$33 Swiftcalc/Sideways (D) \$33
Beach Head 2 (D) \$24 Leader Board (D) \$25	#1, #2, or #3 \$16 Ea. P.S. Paper Refill \$14	Fractalus (D) \$25	Bank St. Music	SPINNAKER	Swiftcalc/
Mach 5 (R) \$23	CARDCO	Summer Games 2 (D) \$25 Temple of Apshai	Writer (D)	Adventure Creator (R) . \$9 Alphabet Zoo (R) \$9	Sideways (128)
Mach 128 (R) \$33 ACTIVISION	Calc Now (D)	Trilogy (D) \$25 The Eidolon (D) \$25	Color Me: The Computer Coloring Kit (D) \$19	Cosmic Combat (R) \$9 Delta Drawing (R) \$9	Financial Planner(D) \$39 Sylvia Porter's
Alter Ego Male (D) \$33	Freeze Frame (R) \$33	Vorpal Utility Kit (D) .\$23	Color Me Picture Disks:	Facemaker (R) \$9	Personal Financial
Borrowed Time (D) \$19 Fast Tracks: Slot	Graph Now (D)	Winter Games (D) \$25 World's Greatest	Hugga Bunch \$7 Rainbow Brite \$7	Fraction Fever (R) \$9 Gold Record Race (R) . \$9	Planner 128 \$43 Word Writer w/
Car Const. Kit (D) .\$21 Garry Kitchen's	Mail Now (D) \$14 S'more (R) \$47	Football (D) \$25	Shirt Tales	Homework Helper-Math	Speller (D) \$33
Gamemaker (D) \$25	S'more Basic	FIRST STAR Spy vs. Spy (D) \$19	Tink! Tonk!	Word Problems (D) \$23 Homework Helper-	Word Writer w/85000 Word Speller (128) . \$43
Great American Cross-Country	Compiler (D)	Spy vs. Spy 2 (D) \$19 Superman (D) \$19	Halley Project (D) \$19 Lords of Midnight (D) \$16	Writing (D)	TRONIX S.A.M. (D)
Road Race (D) \$19	CBS	FISHER PRICE	Luscher Profile (D) \$19	Monster Voyage (R) \$9	UNISON WORLD
Hacker (D) \$19 Little Computer	Argos Expedition (D) . \$9 Astro Grover (D) \$9	Alpha Build (R)	Perfect Score SAT (D) \$44 Quake Minus One (D) \$16	Story Machine (R) \$9 SPRINGBOARD	Art Gallery 1 (D) \$16 Print Master (D) \$23
People (D)	Big Bird's Funhouse(R) . \$9 Dr. Seuss (D)	Hop Along	Shadowfire (D) \$16 MISC	Early Games (D) \$21	WEEKLY READER
Mindshadow (D) \$19	Ernie's Big Splash (D) \$9	Counting (R) \$9 Linking Logic (R) \$9	CSM 1541	Easy as ABC (D) \$23 Fraction Factory (D) .\$19	Stickybear ABC'S (D) \$19 Stickybear Math (D) \$19
Space Shuttle (D) \$19 ACCOLADE	Grover's Animal Adventures (D) \$9	Memory Manor (R)	Align Kit (D) \$29 Central Point-	Graphics Expander for Print Shop (D)	Stickybear Numbers(D)\$19 Stickybear Reading (D) \$19
Dambusters (D) \$19	Felony (D)	Sea Speller (R) \$9	Copy 2 (D) \$23	Newsroom (D)\$33	Stickybear Shapes (D) . \$19
Fight Night (D) \$19 Hard Ball (D) \$19	Mastering the SAT (D) \$44 Math Mileage (D) \$9	Up & Add 'Em (R) \$9 GAMESTAR	Firebird Elite (D) \$19 Gato (D) \$19	N.R. Clip Art Vol. 1 (D)\$19 N.R. Clip Art Vol. 2 (D)\$25	WINDHAM CLASSICS Alice in Wonderland(D) \$17
Law of the West (D) \$19 PSI-5 Trading Co. (D) \$19	Mr. Rogers (D) \$9 Murder by the	On-Court Tennis (D) . \$19 On-Field Football (D) \$19	Inside Commodore	Stickers (D) \$23	Treasure Island (D) \$17
AMERICAN	Dozen (D) \$16	On-Track Racing (D) . \$17	DOS (Book) \$16 Karate Champ (D) \$23	SSI Battle Group (D)\$37	Wizard of Oz (D) \$17 ACCESSORIES
EDUCATIONAL Biology (D) \$14	Railroad Works (D) \$9 Rich Scarry's Electronic	Star-League Baseball (D) \$19	Kung Fu- Exploding Fist (D) . \$19	Battle of Antietam(D) \$33 Battalion	Anchor 6470 300/1200 Modern w/Software . \$159
French (D)	Word Book (D) \$14	Star Rank Boxing (D). \$19	Kung Fu II (D) \$19	Commander(D)\$25	Bonus SS. DD \$6.99Bx
Science: Grades 3/4(D) \$14	Sesame St. Letter-Go- Round (R)	HAYDEN Sargon 3 (D) \$33	Kung Fu Master (D) \$23 Snapshot 64 (R) Call	Breakthrough in the Ardennes (D) \$37	Bonus DS, DD \$7.99Bx Compuserve Starter
Science: Grades 5/6(D) \$14 Science: Grades 7/8(D) \$14	Sesame St. Pals Around Town (R) \$9	HES Hes Mon	Superbase 64 (D) \$47 Superbase 128 (D) \$59	Colonial Conquest (D) \$25 Computer Ambush (D) \$37	Kit \$19 Datashare Printer Int.
Spanish (D) \$14	Success w/Algebra . Call	Millionaire (D) \$16	Superscript 64 (D) \$47	Computer QB (D) \$25	w/Graphics\$33
U.S. Geography (D) \$14 World Geography (D) \$14	Success w/Math Call Weather Tamers (D) \$9	Omniwriter w/Spell (D) \$33 Project Space	Superscript 128 \$59 Vizastar 64 XL8 (D) \$79	Field of Fire (D)	Disk Case (Holds 50) \$9 Disk Drive Cleaner \$9
World History (D) \$14 ARTWORX	DATASOFT Alternate Reality (D) \$25	Station (D) \$16 Super Zaxxon (D) \$12	Vizastar 128 (D) Call	Germany 1985 (D) \$37	Disk Notcher \$7
Bridge 4.0 (D) \$16	Bruce Lee (D) \$19	INFOCOM	Vizawrite 128 (D) Call ORIGIN	Imperium Galactum(D) \$25 Kampfgruppe (D) \$37	Dow Jones News Retrieval Kit (5 hrs.) \$16.
Int'l Hockey (D) \$19 Strip Poker (D) \$21	The Goonies (D) \$19 Never Ending Story (D) \$19	Ballyhoo (D)	Ultima 3 (D)	Mech Brigade (D)	Kraft Joystick
Data Disk #1 female \$16 Data Disk #2 male \$16	DAVIDSON	Deadline (D) \$29	PRACTICORP	Norway 1985 (D) \$23	matrix printer Great Deal
Data Disk #3 female \$16	Math Blaster (D) \$33 Speed Reader 2 (D) \$43	Enchanter (D) \$23 Hitchhiker's Guide to	Practicalc 64 (D)	Phantasie (D)	Sakata 13" Color Composite Monitor
ARTWORX PX Baker St. Detective (D) \$7	Spell It (D) \$33 Word Attack (D) \$33	the Galaxy (D) \$23	PROFESSIONAL	Pro Tour Golf (D) \$25	for C64 w/cable \$149
Cavefighter (D) \$7	DESIGNWARE	Infidel (D)	SOFTWARE Fleet System 2–W.P.	Questron (D)	Teknika MJ22 RGB/comp monitor for C128 Call
Galaxy (D) \$7 Hole In One Golf (D) \$7	Body Transparent (D) \$27 Grammar Examiner(D). \$27	Planetfall (D) \$23 Sorcerer (D) \$25	w/70,000 word spell checker 64 or 128 . \$39	Ringside Seat (D) \$25 U.S.A.A.F. (D) \$37	Total Auto Answer/
Hotel Alien (D) \$7 Jumpin' Jimmy (D) \$7	Mission Algebra (D) \$27	Spellbreaker (D) \$29	Fleet System 3 (128) . \$49	Wings of War (D) \$25	Auto Dial Modern w/Software \$24.88
Pro Boxing (D)	Spellicopter (D) \$25 States & Traits (D) \$27	Suspect (D)	Alpine Encounter (D) \$19	Wizard's Crown (D) \$25 SOFTSYNC	Universal Printer Stand \$16
Zodiac (D) \$7 AVALON HILL	ELECTRONIC ARTS Adv. Const. Set (D)	Witness (D) \$25 Zork 1 (D) \$23	Charlie Brown's ABC's (D)	Desk Manager 64 or 128 (D) \$25	Wico Bat Handle \$17 Wico Boss \$12
Gulf Strike (D) \$19 Jupiter Mission 1999(D)\$23	Archon 2: Adept (D)	Zork 2 or 3 (D) \$25	Snoopy's Reading	Trio 128 (D) \$43	Verbatim Bulk 514 SS. DD \$59/100
Parthian Kings (D) \$19	Bard's Tale (D) Carriers at War (D)	KOALA Light Pen w/Painter (D) \$35	Machine (D) \$19 Typing Is A Ball.	SUBLOGIC Flight Simulator 2 (D) .\$32	Verbatim Bulk 51/4
Ripper (D) \$19 Super Bowl	Europe Ablaze (D) Heart of Africa (D)	Muppet Learning Keys (D) \$29.95	Charlie Brown (D) . \$19	Flight Simulator	DS. DD. \$69/100
Sunday (D)	Mail Order Monsters (D)	Touch Tablet	SCARBOROUGH Boston Computer	Scenery Disks (D) Call Jet (D) \$29	MODEM OWNERS:
SBS 1984 Team Disk \$14 S.B.S. Champs Disk \$14	Movie Maker (D) Music Const. Set (D)	w/Painter(D) \$39 Koala Printer (D) \$16	Diet (D)	TELARIUM Nine Princes in	Have you seen our on- line catalog of over 700
Tournament Golf (D) .\$19 BATTERIES INCLUDED	One-on-One (D)	LEARNING COMPANY	Mastertype (D) \$23	Amber (D)	software titles for Com-
Consultant (64 or 128) \$39	Pinball Const. Set (D) Racing Dest. Set (D)	All Titles Available Call MASTERTRONIC	Net Worth (D) \$44 SIERRA	Perry Mason: Case of the Mandarin	modore, Atari & Apple Computers? It's on Com-
Home Pak (D) \$33 Paperclip 64 or 128 \$39	Seven Cities of Gold (D) Skylox (D)	Action Biker (D) \$7	Champ. Boxing (D) \$17	Murder (D) \$21	puserve's Electronic
Paperclip w/Spell	Super Boulder Dash (D)	Ant Attack (D) \$7 BMX Racer (D) \$7	Donald Duck's Playground (D) \$17	TIMEWORKS Accts. Payable (D) \$39	Mall-Just type GO SDA and shopping for soft-
64 or 128 \$49 BERKELEY	Touchdown Football (D) Prices too low to	Captive (D) \$7 Finders Keepers (D) \$7	Grog's Revenge (D) \$17 Homeword w/Spell(D)\$33	Accts. Receivable (D) \$39 Data Manager 2 (D) \$33	ware will never be the same again! P.S. If you
SOFTWORKS Geos (D) \$39	advertise!! Call EPYX	Kikstart (D)	Mickey's Space	Data Manager 128 \$43	don't own a modem or
BRODERBUND	Ballblazer (D) \$25	5-A-Side Soccer (D) \$7 Last V-8 (D) \$7	Adventure (D)	Electronic Checkbook (D) \$16	subscribe to Com- puserve, call us, do we
Bank St. Filer (D) \$33 Bank St. Mailer (D) \$33	Barbie (D)	Paul McCartney's Broad Street (D) \$7	Ultima 2 (D)	Evelyn Wood Dynamic Reader (D) \$33	have a deal for you!
	DO DOV -	11207 DEDT	CC BLAWNOY	DA 10000	

## P.O. BOX 111327-DEPT. CG BLAWNOX, PA 15238

*Ordering and Terms: Orders with cashier check or money order shipped immediately. Personal/company checks, allow 3 weeks clearance. No C.O.D.'s. Shipping: Continental U.S.A.—Orders under \$100 add \$3; free shipping on orders over \$100. PA residents add 6% sales tax. AK, HI, FPO-APO—add \$5 on all orders. Sorry—no International orders. Detective merchandise will be replaced with same merchandise. Other returns subject to a 15% restocking charge—NO CREDITS! Return must have authorization number (412) 361-5291. Prices subject to change without notice.

SECIEVACIANA ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL ACCORDENSIONAL	00 cps       Commodeline       99.00         00 cps       Commodeline       79.00         00 cps       Commodeline       79.00         00 cps       Commodeline       79.95         00 cps       Software       89.95         00 cps       Software       79.95         11 shop       27.95       Color 600.         12 startes       18.95       71.95         13 cut       F-15 Strike Eagle       20.50         14 cut       5.15 start League Baseball       24.95         15 start League Baseball       24.95         15 start League Baseball       24.95         16 ut       Start League Baseball       24.95         17 uteroute Mon 11 Ban-7cm. Content tamed and the start	
1080.       205.95       MSP20.         1380.       259.95       MSP25.         1380.       259.90       EPSON         OKIDATA       Call for current pricing on         Okimate 10.       170.95       models         Okimate 20.       210.00       PRINTER RIBBONS         182.       219.95       AND         192.       349.95       DUST COVERS AVAILAI	all Epson	THE ULTIMATE SIMULATION
<ul> <li>A MY ANGUNY OF BALLE AND NUMBERS CAN.</li> <li>PRIVTS OUT PAST LOTTO NUMBERS DRAWNS.</li> <li>PRIVTS OUT PAST LOTTO NUMBERS DRAWNS.</li> <li>COMPLETE NUMBER DATA BASE.</li> <li>WIELD COMPUTER DATA BASE.</li> <li>CUPER HI-RESOLUTION DRAWING IN MULTI OR MONO COLOR</li> <li>ORGON SHAFFS - EXPANSE A WORMS A DATA BASE - MINISTOR AND COLOR COLOR</li> <li>ORGON SHAFFS - EXPANSE A WORMS A DO BASE NO AND COLOR COLOR</li> <li>ORGON SHAFFS - EXPANSE A WORMS A DATA BASE - MINISTOR AND COLOR COLOR BASE A PHILE AND GRAPHICS - DATA ON AN EXPANSION ON AND TOO DRAWNO AT HIE SAME HIE AND COLOR WORKOWS AND DOSE - PHILES.</li> <li>MIELD COLOR DOUB WIDOOS COLOR DES - PHILES WISHONDA DO BASE A PHILE AND GRAPHICS - DATA ON AN EXPANSION WORKOWS AND TOO DRAWNO AT HIE SAME HIE AND COLOR WORKOWS AND TOO DRAWNO AT HIE SAME HIE AND COLOR WORKOWS AND TOO DRAWNO AT HIE SAME HIE AND COLOR WORKOWS AND TOO DRAWNO AT HIE SAME HIE AND COLOR WORKOWS AND TOO DRAWNO AT HIE SAME HIE AND COLOR WORKOWS AND TOO DRAWNO AT HIE AND GRAPHICS - DRAW ON AN EXPANSION ON AND TOO DRAWNO AT HIE AND GRAPHICS - DRAW ON AND COLOR DOLES - PHILES.</li> <li>MIELD COLOR DOLE AND AND TOO DRAWNO AT HIE AND GRAPHICS - DRAW ON AND COLOR DOLES - PHILES.</li> <li>MIELD COLOR DOLE ADARD DOLES - DRAW ON AND COLOR DOLES -</li></ul>	BLACKJACK ANALYZER The Ultimate BLACKJACK System ANALYZER & DEVELOPMENT Program for the C-64 (disk) (For the SERIOUS BlkJck Player - not a Game) Use BLACKJACK ANALYZER to — 1 The Standard State of the State o	STAR TREKKING THE GAME Version II For The 64 And 128 Impressive Graphics With Hi-Res Features Realistic Sound Strategic Thought Involvement The Only Game That Parallels The T.V. Series And Movies
WESTER AT THE LOWEST PARCES AND COLVE THE PARCENT AS THE LOWEST PARCE IS AND COLVE THE PARCENT OF THE LOWEST PARCES PARCENT OF THE STOCKS ON A DEX. PARCENT OF THE STOCKS ON A DET. PARCENT OF TH	<ul> <li>Play Thousands of Hands Per Hour AUTOMATICALLY Indicates System Win/Loss Statistics Indicates Practice PLAY &amp; BETTING Errors Records Errors and Correct Play for Printout</li> <li>ACCOMODATES TRUE Point Counts - INCREMENTAL Losses/Wins Incremental Losses or Wins + Point Counts Card Delete and/or Card Select Analysis Hit, Stand, Double, Split, Surrender for all card combinations</li> <li>\$89.50+\$3.50 Shpg, &amp; Hdlg (not copy protected) *15 Day PREVIEW - \$10.00+\$ &amp; H*</li> <li>*If dissatisfied - money back less Preview cost.*</li> <li>*THE BEST \$10 BET YOU WILL EVER MAKE!*</li> <li>Mail Check, M.O., VISA-M.C. Number &amp; Exp. date TO: RJL ENTERPRISES P.O. Box 68118</li> </ul>	UFLAND UFLAND Dept. S P.O. Box 1324 Meaford, Ont. NOH 1Y0, Canada (519) 538-1758 INC. Not Available On Cassette <b>\$21.95 Cdn. \$19.95 U.S.</b> First Class Postage Included Ont. Residents Add 7% Provincial Sales Tax Even Spock Would Find It Challenging

C-www.commodore.ca





and the second s				
C-w	ww.	com	modo	re.ca

	1
9.3	in it
SCI	<b>IBB45</b>
(C)	F
	L

## **ABBY'S SUPER BUYS** COMMODORE

Suspended (disk) \$9	9.00	
Star Cross (disk)	9.00	
	9.00	
Deddiffic (diak)		
Zork I, II, III (disk)ea.	9.00	
DATASOFT, INC.		
	and a state of	
O'Riley's Mine (D/C)\$	7.00	
Dallas (disk)	7 00	
Dallas (disk)	7.00	
Mancopter (disk)	1.00	
OTHER TITLES		
Defender (ROM) \$	5.00	
	7.00	
Easy Calc (ROM)		
Science I, II, III (disk)ea. \$3	3.00	
Technology (disk)	3.00	

#### WE CARRY A COMPLETE LINE OF SOFTWARE. THE FOLLOWING IS JUST A SAMPLE OF OUR PRODUCTS.

#### ELECTRONIC ARTS

Music Construction Set\$17	Kampfgruppe
7 Cities of Gold \$24	Field of Fire
Adv. Construction Kit	Operation Mar
Financial Cookbook	Gemstone Wa
One On One\$24	Wings of War
Pinball Construction\$17	Phantasie I &
Sky Fox\$27	Computer Aml
Carriers At War\$39	Colonial Conqu
Heart of Africa \$23	Questron
Ultima IV\$49	Battalion Com
Moviemaker	Panzer Grenad
Bard's Tale	Fighter Comm
INFOCOM	Battle of Antie
	U.S.A.A.F
Enchanter \$25	Computer Bas
Hitchhiker's Guide to the Galaxy\$25	Wizard's Crow
Sorcerer\$27	Rings of Zilfin
Zork 1	Battle Group .
Zork II & IIIeach \$27	
Witness \$25	
Invisiclues	Alter Ego (M/F Borrowed Tim
GAMESTAR	
Star League Baseball\$19	Little Compute
On Field Football	Fast Tracks
On-Court Tennis\$19	Hacker Alcazar: The F
Star Rank Boxing\$19	Great Am. Cro
RIBBONS	Road Race
Commodore 1525\$7.50	Countdown to
Commodore 1525	Masters of the
Commodore DPS-1101	Mind Shadow
Commodore MPS-801 \$7.50	Space Shuttle
Commodore MPS-803 \$9.00	Ghostbusters .
Epson MX/RX/FX-80 \$5.00	The Music Stu
Okimate 10 - Black \$6.00	Game Maker
Okimate 10 - Color	Computer Fire
Star Powertype\$6.00	The Designer's
Star Gemini 10 Black	Portal
Star Gemini 10 Black	
Star Gennin To Color	
· · · · · · · · · · · · · · · · · · ·	F-15 Strike Ead
HARDWARE	Kennedy Appr

HARDWARE
1670 Modem CALL
C-128 Computer CALL
1571 Disk Drive
1572 Dual DriveCALL
1902 Monitor CALL
MPS 1000 Printer CALL
VIC 1350 Mouse
VIC 1700 128-K Expander CALL

001	
Kampfgruppe	\$35
Field of Fire	
Operation Market Garden	
Gemstone Warrior	
Wings of War	.124
Phantasie I & IIeach	
Computer Ambush	\$35
Colonial Conquest	
Questron	\$24
Battalion Commander	.*24
Panzer Grenadier	\$24
Fighter Command	\$35
Battle of Antietam	
U.S.A.A.F.	
Computer Baseball	
Wizard's Crown	
Rings of Zilfin	
Battle Group	
ACTIVISION	
Alter Ego (M/F)	
Borrowed Time	
Little Computer People	
Fast Tracks	\$23
Hacker	\$19
Alcazar: The Forgotten Fortress	\$19
Great Am. Cross Country	
Road Race	\$19
Countdown to Shutdown	\$19
Masters of the Lamps	\$19
Mind Shadow	\$19
Space Shuttle	\$19
Ghostbusters	\$23
The Music Studio	\$23
Game Maker	\$23
Computer Fireworks Celebration Kit	
The Designer's Pencil	
Portal	
MICROPROSE	
F-15 Strike Eagle	. \$25

SSI

F-15	Strike Eagle		4	ł.					.,				\$2!
Ken	nedy Approach		1				1						\$2!
	ision In The Desert												
Crus	ade In Europe			í.	1.	1	2	2			į,		\$2
	ojet												
	nt Service												
	ship												
Con	flict in Vietnam					1	-						\$2
	OR												
Con	puterized Gardeni	nę	3	Ŷ	y .				.,			+	\$3

WE CARRY A FULL LINE OF PANASONIC. STAR, EPSON. OKIDATA AND LEGEND PRINTERS. CALL FOR CURRENT PRICES.

TEDDY RUXPIN	\$65.00
GRUBBY	49.00
The Adventure Seriesea.	10.00
Fob Plush Hand Puppetea.	
Teddy Ruxpin Clothingstarting at	

#### ARACHS

ADACUS
Ada Training Course\$33
TAS-64\$49
Basic-64 \$36
Assembler Monitor 64 \$36
Power-Plan \$49
Anatomy of the Commodore (Book) \$18
Anatomy of the Commodore (Disc) \$14
Anatomy of the 1541 (Book)\$18
Anatomy of the 1541 (Disc)\$14
Chart Pak C-64/C-128 \$33
Super Pascal C-64/C-128 \$48
Super "C" Compiler C-64/C-128 \$59
NEW C-128 BOOKS
C-128 Internals\$18
C 128 Tricks & Tips
1571 Internals \$18

#### CP/M On The C-128 ......\$18

#### **DIGITAL SOLUTIONS**

Paperback	Writer 64 & 128	CALL
Paperback	Planner 64 & 128	CALL
Paperback	Filer 64 & 128	CALL
Paperback	Speller 64 & 128	. \$14

#### AMIGA SOFTWARE

Borrowed Time	\$29
Hacker	\$29
Mind Shadow	\$29
The Music Studio	\$35
Silent Service	\$27
Gunship	\$27
Wishbringer	
Seven Cities of Gold	
Rags to Riches	
Pascal	
One On One	
Forth	
Financial Cookbook	
Deluxe Paint	
Archon	
Assembler	
Hitchhiker's Guide to the Galaxy	
Bally Hoo	
Sky Fox	
Artic Fox	
Golden Oldies	
Mastertype	

#### EPYX

Ballblazer				1		×.	4	10	5	 a.		\$26
Rescue on Fractulus							÷					\$26
Summer Games II						J						\$26
World's Greatest Footba	1	G	a	m	e						2	\$26
Winter Games	1		i.			1						\$26
The Eidolon						2	6				3	\$26
Koronis Rift				÷			1	1	.,		1	\$26
Temple of Apshai Trilogy	1											\$26
Fast Load (R)	+1										.*	\$26
Microsoft Multiplan												

#### Action Biker \$7.95 Ant Attack \$7.95 \$7.95 The Black Crystal BMX Racers ..... \$7.95 \$7.95 \$7.95 The Captive Challenger. . \$7.95 Chiller Count with Oliver \$7.95 Dark Star \$7.95 Finders Keepers Give My Regards to Broad St. \$7.95 \$7.95 Kik Start . \$7.95 Look Sharp \$7.95 Make Music with Mister Tronic \$7 95 The Quest for the Holy Grail .... \$7.95 Quick Thinking . . \$7.95 Se Kaa of Assiah \$7.95 \$7.95 \$7.95 Vegas Jackpot ..... \$7.95 Magic Carpet \$7.95 \$7.95 The Last V-8 Space Walk \$7.95 Mind Control \$7.95 The Hero of the Golden Talisman \$7.95 \$7.95 \$7.95

MASTERTRONIC

\$7.95

1985 The Day After ....

#### TOP HITS

Fleet System II	\$65
CSM1541 Disk Alignment	\$39
Paperclip C 64/C-128	CALL
Homepak	
Newsroom	
Clip Art	
Mr. Nibble & MSD Version	
Fontmaster II	
S'More	
Karateka	\$22
Fast Hack'em	
Flight Simulator II	\$39
Scenery Disk (for above)	
Western U.S. (Disks 1 6)	\$79
Sargon III	\$35
Jet	\$29
Copy II - C128	\$39
Vizastar C64/C128	CALL
Merlin 64/128	
Hard Ball	
Print Master	\$27
Art Gallery I	\$23
Print Shop	\$35
Graphic Library I, II, III	
Print Shop Companion	CALL
Elite	\$25
Home Word/Speller	\$54
Leader Board Golf	\$29
Bally Hoo	\$24
Gato	

#### ALL TITLES ON DISK UNLESS MARKED (R) FOR ROM CARTRIDGE WE CHECK FOR STOLEN VISA & MASTERCARD **Order Line**

1-800-282-0333

ORDERS ONLY! Sales Personnel Do Not Have Information on **Previous Orders or Product Specs.** 

M-F 10 a.m.-7 p.m.; Sat. 10-3 ET 37 S. Broad Street, Fairborn, OH 45324 **Customer Service** & Ohio Residents 1-513-879-9699

AD #G-066

VISA

SOFTWARE ONLY - Pres HARDWARE and all via UPS in continental U.S. Ple ge. Ohio re add \$2 ad ORDER URNS MUST BE ACCOMPANIED BY AN AUTHORIZATION



e.ca



# SYMBOL MASTER™

#### **MULTI-PASS SYMBOLIC** DISASSEMBLER FOR COMMODORE 64* & 128*

(Includes C-128 native 8502 mode) disassembles any 6502/6510/8502 machine code program into beautiful source

- Learn to program like the experts!
   Adapt existing programs to your needs!
   Automatic LABEL generation.
- Outputs source code files to disk fully compatible with your MAE,* PAL,* CBM,* Develop-64,* LADS* or Merlin* assembler, ready for re-assembly and editing!
- Outputs formatted listing to screen and printer.
- Automatically uses NAMES of Kernal jump table routines and all operating system variables
- Disassembles programs regardless of load address. Easily handles autorun "Boot" programs
- Generates list of equates for external addresses.
- Generates complete cross-referenced symbol table.
- Recognizes instructions hidden under BIT instructions
- 100% machine code for speed. Not copy protected.

#### ORDER NOW! \$49.95 postpaid USA. Disk only.

*MAE is a trademark of Eastern House. PAL is a trademark of Pro-Line. Commodore 64 & 128 are trademarks and CBM is a registered trademark of Commodore. Develop-64 is a trademark of French Silk. LADS is a trademark of Computer Publications. Merlin is a trademark of Roger Wagner Publishing.



#### UNLEASH THE POWER OF YOUR COMMODORE 64 WITH THE ULTIMATE INTERFACE

- Control and monitor your home— appliances, lights and security system
- Intelligently control almost any device Connect to Analog-to-Digital Converters Control Robots
- Perform automated testing
- Acquire data for laboratory and other
- instrumentation applications · Many other uses

Don't make the mistake of buying a limited capability interface. Investigate our universally applicable Dual 6522 Versatile Interface Adapter (VIA) Board, which plugs into the expansion connector and provides

- Four 8-bit fully bidirectional I/O ports & eight handshake lines Four 16 bit timer/ counters . Full IRQ interrupt capability Four convenient 16-pin DIP socket interface
- connections . Expandability up to four boards & sixteen ports. ORDER NOW! Price \$169, postpaid USA.

Extensive documentation included. Each additional board \$149.

# COMMODORE 64[™] SOURCE CODE!

#### "What's Really Inside the Commodore 64"

 Most complete available reconstructed assembly language source code for the C-64's Basic and Kernal ROMs, all 16K. • You will fully understand calls to undocumented ROM routines, and be able to effectively use them in your own programs. • Uses LABELS. Not a mere one-line disassembly. All branch targets and subroutine entry points are shown. • TABLES are fully sorted out and derived. • Completely commented, no gaps whatsoever. You will see and understand the purpose of every routine and every line of code! . Complete listing of equates to external label references. • Invaluable fully cross-referenced symbol table. Order C-64 Source. \$29.95 postpaid USA

#### **PROFESSIONAL UTILITIES:**

We personally use and highly recommend these two

- PTD6510 Symbolic Debugger for C-64. An extremely powerful tool with capabilities far beyond a machine-language monitor. \$49.95 postpaid USA.
- MAE64. Fully professional macro editor/ assembler. \$29.95 postpaid USA.

All orders shipped from stock within 24 hours via UPS. VISA/MasterCard welcomed. There will be a delay of 15 working days on orders paid by personal check.

SCHNEDLER SYSTEMS

1501 N. Ivanhoe, Dept. G-6,, Arlington, VA 22205. Information/Telephone Orders (703) 237-4796

Commodore	
Service	
3-5 Day	
<b>Turn Around</b> (subject to parts availability)	
C-64 Repair \$5500	
1541 Alignment . \$35°°	
1541 Repair \$7500	
Other Computers \$CALL	
Parts & Return Shipping Included. Parts & Power Supplies Also Available	
To save C.O.D. charges —	
send Unit & Power Supply with check or M.O.	
Second Source Engineering	
9901 Horn Rd., Ste. B	
Sacramento, CA 95827	
(916) 364-5134	
V/SA*	

<b>DUST COVERS</b>
★ CUSTOM MADE TO FIT ★ Heavy 32-oz. VINYL ANTI-STATIC ★ EXTENDS EQUIPMENT LIFE ★ Choice of Colors Lt. Tan or Brown
COMPUTERS C-64; VIC-20; C-16; Plus 4
C-1541; C-1571 INDUS GT 8.00 MSD S/D; APPLE S/D. 8.00 MSD D/D; APPLE D/D UNIT 10.00 ENHANCER 2000 8.00
PRINTERS         10.00           C-1525 /MP5801         10.00           C1526 /MP5802         13.00           C/MP5 803;         C-1520           BOD         8.00           PANASONIC         KX-P1090 /91           BOD         13.00           EPSON MX /RX/FX 80         13.00           GEMINI 10 & STAR 10's         13.00           GEMINI 10 & STAR 10's         13.00           GEMINI 15 & STAR 15's         16.00           OVIDATA 21/22         13.00
GEMINI 10 & STAR 10's         13.00           GEMINI 15 & STAR 15's         16.00           OKIDATA 91/92         13.00           OKIMATE 10         8.00           MONITORS         8.00
C-1702 16.00 C-1902/AMIGA 19.00 ZENITH ZYM 122/123 16.00 AMDEK COLOR I, 500/700 19.00 TEKNIKA MI 10/22 19.00
BMC COLOR 16.00 VIDEO RECORDERS 13.00
Order by stating NAME and MODEL and COLOR CHOICE TAN or BROWN. Enclose check or money order plus \$1.50 per item (4.50 max.) shipping and handling California Res. Include 6.5*% Sales Tax. SPECIAL COVERS WILL BE MADE TO YOUR
DIMENSIONED SKETCH. SEND YOUR RE- QUIREMENTS FOR OUR LOW PRICE QUOTES
Crown Custom Covers 9606 SHELLYFIELD RD., Dept. A DOWNEY, CA 90240 (213) 862-8391

LEROY'S C	EW!! HEATSHEET®
	DOORE 128 DOVERLAYS /AILABLE STIC LAMINATED
Blanks (set of 3) Basic 7.0 Fleet System 2 & 3 Word Pro 128 Disk 1571 Paper Clip 128 Easy Script FREE KEYBO	EACH
	ACH ORDER x \$ 7.95 = \$ SHIPPING \$ 6% TAX \$ (PA ONLY) \$ TOTAL \$
EXPIRATION DATE NAME ADDRESS CITY ZIP STATE ZIP	
P.O. Box 111368 (412	Pgh., PA 15238 754 2) 781-1551 EE YOUR LOCAL DEALER



# THE AMAZING VOICE MASTER®

Speech and Music Processor

Your computer can talk in your own voice. Not a synthesizer but a true digitizer that records your natural voice quality-and in any language or accent. Words and phrases can be expanded without limit from disk.

And it will understand what you say. A real word recognizer for groups of 32 words or phrases with unlimited expansion from disk memory. Now you can have a two way conversation with your computer!

Easy for the beginning programmer with new BASIC commands. Machine language programs and memory locations for the more experienced software author.

Exciting Music Bonus lets you hum or whistle to write and perform. Notes literally scroll by as you hum! Your composition can be edited, saved, and printed out. You don't have to know one note from another in order to write and compose!

Based upon new technologies invented by COVOX. One low price buys you the complete system-even a voice controlled black-jack game! In addition, you will receive a subscription to COVOX NEWS, a periodic newsletter about speech technology, applications, new products, up-dates, and user contributions. You will never find a better value for your computer.

#### ONLY \$89.95 includes all hardware and software. Available from your dealer or by mail. When ordering by mail add \$4.00 shipping

and handling (\$10.00 foreign, \$6.00 Canada). The Voice Master is available for the Commodore 64, 128, Apple IIc, IIe, II+, and Atari 800, 800XL, 130XE. Specify model when ordering. (Apple II+ owners must have joystick adapter. Available from Covox at only \$9.95.)

Apple Ile and II+ owners: Enhance speech quality and music capabilities with optional Sound Master hardware card. Installs in slot 4 or 5. Available separately for \$39.95 with demo software, or order with Voice Master for only \$119.95 (saves \$10 when ordered separately).

For telephone demo, additional information, or prompt service for credit card orders



(503) 342-1271 COVOX INC. 675-D Conger Street, Eugene, OR 97402 Telex 706017 (AV ALARM UD)



Use your Commodore 64/128 to improve your performance at the track! Programs for Thoroughbred, Harness and Greyhound racing rank the horses or dogs in each race quickly and easily. All the information is readily available from the Racing Form, harness or dog track program.

Thoroughbred factors include speed, distance, past performance, weight, class, jockey's record, beaten fa-vorite and post position. Harness factors include speed, post position, driver's record, breaking tendencies, class, parked-out signs and beaten favorite. Greyhound factors include speed, past performance, maneuvering ability, favorite box, class, kennel record, beaten favorite and breaking ability.

Complete instructions and wagering guide included. Thoroughbred, Harness or Greyhound Handicappers, \$39.95 each on tape or disk. Any two for \$59.95 or all three for \$79.95.



Federal Hill Software 8134 Scotts Level Rd. **VISA®** Baltimore, MD 21208 Toll Free Orders 800-628-2828 Ext. 850

For Information 301-521-4886



### One disk. 25 business programs, \$19.95

The Intelligent Software Package is the one product for your Commodore that can take care of all your data processing needs. Customers write: "... accoledes for the authors. This is as slick a deal

as I have seen and more than adequate for all except fancy presentations. The best thing is the ease of use .

'I have come to consider these programs among the most valuable pieces of software I own.

There are no hidden fees for shipping or documentation, and no clubs to join. The package is not public domain software, and is sold only direct to customers by mail: it supports all available printers, and will run on any Commodore computer (except Amiga) with a minimum of 10k RAM, including the C-128 in C-128 mode.

What you get when you order the Package:

Database—A complete database man-ager. All fields completely user-definable. Can be used for any number of tasks, includ-ing accounting, checkbook and tax records, ing accounting, checkbook and tax records, maing lists, iventory control, catalog main-tenance, or as an electronic rolodex. A cus-tomer writes: "I am especially impressed with Database, and have used it to replace a half-dazan other 'database'-type programs I had been using:" Word Processor—A full-featured menu-driven word processor. Allows full control mem menune seering and indet ation

Report Gen-creates form letters, maiing

lables, etc. ReportMorge—creates statements

sball Stats-compiles team batting statistics

-indexes W/P's text files.

Wordcount-counts words in a text file. WPConvert-converts files to other WP formats.

Intelligent Software Quality Software since 1982

DBMerge-facilitates relational D/B

applications. DBStat, DBStat2—analyze D/B files. ASCII—converts text files into program

Checkbook—reconciles checkbook. Inventory—Maintains inventory records. Paper Route—A/R for paper route. Loan Analysis—computes finance terms, prints schedules. Breakcourt

Breakeven—computes breakeven analysis, Depreciation—creates depreciation schedules. ler-creates labels

File Copier-copies sequential, program

Correlation-calculates statistical correlation.

Also other Database and Word Processor utilities.

To order, send name, address, and \$19.95 to address below. Please specify regular (1541/1571/2040/400/2031) disk, 8050 disk, or cassette (cassette not available for Plus 4 or C-16). Add \$3 for credit card or COD orders; Calif, residents add 64/ he personal abacts a back add 5%. No personal checks from output is available for \$1. Tear this ad out and keep it handy I

Box A Dept. G-8 San Anselmo, CA 94960 [415] 457-6153

www.commodore.ca



# ATTENTION ALL COMMODORE 64. **VIC 20, COMM. 16 AND COMMODORE 128 OWNERS**

A complete self-tutoring BASIC programming course is now available. This course starts with turning your computer on, to programming just about anything you want! This course is currently used in both High School and Adult Evening Education classes and has also formed the basis of teacher literacy programs. Written by a teacher, who after having taught the course several times, has put together one of the finest programming courses available today. This complete 13 lesson course of over 220 pages is now available for the COM-MODORE 64, VIC 20, COMMODORE 16 and the COMMODORE 128 and takes you step by step thru a discovery approach to programming and you can do it all in your leisure time! The lessons are filled with examples and easy to understand explanations as well as many programs for you to make up. At the end of each lesson is a test of the information presented. Furthermore, ALL answers are supplied to all the questions and programs, including the answers to the tests. Follow this course step by step, lesson by lesson, and turn yourself into a real programmer! You won't be disappointed!

We will send this COMPLETE course to you at once for just \$19.95 plus \$3.00 for shipping and handling (U.S. residents, please pay in U.S. funds). If you are not COMPLETELY satisfied, then simply return the course within 10 days of receipt for a FULL refund.

Now available! a 200 page course FOLLOW UP exclusively on sequential and rel-COURSE ative files using a unique approach for those with very limited file programming experience - set up your own personal and business records! - disk drive a must - same author same guarantee - same cost - this course for

Fill in the coupon or send a facsimile.

all computers except Vic 20.

	CG
ADDRESS:	
CITY:	
PROV./STATE:	
POSTAL/ZIP CODE:	tight is shirt in a side of the
I desire the BASIC program- ming course for: Commodore 64  Vic 20	Any complete course: \$19.95   Postage and Handling: <u>\$3.00</u>   Total: \$22.95
Comm. 128 🗆 Comm. 16 🗆	Send Cheque or Money Order to:
I desire the FOLLOW-UP course on relative and seq-	Brantford Educational Services 6 Pioneer Place,
uential files for all above computers but Vic 20).	Brantford, Ontario, Canada N3R 7G7
6	www.commodore.c



#### Now YOU can play and sing your favorite songs on your quitar or keyboard accompanied by your own back-up band.

- You get 15 easy-to-play songs on each disk
- You see and hear the actual drum and bass parts
- You see and hear the melody (with lyrics on screen)
- You control the tempo of each song
- You see which chord to play, when and how to play it
- You get tones for tuning your guitar or keyboard
- You get diagrams of the guitar chords for each song

Each of the following STRUM-ALONG-SONG disks comes with 15 songs

1) Beatles Classics Hey Jude, Hard Day's Night, Yesterday, etc.

2) Elvis Classics Teddy Bear, Hound Dog, Love Me Tender, etc.

3) Kenny Rogers The Gambler, Lady, Coward of the County, etc.

We also have available "EASY GUITAR", the complete guitar lesson program for beginning guitarists on disk for your 64 or 128.

Order 1 disk for \$29,95, or order 2 disks for \$49,95, 3 disks for 59,95, or all 4 for 69.95

Use your VISA or MC, or send check or money order + \$3.00 shipping and handling to:

DJ Software

10636 Main Street, Suite 414 • Bellevue, WA 98004 (206) 883-9257

original program so fascinating.

to resp

is unmatched.

VICA

2

PRACTICE INTERVIEWING PATIENTS ON YOUR C64 Students of PSYCYOLOGY, SOCIAL WORK, COUNSELING, PSYCHIATRIC NURSING, or other HELPING PROFESSIONS. CLINICAL INTERVIEWS allows you to practice initial interviews prior to meeting real patients.

- · Five different patients on one disk
- Most interviews take 1-3 hours to complete
- Patients represent the types of problems you wight encounter in mental health settings
- Interviews can be repeated to improve your style
- Hardcopy option so you can print out and study your technique
- Summary of your interview available at any time so you can see how you are doing
- Help screens to give you clues

Developed by a psychology professor THE FOLLOWING IS AN ACTUAL SAMPLE OF THE FIRST MINUTES OF AN INTERVIEW WITH ONE OF THE PATIENTS: TRACIE: My name is Tracie. I was told I had to talk to you before I could see a shrink. What do

you want to know about me? STUDENT: What things do you think I should know? TRACIE: I'm awful anxious. I guess I'm also pretty unhappy.

STUDENT: How long have you felt this way? TRACIE: I guess I've been anxious for a long time.

WARNING: THESE PATIENTS USE PROFAMITY, AND DISCUSS SEXUALITY IN EXPLICIT TERMS. 'R RATED'

Send \$38.00 plus \$2.50 shipping and handling (check or money orders only) to: CLINICAL INTERVIEWS

Box 69

Willard, NY 14588 (New York State residents add \$2.10 sales tax)

# **ELECTRONIC ONE***

COMMODORE HARDWARE

C128	.249.99
C64	.139.99
1541 DISK DRIVE	.179.99
1571 DISK DRIVE	.239.99
1702 MONITOR	. 189.99
1802 MONITOR 1902A (RGB) MONITOR	. 179.99
1902A (RGB) MONITOR	279.99
PRINTERS	and makes
STAR SG10 10	.219.99
PANASONIC 1091	.229.99
EPSON LX80	.219.99
EPSON LX80 PANASONIC 1080	. 199.99
SEIKOSHA	.179.99
COMREX	69.99
COMREX COMMODORE MPS 1000	.239.99
MISC. HARDWARE	
G-WIZ INTERFACE CARDCO GT INTERFACE	. 46.99
CARDCO GT INTERFACE	.37.99
TYMAC CONNECTION	. 49.99
PPI	
PPI XETEC JR. INTERFACE	
XETEC INTERFACE	
MODEMS-TOTAL COMM	29.99
COMMODRE 1200 BAUD	.149.99
MESSENGER MODEM	34.99
MONITORS	
THOMPSON COMPOSITE	
14" COLOR	.149.99
THOMPSON (RGB)	.259.99
TENIKA MO 10 14" COLOR .	
TENIKA (RGB)	.269.99
XL80 80 COLÚMN BOARD	
1350 MOUSE (FOR 128)	42.99
SPECIAL	and a second second
STAR SG 10 C	.208.00



(commodore

CALL (614) 864-9994 P.O. Box 13428 • Columbus, Oh. 43213

COMMODORE SOFTWAR	
KUNG FU-EXPLODING FIST	. 19.99
KUNG FU-STICKS OF DEATH	. 19.99
KARATE CHAMP	. 19.99
KUNG FU MASTER	
KARATEKA	
HARDBALL	
PSI TRADING CO.	18.99
THE DAM BUSTERS	
LAW OF THE WEST	
FIGHT NIGHT	
COPY II	
JET	
FLIGHT SIM, II	
S'MORE	
FAST LOAD	
MACH 5	
MACH 128	
SUPER PASCAL	
НОМЕ РАК	.29.99
SYLVIA PORTER	.54.99
HOME ACCOUNTANT	
PRINT SHOP	
NEWSROOM	
WORD WRITER	
MULTI PLAN	.44.99

HOW TO ORDER: CASHIER CHECK, MONEY ORDER, MASTERCARD* OR VISA* (Add 4% for charge cards) ... NO PERSONAL CHECKS ... NO C.O.D.'s SHIPPED U.P.S. PRICES SUBJECT TO CHANGE.

SHIPPING: Prompt one day shipping on in-stock merchandise. Ohio residents add 5.5% sales tax. Add \$3.00 on all orders under \$100.00 . . . Add \$5.00 on all orders over \$100.00.

INTERNATIONAL: Actual freight charge on all orders outside the continental United States including A.P.O. CALL OR WRITE FOR FREE CATALOG

CALL ELECTRONIC ONE (614) 864-9994







#### SOFTWARE

C64 SpeedScript 3.0-3.2 Update (SPEEDAKI - SS 3X enhancer. See Gazette, Feb. 86, p. 106. (SPEEDMATE - SS) ax enhancer. See Gazette, Feb. 86, p. 106. (SPEEDMATE - SS) Preview-80 customizer. Save defaults for left, right, top, bottom, page length, spacing, pager style, 35 + printer codes, more. Customize SS with options - word wrap toggle, more. Change Pe0 GTRL keys for easy moves or use ISPEEDVIEW (free with INSPEEDMATE) to preview 80-columns onscreen with 4x8 hires chars. (SPEEDPAK/ or /SPEEDMATE/ \$15 US each; both \$27, Check/MO/MC/ Visa. In NC add 41/2%. Outside US & CAN add \$2/disk. Inquiries & orders:

UPSTART PUBLISHING Dept. G6, PO. Box 22022, Greensboro, NC 27420. ORDERS ONLY: 1-800-628-2828, ext. 678.

COMMODORE: TRY BEFORE YOU BUY. Top 25 best-selling games, utilities, new releases. Visa, MasterCard. Free brochure. Rent-A-Disk, 908 9th Ave., Huntington, WV 25701 (304) 522-1665

Free membership in SW club. Top British C64 programs. Member's discount! Introduct. offer: membership, catalog & reviews (no strings.) Arrow Express, Box 205-G6, Rossland, BC VOG 110

FREE SOFTWARE CATALOG! Call Toll-Free 1-800-554-1162, Tevex, Inc. Save 1/3 off retail prices. We carry SSI, Elect. Arts, Infocom, and many more!

SPECIAL ED. PROGRAMS FOR THE 64. Learning Handicaps, Physical Disability, Early Learning. Send for Free Brochure: SCIENCE OUTREACH - Rm. 3, 1731 Howe Ave. #410, Sacramento, CA 95825. (916) 427-7248

**BUSINESS APPLICATIONS - C64 - DISK.** Decision Analysis or Mult. Alternative \$24.95. People Analysis for Mgmt. & Sales \$21.95. R. Lewter & Assocs., 5104 Linda Lou Dr., Carmichael, CA 95608

PLAY TV's "WHEEL OF FORTUNE" C64/128. Great fun for all ages. Send \$14.95 to Mike Day, 4747 Snow Dr., San Jose, CA 95111. Indicate Disk or Tape.

C64/VIC "FALKLAND" a TWO COMPUTER game. Use your VICModem to play across town or across the table. \$10 gets BOTH versions. P. Bupp, 21724 124th Ave., SE, Kent, WA 98031

**BASEBALL PLAYERS/COACHES** Display, save, print your team's roster & complete statistics (up to 20 players/team). C64 & 128. Disk \$19.95 (mbg). Scoreboard Software, Dept. G5, POB 31566, Phoenix, AZ 85046

LOTTO PICKER. Improve your chances for those Million Dollar Jackpots! Picks LOTTO, WIN-4 and Daily Numbers. All USA & CAN. games incl. Expandable! IBM/C64/TI99 \$29.95. Order Now! 1-800-341-1950 ext. 77. Mail Orders: Ridge, 170 B'way, #201G, NY, NY 10038. Catalog.

VIDEO TITLE MAKER and colorful, eyecatching in-store business advertising messages and special effects generator. \$24.95 (C64 Disk): MicroAds, 145 East Norman Dr., Palatine, IL 60067

FREE SOFTWARE for C64, C128, IBM, & CPM. For info send large stamped (39¢) return envelope to: PUBLIC DOMAIN USERS GROUP, PO Box 1442-A2, Orange Park, FL 32067

ARTIFICIAL INTELLIGENCE language LISP! Lisp interpreter for C64 with 140 page manual, Source Code, Tutorial & Sample Programs. Send \$39.95 to List Processing Software, Box 3422, Rapid City, SD 57709

WE HAVE THE LOWEST RENTAL PRICES!!!! Guaranteed. Call or write for more info. Pioneer Rental, P.O. Box 54, 945 Dartmouth Ave., Lovelock, NV 89419 (702) 273-2781

A BETTER LABEL PROGRAM - C64 Universal labels 3.5 × 15/16. Add, delete, update, or sort database, communicate to/from word processors. *** 30 day money back guarantee *** Send \$24.95 to Simplified Software, 12531-B 39th NE, Seattle, WA 98125 Washington residents add sales tax.

QUANTUM LEAP: Box 2445, La Jolla, CA 92038 Casino 64, the greatest poker & slots - \$16. Full-featured Critic, C64 word processor - \$15. Disk Magazine I & II, 10+ prgms/disk - \$8 ea.

PRIME HAS EVERYBODY'S #. Numerological Predictions/Profiles/Mates and more. \$25 for disk. (Ont. +7%), OTHERLOBE SOFTWARE 160 Langley Ave., Toronto, Ont. M4K 1B7

EXCITING NEW CP/M SOFTWARE PRODUCTS for C64 and C128 computers! Write for info. Madd Programmer Software, 831 32nd Ave., Seattle, WA 98122 (206) 324-6980

EASY MONEY - PLAY BLACKJACK. Winning system & BJ GAME on C64 Disk - \$14.95. CA add sales tax. Guaranteed. Casino tested. Send check or MO TO: BLACKJACK HCC CO., PO Box 2116, Seal Beach, CA 90740

Play INSANE WE TRUST! The West Coast favorite for the C-64 on disk. Tricky quiz-type game. Only \$6 to: Tom Balvin, 2555 Altura Ave., Montrose, CA 91020

PLAY SPORTRONIX BASEBALL! Major League Baseball simulation game for C64. Realistic and fun! Under \$20. For details: SPORTRONIX, 4233 Anoka St., Springfield, OH 45503

MATH WIZARD/CRYPTOGRAM PROGRAMS. Turn your C64 into a super calculator for numbers up to 256 digits. Encode/decode cryptograms. On disk \$11.95 pp. Math Wizard, POB 6464, Mobile, AL 36660

100 PRINTSHOP™ GRAPHICS FOR THE C64 Vehicles-Animals-Characters + much more. \$8 Commodore printer-\$8 Other printer \$12 Both options + \$2 P/H to: J.A.H., 1452 Santa Fe Ave., Long Bech, CA 90813

ML INTERROGATOR/MODIFIER/TRACER Does what no ML Monitor can. True Hunt, Auto Modify, Run a ML Pgm, & Trace. \$24+\$2 S/H. Innovative Software, 530 N. 9th, Reading, PA 19604. Info 215-372-5438 or send SASE.

128 MONITOR EXTENSION - add missing functions - WALK - find/alter abs/ind addresses +,-,boolean ops more. \$15 to J. Ingenito, RD7 Woodmont Rd., Hopewell Jct., NY 12533

HANDY-CAP THOROUGHBRED HORSE METHOD plus Pick-6 Money-Saver systems for races and lotteries. Data from Daily Racing Form analyzed in several ways to cover all important factors. Disk for C64/128, only \$60 postpaid. Lottery program alone, \$15. Horse Power, Suite B82, 8726D Sepulveda Blvd., Los Angeles, CA 90045

PROGRAM YOUR DREAMS! Control themes using C64/128. Based on techniques developed at Stanford U. (LaBerge, 1981) Send \$19.95 for disk or \$1 for more info to: COMCRAFT, 8132 Firestone, Dept. 119, Downey, CA 90241

DOS 4.4 35/39 TRK AUTO-DUAL MODE 1541 DOS Upgrade. 732 Blks/F-Format/Dev Toggle/ De-Ratchet/Buf Clear/Save. Add 68 blks per disk! 2-EPROMS + Disk. \$34.95. HarDrive Associates, POB 14603, Louisville, KY 40214

MATH WRITER provides a fast, easy way to write programs that solve complex math problems. For C64. \$24.95 + \$2.00 S/H. Free Brochure. HARTEK, Suite 106, 12322 Poway Rd., Poway, CA 92064

Solve those AC&DC math problems now. Disk or Tape for C64, Plus/4, 16 and IBM Check - Electro-Math, POB 5906 - MO \$19.95 Sherman Oaks, CA 91413. \$19.95

PLAY VIDEO POKER on your C64. Just like the popular gambling game in Las Vegas Casinos. Disk, now only \$12.95 (NV Res. add 75¢ sales tax) Send check or m.o. to: FJD SOFTWARE, POB 80815, Las Vegas, NV 89180

Continued on next page.

#### COMPUTEI's Gazette Classified is a low-cost way to tell over 275,000 microcomputer owners about your product or service.

Rates: \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.)
 Terms: Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to COMPUTE! Publications.
 Form: Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.
 General Information: Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.
 Closing: 10th of the third month preceding cover date (e.g., lune issue closes March 10th). Send order and remittance to: Harry Blair at (919) 275-9809.
 Notice: COMPUTE! Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.

# **Classified**

*** C64 PROFESSIONAL TEXT EDITOR *** Easy to use full-screen editor creates Seq. Data Files or Assembler Source. Only \$24.50 for tape or disk. Write for free speecification sheet. NAC Microware, POB 697, Brea, CA 92621

"THE ULTIMATE 64 DISK MENU" Autoload/run Basic-ML prgs. INSTANTLY restore menu - even during another prog. Remarked Basic & ML on disk w/docs. Send \$12 to: Colony SW, POB 4712, Huntsville, AL 35815

LISTMAKER (C64) CREATE 3-ELEMENT LISTS. SIMPLE & FAST - EDIT - HUNT - SORT. CATALOGS DISK DIRECTORIES - THEN EDITS. ON-SCREEN EDITING OF 15 RECORDS AT TIME. MULTI-ELEMENT & RECORD COLUMNAR REPORTS (HUNDREDS OF RECORDS ON SINGLE PAGE) \$34.00 CHECKS ONLY TO: R. FEINBERG, PO BOX 15474, PHILA, PA 19149. NO REFUNDS.

THE COMPLETE DISK OF POLISH HUMOR Terrific for parties. R Rated. C64/128. Send \$9.95 ch or m.o. to: S&S Enterprises, Rt. 5, Box 179a, Eau Clair, WI 54703

#### HARDWARE

COMMODORE 1520 PRINTER/PLOTTER. \$85.00. Postpaid via UPS. Factory Warranty. Free User's Manual disk included. Thomas Savage, PO Box 75, Bethpage, NY 11714

**1525/801 TRUE DESCENDERS** New Char set. No affect on other fcns. Perm hdwre chg. Compl instr included. Send mdl # & \$25.95 FIX, 5703 E Southside, Louisville, KY 40214

COMMODORE 64 & VIC/20 USERS: THE ADMIRAL is here! Smart cable will connect any Centronics printer to your Commodore. Interface conversion is self-contained. No bulky adapters; no fuss! Plug in and print! 6-pin DIN to 36-pin Centronics connector. shielded. 9 ft. coiled, 24 ga. Molded. Gold-plated pins. UL 2464 listed. Send check for \$69.95 or UPS COD + s/h to: F. Lawrence Corp., 53 Valley Rd., Northport, NY 11768. Custom computer cables available. Write/call 516-754-2556 evenings. Cables Guaranteed.

#### MISCELLANEOUS

FREE! SHOP AT HOME BY MODEM! FANTASY PLAZA 1-818-840-8066 (MODEM) MEET NEW FRIENDS BY MODEM! MODEM PARTY LINE 1-818-842-3322 (MODEM)

USE BOTH SIDES OF DISKS WITHOUT CUTTING NOTCHES. Ideal write protection. Easy, no solder kit. Send \$6.95 + 50¢ p/h to: TDE, POB 1482, Windsor, CA 95492-1482

GM CAR - C64 DIAGNOSTIC HOOK-UP via ALDL terminal in most '80½ and newer GM cars. Computer controlled parameters are available for car trouble-shooting or study. Hardware and software available. Free Brochure. Executive Electronics, Inc. 938 Main St. Yarmouthport, MA 02675

#### Reader Service Number/Advertiser

advertiser's index

Page

100	
102	Abacus Software
102	Abacus Software
103	Abacus Soliware
104	Abby's Discount Software 119
105	Access Software, Inc15
106	Acorn of Indiana, Inc 116
107	Aier Products 120
107	Aier Products
108	American Robot & Electronics 128
	Aprotek
	Aprotek
109	Artificial Intelligence 124
110	Basic Computer Systems 124
110	Basic Computer Systems 124
111	Basix
112	Berkeley Softworks67
113	Blackship Computer Supply . 120
114	Brady Communications
	Brady Communications Company, Inc
	Company, Inc
	Brantford Educational
	Services
115	Cardinal Software
116	Central Point Software83
	Chestaheat Desdusta las
	Cheatsheet Products, Inc 121
	Cheatsheet Products, Inc 125
117	Clinical Interviews
	C.O.M.B. Direct Marketing
	Corp
	Corp
118	Commline-64
	Commodore BC
119	Compumed
	CompuServe
121	Computability 86.97
100	Computability
122	Computer Centers of America 117
123	Computer Mail Order 113
124	Computer PALS118
125	Cosmi
	Covox Inc
100	Crown Custom Covers 121
120	Crown Custom Covers 121
127	CSM Software Inc
128	Digital Solutions Inc. IBC
	Digital Solutions, Inc IBC
	Diversions Inc
129	Diversions Inc
	Diversions Inc
130	Diversions Inc.         126           DB Software         50           DJ Software         124
130 131	Diversions Inc
130 131	Diversions Inc
130 131	Diversions Inc
130 131	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components
130 131 132 133	Diversions Inc
130 131 132 133 134	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7
130 131 132 133 134 135	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122
130 131 132 133 134 135 136	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25
130 131 132 133 134 135 136	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25
130 131 132 133 134 135 136	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25
130 131 132 133 134 135 136 137	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25 Firstline Software, Inc. 47 Halix Institute 118
130 131 132 133 134 135 136 137	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25 Firstline Software, Inc. 47 Halix Institute 118 Inkwell Systems 114
130 131 132 133 134 135 136 137 138	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25 Firstline Software, Inc. 47 Halix Institute 118 Inkwell Systems 114 Intelligent Software 122
130 131 132 133 134 135 136 137 138 139	Diversions Inc.126DB Software50DJ Software124Electronic ArtsIFCElectronic One124Emerald ComponentsInternationalInternational52EPYX7Federal Hill Software122Firebird Licensees Inc.24–25Firstline Software, Inc.47Halix Institute118Inkwell Systems114Intelligent Software122Ketek51
130 131 132 133 134 135 136 137 138 139	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25 Firstline Software, Inc. 47 Halix Institute 118 Inkwell Systems 114 Intelligent Software 122 Ketek 51
130 131 132 133 134 135 136 137 138 139 140 141	Diversions Inc.126DB Software50DJ Software124Electronic ArtsIFCElectronic One124Emerald ComponentsInternationalInternational52EPYX7Federal Hill Software122Firebird Licensees Inc.24-25Firstline Software, Inc.47Halix Institute118Inkwell Systems114Intelligent Software122Ketek51Kyan Software123Lyco Computer36-37
130 131 132 133 134 135 136 137 138 139 140 141	Diversions Inc.126DB Software50DJ Software124Electronic ArtsIFCElectronic One124Emerald ComponentsInternationalInternational52EPYX7Federal Hill Software122Firebird Licensees Inc.24-25Firstline Software, Inc.47Halix Institute118Inkwell Systems114Intelligent Software122Ketek51Kyan Software123Lyco Computer36-37
130 131 132 133 134 135 136 137 138 139 140 141 142	Diversions Inc. 126 DB Software 50 DJ Software 124 Electronic Arts IFC Electronic One 124 Emerald Components International 52 EPYX 7 Federal Hill Software 122 Firebird Licensees Inc. 24–25 Firstline Software, Inc. 47 Halix Institute 118 Inkwell Systems 114 Intelligent Software 122 Ketek 51

Reader	Service Number/Advertiser	Page
144 N	Aichaelsoft	. 118
145 N	Aicro Computer Services	118
146 N	Aicrologic, Inc.	. 123
147 N	Aicro Prose Simulation	
	Software	13
148 N	Aicro-Ware Distributing, Inc.	. 126
149 N	lational Advancement	10,1000
	Corporation	76
150 P	recision Data Products	128
151 P	rism Software	48
 152 P	rotecto	61-63
153 R	. J. Brachman Associates,	
	Inc	126
154 R	JL Enterprises	116
155 R	J Softshop	114
156 S	chnedler Systems	121
S	econd Source Engineering	. 121
157 S	ignal Computer Products	53
S	implicity-Home Software .	128
158 S	oftware Discounters of	
	America	115
	olutions Unlimited	
S	portsware	126
160 S	tar Micronics	41
161 S	trategic Simulations, Inc	11
162 S	ubLOGIC	1
Te	ektonics Plus, Inc	114
163 1	enex Computer Express .	112
164 T	riad Computer	
165	ussey Computer Products	70-71
100 11	fland Software Inc	116
166 0	Itrabyte	
167 0	nitech	. 120
168 W	/hite House Computer	. 116
	/ilanta Arts	
170 X	etec Inc	

Classified Ads 127-128		
Commodore Books from		
COMPUTE! 59		
COMPUTE!'s Gazette Disk		
Subscription		
COMPUTE!'s Gazette		
Subscription		
COMPUTE!'s First Book of		
Commodore 128 & Electronic		
Computer Projects 9		
COMPUTE!'s Kids and the ST &		
Kids and the 128 45		
40 Great Flight Simulator		
Adventures 55		
40 More Great Flight Simulator		
Adventures 57		
128 Machine Language for		
Beginners 39		

#### Cwww.commodore.ca

# Solutions.



#### MAIL ORDERS:

CRYSTAL COMPUTER INC. In Michigan 1-517-224-7667 Outside Michigan 1-800-245-7316 24 hours a day, 7 days a week

# Never a Bad Disk!

Commencing December 1985, Digital Solution's software will feature Polaroid Premium Diskettes with the exclusive **Data Rescue**TM service.

If your disk label has **'Polaroid'** on it, **Data Rescue™** is available to you. Should anything happen to your diskette, Polaroid will help recover your data **free of charge**.

To utilize this service, call toll free 1-800-241-4403 in the continental U.S.A.

Serious software that's simple to use.

PW 128/64 Dictionary also available at \$14.95 (U.S.)











## Best-selling software for Your Commodore 128 or 64

You want the very best software you can find for your Commodore 128 or 64, right?

You want integrated software — word processing, database and spreadsheet applications — at a sensible price. But, you also want top-of-the-line features. Well, our Paperback 128/64 software goes one better.

With Paperback 128 or 64, you'll find all the features you can imagine ... and then some. And Paperback 128/64 is so easy to use, you won't even need the reference guide. On-screen and in memory instructions will have you up and running in less than 30 minutes, even if you've never used a computer before.

The price? It's as low as you'd expect for a line of software called 'Paperback'. Suggested Retail Price for the 64 Software is \$39.95 (U.S.) and \$49.95 (U.S.) for the 128. Any of the 64 products may be upgraded to their 128 version for \$15.00 (U.S.) + \$3.00 shipping and handling. (Available to registered owners from Digital Solutions Inc. only.)

Paperback Writer 128 or 64, Paperback Planner 128 or 64 and Paperback Filer 128 or 64... **Solutions** at sensible prices from Digital Solutions Inc.

International & Distributor enquiries to:



P.O. Box 345, Station A Willowdale, Ontario Canada M2N 559 1-416-221-3225

Paperback Writer 128 and 64 are now available in Frechwww.commodore.ca

# All you need to do this



graph a spreadsheet



write a novel



paint a picture



is this.

tell a story

When it comes to personal computers, you want the smartest, at a price that makes sense.

The new Commodore 128™ system has a powerful 128K memory, expandable by 512K. An 80-column display and 64, 128 and CP/M® modes for easy access to thousands of educational, business and home programs. And a keyboard, with built-in numeric keypad, that operates with little effort.

Or if the Commodore 128 is more machine than you had in mind, you can pick up the Commodore 64.® The Commodore 64 is our lower-priced model geared to more fundamental, basic needs.

Discover personal computers that do more for you. At prices you've been waiting for. From the company that sells more personal computers than IBM® or Apple®

www.commodore.ca

© 1985 Commodore Electronics Limited

The cross

forecast sales

CP/M is a registered trademark of Digital Research, Inc.
 Apple is a registered trademark of Apple Computer, Inc.

BM is a registered indemark of international Business Machines Corporation
 Commodore 64 is a registered trademark of Commodore Electronics, Ltd

COMMODORE 128 AND 64 Z PERSONAL COMPUTERS A Higher Intelligence